


WIE MAN DIESEN KATALOG VERWENDEN

HOW TO USE THIS CATALOGUE

Hersteller Manufacturer	Modellreihe Model series	kW/PS kW/HP	Motorcode Engine code	Modelljahr Model year	Typ Type	Artikelkriterien Additional information
MAZDA	3 [BK] 					
1.6		77/105	B6ZE	10/03->06/09	Tensioner	SR-1000 num. of wings 6; + belt pulley; + WP seal; ->05/09
1.6 DI Turbo		80/109	Y601	06/04->06/09	Deflection/Guide	SR-1000 num. of teeth 19; num. of wings 20; + belt pulley; + seal;
1.6 MZ-CD		66/90	Y406	06/06->12/09	Tensioner	SR-1000 num. of teeth 19; num. of wings 20; + belt pulley; + seal;
2.0		110/150	LF17	10/03->06/09	Deflection/Guide	SR-1000 num. of wings 6; - belt pulley; + WP seal;
2.0 MZR-CD		105/143	RF7J	12/06->06/09	Tensioner	SR-1000 num. of teeth 19; num. of wings 6; + belt pulley;
2.3 MPS Turbo		191/260	L3-VDT;L3N9	12/06->06/09	Deflection/Guide	SR-1000 num. of wings 6; - belt pulley; + WP seal; ->05/09;

Achtung
















Die Original-Nummern sind nur zum Vergleich angegeben.
Teilweise oder volle Vervielfältigung der Daten aus diesem Katalog ist nur mit der Genehmigung des Unternehmens Zekkert GmbH möglich.
Alle Angaben im Katalog wurden sorgfältig überprüft, aber das Unternehmen haftet für die Richtigkeit der Daten nicht.

Important

All original numbers are given for comparison reasons only.
Partial or total copying of this catalogue is possible only after Zekkert GmbH official approval.
All data in this catalogue has been carefully checked, however, we do not take responsibility for data accuracy.

SYMBOLLE / SYMBOLS

AUFBAUART/ MODEL

	Stufenheck Sedan		Cabriolet Cabrio		Minivan / Minibus Minivan / Minibus
	Kombi Wagon		Geländewagen Off road		Pritsche / Fahrgeste Flatbed / Chassis
	Schrägheck Hatchback		Pickup Pickup		Großraumlimousine MPV
	Coupé Coupe		Kastenwagen Panel van		Kleintransporter Light truck
	Liftback Liftback		Lieferwagen Delivery van		Pritschenwagen Platform truck

	D	GB
+ ...	mit	with
- ...	ohne	without
for ...	for	für
not for ...	not for	nicht für
made in ...	hergestellt in	made in
AAC	Klimaautomatik	automatic climate control
AC	Klimaanlage	air conditioner
ACC	Generator- Ladestrom [A]	alternator charge current [A]
ACCOM	angetr. Agg.: Klimakompressor	driven unit: aircon compressor
ACOM	angetr. Agg.: Luftkompressor	driven unit: air compressor
ALT	angetr. Agg.: Generator	driven unit: alternator
AS	Aktivlenkung	active steering
AT	Automatikgetriebe	automatic transmission
auto. TPA	automatisch Spannrollenbetätigung	automatic tensioner pulley actuation
AWD	Allrad	all wheel drive
bal. shaft	angetr. Agg.: Ausgleichswelle	driven unit: balance shaft
camshaft DOHC	DOHC	DOHC
camshaft SOHC/OHC	SOHC/OHC	SOHC/OHC
catalytic converter	Katalysator	catalytic converter
CC	kalte Klimazonen	cold climates
->ch. ...	bis Fahrgestellnummer	to chassis number
ch. ... ->	ab Fahrgestellnummer	from chassis number
compr. ID ...	Kompressor-ID	compressor ID
CS	angetr. Agg.: Nockenwelle	driven unit: camshaft
D1 ...	Durchmesser, 1 [mm]	diameter, 1 [mm]
D2 ...	Durchmesser, 2 [mm]	diameter, 2 [mm]
-> DAM # ...	bis DAM-Nummer	DAM number to
DAM # ...	DAM-Nummer	DAM Number
DAM # ... ->	ab DAM-Nummer	DAM number from
DPF	nachgerüstetem Dieselpartikelfilter [DPF]	retrofit diesel particulate filter [DPF]
DR ...	Türenanzahl	number of doors
EDDR	elektronische Fahrdynamikregelung	electronic drive dynamics regulation
eng. output ... HP	Leistung [PS]	engine output [HP]
-> eng. # ...	bis Motornummer	to engine number
eng. # ... ->	ab Motornummer	from engine number
engine ...	Motornummer	engine code

	D	GB
engine mod. ...	Motorbauart	engine model
EPS	elektrische Servolenkung	electric power steering
estate	Kombi	estate
Euro 4 [D4]	Euro 4 [D4]	euro 4 [D4]
Euro 5	Euro 5	euro 5
Euro 6	Euro 6	euro 6
exc. eng.	nicht für Motorcode	except engine code
FAN	angetr. Agg.: Lüfter	driven unit: fan
for BD thickness ... mm	für Bremsscheibendicke [mm]	for brake disc thickness [mm]
FWD	Frontantrieb	front-wheel drive
G-CH	angetr. Agg.: G-Lader	driven unit: G-charger
hatchback	Schrägheck	hatchback
heating	Heizung	heating
height-adjus. susp.	höhenverstellbares Fahrwerk	height-adjustable suspension
holder	Halter	holder
hot climate	heiße Klimazonen	hot climate zones
hydr. TPA	hydraulisch Spannrollenbetätigung	hydraulic tensioner pulley actuation
ID ...	Innendurchmesser [mm]	inner diameter [mm]
Inl./Outl. ...	Anzahl d. Ein-/Ausgänge	number of inlets / outlets
IP	angetr. Agg.: Einspritzpumpe	driven unit: injection pump
LHD	Linkslenker	left-hand drive vehicles
man. TPA	manuell Spannrollenbetätigung	manual tensioner pulley actuation
MD: ...	Baumuster	model
mech. TPA	mechanisch Spannrollenbetätigung	mechanical tensioner pulley actuation
->MM/YY	bis Baujahr	to construction year
MM/YY->	ab Baujahr	from construction year
MT	Schaltgetriebe	manual transmission
6MT	Schaltgetriebe 6 Gang	manual transmission, 6-speed
num. of ribs ...	Anzahl der Rippen	number of ribs
num. of teeth ...	Zähnezahl	number of teeth
Ø ... mm	Durchmesser [mm]	diameter [mm]
OD ...	Außendurchmesser [mm]	outer diameter [mm]
OD1 ...	Außendurchmesser, 1 [mm]	outer diameter, 1 [mm]
OD2 ...	Außendurchmesser, 2 [mm]	outer diameter, 2 [mm]
OE ...	OE-Nummer	OE number
oil cooler	Ölkühler	oil cooler

	D	GB
-> prod. date ...	bis Produktionsdatum	production date to
prod. date ... ->	ab Produktionsdatum	production date from
PS	Servolenkung	power steering
PSP	angetr. Agg.: Servopumpe	driven unit: power-steering pump
push control	Druckbetätigung	push control
QTY ...	benötigte Stückzahl	necessary number
RHD	Rechtslenker	right-hand drive vehicles
RTP	abgerundetem Zahnprofil	rounded tooth profile
start-stop	Start-Stopp-Funktion	start-stop function
sup. plate	Stutzscheibe	supporting plate
TCOM	angetr. Agg.: Turbokompressor	driven unit: turbocompressor
trans. type ...	Getriebetyp	transmission type
tropical climates	tropische Klimazonen	tropical climate zones
TTP	trapezförmigen Zahnprofil	trapezoidal tooth profile
turbo/intercooler	Turbo/Intercooler	turbo/intercooler
-> VET # ...	bis VET-Nummer	VET number to
VET # ... ->	ab VET-Nummer	VET number from
VTG turbocharger	VTG-Lader	VTG turbocharger
W ...	Breite [mm]	width [mm]
WP	angetr. Agg.: Wasserpumpe	driven unit: water pump
-> year ...	bis Modelljahr	to model year
year ...->	ab Modelljahr	from model year
AU	Australien	Australia
CHE	Schweiz	Switzerland
EU	Europe	Europe
FR	Frankreich	France
HU	Ungarn	Hungary
ISR	Israel	Israel
JP	Japan	Japan
MY	Malaysia	Malaysia
RU	Russland	Russia
SE	Sweden	Sweden
TH	Thailand	Thailand
UK	Großbritannien	United Kingdom
USA	USA	USA

INHALT/CONTENTS

ACURA	5
ALFA ROMEO	5
AUDI	9
BMW	50
BUICK	69
CADILLAC	69
CHERY	70
CHEVROLET	70
CHRYSLER	75
CITROËN	77
DACIA	101
DAEWOO	105
DAIHATSU	109
DODGE	109
FIAT	110
FORD	125
FORD USA	150
GAZ	150
HONDA	150
HUMMER	156
HYUNDAI	156
INFINITI	168
ISUZU	168
IVECO	168
JAGUAR	174
JEEP	175
KIA	176
LADA	183
LANCIA	184
LAND ROVER	187
LDV	187
LEXUS	187
MAZDA	189
MERCEDES-BENZ	196
MINI	242
MITSUBISHI	244
NISSAN	254
OPEL	263
PEUGEOT	296
PORSCHE	319
RENAULT	320
ROVER	360
SAAB	362
SEAT	366
SKODA	380
SMART	391

SSANGYONG	391
SUBARU	393
SUZUKI	403
TOYOTA	405
UAZ	420
VOLVO	420
VW	439
Umschlüsselungsliste / Cross list	491



kW/HP

Engine code



Type



ACURA

RSX Coupe (DC_)

2.0 Sport 118/160 K20A3 10/01-> Tensioner SR-1312 ID: 17; OD: 76,5; W: 34,5; ALT

ALFA ROMEO

145 (930)

1.4 i.e. 16V T.S.	76/103	AR 33503;AR 38501	12/96->01/01	Deflection/Guide	SR-1272	ID: 10,2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
1.6 16V T.S.	82/112	AR 32102	09/97->12/00	Deflection/Guide	SR-1272	ID: 10,2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
1.6 i.e. 16V T.S.	88/120	AR 67601;AR 38201	12/96->01/01	Deflection/Guide	SR-1272	ID: 10,2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
1.8 i.e. 16V	106/144	AR 32201	03/98->01/01	Deflection/Guide	SR-1272	ID: 10,2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
1.8 i.e. 16V T.S.	103/140	AR 67106;AR 38401;AR 67199	12/96->12/98	Deflection/Guide	SR-1272	ID: 10,2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD	77/105	AR 32302	02/99->01/01	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
2.0 16V Quadrifoglio	114/155	AR 32301	03/98->01/01	Deflection/Guide	SR-1274	OD: 100; W: 29; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
2.0 16V T.S.	110/150	AR 67204	10/95->01/01	Deflection/Guide	SR-1274	OD: 100; W: 29; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower

146 (930)

1.4 i.e. 16V T.S.	76/103	AR 33503;AR 38501	11/96->01/01	Deflection/Guide	SR-1272	ID: 10,2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
1.6 16V T.S.	82/112	AR 32102	09/97->12/00	Deflection/Guide	SR-1272	ID: 10,2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
1.6 i.e. 16V T.S.	88/120	AR 67601;AR 38201	11/96->01/01	Deflection/Guide	SR-1272	ID: 10,2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
1.8 i.e. 16V T.S.	106/144	AR 32201	03/98->01/01	Deflection/Guide	SR-1272	ID: 10,2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
1.8 i.e. 16V T.S.	103/140	AR 67106;AR 38401	11/96->01/01	Deflection/Guide	SR-1272	ID: 10,2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD	77/105	AR 32302	02/99->01/01	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
2.0 16V Quadrifoglio	114/155	AR 32301	03/98->01/01	Deflection/Guide	SR-1274	OD: 100; W: 29; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
2.0 16V T.S.	110/150	AR 67204	10/95->01/01	Deflection/Guide	SR-1274	OD: 100; W: 29; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower




147 (937)










1.6 16V T.SPARK (937AXB1A)	88/120	AR 32104	01/01->03/10	Deflection/Guide	SR-1272	ID: 10,2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1294	- holder; OD: 66; W: 29; ALT; 09/03->; Fitting Position: Lower
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; ->09/03; Fitting Position: Lower
1.6 16V T.SPARK ECO (937AXA1A)	77/105	AR 37203	01/01->03/10	Deflection/Guide	SR-1272	ID: 10,2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; ->09/03; Fitting Position: Lower
				Tensioner	SR-1294	- holder; OD: 66; W: 29; ALT; 09/03->; Fitting Position: Lower
1.9 JTD	74/101	182 B9.000	06/03->03/10	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD (937AXD1A)	85/115	937 A2.000	04/01->03/10	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD 16V	93/126	937 A4.000	09/03->09/04	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD 16V	100/136	192 B1.000	10/04->03/10	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD 16V	103/140	192 A5.000	11/02->03/10	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTDM	85/115	939 A7.000	10/04->03/10	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTDM 16V	110/150	937 A5.000	09/04->03/10	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTDM 8V	88/120	937 A3.000	07/05->03/10	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
2.0 16V T.SPARK (937AXC1_)	110/150	AR 32310	01/01->03/10	Deflection/Guide	SR-1274	OD: 100; W: 29; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1294	- holder; OD: 66; W: 29; ALT; Fitting Position: Lower





155 (167)

1.6 16V T.S.	88/120	AR 67601	05/96->12/97	Deflection/Guide	SR-1272	ID: 10,2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower

	kW/HP	Engine code		Type		
2.0 T.S. 16V [167.A2G]	110/150	AR 67204;AR 67299	03/95->12/97	Deflection/Guide Tensioner	SR-1274 SR-1273	OD: 100; W: 29; ALT; Fitting Position: Centre; + AC - holder; OD: 65; W: 29; ALT; Fitting Position: Lower
156 [932] 						
1.6 16V T.SPARK	82/112	AR 32102	09/97->09/05	Deflection/Guide Tensioner Tensioner	SR-1272 SR-1273 SR-1294	ID: 10.2; OD: 91; W: 25; ALT; engine AR 32102; engine AR 32103; Fitting Position: Centre; + AC - holder; OD: 65; W: 29; ALT; engine AR 32102; Fitting Position: Lower; ->09/03; engine AR 32103; Fitting Position: Lower - holder; OD: 66; W: 29; ALT; 09/03->; engine AR 32103; Fitting Position: Lower
1.6 16V T.SPARK [932A4]	88/120	AR 67601;AR 32102;AR 32104;AR 32103	09/97->09/05	Deflection/Guide Tensioner Tensioner	SR-1272 SR-1294 SR-1273	ID: 10.2; OD: 91; W: 25; ALT; engine AR 32104; engine AR 67601; Fitting Position: Centre; + AC - holder; OD: 66; W: 29; ALT; 09/03->; engine AR 32103; engine AR 32104; MD X1; Fitting Position: Lower - holder; OD: 65; W: 29; ALT; engine AR 67601; Fitting Position: Lower; ->09/03; engine AR 32104; Fitting Position: Lower
1.8 16V T.SPARK [932A3]	106/144	AR 32201	09/97->10/00	Deflection/Guide Tensioner	SR-1272 SR-1273	ID: 10.2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC - holder; OD: 65; W: 29; ALT; Fitting Position: Lower
1.8 16V T.SPARK [932A31_]	103/140	AR 32205	10/00->09/05	Deflection/Guide Tensioner Tensioner	SR-1272 SR-1294 SR-1273	ID: 10.2; OD: 91; W: 25; ALT; Fitting Position: Centre - holder; OD: 66; W: 29; ALT; 09/03->; Fitting Position: Lower - holder; OD: 65; W: 29; ALT; ->09/03; Fitting Position: Lower
1.9 JTD	110/150	937 A5.000	07/04->09/05	Deflection/Guide Tensioner	SR-1304 SR-1305	OD: 80; W: 25; ALT; Fitting Position: Centre - holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD	100/136	192 B1.000	11/02->11/04	Deflection/Guide Tensioner	SR-1304 SR-1305	OD: 80; W: 25; ALT; Fitting Position: Centre - holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD	93/126	937 A4.000	11/03->09/05	Deflection/Guide Tensioner	SR-1304 SR-1305	OD: 80; W: 25; ALT; Fitting Position: Centre - holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD [932A2B, 932A2C]	85/115	937 A2.000	05/01->09/05	Deflection/Guide Tensioner	SR-1304 SR-1305	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC - holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD [932A2B_]	81/110	AR 37101	10/00->05/01	Deflection/Guide Tensioner	SR-1304 SR-1305	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC - holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD [932B2]	77/105	AR 32302	09/97->10/00	Deflection/Guide Tensioner	SR-1304 SR-1273	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC - holder; OD: 65; W: 29; ALT; ->eng.# 1064561; Fitting Position: Lower; + AC
1.9 JTD 16V	103/140	192 A5.000	11/02->09/05	Deflection/Guide Tensioner	SR-1304 SR-1305	OD: 80; W: 25; ALT; Fitting Position: Centre - holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
2.0 16V T.SPARK [932A2]	114/155	AR 32301	09/97->10/00	Deflection/Guide Tensioner	SR-1274 SR-1273	OD: 100; W: 29; ALT; Fitting Position: Centre; + AC - holder; OD: 65; W: 29; ALT; Fitting Position: Lower
2.0 16V T.SPARK [932A21_]	110/150	AR 32310	10/00->03/02	Deflection/Guide Tensioner Tensioner	SR-1274 SR-1273 SR-1294	OD: 100; W: 29; ALT; Fitting Position: Centre - holder; OD: 65; W: 29; ALT; MD T7; Fitting Position: Lower - holder; OD: 66; W: 29; ALT; MD X1; Fitting Position: Lower
2.0 JTS	119/162	932 A2.000	11/97->09/05	Deflection/Guide Tensioner	SR-1274 SR-1273	OD: 100; W: 29; ALT; Fitting Position: Centre; + AC - holder; OD: 65; W: 29; ALT; Fitting Position: Lower
2.0 JTS [932AXA]	122/166	937 A1.000	03/02->09/05	Deflection/Guide Tensioner	SR-1274 SR-1294	OD: 100; W: 29; ALT; Fitting Position: Centre - holder; OD: 66; W: 29; ALT; Fitting Position: Lower
156 Sportwagon [932] 						
1.6 16V T.SPARK	82/112	AR 32102	01/00->09/05	Deflection/Guide Tensioner Tensioner	SR-1272 SR-1273 SR-1294	ID: 10.2; OD: 91; W: 25; ALT; engine AR 32102; engine AR 32103; Fitting Position: Centre; + AC - holder; OD: 65; W: 29; ALT; engine AR 32102; Fitting Position: Lower; ->09/03; engine AR 32103; Fitting Position: Lower - holder; OD: 66; W: 29; ALT; 09/03->; engine AR 32103; Fitting Position: Lower
1.6 16V T.SPARK. [932A4]	88/120	AR 67601;AR 32102;AR 32104;AR 32103	05/00->05/06	Deflection/Guide Tensioner Tensioner	SR-1272 SR-1294 SR-1273	ID: 10.2; OD: 91; W: 25; ALT; engine AR 32104; engine AR 67601; Fitting Position: Centre; + AC - holder; OD: 66; W: 29; ALT; 09/03->; engine AR 32104; Fitting Position: Lower - holder; OD: 65; W: 29; ALT; engine AR 67601; Fitting Position: Lower; ->09/03; engine AR 32104; Fitting Position: Lower
1.8 16V T.SPARK [932A3]	106/144	AR 32201	05/00->10/00	Deflection/Guide Tensioner	SR-1272 SR-1273	ID: 10.2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC - holder; OD: 65; W: 29; ALT; Fitting Position: Lower
1.8 16V T.SPARK [932B31_]	103/140	AR 32205	10/00->05/06	Deflection/Guide Tensioner Tensioner	SR-1272 SR-1273 SR-1294	ID: 10.2; OD: 91; W: 25; ALT; Fitting Position: Centre - holder; OD: 65; W: 29; ALT; ->09/03; Fitting Position: Lower - holder; OD: 66; W: 29; ALT; 09/03->; Fitting Position: Lower
1.9 JTD	110/150	937 A5.000	03/05->05/06	Deflection/Guide Tensioner	SR-1304 SR-1305	OD: 80; W: 25; ALT; Fitting Position: Centre - holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD	100/136	192 B1.000	11/02->11/04	Deflection/Guide Tensioner	SR-1304 SR-1305	OD: 80; W: 25; ALT; Fitting Position: Centre - holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD	93/126	937 A4.000	11/03->05/06	Deflection/Guide Tensioner	SR-1304 SR-1305	OD: 80; W: 25; ALT; Fitting Position: Centre - holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD [932B2]	77/105	AR 32302	05/00->10/00	Deflection/Guide Tensioner	SR-1304 SR-1273	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC - holder; OD: 65; W: 29; ALT; ->eng.# 1064561; Fitting Position: Lower; + AC
1.9 JTD [932B2B, 932B2C]	85/115	937 A2.000	05/01->05/06	Deflection/Guide Tensioner	SR-1304 SR-1305	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC - holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD [932B2B_]	81/110	AR 37101	10/00->05/01	Deflection/Guide Tensioner	SR-1304 SR-1305	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC - holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD 16V	103/140	192 A5.000	11/02->05/06	Deflection/Guide Tensioner	SR-1304 SR-1305	OD: 80; W: 25; ALT; Fitting Position: Centre - holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD 16V Q4	110/150	937 A5.000	07/04->05/06	Deflection/Guide Tensioner	SR-1304 SR-1305	OD: 80; W: 25; ALT; Fitting Position: Centre - holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower

	kW/HP	Engine code		Type		
2.0 16V T.SPARK [932A2]	114/155	AR 32301	05/00->06/02	Deflection/Guide Tensioner	SR-1274 SR-1273	OD: 100; W: 29; ALT; Fitting Position: Centre; + AC - holder; OD: 65; W: 29; ALT; Fitting Position: Lower
2.0 16V T.SPARK [932B21_]	110/150	AR 32310	10/00->03/02	Deflection/Guide Tensioner	SR-1274 SR-1294	OD: 100; W: 29; ALT; Fitting Position: Centre - holder; OD: 66; W: 29; ALT; MD X1; Fitting Position: Lower
2.0 JTS	119/162	932 A2.000	03/02->05/06	Deflection/Guide Tensioner	SR-1274 SR-1273	OD: 100; W: 29; ALT; Fitting Position: Centre; + AC - holder; OD: 65; W: 29; ALT; Fitting Position: Lower
2.0 JTS [932BXA]	122/166	937 A1.000	03/02->05/06	Deflection/Guide Tensioner	SR-1274 SR-1294	OD: 100; W: 29; ALT; Fitting Position: Centre - holder; OD: 66; W: 29; ALT; Fitting Position: Lower
159 [939] 						
1.8 MPI	103/140	939 A4.000	03/07->11/11	Deflection/Guide Tensioner	SR-1064 SR-1063	OD: 61; thread size M8x1,25; W: 27,5 ID: 8,2; OD: 66; W: 29
1.8 TBi	147/200	939 B1.000	05/09->11/11	Deflection/Guide Tensioner	SR-1070 SR-1069	OD: 65; W: 25,5; ALT; Fitting Position: Upper - holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
1.9 JTDM 16V	110/150	939 A2.000	09/05->11/11	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
1.9 JTDM 16V	100/136	939 A8.000;937 A8.000	09/05->11/11	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
1.9 JTDM 8V	88/120	939 A1.000	09/05->11/11	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
1.9 JTS	118/160	939 A6.000	09/05->11/11	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT
2.0 JTDM	120/163	844 A2.000	05/09->11/11	Deflection/Guide Tensioner	SR-1070 SR-1069	OD: 65; W: 25,5; ALT; Fitting Position: Upper - holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 JTDM	125/170	939 B3.000	05/09->11/11	Deflection/Guide Tensioner	SR-1070 SR-1069	OD: 65; W: 25,5; ALT; Fitting Position: Upper - holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 JTDM	100/136	939 B4.000	06/10->11/11	Deflection/Guide Tensioner	SR-1070 SR-1069	OD: 65; W: 25,5; ALT; Fitting Position: Upper - holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.2 JTS	136/185	939 A5.000	09/05->11/11	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; Fitting Position: Centre
3.2 JTS	191/260	939 A.000	02/08->11/11	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
3.2 JTS Q4	191/260	939 A.000	12/05->11/11	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
159 Sportwagon [939] 						
1.8 MPI	103/140	939 A4.000	03/07->11/11	Deflection/Guide Tensioner	SR-1064 SR-1063	OD: 61; thread size M8x1,25; W: 27,5 ID: 8,2; OD: 66; W: 29
1.8 TBi	147/200	939 B1.000	05/09->11/11	Deflection/Guide Tensioner	SR-1070 SR-1069	OD: 65; W: 25,5; ALT; Fitting Position: Upper - holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
1.9 JTDM 16V	110/150	939 A2.000	03/06->11/11	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
1.9 JTDM 16V	100/136	937 A8.000	03/06->11/11	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
1.9 JTDM 8V	88/120	939 A1.000	03/06->11/11	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
1.9 JTS	118/160	939 A6.000	03/06->11/11	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT
2.0 JTDM	120/163	844 A2.000	05/09->11/11	Deflection/Guide Tensioner	SR-1070 SR-1069	OD: 65; W: 25,5; ALT; Fitting Position: Upper - holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 JTDM	125/170	939 B3.000	05/09->11/11	Deflection/Guide Tensioner	SR-1070 SR-1069	OD: 65; W: 25,5; ALT; Fitting Position: Upper - holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 JTDM	100/136	939 B4.000	06/10->11/11	Deflection/Guide Tensioner	SR-1070 SR-1069	OD: 65; W: 25,5; ALT; Fitting Position: Upper - holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.2 JTS	136/185	939 A5.000	03/06->11/11	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; Fitting Position: Centre
3.2 JTS	191/260	939 A.000	02/08->11/11	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
3.2 JTS Q4	191/260	939 A.000	03/06->11/11	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
166 [936] 						
2.0 T.SPARK [936A3A_]	114/155	AR 34103	09/98->10/00	Deflection/Guide Tensioner	SR-1274 SR-1294	OD: 100; W: 29; ALT; Fitting Position: Centre - holder; OD: 66; W: 29; ALT; Fitting Position: Lower
2.0 T.SPARK [936A3B_]	110/150	AR 36301	10/00->06/07	Deflection/Guide Tensioner	SR-1274 SR-1294	OD: 100; W: 29; ALT; Fitting Position: Centre - holder; OD: 66; W: 29; ALT; Fitting Position: Lower
AR 6 Box [280] 						
2.4 D	53/72	8144.61.200	04/85->02/86	Deflection/Guide Deflection/Guide	SR-1119 SR-1120	OD: 64; W: 34; Fitting Position: Lower OD: 67; W: 34; Fitting Position: Upper
2.5 D	55/75	8144.67.220	03/86->12/89	Deflection/Guide Deflection/Guide	SR-1120 SR-1119	OD: 67; W: 34; Fitting Position: Upper OD: 64; W: 34; Fitting Position: Lower
AR 8 Box [280] 						
2.4 TD	68/92	8140.21.200 D.I.	04/85->12/89	Deflection/Guide Deflection/Guide	SR-1120 SR-1119	OD: 67; W: 34; ->12/86; num. of teeth 152; Fitting Position: Upper; ->12/86; num. of teeth 153; Fitting Position: Upper; Fitting Position: Lower OD: 64; W: 34; ->12/86; num. of teeth 152; Fitting Position: Lower
2.5 D	55/75	8144.67.220	09/86->12/89	Deflection/Guide Deflection/Guide	SR-1119 SR-1120	OD: 64; W: 34; Fitting Position: Lower OD: 67; W: 34; Fitting Position: Upper
AR 8 Platform/Chassis [280] 						
2.4 TD	68/92	8140.21.200 D.I.	04/85->12/88	Deflection/Guide Deflection/Guide	SR-1119 SR-1120	OD: 64; W: 34; ->12/86; num. of teeth 152; Fitting Position: Lower OD: 67; W: 34; ->12/86; num. of teeth 152; Fitting Position: Upper; ->12/86; num. of teeth 153; Fitting Position: Upper; Fitting Position: Lower
2.5 D	55/75	8144.67.220	09/86->12/89	Deflection/Guide Deflection/Guide	SR-1120 SR-1119	OD: 67; W: 34; Fitting Position: Upper OD: 64; W: 34; Fitting Position: Lower

	kW/HP	Engine code		Type		
BRERA (939) 						
1.8 TBi	147/200	939 B1.000	05/09->06/10	Deflection/Guide	SR-1070	OD: 65; W: 25.5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 JTDM	120/163	844 A2.000	03/08->06/10	Deflection/Guide	SR-1070	OD: 65; W: 25.5; ALT; Fitting Position: Centre
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower Left
2.0 JTDM	125/170	939 B3.000	05/09->06/10	Deflection/Guide	SR-1070	OD: 65; W: 25.5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.2 JTS	136/185	939 A5.000	01/06->06/10	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; Fitting Position: Centre
3.2 JTS	191/260	939 A.000	03/08->06/10	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
3.2 JTS Q4	191/260	939 A.000	01/06->06/10	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
GIULIETTA (940) 						
1.4 TB	88/120	198 A4.000;940 B7.000	04/10->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; not for tropical climates
1.4 TB	125/170	940 A2.000	04/10->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; not for tropical climates
1.4 TB	77/105	940 B1.000;940 B8.000	04/11->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; not for tropical climates
1.4 TB	110/150	940 A2.000	09/14->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.6 JTDM	77/105	940 A3.000	04/10->	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Left; not for tropical climates
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left; for tropical climates
1.8 TBi	173/235	940 A1.000	04/10->	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
2.0 JTDM	103/140	940 A5.000	04/10->	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Left; not for tropical climates
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; for tropical climates
2.0 JTDM	100/136	940 A8.000;940 B6.000	04/10->	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; for tropical climates
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Left; not for tropical climates
2.0 JTDM	125/170	940 A4.000	04/10->	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left; for tropical climates
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Left; not for tropical climates
2.0 JTDM	110/150	940 B5.000	08/13->	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre right; Euro 5; Euro 6; Climate Zones: not for cold climates; not for tropical climates
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; for CC; for tropical climates
2.0 JTDM	129/175	940 B4.000	11/13->	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre right; Euro 5; Euro 6; Climate Zones: not for cold climates; not for tropical climates
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; for CC; for tropical climates
GT (937) 						
1.8 TS	103/140	AR 32205	11/03->09/10	Deflection/Guide	SR-1272	ID: 10.2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1294	- holder; OD: 66; W: 29; ALT; Fitting Position: Left
1.9 JTD	125/170	937 A6.000	05/08->09/10	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD	110/150	937 A5.000	11/03->09/10	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
2.0 JTS	121/165	937 A1.000;932 A2.000	11/03->09/10	Deflection/Guide	SR-1274	OD: 100; W: 29; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1294	- holder; OD: 66; W: 29; ALT; Fitting Position: Lower
2.0 JTS	119/162	932 A2.000	12/06->09/10	Deflection/Guide	SR-1274	OD: 100; W: 29; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1294	- holder; OD: 66; W: 29; ALT; Fitting Position: Lower
GTV (916C_) 						
1.8 16V (916C3)	106/144	AR 32201	05/98->10/05	Deflection/Guide	SR-1272	ID: 10.2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1294	- holder; OD: 66; W: 29; ALT; 09/03->; Fitting Position: Lower
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; ->09/03; Fitting Position: Lower
2.0 JTS	121/165	937 A1.000	04/03->10/05	Deflection/Guide	SR-1274	OD: 100; W: 29; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1294	- holder; OD: 66; W: 29; ALT; Fitting Position: Lower
2.0 T.SPARK 16V (916C2_, 916C2C00)	110/150	AR 16201;AR 32310	06/95->10/05	Deflection/Guide	SR-1274	OD: 100; W: 29; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1294	- holder; OD: 66; W: 29; ALT; MD W0; Fitting Position: Lower
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; MD U8; Fitting Position: Lower
2.0 T.SPARK 16V (916C2C)	114/155	AR 32301	05/98->08/00	Deflection/Guide	SR-1274	OD: 100; W: 29; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; MD U8; Fitting Position: Lower
				Tensioner	SR-1294	- holder; OD: 66; W: 29; ALT; MD W0; Fitting Position: Lower
MITO (955) 						
1.3 MultiJet	62/84	199 B4.000	01/11->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower Left
1.3 MultiJet	66/90	199 A3.000	09/08->	Tensioner	SR-1013	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower Left
1.3 MultiJet	70/95	199 B1.000	10/09->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower Left
1.3 MultiJet	59/80	199 B8.000	12/13->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; CS; Fitting Position: Centre; + AC
1.4	57/78	955 A1.000	03/11->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; engine 955 A1.000; Fitting Position: Lower; + AC
1.4	57/78	350 A1.000	03/11->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1046	OD: 55.5; W: 26
1.4	51/69	955 A9.000	05/11->	Tensioner	SR-1046	OD: 55.5; W: 26
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4 Bifuel	88/120	198 A4.000	07/11->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; engine 198 A4.000; Fitting Position: Lower; + AC
1.4 MultiAir	77/105	955 A6.000	08/10->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4 TJet	114/155	199 A8.000	09/08->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC

	kW/HP	Engine code		Type		
1.4 TJet	88/120	198 A4.000	09/08->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; engine 198 A4.000; Fitting Position: Lower; + AC
1.4 Turbo MultiAir	120/163	955 A8.000	10/09->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4 Turbo MultiAir	99/135	955 A2.000;955 A7.000	10/09->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4 Turbo MultiAir	125/170	940 A2.000	10/09->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.6 JTDM	88/120	198 A2.000;955 A3.000	09/08->	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
1.6 JTDM	85/115	955 A4.000	09/08->	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left

SPIDER (916_, 916S_)

1.8 16V (916S3)	106/144	AR 32201	05/98->04/05	Deflection/Guide	SR-1272	ID: 10,2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1294	- holder; OD: 66; W: 29; ALT; 09/03->; Fitting Position: Lower
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; ->09/03; Fitting Position: Lower
2.0 JTS	121/165	937 A1.000	04/03->04/05	Deflection/Guide	SR-1274	OD: 100; W: 29; ALT; Fitting Position: Centre
				Tensioner	SR-1294	- holder; OD: 66; W: 29; ALT; Fitting Position: Lower
2.0 T.SPARK 16V (916S2B)	114/155	AR 32301	05/98->08/00	Deflection/Guide	SR-1274	OD: 100; W: 29; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1294	- holder; OD: 66; W: 29; ALT; Fitting Position: Lower
2.0 T.SPARK 16V (916S2C00)	110/150	AR 16201;AR 32310	06/95->04/05	Deflection/Guide	SR-1274	OD: 100; W: 29; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; MD U7; Fitting Position: Lower
				Tensioner	SR-1294	- holder; OD: 66; W: 29; ALT; MD U9; Fitting Position: Lower

SPIDER (939_, 939)

1.8 TBi	147/200	939 B1.000	05/09->06/10	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 JTDM	120/163	844 A2.000	04/09->06/10	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 JTDM	125/170	939 B3.000	05/09->06/10	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.2 JTS	136/185	939 A5.000	03/06->06/10	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; Fitting Position: Centre
3.2 JTS	191/260	939 A.000	03/08->06/10	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
3.2 JTS Q4	191/260	939 A.000	03/06->06/10	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre

AUDI

100 (43, C2)








1.6	63/85	YV	08/76->07/82	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.0	85/115	WA	06/76->08/78	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.0 D	51/70	CN	08/78->07/82	Deflection/Guide	SR-1087	OD: 75; W: 28

100 (44, 44Q, C3)

1.8	65/88	SH	02/86->07/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	55/75	DR;RS	08/82->12/87	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	66/90	DS;JW ;NP	08/83->07/89	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 CAT	66/90	4B;PH	03/85->11/90	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 quattro	65/88	SH	08/86->07/90	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 quattro	66/90	JW ;NP	10/84->07/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 quattro CAT	66/90	4B;PH	08/85->11/90	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.9	74/100	WH	08/82->07/84	Deflection/Guide	SR-1087	OD: 75; W: 28; ch.44-E-000 001->; num. of teeth 120
2.0	85/115	KP	08/84->12/87	Deflection/Guide	SR-1087	OD: 75; W: 28
2.0	83/113	SL	08/86->11/87	Deflection/Guide	SR-1087	OD: 75; W: 28
2.0 CAT	85/115	RT	01/88->11/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 10236; num. of teeth 120
2.0 D	51/70	CN	08/82->07/88	Deflection/Guide	SR-1087	OD: 75; W: 28
2.0 D Turbo	74/100	NC	03/88->11/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ch.44-L-100 001->; ->ch.44-L-100 000
2.0 D Turbo	64/87	DE	08/82->02/88	Deflection/Guide	SR-1087	OD: 75; W: 28
2.2	79/107	WU	08/82->07/84	Deflection/Guide	SR-1087	OD: 75; W: 28; ch.44-E-000 001->; num. of teeth 120
2.2	96/130	KF	08/82->07/84	Deflection/Guide	SR-1087	OD: 75; W: 28; ch.44-E-000 001->; num. of teeth 120
2.2	101/137	KU	08/84->12/88	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 77116; num. of teeth 120
2.2	85/115	KZ	10/84->09/86	Deflection/Guide	SR-1087	OD: 75; W: 28; num. of teeth 120
2.2 CAT	101/137	HX;KU	06/89->11/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 77116; num. of teeth 120
2.2 E quattro	88/120	PX	08/85->07/86	Deflection/Guide	SR-1087	OD: 75; W: 28; num. of teeth 120
2.2 E Turbo quattro	121/165	MC	08/86->11/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 39951; num. of teeth 120
2.2 quattro	101/137	KU	08/84->12/88	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 77116; num. of teeth 120
2.2 quattro CAT	101/137	HX;KU	06/89->11/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 77116; num. of teeth 120
2.2 Turbo	121/165	MC	08/86->11/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 39951; num. of teeth 120
2.3 E	98/133	NF	01/90->11/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ->ch.44-J-246 281; engine NF
2.3 E	100/136	NF	10/86->11/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 63969; num. of teeth 120
2.3 E quattro	100/136	NF	08/86->11/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 63969; num. of teeth 120
2.3 quattro	98/133	NF	01/90->11/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ->ch.44-J-246 281; engine NF

100 (4A, C4)

2.0	74/100	AAE	12/90->06/94	Tensioner	SR-1084	OD: 71,5; thread size M8x1,25; W: 20
2.0 E	85/115	AAD;ABK	12/90->06/94	Tensioner	SR-1084	OD: 71,5; thread size M8x1,25; W: 20

	kW/HP	Engine code		Type		
2.0 E quattro	85/115	AAD	12/90->07/92	Tensioner	SR-1084	OD: 71,5; thread size M8x1,25; W: 20
2.4 D	60/82	AAS	12/90->06/94	Deflection/Guide	SR-1087	OD: 75; W: 28
				Tensioner	SR-1092	- holder; ID: 17; OD: 76; W: 25; ALT
2.5 TDI	85/115	AAT;ABP	12/90->06/94	Tensioner	SR-1092	- holder; ID: 17; OD: 76; W: 25; ALT
				Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; eng.# 38461->; engine AAT; Fitting Position: Upper
2.6	110/150	ABC	03/92->06/94	Deflection/Guide	SR-1090	ID: 8,2; OD: 61; W: 25; ALT; ch.4A-N-023 927->
				Deflection/Guide	SR-1089	OD: 59; W: 29; Fitting Position: Lower Right
2.6	102/139	ACZ	07/93->06/94	Deflection/Guide	SR-1090	ID: 8,2; OD: 61; W: 25; ALT; ch.4A-N-023 927->
				Deflection/Guide	SR-1089	OD: 59; W: 29; Fitting Position: Lower Right
2.6 quattro	110/150	ABC	04/92->06/94	Deflection/Guide	SR-1089	OD: 59; W: 29; Fitting Position: Lower Right
				Deflection/Guide	SR-1090	ID: 8,2; OD: 61; W: 25; ALT; ch.4A-N-023 927->
2.8 E	128/174	AAH	12/90->06/94	Deflection/Guide	SR-1089	OD: 59; W: 29; Fitting Position: Lower Right
				Deflection/Guide	SR-1090	ID: 8,2; OD: 61; W: 25; ALT; ch.4A-N-023 927->
2.8 E quattro	128/174	AAH	12/90->06/94	Deflection/Guide	SR-1090	ID: 8,2; OD: 61; W: 25; ALT; ch.4A-N-023 927->
				Deflection/Guide	SR-1089	OD: 59; W: 29; Fitting Position: Lower Right
S4 Turbo quattro	169/230	AAN	08/91->06/94	Deflection/Guide	SR-1089	OD: 59; W: 29; Fitting Position: Right
100 Avant (43, C2) 						
1.6	63/85	YV	07/77->02/83	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.0	85/115	WA	08/77->07/80	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.0 D	51/70	CN	08/78->02/83	Deflection/Guide	SR-1087	OD: 75; W: 28
100 Avant (44, 44Q, C3) 						
1.8	65/88	SH	02/86->07/90	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	55/75	DR;RS	08/82->12/87	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	66/90	DS;JW ;NP	08/83->07/89	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 CAT	66/90	4B;PH	03/85->11/90	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 quattro	65/88	SH	08/86->07/90	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 quattro	66/90	JW ;NP	10/84->07/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 quattro CAT	66/90	4B;PH	08/85->10/90	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.9	74/100	WH	02/83->07/84	Deflection/Guide	SR-1087	OD: 75; W: 28; ch.44-E-000 001->; num. of teeth 120
2.0	83/113	SL	09/86->11/87	Deflection/Guide	SR-1087	OD: 75; W: 28
2.0 D	51/70	CN	03/83->11/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ->07/89
2.0 E	85/115	KP	01/85->12/87	Deflection/Guide	SR-1087	OD: 75; W: 28
2.0 E CAT	85/115	RT	01/88->11/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 10236; num. of teeth 120
2.0 TD	64/87	DE	03/83->10/87	Deflection/Guide	SR-1087	OD: 75; W: 28
2.0 TD	74/100	NC	03/88->11/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ch.44-L-100 001->; ->ch.44-L-100 000
2.1	100/136	WC	08/82->07/84	Deflection/Guide	SR-1087	OD: 75; W: 28; num. of teeth 120
2.2	101/137	KU	08/84->12/88	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 77116; num. of teeth 120
2.2	85/115	KZ	10/84->09/86	Deflection/Guide	SR-1087	OD: 75; W: 28; num. of teeth 120
2.2 CAT	101/137	HX;KU	06/89->11/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 77116; num. of teeth 120
2.2 E quattro	88/120	PX	08/85->07/86	Deflection/Guide	SR-1087	OD: 75; W: 28; num. of teeth 120
2.2 quattro	101/137	KU	08/84->12/88	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 77116; num. of teeth 120
2.2 quattro CAT	101/137	HX;KU	06/89->11/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 77116; num. of teeth 120
2.2 Turbo	121/165	MC	08/86->11/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 39951; num. of teeth 120
2.2 Turbo quattro	121/165	MC	08/86->11/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 39951; num. of teeth 120
2.3	98/133	NF	03/90->11/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 63969; engine NF; num. of teeth 120
2.3	100/136	NF	08/86->11/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 63969; num. of teeth 120
2.3 E quattro	100/136	NF	08/86->11/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 63969; num. of teeth 120
2.3 quattro	98/133	NF	01/90->11/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 63969; engine NF; num. of teeth 120
100 Avant (4A, C4) 						
2.0 E	74/100	AAE	09/91->06/94	Tensioner	SR-1084	OD: 71,5; thread size M8x1,25; W: 20
2.0 E	85/115	AAD;ABK	09/91->06/94	Tensioner	SR-1084	OD: 71,5; thread size M8x1,25; W: 20
2.0 E quattro	85/115	AAD	12/90->07/92	Tensioner	SR-1084	OD: 71,5; thread size M8x1,25; W: 20
2.4 D	60/82	AAS	12/90->06/94	Deflection/Guide	SR-1087	OD: 75; W: 28
				Tensioner	SR-1092	- holder; ID: 17; OD: 76; W: 25; ALT
2.5 TDI	85/115	AAT;ABP	12/90->06/94	Tensioner	SR-1092	- holder; ID: 17; OD: 76; W: 25; ALT
				Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; eng.# 38461->; engine AAT; Fitting Position: Upper
2.6	110/150	ABC	03/92->06/94	Deflection/Guide	SR-1089	OD: 59; W: 29; Fitting Position: Lower Right
				Deflection/Guide	SR-1090	ID: 8,2; OD: 61; W: 25; ALT; ch.4A-N-023 927->
2.6	102/139	ACZ	07/93->06/94	Deflection/Guide	SR-1089	OD: 59; W: 29; Fitting Position: Lower Right
				Deflection/Guide	SR-1090	ID: 8,2; OD: 61; W: 25; ALT; ch.4A-N-023 927->
2.6 quattro	110/150	ABC	07/92->06/94	Deflection/Guide	SR-1089	OD: 59; W: 29; Fitting Position: Lower Right
				Deflection/Guide	SR-1090	ID: 8,2; OD: 61; W: 25; ALT; ch.4A-N-023 927->
2.8 E	128/174	AAH	09/91->06/94	Deflection/Guide	SR-1090	ID: 8,2; OD: 61; W: 25; ALT; ch.4A-N-023 927->
				Deflection/Guide	SR-1089	OD: 59; W: 29; Fitting Position: Lower Right
2.8 E quattro	128/174	AAH	09/91->06/94	Deflection/Guide	SR-1090	ID: 8,2; OD: 61; W: 25; ALT; ch.4A-N-023 927->
				Deflection/Guide	SR-1089	OD: 59; W: 29; Fitting Position: Lower Right
S4 Turbo quattro	169/230	AAN	09/91->06/94	Deflection/Guide	SR-1089	OD: 59; W: 29; Fitting Position: Right



kW/HP

Engine code



Type



200 [44, 44Q]

2.1 5E	100/136	WC	08/83->07/84	Deflection/Guide	SR-1087	OD: 75; W: 28; ch.44-E-012 001->
2.1 Turbo	134/182	KG	08/83->01/88	Deflection/Guide	SR-1087	OD: 75; W: 28
2.1 Turbo quattro	134/182	KG	08/83->09/86	Deflection/Guide	SR-1087	OD: 75; W: 28
2.2	101/137	KU	08/84->07/85	Deflection/Guide	SR-1087	OD: 75; W: 28
2.2 20V Turbo quattro	162/220	3B	03/89->12/90	Deflection/Guide	SR-1087	OD: 75; W: 28
2.2 Turbo	140/190	2B	02/88->12/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 1068; num. of teeth 120
2.2 Turbo	147/200	1B	02/88->12/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 1570; num. of teeth 120
2.2 Turbo	121/165	MC	08/85->09/91	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 39950; num. of teeth 120
2.2 Turbo quattro	121/165	MC	01/85->12/91	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 39950; num. of teeth 120
2.2 Turbo quattro	147/200	1B	02/88->11/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 1570; num. of teeth 120

200 Avant [44, 44Q]

2.1 Turbo quattro	134/182	JY;KG	09/83->01/88	Deflection/Guide	SR-1087	OD: 75; W: 28
2.2 20V Turbo quattro	162/220	3B	07/89->12/90	Deflection/Guide	SR-1087	OD: 75; W: 28
2.2 Turbo	121/165	MC	08/85->09/91	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 39950; num. of teeth 120
2.2 Turbo quattro	147/200	1B	02/88->12/91	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 1570; num. of teeth 120
2.2 Turbo quattro	121/165	MC	09/83->12/90	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 39950; num. of teeth 120

80 [80, 82, B1]








1.3	40/55	ZA	05/72->07/78	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.3	44/60	ZF	05/72->07/78	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.5	55/75	ZB;YJ	05/72->08/75	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.5	63/85	ZC	05/72->07/76	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	55/75	YN	09/75->07/78	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	63/85	YP	09/75->07/78	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6 GT	74/100	XX	09/73->07/76	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6 GTE	81/110	YS	01/76->07/78	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25









80 [81, 85, B2]







1.3	44/60	EP	09/78->07/86	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	54/73	SA	02/86->07/86	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	55/75	DT	08/78->07/86	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	63/85	YP	08/78->02/83	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	55/75	WV;YN	08/78->07/86	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6 D	40/54	CR;JK	08/80->08/86	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.6 GLE	81/110	YZ	08/78->07/82	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6 TD	51/70	CY	08/81->05/86	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.8	66/90	DS;JV	01/83->08/86	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	65/88	SF	02/86->07/86	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	68/93	JN	08/83->08/86	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 CC quattro (85Q)	66/90	JV ;NE	08/84->08/86	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 CC quattro (85Q)	68/93	JN	08/85->08/86	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 GTE	81/110	PV	08/85->07/86	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 GTE	82/112	DZ	10/84->08/86	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 GTE quattro (85Q)	81/110	PV	03/85->08/86	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 GTE quattro (85Q)	82/112	DZ	08/84->08/86	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.9 CD-5S	85/115	WN	09/81->07/83	Deflection/Guide	SR-1087	OD: 75; W: 28
2.0	85/115	HP;JS	10/83->09/84	Deflection/Guide	SR-1087	OD: 75; W: 28
2.0 quattro (85Q)	85/115	JS	10/83->09/84	Deflection/Guide	SR-1087	OD: 75; W: 28
2.2 quattro	96/131	KL	08/82->07/84	Deflection/Guide	SR-1087	OD: 75; W: 28; 01/84->
2.2 quattro (85Q)	100/136	KK	08/82->07/84	Deflection/Guide	SR-1087	OD: 75; W: 28; 01/84->






80 [89, 89Q, 8A, B3]









1.6	51/70	PP	08/87->09/91	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	75/102	ABB	08/90->10/91	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	55/75	RN	09/86->08/91	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6 D	40/54	JK	02/87->07/89	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.6 TD	59/80	RA;SB	09/86->08/91	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.8	83/113	SD	09/86->07/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	55/75	RU	10/86->01/90	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 E	82/112	DZ	06/86->08/91	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 E quattro	82/112	DZ	09/86->08/91	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 quattro	83/113	SD	09/86->08/90	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 S	65/88	SF	08/86->01/90	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 S	66/90	PM;JN;NE	09/86->10/91	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 S quattro	65/88	SF	09/86->07/90	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 S quattro	66/90	PM;JN;NE	09/86->09/91	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25






	kW/HP	Engine code		Type		
1.9 D	50/68	1Y	08/89->08/91	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
2.0	82/112	AAD	10/90->08/91	Tensioner	SR-1084	OD: 71,5; thread size M8x1,25; W: 20
2.0 E	83/113	3A	08/88->10/90	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.0 E quattro	83/113	3A	08/88->09/90	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.0 quattro	82/112	3A	08/88->07/90	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.0 quattro	85/115	AAD	10/90->08/91	Tensioner	SR-1084	OD: 71,5; thread size M8x1,25; W: 20
80 [8C, B4] 						
1.6	52/71	ABM	09/91->12/94	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6 E	74/101	ADA	06/93->12/94	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.9 TD	55/75	AAZ	09/91->12/94	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5; ->05/94; ->eng.# 552765
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; 06/94->; eng.# 552766->
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 TDI	66/90	1Z	09/91->12/94	Deflection/Guide	SR-1096	OD: 29; W: 29; ->eng.# 289575; Fitting Position: Upper; eng.# 289576->; Fitting Position: Upper
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 289576->; Fitting Position: Left
2.0	66/90	ABT	09/91->12/94	Tensioner	SR-1084	OD: 71,5; thread size M8x1,25; W: 20; ->ch.8C-S-075 037
				Tensioner	SR-1088	OD: 66; W: 17; ch.8C-S-075 038->
2.0 E	85/115	ABK	09/91->12/94	Tensioner	SR-1088	OD: 66; W: 17; ch.8C-S-075 038->
				Tensioner	SR-1084	OD: 71,5; thread size M8x1,25; W: 20; ->ch.8C-S-075 037
2.0 E quattro	85/115	ABK	09/91->12/94	Tensioner	SR-1084	OD: 71,5; thread size M8x1,25; W: 20; ->ch.8C-S-075 037
				Tensioner	SR-1088	OD: 66; W: 17; ch.8C-S-075 038->
2.6	110/150	ABC	07/92->12/94	Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.8C-S-025 820; Fitting Position: Lower Right
				Deflection/Guide	SR-1090	ID: 8,2; OD: 61; W: 25; ALT; ->ch.8C-S-012 677; Fitting Position: Upper
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; ch.8C-S-050 001->; Fitting Position: Centre
2.6 quattro	110/150	ABC	06/92->12/94	Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.8C-S-025 820; Fitting Position: Lower Right
				Deflection/Guide	SR-1090	ID: 8,2; OD: 61; W: 25; ALT; ->ch.8C-S-012 677; Fitting Position: Upper
2.8	128/174	AAH	09/91->12/94	Deflection/Guide	SR-1090	ID: 8,2; OD: 61; W: 25; ALT; ->ch.8C-S-012 677; Fitting Position: Upper
				Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.8C-S-025 820; Fitting Position: Lower Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; ch.8C-S-050 001->; Fitting Position: Centre
2.8 quattro	128/174	AAH	09/91->12/94	Deflection/Guide	SR-1090	ID: 8,2; OD: 61; W: 25; ALT; ->ch.8C-S-012 677; Fitting Position: Upper
				Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.8C-S-025 820; Fitting Position: Lower Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; ch.8C-S-050 001->; Fitting Position: Centre
S2 quattro	169/230	ABY	02/93->12/94	Deflection/Guide	SR-1089	OD: 59; W: 29; Fitting Position: Right
80 Avant [8C, B4] 						
1.6 E	74/101	ADA	06/93->01/96	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.9 TD	55/75	AAZ	09/91->12/94	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5; ->05/94; ->eng.# 552765
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; 06/94->; eng.# 552766->
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 TDI	66/90	1Z	07/92->01/96	Deflection/Guide	SR-1096	OD: 29; W: 29; ->eng.# 289575; Fitting Position: Upper; eng.# 289576->; Fitting Position: Upper
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 289576->; Fitting Position: Left
2.0	66/90	ABT	07/92->01/96	Tensioner	SR-1088	OD: 66; W: 17; ch.8C-S-075 038->
				Tensioner	SR-1084	OD: 71,5; thread size M8x1,25; W: 20; ->ch.8C-S-075 037
2.0 E	85/115	ABK	07/92->01/96	Tensioner	SR-1084	OD: 71,5; thread size M8x1,25; W: 20; ->ch.8C-S-075 037
				Tensioner	SR-1088	OD: 66; W: 17; ch.8C-S-075 038->
2.6	110/150	ABC	07/92->01/96	Deflection/Guide	SR-1090	ID: 8,2; OD: 61; W: 25; ALT; ->ch.8C-S-012 677; Fitting Position: Upper
				Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.8C-S-025 820; Fitting Position: Lower Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; ch.8C-S-050 001->; Fitting Position: Centre
2.6 quattro	110/150	ABC	07/92->07/95	Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.8C-S-025 820; Fitting Position: Lower Right
				Deflection/Guide	SR-1090	ID: 8,2; OD: 61; W: 25; ALT; ->ch.8C-S-012 677; Fitting Position: Upper
2.8	128/174	AAH	09/91->01/96	Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; ch.8C-S-050 001->; Fitting Position: Centre
				Deflection/Guide	SR-1090	ID: 8,2; OD: 61; W: 25; ALT; ->ch.8C-S-012 677; Fitting Position: Upper
				Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.8C-S-025 820; Fitting Position: Lower Right
2.8 quattro	128/174	AAH	08/92->07/95	Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.8C-S-025 820; Fitting Position: Lower Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; ch.8C-S-050 001->; Fitting Position: Centre
RS2 quattro (P1)	232/315	ADU	03/94->05/95	Deflection/Guide	SR-1089	OD: 59; W: 29; Fitting Position: Right
S2 quattro	169/230	ABY	02/93->07/95	Deflection/Guide	SR-1089	OD: 59; W: 29; Fitting Position: Right
90 [81, 85, B2] 						
2.0	83/113	SK	03/86->03/87	Deflection/Guide	SR-1087	OD: 75; W: 28
2.0	85/115	HP;JS	10/84->03/87	Deflection/Guide	SR-1087	OD: 75; W: 28
2.2	85/115	KX	01/85->03/87	Deflection/Guide	SR-1087	OD: 75; W: 28






	kW/HP	Engine code		Type		
2.2	100/136	HY;KV	10/84->03/87	Deflection/Guide	SR-1087	OD: 75; W: 28; ->ch.89-J-394 746; num. of teeth 120
2.2 E quattro	88/120	JT	08/85->03/87	Deflection/Guide	SR-1087	OD: 75; W: 28
2.2 E quattro	100/136	KV	11/84->03/87	Deflection/Guide	SR-1087	OD: 75; W: 28; ->ch.89-J-394 742; num. of teeth 120; AWD
90 (89, 89Q, 8A, B3) 						
1.6 TD	59/80	RA;SB	04/87->09/91	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
2.0	85/115	PS	07/88->09/91	Deflection/Guide	SR-1087	OD: 75; W: 28; ->ch.89-J-394 742
2.0 20 V quattro	118/160	NM	08/88->09/91	Deflection/Guide	SR-1087	OD: 75; W: 28
2.2 E	100/136	KV	04/87->07/91	Deflection/Guide	SR-1087	OD: 75; W: 28; ->ch.89-J-394 746; num. of teeth 120
2.2 E quattro	100/136	KV	04/87->09/91	Deflection/Guide	SR-1087	OD: 75; W: 28; ->ch.89-J-394 742; num. of teeth 120
2.3 E	100/136	NG	04/87->07/91	Deflection/Guide	SR-1087	OD: 75; W: 28; ->ch.89-J-396 702; num. of teeth 120
2.3 E	98/133	NG	04/87->09/91	Deflection/Guide	SR-1087	OD: 75; W: 28; ->ch.89-J-396 702; num. of teeth 120
2.3 E 20V quattro	123/167	7A	04/90->09/91	Deflection/Guide	SR-1087	OD: 75; W: 28
2.3 E 20V quattro	125/170	7A	06/88->09/91	Deflection/Guide	SR-1087	OD: 75; W: 28
2.3 E quattro	100/136	NG	04/87->07/91	Deflection/Guide	SR-1087	OD: 75; W: 28; ->ch.89-J-394 742; num. of teeth 120
A1 (8X1, 8XK, 8XF) 						
1.2 TFSI	63/86	CBZA	05/10->	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4 TFSI	136/185	CAVG;CTHG;CTJA	01/11->	Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1033	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre right; + AC
1.4 TFSI	90/122	CAXA;CNVA	05/10->	Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Upper Left; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; - AC
				Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
1.6 TDI	66/90	CAYB	03/11->	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.6 TDI	77/105	CAYC	05/10->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.6 TDI	85/115	CXMA	11/14->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	105/143	CFHD	09/11->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TFSI quattro	188/256	CDLH	03/12->	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
A1 Sportback (8XA, 8XF, 8XK) 						
1.2 TFSI	63/86	CBZA	01/12->	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4 TFSI	90/122	CAXA;CNVA	11/11->	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; - AC
1.4 TFSI	136/185	CAVG;CTHG;CTJA	11/11->	Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Upper Left; + AC
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
1.6 TDI	66/90	CAYB	11/11->	Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.6 TDI	77/105	CAYC	11/11->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.6 TDI	85/115	CXMA	11/14->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	105/143	CFHD	09/11->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
A2 (8Z0) 						
1.2 TDI	45/61	ANY	03/01->08/05	Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Lower Left; ->ch.8Z-2-070 000; Fitting Position: Lower Left; ch.8Z-3-000 000->
				Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
1.4	55/75	AUA;BBY	02/00->08/05	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left





	kW/HP	Engine code		Type		
1.4 TDI	55/75	AMF;BHC	02/00->08/05	Deflection/Guide	SR-1266	OD: 28; W: 34; ->ch.82-2-022 813; engine AMF; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine BHC; Fitting Position: Lower Left; ch.82-3-000 001->; engine AMF; ch.82-2-022 814->; ->ch.82-2-070 000
1.4 TDI	66/90	ATL	11/03->08/05	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.6 FSI	81/110	BAD	05/02->08/05	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
A3 [8L1] 						
1.6	75/102	AVU;BFQ	08/00->05/03	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.6	74/101	AEH;AKL;APF	09/96->05/03	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.8	92/125	AGN;APG	09/96->05/03	Deflection/Guide	SR-1264	OD: 29; W: 27; ->ch.8L-Y-125 000; Fitting Position: Centre left; ch.8L-Y-125 001->; Fitting Position: Centre left
				Deflection/Guide	SR-1263	OD: 29; W: 27; ->ch.8L-Y-125 000; Fitting Position: Centre; ch.8L-Y-125 001->; Fitting Position: Centre
1.8 T	110/150	AGU;AQA;ARZ;AUM	12/96->05/03	Tensioner	SR-1326	OD: 72; W: 25; ->ch.8L-Y-125 000; Fitting Position: Upper Left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.8 T	132/180	AJQ;APP;ARY;AUQ	12/98->05/03	Deflection/Guide	SR-1263	OD: 29; W: 27; ->ch.8L-Y-125 000; Fitting Position: Centre; ch.8L-Y-125 001->; Fitting Position: Centre
				Deflection/Guide	SR-1264	OD: 29; W: 27; ->ch.8L-Y-125 000; Fitting Position: Centre left; ch.8L-Y-125 001->; Fitting Position: Centre left
1.8 T quattro	132/180	AJQ;ARY	10/98->05/03	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1326	OD: 72; W: 25; ->ch.8L-Y-125 000; Fitting Position: Upper Left
1.8 T quattro	110/150	AGU;AQA;ARX	12/96->05/03	Deflection/Guide	SR-1263	OD: 29; W: 27; ->ch.8L-Y-125 000; Fitting Position: Centre; ch.8L-Y-125 001->; Fitting Position: Centre
				Deflection/Guide	SR-1264	OD: 29; W: 27; ->ch.8L-Y-125 000; Fitting Position: Centre left; ch.8L-Y-125 001->; Fitting Position: Centre left
1.9 TDI	96/130	ASZ	08/00->05/03	Deflection/Guide	SR-1266	OD: 28; W: 34; ->eng.# 115000; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; eng.# 115001->; Fitting Position: Lower Left
1.9 TDI	81/110	AHF;ASV	08/97->07/01	Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right
1.9 TDI	66/90	AGR;ALH	09/96->07/01	Deflection/Guide	SR-1022	OD: 29; W: 29; ->eng.# 6065; engine AHF; Fitting Position: Lower Left; eng.# 6066->; engine AHF; Fitting Position: Upper; engine ASV; Fitting Position: Upper
				Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; ch.8L-W-000 001->; Fitting Position: Upper
1.9 TDI	74/100	ATD;AXR	10/00->05/03	Deflection/Guide	SR-1022	OD: 29; W: 29; ->eng.# 44441; engine AGR; Fitting Position: Lower Left; engine ALH; Fitting Position: Upper; eng.# 44442->; engine AGR; Fitting Position: Upper
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right
1.9 TDI quattro	96/130	ASZ	08/00->05/03	Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; ch.8L-W-000 001->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; eng.# 165001->; engine ATD; engine AXR; Fitting Position: Lower Left
S3 quattro	154/210	APY;AMK;AUL	03/99->04/02	Deflection/Guide	SR-1266	OD: 28; W: 34; ->eng.# 165000; engine ATD; Fitting Position: Lower Left
				Deflection/Guide	SR-1263	OD: 29; W: 27; ->ch.8L-Y-125 000; Fitting Position: Centre; ch.8L-Y-125 001->; Fitting Position: Centre
S3 quattro	165/224	BAM	10/01->05/03	Tensioner	SR-1326	OD: 72; W: 25; ->ch.8L-Y-125 000; Fitting Position: Upper Left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
S3 quattro	165/224	BAM	10/01->05/03	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Centre left
				Deflection/Guide	SR-1263	OD: 29; W: 27; Fitting Position: Centre
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
A3 [8P1] 						
1.2 TSI	77/105	CBZB	04/10->08/12	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4 TFSI	92/125	CAXC;CMSA	09/07->08/12	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Upper Left; + AC
1.6	75/102	BGU;BSE;BSF	05/03->08/12	Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; - AC
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29; engine BGU; engine BSE; engine BSF






	kW/HP	Engine code		Type						
1.6 FSI	85/115	BAG;BLP;BLF	08/03->09/07	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC				
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC				
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC				
1.6 TDI	66/90	CAYB	05/09->08/12	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left				
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper				
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC				
1.6 TDI	77/105	CAYC	05/09->08/12	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24				
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper				
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left				
1.8 TFSI	118/160	BYT;BZB;CDA	11/06->08/12	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT				
				1.8 TFSI quattro	118/160	CDA	07/08->08/12	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
								Deflection/Guide	SR-1023	OD: 40; W: 36; engine BKC; engine BLS; engine BXE; Fitting Position: Lower Left
1.9 TDI	77/105	BKC;BLS;BXE	05/03->05/10	Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; engine BLS; engine BXE; Fitting Position: Centre; ch.8P-6A000 001->; ch.8P-6B000 001->; engine BKC; Fitting Position: Centre				
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; ->ch.8P-5A200 000; ->ch.8P-5B050 000; engine BKC; Fitting Position: Centre				
				Deflection/Guide	SR-1264	OD: 29; W: 27; engine BLR; engine BLX; engine BLY; engine BVY; engine BVZ; Fitting Position: Lower Left; engine AXW; engine BMB; Fitting Position: Lower Left				
2.0 FSI	110/150	AXW;BLX;BLY;BMB;BLR;BVY;BVZ	05/03->06/08	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre				
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left				
2.0 TDI	125/170	BMN;CBBB;CFGB	03/06->08/12	Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre				
				Deflection/Guide	SR-1330	OD: 80; W: 34; ->01/07; engine AZV; Fitting Position: Right				
2.0 TDI	100/136	AZV;CBAA;CFFA	05/03->08/12	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CBAA; engine CFFA; Fitting Position: Upper				
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->01/07; engine AZV; Fitting Position: Lower Left; 01/07->; engine CBAA; engine CFFA				
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre				
2.0 TDI	103/140	BMM	06/05->06/08	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left				
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre				
2.0 TDI	120/163	BUY	06/06->06/08	Deflection/Guide	SR-1023	OD: 40; W: 36; engine BUY; Fitting Position: Lower Left				
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre				
2.0 TDI 16V	103/140	BKD;CBAB;CFFB;CLJA	05/03->08/12	Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBAB; Fitting Position: Upper				
				Deflection/Guide	SR-1330	OD: 80; W: 34; ->01/07; engine BKD; Fitting Position: Right; engine CBAB; Fitting Position: Right				
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFFB; Fitting Position: Upper				
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->01/07; engine BKD; Fitting Position: Lower Left; 01/07->; engine BKD; Fitting Position: Lower Left; engine CFFB; Fitting Position: Lower Left; engine CBAB; Fitting Position: Lower Left				
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; engine BKD; Fitting Position: Centre				
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24				
2.0 TDI 16V quattro	103/140	BKD;CBAB;CFFB	08/04->08/12	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CBAB; engine CFFB; engine CLJA; Fitting Position: Upper; + AC				
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->01/07; engine BKD; Fitting Position: Lower Left; 01/07->; engine BKD; Fitting Position: Lower Left; engine CFFB; Fitting Position: Lower Left; engine CBAB; Fitting Position: Lower Left				
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFFB; Fitting Position: Upper				
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBAB; Fitting Position: Upper				
				Deflection/Guide	SR-1330	OD: 80; W: 34; ->01/07; engine BKD; Fitting Position: Right; engine CBAB; Fitting Position: Right				
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CBAB; engine CFFB; Fitting Position: Upper; + AC				
2.0 TDI quattro	103/140	BMM	01/06->06/08	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24				
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; engine BKD; Fitting Position: Centre				
2.0 TDI quattro	125/170	BMN;CBBB;CFGB	03/06->08/12	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left				
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre				
2.0 TDI quattro	100/136	AZV	05/03->06/08	Deflection/Guide	SR-1330	OD: 80; W: 34; ->01/07; Fitting Position: Right				
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->01/07; Fitting Position: Lower Left; 01/07->				
2.0 TFSI	147/200	AXX;BWA;CAWB;CCZA	09/04->08/12	Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre				
				Deflection/Guide	SR-1264	OD: 29; W: 27; engine AXX; engine BPY; engine BWA; Fitting Position: Lower Left				
2.0 TFSI quattro	147/200	AXX;BWA;CCZA;CCTA	09/04->08/12	Deflection/Guide	SR-1264	OD: 29; W: 27; engine AXX; engine BPY; engine BWA; Fitting Position: Lower Left				
S3 quattro	188/256	BZC;CDLC	02/07->08/12	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left				
S3 quattro	195/265	BHZ;CDLA	11/06->08/12	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left				
A3 (8V1) 										
1.6 TDI	81/110	CRKB;CXXB;DBKA	09/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left				
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper				
1.6 TDI	77/105	CLHA	10/12->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper				
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left				
2.0 TDI	81/110	CRFA	01/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left				
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper				
2.0 TDI	110/150	CRBC;CRLB;CRUA	04/12->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper				
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left				
2.0 TDI	135/184	CUNA	05/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left				
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper				






	kW/HP	Engine code		Type		
2.0 TDI	105/143	CRFC	09/12->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI quattro	110/150	CRBC	10/12->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI quattro	135/184	CUNA	12/12->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
A3 Convertible (8P7) 						
1.2 TFSI	77/105	CBZB	03/10->05/13	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4 TFSI	92/125	CAXC	02/11->05/13	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Upper Left; + AC
1.6	75/102	BSE	09/08->05/10	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.6 TDI	77/105	CAYC	05/09->05/13	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
1.6 TDI	77/105	CAYC	05/09->05/13	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.8 TFSI	118/160	BZB;CDAA	04/08->05/13	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
1.9 TDI	77/105	BLS	04/08->10/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 TDI	103/140	CBAB;CFFB	04/08->05/13	Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBAA; engine CBAB; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; engine CFFA; engine CFFB; Fitting Position: Lower Left
2.0 TDI	103/140	CBAB;CFFB	04/08->05/13	Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBAA; engine CBAB; Fitting Position: Right
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; engine CFFA; engine CFFB; Fitting Position: Upper; 12/10->; engine CFFA; engine CFFB; Fitting Position: Upper
2.0 TDI	103/140	CBAB;CFFB	04/08->05/13	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; engine CFFA; engine CFFB; Fitting Position: Lower Left; engine CBAA; engine CBAB; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
2.0 TFSI	147/200	CAWB;CCZA	04/08->05/13	Tensioner	SR-1021	+ holder; ID: 17; OD: 70; W: 24
A3 Convertible (8V7) 						
1.6 TDI	81/110	CRKB;CXXB	02/14->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	135/184	CUNA	05/14->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI	110/150	CRLB	10/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	100/136	CRLC	10/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI quattro	110/150	CRLB	03/14->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI quattro	135/184	CUNA	05/14->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
A3 Limousine (8VS) 						
1.6 TDI	81/110	CRKB;CXXB;DBKA	05/14->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
1.6 TDI	77/105	CLHA	09/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CRKB; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CRKB; Fitting Position: Lower Left
1.6 TDI quattro	81/110	CXXB	05/15->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI	81/110	CRFA	05/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CRFA; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CRFA; Fitting Position: Upper
2.0 TDI	110/150	CRBC;CRLB;CRUA	05/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CRBC; engine CRLB; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CRBC; engine CRLB; Fitting Position: Lower Left
2.0 TDI	135/184	CUNA	05/14->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI	100/136	CRBD;CRLC	09/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI	105/143	CRFC	10/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI quattro	135/184	CUNA	05/14->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI quattro	110/150	CRBC;CRLB	10/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
A3 Sportback (8PA) 						
1.2 TSI	77/105	CBZB	04/10->03/13	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC






	kW/HP	Engine code		Type		
1.4 TFSI	92/125	CAXC;CMSA	09/07->03/13	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Upper Left; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; - AC
1.6	75/102	BGU;BSE;BSF	09/04->03/13	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.6 FSI	85/115	BLP;BLF	09/04->09/07	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
1.6 TDI	66/90	CAYB	05/09->03/13	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
1.6 TDI	77/105	CAYC	05/09->03/13	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.8 TFSI	118/160	BYT;BZB;CDA	11/06->03/13	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
1.8 TFSI quattro	118/160	CDA	07/08->03/13	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
1.9 TDI	77/105	BKC;BLS;BXE	09/04->05/10	Deflection/Guide	SR-1023	OD: 40; W: 36; engine BKC; engine BLS; engine BXE; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; engine BLS; engine BXE; Fitting Position: Centre; ch.8P-6A000 001->; ch.8P-6B000 001->; engine BKC; Fitting Position: Centre
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; ->ch.8P-5A200 000; ->ch.8P-5B050 000; engine BKC; Fitting Position: Centre
2.0 FSI	110/150	AXW;BLX;BLY;BMB;BLR;BVY;BVZ	09/04->06/08	Deflection/Guide	SR-1264	OD: 29; W: 27; engine BLR; engine BLX; engine BLY; engine BVY; engine BVZ; Fitting Position: Lower Left; engine AXW; engine BMB; Fitting Position: Lower Left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0 TDI	125/170	BMN;CBBB;CFGB	03/06->03/13	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 TDI	103/140	BMM	06/05->06/08	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 TDI	120/163	BUY	06/06->06/08	Deflection/Guide	SR-1023	OD: 40; W: 36; engine BUY; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 TDI 16V	103/140	BKD;CBAB;CFFB;CLJA	09/04->03/13	Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBAB; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFFB; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->01/07; engine BKD; Fitting Position: Lower Left; 01/07->; engine BKD; Fitting Position: Lower Left; engine CFFB; Fitting Position: Lower Left; engine CBAB; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; ->01/07; engine BKD; Fitting Position: Right; engine CBAB; Fitting Position: Right
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; engine BKD; Fitting Position: Centre
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CBAB; engine CFFB; engine CLJA; Fitting Position: Upper; + AC
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBAB; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFFB; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->01/07; engine BKD; Fitting Position: Lower Left; 01/07->; engine BKD; Fitting Position: Lower Left; engine CFFB; Fitting Position: Lower Left; engine CBAB; Fitting Position: Lower Left
2.0 TDI 16V quattro	103/140	BKD;CBAB;CFFB	11/05->03/13	Deflection/Guide	SR-1330	OD: 80; W: 34; ->01/07; engine BKD; Fitting Position: Right; engine CBAB; Fitting Position: Right
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; engine BKD; Fitting Position: Centre
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CBAB; engine CFFB; Fitting Position: Upper; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
2.0 TDI quattro	103/140	BMM	01/06->06/08	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 TDI quattro	125/170	BMN;CBBB;CFGB	03/06->03/13	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 TFSI	147/200	AXX;BWA;BPY;CAWB;CZA;CBFA	09/04->03/13	Deflection/Guide	SR-1264	OD: 29; W: 27; engine AXX; engine BPY; engine BWA; Fitting Position: Lower Left
				Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT; engine CCZA, CBFA, CAWB
2.0 TFSI quattro	147/200	AXX;BWA;BPY;CCZA	09/04->03/13	Deflection/Guide	SR-1264	OD: 29; W: 27; engine AXX; engine BPY; engine BWA; Fitting Position: Lower Left
S3 quattro	195/265	BHZ;CDLA	06/08->03/13	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
S3 quattro	188/256	CDLC	07/08->03/13	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
A3 Sportback (8VA) 						
1.6 TDI	81/110	CRKB;CXXB;DBKA	09/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
1.6 TDI	77/105	CLHA	10/12->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
1.6 TDI quattro	81/110	CXXB	05/15->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	105/143	CRFC	03/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI	81/110	CRFA	05/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper





	kW/HP	Engine code		Type		
2.0 TDI	135/184	CUNA	05/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI	100/136	CRBD;CRLC	05/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	110/150	CRBC;CRLB;CRUA	09/12->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI quattro	110/150	CRBC;CRLB	02/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI quattro	135/184	CUNA	05/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
A4 (8D2, B5) 						
1.6	75/102	ALZ	07/00->11/00	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
1.6	74/100	ADP;AHL;ANA;ARM	11/94->10/00	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29; engine AHL; engine ANA; engine ARM
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.8	92/125	ADR;APT;ARG;AVV	01/95->11/00	Tensioner	SR-1088	OD: 66; W: 17; ->12/97; engine ADP
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine APT; engine ARG; engine AVV; Fitting Position: Lower Left; ->ch.8D-T-155 000; engine ADR; Fitting Position: Lower Left; ch.8D-T-155 001->; engine ADR; Fitting Position: Lower Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.8	85/115	AFY	04/95->11/00	Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1258	OD: 72; W: 27; engine APT; engine ARG; engine AVV; Fitting Position: Upper Left; ch.8D-T-155 001->; engine ADR; Fitting Position: Upper Left
				Tensioner	SR-1260	OD: 65; W: 34; ->12/95; ->ch.T-155 000
1.8 quattro	92/125	ADR;APT;ARG	01/95->11/00	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.8 quattro	85/115	AFY	07/95->11/00	Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1260	OD: 65; W: 34; 07/95->; ->12/95; ->ch.T-155 000
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->ch.8D-T-155 000; engine ADR; Fitting Position: Lower Left; ch.8D-T-155 001->; engine ADR; Fitting Position: Lower Left; engine APT; engine ARG; Fitting Position: Lower Left
1.8 T	110/150	AEB;ARK;ANB;APU;AW	01/95->11/00	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1260	OD: 65; W: 34; ->12/95; ->ch.T-155 000
1.8 T	132/180	AJL	12/97->11/00	Deflection/Guide	SR-1022	OD: 29; W: 29; engine APU; Fitting Position: Lower Left; ch.8D-T-155 001->; engine AEB; Fitting Position: Lower Left; ->ch.8D-T-155 000; engine AEB; Fitting Position: Lower Left
				Deflection/Guide	SR-1263	OD: 29; W: 27; 01/00->; ->ch.8D-1-042 384; engine AWT; Fitting Position: Centre
				Deflection/Guide	SR-1264	OD: 29; W: 27; 01/00->; ->ch.8D-1-042 384; engine AWT; Fitting Position: Centre left
1.8 T quattro	110/150	AEB;ARK;ANB;APU;AW	01/95->11/00	Tensioner	SR-1258	OD: 72; W: 27; engine APU; Fitting Position: Upper Left; ch.8D-T-155 001->; engine AEB; Fitting Position: Upper Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.8 T quattro	110/150	AEB;ARK;ANB;APU;AW	01/95->11/00	Tensioner	SR-1260	OD: 65; W: 34; ->07/98; ->ch.T-155 000
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; 01/00->; ch.8D-1-042 385->; engine AWT; Fitting Position: Upper Left
				Tensioner	SR-1262	- holder; OD: 28,5; W: 27; 01/00->; ch.8D-1-042 385->; engine AWT; Fitting Position: Lower Left
1.8 T quattro	110/150	AEB;ARK;ANB;APU;AW	01/95->11/00	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
1.8 T quattro	110/150	AEB;ARK;ANB;APU;AW	01/95->11/00	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine APU; Fitting Position: Lower Left; ch.8D-T-155 001->; engine AEB; Fitting Position: Lower Left; ->ch.8D-T-155 000; engine AEB; Fitting Position: Lower Left
				Deflection/Guide	SR-1264	OD: 29; W: 27; 01/00->; ->ch.8D-1-042 384; engine AWT; Fitting Position: Centre left
1.8 T quattro	110/150	AEB;ARK;ANB;APU;AW	01/95->11/00	Deflection/Guide	SR-1263	OD: 29; W: 27; 01/00->; ->ch.8D-1-042 384; engine AWT; Fitting Position: Centre
				Tensioner	SR-1262	- holder; OD: 28,5; W: 27; 01/00->; ch.8D-1-042 385->; engine AWT; Fitting Position: Lower Left
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; 01/00->; ch.8D-1-042 385->; engine AWT; Fitting Position: Upper Left
1.8 T quattro	110/150	AEB;ARK;ANB;APU;AW	01/95->11/00	Tensioner	SR-1260	OD: 65; W: 34; ->12/98; ->ch.T-155 000
				Tensioner	SR-1258	OD: 72; W: 27; engine APU; Fitting Position: Upper Left; ch.8D-T-155 001->; engine AEB; Fitting Position: Upper Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
1.8 T quattro	110/150	AEB;ARK;ANB;APU;AW	01/95->11/00	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left



	kW/HP	Engine code		Type		
1.8 T quattro	132/180	AJL	12/97->11/00	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
1.9 TDI	66/90	1Z;AHU;AHH	01/95->11/00	Deflection/Guide	SR-1096	OD: 29; W: 29; engine AHH; Fitting Position: Upper; engine 1Z; engine AHU; Fitting Position: Upper
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; engine 1Z; engine AHU; Fitting Position: Left
				Tensioner	SR-1265	- holder; OD: 77; W: 20; ALT; Fitting Position: Upper
1.9 TDI	85/116	AJM	03/00->11/00	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Lower Left
				Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; Fitting Position: Upper
1.9 TDI	81/110	AFN;AVG	10/95->11/00	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
1.9 TDI	55/75	AFF	12/95->11/00	Tensioner	SR-1265	- holder; OD: 77; W: 20; ALT; Fitting Position: Upper
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.9 TDI quattro	85/116	AJM;ATJ	03/00->11/00	Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Lower Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; Fitting Position: Upper
1.9 TDI quattro	81/110	AFN;AVG	09/96->11/00	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
				Tensioner	SR-1265	- holder; OD: 77; W: 20; ALT; Fitting Position: Upper
2.4	121/165	AGA;ALF;AML;APS;ARJ	03/97->11/00	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; engine AGA; engine AJG; engine ALF; engine AML; engine APS; engine APZ; Fitting Position: Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
2.4	120/163	AJG;APZ;AMM	08/97->11/00	Tensioner	SR-1309	OD: 72; W: 32; engine AGA; engine AJG; engine ALF; engine AML; engine APS; engine APZ; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1318	OD: 59; W: 30; engine AGA; engine AJG; engine ALF; engine AML; engine APS; engine APZ; Fitting Position: Lower Left
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
2.4 quattro	121/165	AGA;ALF;AML;APS;ARJ	03/97->11/00	Tensioner	SR-1318	OD: 59; W: 30; engine AGA; engine AJG; engine ALF; engine AML; engine APS; engine APZ; engine ARJ; Fitting Position: Lower Left
				Tensioner	SR-1309	OD: 72; W: 32; engine AGA; engine AJG; engine ALF; engine AML; engine APS; engine APZ; engine ARJ; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
2.4 quattro	120/163	APZ	08/97->11/00	Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
2.5 TDI	110/150	AFB;AKN	09/97->11/00	Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
2.5 TDI quattro	110/150	AFB;AKN	09/97->11/00	Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Tensioner	SR-1362	OD: 72; W: 34; CS; CS; Fitting Position: Left; engine AFB; Fitting Position: Left; engine AKN; Fitting Position: Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
2.6	110/150	ABC	01/95->11/00	Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Tensioner	SR-1362	OD: 72; W: 34; CS; CS; Fitting Position: Left; engine AFB; Fitting Position: Left; engine AKN; Fitting Position: Left
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
2.6 quattro	110/150	ABC	01/95->11/00	Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; --07/98; Fitting Position: Centre
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; --07/98; Fitting Position: Centre
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
2.8	142/193	ACK;ALG;AMX;APR;AQD;AHA	10/96->11/00	Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; --ch.8D-V-205 000; engine ACK; Fitting Position: Right; engine ALG; engine AMX; engine AQD; engine ATX; Fitting Position: Right; ch.8D-V-205 001-->; engine ACK; engine ACK; engine ALG; engine AMX; engine AQD; engine ATX
				Tensioner	SR-1309	OD: 72; W: 32; --ch.8D-V-205 000; engine ACK; Fitting Position: Upper Left; engine ALG; engine AMX; engine AQD; engine ATX; Fitting Position: Upper Left; ch.8D-V-205 001-->; engine ACK; engine ACK; engine ALG; engine AMX; engine AQD; engine ATX; Fitting Position: Left
				Tensioner	SR-1318	OD: 59; W: 30; engine ALG; engine AMX; engine AQD; engine ATX; Fitting Position: Lower Left; ch.8D-V-205 001-->; engine ACK
2.8 quattro	128/174	AAH	01/95->07/97	Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre






	kW/HP	Engine code		Type		
2.8 quattro	142/193	ACK;ALG;AMX;APR;AQ D;AHA	10/96->08/01	Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right; -->ch.8D-V-205 000; engine ACK; Fitting Position: Right; ch.8D-V-205 001-->; engine ACK; Fitting Position: Right; engine ALG; engine AMX; engine APR; engine AQD; Fitting Position: Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1318	OD: 59; W: 30; ch.8D-V-205 001-->; engine ACK; Fitting Position: Lower Left; engine ALG; engine AMX; engine APR; engine AQD; Fitting Position: Lower Left
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Left; -->ch.8D-V-205 000; engine ACK; Fitting Position: Upper Left; ch.8D-V-205 001-->; engine ACK; Fitting Position: Upper Left; engine ALG; engine AMX; engine APR; engine AQD; Fitting Position: Upper Left
S4 quattro	195/265	AGB;AZB	09/97->09/01	Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
A4 (8E2, B6) 						
1.6	75/102	ALZ	11/00->12/04	Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5; 12/00->
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.8 T	120/163	BFB	07/02->12/04	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; Fitting Position: Upper Left
				Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left
1.8 T	110/150	AVJ	11/00->07/02	Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; Fitting Position: Upper Left
1.8 T	140/190	BEX	11/02->12/04	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5; -->ch.5-400 000
				Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; Fitting Position: Upper Left
1.8 T quattro	120/163	BFB	07/02->12/04	Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; Fitting Position: Upper Left
				Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5; -->ch.5-400 000
1.8 T quattro	110/150	AVJ	11/00->07/02	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; Fitting Position: Upper Left
1.8 T quattro	140/190	BEX	11/02->12/04	Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5; -->ch.5-400 000
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left
1.9 TDI	74/101	AVB	05/01->12/04	Deflection/Guide	SR-1023	OD: 40; W: 36; ch.8E-2-297 101-->; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; -->ch.8E-2-297 100; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; ch.8E-4-000 001-->; Fitting Position: Right
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; -->ch.8E-3-500 000; Fitting Position: Lower Left
1.9 TDI	85/116	BKE	06/04->12/04	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; ch.8E-4-000 001-->; Fitting Position: Upper
				Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; -->ch.8E-3-500 000; Fitting Position: Centre
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.9 TDI	96/130	AVF;AWX	11/00->12/04	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ch.8E-2-297 101-->; Fitting Position: Lower Left
1.9 TDI	96/130	AVF;AWX	11/00->12/04	Deflection/Guide	SR-1266	OD: 28; W: 34; -->ch.8E-2-297 100; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; ch.8E-4-000 001-->; Fitting Position: Right
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; -->ch.8E-3-500 000; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.9 TDI	96/130	AVF;AWX	11/00->12/04	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; ch.8E-4-000 001-->; Fitting Position: Upper
				Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; -->ch.8E-3-500 000; Fitting Position: Centre





	kW/HP	Engine code		Type		
1.9 TDI quattro	96/130	AVF	11/01->12/04	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; ch.8E-4-000 001->; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; ch.8E-2-297 101->; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->ch.8E-2-297 100; Fitting Position: Lower Left
				Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; ->ch.8E-3-500 000; Fitting Position: Centre
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; ->ch.8E-3-500 000; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; ch.8E-4-000 001->; Fitting Position: Upper
2.0	96/130	ALT	11/00->12/04	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5; 12/00->
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; Fitting Position: Upper Left
				Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left
2.0 FSI	110/150	AWA	07/02->12/04	Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5; ->ch.5-400 000
2.4	125/170	BDV	09/01->12/04	Deflection/Guide	SR-1264	OD: 29; W: 27; ch.8E-5-000 001->; Fitting Position: Lower Left; ch.8E-3-390 001->; ->ch.8E-4-400 000; Fitting Position: Lower Left; ->ch.8E-3-390 000; Fitting Position: Lower Left
				Tensioner	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
2.4	125/170	BDV	09/01->12/04	Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
2.4	120/163	AMM	09/01->12/04	Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT
2.5 TDI	120/163	BFC;BCZ;BDG	07/02->12/04	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Tensioner	SR-1362	OD: 72; W: 34; CS; Fitting Position: Left
2.5 TDI	114/155	AYM	08/01->07/02	Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
2.5 TDI quattro	132/180	AKE;BAU;BDH	11/00->12/04	Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
A4 (8EC, B7) 	1.6	ALZ	11/04->06/08	Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Deflection/Guide	SR-1502	OD: 29; W: 27; Fitting Position: Lower Left
1.8 T	120/163	BFB	11/04->06/08	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; Fitting Position: Upper Left
				Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left
1.8 T quattro	120/163	BFB	11/04->06/08	Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
1.9 TDI	85/116	BKE;BRB	11/04->06/08	Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; Fitting Position: Upper Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
2.0	96/130	ALT	11/04->06/08	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5
2.0 TDI	125/170	BRD	06/06->06/08	Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; Fitting Position: Upper Left
				Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
2.0 TDI	125/170	BRD	06/06->06/08	Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24






	kW/HP	Engine code		Type		
2.0 TDI	100/136	BNA;BRF	11/04->06/08	Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI	103/140	BPW	11/04->06/08	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
2.0 TDI	93/126	BVF	11/05->11/06	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
2.0 TDI 16V	103/140	BLB;BRE	11/04->06/08	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI quattro	103/140	BPW	01/06->06/08	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
2.0 TDI quattro	125/170	BRD	06/06->06/08	Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
2.0 TFSI	162/220	BUL	06/05->06/08	Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
2.0 TFSI	125/170	BPJ;BYK	10/06->06/08	Deflection/Guide	SR-1264	OD: 29; W: 27; engine BPJ; engine BYK; Fitting Position: Lower Left
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
2.0 TFSI	147/200	BGB;BWE;BWT;BPG	11/04->06/08	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5; -> ch.6-805 000
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
2.0 TFSI quattro	162/220	BUL	06/05->06/08	Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
2.0 TFSI quattro	147/200	BGB;BWE;BWT;BPG	11/04->06/08	Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5; -> ch.6-805 000
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
2.5 TDI	120/163	BDG	11/04->05/06	Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Tensioner	SR-1362	OD: 72; W: 34; CS; Fitting Position: Left
2.7 TDI	132/180	BPP	01/06->06/08	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; Fitting Position: Upper; -> ch.8E-6-252 204; Fitting Position: Centre right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ch.8E-6-252 205->; Fitting Position: Lower Right
2.7 TDI	120/163	BSG	11/05->06/08	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; Fitting Position: Upper; -> ch.8E-6-252 204; Fitting Position: Centre right
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ch.8E-6-252 205->; Fitting Position: Lower Right
3.0 TDI quattro	171/233	ASB	01/06->06/08	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ch.8E-5-580 001->; Fitting Position: Centre
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; Fitting Position: Right
3.0 TDI quattro	150/204	BKN	11/04->06/08	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ch.8E-5-580 001->; Fitting Position: Centre
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; Fitting Position: Right
3.2 FSI	188/255	AUK	01/05->06/08	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.2 FSI quattro	188/255	AUK;BKH	01/05->06/08	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
A4 (8K2, B8) 						
1.8 TFSI	88/120	CABA;CDHA	01/08->12/15	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
1.8 TFSI	118/160	CABB;CDHB	11/07->03/12	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
1.8 TFSI quattro	118/160	CDHB	09/08->03/12	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper






	kW/HP	Engine code		Type		
2.0 TDI	125/170	CAHA	01/08->03/12	Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	110/150	CJCD;CMFB;CSUA	05/13->12/15	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI	88/120	CAGC;CJCC	06/08->12/15	Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	120/163	CAHB;CGLD;CNHC	08/08->12/15	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; engine CAHB; Fitting Position: Right
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CAHB; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CAHB; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CGLD; Fitting Position: Lower Left; engine CAHB; Fitting Position: Lower Left
2.0 TDI	140/190	CNHA	09/13->12/15	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
2.0 TDI	105/143	CAGA;CMEA;CJCA;CMF A	11/07->12/15	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI	100/136	CAGB;CJCB;CSUB	11/07->12/15	Deflection/Guide	SR-1330	OD: 80; W: 34; engine CAGB; Fitting Position: Right
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; engine CAGB; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CAGB; Fitting Position: Lower Left; engine CJCB; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CAGB; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CJCB; Fitting Position: Upper
2.0 TDI	130/177	CGLC;CMGB	11/11->12/15	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CAGB; engine CJCB; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI quattro	125/170	CAHA	01/08->03/12	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
2.0 TDI quattro	110/150	CJCD;CSUA	05/13->12/15	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI quattro	105/143	CAGA;CJCA	11/08->12/15	Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI quattro	130/177	CGLC	11/11->12/15	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Centre
2.0 TFSI	132/180	CDNB;CAEA;CFKA	06/08->12/15	Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TFSI	155/211	CDNC;CAEB	06/08->05/13	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TFSI flexible fuel	132/180	CFKA	11/09->12/15	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; ->12/12; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; ->12/12; Fitting Position: Upper





	kW/HP	Engine code		Type		
2.0 TFSI flexible fuel quattro	132/180	CFKA	11/09->12/15	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; ->12/12; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; ->12/12; Fitting Position: Upper
2.0 TFSI quattro	155/211	CDNC;CAEB;CPMA	06/08->12/15	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.7 TDI	140/190	CAMA;CGKA	11/07->03/12	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre left; Fitting Position: Centre right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ->09/10; Fitting Position: Right
3.0 TDI	150/204	CLAB	11/11->12/15	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre right
3.0 TDI quattro	155/211	CCWB	06/08->05/10	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre left; Fitting Position: Centre right
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; Fitting Position: Right
3.0 TDI quattro	176/240	CAPA;CCWA;CCLA	11/07->03/12	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre left; Fitting Position: Centre right
3.0 TDI quattro	180/245	CDUC;CKVB;CKVC	11/11->12/15	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
3.0 TFSI quattro	200/272	CMUA;CRED	02/12->12/15	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.2 FSI	195/265	CALA	09/08->03/12	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.2 FSI quattro	195/265	CALA	11/07->03/12	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
S4 quattro	245/333	CAKA;CCBA;CGXC;CTU B;CGWC;CREC	11/08->12/15	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
A4 Allroad [8KH, B8] 						
2.0 TDI quattro	125/170	CAHA	04/09->	Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI quattro	120/163	CAHB;CGLD;CNHC	04/09->	Deflection/Guide	SR-1266	OD: 28; W: 34; engine CAHB; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CGLC; engine CGLD; Fitting Position: Lower Left; engine CAHB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CGLC; engine CGLD; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; engine CAHB; Fitting Position: Right
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CAHB; Fitting Position: Right
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI quattro	110/150	CJCD;CSUA	05/13->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CAHB; engine CGLC; engine CGLD; engine CJCA; engine CJCB; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; engine CAGA; Fitting Position: Right
2.0 TDI quattro	105/143	CAGA;CJCA	09/09->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CJCA; engine CJCB; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CAGA; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CAGA; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CAGA; Fitting Position: Lower Left; engine CJCA; engine CJCB; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CAGA; engine CGLC; engine CGLD; engine CJCA; engine CJCB; Fitting Position: Upper
2.0 TDI quattro	100/136	CAGB;CJCB;CSUB	09/09->	Deflection/Guide	SR-1330	OD: 80; W: 34; engine CAGB; Fitting Position: Right
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CJCA; engine CJCB; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; engine CAGB; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CAGB; Fitting Position: Lower Left; engine CJCA; engine CJCB; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CAGB; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CAGB; engine CGLC; engine CGLD; engine CJCA; engine CJCB; Fitting Position: Upper
2.0 TDI quattro	140/190	CNHA	09/13->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI quattro	130/177	CGLC	11/11->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CGLC; engine CGLD; engine CJCA; engine CJCB; Fitting Position: Lower Left
2.0 TDI quattro	130/177	CGLC	11/11->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CGLC; engine CGLD; engine CJCA; engine CJCB; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TFSI quattro	155/211	CDNC;CPMA	04/09->	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; ->12/12
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; ->12/12
3.0 TDI quattro	180/245	CDUC;CKVB;CKVC	01/12->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CDUC; engine CKVB; Fitting Position: Centre right
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CDUC; engine CKVB; Fitting Position: Centre left




	kW/HP	Engine code		Type		
3.0 TDI quattro	176/240	CCWA	04/09->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CCWA; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CCWA; Fitting Position: Centre; Fitting Position: Upper Right; QTY 2
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ->09/10; engine CCWA; Fitting Position: Right
A4 Avant (8D5, B5) 						
1.6	75/102	ALZ	07/00->09/01	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.6	74/100	ADP;AHL;ANA;ARM	11/94->09/01	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29; engine AHL; engine ANA; engine ARM
1.8	92/125	ADR;APT;ARG;AVV	02/96->09/01	Tensioner	SR-1088	OD: 66; W: 17; ->12/97; engine ADP
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine APT; engine ARG; engine AVV; Fitting Position: Lower Left; ->ch.8D-T-155 000; engine ADR; Fitting Position: Lower Left; ch.8D-T-155 001 ->; engine ADR; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
1.8	85/115	AFY	07/95->09/01	Tensioner	SR-1258	OD: 72; W: 27; engine APT; engine ARG; engine AVV; Fitting Position: Upper Left; ch.8D-T-155 001 ->; engine ADR; Fitting Position: Upper Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
1.8	85/115	AFY	07/95->09/01	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1260	OD: 65; W: 34; ->12/95; ->ch.T-155 000
1.8 quattro	92/125	ADR;APT;ARG	01/96->09/01	Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine APT; engine ARG; engine AVV; Fitting Position: Lower Left; ->ch.8D-T-155 000; engine ADR; Fitting Position: Lower Left; ch.8D-T-155 001 ->; engine ADR; Fitting Position: Lower Left; engine APT; engine ARG; Fitting Position: Lower Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.8 quattro	85/115	AFY	07/95->09/01	Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.8 T	110/150	AEB;ARK;ANB;APU;AW	03/96->09/01	Deflection/Guide	SR-1022	OD: 29; W: 29; ch.8D-T-155 001 ->; engine AEB; Fitting Position: Lower Left; ->ch.8D-T-155 000; engine AEB; Fitting Position: Lower Left; engine ANP; engine APU; engine ARK; Fitting Position: Lower Left
				Deflection/Guide	SR-1264	OD: 29; W: 27; 01/00 ->; ->ch.8D-1-042 384; engine AWT; Fitting Position: Centre left
				Deflection/Guide	SR-1263	OD: 29; W: 27; 01/00 ->; ->ch.8D-1-042 384; engine AWT; Fitting Position: Centre
1.8 T	132/180	AJL	12/97->09/01	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
1.8 T quattro	110/150	AEB;ARK;ANB;APU;AW	01/96->09/01	Tensioner	SR-1261	OD: 72; W: 27; ch.8D-T-155 001 ->; engine AEB; Fitting Position: Upper Left; engine ANP; engine APU; engine ARK; Fitting Position: Upper Left
				Tensioner	SR-1260	ID: 8,2; OD: 69; W: 28,5; 01/00 ->; ch.8D-1-042 385 ->; engine AWT; Fitting Position: Upper Left
				Tensioner	SR-1262	OD: 65; W: 34; ->07/98; ->ch.T-155 000
1.8 T quattro	132/180	AJL	12/97->09/01	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.8 T quattro	110/150	AEB;ARK;ANB;APU;AW	01/96->09/01	Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; ch.8D-T-155 001 ->; engine AEB; Fitting Position: Lower Left; ->ch.8D-T-155 000; engine AEB; Fitting Position: Lower Left; engine ANB; engine APU; engine ARK; Fitting Position: Lower Left
				Deflection/Guide	SR-1264	OD: 29; W: 27; 01/00 ->; ->ch.8D-1-042 384; engine AWT; Fitting Position: Centre left
1.8 T quattro	132/180	AJL	12/97->09/01	Deflection/Guide	SR-1263	OD: 29; W: 27; 01/00 ->; ->ch.8D-1-042 384; engine AWT; Fitting Position: Centre
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.8 T quattro	132/180	AJL	12/97->09/01	Tensioner	SR-1262	- holder; OD: 28,5; W: 27; 01/00 ->; ch.8D-1-042 385 ->; engine AWT; Fitting Position: Lower Left
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; 01/00 ->; ch.8D-1-042 385 ->; engine AWT; Fitting Position: Upper Left
				Tensioner	SR-1260	OD: 65; W: 34; 02/96 ->; ->12/98
1.8 T quattro	132/180	AJL	12/97->09/01	Tensioner	SR-1258	OD: 72; W: 27; ch.8D-T-155 001 ->; engine AEB; Fitting Position: Upper Left; engine ANB; engine APU; engine ARK; Fitting Position: Upper Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left






	kW/HP	Engine code		Type		
1.9 DUO	66/90	AHU	03/98->09/01	Deflection/Guide	SR-1096	OD: 29; W: 29; engine AHH; Fitting Position: Upper; engine 1Z; engine AHU; Fitting Position: Upper
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; engine 1Z; engine AHU; Fitting Position: Left
				Tensioner	SR-1265	- holder; OD: 77; W: 20; ALT; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.9 TDI	66/90	1Z;AHU;AHH	02/96->09/01	Deflection/Guide	SR-1096	OD: 29; W: 29; engine AHH; Fitting Position: Upper; engine 1Z; engine AHU; Fitting Position: Upper
				Tensioner	SR-1265	- holder; OD: 77; W: 20; ALT; Fitting Position: Upper
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; engine 1Z; engine AHU; Fitting Position: Left
1.9 TDI	81/110	AFN;AVG	02/96->09/01	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
1.9 TDI	85/115	AJM	03/00->09/01	Tensioner	SR-1265	- holder; OD: 77; W: 20; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Lower Left
				Tensioner	SR-1425	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.9 TDI	55/75	AFF	03/96->09/01	Tensioner	SR-1257	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1265	- holder; OD: 77; W: 20; ALT; Fitting Position: Upper
1.9 TDI quattro	85/115	AJM;ATJ	03/00->09/01	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Lower Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.9 TDI quattro	81/110	AFN;AVG	09/96->09/01	Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1265	- holder; OD: 77; W: 20; ALT; Fitting Position: Upper
2.4	121/165	AGA;ALF;AML;APS;ARJ	03/97->09/01	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right; engine AGA; engine AJG; engine ALF; engine AML; engine APS; engine APZ; engine ARJ; Fitting Position: Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Left; engine AGA; engine AJG; engine ALF; engine AML; engine APS; engine APZ; engine ARJ; Fitting Position: Upper Left
2.4	120/163	AJG;APZ;AMM	08/97->09/01	Tensioner	SR-1318	OD: 59; W: 30; engine AGA; engine AJG; engine ALF; engine AML; engine APS; engine APZ; engine ARJ; Fitting Position: Lower Left
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
2.4 quattro	121/165	AGA;ALF;AML;APS;ARJ	03/97->09/01	Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right; engine AGA; engine AJG; engine ALF; engine AML; engine APS; engine APZ; engine ARJ; Fitting Position: Right
				Tensioner	SR-1318	OD: 59; W: 30; engine AGA; engine AJG; engine ALF; engine AML; engine APS; engine APZ; engine ARJ; Fitting Position: Lower Left
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Left; engine AGA; engine AJG; engine ALF; engine AML; engine APS; engine APZ; engine ARJ; Fitting Position: Upper Left
2.4 quattro	120/163	APZ	08/97->09/01	Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
2.5 TDI	110/150	AFB;AKN	09/97->09/01	Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1140	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Tensioner	SR-1365	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1362	ID: 8,2; OD: 63; W: 17; ACCOM
2.5 TDI quattro	110/150	AFB;AKN	09/97->09/01	Tensioner	SR-1362	OD: 72; W: 34; CS; CS; Fitting Position: Left; engine AFB; Fitting Position: Left; engine AKN; Fitting Position: Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
2.6	110/150	ABC	02/96->09/01	Tensioner	SR-1362	OD: 72; W: 34; CS; CS; Fitting Position: Left; engine AFB; Fitting Position: Left; engine AKN; Fitting Position: Left
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
2.6 quattro	110/150	ABC	01/96->09/01	Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
2.8	128/174	AAH	03/96->09/96	Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; ->ch.8D-V-205 000; engine ACK; Fitting Position: Right; ch.8D-V-205 001 -> engine ACK; Fitting Position: Right; engine ALG; engine AMX; engine APR; engine AQD; Fitting Position: Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1309	OD: 72; W: 32; ->ch.8D-V-205 000; engine ACK; Fitting Position: Upper Left; ch.8D-V-205 001 -> engine ACK; Fitting Position: Upper Left; engine ALG; engine AMX; engine APR; engine AQD; Fitting Position: Upper Left
2.8 quattro	128/174	AAH	01/96->09/96	Tensioner	SR-1318	OD: 59; W: 30; ch.8D-V-205 001 -> engine ACK; Fitting Position: Lower Left; engine ALG; engine AMX; engine APR; engine AQD; Fitting Position: Lower Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre







	kW/HP	Engine code		Type		
2.8 quattro	142/193	ACK;ALG;AMX;APR;AQD;AHA	10/96->09/01	Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; ->ch.8D-V-205 000; engine ACK; Fitting Position: Right; ch.8D-V-205 001->; engine ACK; Fitting Position: Right; engine ALG; engine AMX; engine APR; engine AQD; Fitting Position: Right
				Tensioner	SR-1318	OD: 59; W: 30; ch.8D-V-205 001->; engine ACK; Fitting Position: Lower Left; engine ALG; engine AMX; engine APR; engine AQD; Fitting Position: Lower Left
				Tensioner	SR-1309	OD: 72; W: 32; ->ch.8D-V-205 000; engine ACK; Fitting Position: Upper Left; ch.8D-V-205 001->; engine ACK; Fitting Position: Upper Left; engine ALG; engine AMX; engine APR; engine AQD; Fitting Position: Upper Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
RS4 quattro	280/380	ASJ;AZR	05/00->09/01	Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
S4 quattro	195/265	AGB;AZB	09/97->09/01	Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
A4 Avant (8E5, B6) 						
1.6	75/102	ALZ	09/01->12/04	Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.8 T	120/163	BFB	07/02->12/04	Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; Fitting Position: Upper Left
1.8 T	110/150	AVJ	09/01->07/02	Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5; ->06/02
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
1.8 T	140/190	BEX	11/02->12/04	Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5; ->ch.5-400 000
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; Fitting Position: Upper Left
1.8 T quattro	120/163	BFB	07/02->12/04	Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5; ->06/02
1.8 T quattro	110/150	AVJ	09/01->07/02	Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5; ->ch.5-400 000
1.8 T quattro	140/190	BEX	11/02->12/04	Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; Fitting Position: Upper Left
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
1.9 TDI	85/116	BKE	06/04->12/04	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->ch.8E-2-297 100; Fitting Position: Lower Left
1.9 TDI	96/130	AVF;AWX	09/01->12/04	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; ch.8E-4-000 001->; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; ch.8E-2-297 101->; Fitting Position: Lower Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; ->ch.8E-3-500 000; Fitting Position: Lower Left
				Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; ->ch.8E-3-500 000; Fitting Position: Centre
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; ch.8E-4-000 001->; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->ch.8E-2-297 100; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; ch.8E-4-000 001->; Fitting Position: Right
1.9 TDI	74/101	AVB	11/01->12/04	Deflection/Guide	SR-1023	OD: 40; W: 36; ch.8E-2-297 101->; Fitting Position: Lower Left
				Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; ->ch.8E-3-500 000; Fitting Position: Centre
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; ->ch.8E-3-500 000; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; ch.8E-4-000 001->; Fitting Position: Upper






	kW/HP	Engine code		Type		
1.9 TDI quattro	96/130	AVF	11/01->12/04	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; ch.8E-4-000 001->; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->ch.8E-2-297 100; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ch.8E-2-297 101->; Fitting Position: Lower Left
				Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; ->ch.8E-3-500 000; Fitting Position: Centre
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; ->ch.8E-3-500 000; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; ch.8E-4-000 001->; Fitting Position: Upper
2.0	96/130	ALT	09/01->12/04	Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
2.0 FSI	110/150	AWA	07/02->12/04	Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5; ->ch.5-400 000
				Deflection/Guide	SR-1264	OD: 29; W: 27; ch.8E-5-000 001->; Fitting Position: Lower Left; ch.8E-3-390 001->; ->ch.8E-4-400 000; Fitting Position: Lower Left; ->ch.8E-3-390 000; Fitting Position: Lower Left
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
2.4	125/170	BDV	09/01->12/04	Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT
2.4	120/163	AMM	09/01->12/04	Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT
2.5 TDI	120/163	BFC;BCZ;BDG	07/02->12/04	Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
2.5 TDI	114/155	AYM	09/01->07/02	Tensioner	SR-1362	OD: 72; W: 34; CS; Fitting Position: Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
2.5 TDI quattro	132/180	AKE;BAU;BDH	09/01->12/04	Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
A4 Avant (8ED, B7) 	1.6	ALZ	11/04->06/08	Tensioner	SR-1362	OD: 72; W: 34; CS; Fitting Position: Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
1.8 T	120/163	BFB	11/04->06/08	Tensioner	SR-1362	OD: 72; W: 34; CS; Fitting Position: Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
1.8 T quattro	120/163	BFB	11/04->06/08	Tensioner	SR-1362	OD: 72; W: 34; CS; Fitting Position: Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
1.9 TDI	85/116	BKE;BRB	11/04->06/08	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0	96/130	ALT	11/04->06/08	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
2.0 TDI	125/170	BRD	06/06->06/08	Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; Fitting Position: Upper Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
2.0 TDI	125/170	BRD	06/06->06/08	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper







	kW/HP	Engine code		Type		
2.0 TDI	100/136	BNA;BRF	11/04->06/08	Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI	103/140	BPW	11/04->06/08	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
2.0 TDI	93/126	BVF	11/05->11/06	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
2.0 TDI 16V	103/140	BLB;BRE	11/04->06/08	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI quattro	103/140	BPW	01/06->06/08	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
2.0 TDI quattro	125/170	BRD	06/06->06/08	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
2.0 TFSI	162/220	BUL	06/05->06/08	Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5; 02/06->
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
2.0 TFSI	125/170	BPJ;BYK	10/06->06/08	Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5; ->ch.6-805 000
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5; 02/06->
2.0 TFSI quattro	147/200	BGB;BWE	11/04->06/08	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5; ->ch.6-805 000
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5; 02/06->
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
2.0 TFSI quattro	162/220	BUL	06/05->06/08	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5; ->ch.6-805 000
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5; 02/06->
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
2.0 TFSI quattro	147/200	BGB;BWE;BWT	11/04->06/08	Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5; ->ch.6-805 000
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1140	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
2.5 TDI	120/163	BDG	11/04->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1362	OD: 72; W: 34; CS; Fitting Position: Left
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Upper; ->ch.8E-6-252 204; Fitting Position: Centre right
2.7 TDi	120/163	BSG	11/05->03/08	Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ch.8E-6-252 205->; Fitting Position: Lower Right
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Upper; ->ch.8E-6-252 204; Fitting Position: Centre right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ch.8E-6-252 205->; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
2.7 TDI	132/180	BPP	01/06->06/08	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Upper; ->ch.8E-6-252 204; Fitting Position: Centre right
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ch.8E-6-252 205->; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Upper; ->ch.8E-6-252 204; Fitting Position: Centre right
3.0 TDI quattro	171/233	ASB	01/06->06/08	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ch.8E-5-580 001->; Fitting Position: Centre
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; Fitting Position: Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ch.8E-5-580 001->; Fitting Position: Centre
3.0 TDI quattro	150/204	BKN	11/04->06/08	Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; Fitting Position: Right
				Deflection/Guide	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Upper; ->ch.8E-6-252 204; Fitting Position: Centre right
				Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.2 FSI	188/255	AUK	01/05->06/08	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.2 FSI quattro	188/255	AUK	01/05->06/08	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
A4 Avant (8K5, B8) 						
1.8 TFSI	88/120	CDHA	04/08->12/15	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
1.8 TFSI	118/160	CABB;CDHB	11/07->03/12	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
1.8 TFSI quattro	118/160	CDHB	09/08->03/12	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper





	kW/HP	Engine code		Type		
2.0 TDI	105/143	CAGA;CMEA;CJCA;CMF A	04/08->12/15	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI	125/170	CAHA	04/08->03/12	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
2.0 TDI	100/136	CAGB;CJCB;CSUB	04/08->12/15	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; engine CAGB; Fitting Position: Right
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CAGB; Fitting Position: Right
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CJCB; Fitting Position: Upper
2.0 TDI	110/150	CJCD;CMFB;CSUA	05/13->12/15	Deflection/Guide	SR-1266	OD: 28; W: 34; engine CAGB; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CAGB; Fitting Position: Lower Left; engine CJCB; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CAGB; engine CJCB; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
2.0 TDI	88/120	CAGC;CJCC	06/08->12/15	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
2.0 TDI	120/163	CAHB;CGLD;CNHC	08/08->12/15	Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CGLD; Fitting Position: Upper
2.0 TDI	140/190	CNHA	09/13->12/15	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	130/177	CGLC	11/11->12/15	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CAGB; engine CJCB; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
2.0 TDI quattro	105/143	CAGA;CJCA	04/08->12/15	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
2.0 TDI quattro	110/150	CJCD;CSUA	05/13->12/15	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
2.0 TDI quattro	125/170	CAHA	08/08->03/12	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI quattro	140/190	CNHA	09/13->12/15	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TFSI	155/211	CDNC;CAEB	06/08->05/13	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; ->12/12; Fitting Position: Lower
2.0 TFSI flexible fuel	132/180	CFKA	11/09->12/15	Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; ->12/12; Fitting Position: Upper





	kW/HP	Engine code		Type		
2.0 TFSI flexible fuel quattro	132/180	CFKA	11/09->12/15	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; ->12/12; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; ->12/12; Fitting Position: Upper
2.0 TFSI quattro	155/211	CDNC;CAEB	06/08->12/15	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.7 TDI	140/190	CAMA;CGKA	04/08->03/12	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Centre left; Fitting Position: Centre right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ->09/10; Fitting Position: Right
2.7 TDI	120/163	CAMB;CGKB	06/08->03/12	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Centre left; Fitting Position: Centre right
3.0 TDI	150/204	CLAB	11/11->12/15	Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ->09/10; Fitting Position: Right
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre right
3.0 TDI quattro	176/240	CAPA;CCWA;CCLA	04/08->03/12	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Centre left; Fitting Position: Centre right
3.0 TDI quattro	180/245	CDUC;CKVB;CKVC	11/11->12/15	Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ->09/10; Fitting Position: Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
3.0 TFSI quattro	200/272	CMUA;CRED	02/12->12/15	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
3.2 FSI	195/265	CALA	09/08->03/12	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.2 FSI quattro	195/265	CALA	04/08->03/12	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
S4 quattro	245/333	CAKA;CCBA;CGXC;CTU B;CGWC;CREC	11/08->12/15	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
A4 Convertible (8H7, B6, 8HE, B7) 						
1.8 T	120/163	BFB	07/02->03/09	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5; 01/06->
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; Fitting Position: Upper Left
				Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left
1.8 T quattro	120/163	BFB	05/03->03/09	Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
2.0	96/130	ALT	09/04->12/05	Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; Fitting Position: Upper Left
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
2.0 TDI	103/140	BPW	01/06->03/09	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	100/136	BRC	01/06->03/09	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
2.0 TFSI 16V	147/200	BWE;BWT	01/06->03/09	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
2.4	125/170	BDV	04/02->12/05	Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
2.4	120/163	AMM	04/02->12/05	Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
2.5 TDI	120/163	BFC;BCZ;BDG	08/02->12/05	Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT
2.7 TDI	132/180	BPP	06/06->03/09	Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
3.0 TDI quattro	171/233	ASB	01/06->03/09	Tensioner	SR-1362	OD: 72; W: 34; CS; Fitting Position: Left
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
3.0 TDI quattro	150/204	BKN	01/06->03/09	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Upper; ->ch.8E-6-252 204; Fitting Position: Centre right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ch.8E-6-252 205->; Fitting Position: Lower Right
3.2 FSI	188/255	AUK	01/06->03/09	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ch.8E-5-580 001->; Fitting Position: Centre
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; Fitting Position: Right
3.2 FSI quattro	188/255	AUK	01/06->03/09	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ch.8E-5-580 001->; Fitting Position: Centre
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; Fitting Position: Right






	kW/HP	Engine code		Type		
A5 (8T3) 						
1.8 TFSI	118/160	CDHB	05/09->	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
1.8 TFSI	125/170	CABD;CJEB	10/07->	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI	125/170	CAHA	08/08->	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
2.0 TDI	140/190	CNHA	09/13->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI	140/190	CNHA	09/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI	130/177	CGLC	10/11->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CGLC; engine CGLD; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CGLC; engine CGLD; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CGLC; engine CGLD; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI quattro	125/170	CAHA	08/08->	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
2.0 TDI quattro	140/190	CNHA	09/13->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI quattro	130/177	CGLC	12/11->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CGLC; engine CGLD; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CGLC; engine CGLD; Fitting Position: Upper
2.0 TFSI	155/211	CDNC	06/08->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
2.0 TFSI	132/180	CDNB	11/08->	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TFSI quattro	155/211	CDNC;CAEB	06/08->	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.7 TDI	140/190	CAMA;CGKA	06/07->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre; Fitting Position: Upper Right; QTY 2
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ->09/10
2.7 TDI	120/163	CAMB;CGKB	09/07->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre; Fitting Position: Upper Right; QTY 2
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ->09/10
3.0 TDI	150/204	CLAB	10/11->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CCWB; Fitting Position: Left
3.0 TDI quattro	155/211	CCWB	03/08->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CCWB; Fitting Position: Centre; Fitting Position: Upper Right; QTY 2
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ->09/10; engine CCWB; Fitting Position: Right
3.0 TDI quattro	176/240	CAPA;CCWA	06/07->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CAPA; engine CCWA; Fitting Position: Centre; Fitting Position: Upper Right; QTY 2
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CAPA; engine CCWA; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ->09/10; engine CAPA; engine CCWA; Fitting Position: Right
3.0 TDI quattro	180/245	CDUC;CKVB;CKVC	10/11->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
3.0 TFSI quattro	200/272	CMUA	12/11->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.2 FSI	195/265	CALA	06/07->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.2 FSI quattro	195/265	CALA	06/07->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
S5 quattro	260/354	CAUA	06/07->	Deflection/Guide	SR-1537	OD: 76; W: 21; ALT
S5 quattro	245/333	CAKA;CGXC;CTUB;CGWC;CREC;CTDA	10/11->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
A5 Convertible (8F7) 						
1.8 TFSI	118/160	CDHB	09/09->	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
2.0 TDI	125/170	CAHA	05/09->	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24






	kW/HP	Engine code		Type		
2.0 TDI	110/150	CJCD	05/13->	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT
2.0 TDI	130/177	CGLC	10/11->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CGLC; engine CGLD; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CGLC; engine CGLD; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	105/143	CJCA	10/11->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CGLC; engine CGLD; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI quattro	130/177	CGLC	01/12->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CGLC; engine CGLD; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CGLC; engine CGLD; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CGLC; engine CGLD; Fitting Position: Upper
2.0 TFSI	132/180	CDNB;CAEA	03/09->	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TFSI	155/211	CDNC;CAEB	03/09->	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TFSI quattro	155/211	CDNC;CAEB	03/09->	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TFSI quattro	162/220	CPMB	03/12->	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.7 TDI	140/190	CGKA	03/09->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre; Fitting Position: Upper Right; QTY 2
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ->09/10
3.0 TDI	150/204	CLAB	10/11->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CCWA; Fitting Position: Left
3.0 TDI quattro	176/240	CCWA	03/09->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CCWA; Fitting Position: Centre; Fitting Position: Upper Right; QTY 2
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ->09/10; engine CCWA; Fitting Position: Right
3.0 TDI quattro	180/245	CDUC;CKVC	10/11->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
3.0 TFSI quattro	200/272	CMUA	11/11->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.2 FSI	195/265	CALA	03/09->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.2 FSI quattro	195/265	CALA	03/09->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
S5 quattro	245/333	CAKA;CCBA;CGXC;CTU B;CGWC;CREC;CTDA	06/09->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
A5 Sportback [8TA] 						
1.8 TFSI	118/160	CDHB	11/09->	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI	110/150	CJCD	05/13->	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	125/170	CAHA	09/09->	Deflection/Guide	SR-1330	OD: 80; W: 34; engine CAHA; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CAHA; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CAHA; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI	105/143	CAGA;CMEA;CJCA;CMF A	09/09->	Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	130/177	CGLC	10/11->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CGLC; engine CGLD; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CGLC; engine CGLD; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CGLC; engine CGLD; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI quattro	125/170	CAHA	09/09->	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper








	kW/HP	Engine code		Type		
2.0 TDI quattro	130/177	CGLC	12/11->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CGLC; engine CGLD; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CGLC; engine CGLD; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CGLC; engine CGLD; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TFSI	132/180	CDNB	09/09->	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TFSI	155/211	CDNC	09/09->	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TFSI quattro	155/211	CDNC	09/09->	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.7 TDI	140/190	CGKA	09/09->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre; Fitting Position: Upper Right; QTY 2
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ->09/10
3.0 TDI	150/204	CLAB	10/11->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
3.0 TDI quattro	176/240	CCWA	09/09->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CCWA; Fitting Position: Centre; Fitting Position: Upper Right; QTY 2
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CCWA; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ->09/10; engine CCWA; Fitting Position: Right
3.0 TDI quattro	180/245	CDUC;CKVB;CKVC	10/11->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
3.0 TFSI quattro	200/272	CMUA	12/11->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.2 FSI quattro	195/265	CALA	09/09->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
S5 quattro	245/333	CAKA;CGXC;CTUB;CGW C;CREC;CTDA	01/10->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
A6 (4A, C4) 						
1.8	92/125	ADR	12/95->10/97	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
1.8 quattro	92/125	ADR	12/95->10/97	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
1.9 TDI	66/90	1Z;AHU	06/94->10/97	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
2.0	74/100	AAE	06/94->10/97	Tensioner	SR-1088	OD: 66; W: 17; ch.4A-S-060 809->
				Tensioner	SR-1084	OD: 71,5; thread size M8x1,25; W: 20; ->ch.4A-S-060 808
2.0	85/115	ABK	06/94->10/97	Tensioner	SR-1084	OD: 71,5; thread size M8x1,25; W: 20; ->ch.4A-S-060 808
				Tensioner	SR-1088	OD: 66; W: 17; ch.4A-S-060 809->
2.5 TDI	84/114	AAT	01/95->10/97	Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
2.5 TDI	85/116	AAT	06/94->10/97	Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
2.5 TDI	103/140	AEL	08/94->10/97	Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
2.5 TDI quattro	103/140	AEL	10/95->10/97	Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
2.6	110/150	ABC	06/94->10/97	Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.4A-S-026 714; Fitting Position: Lower Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
2.6	102/139	ACZ	06/94->10/97	Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.4A-S-026 714; Fitting Position: Lower Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
2.6 quattro	110/150	ABC	06/94->10/97	Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.4A-S-026 714; Fitting Position: Lower Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
2.8	128/174	AAH;AFC;AEJ	06/94->10/97	Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.4A-S-026 714; Fitting Position: Lower Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
2.8	142/193	ACK	12/95->10/97	Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
2.8 quattro	128/174	AAH;AEJ	06/94->10/97	Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.4A-S-026 714; Fitting Position: Lower Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
2.8 quattro	142/193	ACK	12/95->10/97	Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
S6 Turbo quattro	169/230	AAN	06/94->10/97	Deflection/Guide	SR-1089	OD: 59; W: 29; Fitting Position: Right
A6 (4B2, C5) 						
1.8	85/116	AFY	05/97->01/05	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left






	kW/HP	Engine code		Type		
1.8	92/125	AJP;AQE;ARH;ANQ	07/97->01/05	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Centre left
				Deflection/Guide	SR-1263	OD: 29; W: 27; Fitting Position: Centre
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.8 T	110/150	AEB;ARK;ANB;APU;AW T;AWL	01/97->01/05	Tensioner	SR-1326	OD: 72; W: 25; Fitting Position: Upper Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine AEB; engine ANB; engine APU; engine ARK; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.8 T	132/180	AJL	12/97->01/05	Tensioner	SR-1258	OD: 72; W: 27; engine AEB; engine ANB; engine APU; engine ARK; Fitting Position: Upper Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
1.8 T quattro	110/150	AEB;ARK;ANB;APU;AW T	02/97->01/05	Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine AEB; engine ANB; engine APU; engine ARK; Fitting Position: Lower Left
				Tensioner	SR-1258	OD: 72; W: 27; engine AEB; engine ANB; engine APU; engine ARK; Fitting Position: Upper Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.8 T quattro	132/180	AJL	12/97->01/05	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
1.9 TDI	81/110	AFN;AVG	04/97->10/00	Tensioner	SR-1265	- holder; OD: 77; W: 20; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Lower Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
1.9 TDI	85/115	AJM	07/00->01/05	Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ch.4B-2-120 001->; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; -sch.4B-2-120 000; Fitting Position: Lower Left
				Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT
1.9 TDI	96/130	AVF;AWX	08/01->01/05	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM
				Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5; ->05/04
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
2.0	96/130	ALT	08/01->01/05	Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; Fitting Position: Upper Left
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; ->12/01; Fitting Position: Centre
2.4	121/165	AGA;ALF;AML;APS;ARJ	02/97->01/05	Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; ->12/01; Fitting Position: Centre
2.4	115/156	APC	02/97->01/05	Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
2.4	120/163	AJG;APZ;AMM	02/97->01/05	Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; ->12/01; Fitting Position: Centre
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
2.4	100/136	ALW;ARN;ASM	07/98->01/05	Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; ->12/01; Fitting Position: Centre
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
2.4	125/170	BDV	08/01->01/05	Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; ->12/01; Fitting Position: Centre
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
2.4 quattro	121/165	AGA;ALF;AML;APS;ARJ	02/97->01/05	Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; ->12/01; Fitting Position: Centre
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
2.4 quattro	120/163	AJG;APZ	02/97->01/05	Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; ->12/01; Fitting Position: Centre
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left





	kW/HP	Engine code		Type		
2.4 quattro	125/170	BDV	08/01->01/05	Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
2.4 quattro	115/156	APC	08/98->07/99	Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
2.5 TDI	132/180	AKE;BAU;BDH;BND	02/00->01/05	Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
2.5 TDI	120/163	BFC;BCZ;BDG	07/02->01/05	Tensioner	SR-1362	OD: 72; W: 34; CS; CS; Fitting Position: Left; ch.4B-Y-050 001->; Fitting Position: Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
2.5 TDI	110/150	AFB;AKN	07/97->01/05	Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
2.5 TDI	114/155	AYM	08/01->01/05	Tensioner	SR-1362	OD: 72; W: 34; CS; CS; CS; -->04/01; Fitting Position: Left; -->04/01; -->ch.4B-X-037 000; engine AKN; Fitting Position: Left; -->04/01; engine AFB; Fitting Position: Left; -->04/01; ch.4B-X-037 001->; engine AKN; Fitting Position: Left
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
2.5 TDI quattro	132/180	AKE;BAU;BDH	02/00->01/05	Tensioner	SR-1362	OD: 72; W: 34; CS; Fitting Position: Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
2.5 TDI quattro	110/150	AFB;AKN	07/97->01/05	Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
2.7 T	169/230	AJK	02/99->01/05	Tensioner	SR-1362	OD: 72; W: 34; CS; CS; CS; -->04/01; Fitting Position: Left; -->04/01; -->ch.4B-X-037 000; engine AKN; Fitting Position: Left; -->04/01; engine AFB; Fitting Position: Left; -->04/01; ch.4B-X-037 001->; engine AKN; Fitting Position: Left
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
2.7 T quattro	184/250	ARE;BES	08/01->01/05	Tensioner	SR-1362	OD: 72; W: 34; CS; Fitting Position: Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
2.7 T quattro	169/230	AJK;AZA	12/97->01/05	Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
2.8	142/193	ACK;ALG;AMX;APR;AQ D;AHA	02/97->01/05	Tensioner	SR-1362	OD: 72; W: 34; CS; CS; CS; -->04/01; Fitting Position: Left; -->04/01; -->ch.4B-X-037 000; engine AKN; Fitting Position: Left; -->04/01; engine AFB; Fitting Position: Left; -->04/01; ch.4B-X-037 001->; engine AKN; Fitting Position: Left
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
2.8	140/190	ATX;BBG	07/99->01/05	Tensioner	SR-1362	OD: 72; W: 34; CS; Fitting Position: Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
2.8	132/180	AGE	10/97->05/00	Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
2.8 quattro	142/193	ACK;ALG;AMX;APR;AQ D;AHA	02/97->01/05	Tensioner	SR-1362	OD: 72; W: 34; CS; Fitting Position: Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right






	kW/HP	Engine code		Type		
2.8 quattro	140/190	ATX	07/99->05/01	Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
A6 (4F2, C6) 						
2.0 TDI	103/140	BLB;BRE	07/04->10/08	Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	100/136	BNA;BRF;CAGB	07/04->03/11	Deflection/Guide	SR-1266	OD: 28; W: 34; engine CAGB; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine BNA; engine BRF; Fitting Position: Lower Left; engine CAGB; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; engine CAGB; Fitting Position: Right
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine BNA; engine BRF; Fitting Position: Right; engine CAGB; Fitting Position: Right
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI	125/170	CAHA	11/08->03/11	Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TFSI	125/170	BPJ;BYK	06/05->03/11	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
2.4	130/177	BDW	05/04->10/08	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
2.4 quattro	130/177	BDW	01/05->10/08	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
2.7 TDI	140/190	CANA	10/08->03/11	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; engine CANA; engine CANB; engine CANC; Fitting Position: Centre left; engine CANA; engine CANB; engine CANC; Fitting Position: Centre right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CANA; engine CANB; engine CANC; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; engine CANA; engine CANB; engine CANC; Fitting Position: Right
2.7 TDI	132/180	BPP	11/04->10/08	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; ALT; ALT; ch.4F-5-140 001->; engine BPP; Fitting Position: Centre left; hatchback; ch.4F-5-140 001->; ->ch.4F-6-172 453; engine BPP; Fitting Position: Centre right; ch.4F-6-017 401->; ->ch.4F-4-172 453; engine BPP; AT; Fitting Position: Centre right; estate; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine BPP; AT; Fitting Position: Centre right; ch.4F-6-017 401->; engine BPP; Fitting Position: Centre left; estate
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine BPP; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ALT; ALT; ->ch.4F-6-017 475; engine BPP; Fitting Position: Left; estate; ->ch.4F-5-124 000; engine BPP; Fitting Position: Left; hatchback; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine BPP; MT; Fitting Position: Left; ch.4F-7-029 699->; engine BPP; Fitting Position: Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine BSG; Fitting Position: Left
2.7 TDI	120/163	BSG;CANB	11/04->03/11	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; ALT; ALT; ch.4F-5-140 001->; engine BSG; Fitting Position: Centre left; hatchback; ch.4F-5-140 001->; ->ch.4F-6-172 453; engine BSG; Fitting Position: Centre right; ch.4F-6-017 401->; ->ch.4F-6-172 453; engine BSG; AT; Fitting Position: Centre right; estate; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine BSG; AT; Fitting Position: Centre right; ch.4F-6-017 401->; engine BSG; Fitting Position: Centre left; estate
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ALT; ALT; ->ch.4F-6-017 475; engine BSG; Fitting Position: Left; estate; ->ch.4F-5-124 000; engine BSG; Fitting Position: Left; hatchback; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine BSG; MT; Fitting Position: Left; ch.4F-7-029 699->; engine BSG; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; ALT; ALT; ch.4F-5-140 001->; engine BSG; Fitting Position: Centre left; hatchback; ch.4F-5-140 001->; ->ch.4F-6-172 453; engine BSG; Fitting Position: Centre right; ch.4F-6-017 401->; ->ch.4F-6-172 453; engine BSG; AT; Fitting Position: Centre right; estate; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine BSG; AT; Fitting Position: Centre right; ch.4F-6-017 401->; engine BSG; Fitting Position: Centre left; estate
2.7 TDI quattro	120/163	BSG;CAND	06/05->03/11	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine BSG; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ALT; ALT; ->ch.4F-6-017 475; engine BSG; Fitting Position: Left; estate; ->ch.4F-5-124 000; engine BSG; Fitting Position: Left; hatchback; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine BSG; MT; Fitting Position: Left; ch.4F-7-029 699->; engine BSG; Fitting Position: Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CANA; engine CANB; engine CANC; Fitting Position: Left
2.7 TDI quattro	140/190	CANC	10/08->03/11	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; engine CANA; engine CANB; engine CANC; Fitting Position: Centre left; engine CANA; engine CANB; engine CANC; Fitting Position: Centre right
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; engine CANA; engine CANB; engine CANC; Fitting Position: Right
2.7 TDI quattro	132/180	BPP	11/04->10/08	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; ALT; ALT; ch.4F-5-140 001->; engine BPP; Fitting Position: Centre left; hatchback; ch.4F-5-140 001->; ->ch.4F-6-172 453; engine BPP; Fitting Position: Centre right; ch.4F-6-017 401->; ->ch.4F-6-172 453; engine BPP; AT; Fitting Position: Centre right; estate; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine BPP; AT; Fitting Position: Centre right; ch.4F-6-017 401->; engine BPP; Fitting Position: Centre left; estate
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine BPP; Fitting Position: Left
2.8 FSI	140/190	CCDA	10/08->03/11	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
2.8 FSI	162/220	CCEA	10/08->03/11	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
2.8 FSI	154/210	BDX	11/06->10/08	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
2.8 FSI quattro	154/210	BDX	06/07->10/08	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
2.8 FSI quattro	140/190	CCDA	10/08->03/11	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
2.8 FSI quattro	162/220	CCEA	10/08->03/11	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT






	kW/HP	Engine code		Type		
3.0 TDI quattro	165/225	BMK	05/04->05/06	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; ALT; ch.4F-6-100 001->; ->ch.4F-6-172 453; engine ASB; engine BMK; engine BNG; Fitting Position: Centre right; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine ASB; engine BMK; engine BNG; AT; Fitting Position: Centre right; ch.4F-5-140 001->; engine ASB; engine BMK; engine BNG; Fitting Position: Centre left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine ASB; engine BMK; engine BNG; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ALT; ALT; ch.4F-7-029 699->; engine ASB; engine BMK; engine BNG; Fitting Position: Right; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine ASB; engine BMK; engine BNG; MT; Fitting Position: Right; ->ch.4F-6-100 000; engine ASB; engine BMK; engine BNG; Fitting Position: Right
3.0 TDI quattro	155/211	BNG;CDYB	05/04->03/11	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ALT; engine ASB; engine BMK; engine BNG; Fitting Position: Left; engine CDYA; engine CDYB; engine CDYC; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; ALT; ALT; ch.4F-6-100 001->; ->ch.4F-6-172 453; engine ASB; engine BMK; engine BNG; Fitting Position: Centre right; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine ASB; engine BMK; engine BNG; AT; Fitting Position: Centre right; ch.4F-5-140 001->; engine ASB; engine BMK; engine BNG; Fitting Position: Centre left; engine CDYA; engine CDYB; engine CDYC; Fitting Position: Centre left; engine CDYA; engine CDYB; engine CDYC; Fitting Position: Centre right
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ALT; ALT; ALT; ch.4F-7-029 699->; engine ASB; engine BMK; engine BNG; Fitting Position: Right; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine ASB; engine BMK; engine BNG; MT; Fitting Position: Right; ->ch.4F-6-100 000; engine ASB; engine BMK; engine BNG; Fitting Position: Right; engine CDYA; engine CDYB; engine CDYC
3.0 TDI quattro	171/233	ASB	06/06->10/08	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine ASB; engine BMK; engine BNG; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; ALT; ALT; ch.4F-6-100 001->; ->ch.4F-6-172 453; engine ASB; engine BMK; engine BNG; Fitting Position: Centre right; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine ASB; engine BMK; engine BNG; AT; Fitting Position: Centre right; ch.4F-5-140 001->; engine ASB; engine BMK; engine BNG; Fitting Position: Centre left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ALT; ALT; ALT; ch.4F-7-029 699->; engine ASB; engine BMK; engine BNG; Fitting Position: Right; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine ASB; engine BMK; engine BNG; MT; Fitting Position: Right; ->ch.4F-6-100 000; engine ASB; engine BMK; engine BNG; Fitting Position: Right; engine CDYA; engine CDYB; engine CDYC
3.0 TDI quattro	176/240	CDYA;CDYC	10/08->03/11	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; engine CDYA; engine CDYB; engine CDYC; Fitting Position: Centre left; engine CDYA; engine CDYB; engine CDYC; Fitting Position: Centre right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CDYA; engine CDYB; engine CDYC; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; engine CDYA; engine CDYB; engine CDYC
3.0 TFSI quattro	220/299	CCAA	10/08->03/11	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.0 TFSI quattro	213/290	CAJA	10/08->03/11	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.2 FSI	188/255	AUK;BKH	05/04->05/09	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.2 FSI	195/265	CALA	05/09->03/11	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.2 FSI quattro	188/255	AUK;BKH	05/04->10/08	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.2 FSI quattro	183/249	BYU	09/06->10/08	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT; engine BYU
4.2 FSI quattro	257/350	BVJ	06/06->03/11	Deflection/Guide	SR-1537	OD: 76; W: 21; ALT
A6 (4G2, C7, 4GC) 						
2.0 TDI	130/177	CGLC;CMGB	03/11->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI	120/163	CGLD	03/11->	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	110/150	CSUD	09/14->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	140/190	CNHA;CZJA	11/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CNHA; engine CSUD; engine CSUE; Fitting Position: Lower Left
2.0 TDI quattro	140/190	CNHA	04/15->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CNHA; engine CSUD; engine CSUE; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CGLC; engine CGLD; engine CGLF; engine CMGB; Fitting Position: Centre
2.8 FSI	150/204	CHVA	11/10->04/15	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
2.8 FSI quattro	150/204	CHVA	11/10->04/15	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.0 TDI	150/204	CLAB	11/10->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CLAB; Fitting Position: Centre
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CLAB; Fitting Position: Upper Left
3.0 TDI quattro	150/204	CLAA	03/11->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CLAA; Fitting Position: Upper Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CLAA; Fitting Position: Centre
3.0 TDI quattro	180/245	CDUC;CKVB;CKVC;CDU D	03/11->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CDUC; engine CDUD; engine CKVB; engine CKVC; Fitting Position: Centre
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CDUC; engine CDUD; engine CKVB; engine CKVC; Fitting Position: Upper Left
3.0 TDI quattro	176/239	CPNB	05/13->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT
3.0 TDI quattro	230/313	CGQB	11/11->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CQGB; Fitting Position: Centre
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CQGB; Fitting Position: Upper Left
3.0 TFSI quattro	228/310	CGXB;CTUA;CGWD	03/11->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.0 TFSI quattro	220/300	CGWB	11/10->05/12	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT







	kW/HP	Engine code		Type		
A6 Allroad (4FH, C6) 						
2.7 TDI quattro	132/180	BPP	05/06->10/08	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; ALT; ch.4F-6-017 401->; ->ch.4F-6-172 453; engine BPP; AT; Fitting Position: Centre right; estate; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine BPP; AT; Fitting Position: Centre right; ch.4F-6-017 401->; engine BPP; Fitting Position: Centre left; estate
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine BPP; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ALT; ALT; ->ch.4F-6-017 475; engine BPP; Fitting Position: Left; estate; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine BPP; MT; Fitting Position: Left; ch.4F-7-029 699->; engine BPP; Fitting Position: Left
2.7 TDI quattro	120/163	BSG;CAND	05/06->08/11	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; ALT; ALT; ch.4F-6-017 401->; ->ch.4F-6-172 453; engine BSG; AT; Fitting Position: Centre right; estate; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine BSG; AT; Fitting Position: Centre right; ch.4F-6-017 401->; engine BSG; Fitting Position: Centre left; estate; engine CANA; engine CANB; engine CANG; engine CAND; Fitting Position: Centre right; engine CANA; engine CANB; engine CANG; engine CAND; Fitting Position: Centre left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ALT; engine BSG; Fitting Position: Left; engine CANA; engine CANB; engine CANG; engine CAND; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ALT; ALT; ->ch.4F-6-017 475; engine BSG; Fitting Position: Left; estate; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine BSG; MT; Fitting Position: Left; ch.4F-7-029 699->; engine BSG; Fitting Position: Left; engine CANA; engine CANB; engine CANG; engine CAND; Fitting Position: Right
2.7 TDI quattro	140/190	CANC	10/08->08/11	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; engine CANA; engine CANB; engine CANG; engine CAND; Fitting Position: Centre right; engine CANA; engine CANB; engine CANG; engine CAND; Fitting Position: Centre left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CANA; engine CANB; engine CANG; engine CAND; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; engine CANA; engine CANB; engine CANG; engine CAND; Fitting Position: Right
3.0 TDI quattro	171/233	ASB	05/06->10/08	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; ALT; ch.4F-6-100 001->; ->ch.4F-6-172 453; engine ASB; engine BMK; engine BNG; Fitting Position: Centre right; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine ASB; engine BMK; engine BNG; AT; Fitting Position: Centre right; ch.5F-6-017 401->; engine ASB; engine BMK; engine BNG; Fitting Position: Centre left; estate
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ALT; ALT; ch.4F-7-029 699->; engine ASB; engine BMK; engine BNG; Fitting Position: Right; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine ASB; engine BMK; engine BNG; MT; Fitting Position: Right; ->ch.4F-6-100 000; engine ASB; engine BMK; engine BNG; Fitting Position: Right
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; ALT; ALT; ch.4F-6-100 001->; ->ch.4F-6-172 453; engine ASB; engine BMK; engine BNG; Fitting Position: Centre right; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine ASB; engine BMK; engine BNG; AT; Fitting Position: Centre left; engine CDYA; engine CDYB; engine CDYC; Fitting Position: Centre right; ch.5F-6-017 401->; engine ASB; engine BMK; engine BNG; Fitting Position: Centre left; estate
3.0 TDI quattro	155/211	BNG;CDYB	05/06->08/11	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ALT; engine ASB; engine BMK; engine BNG; Fitting Position: Left; engine CDYA; engine CDYB; engine CDYC; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ALT; ALT; ch.4F-7-029 699->; engine ASB; engine BMK; engine BNG; Fitting Position: Right; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine ASB; engine BMK; engine BNG; MT; Fitting Position: Right; ->ch.4F-6-100 000; engine ASB; engine BMK; engine BNG; Fitting Position: Right; engine CDYA; engine CDYB; engine CDYC
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; engine CDYA; engine CDYB; engine CDYC; Fitting Position: Centre left; engine CDYA; engine CDYB; engine CDYC; Fitting Position: Centre right
3.0 TDI quattro	176/240	CDYA;CDYC	10/08->08/11	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CDYA; engine CDYB; engine CDYC; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; engine CDYA; engine CDYB; engine CDYC
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CDYA; engine CDYB; engine CDYC; Fitting Position: Centre right
3.0 TFSI quattro	213/290	CAJA	10/08->08/11	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.2 FSI quattro	188/255	AUK	05/06->10/08	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
4.2 FSI quattro	257/350	BVJ	05/06->12/10	Deflection/Guide	SR-1537	OD: 76; W: 21; ALT
A6 Allroad (4GH, 4GJ) 						
3.0 TDI quattro	150/204	CLAA	01/12->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
3.0 TDI quattro	180/245	CKVC;CDUD	01/12->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
3.0 TDI quattro	230/313	CGQB	01/12->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
3.0 TFSI quattro	228/310	CGWD	01/12->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
A6 Avant (4A, C4) 						
1.8	92/125	ADR	12/95->12/97	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.8 quattro	92/125	ADR	12/95->12/97	Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
1.9 TDI	66/90	1Z;AHU	06/94->12/97	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
2.0	74/100	AAE	06/94->12/97	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
				Tensioner	SR-1088	OD: 66; W: 17; ch.4A-S-060 809->
2.0	85/115	ABK	06/94->12/97	Tensioner	SR-1084	OD: 71,5; thread size M8x1,25; W: 20; ->ch.4A-S-060 808
				Tensioner	SR-1088	OD: 66; W: 17; ch.4A-S-060 809->
2.5 TDI	84/114	AAT	01/95->12/97	Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
2.5 TDI	85/116	AAT	06/94->12/97	Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left







	kW/HP	Engine code		Type		
2.5 TDI	103/140	AEL	08/94->12/97	Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
2.5 TDI quattro	103/140	AEL	07/95->12/97	Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
2.6	110/150	ABC	06/94->12/97	Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.4A-S-026 714; Fitting Position: Lower Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
2.6	102/139	ACZ	06/94->02/97	Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.4A-S-026 714; Fitting Position: Lower Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
2.6 quattro	110/150	ABC	06/94->12/97	Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.4A-S-026 714; Fitting Position: Lower Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
2.8	128/174	AAH;AEJ	06/94->12/97	Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.4A-S-026 714; Fitting Position: Lower Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
2.8	142/193	ACK	12/95->12/97	Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
2.8 quattro	128/174	AAH;AEJ	06/94->12/97	Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.4A-S-026 714; Fitting Position: Lower Right
2.8 quattro	142/193	ACK	12/95->12/97	Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
S6 Turbo quattro	169/230	AAN	06/94->12/97	Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Deflection/Guide	SR-1089	OD: 59; W: 29; Fitting Position: Right
A6 Avant (4B5, C5) 						
1.8	85/116	AFY	02/98->01/05	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
1.8	92/125	AJP;AQE;ARH	12/97->01/05	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Centre left
				Deflection/Guide	SR-1263	OD: 29; W: 27; Fitting Position: Centre
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
1.8 T	132/180	AJL	04/99->01/05	Tensioner	SR-1326	OD: 72; W: 25; Fitting Position: Upper Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.8 T	110/150	AEB;ARK;ANB;APU;AW T	12/97->01/05	Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1262	- holder; OD: 28,5; W: 27; ch.4B-1-040 001->; engine AWT; Fitting Position: Lower Left
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; ch.4B-1-040 001->; engine AWT; Fitting Position: Upper Left
1.8 T quattro	110/150	AEB;ARK;ANB;APU;AW T	12/97->01/05	Deflection/Guide	SR-1263	OD: 29; W: 27; ->ch.4B-1-040 000; engine AWT; Fitting Position: Centre
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine AEB; engine ANB; engine APU; engine ARK; Fitting Position: Lower Left
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; ch.4B-1-040 001->; engine AWT; Fitting Position: Upper Left
				Tensioner	SR-1262	- holder; OD: 28,5; W: 27; ch.4B-1-040 001->; engine AWT; Fitting Position: Lower Left
1.8 T quattro	132/180	AJL	12/97->01/05	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1258	OD: 72; W: 27; engine AEB; engine ANB; engine APU; engine ARK; Fitting Position: Upper Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
1.9 TDI	81/110	AFN	02/98->04/01	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1265	- holder; OD: 77; W: 20; ALT; Fitting Position: Upper
1.9 TDI	85/115	AJM	07/00->01/05	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Lower Left
1.9 TDI	96/130	AVF;AWX	08/01->01/05	Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.9 TDI	96/130	AVF;AWX	08/01->01/05	Deflection/Guide	SR-1266	OD: 28; W: 34; ->ch.4B-2-120 000; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ch.4B-2-120 001->; Fitting Position: Lower Left
1.9 TDI	96/130	AVF;AWX	08/01->01/05	Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM

	kW/HP	Engine code		Type		
2.0	96/130	ALT	08/01->01/05	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; Fitting Position: Upper Left
				Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
2.4	100/136	ALW;ARN;ASM	07/98->01/05	Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
2.4	125/170	BDV	08/01->01/05	Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; ->12/01; Fitting Position: Centre
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
2.4	121/165	AGA;ALF;AML;APS;ARJ	12/97->01/05	Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; ->12/01; Fitting Position: Centre
2.4	115/156	APC	12/97->01/05	Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; ->12/01; Fitting Position: Centre
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
2.4	120/163	AJG;APZ;AMM	12/97->01/05	Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
2.4 quattro	125/170	BDV	08/01->01/05	Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
2.4 quattro	115/156	APC	08/98->05/01	Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
2.4 quattro	121/165	AGA;ALF;AML;APS;ARJ	12/97->01/05	Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; ->12/01; Fitting Position: Centre
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
2.4 quattro	120/163	AJG;APZ	12/97->01/05	Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; ->12/01; Fitting Position: Centre
2.5 TDI	132/180	AKE;BAU;BDH	02/00->01/05	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Tensioner	SR-1362	OD: 72; W: 34; CS; Fitting Position: Left
2.5 TDI	120/163	BFC;BCZ;BDG	07/02->01/05	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Tensioner	SR-1362	OD: 72; W: 34; CS; Fitting Position: Left
2.5 TDI	114/155	AYM	08/01->01/05	Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1362	OD: 72; W: 34; CS; Fitting Position: Left
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
2.5 TDI	110/150	AFB;AKN	12/97->01/05	Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Tensioner	SR-1362	OD: 72; W: 34; CS; CS; CS; ->04/01; Fitting Position: Left; ->04/01; ->ch.4B-X-037 000; engine AKN; Fitting Position: Left; ->04/01; engine AFB; Fitting Position: Left; ->04/01; ch.4B-X-037 001 -> engine AKN; Fitting Position: Left
2.5 TDI quattro	132/180	AKE;BAU;BDH	02/00->01/05	Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1362	OD: 72; W: 34; CS; Fitting Position: Left
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM

	kW/HP	Engine code		Type		
2.5 TDI quattro	110/150	AFB;AKN	12/97->01/05	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Tensioner	SR-1362	OD: 72; W: 34; CS; CS; CS; CS; -->04/01; Fitting Position: Left; -->04/01; -->ch.4B-X-037 000; engine AKN; Fitting Position: Left; -->04/01; engine AFB; Fitting Position: Left; -->04/01; ch.4B-X-037 001->; engine AKN; Fitting Position: Left
				Tensioner	SR-1365	ID: 8.2; OD: 63; W: 17; ACCOM
2.7 T	169/230	AJK	02/99->01/05	Deflection/Guide	SR-1310	ID: 10.2; OD: 59; W: 31.5; Fitting Position: Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
2.7 T quattro	184/250	ARE;BES	08/01->01/05	Deflection/Guide	SR-1310	ID: 10.2; OD: 59; W: 31.5; Fitting Position: Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
2.7 T quattro	169/230	AJK;AZA	12/97->01/05	Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT
2.8	140/190	ATX	07/99->01/05	Deflection/Guide	SR-1310	ID: 10.2; OD: 59; W: 31.5; Fitting Position: Right
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
2.8	142/193	ACK;ALG;AMX;APR;AQ D;AHA	12/97->01/05	Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
2.8	132/180	AGE	12/97->05/00	Deflection/Guide	SR-1310	ID: 10.2; OD: 59; W: 31.5; Fitting Position: Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
2.8 quattro	142/193	ACK;ALG;AMX;APR;AQ D;AHA	12/97->01/05	Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
A6 Avant [4F5, C6] 						
2.0 TDI	103/140	BLB;BRE	06/05->10/08	Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI	100/136	BNA;BRF;CAGB	06/05->08/11	Deflection/Guide	SR-1023	OD: 40; W: 36; engine BNA; engine BRF; Fitting Position: Lower Left; engine CAGB; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CAGB; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine BNA; engine BRF; Fitting Position: Right; engine CAGB; Fitting Position: Right
				Deflection/Guide	SR-1446	OD: 70.25; W: 28.2; ALT; engine CAGB; Fitting Position: Right
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI	89/121	BVG	09/05->06/06	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70.25; W: 28.2; ALT; Fitting Position: Right
2.0 TDI	125/170	CAHA	10/08->08/11	Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
2.0 TFSI	125/170	BPJ	06/05->08/11	Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
2.4	130/177	BDW	03/05->10/08	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
2.4 quattro	130/177	BDW	03/05->10/08	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
2.7 TDI	120/163	BSG;CANB	03/05->08/11	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; ch.4F-6-017 401->; -->ch.4F-6-172 453; engine BSG; AT; Fitting Position: Centre right; estate; ch.4F-6-172 454->; -->ch.4F-7-029 698; engine BSG; AT; Fitting Position: Centre right; ch.4F-6-017 401->; engine BSG; Fitting Position: Centre left; estate
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine BSG; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ALT; -->ch.4F-6-017 475; engine BSG; Fitting Position: Left; estate; ch.4F-6-172 454->; -->ch.4F-7-029 698; engine BSG; MT; Fitting Position: Left; ch.4F-7-029 699->; engine BSG; Fitting Position: Left
2.7 TDI	132/180	BPP	03/05->10/08	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine BPP; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; ch.4F-6-017 401->; -->ch.4F-6-172 453; engine BPP; AT; Fitting Position: Centre right; estate; ch.4F-6-172 454->; -->ch.4F-7-029 698; engine BPP; AT; Fitting Position: Centre right; ch.4F-6-017 401->; engine BPP; Fitting Position: Centre left; estate
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ALT; -->ch.4F-6-017 475; engine BPP; Fitting Position: Left; estate; ch.4F-6-172 454->; -->ch.4F-7-029 698; engine BPP; MT; Fitting Position: Left; ch.4F-7-029 699->; engine BPP; Fitting Position: Left

	kW/HP	Engine code		Type		
2.7 TDI	140/190	CANA	10/08->08/11	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CANA; engine CANB; engine CANC; engine CAND; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; engine CANA; engine CANB; engine CANC; engine CAND; Fitting Position: Centre right; engine CANA; engine CANB; engine CANC; engine CAND; Fitting Position: Centre left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; engine CANA; engine CANB; engine CANC; engine CAND; Fitting Position: Right
2.7 TDI quattro	132/180	BPP	03/05->10/08	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; ch.4F-6-017 401->; ->ch.4F-6-172 453; engine BPP; AT; Fitting Position: Centre right; estate; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine BPP; AT; Fitting Position: Centre right; ch.4F-6-017 401->; engine BPP; Fitting Position: Centre left; estate
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine BPP; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ALT; ->ch.4F-6-017 475; engine BPP; Fitting Position: Left; estate; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine BPP; MT; Fitting Position: Left; ch.4F-7-029 699->; engine BPP; Fitting Position: Left
2.7 TDI quattro	120/163	BSG;CAND	06/05->08/11	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ALT; engine BSG; Fitting Position: Left; engine CANA; engine CANB; engine CANC; engine CAND; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; ALT; ch.4F-6-017 401->; ->ch.4F-6-172 453; engine BSG; AT; Fitting Position: Centre right; estate; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine BSG; AT; Fitting Position: Centre right; ch.4F-6-017 401->; engine BSG; Fitting Position: Centre left; estate; engine CANA; engine CANB; engine CANC; engine CAND; Fitting Position: Centre right; engine CANA; engine CANB; engine CANC; engine CAND; Fitting Position: Centre left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ALT; ALT; ->ch.4F-6-017 475; engine BSG; Fitting Position: Left; estate; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine BSG; MT; Fitting Position: Left; ch.4F-7-029 699->; engine BSG; Fitting Position: Left; engine CANA; engine CANB; engine CANC; engine CAND; Fitting Position: Right
2.7 TDI quattro	140/190	CANC	10/08->08/11	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; engine CANA; engine CANB; engine CANC; engine CAND; Fitting Position: Centre right; engine CANA; engine CANB; engine CANC; engine CAND; Fitting Position: Centre left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CANA; engine CANB; engine CANC; engine CAND; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; engine CANA; engine CANB; engine CANC; engine CAND; Fitting Position: Right
2.8 FSI	140/190	CCDA	10/08->08/11	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
2.8 FSI	162/220	CCEA	10/08->08/11	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
2.8 FSI	154/210	BDX	11/06->10/08	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
2.8 FSI quattro	154/210	BDX	06/07->10/08	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
2.8 FSI quattro	140/190	CCDA	10/08->08/11	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
2.8 FSI quattro	162/220	CCEA	10/08->08/11	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.0 TDI quattro	165/225	BMK	03/05->05/06	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; ch.4F-6-100 001->; ->ch.4F-6-172 453; engine ASB; engine BMK; engine BNG; Fitting Position: Centre right; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine ASB; engine BMK; engine BNG; AT; Fitting Position: Centre right; ch.5F-6-017 401->; engine ASB; engine BMK; engine BNG; Fitting Position: Centre left; estate
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine ASB; engine BMK; engine BNG; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ALT; ch.4F-7-029 699->; engine ASB; engine BMK; engine BNG; Fitting Position: Right; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine ASB; engine BMK; engine BNG; MT; Fitting Position: Right; ->ch.4F-6-100 000; engine ASB; engine BMK; engine BNG; Fitting Position: Right
3.0 TDI quattro	155/211	BNG;CDYB	03/05->08/11	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ALT; engine ASB; engine BMK; engine BNG; Fitting Position: Left; engine CDYA; engine CDYB; engine CDYC; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; ALT; ch.4F-6-100 001->; ->ch.4F-6-172 453; engine ASB; engine BMK; engine BNG; Fitting Position: Centre right; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine ASB; engine BMK; engine BNG; AT; Fitting Position: Centre right; engine CDYA; engine CDYB; engine CDYC; Fitting Position: Centre left; engine CDYA; engine CDYB; engine CDYC; Fitting Position: Centre right; ch.5F-6-017 401->; engine ASB; engine BMK; engine BNG; Fitting Position: Centre left; estate
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ALT; ALT; ch.4F-7-029 699->; engine ASB; engine BMK; engine BNG; Fitting Position: Right; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine ASB; engine BMK; engine BNG; MT; Fitting Position: Right; ->ch.4F-6-100 000; engine ASB; engine BMK; engine BNG; Fitting Position: Right; engine CDYA; engine CDYB; engine CDYC
3.0 TDI quattro	171/233	ASB	06/06->10/08	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine ASB; engine BMK; engine BNG; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; ALT; ch.4F-6-100 001->; ->ch.4F-6-172 453; engine ASB; engine BMK; engine BNG; Fitting Position: Centre right; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine ASB; engine BMK; engine BNG; AT; Fitting Position: Centre right; ch.5F-6-017 401->; engine ASB; engine BMK; engine BNG; Fitting Position: Centre left; estate
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ALT; ALT; ch.4F-7-029 699->; engine ASB; engine BMK; engine BNG; Fitting Position: Right; ch.4F-6-172 454->; ->ch.4F-7-029 698; engine ASB; engine BMK; engine BNG; MT; Fitting Position: Right; ->ch.4F-6-100 000; engine ASB; engine BMK; engine BNG; Fitting Position: Right
3.0 TDI quattro	176/240	CDYA;CDYC	10/08->08/11	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; engine CDYA; engine CDYB; engine CDYC; Fitting Position: Centre left; engine CDYA; engine CDYB; engine CDYC; Fitting Position: Centre right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CDYA; engine CDYB; engine CDYC; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; engine CDYA; engine CDYB; engine CDYC
3.0 TFSI quattro	220/299	CCAA	10/08->08/11	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.0 TFSI quattro	213/290	CAJA	10/08->08/11	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.2 FSI	188/255	AUK	03/05->10/08	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.2 FSI quattro	188/255	AUK	03/05->10/08	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
4.2 FSI quattro	257/350	BVJ	06/06->08/11	Deflection/Guide	SR-1537	OD: 76; W: 21; ALT; engine BVJ
A6 Avant (4G5, C7, 4GD) 						
2.0 TDI	130/177	CGLC;CMGB	05/11->	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper

	kW/HP	Engine code		Type		
2.0 TDI	120/163	CGLD	05/11->	Deflection/Guide	SR-1023	OD: 40; W: 36; engine CGLD; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CGLD; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CGLD; Fitting Position: Upper
2.0 TDI	140/190	CNHA;CZJA	11/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI quattro	140/190	CNHA	04/15->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CNHA; engine CSUD; engine CSUE; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CNHA; engine CSUD; engine CSUE; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.8 FSI	150/204	CHVA	05/11->04/15	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
2.8 FSI quattro	150/204	CHVA	05/11->04/15	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.0 TDI	150/204	CLAB	05/11->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CLAB; Fitting Position: Centre
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CLAB; Fitting Position: Upper Left
3.0 TDI quattro	150/204	CLAA	05/11->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CLAA; Fitting Position: Centre
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CLAA; Fitting Position: Upper Left
3.0 TDI quattro	180/245	CDUC;CKVB;CKVC;CDU D	05/11->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CDUC; engine CDUD; engine CKVB; engine CKVC; Fitting Position: Upper Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CDUC; engine CDUD; engine CKVB; engine CKVC; Fitting Position: Centre
3.0 TDI quattro	230/313	CGQB	11/11->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CGQB; Fitting Position: Upper Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CGQB; Fitting Position: Centre
3.0 TFSI quattro	220/300	CGWB	05/11->05/12	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.0 TFSI quattro	228/310	CGWD	11/11->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
A7 Sportback (4GA, 4GF) 						
2.8 FSI	150/204	CHVA	02/11->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
2.8 FSI quattro	150/204	CNYA;CHVA	10/10->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.0 TDI	150/204	CLAB	11/10->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CDUC; engine CDUD; engine CGQB; engine CKVB; engine CKVC; engine CLAA; engine CLAB; engine CPNB; Fitting Position: Centre
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CDUC; engine CDUD; engine CGQB; engine CKVB; engine CKVC; engine CLAA; engine CLAB; engine CPNB; Fitting Position: Upper Left
3.0 TDI quattro	176/239	CPNB	05/13->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CDUC; engine CDUD; engine CGQB; engine CKVB; engine CKVC; engine CLAA; engine CLAB; engine CPNB; Fitting Position: Centre
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CDUC; engine CDUD; engine CGQB; engine CKVB; engine CKVC; engine CLAA; engine CLAB; engine CPNB; Fitting Position: Upper Left
3.0 TDI quattro	180/245	CDUC;CKVB;CKVC;CDU D	10/10->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CDUC; engine CDUD; engine CGQB; engine CKVB; engine CKVC; engine CLAA; engine CLAB; engine CPNB; Fitting Position: Upper Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CDUC; engine CDUD; engine CGQB; engine CKVB; engine CKVC; engine CLAA; engine CLAB; engine CPNB; Fitting Position: Centre
3.0 TDI quattro	230/313	CGQB	11/11->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CDUC; engine CDUD; engine CGQB; engine CKVB; engine CKVC; engine CLAA; engine CLAB; engine CPNB; Fitting Position: Centre
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CDUC; engine CDUD; engine CGQB; engine CKVB; engine CKVC; engine CLAA; engine CLAB; engine CPNB; Fitting Position: Upper Left
3.0 TDI quattro	150/204	CLAA	12/10->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CDUC; engine CDUD; engine CGQB; engine CKVB; engine CKVC; engine CLAA; engine CLAB; engine CPNB; Fitting Position: Upper Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CDUC; engine CDUD; engine CGQB; engine CKVB; engine CKVC; engine CLAA; engine CLAB; engine CPNB; Fitting Position: Centre
3.0 TFSI quattro	228/310	CGXB;CTTA;CTUA;CGW D	01/11->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.0 TFSI quattro	220/300	CGWB;CHMA	10/10->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
A8 (4D2, 4D8) 						
2.5 TDI	110/150	AFB;AKN	01/97->04/00	Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
2.5 TDI	132/180	AKE	09/00->09/02	Tensioner	SR-1362	OD: 72; W: 34; CS; CS; CS; CS; --ch.4D-X-005 500; engine AKN; Fitting Position: Left; Fitting Position: Left; ch.4D-X-005 501--; engine AKN; Fitting Position: Left; engine AFB; Fitting Position: Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
2.5 TDI quattro	110/150	AFB;AKN	07/97->04/00	Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Tensioner	SR-1362	OD: 72; W: 34; CS; Fitting Position: Left
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
2.5 TDI quattro	110/150	AFB;AKN	07/97->04/00	Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Tensioner	SR-1362	OD: 72; W: 34; CS; CS; CS; CS; --ch.4D-X-005 500; engine AKN; Fitting Position: Left; Fitting Position: Left; ch.4D-X-005 501--; engine AKN; Fitting Position: Left; engine AFB; Fitting Position: Left
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM

	kW/HP	Engine code		Type		
2.5 TDI quattro	132/180	AKE	09/00->09/02	Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Tensioner	SR-1362	OD: 72; W: 34; CS; Fitting Position: Left
2.8	128/174	AAH	03/94->03/96	Tensioner	SR-1365	ID: 8.2; OD: 63; W: 17; ACCOM
				Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.4D-S-000 496; Fitting Position: Lower Right
2.8	142/193	ACK;ALG;AMX;APR;AQD	04/96->09/02	Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1310	ID: 10.2; OD: 59; W: 31.5; Fitting Position: Right; ->ch.4D-V-011 000; engine ACK; Fitting Position: Right; ch.4D-V-011 001->; engine ACK; Fitting Position: Right; engine AMX; engine APR; engine AQD; Fitting Position: Right; engine ALG; Fitting Position: Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1318	OD: 59; W: 30; ch.4D-V-011 001->; engine ACK; Fitting Position: Lower Left; engine AMX; engine APR; engine AQD; Fitting Position: Lower Left; engine ALG; Fitting Position: Lower Left
2.8	120/163	AEJ	07/95->03/96	Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Left; ->ch.4D-V-011 000; engine ACK; Fitting Position: Upper Left; ch.4D-V-011 001->; engine ACK; Fitting Position: Upper Left; engine AMX; engine APR; engine AQD; Fitting Position: Upper Left; engine ALG; Fitting Position: Upper Left
				Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.4D-S-000 496; Fitting Position: Lower Right
2.8 quattro	128/174	AAH	03/94->03/96	Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1310	ID: 10.2; OD: 59; W: 31.5; Fitting Position: Right; ->ch.4D-V-011 000; engine ACK; Fitting Position: Right; ch.4D-V-011 001->; engine ACK; Fitting Position: Right; engine AMX; engine APR; engine AQD; Fitting Position: Right
2.8 quattro	142/193	ACK;AMX;APR;AQD	04/96->09/02	Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Left; ->ch.4D-V-011 000; engine ACK; Fitting Position: Upper Left; ch.4D-V-011 001->; engine ACK; Fitting Position: Upper Left; engine AMX; engine APR; engine AQD; Fitting Position: Upper Left
				Tensioner	SR-1318	OD: 59; W: 30; ch.4D-V-011 001->; engine ACK; Fitting Position: Lower Left; engine AMX; engine APR; engine AQD; Fitting Position: Lower Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.4D-S-000 496; Fitting Position: Lower Right
2.8 quattro	120/163	AEJ	07/95->03/96	Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.4D-S-000 496; Fitting Position: Lower Right
3.3 TDI quattro	165/224	AKF	06/00->09/02	Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
A8 [4E_] 						
2.8 FSI	154/210	BDX	08/07->07/10	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine ASB; Fitting Position: Left
3.0 TDI quattro	171/233	ASB	08/03->07/10	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ch.4E-6-003 070->; engine ASB; Fitting Position: Centre left; ch.4E-6-020 001->; ->ch.4E-7-003 342; Fitting Position: Centre right
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ->ch.4E-6-020 000; engine ASB; Fitting Position: Right; ch.4E-7-003 343->
3.0 TDI quattro	155/211	BNG	11/03->07/10	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ch.4E-6-003 070->; engine ASB; engine BNG; Fitting Position: Centre left; ch.4E-6-020 001->; Fitting Position: Centre right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine ASB; engine BNG; Fitting Position: Left
3.2 FSI	191/260	BPK	06/05->07/10	Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ch.4E-7-003 343->; engine ASB; engine BNG; Fitting Position: Right; ->ch.4E-6-020 000
				Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.2 FSI quattro	191/260	BPK	06/05->07/10	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
4.0 TDI quattro	202/275	ASE	05/03->07/05	Deflection/Guide	SR-1266	OD: 28; W: 34; IP; engine ASE
4.2 FSI quattro	257/350	BVJ	06/06->07/10	Deflection/Guide	SR-1537	OD: 76; W: 21; ALT; engine BVJ
4.2 TDI quattro	235/320	BMC	01/05->06/05	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine BMC; engine BVN
4.2 TDI quattro	240/326	BVN	07/05->07/10	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine BMC; engine BVN
S8 quattro	331/450	BSM	06/06->07/10	Deflection/Guide	SR-1537	OD: 76; W: 21; ALT; engine BSM
A8 [4H_] 						
2.5 TFSI	150/204	CPAA;CVBA	07/12->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.0 TDI	150/204	CLAB	09/11->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CDTA; engine CDTB; engine CLAB; engine CMHA; engine CPNA; Fitting Position: Upper Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CDTA; engine CDTB; engine CLAB; engine CMHA; engine CPNA; Fitting Position: Centre; Fitting Position: Upper Right; QTY 2
3.0 TDI quattro	184/250	CDTA;CMHA;CDTC	07/10->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CDTA; engine CDTB; engine CLAB; engine CMHA; engine CPNA; Fitting Position: Centre; Fitting Position: Upper Right; QTY 2
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CDTA; engine CDTB; engine CLAB; engine CMHA; engine CPNA; Fitting Position: Upper Left
3.0 TDI quattro	155/211	CDTB;CTBB	08/10->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CDTA; engine CDTB; engine CLAB; engine CMHA; engine CPNA; Fitting Position: Centre; Fitting Position: Upper Right; QTY 2
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CDTA; engine CDTB; engine CLAB; engine CMHA; engine CPNA; Fitting Position: Upper Left
3.0 TDI quattro	190/258	CTBA	10/13->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT
3.0 TDI quattro	176/239	CPNA	11/12->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CDTA; engine CDTB; engine CLAB; engine CMHA; engine CPNA; Fitting Position: Upper Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CDTA; engine CDTB; engine CLAB; engine CMHA; engine CPNA; Fitting Position: Centre; Fitting Position: Upper Right; QTY 2
3.0 TFSI quattro	245/333	CMDA;CGXC;CTUB;CRE C;CTDA	06/10->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.0 TFSI quattro	213/290	CGXA;CGWA;CREG	07/10->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.0 TFSI quattro	228/310	CGWD;CREA	11/11->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT



kW/HP

Engine code



Type



ALLROAD (4BH, C5)

Model	kW/HP	Engine code	Period	Type	Part No.	Notes
2.5 TDI quattro	132/180	AKE;BAU	05/00->08/05	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Tensioner	SR-1362	OD: 72; W: 34; CS; Fitting Position: Left
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
2.5 TDI quattro	120/163	BCZ	05/03->08/05	Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Tensioner	SR-1362	OD: 72; W: 34; CS; Fitting Position: Left
2.7 T quattro	184/250	ARE;BES	05/00->08/05	Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT

CABRIOLET (8G7, B4)




Model	kW/HP	Engine code	Period	Type	Part No.	Notes
1.8	92/125	ADR	01/97->08/00	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
1.9 TDI	66/90	1Z;AHU	06/95->08/00	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
2.0 E	85/115	ABK	01/93->07/98	Tensioner	SR-1088	OD: 66; W: 17; 10/94->; ch.8G-S-002 744->
				Tensioner	SR-1084	OD: 71,5; thread size M8x1,25; W: 20; ->12/94; ->ch.8G-S-002 743
2.6	110/150	ABC	06/93->08/00	Deflection/Guide	SR-1090	ID: 8,2; OD: 61; W: 25; ALT; ->ch.8G-R-003 280
				Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.8G-S-001 302; Fitting Position: Lower Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; ch.8G-S-003 001->; Fitting Position: Centre
2.8	128/174	AAH	11/92->08/00	Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.8G-S-001 302; Fitting Position: Lower Right
				Deflection/Guide	SR-1090	ID: 8,2; OD: 61; W: 25; ALT; ->ch.8G-R-003 280
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; ch.8G-S-003 001->; Fitting Position: Centre






COUPE (81, 85)











1.6	55/75	YN	07/80->08/81	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	55/75	DD	08/81->07/83	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 GT	68/93	JN	01/85->07/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 GT	65/88	SF	04/86->10/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 GT	79/107	PV	08/86->10/87	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 GT	82/112	DZ	08/86->10/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 GT	66/90	DS;JV	09/82->10/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 GT quattro	82/112	DZ	12/84->10/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.9	85/115	WN	08/80->07/83	Deflection/Guide	SR-1087	OD: 75; W: 28; ch.85-E-000 001->
2.0	83/113	SK	03/86->04/88	Deflection/Guide	SR-1087	OD: 75; W: 28; ch.85-E-000 001->
2.0	85/115	HP;JS	09/83->07/86	Deflection/Guide	SR-1087	OD: 75; W: 28; ch.85-E-000 001->
2.1 GT	96/131	KE;KL	09/82->10/87	Deflection/Guide	SR-1087	OD: 75; W: 28; ch.85-E-000 001->
2.2 GT	85/115	KX	07/81->10/87	Deflection/Guide	SR-1087	OD: 75; W: 28; ch.85-E-000 001->
2.2 GT	100/136	HY;KV	09/84->10/88	Deflection/Guide	SR-1087	OD: 75; W: 28; ch.85-E-000 001->
2.2 quattro	88/120	JT	08/85->10/88	Deflection/Guide	SR-1087	OD: 75; W: 28
2.2 quattro	100/136	KV	10/84->10/88	Deflection/Guide	SR-1087	OD: 75; W: 28; ch.85-E-000 001->
2.3	100/136	NG	01/87->10/88	Deflection/Guide	SR-1087	OD: 75; W: 28; ->07/88
2.3 quattro	100/136	NG	01/87->10/88	Deflection/Guide	SR-1087	OD: 75; W: 28; ->07/88








COUPE (89, 8B)









1.8	82/112	DZ	08/89->07/91	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.0	82/112	3A	03/90->07/90	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.0	85/115	AAD;ABK	05/89->12/96	Tensioner	SR-1088	OD: 66; W: 17; ch.8B-S-001 504->; engine ABK
				Tensioner	SR-1084	OD: 71,5; thread size M8x1,25; W: 20; ->ch.8B-S-001 503; engine ABK
2.0	83/113	3A	05/89->03/90	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.3 20V	125/170	7A	08/89->07/91	Deflection/Guide	SR-1087	OD: 75; W: 28
2.3 20V	123/167	7A	08/90->07/91	Deflection/Guide	SR-1087	OD: 75; W: 28
2.3 20V quattro	123/167	7A	05/90->12/96	Deflection/Guide	SR-1087	OD: 75; W: 28; ->07/91
2.3 20V quattro	125/170	7A	11/88->07/91	Deflection/Guide	SR-1087	OD: 75; W: 28
2.6	110/150	ABC	08/92->12/96	Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.8B-S-000 544; Fitting Position: Lower Right
				Deflection/Guide	SR-1090	ID: 8,2; OD: 61; W: 25; ALT; ->ch.8B-R-001 635
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; ch.8B-S-000 545->; Fitting Position: Centre
2.6 quattro	110/150	ABC	08/92->12/96	Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.8B-S-000 544; Fitting Position: Lower Right
				Deflection/Guide	SR-1090	ID: 8,2; OD: 61; W: 25; ALT; ->ch.8B-R-001 635
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; ch.8B-S-000 545->; Fitting Position: Centre








	kW/HP	Engine code		Type		
2.8	128/174	AAH	09/91->12/96	Deflection/Guide	SR-1090	ID: 8,2; OD: 61; W: 25; ALT; ->ch.8B-R-001 635
				Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.8B-S-000 544; Fitting Position: Lower Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; ch.8B-S-000 545->; Fitting Position: Centre
2.8 quattro	128/174	AAH	08/91->12/96	Deflection/Guide	SR-1090	ID: 8,2; OD: 61; W: 25; ALT; ->ch.8B-R-001 635
				Deflection/Guide	SR-1089	OD: 59; W: 29; ->ch.8B-S-000 544; Fitting Position: Lower Right
S2 quattro	162/220	3B	09/90->09/92	Deflection/Guide	SR-1087	OD: 75; W: 28
S2 quattro	169/230	ABY	10/92->12/96	Deflection/Guide	SR-1089	OD: 59; W: 29; Fitting Position: Right
Q3 (8U) 						
2.0 TDI	88/120	CUVD	03/15->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CLJA; engine CLLB; Fitting Position: Upper; engine CUVB; engine CUVC; engine CUVD; engine CUWA; engine CYLA; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CLJA; engine CLLB; Fitting Position: Lower Left; engine CUVB; engine CUVC; engine CUVD; engine CUWA; engine CYLA; Fitting Position: Lower Left
2.0 TDI	130/177	CFGC	05/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CCLB; engine CFGC; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CCLB; engine CFGC; Fitting Position: Upper
2.0 TDI	135/184	CUWA	05/15->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CLJA; engine CLLB; Fitting Position: Lower Left; engine CUVB; engine CUVC; engine CUVD; engine CUWA; engine CYLA; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CLJA; engine CLLB; Fitting Position: Upper; engine CUVB; engine CUVC; engine CUVD; engine CUWA; engine CYLA; Fitting Position: Upper
2.0 TDI	103/140	CFFB;CLJA	09/11->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	100/136	CFFA	09/11->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI quattro	103/140	CFFB	01/12->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CFFB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFFB; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI quattro	130/177	CFGC;CLLB	06/11->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI quattro	130/177	CFGC;CLLB	06/11->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
Q5 (8R) 						
2.0 TDI	110/150	CJCD;CSUA	05/13->	Deflection/Guide	SR-1023	OD: 40; W: 36; engine CGLC; engine CGLD; engine CJCD; engine CMGB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CGLC; engine CGLD; engine CJCD; engine CMGB; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CGLC; engine CGLD; engine CJCD; engine CMGB; Fitting Position: Upper
2.0 TDI	100/136	CJCB;CSUB	11/10->	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; engine CAGA; engine CAGB; engine CAHA; engine CAHB; engine CGLA; engine CGLB; engine CJCA; engine CJCB; engine CMGA; Fitting Position: Right
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CGLA; engine CGLB; engine CJCA; engine CJCB; engine CMGA; Fitting Position: Upper
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CAGA; engine CAGB; engine CAHA; engine CAHB; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CAGA; engine CAGB; engine CAHA; engine CAHB; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CAGA; engine CAGB; engine CAHA; engine CAHB; Fitting Position: Lower Left; engine CGLA; engine CGLB; engine CJCA; engine CJCB; engine CMGA; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CAGA; engine CAGB; engine CAHA; engine CAHB; engine CGLA; engine CGLB; engine CJCA; engine CJCB; engine CMGA; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CAGA; engine CAGB; engine CAHA; engine CAHB; Fitting Position: Lower Left; engine CGLA; engine CGLB; engine CJCA; engine CJCB; engine CMGA; Fitting Position: Lower Left
2.0 TDI	105/143	CJCA	11/10->	Deflection/Guide	SR-1330	OD: 80; W: 34; engine CAGA; engine CAGB; engine CAHA; engine CAHB; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CAGA; engine CAGB; engine CAHA; engine CAHB; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CGLA; engine CGLB; engine CJCA; engine CJCB; engine CMGA; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; engine CAGA; engine CAGB; engine CAHA; engine CAHB; engine CGLA; engine CGLB; engine CJCA; engine CJCB; engine CMGA; Fitting Position: Right
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CAGA; engine CAGB; engine CAHA; engine CAHB; engine CGLA; engine CGLB; engine CJCA; engine CJCB; engine CMGA; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI quattro	110/150	CJCD;CSUA	05/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CGLC; engine CGLD; engine CJCD; engine CMGB; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CGLC; engine CGLD; engine CJCD; engine CMGB; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CGLC; engine CGLD; engine CJCD; engine CMGB; Fitting Position: Upper
2.0 TDI quattro	110/150	CJCD;CSUA	05/13->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24





	kW/HP	Engine code		Type		
2.0 TDI quattro	130/177	CGLC;CMGB	06/12->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CGLC; engine CGLD; engine CJCD; engine CMGB; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CGLC; engine CGLD; engine CJCD; engine CMGB; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CGLC; engine CGLD; engine CJCD; engine CMGB; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI quattro	105/143	CAGA;CJCA	08/09->	Deflection/Guide	SR-1446	OD: 70;25; W: 28;2; ALT; engine CAGA; engine CAGB; engine CAHA; engine CAHB; engine CGLA; engine CGLB; engine CJCA; engine CJCB; engine CMGA; Fitting Position: Right
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CGLA; engine CJCA; engine CJCB; engine CLGB; engine CMGA; Fitting Position: Upper
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CAGA; engine CAGB; engine CAHA; engine CAHB; engine CGLA; engine CGLB; engine CJCA; engine CJCB; engine CMGA; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CAGA; engine CAGB; engine CAHA; engine CAHB; engine CGLA; engine CGLB; engine CJCA; engine CJCB; engine CMGA; Fitting Position: Right
2.0 TDI quattro	125/170	CAHA;CGLB;CMGA	11/08->	Deflection/Guide	SR-1023	OD: 40; W: 36; engine CAGA; engine CAGB; engine CAHA; engine CAHB; engine CGLA; engine CGLB; engine CJCA; engine CJCB; engine CMGA; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CAGA; engine CAGB; engine CAHA; engine CAHB; engine CGLA; engine CGLB; engine CJCA; engine CJCB; engine CMGA; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70;25; W: 28;2; ALT; engine CAGA; engine CAGB; engine CAHA; engine CAHB; engine CGLA; engine CGLB; engine CJCA; engine CJCB; engine CMGA; Fitting Position: Right
2.0 TDI quattro	140/190	CNHA	11/13->	Deflection/Guide	SR-1266	OD: 28; W: 34; engine CAGA; engine CAGB; engine CAHA; engine CAHB; engine CGLA; engine CGLB; engine CJCA; engine CJCB; engine CMGA; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CAGA; engine CAGB; engine CAHA; engine CAHB; engine CGLA; engine CGLB; engine CJCA; engine CJCB; engine CMGA; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CAGA; engine CAGB; engine CAHA; engine CAHB; engine CGLA; engine CGLB; engine CJCA; engine CJCB; engine CMGA; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CGLA; engine CGLB; engine CJCA; engine CJCB; engine CMGA; Fitting Position: Upper
2.0 TDI quattro	140/190	CNHA	11/13->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CAGA; engine CAGB; engine CAHA; engine CAHB; engine CGLA; engine CGLB; engine CJCA; engine CJCB; engine CMGA; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TFSI quattro	132/180	CDNB;CNCB	08/09->	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; engine CAEB; engine CDNB; engine CDNC; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; engine CAEB; engine CDNB; engine CDNC; Fitting Position: Upper
2.0 TFSI quattro	155/211	CDNC;CAEB;CPMA	11/08->	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; engine CAEB; engine CDNB; engine CDNC; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; engine CAEB; engine CDNB; engine CDNC; Fitting Position: Upper
3.0 TDI quattro	180/245	CDUD	06/12->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CDUD; engine CGQB; engine CPNB; engine CTBA; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CDUD; engine CGQB; engine CPNB; engine CTBA; Fitting Position: Centre left
3.0 TDI quattro	176/240	CCWA;CPNB	11/08->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CCWA; engine CCWB; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CCWA; engine CCWB; Fitting Position: Centre right; engine CCWA; engine CCWB; Fitting Position: Centre left
3.0 TFSI quattro	200/272	CTUC;CTVA	06/12->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.2 FSI quattro	199/270	CALB	11/08->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
SQ5 TDI quattro	230/313	CGQB;CVUC	12/12->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CDUD; engine CGQB; engine CPNB; engine CTBA; Fitting Position: Centre left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CDUD; engine CGQB; engine CPNB; engine CTBA; Fitting Position: Left
Q7 (4L) 						
3.0 TDI	171/233	BUG	03/06->05/08	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Upper; Fitting Position: Centre left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ch.4L-7-034 592->
3.0 TDI	155/211	BUN;CASB	03/06->05/10	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine BUN; engine CASB; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine BUN; engine CASB; Fitting Position: Upper; Fitting Position: Centre left
				Deflection/Guide	SR-1022	OD: 29; W: 29; IP; engine CASB; num. of teeth 82
3.0 TDI	150/204	CJGC;CJMA	05/10->08/15	Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ch.4L-7-034 592->; engine BUN; engine CASB
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CJGC; engine CJMA; Fitting Position: Upper; Fitting Position: Centre left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CJGC; engine CJMA; Fitting Position: Left
3.0 TDI	180/245	CJGD;CRCA;CLZB	05/11->08/15	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CJGA; engine CJGC; engine CJMA; engine CLZB; engine CNRB; engine CRCA; Fitting Position: Upper; Fitting Position: Centre left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CJGA; engine CJGC; engine CJMA; engine CLZB; engine CNRB; engine CRCA; Fitting Position: Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CATA; Fitting Position: Left
3.0 TDI	165/224	CATA	06/09->05/12	Deflection/Guide	SR-1022	OD: 29; W: 29; IP; engine CATA; num. of teeth 82
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CATA; Fitting Position: Upper; Fitting Position: Centre left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; engine CATA
3.0 TDI	176/240	CASA;CCMA;CJGA;CNR B	11/07->08/15	Deflection/Guide	SR-1022	OD: 29; W: 29; IP; engine CASA; engine CCMA; num. of teeth 82
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine CASA; engine CCMA; engine CJGA; engine CRNB; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; engine CASA; engine CCMA; engine CJGA; engine CRNB; Fitting Position: Upper; Fitting Position: Centre left
3.0 TFSI	200/272	CJTC;CJWC	05/10->08/15	Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; ch.4L-7-034 592->; engine CASA; ->09/10; engine CCMA
3.0 TFSI	200/272	CJTC;CJWC	05/10->08/15	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT

	kW/HP	Engine code		Type		
3.0 TFSI	245/333	CJTB;CJWB;CNA;CTW A	05/10->08/15	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.0 TFSI	206/280	CJWE;CTWB	05/11->08/15	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.6 FSI	206/280	BHK	08/06->05/10	Deflection/Guide	SR-1374	OD: 60; thread size M10x1,5; W: 28; ALT
4.2 FSI	257/350	BAR	03/06->05/10	Tensioner	SR-1375	- holder; ID: 17; num. of ribs: 7; OD: 69; W: 25,5; ALT
4.2 FSI	257/350	BAR	03/06->05/10	Deflection/Guide	SR-1537	OD: 76; W: 21; ALT
QUATTRO [85] 						
2.1 20V Turbo	225/306	KW	05/84->07/87	Deflection/Guide	SR-1087	OD: 75; W: 28
2.1 Turbo	147/200	GV;WR	07/80->07/87	Deflection/Guide	SR-1087	OD: 75; W: 28; ch.85-E-900 001->; ->ch.85-J-900 643
2.2 20V Turbo	162/220	RR	08/89->07/91	Deflection/Guide	SR-1087	OD: 75; W: 28
2.2 Turbo	147/200	MB	08/87->07/89	Deflection/Guide	SR-1087	OD: 75; W: 28; ch.85-E-900 001->; ->ch.85-J-900 643; engine MB
R8 						
4.2 FSI quattro	309/420	BYH	04/07->09/10	Deflection/Guide	SR-1537	OD: 76; W: 21; ALT
4.2 FSI quattro	316/430	CNDA	07/10->07/15	Deflection/Guide	SR-1537	OD: 76; W: 21; ALT
TT [8J3] 						
1.8 TFSI	118/160	CDA	06/08->06/14	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
2.0 TDI quattro	125/170	CBBB;CFGB	06/08->06/14	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TFSI	155/211	CESA	05/10->06/14	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
2.0 TFSI	147/200	BWA;BPY;CCTA	08/06->06/10	Deflection/Guide	SR-1264	OD: 29; W: 27; engine BPY; engine BWA; Fitting Position: Lower Left
				Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT; engine CCTA
2.0 TFSI quattro	155/211	CESA;CETA	05/10->06/14	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
2.0 TFSI quattro	147/200	BWA;CCZA	06/08->06/10	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
2.0 TTS quattro	200/272	CDLB	05/08->06/14	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
2.0 TTS quattro	195/265	CDLA;CDMA	05/08->06/14	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
TT [8N3] 						
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Centre left
1.8 T	110/150	AUM	09/02->06/06	Deflection/Guide	SR-1263	OD: 29; W: 27; Fitting Position: Centre
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Centre left
1.8 T	120/163	BVP	09/05->06/06	Deflection/Guide	SR-1263	OD: 29; W: 27; Fitting Position: Centre
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Centre left
1.8 T	140/190	BVR	09/05->06/06	Deflection/Guide	SR-1263	OD: 29; W: 27; Fitting Position: Centre
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1263	OD: 29; W: 27; ->12/00; ->ch.8N-Y-095 000; Fitting Position: Centre; ->12/00; ch.8N-Y-095 001->; Fitting Position: Centre; 01/01->; Fitting Position: Centre
1.8 T	132/180	AJQ;APP;AUQ;ATC	10/98->06/06	Deflection/Guide	SR-1264	OD: 29; W: 27; 01/01->; Fitting Position: Centre left; ->12/00; ch.8N-Y-095 001->; Fitting Position: Centre left; ->12/00; ->ch.8N-Y-095 000; Fitting Position: Centre left
				Tensioner	SR-1326	OD: 72; W: 25; ->12/00; ->ch.8N-Y-095 000; Fitting Position: Upper Left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1263	OD: 29; W: 27; Fitting Position: Centre
1.8 T quattro	176/240	BFV	03/05->06/06	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Centre left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1263	OD: 29; W: 27; Fitting Position: Centre
1.8 T quattro	140/190	BVR	09/05->06/06	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Centre left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1264	OD: 29; W: 27; 01/01->; Fitting Position: Centre left; ->12/00; ch.8N-Y-095 001->; Fitting Position: Centre left; ->12/00; ->ch.8N-Y-095 000; Fitting Position: Centre left
1.8 T quattro	132/180	AJQ;ARY;AUQ	10/98->06/06	Deflection/Guide	SR-1263	OD: 29; W: 27; ->12/00; ->ch.8N-Y-095 000; Fitting Position: Centre; ->12/00; ch.8N-Y-095 001->; Fitting Position: Centre; 01/01->; Fitting Position: Centre
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1326	OD: 72; W: 25; ->12/00; ->ch.8N-Y-095 000; Fitting Position: Upper Left
				Deflection/Guide	SR-1263	OD: 29; W: 27; ->12/00; ->ch.8N-Y-095 000; Fitting Position: Centre; ->12/00; ch.8N-Y-095 001->; Fitting Position: Centre; 01/01->; Fitting Position: Centre
1.8 T quattro	165/224	APX;BAM	10/98->06/06	Deflection/Guide	SR-1264	OD: 29; W: 27; 01/01->; Fitting Position: Centre left; ->12/00; ch.8N-Y-095 001->; Fitting Position: Centre left; ->12/00; ->ch.8N-Y-095 000; Fitting Position: Centre left
				Tensioner	SR-1326	OD: 72; W: 25; ->12/00; ->ch.8N-Y-095 000; Fitting Position: Upper Left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
TT [FV3] 						
2.0 TDI	135/184	CUNA	07/14->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
TT Roadster [8J9] 						
1.8 TFSI	118/160	CDA	06/08->06/14	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT







	kW/HP	Engine code		Type		
2.0 TDI quattro	125/170	CBBB;CFGB	06/08->06/14	Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBBB; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CBBB; Fitting Position: Lower Left; engine CFGB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFGB; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBBB; Fitting Position: Right
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TFSI	147/200	BWA;BPY;CCTA	03/07->06/10	Deflection/Guide	SR-1264	OD: 29; W: 27; engine BPY; engine BWA; Fitting Position: Lower Left
				Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23.5; ALT; engine CCTA
2.0 TFSI	155/211	CESA	05/10->06/14	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23.5; ALT
2.0 TFSI quattro	155/211	CESA;CETA	05/10->06/14	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23.5; ALT
2.0 TFSI quattro	147/200	CCZA	06/08->06/10	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23.5; ALT
2.0 TTS quattro	200/272	CDLB	05/08->06/14	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
2.0 TTS quattro	195/265	CDLA;CDMA	05/08->06/14	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
TT Roadster [8N9] 						
1.8 T	110/150	AUM	01/01->06/06	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Centre left
				Deflection/Guide	SR-1263	OD: 29; W: 27; Fitting Position: Centre
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.8 T	140/190	BVR	09/05->06/06	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Centre left
				Deflection/Guide	SR-1263	OD: 29; W: 27; Fitting Position: Centre
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.8 T	120/163	BVP	09/05->06/06	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Centre left
				Deflection/Guide	SR-1263	OD: 29; W: 27; Fitting Position: Centre
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.8 T	132/180	AJQ;APP;AUQ;ATC	10/99->06/06	Deflection/Guide	SR-1264	OD: 29; W: 27; 01/01->; Fitting Position: Centre left; ->12/00; ch.8N-Y-095 001->; Fitting Position: Centre left; ->12/00; ->ch.8N-Y-095 000; Fitting Position: Centre left
				Deflection/Guide	SR-1263	OD: 29; W: 27; ->12/00; ->ch.8N-Y-095 000; Fitting Position: Centre; ->12/00; ch.8N-Y-095 001->; Fitting Position: Centre; 01/01->; Fitting Position: Centre
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1326	OD: 72; W: 25; ->12/00; ->ch.8N-Y-095 000; Fitting Position: Upper Left
				Deflection/Guide	SR-1263	OD: 29; W: 27; ->12/00; ->ch.8N-Y-095 000; Fitting Position: Centre; ->12/00; ch.8N-Y-095 001->; Fitting Position: Centre; 01/01->; Fitting Position: Centre
				Deflection/Guide	SR-1264	OD: 29; W: 27; 01/01->; Fitting Position: Centre left; ->12/00; ch.8N-Y-095 001->; Fitting Position: Centre left; ->12/00; ->ch.8N-Y-095 000; Fitting Position: Centre left
1.8 T quattro	132/180	AJQ;ARY;AUQ	02/00->06/06	Tensioner	SR-1326	OD: 72; W: 25; ->12/00; ->ch.8N-Y-095 000; Fitting Position: Upper Left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1263	OD: 29; W: 27; Fitting Position: Centre
1.8 T quattro	140/190	BVR	09/05->06/06	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Centre left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1264	OD: 29; W: 27; 01/01->; Fitting Position: Centre left; ->12/00; ch.8N-Y-095 001->; Fitting Position: Centre left; ->12/00; ->ch.8N-Y-095 000; Fitting Position: Centre left
1.8 T quattro	165/224	APX;BAM	10/99->06/06	Deflection/Guide	SR-1263	OD: 29; W: 27; ->12/00; ->ch.8N-Y-095 000; Fitting Position: Centre; ->12/00; ch.8N-Y-095 001->; Fitting Position: Centre; 01/01->; Fitting Position: Centre
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1326	OD: 72; W: 25; ->12/00; ->ch.8N-Y-095 000; Fitting Position: Upper Left
TT Roadster [FV9] 						
2.0 TDI	135/184	CUNA	11/14->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
BMW						
1 (E81) 						
116 d	85/116	N47 D20 A;N47 D20 C	11/08->09/12	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; Fitting Position: Upper
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre
116 i	85/115	N45 B16 A	03/07->09/12	Deflection/Guide	SR-1445	OD: 69.8; W: 26; ALT; engine N45B16A; Fitting Position: Centre right; + AC
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; engine N45B16A; Fitting Position: Centre
116 i	90/122	N43 B16 A	03/07->09/12	Deflection/Guide	SR-1445	OD: 69.8; W: 26; ALT; engine N45B16A; + AC
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; engine N45B16A; Fitting Position: Centre
118 d	105/143	N47 D20 A;N47 D20 C	09/06->09/12	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; Fitting Position: Upper
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre
118 i	105/143	N43 B20 A	09/06->09/12	Deflection/Guide	SR-1445	OD: 69.8; W: 26; ALT; engine N46B20B; Fitting Position: Centre; + AC
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; engine N46B20B; Fitting Position: Centre right
120 d	120/163	N47 D20 A;N47 D20 C	03/07->09/12	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; engine N47D20C; Fitting Position: Upper
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20A; engine N47D20C; Fitting Position: Centre right
120 d	130/177	N47 D20 A;N47 D20 C	09/06->09/12	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; Fitting Position: Upper
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre
123 d	150/204	N47 D20 B;N47 D20 D	03/07->09/12	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20B; engine N47D20D; Fitting Position: Upper
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20B; engine N47D20D; Fitting Position: Centre







	kW/HP	Engine code		Type		
130 i	195/265	N52 B30 A;N52 B30 BF;N52 B30 B	09/06->09/12	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B30A; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B30A; Fitting Position: Centre
130 i	190/258	N52 B30 A;N52 B30 BF;N52 B30 B	09/06->09/12	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B30A; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B30A; Fitting Position: Centre right
1 [E87] 						
116 d	85/116	N47 D20 A	12/08->09/12	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; Fitting Position: Upper
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre
116 i	90/122	N43 B16 A	09/07->09/12	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; engine N45B16A; Fitting Position: Right; + AC
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; engine N45B16A; Fitting Position: Centre
116 i	85/115	N45 B16 A	11/03->09/12	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; engine N45B16A; Fitting Position: Right; + AC
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; engine N45B16A; Fitting Position: Centre
118 d	90/122	N47 D20 A;N47 D20 C;M47 D20 [204D4]	11/03->09/12	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; engine N47D20C; Fitting Position: Upper Right
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20A; engine N47D20C; Fitting Position: Centre
118 d	105/143	N47 D20 A;N47 D20 C;M47 D20 [204D4]	11/03->09/12	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; engine N47D20C; Fitting Position: Upper Right
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20A; engine N47D20C; Fitting Position: Centre
118 i	95/129	N46 B20 B	07/04->09/12	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; engine N46B20B; Fitting Position: Centre; + AC
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; engine N46B20B; Fitting Position: Centre
118 i	105/143	N43 B20 A	07/04->09/12	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; engine N46B20B; Fitting Position: Centre; + AC
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; engine N46B20B; Fitting Position: Centre
120 d	120/163	N47 D20 A;N47 D20 C;M47 D20 [204D4]	11/03->09/12	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; engine N47D20C; Fitting Position: Upper Right
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20A; engine N47D20C; Fitting Position: Centre
120 d	130/177	N47 D20 A;N47 D20 C;M47 D20 [204D4]	11/03->09/12	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; engine N47D20C; Fitting Position: Upper Right
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20A; engine N47D20C; Fitting Position: Centre
120 i	125/170	N43 B20 A	02/07->09/12	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; Fitting Position: Centre; + AC; engine N46B20B
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre; - AC; exc.eng N43B20A
120 i	110/150	N46 B20 C;N46 B20 B;N46 B20 CC;N46 B20 BD	11/03->09/12	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; Fitting Position: Centre; + AC; engine N46B20B
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre; - AC; exc.eng N43B20A
120 i	115/156	N46 B20 A;N46 B20 C;N46 B20 B;N46 B20 CC;N46 B20 BD	11/03->09/12	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; Fitting Position: Centre; + AC; engine N46B20B
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre; - AC; exc.eng N43B20A
120 i	120/163	N43 B20 A	11/03->09/12	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; Fitting Position: Centre; + AC; engine N46B20B
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre; - AC; exc.eng N46B20B
123 d	150/204	N47 D20 B;N47 D20 C;N47 D20 D	03/07->09/12	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; Fitting Position: Upper
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre left
130 i	190/258	N52 B30 A;N52 B30 BF;N52 B30 B;N52 B30 AF	03/05->09/12	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
130 i	195/265	N52 B30 A;N52 B30 BF;N52 B30 B;N52 B30 AF	03/05->09/12	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
1 [F20] 						
114 i	75/102	N13 B16 A	11/11->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
116 i	100/136	N13 B16 A	12/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
118 i	125/170	N13 B16 A	11/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
1 [F21] 						
114 i	75/102	N13 B16 A	12/11->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
116 i	100/136	N13 B16 A	12/11->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
118 i	125/170	N13 B16 A	07/12->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
1 Convertible [E88] 						
118 d	105/143	N47 D20 A;N47 D20 C	09/08->12/13	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; engine N47D20C; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20A; engine N47D20C; Fitting Position: Centre
118 i	105/143	N43 B20 A	03/08->12/13	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; engine N46B20B; Fitting Position: Centre right
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; engine N46B20B; Fitting Position: Centre
120 d	130/177	N47 D20 A;N47 D20 C	03/08->12/13	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; engine N47D20C; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20A; engine N47D20C; Fitting Position: Centre
120 d	145/197	N47 D20 C	03/08->12/13	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; engine N47D20C; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20A; engine N47D20C; Fitting Position: Centre
120 i	125/170	N43 B20 A	03/08->12/13	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; engine N46B20B; engine N46B20C; Fitting Position: Centre right
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; engine N46B20B; engine N46B20C; Fitting Position: Centre
120 i	115/156	N46 B20 C;N46 B20 B;N46 B20 E	03/08->12/13	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre




	kW/HP	Engine code		Type		
123 d	150/204	N47 D20 B;N47 D20 D	09/08->12/13	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20B; engine N47D20D; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20B; engine N47D20D; Fitting Position: Centre
125 i	160/218	N52 B30 A	03/08->12/13	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B30A; engine N52B30B; engine N52B30BF; Fitting Position: Right; + AS
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B30A; engine N52B30B; engine N52B30BF; Fitting Position: Centre
1 Coupe [E82] 						
118 d	100/136	N47 D20 C	09/09->10/13	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20C; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20C; Fitting Position: Centre right
118 d	105/143	N47 D20 C	09/09->10/13	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20C; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20C; Fitting Position: Centre right
120 d	130/177	N47 D20 A;N47 D20 C	10/07->10/13	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; engine N47D20C; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20A; engine N47D20C; Fitting Position: Centre right
120 i	125/170	N43 B20 A	10/07->10/13	Deflection/Guide	SR-1445	OD: 69.8; W: 26; ALT; engine N46B20B; engine N46B20C; Fitting Position: Centre right
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; engine N46B20B; engine N46B20C; Fitting Position: Centre
123 d	150/204	N47 D20 B;N47 D20 D	10/07->10/13	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20B; engine N47D20D; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20B; engine N47D20D; Fitting Position: Centre right
125 i	160/218	N52 B30 A	10/07->10/13	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B30A; engine N52B30B; engine N52B30BF; Fitting Position: Right; + AS
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B30A; engine N52B30B; engine N52B30BF
3 [E36] 						
316 i	75/102	M43 B16 (164E2)	07/93->02/98	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM
				Tensioner	SR-1008	OD: 80; W: 25; ALT; ->09/95; Fitting Position: Lower Right
				Tensioner	SR-1010	+ holder; OD: 70; W: 26; ALT
316 i	73/100	M40 B16 (164E1)	09/90->09/93	Tensioner	SR-1007	OD: 80; W: 21; ACCOM
316 i	75/102	M43 B16 (164E2)	09/90->09/93	Tensioner	SR-1007	OD: 80; W: 21; ACCOM; Fitting Position: Centre
318 i	85/115	M43 B18 (184E2)	10/93->02/98	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1008	OD: 80; W: 25; ALT; ->09/95; Fitting Position: Lower Right
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM
318 i	83/113	M40 B18 (184E1)	12/90->10/93	Tensioner	SR-1010	+ holder; OD: 70; W: 26; ALT
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM; Fitting Position: Centre
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
318 is	103/140	M42 B18 (184S1)	03/93->02/98	Tensioner	SR-1007	OD: 80; W: 21; ACCOM; Fitting Position: Centre
				Tensioner	SR-1008	OD: 80; W: 25; ALT; ACC 70; Fitting Position: Lower Right
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT
318 is	103/140	M44 B19 (194S1)	09/95->02/98	Tensioner	SR-1007	OD: 80; W: 21; ACCOM; Fitting Position: Centre
				Tensioner	SR-1010	+ holder; OD: 70; W: 26; ALT; Fitting Position: Right
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Right
320 i	110/150	M50 B20 (206S1);M50 B20 (206S2);M52 B20 (206S3)	09/90->02/98	Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
323 i 2.5	125/170	M52 B25 (256S3)	03/95->02/98	Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; mech. TPA
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Tensioner Pulley Actuation: Hydraulic
325 i	141/192	M50 B25 (256S1);M50 B25 (256S2)	09/90->09/95	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Left; mech. TPA
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT
325 td	85/115	M51 D25 (256T1)	09/91->02/98	Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM
325 tds	105/143	M51 D25 (256T1)	05/93->02/98	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Left; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; mech. TPA
				Tensioner	SR-1012	- holder; OD: 70; W: 25
328 i	142/193	M52 B28 (286S1)	01/95->02/98	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; mech. TPA
M3 3.0	210/286	S50 B30 (306S1)	08/94->09/95	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM
M3 3.2	236/321	S50 B32 (326S1)	09/95->02/98	Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Left
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM
3 [E46] 	85/115	N46 B18 A;N42 B18 A	02/02->02/05	Deflection/Guide	SR-1445	OD: 69.8; W: 26; ACCOM; Fitting Position: Lower Right
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; ACCOM; Fitting Position: Right
				Tensioner	SR-1012	- holder; OD: 70; W: 25

	kW/HP	Engine code		Type		
316 i	77/105	M43 B16 (164E3)	04/00->02/05	Deflection/Guide	SR-1390	OD: 70; W: 26; ACCOM; Fitting Position: Upper Left
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Centre
				Tensioner	SR-1010	+ holder; OD: 70; W: 26; ALT; Fitting Position: Upper Right
316 i	85/115	N40 B16 A;N45 B16 A	06/02->02/05	Deflection/Guide	SR-1445	OD: 69.8; W: 26; ALT; engine N45B16A; Fitting Position: Lower Right; Fitting Position: Centre
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT
316 i	77/105	M43 B19 (194E1)	09/98->02/05	Deflection/Guide	SR-1390	OD: 70; W: 26; ACCOM; Fitting Position: Upper Left
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM
				Tensioner	SR-1010	+ holder; OD: 70; W: 26; ALT
318 d	85/116	M47 D20 (204D4)	03/03->02/05	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
318 d	85/116	M47 D20 (204D1)	09/01->03/03	Deflection/Guide	SR-1399	OD: 70; W: 23; ALT; Fitting Position: Right
318 i	87/118	M43 B19 (194E1)	02/98->09/01	Deflection/Guide	SR-1390	OD: 70; W: 26; ALT; engine M43B19; Fitting Position: Upper Left
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; engine M43B19; Fitting Position: Centre
				Tensioner	SR-1010	+ holder; OD: 70; W: 26; ALT; engine M43B19; Fitting Position: Upper Right
318 i	105/143	N42 B20 A;N46 B20 A	09/01->02/05	Deflection/Guide	SR-1445	OD: 69.8; W: 26; ALT; engine N42B20A; Fitting Position: Lower Right; + AC
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; engine N42B20A; Fitting Position: Centre
320 d	100/136	M47 D20 (204D1)	04/98->09/01	Deflection/Guide	SR-1399	OD: 70; W: 23; ALT; Fitting Position: Upper Left
320 d	110/150	M47 D20 (204D4)	09/01->02/05	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; ->09/02; Fitting Position: Front
320 i	110/150	M52 B20 (206S4)	03/98->09/00	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; engine M52B20
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
320 i	125/170	M54 B22 (226S1)	09/00->02/05	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; engine M54226S1; Fitting Position: Upper
				Tensioner	SR-1008	OD: 80; W: 25; ALT; engine M54226S1
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; engine M54226S1; Fitting Position: Lower
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; 09/02->
323 i	125/170	M52 B25 (256S4)	03/98->09/00	Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; engine M54226S1
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Centre
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
325 i	141/192	M54 B25 (256S5)	09/00->02/05	Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; ->02/02
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; engine M54226S1
325 xi	141/192	M54 B25 (256S5)	09/00->02/05	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Centre
328 i	142/193	M52 B28 (286S2)	02/98->06/00	Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
330 d	150/204	M57 D30 (306D2)	03/03->02/05	Tensioner	SR-1522	- holder; OD: 65; W: 21; ACCOM; ->09/04
				Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
330 d	135/184	M57 D30 (306D1)	10/99->02/05	Deflection/Guide	SR-1399	OD: 70; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
330 i	170/231	M54 B30 (306S3)	06/00->02/05	Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; ->09/02; engine M54306S3; Fitting Position: Right
330 xd	150/204	M57 D30 (306D2)	03/03->02/05	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1522	- holder; OD: 65; W: 21; ACCOM; ->09/04
330 xd	135/184	M57 D30 (306D1)	06/00->02/05	Deflection/Guide	SR-1399	OD: 70; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Centre
330 xi	170/231	M54 B30 (306S3)	06/00->02/05	Tensioner	SR-1281	+ holder; OD: 70; W: 26; ALT; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre







	kW/HP	Engine code		Type		
3 (E90) 						
316 i	85/115	N45 B16 A	02/06->12/11	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; engine N45B16A; Fitting Position: Centre right
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; engine N45B16A; Fitting Position: Centre
318 d	105/143	N47 D20 A;N47 D20 C	09/05->12/11	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre
318 i	95/129	N46 B20 B	09/05->03/07	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; engine N46B20B; Fitting Position: Centre right
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; engine N46B20B; Fitting Position: Upper Right
320 d	120/163	N47 D20 C;M47 D20 (204D4)	01/05->12/11	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre right; Fitting Position: Upper
320 d	130/177	N47 D20 A;N47 D20 C	09/07->12/11	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Upper
320 d xDrive	120/163	N47 D20 C	07/08->12/11	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre
320 d xDrive	130/177	N47 D20 C	09/08->12/11	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Upper
320 i	110/150	N46 B20 A;N46 B20 C;N46 B20 B	01/05->03/07	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; engine N46B20B; engine N46B20C; Fitting Position: Centre right
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; engine N46B20B; engine N46B20C; Fitting Position: Centre
320 si	127/173	N45 B20 A	05/06->12/11	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; Fitting Position: Upper Right
320 xd	130/177	N47 D20 C	09/07->12/11	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre
323 i	130/177	N52 B25 A;N52N B25 A	04/06->12/11	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B25A; engine N52B25B; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B25A; engine N52B25B; Fitting Position: Centre
325 d	150/204	N57 D30 A	01/10->12/11	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N57D30A; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N57D30A; Fitting Position: Centre
325 i	160/218	N52 B25 A	01/05->12/11	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B25A; engine N52B25B; engine N52B25BF; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B25A; engine N52B25B; engine N52B25BF; Fitting Position: Centre
325 i	160/218	N53 B30 A	09/07->12/11	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N53B30A; Fitting Position: Right; + AS
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N53B30A; Fitting Position: Centre
325 i xDrive	160/218	N53 B30 A	09/08->12/11	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N53B30A; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N53B30A; Fitting Position: Centre
325 xi	160/218	N52 B25 A	01/05->12/11	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B25A; engine N52B25B; engine N52B25BF; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B25A; engine N52B25B; engine N52B25BF; Fitting Position: Centre
325 xi	160/218	N53 B30 A	09/07->12/11	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N53B30A; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N53B30A; Fitting Position: Centre
330 d	180/245	N57 D30 A	01/09->12/11	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N57D30A; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N57D30A; Fitting Position: Centre
330 d xDrive	180/245	N57 D30 A	01/09->12/11	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N57D30A; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N57D30A; Fitting Position: Centre
330 i	190/258	N52 B30 A;N52 B30 BF;N52 B30 B	01/05->08/07	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B30A; engine N52B30B; engine N52B30BF; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B30A; engine N52B30B; engine N52B30BF; Fitting Position: Centre
330 i	200/272	N53 B30 A	09/07->12/11	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N53B30A; Fitting Position: Right; + AS
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N53B30A; Fitting Position: Centre
330 i xDrive	200/272	N53 B30 A	09/08->12/11	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N53B30A; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N53B30A; Fitting Position: Centre
330 xi	190/258	N52 B30 A	01/05->08/07	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B30A; engine N52B30B; engine N52B30BF; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B30A; engine N52B30B; engine N52B30BF; Fitting Position: Centre
330 xi	200/272	N53 B30 A	09/07->12/11	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N53B30A; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N53B30A; Fitting Position: Centre
335 d	210/286	M57 D30 (306D5)	09/06->12/11	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
3 (F30, F35, F80) 						
316 i	100/136	N13 B16 A	10/12->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
320 i	125/170	N13 B16 A	02/12->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
3 Compact (E36) 						
316 g	75/102	M43 B16 (164E2)	03/94->08/00	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; ACC 80; Fitting Position: Right
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM; Fitting Position: Centre
				Tensioner	SR-1010	+ holder; OD: 70; W: 26; ALT; ACC 70; ACC 80; Fitting Position: Right







	kW/HP	Engine code		Type		
316 i	75/102	M43 B16 (164E2)	03/94->08/00	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; ACC 80; Fitting Position: Right
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM; Fitting Position: Centre
				Tensioner	SR-1008	OD: 80; W: 25; ALT; ->09/95; ACC 70
				Tensioner	SR-1010	+ holder; OD: 70; W: 26; ALT; ACC 70; ACC 80; Fitting Position: Right
316 i	77/105	M43 B19 (194E1)	12/98->08/00	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Right
				Tensioner	SR-1010	+ holder; OD: 70; W: 26; ALT; Fitting Position: Right
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM; Fitting Position: Centre
318 ti	103/140	M44 B19 (194S1)	07/95->08/00	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM; Fitting Position: Centre
				Tensioner	SR-1010	+ holder; OD: 70; W: 26; ALT; Fitting Position: Right
318 ti	103/140	M42 B18 (184S1)	11/94->08/95	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM; Fitting Position: Centre
323 ti	125/170	M52 B25 (256S3)	08/97->08/00	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Centre; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Left; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower Right; mech. TPA
				Tensioner	SR-1012	- holder; OD: 70; W: 25
3 Compact [E46] 						
316 ti	85/115	N46 B18 A;N42 B18 A	06/01->02/05	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; Fitting Position: Right; + auto AC
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; engine N42B18A; Fitting Position: Centre
316 ti	85/115	N40 B16 A;N45 B16 A	06/02->02/05	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; Fitting Position: Right; + auto AC
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre right
318 td	85/115	M47 D20 (204D4)	03/03->02/05	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
318 ti	105/143	N42 B20 A;N46 B20 A	09/01->02/05	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ACCOM; Fitting Position: Lower Right
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; ACCOM; engine N42B20A; engine N46B20A; Fitting Position: Centre; - AC
320 td	110/150	M47 D20 (204D4)	09/01->02/05	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; ->09/02; Fitting Position: Centre right
325 ti	141/192	M54 B25 (256S5)	06/01->02/05	Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre; mech. TPA
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Rear; mech. TPA
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; 09/02->; Fitting Position: Rear
3 Convertible [E36] 						
318 i	85/115	M43 B18 (184E2)	01/94->04/99	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Right
				Tensioner	SR-1008	OD: 80; W: 25; ALT; ->09/95; ACC 70; Fitting Position: Rear
				Tensioner	SR-1010	+ holder; OD: 70; W: 26; ALT; 09/95->; ACC 70; ACC 80; Fitting Position: Centre
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM
320 i	110/150	M50 B20 (206S2);M52 B20 (206S3)	12/93->04/99	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Right
				Tensioner	SR-1008	OD: 80; W: 25; ALT
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; mech. TPA
323 i	125/170	M52 B25 (256S3)	06/95->04/99	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Left; mech. TPA
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; mech. TPA
325 i	141/192	M50 B25 (256S2)	03/93->03/95	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower
				Tensioner	SR-1012	- holder; OD: 70; W: 25
328 i	142/193	M52 B28 (286S1)	03/95->04/99	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; mech. TPA
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Left; mech. TPA
M3 3.0	210/286	S50 B30 (306S1)	01/94->10/95	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM; Fitting Position: Centre
M3 3.2	236/321	S50 B32 (326S1)	10/95->04/99	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM
318 Ci	110/150	N46 B20 A;N46 B20 B	02/05->12/07	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; Fitting Position: Lower Right; + AC
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; Fitting Position: Centre right; + AC
318 Ci	105/143	N42 B20 A;N46 B20 A	09/01->12/07	Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
320 Cd	110/150	M47 D20 (204D4)	02/05->12/07	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front







	kW/HP	Engine code		Type		
320 Ci	125/170	M54 B22 (226S1)	09/00->12/07	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ALT; ->09/02; Fitting Position: Right
323 Ci	125/170	M52 B25 (256S4)	04/00->09/00	Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; 09/02->
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
325 Ci	141/192	M54 B25 (256S5)	09/00->12/07	Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Right
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
330 Cd	150/204	M57 D30 (306D2)	08/05->12/07	Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Centre
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Right
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1012	- holder; OD: 70; W: 25
330 Ci	170/231	M54 B30 (306S3)	06/00->12/07	Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Centre
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM
M3 3.2	252/343	S54 B32 (326S4)	04/01->12/07	Tensioner	SR-1008	OD: 80; W: 25; ALT
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Right
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1012	- holder; OD: 70; W: 25
3 Convertible [E93] 						
320 d	130/177	N47 D20 A;N47 D20 C	03/07->12/13	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre; - EPS
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre
325 d	150/204	N57 D30 A	02/10->12/13	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N57D30A; Fitting Position: Centre; - EPS
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N57D30A
325 i	160/218	N53 B30 A	03/07->12/13	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N53B30A; Fitting Position: Centre right; + AS
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N53B30A; Fitting Position: Centre
325 i	160/218	N52 B25 A	03/07->12/13	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B25A; engine N52B25B; engine N52B25BF; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B25A; engine N52B25B; engine N52B25BF; Fitting Position: Centre
330 d	180/245	N57 D30 A	01/09->12/13	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N57D30A; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N57D30A; Fitting Position: Centre
330 i	200/272	N53 B30 A	03/07->12/13	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N53B30A; Fitting Position: Centre right; + AS
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N53B30A; Fitting Position: Centre
3 Coupe [E36] 						
316 i	75/102	M43 B16 (164E2)	09/93->04/99	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; ACC 80; Fitting Position: Right
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM; Fitting Position: Centre
				Tensioner	SR-1008	OD: 80; W: 25; ALT; ->09/95; Fitting Position: Left
				Tensioner	SR-1010	+ holder; OD: 70; W: 26; ALT; 09/95->; Fitting Position: Centre right
318 is	103/140	M42 B18 (184S1)	03/92->10/95	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM; Fitting Position: Centre
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Left
318 is	103/140	M44 B19 (194S1)	09/95->04/99	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Left
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM; Fitting Position: Centre
320 i	110/150	M50 B20 (206S1);M50 B20 (206S2);M52 B20 (206S3)	03/92->04/99	Tensioner	SR-1010	+ holder; OD: 70; W: 26; ALT
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre; mech. TPA
				Tensioner	SR-1012	- holder; OD: 70; W: 25
323 i	125/170	M52 B25 (256S3)	03/95->04/99	Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower Right; mech. TPA
325 i	141/192	M50 B25 (256S1);M50 B25 (256S2)	03/92->04/99	Tensioner	SR-1012	- holder; OD: 70; W: 25
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower; mech. TPA
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre; mech. TPA






	kW/HP	Engine code		Type		
328 i	142/193	M52 B28 (286S1)	01/95->04/99	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; mech. TPA
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Upper
M3 3.0	217/295	S50 B30 (306S1)	01/95->10/95	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Left
M3 3.0	210/286	S50 B30 (306S1)	10/92->01/95	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Left
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM
M3 3.2	236/321	S50 B32 (326S1)	10/95->04/99	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM; Fitting Position: Centre
3 Coupe [E46] 				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM; Fitting Position: Centre
316 Ci	77/105	M43 B16 (164E3)	04/00->07/06	Deflection/Guide	SR-1390	OD: 70; W: 26; ALT
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM
				Tensioner	SR-1010	+ holder; OD: 70; W: 26; ALT
316 Ci	85/115	N45 B16 A	06/02->07/06	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; Fitting Position: Lower Right
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
318 Ci	110/150	N46 B20 A	03/05->07/06	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
318 Ci	105/143	N42 B20 A;N46 B20 A	09/01->07/06	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; ->09/01; Fitting Position: Lower Right; + AC
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; engine N42B20A; Fitting Position: Centre
318 Ci	87/118	M43 B19 (194E1)	11/99->09/01	Deflection/Guide	SR-1390	OD: 70; W: 26; ALT
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM
320 Cd	110/150	M47 D20 (204D4)	11/03->07/06	Tensioner	SR-1010	+ holder; OD: 70; W: 26; ALT
				Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
320 Ci	110/150	M52 B20 (206S4)	08/99->09/00	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Left
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM
				Tensioner	SR-1012	- holder; OD: 70; W: 25
320 Ci	125/170	M54 B22 (226S1)	09/00->07/06	Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower; mech. TPA
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Left
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Right
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; ->09/02
323 Ci	125/170	M52 B25 (256S4)	04/99->09/00	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Left
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower; mech. TPA
325 Ci	141/192	M54 B25 (256S5)	09/00->07/06	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower; mech. TPA
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Left
328 Ci	142/193	M52 B28 (286S2)	04/99->06/00	Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Centre
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower
				Tensioner	SR-1012	- holder; OD: 70; W: 25
330 Cd	150/204	M57 D30 (306D2)	03/03->07/06	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ALT; Fitting Position: Right
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Right
				Tensioner	SR-1012	- holder; OD: 70; W: 25
330 Ci	170/231	M54 B30 (306S3)	06/00->07/06	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1522	- holder; OD: 65; W: 21; ACCOM; ->09/04
				Tensioner	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ALT; Fitting Position: Right
330 Ci	170/231	M54 B30 (306S3)	06/00->07/06	Tensioner	SR-1400	+ holder; OD: 70; W: 26; ALT; Fitting Position: Right
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ALT; Fitting Position: Right
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Left
330 Ci	170/231	M54 B30 (306S3)	06/00->07/06	Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Left
330 Ci	170/231	M54 B30 (306S3)	06/00->07/06	Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower; mech. TPA
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower; mech. TPA








	kW/HP	Engine code		Type		
330 xi	170/231	M54 B30 (306S3)	06/00->07/06	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Centre
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Left
M3	252/343	S54 B32 (326S4)	06/00->07/06	Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower; mech. TPA
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Left
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM
				Tensioner	SR-1012	- holder; OD: 70; W: 25
M3	265/360	S54 B32 (326S4)	06/03->07/06	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Left
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
				Tensioner	SR-1012	- holder; OD: 70; W: 25
3 Coupe [E92] 						
320 d	130/177	N47 D20 A	03/07->12/13	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre left
320 d xDrive	130/177	N47 D20 C	09/08->12/13	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20A; engine N47D20C; MD Generation 1
320 i	110/150	N46 B20 A	11/06->06/07	Deflection/Guide	SR-1445	OD: 69.8; W: 26; ALT; engine N46B20B; engine N46B20C
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; engine N46B20B; engine N46B20C
320 xd	130/177	N47 D20 A	03/07->12/13	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre
325 d	150/204	N57 D30 A	04/10->12/13	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N57D30A; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N57D30A; Fitting Position: Centre right
325 i	160/218	N52 B25 A	09/06->12/13	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B25A; engine N52B25B; engine N52B25BF; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B25A; engine N52B25B; engine N52B25BF; Fitting Position: Centre
325 i	160/218	N53 B30 A	09/07->12/13	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N53B30A; Fitting Position: Right; + AS
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N53B30A; Fitting Position: Centre
325 i xDrive	160/218	N53 B30 A	09/08->12/13	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N53B30A; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N53B30A; Fitting Position: Centre
325 xi	160/218	N52 B25 A	09/06->12/13	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B25A; engine N52B25B; engine N52B25BF; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B25A; engine N52B25B; engine N52B25BF; Fitting Position: Centre
325 xi	160/218	N53 B30 A	09/07->12/13	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N53B30A; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N53B30A; Fitting Position: Centre
330 d	180/245	N57 D30 A	01/09->12/13	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N57D30A; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N57D30A; Fitting Position: Centre right
330 d xDrive	180/245	N57 D30 A	01/09->12/13	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N57D30A; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N57D30A; Fitting Position: Centre right
330 i	200/272	N52 B30 A;N52 B30 BF;N52 B30 B;N52 B30 AF	09/06->02/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N53B30A; Fitting Position: Right; + AS
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N53B30A; Fitting Position: Centre
330 i xDrive	200/272	N53 B30 A	09/08->12/13	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N53B30A; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N53B30A; Fitting Position: Centre
330 xd	180/245	N57 D30 A	01/09->12/13	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N57D30A; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N57D30A; Fitting Position: Centre right
330 xi	200/272	N52 B30 A	09/06->12/13	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B30A; engine N52B30B; engine N52B30BF; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B30A; engine N52B30B; engine N52B30BF; Fitting Position: Centre
335 d	210/286	M57 D30 (306D5)	09/06->12/13	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
3 Touring [E36] 						
316 i	75/102	M43 B16 (164E2)	01/96->10/99	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; ACC 80; Fitting Position: Right
				Tensioner	SR-1010	+ holder; OD: 70; W: 26; ALT; ACC 70; ACC 80; Fitting Position: Centre right
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM; Fitting Position: Centre
318 i	85/116	M43 B18 (184E2)	07/95->10/99	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; ACC 80; Fitting Position: Right
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM; Fitting Position: Centre
				Tensioner	SR-1010	+ holder; OD: 70; W: 26; ALT; ACC 70; ACC 80; Fitting Position: Centre right
320 i	110/150	M52 B20 (206S3)	01/95->10/99	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Left
				Tensioner	SR-1008	OD: 80; W: 25; ALT
				Tensioner	SR-1012	- holder; OD: 70; W: 25
323 i	125/170	M52 B25 (256S3)	09/95->10/99	Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Left
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT
				Tensioner	SR-1008	OD: 80; W: 25; ALT

	kW/HP	Engine code		Type		
325 tds	105/143	M51 D25 (256T1)	01/95->10/99	Tensioner	SR-1007	OD: 80; W: 21; ACCOM; Fitting Position: Centre
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Left
328 i	142/193	M52 B28 (286S1)	01/95->10/99	Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1008	OD: 80; W: 25; ALT
3 Touring (E46) 						
316 i	85/115	N46 B18 A;N42 B18 A	03/02->02/05	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; Fitting Position: Lower Right; + AC
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
318 d	85/115	M47 D20 (204D1)	03/02->02/05	Deflection/Guide	SR-1399	OD: 70; W: 23; ALT; Fitting Position: Upper Left
318 d	85/116	M47 D20 (204D4)	03/03->02/05	Tensioner	SR-1010	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Right
318 i	105/143	N42 B20 A;N46 B20 A	09/01->02/05	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; Fitting Position: Lower Right; + AC
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre; Fitting Position: Upper Right
318 i	87/118	M43 B19 (194E1)	10/99->09/01	Deflection/Guide	SR-1390	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1010	+ holder; OD: 70; W: 26; ALT; Fitting Position: Upper Right
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Right
320 d	100/136	M47 D20 (204D1)	03/00->09/01	Deflection/Guide	SR-1399	OD: 70; W: 23; ALT; Fitting Position: Left
320 d	110/150	M47 D20 (204D4)	09/01->02/05	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Centre
320 i	125/170	M54 B22 (226S1)	09/00->02/05	Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Right
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
320 i	110/150	M52 B20 (206S4)	10/99->09/00	Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower; mech. TPA
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Right
325 i	141/192	M54 B25 (256S5)	09/00->02/05	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower; mech. TPA
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; ->09/02; Fitting Position: Right
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
325 xi	141/192	M54 B25 (256S5)	09/00->02/05	Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; 09/02->; Fitting Position: Right
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; 09/02->; Fitting Position: Right
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; ->09/02; Fitting Position: Right
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
328 i	142/193	M52 B28 (286S2)	10/99->06/00	Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower; mech. TPA
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1010	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Right
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
330 d	150/204	M57 D30 (306D2)	03/03->02/05	Tensioner	SR-1522	- holder; OD: 65; W: 21; ACCOM; ->09/04
330 d	135/184	M57 D30 (306D1)	10/99->02/05	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
330 i	170/231	M54 B30 (306S3)	06/00->02/05	Deflection/Guide	SR-1399	OD: 70; W: 23; ALT
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower; mech. TPA
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
330 xd	150/204	M57 D30 (306D2)	03/03->02/05	Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; ->09/02; Fitting Position: Right
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; 09/02->; Fitting Position: Right
				Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
330 xd	135/184	M57 D30 (306D1)	06/00->02/05	Tensioner	SR-1522	- holder; OD: 65; W: 21; ACCOM; ->09/04
330 xi	170/231	M54 B30 (306S3)	06/00->02/05	Deflection/Guide	SR-1399	OD: 70; W: 23; ALT
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; 09/02->; Fitting Position: Right
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; ->09/02; Fitting Position: Right
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
330 xi	170/231	M54 B30 (306S3)	06/00->02/05	Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower; mech. TPA
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1010	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
3 Touring (E91) 						
318 d	100/136	N47 D20 C	07/07->06/12	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre


	kW/HP	Engine code		Type		
318 d	105/143	N47 D20 A;N47 D20 C	09/07->06/12	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre
318 i	95/129	N46 B20 B	01/06->06/12	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; engine N46B20B; Fitting Position: Centre right
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; engine N46B20B; Fitting Position: Centre
318 i	100/136	N46 B20 B	09/07->06/12	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ACCOM; engine N46B20B; Fitting Position: Lower Right
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ACCOM; engine N46B20B; Fitting Position: Centre
320 d	120/163	N47 D20 C;M47 D20 (204D4)	09/05->06/12	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre
320 d	130/177	N47 D20 A;N47 D20 C	09/07->06/12	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre
320 d xDrive	130/177	N47 D20 C	09/08->06/12	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20A; engine N47D20C; MD Generation 1; Fitting Position: Centre
320 i	110/150	N46 B20 A;N46 B20 C	09/05->06/12	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; engine N46B20B; engine N46B20C; Fitting Position: Centre right
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; engine N46B20B; engine N46B20C; Fitting Position: Centre
323 i	130/177	N52 B25 A	04/06->06/07	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B25A; engine N52B25B; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B25A; engine N52B25B; Fitting Position: Centre
325 d	150/204	N57 D30 A	02/10->06/12	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N57D30A; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N57D30A; Fitting Position: Centre right
325 i	160/218	N52 B25 A	09/05->06/12	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B25A; engine N52B25B; engine N52B25BF; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B25A; engine N52B25B; engine N52B25BF; Fitting Position: Centre
325 i	155/211	N53 B30 A	09/07->06/12	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
325 i	160/218	N53 B30 A	09/07->06/12	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N53B30A; Fitting Position: Right; + AS
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N53B30A; Fitting Position: Centre
325 i xDrive	160/218	N53 B30 A	09/07->06/12	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N53B30A; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N53B30A; Fitting Position: Centre
325 xi	160/218	N52 B25 A	09/05->06/12	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B25A; engine N52B25B; engine N52B25BF; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B25A; engine N52B25B; engine N52B25BF; Fitting Position: Centre
325 xi	160/218	N53 B30 A	09/07->06/12	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N53B30A; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N53B30A; Fitting Position: Centre
330 d	180/245	N57 D30 A	01/09->06/12	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N57D30A; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N57D30A; Fitting Position: Centre
330 d xDrive	180/245	N57 D30 A	01/09->06/12	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N57D30A; Fitting Position: Centre
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N57D30A; Fitting Position: Centre right
330 i	190/258	N52 B30 A	09/05->08/07	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B30A; engine N52B30B; engine N52B30BF; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B30A; engine N52B30B; engine N52B30BF; Fitting Position: Centre
330 i	200/272	N53 B30 A	09/07->06/12	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N53B30A; Fitting Position: Right; + AS
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N53B30A; Fitting Position: Centre
330 i xDrive	200/272	N53 B30 A	09/07->06/12	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N53B30A; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N53B30A; Fitting Position: Centre
330 xi	190/258	N52 B30 A	09/05->08/07	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B30A; engine N52B30B; engine N52B30BF; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B30A; engine N52B30B; engine N52B30BF; Fitting Position: Centre
330 xi	200/272	N53 B30 A	09/07->06/12	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N53B30A; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N53B30A; Fitting Position: Centre
335 d	210/286	M57 D30 (306D5)	09/06->06/12	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
3 Touring (F31) 						
316 i	100/136	N13 B16 A	03/13->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
5 (E34) 						
518 i	85/115	M43 B18 (184E2)	08/89->09/95	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM; Fitting Position: Centre right
518 i	83/113	M40 B18 (184E1)	08/89->09/95	Tensioner	SR-1007	OD: 80; W: 21; ACCOM; 09/91->; Fitting Position: Centre
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
520 i 24V	110/150	M50 B20 (206S1);M50 B20 (206S2)	09/89->09/95	Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower
				Tensioner	SR-1012	- holder; OD: 70; W: 25
525 i 24V	141/192	M50 B25 (256S2)	09/89->09/95	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre

	kW/HP	Engine code		Type		
525 iX 24V	141/192	M50 B25 [256S1];M50 B25 [256S2]	10/91->09/95	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower
				Tensioner	SR-1012	- holder; OD: 70; W: 25
525 td	85/115	M51 D25 [256T1]	04/93->09/95	Tensioner	SR-1007	OD: 80; W: 21; ACCOM; ->10/94; Fitting Position: Centre
525 tds	105/143	M51 D25 [256T1]	09/91->09/95	Tensioner	SR-1007	OD: 80; W: 21; ACCOM; ->10/94; Fitting Position: Centre
5 [E39] 						
520 d	100/136	M47 D20 [204D1]	02/00->06/03	Deflection/Guide	SR-1399	OD: 70; W: 23; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
520 i	110/150	M52 B20 [206S3]	01/96->09/00	Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower; mech. TPA
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; 03/98->; Fitting Position: Right
520 i	100/136	M52 B20 [206S3]	04/99->06/03	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Right
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1012	- holder; OD: 70; W: 25
520 i	125/170	M54 B22 [226S1]	09/00->06/03	Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower; mech. TPA
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; 09/02->; Fitting Position: Right
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
520 i	125/170	M54 B22 [226S1]	09/00->06/03	Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower; mech. TPA
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Centre right
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
523 i	125/170	M52 B25 [256S3]	11/95->09/00	Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower; mech. TPA
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Right
525 d	120/163	M57 D25 [256D1]	02/00->06/03	Deflection/Guide	SR-1399	OD: 70; W: 23; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
525 i	141/192	M54 B25 [256S5]	09/00->06/03	Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; 09/02->; Fitting Position: Right
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; ->09/02; Fitting Position: Right
				Tensioner	SR-1012	- holder; OD: 70; W: 25
528 i	142/193	M52 B28 [286S1];M52 B28 [286S2]	11/95->09/00	Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower; mech. TPA
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; 03/98->; Fitting Position: Right
530 d	135/184	M57 D30 [306D1]	08/98->09/00	Deflection/Guide	SR-1399	OD: 70; W: 23; ALT; Fitting Position: Centre right
530 i	170/231	M54 B30 [306S3]	09/00->06/03	Deflection/Guide	SR-1399	OD: 70; W: 23; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower; mech. TPA
				Tensioner	SR-1012	- holder; OD: 70; W: 25
535 i	173/235	M62 B35 [358S1];M62 B35 [358S2]	04/96->03/99	Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; ->09/02; Fitting Position: Right
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; 09/02->; Fitting Position: Right
				Tensioner	SR-1286	+ holder; OD1: 70; OD2: 70; W: 28; ALT; 09/98->
540 i	210/286	M62 B44 [448S1];M62 B44 [448S2]	04/96->06/03	Tensioner	SR-1285	- holder; OD: 70; W: 28; ALT; 08/97->; ->09/98
				Deflection/Guide	SR-1009	OD: 70; W: 25; ACCOM; 10/97->; Fitting Position: Upper
				Tensioner	SR-1285	- holder; OD: 70; W: 28; ALT; 08/97->
				Tensioner	SR-1010	+ holder; OD: 70; W: 26; ACCOM; 10/97->; Fitting Position: Right
520 d	120/163	N47 D20 A;N47 D20 C;M47 D20 [204D4]	07/05->03/10	Tensioner	SR-1007	OD: 80; W: 21; ACCOM; Fitting Position: Lower
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM; Fitting Position: Lower
5 [E60] 						
520 d	110/150	M47 D20 [204D4]	09/05->03/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
520 d	130/177	N47 D20 A;N47 D20 C	09/07->03/10	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20A; Fitting Position: Upper
				Tensioner	SR-1079	- holder; OD: 55; W: 29; ALT; engine N47D20A; Fitting Position: Centre
520 i	125/170	M54 B22 [226S1]	07/03->03/10	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower Right; mech. TPA
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Centre
523 i	140/190	N52 B25 A;N52 B25 BE	01/07->03/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre








	kW/HP	Engine code		Type		
523 i	130/177	N52 B25 A	07/05->03/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B25A; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B25A; Fitting Position: Centre
525 d	145/197	M57 D30 [306D3]	01/07->03/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
525 d	130/177	M57 D25 [256D2]	06/04->03/10	Tensioner	SR-1522	- holder; OD: 65; W: 21; ACCOM; ->09/04
				Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
525 d	120/163	M57 D25 [256D1]	12/04->03/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
525 d xDrive	145/197	M57 D30 [306D3]	09/08->03/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
525 i	160/218	N53 B30 A	01/07->03/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT
525 i	160/218	N52 B25 A	07/05->03/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B25A
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B25A
525 i	141/192	M54 B25 [256S5]	09/03->03/10	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; engine M5426S5; Fitting Position: Left; - EDDR
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Centre
				Tensioner	SR-1012	- holder; OD: 70; W: 25
525 i xDrive	160/218	N53 B30 A	09/08->03/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
525 xd	145/197	M57 D30 [306D3]	01/07->03/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
525 xi	160/218	N53 B30 A	01/07->03/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
525 xi	160/218	N52 B25 A	07/05->03/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
530 d	173/235	M57 D30 [306D3]	01/07->03/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front; - EDDR
				Tensioner	SR-1522	- holder; OD: 65; W: 21; ACCOM; ->09/04
530 d	160/218	M57 D30 [306D2]	07/03->03/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front; - EDDR
				Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front; - EDDR
530 d	170/231	M57 D30 [306D3]	07/03->03/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front; - EDDR
				Tensioner	SR-1522	- holder; OD: 65; W: 21; ACCOM; ->09/04
530 d	155/211	M57 D30 [306D2];M57 D30 [306D3]	07/03->03/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
530 d xDrive	173/235	M57 D30 [306D3]	09/08->03/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
530 i	200/272	N53 B30 A	01/07->03/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Upper Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
530 i	170/231	M54 B30 [306S3]	07/03->03/10	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; engine M5426S5; Fitting Position: Left; - EDDR
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Centre
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; - EDDR; mech. TPA
530 i	190/258	N52 B30 A	07/05->03/10	Tensioner	SR-1012	- holder; OD: 70; W: 25
				Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B30A; Fitting Position: Centre
530 i xDrive	200/272	N53 B30 A	09/08->03/10	Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B30A; Fitting Position: Right
				Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Centre right
530 xd	173/235	M57 D30 [306D3]	01/07->03/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
530 xi	200/272	N52 B30 A	01/07->03/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N53B30A; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N53B30A; Fitting Position: Centre
530 xi	190/258	N52 B30 A	07/05->03/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N53B30A; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N53B30A; Fitting Position: Centre
535 d	210/286	M57 D30 [306D5]	01/07->03/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
535 d	200/272	M57 D30 [306D4]	09/04->03/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
				Deflection/Guide	SR-1206	OD: 70; W: 26; ALT
540 i	225/306	N62 B40 A	07/05->03/10	Deflection/Guide	SR-1512	OD: 70; W: 26.2; ALT; Fitting Position: Upper Right
				Tensioner	SR-1511	+ holder; OD: 80; W: 35; ALT; Fitting Position: Centre
545 i	245/333	N62 B44 A	09/03->03/10	Deflection/Guide	SR-1512	OD: 70; W: 26.2; ALT; Fitting Position: Upper Right
				Deflection/Guide	SR-1206	OD: 70; W: 26; ALT
550 i	270/367	N62 B48 A;N62 B48 B	07/05->03/10	Tensioner	SR-1511	+ holder; OD: 80; W: 35; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1512	OD: 70; W: 26.2; ALT; Fitting Position: Upper Right
5 (F10, F18) 	150/204	N57 D30 A	02/10->	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; Fitting Position: Upper
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre
525 d	155/211	N47 D20 D	09/11->	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N57D30A; Fitting Position: Upper
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N57D30A; Fitting Position: Centre
530 d	180/245	N57 D30 A	12/09->	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; Fitting Position: Upper
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT
535 d	220/299	N57 D30 B	08/10->	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; Fitting Position: Upper
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre








	kW/HP	Engine code		Type		
5 Gran Turismo (F07) 						
530 d	155/211	N57 D30 A	07/10->	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; Fitting Position: Upper Left
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre; - EDDR
				Tensioner	SR-1079	- holder; OD: 55; W: 29; ALT; Fitting Position: Centre; + EDDR
530 d	180/245	N57 D30 A	10/09->	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; Fitting Position: Upper
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT
535 d	220/299	N57 D30 B	09/10->	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; Fitting Position: Upper Left
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre; - EDDR
				Tensioner	SR-1079	- holder; OD: 55; W: 29; ALT; Fitting Position: Centre; + EDDR
535 d xDrive	220/299	N57 D30 B	09/10->	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; Fitting Position: Upper Left
				Tensioner	SR-1079	- holder; OD: 55; W: 29; ALT; Fitting Position: Centre; + EDDR
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre; - EDDR
5 Touring (E34) 						
518 g	85/115	M43 B18 (184E2)	11/95->06/96	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
518 i	83/113	M43 B18 (184E2)	03/93->09/94	Tensioner	SR-1007	OD: 80; W: 21; ACCOM
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM
518 i	85/115	M43 B18 (184E2)	09/94->01/97	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM
520 i	110/150	M50 B20 (206S1);M50 B20 (206S2)	11/91->01/97	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; ACCOM; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; mech. TPA
525 i	141/192	M50 B25 (256S1);M50 B25 (256S2)	11/91->01/97	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; ACCOM; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; mech. TPA
525 ix	141/192	M50 B25 (256S1);M50 B25 (256S2)	02/92->01/97	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; ACCOM; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; mech. TPA
525 td	85/115	M51 D25 (256T1)	03/93->01/97	Tensioner	SR-1007	OD: 80; W: 21; ACCOM
525 tds	105/143	M51 D25 (256T1)	12/91->01/97	Tensioner	SR-1007	OD: 80; W: 21; ACCOM
5 Touring (E39) 						
520 d	100/136	M47 D20 (204D1)	02/00->09/03	Deflection/Guide	SR-1399	OD: 70; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ALT; 03/98->; Fitting Position: Right
520 i	110/150	M52 B20 (206S3)	01/97->09/00	Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower Right; mech. TPA
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Left; Tensioner Pulley Actuation: Hydraulic
520 i	100/136	M52 B20 (206S3)	04/99->05/04	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Right; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Right
520 i	125/170	M54 B22 (226S1)	09/00->05/04	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Right
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower; mech. TPA
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; ->09/02
				Tensioner	SR-1012	- holder; OD: 70; W: 25
523 i	125/170	M52 B25 (256S3)	01/97->09/00	Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Left; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1012	- holder; OD: 70; W: 25
525 d	120/163	M57 D25 (256D1)	02/00->05/04	Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower Right; mech. TPA
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ALT; 03/98->; Fitting Position: Right
				Deflection/Guide	SR-1399	OD: 70; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
525 i	141/192	M54 B25 (256S5)	09/00->05/04	Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; ->09/02; Fitting Position: Right
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; 09/02->; Fitting Position: Centre right
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower; mech. TPA





	kW/HP	Engine code		Type		
528 i	142/193	M52 B28 [286S1];M52 B28 [286S2]	01/97->09/00	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ALT; 03/98->; Fitting Position: Right
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower Right; mech. TPA
				Tensioner	SR-1012	- holder; OD: 70; W: 25
530 d	135/184	M57 D30 [306D1]	08/98->09/00	Deflection/Guide	SR-1399	OD: 70; W: 23; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1399	OD: 70; W: 23; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower; mech. TPA
530 i	170/231	M54 B30 [306S3]	09/00->05/04	Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; 09/02->; Fitting Position: Right
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; ->09/02; Fitting Position: Right
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1012	- holder; OD: 70; W: 25
540 i	210/286	M62 B44 [448S1];M62 B44 [448S2]	01/97->05/04	Tensioner	SR-1286	+ holder; OD1: 70; OD2: 70; W: 28; ALT; 09/98->
				Tensioner	SR-1285	- holder; OD: 70; W: 28; ALT; 08/97->
5 Touring (E61) 						
520 d	120/163	N47 D20 A;N47 D20 C;M47 D20 [204D4]	07/05->12/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; engine M47N204D5; Fitting Position: Front
520 d	110/150	N47 D20 A;N47 D20 C;M47 D20 [204D4]	09/05->12/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
520 d	130/177	N47 D20 A;N47 D20 C	09/07->12/10	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; Fitting Position: Upper
				Tensioner	SR-1079	- holder; OD: 55; W: 29; ALT; Fitting Position: Centre
523 i	140/190	N52 B25 A	01/07->12/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
523 i	130/177	N52 B25 A;N52 B25 B;N52 B25 BE	07/05->12/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B25A; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B25A; Fitting Position: Centre
525 d	145/197	M57 D30 [306D3]	01/07->12/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
525 d	130/177	M57 D25 [256D2]	06/04->12/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
525 d	120/163	M57N 256 D4	12/04->12/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
525 d xDrive	145/197	M57 D30 [306D3]	09/08->12/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
525 i	160/218	N53 B30 A	01/07->12/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
525 i	141/192	M54 B25 [256S5]	06/04->12/10	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Left; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Right
525 i	160/218	N52 B25 A	07/05->12/10	Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; Fitting Position: Right
				Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
525 i xDrive	160/218	N53 B30 A	09/08->12/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
525 xd	145/197	M57 D30 [306D3]	01/07->12/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
525 xi	160/218	N53 B30 A	01/07->12/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
525 xi	160/218	N52 B25 A	07/05->12/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
530 d	173/235	M57 D30 [306D3]	01/07->12/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
530 d	160/218	M57 D30 [306D2]	06/04->12/10	Tensioner	SR-1522	- holder; OD: 65; W: 21; ACCOM; ->09/04
				Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
530 d	170/231	M57 D30 [306D3]	07/05->12/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
530 d xDrive	173/235	M57 D30 [306D3]	09/08->12/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
530 i	200/272	N53 B30 A	01/07->12/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
530 i	190/258	N52 B30 A	07/05->12/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
530 i xDrive	200/272	N53 B30 A	09/08->12/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B30A; engine N53B30A; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B30A; engine N53B30A; Fitting Position: Centre
530 xd	173/235	M57 D30 [306D3]	01/07->12/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
530 xd	170/231	M57 D30 [306D3]	07/05->12/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
530 xi	200/272	N52 B30 A	01/07->12/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B30A; engine N53B30A; Fitting Position: Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B30A; engine N53B30A; Fitting Position: Centre
530 xi	190/258	N52 B30 A	07/05->12/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
535 d	210/286	M57 D30 [306D5]	01/07->12/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
535 d	200/272	M57 D30 [306D4]	09/04->12/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
545 i	245/333	N62 B44 A	06/04->12/10	Deflection/Guide	SR-1512	OD: 70; W: 26.2; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1206	OD: 70; W: 26; ALT
				Tensioner	SR-1511	+ holder; OD: 80; W: 35; ALT; Fitting Position: Centre

	kW/HP	Engine code		Type		
550 i	270/367	N62 B48 A;N62 B48 B	07/05->12/10	Deflection/Guide	SR-1206	OD: 70; W: 26; ALT
				Deflection/Guide	SR-1512	OD: 70; W: 26.2; ALT; Fitting Position: Centre right
				Tensioner	SR-1511	+ holder; OD: 80; W: 35; ALT; Fitting Position: Centre
M5	373/507	S85 B50 A	02/07->12/10	Tensioner	SR-1008	OD: 80; W: 25; ACCOM; Fitting Position: Centre
5 Touring (F11) 						
525 d	150/204	N57 D30 A	09/10->	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; Fitting Position: Upper
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT
530 d	180/245	N57 D30 A	09/10->	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; Fitting Position: Upper
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT
535 d	220/299	N57 D30 B	09/10->	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; Fitting Position: Upper
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT
6 (E63) 						
630 i	200/272	N53 B30 A	07/07->07/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B30A; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B30A; Fitting Position: Centre
630 i	190/258	N52 B30 A	09/04->07/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B30A; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B30A; Fitting Position: Centre
635 d	210/286	M57 D30 (306D5)	07/07->07/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
645 Ci	245/333	N62 B44 A	01/04->08/05	Deflection/Guide	SR-1512	OD: 70; W: 26.2; ALT; engine N62B44A; Fitting Position: Centre right
				Deflection/Guide	SR-1206	OD: 70; W: 26; ALT
				Tensioner	SR-1511	+ holder; OD: 80; W: 35; ALT; engine N62B44A; Fitting Position: Centre
650 i	270/367	N62 B48 B	07/05->07/10	Deflection/Guide	SR-1206	OD: 70; W: 26; ALT
				Deflection/Guide	SR-1512	OD: 70; W: 26.2; ALT; Fitting Position: Centre right
				Tensioner	SR-1511	+ holder; OD: 80; W: 35; ALT; Fitting Position: Centre
M	373/507	S85 B50 A	09/05->07/10	Tensioner	SR-1008	OD: 80; W: 25; ACCOM
6 Convertible (E64) 						
630 i	200/272	N53 B30 A	07/07->07/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N53B30A; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N53B30A; Fitting Position: Centre
630 i	190/258	N52 B30 A	09/04->07/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B30A; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B30A; Fitting Position: Centre
635 d	210/286	M57 D30 (306D5)	07/07->07/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
645 Ci	245/333	N62 B44 A	04/04->08/05	Deflection/Guide	SR-1206	OD: 70; W: 26; ALT
				Deflection/Guide	SR-1512	OD: 70; W: 26.2; ALT; engine N62B44A; Fitting Position: Centre right
				Tensioner	SR-1511	+ holder; OD: 80; W: 35; ALT; engine N62B44A; Fitting Position: Centre
650 i	270/367	N62 B48 B	07/05->07/10	Deflection/Guide	SR-1512	OD: 70; W: 26.2; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1206	OD: 70; W: 26; ALT
				Tensioner	SR-1511	+ holder; OD: 80; W: 35; ALT; Fitting Position: Centre
M	373/507	S85 B50 A	07/06->07/10	Tensioner	SR-1008	OD: 80; W: 25; ACCOM; Fitting Position: Upper
7 (E38) 						
728 i,L	142/193	M52 B28 (286S1);M52 B28 (286S2)	08/95->11/01	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; ->09/98; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; 03/98->; Fitting Position: Right
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower Right
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Left
730 d	142/193	M57 D30 (306D1)	04/00->11/01	Deflection/Guide	SR-1399	OD: 70; W: 23; ALT; Fitting Position: Centre right
730 d	135/184	M57 D30 (306D1)	08/98->04/00	Deflection/Guide	SR-1399	OD: 70; W: 23; ALT; Fitting Position: Centre right
735 i,L	173/235	M62 B35 (358S1)	01/96->11/01	Tensioner	SR-1286	+ holder; OD1: 70; OD2: 70; W: 28; ALT; 09/98->
				Tensioner	SR-1285	- holder; OD: 70; W: 28; ALT; 05/97->; ->04/98
740 i,L	210/286	M62 B44 (448S1);M62 B44 (448S2)	01/96->11/01	Tensioner	SR-1286	+ holder; OD1: 70; OD2: 70; W: 28; ALT; 09/98->
				Tensioner	SR-1285	- holder; OD: 70; W: 28; ALT; 05/97->; ->04/98
7 (E65, E66, E67) 						
730 d	155/211	M57 D30 (306D3)	10/02->07/08	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
730 d	160/218	M57 D30 (306D2)	10/02->07/08	Tensioner	SR-1522	- holder; OD: 65; W: 21; ACCOM; ->06/08
				Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
730 i,Li	170/231	M54 B30 (306S3)	03/03->07/08	Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower Right
730 i,Li	190/258	N52 B30 A	03/05->07/08	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
730 Ld	170/231	M57 D30 (306D3)	07/05->12/09	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
735 i,Li	200/272	N62 B36 A	11/01->02/05	Deflection/Guide	SR-1512	OD: 70; W: 26.2; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1206	OD: 70; W: 26; ALT; 09/03->
				Tensioner	SR-1511	+ holder; OD: 80; W: 35; ALT; Fitting Position: Centre right
740 i,Li	225/306	N62 B40 A	07/05->07/08	Deflection/Guide	SR-1206	OD: 70; W: 26; ALT
				Deflection/Guide	SR-1512	OD: 70; W: 26.2; ALT; Fitting Position: Centre right
				Tensioner	SR-1511	+ holder; OD: 80; W: 35; ALT; Fitting Position: Centre

	kW/HP	Engine code		Type		
745 i,Li	245/333	N62 B44 A	11/01->07/08	Deflection/Guide	SR-1206	OD: 70; W: 26; ALT; 09/03->
				Deflection/Guide	SR-1512	OD: 70; W: 26,2; ALT; Fitting Position: Centre right
				Tensioner	SR-1511	+ holder; OD: 80; W: 35; ALT; Fitting Position: Centre
750 i,Li	270/367	N62 B48 B	07/05->07/08	Deflection/Guide	SR-1512	OD: 70; W: 26,2; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1206	OD: 70; W: 26; ALT
				Tensioner	SR-1511	+ holder; OD: 80; W: 35; ALT; Fitting Position: Centre
760 i,Li	327/445	N73 B60 A	01/03->07/08	Tensioner	SR-1511	+ holder; OD: 80; W: 35; ALT; Fitting Position: Upper
7 (F01, F02, F03, F04) 						
730 d	180/245	N57 D30 A	10/08->12/15	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; - EDDR
				Tensioner	SR-1079	- holder; OD: 55; W: 29; ALT; + EDDR
740 d	225/306	N57 D30 B	09/09->12/15	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT
				Tensioner	SR-1079	- holder; OD: 55; W: 29; ALT; + EDDR
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; - EDDR
740 d xDrive	225/306	N57 D30 B	09/09->12/15	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT
				Tensioner	SR-1079	- holder; OD: 55; W: 29; ALT; + EDDR
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; - EDDR
8 (E31) 						
840 Ci	210/286	M62 B44 [448S1]	01/96->12/99	Tensioner	SR-1285	- holder; OD: 70; W: 28; ALT; 05/97-> ->04/98
X1 (E84) 						
sDrive 18 d	105/143	N47 D20 C	10/09->06/15	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20C; Fitting Position: Upper
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20C; Fitting Position: Centre left
sDrive 18 i	110/150	N46 B20 B	01/10->06/15	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT
sDrive 20 d	130/177	N47 D20 C	10/09->06/15	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20C; Fitting Position: Upper
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20C; Fitting Position: Centre left
xDrive 18 d	105/143	N47 D20 C	10/09->06/15	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20C; Fitting Position: Upper
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20C; Fitting Position: Centre left
xDrive 20 d	130/177	N47 D20 C	10/09->06/15	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20C; Fitting Position: Upper
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20C; Fitting Position: Centre left
xDrive 23 d	150/204	N47 D20 C;N47S D20 D	10/09->06/15	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20D; Fitting Position: Upper
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N47D20D; Fitting Position: Centre left
xDrive 25 i	160/218	N52 B30 A	01/10->06/15	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
xDrive 28 i	190/258	N52 B30 A	10/09->06/15	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
X3 (E83) 						
2.0 d	130/177	N47 D20 A;N47 D20 C	09/07->03/09	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; Fitting Position: Upper Left
				Tensioner	SR-1079	- holder; OD: 55; W: 29; ALT; Fitting Position: Centre
2.0 d	110/150	M47 D20 [204D4]	10/04->12/10	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Front
2.0 i	110/150	N46 B20 B	07/05->08/08	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; engine N46B20B
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; engine N46B20B
2.5 i	141/192	M54 B25 [256S5]	01/04->08/06	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; engine M54256S5; Fitting Position: Centre
				Tensioner	SR-1012	- holder; OD: 70; W: 25
2.5 si	160/218	N52 B25 A	09/06->08/08	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Upper Right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
3.0 d	150/204	M57 D30 [306D2]	01/04->08/05	Tensioner	SR-1522	- holder; OD: 65; W: 21; ACCOM; ->09/04
				Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; engine M57N306D2; Fitting Position: Lower
3.0 d	160/218	M57 D30 [306D3]	01/04->08/08	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Tensioner Pulley Actuation: Hydraulic
3.0 i xDrive	170/231	M54 B30 [306S3]	01/04->08/06	Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; mech. TPA
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; engine M54306S3; Fitting Position: Centre
3.0 sd	210/286	M57 D30 [306D5]	09/06->08/08	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower
3.0 si	200/272	N52 B30 A	09/06->08/08	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
xDrive 18 d	105/143	N47 D20 C	09/08->12/11	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N47D20C; Fitting Position: Upper Left
				Tensioner	SR-1079	- holder; OD: 55; W: 29; ALT; engine N47D20C; Fitting Position: Centre
xDrive 20 d	120/163	N47 D20 C	09/08->08/10	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; Fitting Position: Upper Left
				Tensioner	SR-1079	- holder; OD: 55; W: 29; ALT; Fitting Position: Centre
xDrive 20 d	130/177	N47 D20 C	09/08->08/10	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; Fitting Position: Upper Left
				Tensioner	SR-1079	- holder; OD: 55; W: 29; ALT; Fitting Position: Centre
xDrive 20 i	110/150	N46 B20 B	09/08->08/11	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; engine N46B20B; Fitting Position: Centre right
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; engine N46B20B; Fitting Position: Centre

	kW/HP	Engine code		Type		
xDrive 25 i	160/218	N52 B25 A	09/08->12/11	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
xDrive 30 d	155/211	M57 D30 [306D3]	09/08->04/11	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower
xDrive 30 d	160/218	M57 D30 [306D3]	09/08->04/11	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; Fitting Position: Lower
xDrive 30 i	200/272	N52 B30 A	09/08->12/11	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
xDrive 35 d	210/286	M57 D30 [306D5]	09/08->08/11	Deflection/Guide	SR-1082	OD: 80; W: 26; ALT
				Tensioner	SR-1083	- holder; OD: 70; W: 26; ALT
X5 [E53] 						
3.0 d	135/184	M57 D30 [306D1]	05/01->12/03	Deflection/Guide	SR-1399	OD: 70; W: 23; ALT; Fitting Position: Upper Left; QTY 2
				Tensioner	SR-1522	- holder; OD: 65; W: 21; ACCOM
3.0 d	160/218	M57 D30 [306D2]	12/03->12/06	Tensioner	SR-1440	+ holder; OD: 70; W: 26; ALT; engine M57N306D2; Fitting Position: Front
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; 09/02->; Fitting Position: Centre
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Centre
3.0 i	163/222	M54 B30 [306S3]	05/00->12/06	Tensioner	SR-1012	- holder; OD: 70; W: 25;
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; ->09/02; Fitting Position: Right
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; engine M54 306 S3; Fitting Position: Upper
3.0 i	170/231	M54 B30 [306S3]	05/00->12/06	Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; ->09/02; engine M54 306 S3; Fitting Position: Right
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; mech. TPA
				Tensioner	SR-1008	OD: 80; W: 25; ALT; engine M54 306 S3; Fitting Position: Centre
				Tensioner	SR-1012	- holder; OD: 70; W: 25
4.4 i	210/286	M62 B44 [448S2]	05/00->12/03	Tensioner	SR-1400	+ holder; OD: 70; W: 26; ACCOM; 09/02->; engine M54 306 S3; Fitting Position: Centre
				Tensioner	SR-1286	+ holder; OD1: 70; OD2: 70; W: 28; ALT
4.4 i	235/320	N62 B44;N62 B44 A	12/03->09/06	Deflection/Guide	SR-1512	OD: 70; W: 26.2; ALT; engine N62B44A; Fitting Position: Lower Right
				Deflection/Guide	SR-1206	OD: 70; W: 26; ALT
4.6 is	255/347	M62 B46 [468S1]	02/02->12/03	Tensioner	SR-1511	+ holder; OD: 80; W: 35; ALT; engine N62B44A
				Tensioner	SR-1286	+ holder; OD1: 70; OD2: 70; W: 28; ALT
4.8 is	265/360	N62 B48 A	04/04->09/06	Deflection/Guide	SR-1512	OD: 70; W: 26.2; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1206	OD: 70; W: 26; ALT
				Tensioner	SR-1511	+ holder; OD: 80; W: 35; ALT; Fitting Position: Centre
X5 [E70] 						
3.0 d	173/235	M57 D30 [306D3]	02/07->09/08	Deflection/Guide	SR-1082	OD: 80; W: 26; ALT
				Tensioner	SR-1083	- holder; OD: 70; W: 26; ALT
3.0 sd	210/286	M57 D30 [306D5]	09/07->02/09	Deflection/Guide	SR-1082	OD: 80; W: 26; ALT
				Tensioner	SR-1083	- holder; OD: 70; W: 26; ALT
3.0 si	200/272	N52 B30 A	02/07->09/08	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B30A; Fitting Position: Centre right; - EDDR
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B30A; Fitting Position: Centre; - EDDR
xDrive 30 d	173/235	N57 D30 A	09/08->06/13	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; Fitting Position: Upper Left
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre right; - EDDR
xDrive 30 d	180/245	N57 D30 A	09/10->06/13	Tensioner	SR-1079	- holder; OD: 55; W: 29; ALT; Fitting Position: Centre; + EDDR
				Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; Fitting Position: Upper Left
xDrive 30 d	180/245	N57 D30 A	09/10->06/13	Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre right; - EDDR
				Tensioner	SR-1079	- holder; OD: 55; W: 29; ALT; Fitting Position: Centre; + EDDR
xDrive 30 i	200/272	N52 B30 A	09/08->03/10	Deflection/Guide	SR-1193	+ holder; OD: 80; W: 26; ALT; engine N52B30A; Fitting Position: Right; - EDDR
				Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B30A; Fitting Position: Centre; - EDDR
xDrive 35 d	210/286	M57 D30 [306D5]	09/08->06/13	Deflection/Guide	SR-1082	OD: 80; W: 26; ALT
				Tensioner	SR-1083	- holder; OD: 70; W: 26; ALT
xDrive 40 d	225/306	N57 D30 B	09/10->06/13	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; Fitting Position: Centre right
				Tensioner	SR-1079	- holder; OD: 55; W: 29; ALT; Fitting Position: Centre; + EDDR
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre; - EDDR
X6 [E71, E72] 						
30 d	173/235	M57 D30 [306D3]	05/08->08/08	Deflection/Guide	SR-1082	OD: 80; W: 26; ALT
				Tensioner	SR-1083	- holder; OD: 70; W: 26; ALT
xDrive 30 d	173/235	N57 D30 A	09/08->06/14	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; Fitting Position: Upper Left
				Tensioner	SR-1079	- holder; OD: 55; W: 29; ALT; Fitting Position: Centre; + EDDR
xDrive 30 d	180/245	N57 D30 A	09/10->06/14	Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre right; - EDDR
				Deflection/Guide	SR-1082	OD: 80; W: 26; ALT; engine M57N2 306 D3
xDrive 30 d	180/245	N57 D30 A	09/10->06/14	Tensioner	SR-1083	- holder; OD: 70; W: 26; ALT; engine M57N2 306 D3
				Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; Fitting Position: Upper Left
xDrive 30 d	155/211	N57 D30 A	09/10->06/14	Tensioner	SR-1079	- holder; OD: 55; W: 29; ALT; Fitting Position: Centre; + EDDR
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre right; - EDDR
xDrive 35 d	210/286	M57 D30 [306D5]	09/08->06/14	Deflection/Guide	SR-1082	OD: 80; W: 26; ALT
				Tensioner	SR-1083	- holder; OD: 70; W: 26; ALT

	kW/HP	Engine code		Type		
xDrive 40 d	225/306	N57 D30 B	10/10->06/14	Deflection/Guide	SR-1080	OD: 55; W: 28; ALT; engine N57D30B; Fitting Position: Upper Left
				Tensioner	SR-1079	- holder; OD: 55; W: 29; ALT; engine N57D30B; Fitting Position: Centre; + EDDR
				Tensioner	SR-1081	- holder; ID: 17; OD: 55; W: 29; ALT; engine N57D30B; Fitting Position: Centre; - EDDR
Z3 (E36) 						
1.8	85/116	M43 B18 (184E2)	10/95->10/98	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; ACC 80
				Tensioner	SR-1010	+ holder; OD: 70; W: 26; ALT
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM
1.9	85/116	M43 B19 (194E1)	01/99->01/03	Deflection/Guide	SR-1390	OD: 70; W: 26; ALT; for hot climate
				Tensioner	SR-1010	+ holder; OD: 70; W: 26; ALT
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM
1.9	87/118	M43 B19 (194E1)	07/98->01/03	Deflection/Guide	SR-1390	OD: 70; W: 26; ALT; for hot climate
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM
				Tensioner	SR-1010	+ holder; OD: 70; W: 26; ALT
1.9	103/140	M44 B19 (194S1)	10/95->03/99	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; ACC 80
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM
				Tensioner	SR-1010	+ holder; OD: 70; W: 26; ALT
2.0	110/150	M52 B20 (206S4)	04/99->01/03	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; ACCOM; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre left; mech. TPA
2.2	125/170	M54 B22 (226S1)	08/00->01/03	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM
				Tensioner	SR-1012	- holder; OD: 70; W: 25
2.8	141/192	M52 B28 (286S1)	04/97->06/00	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; ACCOM; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1012	- holder; OD: 70; W: 25
3.0	170/231	M54 B30 (306S3)	06/00->01/03	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre left; mech. TPA
				Tensioner	SR-1012	- holder; OD: 70; W: 25
M 3.2	236/321	S50 B32 (326S1)	03/97->06/01	Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1009	OD: 70; W: 25; ALT
M 3.2	239/325	S54 B32 (326S4)	06/01->01/03	Tensioner	SR-1007	OD: 80; W: 21; ACCOM; engine S50 326 S1; engine S50 326 S3
				Tensioner	SR-1008	OD: 80; W: 25; ALT; engine S50 326 S1; engine S50 326 S3; Fitting Position: Upper
				Tensioner	SR-1009	OD: 70; W: 25; ALT; engine S54326S4; Fitting Position: Upper
Z3 Coupe (E36) 	141/192	M52 B28 (286S1)	07/97->06/00	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; ACCOM; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre left; mech. TPA
3.0	170/231	M54 B30 (306S3)	06/00->06/03	Tensioner	SR-1012	- holder; OD: 70; W: 25
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Tensioner Pulley Actuation: Hydraulic
				Tensioner	SR-1012	- holder; OD: 70; W: 25
M	236/321	S50 B32 (326S1)	02/98->06/01	Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre left; mech. TPA
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM
M	239/325	S54 B32 (326S4)	06/01->06/03	Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1007	OD: 80; W: 21; ACCOM; engine S50 326 S1; engine S50 326 S3
				Tensioner	SR-1008	OD: 80; W: 25; ALT; engine S50 326 S1; engine S50 326 S3; Fitting Position: Upper
Z4 (E85) 	110/150	N46 B20 A;N46 B20 B	03/05->02/09	Deflection/Guide	SR-1445	OD: 69,8; W: 26; ALT; + AC
				Tensioner	SR-1444	+ holder; OD: 70; W: 26; ALT; - AC
				Tensioner	SR-1012	- holder; OD: 70; W: 25
2.2 i	125/170	M54 B22 (226S1)	10/03->10/05	Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Right
				Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ALT
2.5 i	141/192	M54 B25 (256S5)	02/03->12/05	Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ALT
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Right

	kW/HP	Engine code		Type		
2.5 i	130/177	N52 B25 A	09/05->02/09	Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT
2.5 si	160/218	N52 B25 A	09/05->02/09	Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT
3.0 i	170/231	M54 B30 (306S3)	02/03->10/05	Tensioner	SR-1011	+ holder; OD: 70; W: 26; ALT; Fitting Position: Right
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1400	+ holder; OD: 70; W: 26; ALT
3.0 si	195/265	N52 B30 A	01/06->12/08	Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; Fitting Position: Left
M	252/343	S54 B32 (326S4)	03/06->02/09	Tensioner	SR-1008	OD: 80; W: 25; ALT; Fitting Position: Upper
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM

Z4 (E89)

sDrive 23 i	150/204	N52 B25 A	05/09->	Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B25A; engine N52B25BF
sDrive 30 i	190/258	N52 B30 A	05/09->	Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT; engine N52B30A; engine N52B30B; engine N52B30BF

Z4 Coupe (E86)

3.0 si	195/265	N52 B30 A	03/06->01/09	Tensioner	SR-1192	+ holder; OD: 70; W: 26; ALT
M	252/343	S54 B32 (326S4)	03/06->01/09	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; engine S54326S4; Fitting Position: Upper
				Tensioner	SR-1281	+ holder; OD: 70; W: 26; ACCOM; engine S54326S4
				Tensioner	SR-1012	- holder; OD: 70; W: 25
				Tensioner	SR-1008	OD: 80; W: 25; ALT; engine S54326S4; Fitting Position: Centre

BUICK

LE SABRE

3.8	153/208	L36	01/99->	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33.5; ALT; 10/99->; ->09/05
-----	---------	-----	---------	------------------	---------	--

PARK AVENUE

3.8 Supercharged	179/243	L67	10/96->12/05	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33.5; ALT; G-CH; MD I-> 1999; MD ->1 1999
------------------	---------	-----	--------------	------------------	---------	--

ROADMASTER Estate

5.0	127/173	LG2	10/90->09/92	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33.5; ALT
-----	---------	-----	--------------	------------------	---------	------------------------------

CADILLAC

ALLANTE Convertible

4.5	150/204	LQ6	10/88->09/92	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33.5; ALT; 01/89->; MD ->1 1990
4.6	220/299	L37	10/92->09/93	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33.5; ALT; 01/93->

BLS

1.9 D	110/150	Z19DTH	04/06->	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT
1.9 D	132/180	Z 19 DTR	12/07->	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT
2.0 T	129/175	B207L;LK9	04/06->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT
2.0 T	154/210	B207R;LK9	04/06->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT
2.0 T AWD	154/210	B207R;LK9	04/06->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT
2.0 T Flexpower	147/200	Z 20 LER	12/07->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT
2.8 T	188/255	B284L	04/06->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
2.8 T AWD	206/280	Z 28 NET	10/08->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT

BLS Wagon



















1.9 D	110/150	Z19DTH	12/07->	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT
1.9 D	132/180	Z 19 DTR	12/07->	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT
2.0 T	129/175	Z 20 NET	12/07->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT
2.0 T	154/210	Z 20 NER	12/07->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT
2.0 T AWD	154/210	B207R	12/07->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT
2.0 T Flexpower	147/200	Z 20 LER	12/07->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT
2.8 T	206/280	B284R	08/10->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
2.8 T	188/255	Z 28 NET	12/07->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
2.8 T AWD	206/280	Z 28 NET	10/08->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT



















CTS














3.0	203/276	LF1	01/08->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
3.0 AWD	203/276	LF1	01/08->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
3.6	229/311	LLT	01/08->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
3.6	199/271	LLT	01/10->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
3.6	237/322	LLT	09/11->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
3.6 AWD	229/311	LLT	01/08->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
3.6 AWD	199/271	LLT	01/10->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
3.6 AWD	237/322	LLT	09/11->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT










CTS Coupe














3.0	201/273	LF1	01/10->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
-----	---------	-----	---------	-----------	---------	--------------------------------------

















	kW/HP	Engine code		Type		
3.0 AWD	201/273	LF1	01/10->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
3.6	229/311	LLT	01/08->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
3.6	237/322	LLT	09/11->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
3.6 AWD	229/311	LLT	01/08->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
3.6 AWD	237/322	LLT	09/11->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
CTS Sport Wagon 						
3.0	203/276	LF1	01/08->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
3.0 AWD	203/276	LF1	01/08->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
3.6	229/311	LLT	01/08->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
3.6	237/322	LLT	09/11->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
3.6 AWD	229/311	LLT	01/08->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
3.6 AWD	237/322	LLT	09/11->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
DEVILLE 						
4.6	224/305	L37	10/93->09/99	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT
4.6 Concours	205/279	LD8	10/93->09/99	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT
DEVILLE 						
4.6 DHS	205/279	LD8	10/99->12/05	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT
4.6 DTS	224/305	L37	10/99->09/04	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; 01/00->
ELDORADO Coupe 						
4.6	220/299	L37	09/91->09/94	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; ->06/94
4.6	224/305	L37;LD8	09/94->09/02	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT
ESCALADE 						
6.0 HYBRID	248/337	LZ1	11/10->12/13	Tensioner	SR-1381	- holder; ID: 17; num. of ribs: 6; OD: 75; W: 21; ALT
6.0 HYBRID AWD	248/337	LZ1	11/10->12/13	Tensioner	SR-1381	- holder; ID: 17; num. of ribs: 6; OD: 75; W: 21; ALT
SEVILLE 						
4.6	220/299	L37	10/00->09/04	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT
4.6 SLS V8	205/279	LH2	09/97->09/04	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT
4.6 STS V8	224/305	LH2	09/97->09/04	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT
SRX 						
2.8	224/305	LAU	01/09->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
2.8 AWD	224/305	LAU	01/09->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
3.0	198/269	LF1	01/09->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
3.0 AWD	198/269	LF1	01/09->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
3.0 AWD	199/270	LF1	01/09->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
SRX 						
4.6 AWD	239/325	LH2	09/03->12/09	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; ->12/07
STS 						
4.6	239/325	LH2	05/05->12/07	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT
4.6 AWD	239/325	LH2	09/04->12/05	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT
CHERY						
TIGGO 						
2.0	92/125	4G63S4M	03/05->12/08	Tensioner	SR-1368	OD: 90; W: 28,3; ALT
2.4 All-wheel Drive	97/132	4G64S4M	11/05->12/08	Tensioner	SR-1368	OD: 90; W: 28,3; ALT
CHEVROLET						
ALERO 						
3.4 V6	130/177	LA1	03/99->09/04	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; MD 2002; QTY 2
AVEO Hatchback (T200) 						
1.2	53/72	F12S3	01/04->05/08	Tensioner	SR-1036	OD: 42; W: 28; engine B1251 (LQ5)
1.5	62/84	F15S3	01/05->05/08	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; engine F15S3 (LX6); Fitting Position: Upper Left
AVEO Hatchback (T250, T255) 						
1.2	62/84	B12D1;LMU	04/08->	Tensioner	SR-1557	+ holder; OD: 70; thread size M10x1,5; W: 24,5; ALT; 01/09->; engine B12D1
				Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; 01/09->; engine F14D4 (LDT)
1.4	74/101	F14D4;A 14 XER;LDT	04/08->	Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; 01/09->; engine F14D4 (LDT)
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine F14D4 (LDT)
AVEO Hatchback (T300) 						
1.2	51/69	A 12 XEL	03/11->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; 01/12->; engine A12XEL (LWD)
1.2	63/86	A 12 XER	03/11->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; 01/12->; engine A12XER (LDC)
1.4	74/101	A 14 XER	03/11->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; 01/12->; engine A14XER (LDD)

















	kW/HP	Engine code		Type		
1.4 Turbo	103/140	LUJ;LUV	08/13->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; engine LUJ
1.6	85/116	F16D4	03/11->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; 01/12->; engine F16D4 (LDE)
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; 01/12->; engine F16D4 (LDE)
AVEO Saloon (T250, T255) 						
1.2	53/72	B12S1;F12S3;LY4	03/06->12/07	Tensioner	SR-1036	OD: 42; W: 28; engine B12S1
				Deflection/Guide	SR-1254	OD: 64; W: 30; engine F14D3 (L14)
1.4	69/94	F14D3;L14	03/06->12/07	Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; engine F14D3 (L14); + PS; + heating
				Tensioner	SR-1253	OD: 60; W: 29; engine F14D3 (L14)
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; engine F14D3 (L14)
1.4	74/101	F14D4	09/08->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; 01/09->; engine F14D4(LDT)
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine F14D4(LDT)
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; 01/09->; engine F14D4(LDT)
1.5	62/84	F15S3;LX6	05/05->	Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->10/09; engine F15S3 (LX6); + PS; + heating
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; ->10/09; engine F15S3 (LX6)
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; ->10/09; engine F15S3 (LX6). Fitting Position: Upper Left
AVEO Saloon (T300) 						
1.2	63/86	A 12 XER	03/11->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; 01/12->; engine A12XER (LDC)
1.2	51/69	A 12 XEL	03/11->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; 01/12->; engine A12XEL (LWD)
1.4	74/100	A 14 XER	07/11->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; 01/12->; engine A14XER (LDD)
1.6	85/116	F16D4	03/11->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine F16D4 (LDE)
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine F16D4 (LDE)
BLAZER S10 						
4.3	119/162	LB4	04/88->09/94	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; + AC
4.3	115/156	LB4	09/88->08/94	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; + AC
BLAZER S10 						
4.3 AWD	119/162	LB4	10/94->09/95	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; + AC
C1500 Pickup 						
4.3	119/162	LB4	10/91->09/96	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; ->12/95; + AC; MD 1992-1996
CAMARO 						
3.6	232/316	LLT	01/11->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
CAMARO 						
3.8	142/193	L36	07/98->12/02	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; MD ->1 1998; MD I-> 1998; QTY 2
3.8	149/203	L36	10/95->09/97	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; MD ->1 1998; MD I-> 1998; QTY 2
5.7	212/288	LS1	07/98->12/02	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; ->06/99; MD I-> 1998
CAMARO (FP_) 						
5.0	127/173	LO3	10/87->09/92	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT
CAMARO Convertible 						
3.6	232/316	LLT	01/11->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
CAMARO Convertible 						
3.8 V6	142/193	L36	07/98->12/02	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; MD ->1 1998; MD I-> 1998; QTY 2
CAPTIVA (C100, C140) 						
2.0 D	110/150	Z 20 S;Z 20 DMH	09/07->	Deflection/Guide	SR-1383	OD: 65; W: 26; ALT; engine Z20S
				Tensioner	SR-1382	- holder; ID: 17; OD: 65; W: 24,5; ALT; engine Z20S
2.0 D 4WD	93/126	Z 20 S	10/06->	Deflection/Guide	SR-1383	OD: 65; W: 26; ALT; engine Z20S
				Tensioner	SR-1382	- holder; ID: 17; OD: 65; W: 24,5; ALT; engine Z20S
2.0 D 4WD	110/150	Z 20 S;Z 20 DMH	10/06->	Deflection/Guide	SR-1383	OD: 65; W: 26; ALT; engine Z20S
				Tensioner	SR-1382	- holder; ID: 17; OD: 65; W: 24,5; ALT; engine Z20S
2.4	100/136	Z 24 SED	06/06->	Deflection/Guide	SR-1051	OD: 52; W: 27; ->12/10; engine Z24SED (LD9); Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine H24D
2.4 4WD	100/136	Z 24 SED	06/06->	Deflection/Guide	SR-1051	OD: 52; W: 27; ->12/10; engine Z24SED (LD9); Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine H24D
3.0 4WD	190/258	LF1;A 30 XH	01/10->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; engine LF1
3.2 4WD	169/230	10 HM	06/06->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; engine LU1
CORVETTE 						
5.7	253/344	LS1	01/97->09/04	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; 05/97->; ->03/04
CORVETTE Convertible 						
5.7	253/344	LS1	09/97->09/04	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; ->03/04
CRUZE (J300) 						
1.4	74/101	A 14 XER;LDD	07/13->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; engine LDD
1.6	91/124	F16D4;LDE	05/09->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine F16D4 (LDE)
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine F16D4 (LDE)















	kW/HP	Engine code		Type		
1.6	80/109	F16D3;LXV;LXT	05/09->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine LXV
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine LXV
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; engine LXT
1.6	83/113	F16D4	05/09->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine F16D4 (LDE)
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine F16D4 (LDE)
1.8	104/141	2H0;F18D4	05/09->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine 2H0
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine 2H0
2.0 CDI	110/150	Z 20 S1;Z 20 DMH	05/09->	Deflection/Guide	SR-1383	OD: 65; W: 26; ALT; ->12/11; engine Z20S1
				Tensioner	SR-1382	- holder; ID: 17; OD: 65; W: 24,5; ALT; ->12/11; engine Z20S1
2.0 CDI	92/125	Z 20 S1	05/09->	Deflection/Guide	SR-1383	OD: 65; W: 26; ALT; ->12/11; engine Z20S1
				Tensioner	SR-1382	- holder; ID: 17; OD: 65; W: 24,5; ALT; ->01/11; engine Z20S1
CRUZE Hatchback [J305] 						
1.4	103/140	LUJ	06/12->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; 01/13->; engine LUJ; + AC
1.4	74/101	A 14 XER;LDD	07/13->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; engine LDD
1.6	80/109	LXT	01/12->	Deflection/Guide	SR-1254	OD: 64; W: 30; engine LXT
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; engine LXT
				Tensioner	SR-1253	OD: 60; W: 29; engine LXT
1.6	91/124	F16D4	06/11->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; 01/12->; engine F16D4 (LDE)
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; 01/12->; engine F16D4 (LDE)
CRUZE Station Wagon [J308] 						
1.4	74/101	A 14 XER;LDD	07/13->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; engine LDD
1.4	103/140	LUJ	08/12->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; 01/13->; engine LUJ; + AC
1.6	91/124	LDE	08/12->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine LDE
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine LDE
1.8	104/141	2H0	08/12->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine 2H0
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine 2H0
EPICA [KL1_] 						
2.0	98/133	T20SED	01/05->12/06	Deflection/Guide	SR-1549	OD: 70; W: 28; ALT
2.0	105/144	X 20 D1	06/06->	Deflection/Guide	SR-1549	OD: 70; W: 28; ALT; ->12/10; engine LF3
2.0 D	110/150	Z 20 S	01/07->	Deflection/Guide	SR-1383	OD: 65; W: 26; ALT; ->12/11; engine RA420
				Tensioner	SR-1382	- holder; ID: 17; OD: 65; W: 24,5; ALT; ->12/11; engine RA420
2.5	115/156	LF4	06/06->	Deflection/Guide	SR-1549	OD: 70; W: 28; ALT; ->12/10; engine LF4
EVANDA 						
2.0	96/131	X 20 SED	03/05->	Deflection/Guide	SR-1051	OD: 52; W: 27; ->12/06; engine X20SED; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1050	OD: 59; W: 26; ->12/06; engine X20SED; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; ->12/06; engine X20SED
HHR 						
2.4	125/170	LE5	10/07->12/11	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; 01/08->; ->12/09; engine LE5
IMPALA Saloon 						
3.8 V6	149/203	L36	01/99->12/05	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; 10/99->; ->05/05
KALOS 						
1.2	53/72	B12S1	03/05->	Tensioner	SR-1036	OD: 42; W: 28; ->12/08; engine B12S1
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->12/08; engine F14S3 (LX5); - AC
1.4	61/83	F14S3	03/05->	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; ->12/08; engine F14S3 (LX5); Fitting Position: Upper Left
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; ->12/08; engine F14S3 (LX5)
1.4 16V	69/94	F14D3	03/05->	Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->12/08; engine F14D3 (L14); - AC
				Deflection/Guide	SR-1254	OD: 64; W: 30; ->12/08; engine F14D3 (L14)
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; ->12/08; engine F14D3 (L14)
				Tensioner	SR-1253	OD: 60; W: 29; ->12/08; engine F14D3 (L14)
KALOS Saloon 						
1.2	53/72	F12S3	03/05->	Tensioner	SR-1036	OD: 42; W: 28; ->12/08; engine B12S1
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->12/08; engine F14S3 (LX5); - AC
1.4	61/83	F14S3	03/05->	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; ->12/08; engine F14S3 (LX5); Fitting Position: Upper Left
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; ->12/08; engine F14S3 (LX5)
1.4 16V	69/94	F14D3	03/05->	Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->12/08; engine F14D3 (L14); - AC
				Deflection/Guide	SR-1254	OD: 64; W: 30; ->12/08; engine F14D3 (L14)
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; ->12/08; engine F14D3 (L14)
				Tensioner	SR-1253	OD: 60; W: 29; ->12/08; engine F14D3 (L14)
LACETTI [J200] 						
1.4 16V	70/95	F14D3	03/05->	Deflection/Guide	SR-1254	OD: 64; W: 30; engine F14D3 (L14)
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; engine F14D3 (L14); - AC
				Tensioner	SR-1253	OD: 60; W: 29; engine F14D3 (L14)
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; engine F14D3 (L14)







	kW/HP	Engine code		Type		
1.6	80/109	F16D3	03/05->	Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; engine F16D3 (L44); - AC
				Deflection/Guide	SR-1254	OD: 64; W: 30; engine F16D3 (L44)
				Tensioner	SR-1253	OD: 60; W: 29; engine F16D3 (L44)
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; engine F16D3 (L44)
1.8	90/122	T18SED	03/05->	Deflection/Guide	SR-1051	OD: 52; W: 27; ->12/05; engine T18SED; Fitting Position: Upper Left; Fitting Position: Upper Right
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; engine T18SED; - AC
				Tensioner	SR-1050	OD: 59; W: 26; ->12/05; engine T18SED; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine T18SED
1.8	89/121	F18D3	08/05->	Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; engine F18D3 (LDA); - AC
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; 01/06->; engine F18D3 (LDA); Fitting Position: Upper Left
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; 01/06->; engine F18D3 (LDA); Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine F18D3 (LDA)
2.0 D	89/121	Z 20 DM	01/07->	Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; 01/06->; engine F18D3 (LDA); Fitting Position: Lower
				Deflection/Guide	SR-1383	OD: 65; W: 26; ALT; engine Z20DM (LMN)
LACETTI Estate (J200) 						
1.4	70/95	F14D3	03/05->	Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; engine F14D3(L14); - AC
				Deflection/Guide	SR-1254	OD: 64; W: 30; engine F14D3(L14)
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; engine F14D3(L14)
				Tensioner	SR-1253	OD: 60; W: 29; engine F14D3(L14)
1.6	80/109	F16D3	03/05->	Deflection/Guide	SR-1254	OD: 64; W: 30; engine F16D3(L44)
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; engine F16D3(L44); - AC
				Tensioner	SR-1253	OD: 60; W: 29; engine F16D3(L44)
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; engine F16D3(L44)
1.8	89/121	T18SED	08/05->	Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; engine T18SED; - AC
				Deflection/Guide	SR-1051	OD: 52; W: 27; ->12/05; engine T18SED; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine T18SED
				Tensioner	SR-1050	OD: 59; W: 26; ->12/05; engine T18SED; Fitting Position: Lower
2.0 D	89/121	Z 20 DM	01/07->	Deflection/Guide	SR-1383	OD: 65; W: 26; ALT; engine Z20DMLMN
				Tensioner	SR-1382	- holder; ID: 17; OD: 65; W: 24,5; ALT; engine Z20DMLMN
MALIBU (V300) 						
2.0 D	118/160	LBS	04/12->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; engine LBS
2.4	123/167	LE9	01/12->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; engine LE9; + EPS
MATIZ (M200, M250) 						
0.8	38/52	F8CV	03/05->	Tensioner	SR-1036	OD: 42; W: 28; engine F8CV
0.8 LPG	38/52	F8CV	03/05->	Tensioner	SR-1036	OD: 42; W: 28; engine F8CV
1.0	47/64	B10S	03/05->	Tensioner	SR-1036	OD: 42; W: 28; engine B10S1
1.0	49/67	B10S1	03/05->	Tensioner	SR-1036	OD: 42; W: 28; engine B10S1
NUBIRA Estate 						
1.6	80/109	F16D3	03/05->	Deflection/Guide	SR-1254	OD: 64; W: 30; engine F16D3
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; engine F16D3; - AC
				Tensioner	SR-1253	OD: 60; W: 29; engine F16D3
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; engine F16D3
1.8	90/122	T18SED	03/05->	Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; engine T18SED; - AC
				Deflection/Guide	SR-1051	OD: 52; W: 27; ->12/05; engine T18SED; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1050	OD: 59; W: 26; ->12/05; engine T18SED; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine T18SED
1.8	89/121	F18D3	08/05->	Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; 01/06->; engine F18D3 (LDA); Fitting Position: Upper Right
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; engine F18D3 (LDA); - AC
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; 01/06->; engine F18D3 (LDA); Fitting Position: Upper Left
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine F18D3 (LDA)
2.0 D	89/121	Z 20 S; Z 20 DM	01/07->	Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; 01/06->; engine F18D3 (LDA); Fitting Position: Lower
				Deflection/Guide	SR-1383	OD: 65; W: 26; ALT; engine Z20DM (LMN)
NUBIRA Saloon 						
1.4	70/95	F14D3	01/06->	Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; engine F14D3 (L14); - AC
				Deflection/Guide	SR-1254	OD: 64; W: 30; engine F14D3 (L14)
				Tensioner	SR-1253	OD: 60; W: 29; engine F14D3 (L14)
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; engine F14D3 (L14)
1.6	80/109	F16D3	03/05->	Deflection/Guide	SR-1254	OD: 64; W: 30; engine F16D3 (L44)
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; engine F16D3 (L44); - AC
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; engine F16D3 (L44)
				Tensioner	SR-1253	OD: 60; W: 29; engine F16D3 (L44)

	kW/HP	Engine code		Type		
1.8	90/122	T18SED	03/05->	Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; 01/06->; engine F18D3; Fitting Position: Upper Left
				Deflection/Guide	SR-1051	OD: 52; W: 27; ->12/05; engine T18SED; Fitting Position: Upper Left; Fitting Position: Upper Right
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; 01/06->; engine F18D3; Fitting Position: Upper Right
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; engine T18SED; - AC
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; 01/06->; engine F18D3; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine T18SED
2.0 D	89/121	Z 20 S	01/05->	Deflection/Guide	SR-1383	OD: 65; W: 26; ALT; engine Z20DM (LMN)
				Tensioner	SR-1382	- holder; ID: 17; OD: 65; W: 24,5; ALT; engine Z20DM (LMN)
ORLANDO (J309) 						
1.4	103/140	LUJ	06/12->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; 01/13->; engine LUJ
1.8	104/141	2H0;F18D4	02/11->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine 2H0
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine 2H0
REZZO 						
1.6	77/105	A16DMS	03/05->	Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->12/08; engine A16DMS; - AC
				Deflection/Guide	SR-1254	OD: 64; W: 30; ->12/08; engine A16DMS
				Tensioner	SR-1253	OD: 60; W: 29; ->12/08; engine A16DMS
1.6	79/107	A16DMS	08/05->	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; ->12/08; engine A16DMS
				Deflection/Guide	SR-1254	OD: 64; W: 30; ->12/08; engine A16DMS
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->12/08; engine A16DMS; - AC
2.0	89/121	T20SED	03/05->	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; ->12/08; engine A16DMS
				Tensioner	SR-1253	OD: 60; W: 29; ->12/08; engine A16DMS
				Deflection/Guide	SR-1051	OD: 52; W: 27; ->12/08; engine T20SED; Fitting Position: Upper Left; Fitting Position: Upper Right
2.0	90/122	T20SED	08/05->	Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->12/08; engine T20SED; - AC
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; ->12/08; engine T20SED
				Tensioner	SR-1050	OD: 59; W: 26; ->12/08; engine T20SED; Fitting Position: Lower
2.0	90/122	T20SED	08/05->	Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->12/08; engine T20SED; - AC
				Deflection/Guide	SR-1051	OD: 52; W: 27; ->12/08; engine T20SED; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; ->12/08; engine T20SED
Tensioner	SR-1050	OD: 59; W: 26; ->12/08; engine T20SED; Fitting Position: Lower				
SILVERADO 1500 						
5.3 AWD	212/288	LM7	06/03->	Tensioner	SR-1381	- holder; ID: 17; num. of ribs: 6; OD: 75; W: 21; ALT; ->08/06
5.3 AWD	201/273	LM7	10/99->	Tensioner	SR-1381	- holder; ID: 17; num. of ribs: 6; OD: 75; W: 21; ALT; ->08/06
SPARK 						
0.8	37/50	F8CV	05/05->	Tensioner	SR-1036	OD: 42; W: 28; 01/06->; engine F8CV (LQ2)
1.0 SX	46/63	B10S;LA2	05/05->	Tensioner	SR-1036	OD: 42; W: 28; 01/06->; engine B10S1(LA2); engine B10S1 (LA2)
1.0 SX	49/67	B10S1	05/05->	Tensioner	SR-1036	OD: 42; W: 28; 01/06->; engine B10S1 (LQ4)
1.0 SX	44/60	LA2	06/09->	Tensioner	SR-1036	OD: 42; W: 28; engine LA2
SPARK (M300) 						
1.0	50/68	B10D1	03/10->	Tensioner	SR-1557	+ holder; OD: 70; thread size M10x1,5; W: 24,5; ALT; engine B10D1 (LMT)
1.2	60/82	B12D1;LMU	03/10->	Tensioner	SR-1557	+ holder; OD: 70; thread size M10x1,5; W: 24,5; ALT; engine B12D1 (LMU)
TAHOE (B2W) 						
4.8 V8	206/280	LR4	12/99->12/06	Tensioner	SR-1381	- holder; ID: 17; num. of ribs: 6; OD: 75; W: 21; ALT; 05/00->
5.3	201/273	LM7	05/00->09/02	Tensioner	SR-1381	- holder; ID: 17; num. of ribs: 6; OD: 75; W: 21; ALT; ->12/00
5.3	220/299	LM7	09/03->12/06	Tensioner	SR-1381	- holder; ID: 17; num. of ribs: 6; OD: 75; W: 21; ALT; 01/04->; MD I-> 2005
5.3	213/290	L59	10/02->12/06	Tensioner	SR-1381	- holder; ID: 17; num. of ribs: 6; OD: 75; W: 21; ALT
5.3 AWD	213/290	L59	10/02->12/06	Tensioner	SR-1381	- holder; ID: 17; num. of ribs: 6; OD: 75; W: 21; ALT
5.3 V8 AWD	201/273	LM7	12/99->12/06	Tensioner	SR-1381	- holder; ID: 17; num. of ribs: 6; OD: 75; W: 21; ALT; ->12/00
TAHOE (GMT900) 						
5.3	239/325	LY5	01/07->12/13	Tensioner	SR-1381	- holder; ID: 17; num. of ribs: 6; OD: 75; W: 21; ALT; MD ->1 2009
TRACKER 						
1.4	103/140	LUJ;LUV	12/12->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; 01/13->; engine LUJ
1.4 AWD	103/140	LUJ	12/12->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; 01/13->; engine LUJ
1.6	85/116	F16D4;LDE	12/12->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; 01/13->
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; 01/13->
TRAILBLAZER (KC) 						
4.2 AWD	201/273	LL8	09/01->09/08	Deflection/Guide	SR-1492	ID: 17; OD: 70; W: 24

	kW/HP	Engine code		Type		
VIVA 						
1.8	92/125	Z 18 XE	09/03->03/08	Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Upper Right
				Deflection/Guide	SR-1107	OD: 52; W: 23; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Left; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Upper Left
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Lower; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Lower
CHRYSLER						
300 C 						
3.6	215/292	ERB	07/11->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Right
300 C (LX) 						
3.0 CRD	160/218	EXL	09/05->11/12	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT
3.0 V6 CRD	155/211	EXL	11/10->11/12	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Right
3.5	183/249	3.5CSP	09/04->11/12	Tensioner	SR-1284	OD: 62; W: 35
5.7	250/340	EZD;EZH;EZB	09/04->12/08	Deflection/Guide	SR-1492	ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT
6.1 SRT8	317/431	ESF	06/05->11/12	Deflection/Guide	SR-1492	ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT
300 C Touring (LX) 						
3.0 CRD	160/218	EXL	09/05->12/10	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT
3.5	183/249	3.5CSP;EEG	09/04->12/10	Tensioner	SR-1284	OD: 62; W: 35
3.5 AWD	183/249	3.5CSP	09/04->12/10	Tensioner	SR-1284	OD: 62; W: 35
5.7	250/340	EZD;EZH;EZB	09/04->12/10	Deflection/Guide	SR-1492	ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT
5.7 AWD	250/340	EZH;EZB	04/05->12/10	Deflection/Guide	SR-1492	ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT
6.1 SRT8	317/431	ESF	06/05->12/10	Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT
				Deflection/Guide	SR-1492	ID: 17; OD: 70; W: 24
300 M (LR) 						
3.5 V6 24V	187/254	EGG	07/98->08/00	Tensioner	SR-1284	OD: 62; W: 35
3.5 V6 24V	185/252	EGG	08/00->09/04	Tensioner	SR-1284	OD: 62; W: 35
CIRRUS 						
2.0 LX	96/131	ECB	05/94->09/97	Tensioner	SR-1284	OD: 62; W: 35
2.0 LX	98/133	ECB	10/97->09/00	Tensioner	SR-1284	OD: 62; W: 35
2.5 LX	120/163	EEB	10/94->09/00	Deflection/Guide	SR-1174	OD: 58; W: 35
				Tensioner	SR-1173	OD: 60; W: 35
CONCORDE 						
3.3 LX	120/163	EGB	10/92->09/97	Tensioner	SR-1255	- holder; OD: 90; W: 29; ALT
CONCORDE 						
3.5 LX	174/237	EWZ	10/97->09/03	Tensioner	SR-1284	OD: 62; W: 35
3.5 LX Supercharged	186/253	EWZ	10/97->09/03	Tensioner	SR-1284	OD: 62; W: 35
CROSSFIRE 						
3.2	160/218	EGX	07/03->12/08	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT
SRT-6	246/335	EGZ	09/04->12/07	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT
CROSSFIRE Roadster 						
3.2	160/218	EGX	05/04->12/08	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT
SRT-6	246/335	EGZ	09/04->12/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT
GRAND VOYAGER V (RT) 						
2.8 CRD	120/163	ENS	10/07->	Deflection/Guide	SR-1041	OD: 70; W: 24,7; ALT
				Tensioner	SR-1348	- holder; ID: 17; OD: 70; W: 26; ALT
3.3	125/170	EGV	01/08->	Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT
3.6	208/283	ERB	02/11->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Right
3.8	142/193	EGL	10/07->	Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT
LE BARON Convertible 						
3.0 i V6	105/143	6G72	01/90->12/96	Tensioner	SR-1170	OD: 60; W: 32

	kW/HP	Engine code		Type		
LE BARON Coupe 						
3.0 i V6	105/143	EFA	01/90->12/93	Tensioner	SR-1170	OD: 60; W: 32
LE BARON Saloon 						
3.0 i V6	105/143	EFA	01/90->12/94	Tensioner	SR-1170	OD: 60; W: 32
NEON (PL) 						
1.8 16V	85/116	EBD	09/97->08/99	Tensioner	SR-1284	OD: 62; W: 35
2.0 16V	109/148	420T	04/96->08/99	Tensioner	SR-1284	OD: 62; W: 35; engine mod. SOHC,DOHC; engine mod. DOHC
2.0 16V	98/133	420H	05/94->08/99	Tensioner	SR-1284	OD: 62; W: 35; engine mod. SOHC,DOHC; engine mod. DOHC
2.0 16V	107/145	ECC	06/94->08/99	Tensioner	SR-1284	OD: 62; W: 35; engine mod. SOHC,DOHC; engine mod. DOHC
NEON II 						
1.8	91/124	EBD	01/00->12/01	Tensioner	SR-1284	OD: 62; W: 35
2.0 16V	98/133	420H;ECB	08/99->12/06	Tensioner	SR-1284	OD: 62; W: 35; engine mod. SOHC,DOHC; engine mod. DOHC
2.0 16V R/T	110/150	ECH	10/01->12/06	Tensioner	SR-1284	OD: 62; W: 35; engine mod. SOHC,DOHC; engine mod. DOHC
PACIFICA 						
3.5 AWD	186/253	EGN	08/03->12/06	Tensioner	SR-1284	OD: 62; W: 35
PT CRUISER (PT_) 						
2.0	104/141	ECC	06/00->12/10	Tensioner	SR-1284	OD: 62; W: 35; engine mod. DOHC
				Tensioner	SR-1439	+ holder; OD: 70; W: 26; ALT
2.0	100/136	ECC	10/04->12/10	Tensioner	SR-1284	OD: 62; W: 35; engine mod. DOHC
				Tensioner	SR-1439	+ holder; OD: 70; W: 26; ALT
2.4	110/150	EDZ	06/00->12/10	Deflection/Guide	SR-1288	OD: 58; W: 35; ->12/02; auto. TPA; 01/03->
				Tensioner	SR-1289	OD: 67; W: 33; ->12/02
				Tensioner	SR-1486	- holder; ID: 35; OD: 67; W: 33; 01/03->
				Tensioner	SR-1487	- holder; OD: 70,1; W: 24; ALT
2.4	105/143	EDZ	08/05->12/10	Deflection/Guide	SR-1288	OD: 58; W: 35
				Tensioner	SR-1487	- holder; OD: 70,1; W: 24; ALT
				Tensioner	SR-1486	- holder; ID: 35; OD: 67; W: 33
GT 2.4	164/223	EDV	08/03->12/10	Deflection/Guide	SR-1288	OD: 58; W: 35
				Tensioner	SR-1487	- holder; OD: 70,1; W: 24; ALT
PT CRUISER Convertible 						
2.4	105/143	EDZ	03/04->03/08	Deflection/Guide	SR-1288	OD: 58; W: 35
				Tensioner	SR-1487	- holder; OD: 70,1; W: 24; ALT
				Tensioner	SR-1486	- holder; ID: 35; OD: 67; W: 33
2.4 GT	164/223	EDV	03/04->03/08	Deflection/Guide	SR-1288	OD: 58; W: 35
				Tensioner	SR-1486	- holder; ID: 35; OD: 67; W: 33
				Tensioner	SR-1487	- holder; OD: 70,1; W: 24; ALT
SARATOGA 						
3.0	105/142	6G72	09/89->12/95	Tensioner	SR-1170	OD: 60; W: 32
SEBRING (JR) 						
2.0	104/141	ECC	04/01->06/07	Tensioner	SR-1439	+ holder; OD: 70; W: 26; ALT
				Tensioner	SR-1284	OD: 62; W: 35; engine mod. DOHC
				Deflection/Guide	SR-1288	OD: 58; W: 35; ->12/02; auto. TPA
2.4	105/143	EDZ	04/01->06/07	Tensioner	SR-1289	OD: 67; W: 33; ->12/02
				Tensioner	SR-1439	+ holder; OD: 70; W: 26; ALT
				Deflection/Guide	SR-1288	OD: 58; W: 35; ->12/02; auto. TPA; 01/03->
2.4	112/152	EDZ	04/01->06/07	Tensioner	SR-1289	OD: 67; W: 33; ->12/02
				Tensioner	SR-1486	- holder; ID: 35; OD: 67; W: 33; 01/03->
				Tensioner	SR-1439	+ holder; OD: 70; W: 26; ALT
SEBRING (JS) 						
2.0 CRD	103/140	ECD	07/07->12/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
2.0 WT	115/156	ECN	07/07->12/10	Deflection/Guide	SR-1041	OD: 70; W: 24,7; ALT
				Tensioner	SR-1042	+ holder; OD: 65; W: 26; ALT
2.4 WT	125/170	EDG;ED3	07/07->12/10	Deflection/Guide	SR-1041	OD: 70; W: 24,7; ALT
				Tensioner	SR-1042	+ holder; OD: 65; W: 26; ALT
SEBRING Convertible (JR) 						
2.0	104/141	ECC	04/01->06/07	Tensioner	SR-1284	OD: 62; W: 35; engine mod. DOHC
				Tensioner	SR-1439	+ holder; OD: 70; W: 26; ALT
				Deflection/Guide	SR-1288	OD: 58; W: 35; 01/03->
2.4	112/152	EDZ	04/01->06/07	Tensioner	SR-1439	+ holder; OD: 70; W: 26; ALT
				Tensioner	SR-1486	- holder; ID: 35; OD: 67; W: 33; 01/03->
				Tensioner	SR-1289	OD: 67; W: 33; ->12/02
SEBRING Convertible (JS) 						
2.0 CRD	103/140	ECD	07/07->12/10	Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left

	kW/HP	Engine code		Type		
2.4 VWT	125/170	ED3	07/07->12/10	Deflection/Guide Tensioner	SR-1041 SR-1042	OD: 70; W: 24,7; ALT + holder; OD: 65; W: 26; ALT
STRATUS (JA) 						
2.0 16V	98/133	ECB	12/95->04/01	Tensioner	SR-1284	OD: 62; W: 35
2.0 LE	96/131	C00	12/95->04/01	Tensioner	SR-1284	OD: 62; W: 35; engine ECB
2.4 16 V	103/140	EDZ	12/95->04/01	Deflection/Guide Tensioner	SR-1288 SR-1289	OD: 58; W: 35; auto. TPA OD: 67; W: 33
2.4 16V	112/152	EDZ	12/95->04/01	Deflection/Guide	SR-1288	OD: 58; W: 35; auto. TPA
2.5 LX V6	120/163	H00;EEB	12/95->04/01	Deflection/Guide Tensioner	SR-1174 SR-1173	OD: 58; W: 35 OD: 60; W: 35
2.5 V6	125/170	H00	12/95->04/01	Deflection/Guide Tensioner	SR-1174 SR-1173	OD: 58; W: 35 OD: 60; W: 35
STRATUS Convertible (JX) 						
2.0 LE	96/131	420X	06/96->04/01	Tensioner	SR-1284	OD: 62; W: 35; engine ECB
2.5 LX	120/163	625H	04/96->04/01	Deflection/Guide Tensioner	SR-1174 SR-1173	OD: 58; W: 35 OD: 60; W: 35
VISION 						
3.5 TSi	155/211	F00;F01;EGE	09/93->12/97	Tensioner	SR-1255	- holder; OD: 90; W: 29; ALT
VOYAGER I (AS) 						
3.0	100/136	EFA	10/87->09/90	Tensioner	SR-1170	OD: 60; W: 32
3.0	101/137	EFA	10/87->09/90	Tensioner	SR-1170	OD: 60; W: 32
3.3	112/152	EGA	10/89->09/90	Tensioner	SR-1255	- holder; OD: 90; W: 29; ALT
VOYAGER II (ES) 						
3.0	104/141	EFA	10/90->09/95	Tensioner	SR-1170	OD: 60; W: 32
				Tensioner	SR-1488	- holder; ID: 17; OD: 90; W: 29; ALT
3.0 i	108/147	6G72;300	01/91->09/95	Tensioner	SR-1170	OD: 60; W: 32
3.3 i	110/150	EGA	08/90->09/95	Tensioner	SR-1255	- holder; OD: 90; W: 29; ALT
3.3 i	120/163	EGA	08/90->09/95	Tensioner	SR-1255	- holder; OD: 90; W: 29; ALT
3.3 i AWD	110/150	EGA	08/90->09/95	Tensioner	SR-1255	- holder; OD: 90; W: 29; ALT
3.3 i AWD	120/163	R00	08/90->09/95	Tensioner	SR-1255	- holder; OD: 90; W: 29; ALT
VOYAGER III (GS) 						
2.0 i	98/133	C00	01/95->03/01	Tensioner	SR-1284	OD: 62; W: 35; engine mod. SOHC
2.4 AWD	111/151	EDZ	02/97->03/01	Deflection/Guide Tensioner	SR-1288 SR-1289	OD: 58; W: 35; auto. TPA OD: 67; W: 33
2.4 i	111/151	B00	01/95->03/01	Deflection/Guide Tensioner	SR-1288 SR-1289	OD: 58; W: 35; auto. TPA OD: 67; W: 33
3.0	112/152	EFA	01/95->03/01	Tensioner	SR-1170	OD: 60; W: 32; ->12/00; engine EFA
				Tensioner	SR-1488	- holder; ID: 17; OD: 90; W: 29; ALT
3.3 i	116/158	R00	01/95->03/01	Tensioner	SR-1255	- holder; OD: 90; W: 29; ALT
3.8 i AWD	122/166	L00	01/95->03/01	Tensioner	SR-1255	- holder; OD: 90; W: 29; ALT
3.8 i AWD	131/178	EGH	01/95->03/01	Tensioner	SR-1255	- holder; OD: 90; W: 29; ALT
VOYAGER IV (RG, RS) 						
2.4	108/147	EDZ	02/00->12/08	Deflection/Guide Tensioner Tensioner	SR-1288 SR-1486 SR-1289	OD: 58; W: 35 - holder; ID: 35; OD: 67; W: 33 OD: 67; W: 33; ->12/02
2.5 CRD	105/141	ENJ	02/00->12/08	Deflection/Guide Tensioner	SR-1496 SR-1348	+ holder; OD: 76; thread size M10x1,5; W: 32; Fitting Position: Upper Left; Fitting Position: Right - holder; ID: 17; OD: 70; W: 26; ALT; engine ENC, ENJ; OE 04861630AA; OE 04861630AB
2.5 CRD	88/120	EDK	08/05->12/08	Deflection/Guide Tensioner	SR-1496 SR-1348	+ holder; OD: 76; thread size M10x1,5; W: 32; Fitting Position: Upper Left; Fitting Position: Right - holder; ID: 17; OD: 70; W: 26; ALT
2.8 CRD	110/150	ENR	06/04->12/08	Deflection/Guide Tensioner	SR-1496 SR-1348	+ holder; OD: 76; thread size M10x1,5; W: 32; Fitting Position: Upper Left; Fitting Position: Right - holder; ID: 17; OD: 70; W: 26; ALT; OE 04861630AA; OE 04861630AB
CITROËN						
AMI 						
10 Super (AM3)	40/54	G10	03/73->12/77	Tensioner	SR-1127	OD: 57; W: 24; Fitting Position: Left; Fitting Position: Right
AMI Break 						
10 Super (AM3)	40/54	G10	03/73->12/77	Tensioner	SR-1127	OD: 57; W: 24; Fitting Position: Left; Fitting Position: Right
AX (ZA-) 						
1.3 Sport	70/95	M4A	04/87->12/88	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; + AC
				Tensioner	SR-1122	OD: 59; W: 22; engine TU2
1.4 Allure	48/65	K1F	08/92->04/94	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; + AC
				Tensioner	SR-1122	OD: 59; W: 22; engine TU3; num. of teeth 101; engine TU3
1.4 GTi	69/94	KFZ (TU3FJ2)	06/91->12/96	Tensioner	SR-1122	OD: 59; W: 22; ->12/92; engine TU3; num. of teeth 108; 01/93-> engine TU3; num. of teeth 101; engine TU3; num. of teeth 101
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; + AC

	kW/HP	Engine code		Type		
1.4 GTi	74/100	KFZ (TU3FJ2)	06/91->12/92	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Lower Right; + AC
				Tensioner	SR-1122	OD: 59; W: 22; engine TU3; num. of teeth 101; engine TU3; num. of teeth 108
1.4 GTi	66/90	KFY (TU3FJ2)	08/91->12/96	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; + AC
				Tensioner	SR-1122	OD: 59; W: 22; ->12/92; engine TU3; num. of teeth 108; 01/93->; engine TU3; num. of teeth 101; engine TU3; num. of teeth 101
10	37/50	CDZ (TU9M)	02/87->12/98	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1122	OD: 59; W: 22
10	33/45	CDY (TU9M)	07/86->12/98	Tensioner	SR-1122	OD: 59; W: 22
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; + AC
10	32/44	C1A	09/86->06/92	Tensioner	SR-1122	OD: 59; W: 22; engine TU9M
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; + AC
10 E	30/41	C3A	12/86->12/88	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; + AC
				Tensioner	SR-1122	OD: 59; W: 22; engine TU9M
11	44/60	H1B;HDZ (TU1M)	09/86->12/97	Tensioner	SR-1122	OD: 59; W: 22; engine TU1
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; + AC
11	40/54	H1B;H1A	12/86->04/94	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; + AC
				Tensioner	SR-1122	OD: 59; W: 22; engine TU1M
11 4x4	40/54	H1A	06/91->07/92	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; + AC
				Tensioner	SR-1122	OD: 59; W: 22; engine TU1M
11 CAT	40/54	HAZ (TU1CP)	09/88->12/89	Tensioner	SR-1122	OD: 59; W: 22
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; + AC
14	62/85	K2A;K2B	01/88->12/92	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; + AC
				Tensioner	SR-1122	OD: 59; W: 22; engine TU3; num. of teeth 101; engine TU3; engine TU3; num. of teeth 108
14	55/75	KDZ (TU3M/Z);KDY (TU3FM);KDX (TU3M/Z);KDY (TU3M)	04/87->04/97	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; + AC
				Tensioner	SR-1122	OD: 59; W: 22; ->12/92; engine TU3; num. of teeth 108; 01/93->; engine TU3; num. of teeth 101; engine TU3; num. of teeth 101; engine TU3
14	49/67	K1F	06/88->12/89	Tensioner	SR-1122	OD: 59; W: 22; engine TU3; num. of teeth 101; engine TU3; engine TU3; num. of teeth 108
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; + AC
14	44/60	KAY (TU3CP)	12/86->12/88	Tensioner	SR-1122	OD: 59; W: 22; engine TU3; num. of teeth 101; engine TU3; engine TU3; num. of teeth 108
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; + AC
14 4x4	55/75	KDZ (TU3M/Z);KDY (TU3FM);KDX (TU3M/Z);KDY (TU3M)	08/91->12/96	Tensioner	SR-1122	OD: 59; W: 22; ->12/92; engine TU3; num. of teeth 108; 01/93->; engine TU3; num. of teeth 101; engine TU3; num. of teeth 101
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; + AC
14 D	37/50	K9Y (TUD3Y)	08/91->12/97	Deflection/Guide	SR-1125	OD: 60; W: 30; engine TUD3; Fitting Position: Right
14 D	38/52	K9A (TUD3)	09/88->06/92	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
15 D	40/54	VJY (TUD5)	08/94->12/97	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
AXEL 						
11	42/57	G11/631	01/84->03/91	Tensioner	SR-1127	OD: 57; W: 24; Fitting Position: Lower Left; Fitting Position: Upper Right
11	45/61		01/84->03/91	Tensioner	SR-1127	OD: 57; W: 24; Fitting Position: Lower Left; Fitting Position: Upper Right
BERLINGO (B9) 						
1.6	66/90	NFR (TU5JP4B)	04/08->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU5JP4B; MD B9; Fitting Position: Centre
				Deflection/Guide	SR-1340	OD: 60; W: 30; engine TU5JP4B; MD B9; Fitting Position: Right
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; engine TU5JP4B; MD B9; Fitting Position: Upper
1.6	80/109	NFU (TU5JP4)	04/08->	Deflection/Guide	SR-1340	OD: 60; W: 30; eng.# 1806405->; engine TU5JP4; MD M59; Fitting Position: Right; engine TU5JP4; MD B9; Fitting Position: Right
				Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; ALT; engine TU5JP4; MD B9; Fitting Position: Centre; engine TU5JP4; MD M59; Fitting Position: Centre; + AC; DAM # XXXXXFL; DAM # XXXXXFV; DAM # XXXXXUZ
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; ALT; engine TU5JP4; MD B9; Fitting Position: Upper; engine TU5JP4; MD M59; Fitting Position: Left; + AC; DAM # XXXXX77
				Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; engine TU5JP4; MD M59; Fitting Position: Left; + AC; DAM # XXXXXFL; DAM # XXXXXFV; DAM # XXXXXUZ
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; engine TU5JP4; MD M59; Fitting Position: Left; - AC
1.6 HDi 110	80/109	9HZ (DV6TED4)	04/08->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6TED4; MD B9; Fitting Position: Right
1.6 HDi 75	55/75	9HT (DV6BTED4)	04/08->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6BTED4; MD B9; MD M59; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV6BTED4; MD B9; MD M59; Fitting Position: Left
1.6 HDi 90	66/90	9HX (DV6ATED4)	04/08->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6ATED4; MD B9; MD M59; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV6ATED4; MD B9; MD M59; Fitting Position: Left
1.6 HDi 90	68/92	9HX (DV6ATED4);9HP (DV6DTE4)	07/10->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6ATED4; MD B9; MD M59; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV6ATED4; MD B9; MD M59; Fitting Position: Left
1.6 Vti 120	88/120	5FS (EP6C)	11/09->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 Vti 95	72/98	5FK (EP6CB)	07/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC



kW/HP

Engine code



Type



BERLINGO (MF)

Model	kW/HP	Engine code	Warranty	Type	Part Number	Description
1.1 i (MFHDZ, MFHFX)	44/60	HDZ (TU1M);HFX (TU1JP)	07/96->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU1JP; MD M59; Fitting Position: Centre; + AC
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; eng.# 3762434->; engine TU1JP
				Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; engine TU1JP; MD M59; Fitting Position: Upper Left; + AC
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; PSP; engine TU1JP; engine TU1M+; MD M49; Fitting Position: Lower
				Tensioner	SR-1122	OD: 59; W: 22; ->eng.# 3762433; engine TU1JP; engine TU1M+; MD M49
1.4 bivalent	48/65	KFW (TU3JP)	11/02->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU3A; MD M59; Fitting Position: Centre; + AC
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; engine TU3A; MD M59
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; engine TU3A; MD M59; Fitting Position: Left; - AC
1.4 i (MFKFX, MFKFW)	55/75	KFX (TU3JP);KFW (TU3JP)	07/96->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU3JP; MD M59; Fitting Position: Centre; + AC; DAM # XXXXX77; DAM # XXXXXFL; DAM # XXXXXFV; DAM # XXXXXUZ
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; eng.# 3666766->; engine TU3JP
				Tensioner	SR-1122	OD: 59; W: 22; ->eng.# 3666765; engine TU3JP
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; PSP; engine TU3JP; MD M49; Fitting Position: Lower
				Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; engine TU3JP; MD M59; Fitting Position: Left; + AC; DAM # XXXXXFL; DAM # XXXXXFV; DAM # XXXXXUZ
1.4 i bivalent (MFKFW)	55/75	KFW (TU3JP)	04/03->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU3JP; MD M59; Fitting Position: Centre; + AC; DAM # XXXXX77; DAM # XXXXXFL; DAM # XXXXXFV; DAM # XXXXXUZ
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; engine TU3JP; MD M59; Fitting Position: Left; - AC
				Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; engine TU3JP; MD M59; Fitting Position: Left; + AC; DAM # XXXXXFL; DAM # XXXXXFV; DAM # XXXXXUZ
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; engine TU3JP; MD M59
1.6 16V (MFNFU)	80/109	NFU (TU5JP4)	10/00->	Deflection/Guide	SR-1340	OD: 60; W: 30; MD M49; Fitting Position: Right; DAM # XXXXX77; eng.# 1806405->; MD M59; Fitting Position: Right
				Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; MD M59; Fitting Position: Right; + AC; DAM # XXXXXFL; DAM # XXXXXFV
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; PSP; MD M49; Fitting Position: Lower
				Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; MD M59; Fitting Position: Left; + AC; DAM # XXXXXFL; DAM # XXXXXFV
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; MD M59; Fitting Position: Left; + AC; DAM # XXXXX77
1.6 HDI 110	80/109	9HZ (DV6TED4)	08/05->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6ATED4; MD M59; Fitting Position: Right
				Tensioner	SR-1509	- holder; ID: 17; OD: 55; W: 26; ALT; engine DV6ATED4; MD M59; Fitting Position: Left
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV6ATED4; MD M59; Fitting Position: Left
1.6 HDI 75 (MF9HW)	55/75	DV6B;9HW (DV6BTED4)	07/05->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; MD M59; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; MD M59; + AC
				Tensioner	SR-1509	- holder; ID: 17; OD: 55; W: 26; ALT; MD M59; Fitting Position: Left
1.6 HDI 90 (MF9HX)	66/90	9HX (DV6ATED4)	07/05->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6ATED4; MD M59; Fitting Position: Right
				Tensioner	SR-1509	- holder; ID: 17; OD: 55; W: 26; ALT; engine DV6ATED4; MD M59; Fitting Position: Left
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; ALT; engine DV6ATED4; MD M59; Fitting Position: Left; engine DV6ATED M; MD M59; Fitting Position: Left
1.8 D (MFA9A)	43/58	A9A (XUD7)	07/98->	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; MD M49; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; MD M49; Fitting Position: Right; + AC; + PS
1.8 i (MFLFX)	66/90	LFX (XU7JB)	05/97->	Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; ACC 90; MD M49; Fitting Position: Right; + AC
				Tensioner	SR-1122	OD: 59; W: 22; MD M49
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; MD M49; Fitting Position: Lower Right; + AC
1.8 i 4WD (MFLFX)	66/90	LFX (XU7JB)	04/97->	Tensioner	SR-1131	OD: 90; W: 25; ALT; MD M49; Fitting Position: Lower; - AC; DAM # XXXXXFL; DAM # XXXXXFV
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; MD M49; Fitting Position: Lower Right; + AC
				Tensioner	SR-1122	OD: 59; W: 22; MD M49
1.9 D (MFDJY)	50/68	D9B (XUD9A/L);DJY (XUD9A)	07/96->	Tensioner	SR-1129	OD: 70; W: 27; ALT; MD M49; Fitting Position: Right; + AC; + PS
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; MD M49; Fitting Position: Left; + AC; + PS



kW/HP

Engine code






















Type














1.9 D (MFWJZ)	51/70	WJZ (DW8);WJY (DW8B)	07/98->10/05	Deflection/Guide	SR-1407	OD: 60; thread size M10x1,5; W: 26; ALT; ALT; engine DW8; MD M49; Fitting Position: Centre; + PS; - AC; engine DW8B; MD M49; MD M59; Fitting Position: Centre; + PS; - AC
				Deflection/Guide	SR-1406	OD: 37; W: 27; ALT; engine DW8; engine DW8B; MD M49; MD M59; + PS; - AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW8; engine DW8B; Fitting Position: Right
				Tensioner	SR-1409	OD: 60; W: 27; ALT; engine DW8; MD M49; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW8; engine DW8B; MD M49; Fitting Position: Upper; + AC; + PS; DAM # XXXXX77
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; engine DW8; MD M49; Fitting Position: Left; + PS; - AC; engine DW8B; MD M49; MD M59; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; ALT; engine DW8; engine DW8B; MD M49; Fitting Position: Centre; + AC; + PS; DAM # XXXXXFL; DAM # XXXXXFV; engine DW8; engine DW8B; MD M49; Fitting Position: Centre; + AC; + PS; DAM # XXXXX77; engine DW8B; MD M59; Fitting Position: Centre; + AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; engine DW8; engine DW8B; MD M49; Fitting Position: Left; + AC; + PS; for BD thickness 53 mm; DAM # XXXXXFL; DAM # XXXXXFV; engine DW8; MD M49; Fitting Position: Left; + AC; + PS; DAM # XXXXX77; engine DW8B; MD M49; Fitting Position: Left; + AC; + PS; DAM # XXXXX77
1.9 D 4WD (MFWJZ)	51/69	WJZ (DW8);WJY (DW8B)	07/98->	Deflection/Guide	SR-1406	OD: 37; W: 27; ALT; engine DW8; engine DW8B; MD M49; MD M59; + PS; - AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW8; engine DW8B; Fitting Position: Right
				Deflection/Guide	SR-1407	OD: 60; thread size M10x1,5; W: 26; ALT; ALT; engine DW8; MD M49; Fitting Position: Centre; + PS; - AC; engine DW8B; MD M49; MD M59; Fitting Position: Centre; + PS; - AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW8; engine DW8B; MD M49; Fitting Position: Upper; + AC; + PS; DAM # XXXXX77
				Tensioner	SR-1409	OD: 60; W: 27; ALT; engine DW8; MD M49; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; engine DW8; MD M49; Fitting Position: Left; + PS; - AC; engine DW8B; MD M49; MD M59; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; engine DW8; engine DW8B; MD M49; Fitting Position: Left; + AC; + PS; for BD thickness 53 mm; DAM # XXXXXFL; DAM # XXXXXFV; engine DW8; MD M49; Fitting Position: Left; + AC; + PS; DAM # XXXXX77; engine DW8B; MD M49; Fitting Position: Left; + AC; + PS; DAM # XXXXX77
				Tensioner	SR-1129	OD: 70; W: 27; ALT; ALT; engine DW8; engine DW8B; MD M49; Fitting Position: Centre; + AC; + PS; DAM # XXXXXFL; DAM # XXXXXFV; engine DW8; engine DW8B; MD M49; Fitting Position: Centre; + AC; + PS; DAM # XXXXX77; engine DW8B; MD M59; Fitting Position: Centre; + AC
2.0 HDI 90 (MFRHY)	66/90	RHY (DW10TD)	12/99->	Deflection/Guide	SR-1125	OD: 60; W: 30; MD M49; Fitting Position: Right; Fitting Position: Right; MD M59
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW10TD; MD M49; MD M59; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW10TD; MD M49; MD M59; Fitting Position: Upper
BERLINGO Box (B9)						
1.6	66/90	NFR (TU5JP4B)	04/08->	Deflection/Guide	SR-1340	OD: 60; W: 30; engine TU5JP4B; MD B9; Fitting Position: Right
				Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU5JP4B; MD B9; Fitting Position: Centre
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; engine TU5JP4B; MD B9; Fitting Position: Upper
1.6	80/109	NFU (TU5JP4)	04/08->	Deflection/Guide	SR-1340	OD: 60; W: 30; eng. # 1804405->; engine TU5JP4; MD M59; Fitting Position: Right; engine TU5JP4; MD B9; Fitting Position: Right
				Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; ALT; engine TU5JP4; MD B9; Fitting Position: Centre; engine TU5JP4; MD M59; Fitting Position: Centre; + AC; DAM # XXXXXFL; DAM # XXXXXFV; DAM # XXXXXUZ
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; engine TU5JP4; MD M59; - AC
1.6 HDi 110	80/109	9HZ (DV6TED4)	04/08->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6TED4; MD B9; Fitting Position: Right
				Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6BTE4; engine DV6BUTED4; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV6BUTED4; MD B9; Fitting Position: Left; engine DV6BTE4; engine DV6ETED M; MD M59
1.6 HDi 90 16V	66/90	9HX (DV6ATED4);9HS (DV6ATED4BU)	04/08->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6AUTED4; engine DV6TED4BU; MD B9; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV6AUTED4; MD B9; Fitting Position: Left
1.6 VTi 120	88/120	5FS (EP6C)	11/09->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 VTi 95	72/98	5FK (EP6CB)	07/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
BERLINGO Box (M_)						
1.1 i (MAHDZ, MBHDZ, MBHFX)	44/60	HDZ (TU1M);HFX (TU1JP)	07/96->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU1JP; MD M59; Fitting Position: Centre; + AC
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; engine TU1JP; MD M59; Fitting Position: Left; - AC
				Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; engine TU1JP; MD M59; Fitting Position: Upper Left; + AC
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; eng. # 3762434->; engine TU1JP
				Tensioner	SR-1122	OD: 59; W: 22; -eng. # 3762433; engine TU1JP; engine TU1M+; MD M49
1.4 bivalent	48/65	KFW (TU3JP)	11/02->	Deflection/Guide	SR-1324	- holder; OD: 65; W: 27; ACCOM; PSP; engine TU1JP; engine TU1M+; MD M49; Fitting Position: Lower
				Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU3A; MD M59; Fitting Position: Centre; + AC
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; engine TU3A; MD M59; Fitting Position: Left; - AC
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; engine TU3A; MD M59










	kW/HP	Engine code		Type		
1.4 i (MBKFX, MBKFW)	55/75	KFX (TU3JP);KFW (TU3JP)	07/96->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU3JP; MD M59; Fitting Position: Centre; + AC; DAM # XXXXX77; DAM # XXXXXFL; DAM # XXXXXFV; DAM # XXXXXUZ
				Tensioner	SR-1122	OD: 59; W: 22; ->eng.# 3666765; engine TU3JP
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; PSP; engine TU3JP; MD M49; Fitting Position: Lower
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; eng.# 3666766->; engine TU3JP
				Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; engine TU3JP; MD M59; Fitting Position: Left; + AC; DAM # XXXXXFL; DAM # XXXXXFV; DAM # XXXXXUZ
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; engine TU3JP; MD M59; Fitting Position: Left; - AC
1.4 i bivalent (MBKFW)	55/75	KFW (TU3JP)	04/03->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU3JP; MD M59; Fitting Position: Centre; + AC; DAM # XXXXX77; DAM # XXXXXFL; DAM # XXXXXFV; DAM # XXXXXUZ
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; engine TU3JP; MD M59; Fitting Position: Left; - AC
				Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; engine TU3JP; MD M59; Fitting Position: Left; + AC; DAM # XXXXXFL; DAM # XXXXXFV; DAM # XXXXXUZ
1.6 16V (MBNFU)	80/109	NFU (TU5JP4)	10/00->	Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; engine TU3JP; MD M59
				Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; MD M59; Fitting Position: Right; + AC; DAM # XXXXXFL; DAM # XXXXXFV
				Deflection/Guide	SR-1340	OD: 60; W: 30; MD M49; Fitting Position: Right; DAM # XXXXX77; eng # 1806405->; MD M59; Fitting Position: Right
1.6 HDI 75 (MB9HW)	55/75	DV6B;9HW (DV6BTED4)	07/05->	Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; MD M59; Fitting Position: Left; + AC; DAM # XXXXX77
				Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; MD M59; Fitting Position: Left; + AC; DAM # XXXXXFL; DAM # XXXXXFV
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; MD M59; Fitting Position: Centre; - AC
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; PSP; MD M49; Fitting Position: Lower
1.6 HDI 90 (MB9HX, MC9HX)	66/90	9HX (DV6ATED4)	07/05->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6BTED4; MD M59; Fitting Position: Right
				Tensioner	SR-1509	- holder; ID: 17; OD: 55; W: 26; ALT; engine DV6BTED4; MD M59; Fitting Position: Left
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV6BTED4; MD M59; Fitting Position: Left; engine DV6ETED M
1.8 D (MBA9A, MCA9A)	43/59	A9A (XUD7)	07/96->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6ATED4; MD M59; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV6ATED4; MD M59; Fitting Position: Left
				Tensioner	SR-1509	- holder; ID: 17; OD: 55; W: 26; ALT; engine DV6ATED4; MD M59; Fitting Position: Left
1.8 i	66/90	LFX (XU7JB)	08/99->10/02	Tensioner	SR-1129	OD: 70; W: 27; ALT; MD M49; Fitting Position: Right; + AC; + PS
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; MD M49; Fitting Position: Left; + AC; + PS
				Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; ACC 90; MD M49; Fitting Position: Right; + AC
1.9 D (MBDJY)	51/70	DJY (XUD9A)	07/96->	Tensioner	SR-1131	OD: 90; W: 25; ALT; MD M49; Fitting Position: Lower; - AC; DAM # XXXXXFL; DAM # XXXXXFV
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; MD M49; Fitting Position: Lower Right; + AC
				Tensioner	SR-1122	OD: 59; W: 22; MD M49
1.9 D 70 (MBWJZ, MCWJZ)	51/69	WJZ (DW8);WJY (DW8B)	04/99->	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; MD M49; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; MD M49; Fitting Position: Right; + AC; + PS
				Deflection/Guide	SR-1406	OD: 37; W: 27; ALT; engine DW8; engine DW8B; MD M49; MD M59; + PS; - AC
				Deflection/Guide	SR-1407	OD: 60; thread size M10x1,5; W: 26; ALT; ALT; engine DW8; MD M49; Fitting Position: Centre; + PS; - AC; engine DW8B; MD M49; MD M59; Fitting Position: Centre; + PS; - AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW8; engine DW8B; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; ALT; engine DW8; engine DW8B; MD M49; Fitting Position: Centre; + AC; + PS; DAM # XXXXXFL; DAM # XXXXXFV; engine DW8; engine DW8B; MD M49; Fitting Position: Centre; + AC; + PS; DAM # XXXXX77; engine DW8B; MD M59; Fitting Position: Centre; + AC
1.9 D 70 4WD (MBWJZ, MCWJZ)	51/69	WJZ (DW8);WJY (DW8B)	07/98->	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; engine DW8; engine DW8B; MD M49; Fitting Position: Left; + AC; + PS; for BD thickness 53 mm; DAM # XXXXXFL; DAM # XXXXXFV; engine DW8; MD M49; Fitting Position: Left; + AC; + PS; DAM # XXXXX77; engine DW8B; MD M49; Fitting Position: Left; + AC; + PS; DAM # XXXXX77
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW8; engine DW8B; MD M49; Fitting Position: Upper; + AC; + PS; DAM # XXXXX77
				Tensioner	SR-1409	OD: 60; W: 27; ALT; engine DW8; MD M49; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; engine DW8; MD M49; Fitting Position: Left; + PS; - AC; engine DW8B; MD M49; MD M59; Fitting Position: Left; + PS; - AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW8; engine DW8B; Fitting Position: Right
				Deflection/Guide	SR-1407	OD: 60; thread size M10x1,5; W: 26; ALT; ALT; engine DW8; MD M49; Fitting Position: Centre; + PS; - AC; engine DW8B; MD M49; MD M59; Fitting Position: Centre; + PS; - AC
2.0 HDI 90 (MBRHY, MCRHY)	66/90	RHY (DW10TD)	12/99->	Deflection/Guide	SR-1406	OD: 37; W: 27; ALT; engine DW8; engine DW8B; MD M49; MD M59; + PS; - AC
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; engine DW8; MD M49; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1409	OD: 60; W: 27; ALT; engine DW8; MD M49; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW8; engine DW8B; MD M49; Fitting Position: Upper; + AC; + PS; DAM # XXXXX77
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; engine DW8; engine DW8B; MD M49; Fitting Position: Left; + AC; + PS; for BD thickness 53 mm; DAM # XXXXXFL; DAM # XXXXXFV; engine DW8; MD M49; Fitting Position: Left; + AC; + PS; DAM # XXXXX77; engine DW8B; MD M49; Fitting Position: Left; + AC; + PS; DAM # XXXXX77
				Tensioner	SR-1129	OD: 70; W: 27; ALT; ALT; engine DW8; engine DW8B; MD M49; Fitting Position: Centre; + AC; + PS; DAM # XXXXXFL; DAM # XXXXXFV; engine DW8; engine DW8B; MD M49; Fitting Position: Centre; + AC; + PS; DAM # XXXXX77; engine DW8B; MD M59; Fitting Position: Centre; + AC
2.0 HDI 90 (MBRHY, MCRHY)	66/90	RHY (DW10TD)	12/99->	Deflection/Guide	SR-1125	OD: 60; W: 30; MD M49; Fitting Position: Right; Fitting Position: Right; MD M59
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW10TD; MD M49; MD M59; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW10TD; MD M49; MD M59; Fitting Position: Upper














	kW/HP	Engine code		Type		
2.0 HDI 90 4WD (MBRHY, MCRHY)	66/90	RHY (DW10TD)	11/00->	Deflection/Guide	SR-1125	OD: 60; W: 30; MD M49; Fitting Position: Right; Fitting Position: Right; MD M59
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW10TD; MD M49; MD M59; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW10TD; MD M49; MD M59; Fitting Position: Upper
BERLINGO Platform/Chassis (B9) 						
1.6 HDi 90	66/90	9HX (DV6ATED4)	04/08->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6AUTED4; engine DV6TED4BU; MD B9; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV6AUTED4; MD B9; Fitting Position: Upper
BX (XB-) 						
1.6	85/116	B6D;B6E	01/87->01/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU5
11	40/55	HDZ (TU1M)	10/88->06/92	Tensioner	SR-1122	OD: 59; W: 22
14	55/75	KDZ (TU3M/Z);KDY (TU3M)	01/89->02/93	Tensioner	SR-1122	OD: 59; W: 22; engine TU3; num. of teeth 101; engine TU3; num. of teeth 108
14	47/64	K1H (TU3A)	01/89->12/89	Tensioner	SR-1122	OD: 59; W: 22; engine TU3; num. of teeth 101; engine TU3; num. of teeth 108
14 E	52/71	150C;K1G	04/83->07/89	Tensioner	SR-1122	OD: 59; W: 22; engine TU3; num. of teeth 101; engine TU3; num. of teeth 108
14 E	53/72	150C	04/83->02/93	Tensioner	SR-1122	OD: 59; W: 22; engine TU3; num. of teeth 101; engine TU3; num. of teeth 108
14 E	49/67	150F	09/85->02/93	Tensioner	SR-1122	OD: 59; W: 22; engine TU3; num. of teeth 101; engine TU3; num. of teeth 108
14 E	45/61	150A	10/82->06/88	Tensioner	SR-1122	OD: 59; W: 22; engine TU3; num. of teeth 101; engine TU3; num. of teeth 108
15	59/80	B1E (XU51C)	10/87->05/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU5
16	53/72	B1E (XU51C)	01/87->02/93	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU5
16	76/103	180Z	03/86->02/93	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU5
16	64/87	171D	07/85->02/93	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU5
16	58/79	B1A (XU51C/K)	09/87->02/93	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU5
16	55/75	BAY (XU5CP);BAZ (XU5CP)	09/88->02/93	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU5
16	68/92	XU52C	10/82->12/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU5
16 E	65/88	BDZ (XU5M);BDY (XU5M)	05/89->02/93	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU5
19 E	80/109	DDZ (XU9M)	06/88->02/93	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU9
19 E 4x4	80/109	D2F	04/89->02/93	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU9
19 GTi	88/120	DKZ (XU9JA)	06/88->02/93	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU9
19 GTi	90/122	D6A (XU9J2)	07/86->02/93	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU9
19 GTi 4x4	88/120	DKZ (XU9JA)	06/88->02/93	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU9
BX Break (XB-) 						
1.4	44/60		01/87->01/92	Tensioner	SR-1122	OD: 59; W: 22; engine TU3; num. of teeth 101
1.4	52/71	150C	01/87->01/92	Tensioner	SR-1122	OD: 59; W: 22; engine TU3; num. of teeth 101
1.6	85/116	B6D;B6E	01/87->01/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU5
14	55/75	KDY (TU3M)	01/89->02/93	Tensioner	SR-1122	OD: 59; W: 22; engine TU3; num. of teeth 101; engine TU3; num. of teeth 108
14	47/64	K1H (TU3A)	01/89->12/89	Tensioner	SR-1122	OD: 59; W: 22; engine TU3; num. of teeth 101; engine TU3; num. of teeth 108
15	59/80	B1E (XU51C)	10/87->05/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU5
16	76/103	180Z	03/86->12/94	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU5
16	68/92	171C	04/83->01/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU5
16	65/88	BDZ (XU5M);BDY (XU5M)	05/89->12/94	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU5
16	64/87	171D	07/85->12/94	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU5
16	53/72	B1E (XU51C)	09/88->12/94	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU5
16	55/75	BAY (XU5CP);BAZ (XU5CP)	09/88->12/94	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU5
19	88/120	DKZ (XU9JA)	06/88->12/94	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU9
19	80/109	DDZ (XU9M)	06/88->12/94	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU9
19	75/102	D2A (XU92C)	07/86->12/94	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU9
19 CAT	75/102	DFZ (XU9J1)	07/86->12/94	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU9
C1 (PM_, PN_) 						
1.4 HDi	40/54	8HT (DV4TD)	06/05->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine DV4TD; Fitting Position: Upper Left
C15 (VD-) 						
1.0	33/45	XV8;TU9	10/84->12/97	Tensioner	SR-1122	OD: 59; W: 22; 05/88->; engine TU9
1.1	35/48	109K;E1A	10/84->12/96	Tensioner	SR-1122	OD: 59; W: 22; 05/88->; engine TU1
1.1 i	44/60	HDZ (TU1M)	07/88->12/96	Tensioner	SR-1122	OD: 59; W: 22; engine TU1M
1.4	49/67	K1H (TU3A)	07/87->12/96	Tensioner	SR-1122	OD: 59; W: 22; 05/88->; engine TU3; num. of teeth 108; engine TU3; num. of teeth 101
1.4 i	55/75	KDY (TU3FM);KDY (TU3M)	05/91->12/96	Tensioner	SR-1122	OD: 59; W: 22; engine TU3; num. of teeth 108; engine TU3; num. of teeth 101
1.9 D	44/60	WJX (DW8B)	12/00->12/05	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW8B; Fitting Position: Right
C15 Estate 						
1.1	44/60	HDZ (TU1M)	08/88->07/96	Tensioner	SR-1122	OD: 59; W: 22
1.1	40/54	HDZ (TU1M)	10/88->10/92	Tensioner	SR-1122	OD: 59; W: 22
1.4	49/67		05/87->09/92	Tensioner	SR-1122	OD: 59; W: 22; 05/88->; engine TU3; num. of teeth 108; engine TU3; num. of teeth 101




	kW/HP	Engine code		Type		
1.4	44/60	150D [XY7]	05/87->10/92	Tensioner	SR-1122	OD: 59; W: 22; 05/88->; engine TU3; num. of teeth 108; engine TU3; num. of teeth 101
1.4	55/75	KDY [TU3M]	05/91->07/96	Tensioner	SR-1122	OD: 59; W: 22; engine TU3; num. of teeth 101
C2 [JM_] 						
1.1	44/60	HFX [TU1JP]	09/03->	Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; engine TU1A; engine TU1JP
				Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine TU1A; Fitting Position: Left; + AC; engine TU1JP; Fitting Position: Left; + AC
1.4	54/73	KFV [TU3JP]	09/03->	Tensioner	SR-1409	OD: 60; W: 27; ALT; engine TU1JP; QTY 2; + AC
				Tensioner	SR-1409	OD: 60; W: 27; ALT; engine TU3JP; QTY 2; + AC
1.4 HDi	50/68	8HX [DV4TD];8HZ [DV4TD]	09/03->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV4TD
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine DV4TD; Fitting Position: Left; + AC; - AC
1.6	80/109	NFU [TU5JP4]	09/03->	Deflection/Guide	SR-1340	OD: 60; W: 30; engine TU5JP4; Fitting Position: Right
				Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine TU5JP4; Fitting Position: Left; + AC
1.6 HDi	80/109	9HZ [DV6TED4]	09/05->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6TED4; Fitting Position: Right
				Tensioner	SR-1409	OD: 60; W: 27; ALT; engine TU5JP4; QTY 2; + AC
1.6 VTS	90/122	NFS [TU5JP4S]	01/05->	Deflection/Guide	SR-1340	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine TU5JP4S; Fitting Position: Left
C25 Box [280_, 290_] 						
2.5 D 4x4	55/75		11/83->12/86	Tensioner	SR-1127	OD: 57; W: 24; IP
C25 Bus [280_, 290_] 						
2.5 D	54/73	CRD93L [U25-661]	10/85->02/94	Tensioner	SR-1127	OD: 57; W: 24; IP
2.5 D 4x4	54/73	CRD93L [U25-661]	01/87->02/94	Tensioner	SR-1127	OD: 57; W: 24; IP
2.5 D Turbo	70/95	CRD93LS [U25-673]	08/87->02/94	Tensioner	SR-1127	OD: 57; W: 24; IP
2.5 D Turbo 4x4	70/95	CRD93LS [U25-673]	08/87->02/94	Tensioner	SR-1127	OD: 57; W: 24; IP
C3 I [FC_] 						
1.1 i	44/60	HFX [TU1JP];HFX [TU1A]	02/02->	Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine TU1JP; Fitting Position: Left; + AC
				Tensioner	SR-1409	OD: 60; W: 27; ALT; engine TU1JP; QTY 2; + AC
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; engine TU1JP
1.4 16V	65/88	KFU [ET3J4]	12/03->	Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left; + AC; - start-stop
				Tensioner	SR-1409	OD: 60; W: 27; ALT; QTY 2; + AC; - start-stop
1.4 16V HDi	66/90	8HY [DV4TED4]	02/02->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
1.4 HDi	50/68	8HX [DV4TD]	02/02->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV4TD
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine DV4TD; Fitting Position: Left
1.4 HDi	55/75	8HX [DV4TD]	05/05->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV4TD
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine DV4TD; Fitting Position: Left
1.4 HDi	52/70	8HZ [DV4TD]	07/03->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV4TD
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine DV4TD; Fitting Position: Left
1.4 i	54/73	KFV [TU3JP];KFV [TU3A]	02/02->	Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine TU3JP; Fitting Position: Left; + AC
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; engine TU3JP
				Tensioner	SR-1409	OD: 60; W: 27; ALT; engine TU3JP; QTY 2; + AC
1.4 i Bivalent	54/73	KFV [TU3JP]	02/02->	Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine TU3JP; Fitting Position: Left; + AC
				Tensioner	SR-1409	OD: 60; W: 27; ALT; engine TU3JP; QTY 2; + AC
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; engine TU3JP
1.6 16V	80/109	NFU [TU5JP4]	02/02->	Deflection/Guide	SR-1340	OD: 60; W: 30; eng.# 1806405->; Fitting Position: Right
				Tensioner	SR-1409	OD: 60; W: 27; ALT; QTY 2; + AC
1.6 16V HDi	80/109	9HZ [DV6TED4]	09/05->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6TED4; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine DV6TED4; Fitting Position: Left
1.6 16V HDi	66/90	9HX [DV6ATED4]	10/05->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6ATED4; Fitting Position: Right
				Tensioner	SR-1509	- holder; ID: 17; OD: 65; W: 26; ALT; engine DV6ATED4; Fitting Position: Left
C3 II 						
1.0 Vti 68	50/68	ZMZ [EB0]	08/12->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine EB0; Fitting Position: Centre; - AC
1.1	44/60	HFX [TU1JP]	11/09->	Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; engine TU1AE5; MD A51; engine TU1A
				Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine TU1AE5; MD A51; Fitting Position: Left; + AC; - start-stop; engine TU1A; Fitting Position: Left; + AC
1.2 Vti 82	60/82	HMZ [EB2F]	06/12->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine EB2; MD A51; Fitting Position: Centre; - AC
1.4	54/73	KFV [TU3A];KFT [TU3A]	11/09->	Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine TU3A; engine TU3JP; MD C3 II; Fitting Position: Left; + AC; engine TU3AE5; MD A51
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; engine TU3A; engine TU3JP; MD C3 II; engine TU3AE5; MD A51
1.4 HDi 70	50/68	8HZ [DV4TD];8HR [DV4C]	11/09->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV4TD
1.4 LPG	70/95	8FN [EP3]	06/13->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.4 Vti 95	70/95	8FP [EP3]	11/09->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC









	kW/HP	Engine code		Type		
1.6 VTi 120	88/120	5FS (EP6C)	11/09->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
C3 Picasso 						
1.4 VTi 95	70/95	8FS (EP3);8FP (EP3);8FN (EP3)	02/09->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.4 VTi 95 LPG	70/95	8FN (EP3)	01/12->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 HDi	80/109	9HZ (DV6TED4)	02/09->	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; Fitting Position: Right
1.6 HDi	66/90	9HX (DV6ATED4)	02/09->	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine DV6ATED4; Fitting Position: Right
1.6 VTi 120	88/120	5FW (EP6);5FS (EP6C)	02/09->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
C3 Pluriel (HB) 						
1.4	54/73	KFV (TU3JP)	05/03->	Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; ALT; engine TU3A; Fitting Position: Left; + AC; engine TU3JP; Fitting Position: Left; DEPOLLUTION CEE 2000; + AC
				Tensioner	SR-1409	OD: 60; W: 27; ALT; engine TU3JP; QTY 2; Euro 4 (D4); + AC
				Tensioner	SR-1139	ID: 8.2; OD: 60; W: 25; engine TU3A; engine TU3JP
1.4 HDi	50/68	8HX (DV4TD)	04/04->	Deflection/Guide Tensioner	SR-1353 SR-1434	ID: 10.2; OD: 60; W: 30; engine DV4TD - holder; ID: 17; OD: 65; W: 25; ALT; engine DV4TD; Fitting Position: Left
1.6	80/109	NFU (TU5JP4)	05/03->	Deflection/Guide Tensioner	SR-1340 SR-1409	OD: 60; W: 30; Fitting Position: Right OD: 60; W: 27; ALT; engine TU5JP4; QTY 2; + AC
				Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine TU5JP4; Fitting Position: Left; + AC
C4 CACTUS 						
1.2 VTi 75	55/75	HMU (EB2D)	09/14->	Deflection/Guide	SR-1324	OD: 60; W: 26.4; ALT; Fitting Position: Centre; - AC
1.2 VTi 82	60/82	HMZ (EB2F)	09/14->	Deflection/Guide	SR-1324	OD: 60; W: 26.4; ALT; engine EB2; engine EB2D; engine EB2F; Fitting Position: Left; - AC
C4 Coupe (LA) 						
1.4 16V	65/88	KFU (ET3J4)	11/04->07/11	Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine ET3J4; Fitting Position: Left; + AC
				Deflection/Guide	SR-1340	OD: 60; W: 30; engine TU5JP4; Fitting Position: Right
1.6 16V	80/109	NFU (TU5JP4)	11/04->07/11	Deflection/Guide Tensioner	SR-1324 SR-1341	OD: 60; W: 26.4; ALT; engine TU5JP4; Fitting Position: Lower; + AC; DAM # XXXXXUW - holder; ID: 17; OD: 65; W: 25; ALT; engine TU5JP4; Fitting Position: Left; + AC; DAM # XXXXX77; DAM # XXXXX88
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; engine TU5JP4; Fitting Position: Upper; + AC; DAM # XXXXXUW
1.6 HDi	66/90	9HX (DV6ATED4)	11/04->07/11	Deflection/Guide Tensioner	SR-1353 SR-1434	ID: 10.2; OD: 60; W: 30; engine DV6ATED4; engine DV6TED4B; Fitting Position: Right - holder; ID: 17; OD: 65; W: 25; ALT; engine DV6ATED4; Fitting Position: Left
1.6 HDi	80/109	9HZ (DV6TED4);9HY (DV6TED4)	11/04->07/11	Deflection/Guide Tensioner	SR-1353 SR-1434	ID: 10.2; OD: 60; W: 30; engine DV6TED4; Fitting Position: Right - holder; ID: 17; OD: 65; W: 25; ALT; engine DV6TED4; Fitting Position: Left
1.6 THP 150	110/150	5FX (EP6DT)	07/08->07/11	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 VTi 120	88/120	5FW (EP6)	07/08->07/11	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
2.0 16V	100/136	RFN (EW10J4)	11/04->07/07	Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; engine EW10J4; Fitting Position: Left
				Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25.5; ALT; engine EW10J4; Fitting Position: Left
2.0 HDi	103/140	RHF (DW10BTED4)	07/08->07/11	Deflection/Guide Tensioner	SR-1125 SR-1408	OD: 60; W: 30; engine DW10ATED; Fitting Position: Right - holder; ID: 17; OD: 60; W: 26; ALT; engine DW10ATED; Fitting Position: Upper
2.0 HDi	100/136	RHR (DW10BTED4)	11/04->12/10	Deflection/Guide Tensioner	SR-1125 SR-1408	OD: 60; W: 30; engine DW10ATED; Fitting Position: Right - holder; ID: 17; OD: 60; W: 26; ALT; engine DW10ATED; Fitting Position: Upper
C4 Grand Picasso I (UA) 						
1.6 16V	103/140	5FT (EP6DT)	07/08->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 16V	110/150	5FX (EP6DT)	10/08->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 HDi	80/109	9HZ (DV6TED4);9HY (DV6TED4)	10/06->	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine DV6TED4; Fitting Position: Right
1.6 THP 155	115/156	5FV (EP6CDT)	09/10->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 VTi 120	88/120	5FW (EP6)	07/08->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.8 i 16V	92/125	6FY (EW7A)	10/06->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25.5; ALT; engine EW7A; Fitting Position: Left
2.0 i 16V	103/140	RFJ (EW10A)	10/06->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25.5; ALT; engine EW10A; Fitting Position: Left
C4 I (LC) 						
1.4 16V	65/88	KFU (ET3J4)	11/04->07/11	Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine ET3J4; Fitting Position: Left; + AC
				Deflection/Guide	SR-1340	OD: 60; W: 30; engine TU5JP4; Fitting Position: Right
1.6 16V	80/109	NFU (TU5JP4)	11/04->07/11	Deflection/Guide Tensioner	SR-1324 SR-1341	OD: 60; W: 26.4; ALT; engine TU5JP4; ACC 120; Fitting Position: Centre; + AC; DAM # XXXXXUW - holder; ID: 17; OD: 65; W: 25; ALT; engine TU5JP4; Fitting Position: Left; + AC; DAM # XXXXX77; DAM # XXXXX88
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; engine TU5JP4; ACC 120; Fitting Position: Upper; + AC; DAM # XXXXXUW









	kW/HP	Engine code		Type		
1.6 16V Bio-Flex	80/109	NFU (TU5JP4)	09/07->07/08	Deflection/Guide	SR-1340	OD: 60; W: 30; engine TU5JP4; Fitting Position: Right
				Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU5JP4; ACC 120; Fitting Position: Centre; + AC; DAM # XXXXUW
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; engine TU5JP4; ACC 120; Fitting Position: Upper; + AC; DAM # XXXXUW
				Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine TU5JP4; Fitting Position: Left; + AC; DAM # XXXX77; DAM # XXXX88
1.6 HDi	66/90	9HX (DV6ATED4)	11/04->07/11	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6ATED4; engine DV6TED4B; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine DV6ATED4; Fitting Position: Left
1.6 HDi	80/109	9HZ (DV6TED4);9HY (DV6TED4)	11/04->07/11	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6ATED4; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine DV6ATED4; Fitting Position: Left
1.6 THP 140	103/140	5FT (EP6DT)	07/08->07/11	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 THP 150	110/150	5FX (EP6DT)	07/08->07/11	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 VTi 120	88/120	5FW (EP6)	07/08->07/11	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
2.0 16V	100/136	RFN (EW10J4)	11/04->07/07	Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; engine EW10J4; Fitting Position: Left
				Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine EW10J4; Fitting Position: Left
2.0 16V	103/140	RFJ (EW10A)	11/04->07/11	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine EW10A; Fitting Position: Left; DAM # XXXX77; DAM # XXXX88; engine EW10A; Fitting Position: Centre; DAM # XXXXUW
				Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine EW10A; Fitting Position: Left; DAM # XXXX77; DAM # XXXX88; engine EW10A; Fitting Position: Centre; DAM # XXXXUW
2.0 HDi	81/110	RHZ (DW10ATED)	04/07->07/08	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10ATED; Fitting Position: Right
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; engine DW10ATED; Fitting Position: Upper
2.0 HDi	103/140	RHF (DW10BTED4)	07/08->07/11	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10ATED; Fitting Position: Right
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; engine DW10ATED; Fitting Position: Upper
2.0 HDi	100/136	RHR (DW10BTED4)	11/04->07/11	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10ATED; Fitting Position: Right
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; engine DW10ATED; Fitting Position: Upper
C4 II (B7) 						
1.4 VTi 95	70/95	8FP (EP3)	11/09->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 THP 155	115/156	5FV (EP6CDT)	11/09->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 VTi 120	88/120	5FS (EP6C)	11/09->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 VTi 120 LPG	88/120	5FS (EP6C)	09/11->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
C4 Picasso I (UD_) 						
1.6 16V	110/150	5FX (EP6DT)	07/08->08/13	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 HDi	80/109	9HZ (DV6TED4);9HY (DV6TED4)	02/07->08/13	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6ATED4; Fitting Position: Right
1.6 THP 140	103/140	5FT (EP6DT)	07/08->08/13	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 THP 155	115/156	5FV (EP6CDT)	09/10->08/13	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 VTi 120	88/120	5FW (EP6)	07/08->08/13	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.8 i 16V	92/125	6FY (EW7A)	02/07->12/11	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine EW7A; Fitting Position: Left
2.0 i 16V	103/140	RFJ (EW10A)	02/07->08/13	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine EW10A; Fitting Position: Left
C4 Picasso II 						
1.6 THP 155	115/156	5FV (EP6CDT)	02/13->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 VTi 120	88/120	5FS (EP6C)	02/13->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
C5 I (DC_) 						
1.8 16V (DC6FZB, DC6FZE)	85/115	6FZ (EW7J4)	03/01->08/04	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; engine EW7J4; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; engine EW7J4; Fitting Position: Upper
2.0 16V (DCRFNC, DCRFNF)	100/136	RFN (EW10J4)	03/01->08/04	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; engine EW10J4; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; engine EW10J4; Fitting Position: Upper
2.0 16V HPi (DCRLZB)	103/140	RLZ (EW10D)	03/01->08/04	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; engine EW10D; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; engine EW10D; Fitting Position: Upper
2.0 HDi	79/107	RHZ (DW10ATED);RHS (DW10ATED)	03/01->08/04	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10ATED; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW10ATED; Fitting Position: Upper
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW10ATED; Fitting Position: Centre; + AC
2.0 HDi (DCRHYB)	66/90	RHY (DW10TD)	03/01->08/04	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10TD; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW10TD; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW10TD; Fitting Position: Upper









	kW/HP	Engine code		Type		
2.0 HDi (DCRHZB, DCRHZE)	80/109	RHZ (DW10ATED)	03/01->08/04	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10ATED; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW10ATED; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25.5; ALT; engine DW10ATED; Fitting Position: Upper
2.2 HDi (DC4HXB, DC4HXE)	98/133	4HX (DW12TED4/FAP)	03/01->08/04	Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25.5; ALT; engine DW12TED4; Fitting Position: Upper
3.0 V6 (DCXFXC, DCXFXF)	152/207	XFX (ES9J4S)	03/01->08/04	Deflection/Guide	SR-1366	OD: 65; W: 26.6; ALT; engine ES9J4S; Fitting Position: Centre
C5 I Break (DE_) 						
1.8 16V (DE6FZB, DE6FZE)	85/115	6FZ (EW7J4)	06/01->08/04	Deflection/Guide	SR-1458	ID: 17; OD: 78.5; W: 25; ALT; engine EW7J4; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; engine EW7J4; Fitting Position: Upper
2.0 16V (DERFNF, DERFNC, RERFNC)	100/136	RFN (EW10J4)	06/01->08/04	Deflection/Guide	SR-1458	ID: 17; OD: 78.5; W: 25; ALT; engine EW10J4; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; engine EW10J4; Fitting Position: Upper
2.0 16V HPi (DERLZB)	103/140	RLZ (EW10D)	06/01->08/04	Deflection/Guide	SR-1458	ID: 17; OD: 78.5; W: 25; ALT; engine EW10D; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; engine EW10D; Fitting Position: Upper
2.0 HDi	80/109	RHZ (DW10ATED)	06/01->08/04	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10ATED; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW10ATED; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25.5; ALT; engine DW10ATED; Fitting Position: Upper
2.0 HDi (DERHSB, DERHSE)	79/107	RHZ (DW10ATED);RHS (DW10ATED)	06/01->08/04	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10ATED; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25.5; ALT; engine DW10ATED; Fitting Position: Upper
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW10ATED; Fitting Position: Centre; + AC
2.0 HDi (DERHYB)	66/90	RHY (DW10TD)	06/01->08/04	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10TD; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW10TD; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25.5; ALT; engine DW10TD; Fitting Position: Upper
2.2 HDi (DE4HXB, DE4HXE)	98/133	4HX (DW12TED4/FAP)	06/01->08/04	Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25.5; ALT; engine DW12TED4; Fitting Position: Upper
3.0 Carlsson	173/235	XFX (ES9J4S)	09/03->08/04	Deflection/Guide	SR-1366	OD: 65; W: 26.6; ALT; engine ES9J4S; Fitting Position: Centre
3.0 V6 (DEXFXC, DEXFXF)	152/207	XFX (ES9J4S)	06/01->08/04	Deflection/Guide	SR-1366	OD: 65; W: 26.6; ALT; engine ES9J4S; Fitting Position: Centre
C5 II (RC_) 						
1.6 HDi (RC8HZB)	80/109	9HZ (DV6TED4);9HY (DV6TED4)	09/04->	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine DV6TED4; Fitting Position: Right
				Tensioner	SR-1509	- holder; ID: 17; OD: 55; W: 26; ALT; engine DV6TED4; Fitting Position: Left
1.8 16V	92/125	6FY (EW7A)	09/05->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25.5; ALT; engine EW7A; Fitting Position: Left
1.8 16V (RC6FZB)	85/116	6FZ (EW7J4)	09/04->	Deflection/Guide	SR-1458	ID: 17; OD: 78.5; W: 25; ALT; engine EW7J4; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; engine EW7J4; Fitting Position: Upper
2.0 16V (RCRFJB, RCRFJC)	103/140	RFJ (EW10A)	09/04->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25.5; ALT; engine EW10A; Fitting Position: Left
2.2 HDi (RC4HXE)	98/133	4HX (DW12TED4/FAP)	09/04->	Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25.5; ALT; engine DW12TED4; Fitting Position: Upper
3.0 V6 (RCXFUF)	152/207	XFX (ES9J4S);XFU (ES9A)	09/04->	Deflection/Guide	SR-1366	OD: 65; W: 26.6; ALT; engine ES9A; Fitting Position: Centre
C5 II Break (RE_) 						
1.6 HDi (RE8HZB)	80/109	9HZ (DV6TED4);9HY (DV6TED4)	09/04->	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine DV6TED4; Fitting Position: Right
				Tensioner	SR-1509	- holder; ID: 17; OD: 55; W: 26; ALT; engine DV6TED4; Fitting Position: Left
1.8 16V	92/125	6FY (EW7A)	09/05->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25.5; ALT; engine EW7A; Fitting Position: Left
1.8 16V (RE6FZB)	85/116	6FZ (EW7J4)	09/04->	Deflection/Guide	SR-1458	ID: 17; OD: 78.5; W: 25; ALT; engine EW7J4; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; engine EW7J4; Fitting Position: Upper
2.0 16V (RERFJB, RERFJC)	103/140	RFJ (EW10A)	09/04->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25.5; ALT; Fitting Position: Left
2.2 HDi (RE4HXE)	98/133	4HX (DW12TED4/FAP)	09/04->	Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25.5; ALT; engine DW12TED4; Fitting Position: Left
3.0 V6 (REXFUF)	152/207	XFU (ES9A)	09/04->	Deflection/Guide	SR-1366	OD: 65; W: 26.6; ALT; engine ES9A; Fitting Position: Lower
C5 III (RD_) 						
1.6 HDi	80/109	9HZ (DV6TED4)	02/08->	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine DV6TED4; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25.5; ALT; engine DV6TED4; ACC 150; Fitting Position: Left
1.6 THP 150	110/150	5FN (EP6CDT)	07/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 THP 155	115/156	5FV (EP6CDT)	04/09->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 VTi 120	88/120	5FS (EP6C)	07/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.8 16V	92/125	6FY (EW7A)	02/08->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25.5; ALT; engine EW7A; Fitting Position: Left
2.0 16V	103/140	RFJ (EW10A)	02/08->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25.5; ALT; engine EW10A
C5 III Break (TD_) 						
1.6 HDi	80/109	9HZ (DV6TED4)	02/08->	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine DV6TED4; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25.5; ALT; engine DV6TED4; ACC 150; Fitting Position: Left
1.6 THP 150	110/150	5FN (EP6CDT)	04/09->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 THP 155	115/156	5FV (EP6CDT)	04/09->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC







	kW/HP	Engine code		Type		
1.6 VTI 120	88/120	5FS (EP6C)	07/10->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.8 16V	92/125	6FY (EW7A)	02/08->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25.5; ALT; engine EW7A; Fitting Position: Left
2.0 16V	103/140	RFJ (EW10A)	02/08->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25.5; ALT; engine EW10A
C8 (EA_, EB_) 						
2.0	100/136	RFN (EW10J4)	07/02->	Deflection/Guide Tensioner	SR-1458 SR-1457	ID: 17; OD: 78.5; W: 25; ALT; engine EW10J4; Fitting Position: Centre - holder; ID: 17; OD: 65; W: 25; ALT; engine EW10J4; Fitting Position: Left
2.0 16V	103/140	RFJ (EW10A)	09/05->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25.5; ALT; engine EW10A; Fitting Position: Left
2.0 HDi	79/107	RHT (DW10ATED4);RHM (DW10ATED4)	07/02->	Deflection/Guide Tensioner Tensioner	SR-1125 SR-1424 SR-1129	OD: 60; W: 30; engine DW10ATED4; Fitting Position: Right - holder; ID: 17; OD: 70; W: 25.5; ALT; engine DW10ATED4; Fitting Position: Upper OD: 70; W: 27; ALT; engine DW10ATED4; Fitting Position: Centre
2.0 HDi	80/109	RHW (DW10ATED4)	07/02->	Deflection/Guide Tensioner Tensioner	SR-1125 SR-1424 SR-1129	OD: 60; W: 30; engine DW10ATED4; Fitting Position: Right - holder; ID: 17; OD: 70; W: 25.5; ALT; engine DW10ATED4; Fitting Position: Upper OD: 70; W: 27; ALT; engine DW10ATED4; Fitting Position: Centre
2.2	116/158	3FZ (EW12J4)	07/02->	Deflection/Guide Tensioner	SR-1458 SR-1457	ID: 17; OD: 78.5; W: 25; ALT; engine EW12J4; Fitting Position: Centre - holder; ID: 17; OD: 65; W: 25; ALT; engine EW12J4; Fitting Position: Left
2.2 HDi	94/128	4HW (DW12TED4)	07/02->	Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25.5; ALT; engine DW12TED4; Fitting Position: Left
3.0 V6	150/204	XFX (ES9J4S)	07/02->	Deflection/Guide	SR-1366	OD: 65; W: 26.6; ALT; engine ES9J4S; Fitting Position: Left
C-CROSSER (EP_) 						
2.0	108/147	4B11	11/10->	Deflection/Guide Tensioner	SR-1041 SR-1042	OD: 70; W: 24.7; ALT; QTY 2 + holder; OD: 65; W: 26; ALT; Fitting Position: Centre left
2.0 All-wheel Drive	108/147	4B11	11/10->	Deflection/Guide Tensioner	SR-1041 SR-1042	OD: 70; W: 24.7; ALT; QTY 2 + holder; OD: 65; W: 26; ALT; Fitting Position: Centre left
2.2 HDi	115/156	4HN (DW12MTED4)	02/07->	Tensioner	SR-1147	- holder; ID: 17; OD: 65; W: 25; ALT; engine DW12ME5; engine DW12MTED4; Fitting Position: Upper
2.4 16V	125/170	SFZ (4B12-MMC)	08/08->	Deflection/Guide Tensioner	SR-1041 SR-1042	OD: 70; W: 24.7; ALT; QTY 2 + holder; OD: 65; W: 26; ALT; Fitting Position: Upper
C-CROSSER ENTERPRISE 						
2.4 16V	125/170	4B12	01/09->	Deflection/Guide Tensioner	SR-1041 SR-1042	OD: 70; W: 24.7; ALT; QTY 2 + holder; OD: 65; W: 26; ALT; Fitting Position: Centre left
C-ELYSEE 						
1.2 Vti 72	53/72	HMY (EB2M)	11/12->	Deflection/Guide	SR-1324	OD: 60; W: 26.4; ALT; engine EB2M; Fitting Position: Centre; - AC
1.2 Vti 82	60/82		12/14->	Deflection/Guide	SR-1324	OD: 60; W: 26.4; engine EB2F; Fitting Position: Centre; - AC
1.6 Vti 115	85/115	NFP (EC5)	11/12->	Deflection/Guide Tensioner	SR-1340 SR-1341	OD: 60; W: 30; engine EC5; Fitting Position: Right - holder; ID: 17; OD: 65; W: 25; ALT; engine EC5; Fitting Position: Left; + AC
CX I (MA) 						
25 D Turbo	70/95	M25-648	04/83->08/85	Tensioner	SR-1127	OD: 57; W: 24; IP; 01/84->
CX I Break (MA) 						
2500 D	55/75	M25-629	02/78->08/85	Tensioner	SR-1127	OD: 57; W: 24; IP; 01/84->
2500 D Turbo	70/95	M25-648	04/83->08/85	Tensioner	SR-1127	OD: 57; W: 24; IP; 01/84->
CX II 						
25 D	54/73	M25-660	08/85->12/92	Tensioner	SR-1127	OD: 57; W: 24; IP; ->12/90
25 D Turbo	88/120	M25-669	01/87->12/92	Tensioner	SR-1127	OD: 57; W: 24; IP; ->12/91
25 D Turbo	70/95	M25-648	08/85->12/86	Tensioner	SR-1127	OD: 57; W: 24; IP
CX II Break 						
25 D	54/73	M25-660	05/86->12/92	Tensioner	SR-1127	OD: 57; W: 24; IP; ->12/90
25 D Turbo 2	88/120	M25-669	01/87->12/92	Tensioner	SR-1127	OD: 57; W: 24; IP; ->12/91
2500 D Turbo	70/95	M25-648	08/85->12/86	Tensioner	SR-1127	OD: 57; W: 24; IP
DS3 						
1.2 Vti 82	60/82	HMZ (EB2F)	01/13->03/15	Deflection/Guide	SR-1324	OD: 60; W: 26.4; ALT; engine EB2; Fitting Position: Centre; - AC
1.4 Vti 95	70/95	8FP (EP3)	04/10->07/15	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.4 Vti 95 LPG	70/95	8FN (EP3)	08/12->07/15	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.4 Vti 98	72/98	8FR (EP3)	11/09->07/15	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 Racing	147/200	5FU (EP6CDTX)	02/11->07/15	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 Racing	152/207	5FD (EP6DTS)	02/11->07/15	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 THP 150	110/150	5FX (EP6DT);5FN (EP6CDT)	01/10->07/15	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 THP 155	115/156	5FR (EP6DT);5FV (EP6CDT)	04/10->07/15	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC










	kW/HP	Engine code		Type		
1.6 VTi 120	88/120	5FS (EP6C)	04/10->07/15	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
DS3 Convertible 						
1.2 VTi 82	60/82	HMZ (EB2F)	01/13->07/15	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine EB2; Fitting Position: Centre; - AC
1.6 THP 150	110/150	5FN (EP6CDT)	01/13->07/15	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 THP 155	115/156	5FV (EP6CDT)	01/13->07/15	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 VTi 120	88/120	5FS (EP6C)	01/13->07/15	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
DS4 						
1.6 THP 155	115/156	5FV (EP6CDT)	04/11->07/15	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 THP 160	120/163	5FM (EP6DT)	04/12->07/15	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 THP 200	147/200	5FU (EP6DTX)	04/11->07/15	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 VTi 120	88/120	5FS (EP6C)	04/11->07/15	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
DS5 						
1.6 THP 155	115/156	5FV (EP6CDT)	11/11->07/15	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 THP 200	147/200	5FU (EP6DTX)	11/11->07/15	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
EVASION [22, U6] 						
1.8	73/99	LFZ (XU7JP)	05/97->07/02	Deflection/Guide Tensioner Tensioner Tensioner	SR-1133 SR-1132 SR-1131 SR-1122	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC - holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC OD: 90; W: 25; ALT; Fitting Position: Lower; - AC OD: 59; W: 22
1.9 TD	68/92	D8B (XUD9TF)	10/95->12/98	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine XUD9TE; Fitting Position: Left; + AC
1.9 TD	66/90	DHX (XUD9TF/BTF);D8B (XUD9TF)	11/94->07/02	Tensioner	SR-1129	OD: 70; W: 27; ALT; engine XUD9TE; Fitting Position: Right; + AC
2.0	89/121	RFU (XU10J2/C)	06/94->07/02	Deflection/Guide Tensioner Tensioner Tensioner	SR-1133 SR-1132 SR-1131 SR-1122	ID: 17; OD: 90,5; W: 25; ALT; engine XU10J2; Fitting Position: Left; + AC - holder; ID: 17; OD: 90,5; W: 25; ALT; engine XU10J2; Fitting Position: Right; + AC OD: 90; W: 25; ALT; engine XU10J2; Fitting Position: Lower; - AC OD: 59; W: 22; engine XU10J2
2.0 16V	100/136	RFN (EW10J4)	05/00->07/02	Deflection/Guide Tensioner	SR-1458 SR-1457	ID: 17; OD: 78,5; W: 25; ALT; engine EW10J4; Fitting Position: Centre - holder; ID: 17; OD: 65; W: 25; ALT; engine EW10J4; Fitting Position: Upper
2.0 16V	97/132	RFV (XU10J4R)	05/98->04/00	Deflection/Guide Tensioner	SR-1125 SR-1134 SR-1132	OD: 60; W: 30; engine XU10J4R; Fitting Position: Right - holder; OD: 70; W: 25; ALT; engine XU10J4R; Fitting Position: Left; + AC - holder; ID: 17; OD: 90,5; W: 25; ALT; engine XU10J4R; Fitting Position: Centre; + AC
2.0 HDI	80/109	RHZ (DW10ATED)	08/99->07/02	Deflection/Guide Tensioner Tensioner	SR-1125 SR-1129 SR-1424	OD: 60; W: 30; engine DW10ATED; Fitting Position: Right OD: 70; W: 27; ALT; engine DW10ATED; Fitting Position: Centre; + AC - holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW10ATED; Fitting Position: Upper
2.0 HDI 16V	80/109	RHW (DW10ATED4)	09/99->07/02	Deflection/Guide Tensioner Tensioner	SR-1125 SR-1129 SR-1424	OD: 60; W: 30; engine DW10ATED4; Fitting Position: Right OD: 70; W: 27; ALT; engine DW10ATED4; Fitting Position: Centre; + AC - holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW10ATED4; Fitting Position: Upper
2.0 Turbo C.T.	108/147	RGX (XU10J2TE)	06/94->07/02	Deflection/Guide Tensioner Tensioner Tensioner	SR-1134 SR-1133 SR-1122 SR-1131 SR-1132	- holder; OD: 70; W: 25; ALT; engine XU10J2TE; Fitting Position: Upper; + AC ID: 17; OD: 90,5; W: 25; ALT; engine XU10J2TE; Fitting Position: Left; + AC OD: 59; W: 22; engine XU10J2TE OD: 90; W: 25; ALT; engine XU10J2TE; Fitting Position: Lower; - AC - holder; ID: 17; OD: 90,5; W: 25; ALT; engine XU10J2TE; Fitting Position: Centre; + AC
2.1 TD	80/109	P8C (XUD11BTE)	05/96->07/02	Deflection/Guide Tensioner Tensioner	SR-1125 SR-1130 SR-1129	OD: 60; W: 30; Fitting Position: Right - holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC OD: 70; W: 27; ALT; Fitting Position: Right; + AC
G5 						
1.0	40/54	G10/612	09/70->09/77	Tensioner	SR-1127	OD: 57; W: 24; Fitting Position: Left; Fitting Position: Right
1.1	40/54	G11/631	09/77->06/80	Tensioner	SR-1127	OD: 57; W: 24; Fitting Position: Lower Left; Fitting Position: Upper Right
1.1	42/57	G11/631	09/77->07/81	Tensioner	SR-1127	OD: 57; W: 24; Fitting Position: Lower Left; Fitting Position: Upper Right
1.2	43/58	G12/612;G12/611	04/73->06/79	Tensioner	SR-1127	OD: 57; W: 24; Fitting Position: Lower Left; Fitting Position: Upper Right
A 1.3	48/65	G13/625;G13/646	09/79->07/86	Tensioner	SR-1127	OD: 57; W: 24; Fitting Position: Lower Left; Fitting Position: Upper Right
X 2	46/63	G12/619	09/75->07/79	Tensioner	SR-1127	OD: 57; W: 24; Fitting Position: Lower Left; Fitting Position: Upper Right







	kW/HP	Engine code		Type		
GS Break 						
1.0	40/54	G10	07/71->09/77	Tensioner	SR-1127	OD: 57; W: 24; Fitting Position: Left; Fitting Position: Right
1.1	40/54	G11/631	09/77->06/80	Tensioner	SR-1127	OD: 57; W: 24; Fitting Position: Lower Left; Fitting Position: Upper Right
A 1.2	43/58	G12/612;G12/611	04/73->06/79	Tensioner	SR-1127	OD: 57; W: 24; Fitting Position: Lower Left; Fitting Position: Upper Right
A 1.3	48/65	G13/625;G13/646	09/79->07/86	Tensioner	SR-1127	OD: 57; W: 24; Fitting Position: Lower Left; Fitting Position: Upper Right
A Spezial	42/57	G11/631	07/80->05/82	Tensioner	SR-1127	OD: 57; W: 24; Fitting Position: Lower Left; Fitting Position: Upper Right
JUMPER Box 						
2.2 HDi 100	74/101	4HV (P22DTE)	04/06->	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine 22DT 100CV; Fitting Position: Left; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine 22DT 100CV; Fitting Position: Right; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine 22DT 100CV; Fitting Position: Upper; + AC
2.2 HDi 110	81/110	4HG (P22DTE)	07/11->	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine PUMA C 81; Fitting Position: Left; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine PUMA C 81; Fitting Position: Right; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine PUMA C 81; Fitting Position: Upper; + AC
2.2 HDi 120	88/120	4HU (P22DTE)	04/06->	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine 22DT; Fitting Position: Right; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine 22DT; Fitting Position: Left; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine 22DT; Fitting Position: Upper; + AC
2.2 HDi 130	96/130	4HH (P22DTE)	07/11->	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine 22DT; engine PUMA C 96; Fitting Position: Left; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine 22DT; engine PUMA C 96; Fitting Position: Right; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine 22DT; engine PUMA C 96; Fitting Position: Upper; + AC
2.2 HDi 150	110/150	4HJ (P22DTE)	07/11->	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine PUMA C 110; Fitting Position: Right; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine PUMA C 110; Fitting Position: Left; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine PUMA C 110; Fitting Position: Upper; + AC
3.0 HDi 145	107/146	F1CE3481N	07/10->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine F 30DT; Fitting Position: Right
3.0 HDi 155	115/156	F1CE0481D (F30DT)	07/10->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine F 30DT; Fitting Position: Right
3.0 HDi 160	116/157	F1CE0481D (F30DT)	09/06->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Right
3.0 HDi 180	130/177	F1CE0481D (F30DT)	07/11->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine F 30DT; Fitting Position: Right
JUMPER Box (230L) 						
2.0	80/109	RFW (XU10J2U)	03/94->04/02	Tensioner	SR-1131	OD: 90; W: 25; ALT; engine XU10J2; Fitting Position: Lower; + AC
				Deflection/Guide	SR-1517	OD: 50; W: 26; ALT; engine DW10TD; Fitting Position: Centre; + AC; Fitting Position: Lower; - AC
2.0 HDI	62/84	RHV (DW10UTD)	11/01->04/02	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10TD; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW10TD; Fitting Position: Upper; - AC
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; engine DW10TD; Fitting Position: Upper; + AC
2.5 D	63/86	T9A (DJ5)	03/94->04/02	Tensioner	SR-1212	- holder; OD: 80; W: 26; WP; Fitting Position: Upper
2.5 D 4x4	63/86	T9A (DJ5)	03/00->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; PSP; Fitting Position: Left
				Tensioner	SR-1212	- holder; OD: 80; W: 26; WP; Fitting Position: Upper
2.5 DT 4x4	76/103	THZ (DJ5T)	10/96->08/97	Deflection/Guide	SR-1211	OD: 94; W: 26; PSP; Fitting Position: Left
				Tensioner	SR-1212	- holder; OD: 80; W: 26; WP; Fitting Position: Upper
2.5 TD	76/103	T8A (DJ5T)	03/94->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; PSP; Fitting Position: Left
				Tensioner	SR-1212	- holder; OD: 80; W: 26; WP; Fitting Position: Upper
2.5 TDi	79/107	THX (DJ5TED)	12/96->11/00	Deflection/Guide	SR-1211	OD: 94; W: 26; PSP; Fitting Position: Left
2.5 TDi 4x4	79/107	THX (DJ5TED)	03/00->11/00	Deflection/Guide	SR-1211	OD: 94; W: 26; PSP; Fitting Position: Left
2.8 D	64/87	8140.63 (F28D)	01/99->02/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
2.8 HDi	94/128	8140.43S	09/00->04/02	Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
				Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
2.8 HDi 4x4	94/128	8140.43S	09/00->04/02	Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
JUMPER Box (244) 						
2.0	81/110	XU10J2	04/02->	Tensioner	SR-1131	OD: 90; W: 25; ALT; engine XU10J2; Fitting Position: Lower; + AC
2.0 bivalent	81/110	XU10J2	02/03->	Tensioner	SR-1131	OD: 90; W: 25; ALT; engine XU10J2; Fitting Position: Lower; + AC
				Deflection/Guide	SR-1517	OD: 50; W: 26; ALT; ALT; engine DW10TD; Fitting Position: Lower; + AC; ->05/04; engine DW10TD; Fitting Position: Lower; - AC
2.0 HDi	62/84	RHV (DW10UTD);RHV (DW10TD)	04/02->	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10TD; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW10TD; Fitting Position: Upper; - AC
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; engine DW10TD; Fitting Position: Upper; + AC; 05/04->; engine DW10TD; Fitting Position: Upper; - AC
2.2 HDi	74/101	4HY (DW12UTED)	04/02->	Deflection/Guide	SR-1517	OD: 50; W: 26; ALT; ALT; ->05/04; engine DW12UTED; Fitting Position: Lower; - AC; engine DW12UTED; Fitting Position: Lower; + AC
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; engine DW12UTED; Fitting Position: Upper; + AC; 05/04->; engine DW12UTED; Fitting Position: Upper; - AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; ->05/04; engine DW12UTED; Fitting Position: Upper; - AC
2.8 HDi	94/128	8140.43S	04/02->	Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper








	kW/HP	Engine code		Type		
2.8 HDi	107/146	8140.43N	05/04->	Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
2.8 HDi 4x4	94/128	8140.43S	04/02->	Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
JUMPER Bus 						
2.2 HDi 100	74/101	4HV (P22DTE)	04/06->	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine 22DT 100CV; Fitting Position: Left; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine 22DT 100CV; Fitting Position: Right; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine 22DT 100CV; Fitting Position: Upper; + AC
2.2 HDi 110	81/110	4HG (P22DTE)	07/11->	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine PUMA C 81; Fitting Position: Right; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine PUMA C 81; Fitting Position: Left; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine PUMA C 81; Fitting Position: Upper; + AC
2.2 HDi 120	88/120	4HU (P22DTE)	04/06->	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine 22DT; Fitting Position: Left; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine 22DT; Fitting Position: Right; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine 22DT; Fitting Position: Upper; + AC
2.2 HDi 130	96/130	4HH (P22DTE)	07/11->	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine 22DT; engine PUMA C 96; Fitting Position: Left; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine 22DT; engine PUMA C 96; Fitting Position: Right; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine 22DT; engine PUMA C 96; Fitting Position: Upper; + AC
2.2 HDi 150	110/150	4HJ (P22DTE)	07/11->	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine PUMA C 110; Fitting Position: Left; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine PUMA C 110; Fitting Position: Right; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine PUMA C 110; Fitting Position: Upper; + AC
3.0 HDi 155	115/157	F1CE0481D (F30DT)	07/10->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine F 30DT; Fitting Position: Right
3.0 HDi 160	116/157	F1CE0481D (F30DT)	09/06->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine F 30DT; Fitting Position: Right
3.0 HDi 180	130/177	F1CE0481D (F30DT)	07/11->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine F 30DT; Fitting Position: Right
JUMPER Bus [230P] 						
2.0	80/109	RFW (XU10J2U)	02/94->04/02	Tensioner	SR-1131	OD: 90; W: 25; ALT; engine XU10J2; Fitting Position: Lower; + AC
2.0 4x4	80/109	RFW (XU10J2U)	08/96->04/02	Tensioner	SR-1131	OD: 90; W: 25; ALT; engine XU10J2; Fitting Position: Lower; + AC
2.5 D	63/86	T9A (DJ5)	08/94->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; PSP; Fitting Position: Left
				Tensioner	SR-1212	- holder; OD: 80; W: 26; WP; Fitting Position: Upper
2.5 D 4x4	63/86	T9A (DJ5)	08/96->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; PSP; Fitting Position: Left
				Tensioner	SR-1212	- holder; OD: 80; W: 26; WP; Fitting Position: Upper
2.5 TD	76/103	T8A (DJ5T)	08/94->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; PSP; Fitting Position: Left
				Tensioner	SR-1212	- holder; OD: 80; W: 26; WP; Fitting Position: Upper
2.5 TD 4x4	76/103	T8A (DJ5T)	08/96->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; PSP; Fitting Position: Left
				Tensioner	SR-1212	- holder; OD: 80; W: 26; WP; Fitting Position: Upper
2.5 TDi	79/107	THX (DJ5TED)	12/96->11/00	Deflection/Guide	SR-1211	OD: 94; W: 26; PSP; Fitting Position: Left
2.5 TDi 4x4	79/107	THX (DJ5TED)	12/96->11/00	Deflection/Guide	SR-1211	OD: 94; W: 26; PSP; Fitting Position: Left
2.8 D	64/87	8140.63 (F28D)	01/99->02/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
2.8 HDi	94/128	8140.43S	09/00->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
2.8 HDi 4x4	94/128	8140.43S	09/00->04/02	Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
JUMPER Bus [244, Z_] 						
2.0	81/110	XU10J2	04/02->	Tensioner	SR-1131	OD: 90; W: 25; ALT; engine XU10J2; Fitting Position: Lower; + AC
2.0 bivalent	81/110	XU10J2	02/03->	Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; + AC
2.0 HDi	62/84	RHV (DW10UTD)	04/02->	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10TD; Fitting Position: Right
				Deflection/Guide	SR-1517	OD: 50; W: 26; ALT; ALT; engine DW10TD; Fitting Position: Lower; + AC; ->05/04; engine DW10TD; Fitting Position: Lower; - AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; ->05/04; engine DW10TD; Fitting Position: Upper; - AC
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; engine DW10TD; Fitting Position: Upper; + AC; 05/04->; engine DW10TD; Fitting Position: Upper; - AC
2.2 HDi	74/101	4HY (DW12UTED)	04/02->	Deflection/Guide	SR-1517	OD: 50; W: 26; ALT; ALT; ->05/04; engine DW12UTED; Fitting Position: Lower; - AC; engine DW12UTED; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; ->05/04; engine DW12UTED; Fitting Position: Upper; - AC
2.8 HDi	94/128	8140.43S	04/02->	Deflection/Guide	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; engine DW12UTED; Fitting Position: Upper; + AC; 05/04->; engine DW12UTED; Fitting Position: Upper; - AC
				Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
2.8 HDi All-wheel Drive	94/128	8140.43S	04/02->	Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
JUMPER Platform/Chassis 						
2.2 HDi 100	74/101	4HV (P22DTE)	04/06->	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine 22DT 100CV; Fitting Position: Right; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine 22DT 100CV; Fitting Position: Left; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine 22DT 100CV; Fitting Position: Upper; + AC








	kW/HP	Engine code		Type		
2.2 HDi 110	81/110	4HG (P22DTE)	07/11->	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine PUMA C 81; Fitting Position: Right; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine PUMA C 81; Fitting Position: Left; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine PUMA C 81; Fitting Position: Upper; + AC
2.2 HDi 120	88/120	4HU (P22DTE)	04/06->	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine 22DT; Fitting Position: Left; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine 22DT; Fitting Position: Right; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine 22DT; Fitting Position: Upper; + AC
2.2 HDi 130	96/130	4HH (P22DTE)	07/11->	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine 22DT; engine PUMA C 96; Fitting Position: Right; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine 22DT; engine PUMA C 96; Fitting Position: Left; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine 22DT; engine PUMA C 96; Fitting Position: Upper; + AC
2.2 HDi 150	110/150	4HJ (P22DTE)	07/11->	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine PUMA C 110; Fitting Position: Right; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine PUMA C 110; Fitting Position: Left; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine PUMA C 110; Fitting Position: Upper; + AC
3.0 HDi 145	107/146	F1CE3481N	07/10->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine F 30DT; Fitting Position: Right
3.0 HDi 160	116/157	F1CE0481D (F30DT)	09/06->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine F 30DT; Fitting Position: Right
3.0 HDi 180	130/177	F1CE0481D (F30DT)	07/11->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine F 30DT; Fitting Position: Right
JUMPER Platform/Chassis [230] 						
2.0	80/109	RFW (XU10J2U)	03/94->04/02	Tensioner	SR-1131	OD: 90; W: 25; ALT; engine XU10J2; Fitting Position: Lower; + AC
2.5 D	63/86	T9A (DJ5)	03/94->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; PSP; Fitting Position: Left
				Tensioner	SR-1212	- holder; OD: 80; W: 26; WP; Fitting Position: Upper
2.5 D 4x4	63/86	T9A (DJ5)	03/00->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; PSP; Fitting Position: Left
				Tensioner	SR-1212	- holder; OD: 80; W: 26; WP; Fitting Position: Upper
2.5 TD	76/103	T8A (DJ5T)	03/94->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; PSP; Fitting Position: Left
				Tensioner	SR-1212	- holder; OD: 80; W: 26; WP; Fitting Position: Upper
2.5 TDi	79/107	THX (DJ5TED)	12/96->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; PSP; Fitting Position: Left
2.5 TDi 4x4	79/107	THX (DJ5TED)	03/00->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; PSP; Fitting Position: Left
2.8 D	64/87	8140.63 (F28D)	01/99->02/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
2.8 HDi	94/128	8140.43S	09/00->04/02	Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
2.8 HDi	93/126	8140.43S	10/00->01/02	Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
JUMPER Platform/Chassis [244] 						
2.0 HDi	62/84	RHV (DW10UTD)	04/02->	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10TD; Fitting Position: Right
				Deflection/Guide	SR-1517	OD: 50; W: 26; ALT; ALT; engine DW10TD; Fitting Position: Lower; + AC; ->05/04; engine DW10TD; Fitting Position: Lower; - AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; ->05/04; engine DW10TD; Fitting Position: Upper; - AC
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; engine DW10TD; Fitting Position: Upper; + AC; 05/04->; engine DW10TD; Fitting Position: Upper; - AC
2.2 HDi	74/101	4HY (DW12UTED)	02/02->06/06	Deflection/Guide	SR-1517	OD: 50; W: 26; ALT; ALT; ->05/04; engine DW12UTED; Fitting Position: Lower; - AC; engine DW12UTED; Fitting Position: Centre; + AC
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; engine DW12UTED; Fitting Position: Upper; + AC; 05/04->; engine DW12UTED; Fitting Position: Upper; - AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; ->05/04; engine DW12UTED; Fitting Position: Upper; - AC
2.2 HDi	74/101	4HY (DW12UTED)	04/02->	Deflection/Guide	SR-1517	OD: 50; W: 26; ALT; ALT; ->05/04; engine DW12UTED; Fitting Position: Lower; - AC; engine DW12UTED; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; ->05/04; engine DW12UTED; Fitting Position: Upper; - AC
2.8 HDi	94/128	8140.43S	04/02->	Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
2.8 HDi	107/146	8140.43N	05/04->	Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
2.8 HDi 4x4	94/128	F28TDCR	02/02->06/06	Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
JUMPY 						
1.6 HDi 90 16V	66/90	9HU (DV6UTED4)	01/07->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6UTED4; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV6UTED4; Fitting Position: Left
1.6 HDi 90 8V	66/90	9HM (DV6UC);9HH (DV6DUM)	01/07->	Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV6DU; engine DV6UC; Fitting Position: Left
2.0 i	103/140	RFH (EW10A)	01/07->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine EW10A; Fitting Position: Left
JUMPY (U6U) 						
1.6	58/79	220 A2.000;1580 SPI	10/95->	Tensioner	SR-1127	OD: 57; W: 24; engine 1580SPI
1.9 D	51/69	D9B (XUD9A/U)	10/95->04/98	Tensioner	SR-1129	OD: 70; W: 27; ALT; engine XUD9; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine XUD9; Fitting Position: Left; + AC; + PS






	kW/HP	Engine code		Type		
1.9 D 70	51/69	WJZ (DW8);WJY (DW8B)	04/98->	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW8; engine DW8B; Fitting Position: Right
				Deflection/Guide	SR-1406	OD: 37; W: 27; ALT; ALT; engine DW8B; Fitting Position: Lower; - AC; engine DW8; QTY 2; + PS; - AC; engine DW8; Fitting Position: Lower; QTY 1; + PS; - AC
				Deflection/Guide	SR-1407	OD: 60; thread size M10x1,5; W: 26; ALT; ALT; engine DW8B; Fitting Position: Centre; - AC; engine DW8; Fitting Position: Centre; + PS; - AC
				Tensioner	SR-1409	OD: 60; W: 27; ALT; engine DW8; Fitting Position: Lower Right; + PS; - AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; ALT; engine DW8; Fitting Position: Right; + AC; + PS; engine DW8B; Fitting Position: Centre; + AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine DW8; Fitting Position: Left; + AC; + PS; engine DW8B; Fitting Position: Left; + AC
1.9 TD	68/92	D8B (XUD9TF)	04/96->	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine XUD9TE; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine XUD9TE; Fitting Position: Centre; + AC; + PS
1.9 TD	66/90	DHX (XUD9TF/BTF)	10/95->	Tensioner	SR-1129	OD: 70; W: 27; ALT; engine XUD9TE; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine XUD9TE; Fitting Position: Left; + AC; + PS
2.0	100/136	RFN (EW10J4)	04/00->12/06	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; engine EW10J4; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; engine EW10J4; Fitting Position: Left
2.0 HDi 110	80/109	RHW (DW10ATED4)	03/00->	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10ATED4; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW10ATED4; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW10ATED4; Fitting Position: Left
2.0 HDi 110	80/109	RHZ (DW10ATED)	03/00->	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10ATED; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW10ATED; Fitting Position: Left
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW10ATED; Fitting Position: Centre; + AC
2.0 HDi 95	69/94	RHX (DW10BTED)	10/99->	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10BTED W3; Fitting Position: Right; 11/03-> engine DW10BTED W4; engine DW10BTED+; Fitting Position: Right; engine DW10BTED W3; engine DW10BTED W4; engine DW10BTED+
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW10BTED W3; engine DW10BTED W4; engine DW10BTED+; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW10BTED W3; engine DW10BTED W4; engine DW10BTED+; Fitting Position: Left
2.0 i 16V	102/138	RFN (EW10J4)	03/00->	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; engine EW10J4; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; engine EW10J4; Fitting Position: Left
JUMPY Box 						
1.6 HDi 90 16V	66/90	9HU (DV6UTED4)	01/07->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6UTED4; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV6UTED4; Fitting Position: Left
1.6 HDi 90 8V	66/90	9HM (DV6UC);9HH (DV6DUM)	01/07->	Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV6DU; engine DV6UC; Fitting Position: Left
2.0 i	103/140	RFH (EW10A)	01/07->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine EW10A; Fitting Position: Left
JUMPY Box (BS_, BT_, BY_, BZ_) 						
1.9 D 70	51/69	WJZ (DW8);WJY (DW8B)	04/98->	Tensioner	SR-1127	OD: 57; W: 24; engine 1580SPI
				Deflection/Guide	SR-1407	OD: 60; thread size M10x1,5; W: 26; ALT; ALT; engine DW8B; Fitting Position: Centre; - AC; engine DW8; Fitting Position: Centre; + PS; - AC
				Deflection/Guide	SR-1406	OD: 37; W: 27; ALT; ALT; engine DW8B; Fitting Position: Lower; - AC; engine DW8; QTY 2; + PS; - AC; engine DW8; Fitting Position: Lower; QTY 1; + PS; - AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW8; engine DW8B; Fitting Position: Right
1.9 TD	66/90	DHX (XUD9TF/BTF)	10/95->	Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; engine DW8B; Fitting Position: Upper; - AC; engine DW8; Fitting Position: Upper; + PS; - AC
				Tensioner	SR-1409	OD: 60; W: 27; ALT; engine DW8; Fitting Position: Lower Right; + PS; - AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine DW8; Fitting Position: Left; + AC; + PS; engine DW8B; Fitting Position: Left; + AC
1.9 TD	66/90	DHX (XUD9TF/BTF)	10/95->	Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW8; Fitting Position: Right; + AC; + PS; engine DW8B; Fitting Position: Centre; + AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine XUD9TE; Fitting Position: Left; + AC; + PS
2.0 HDi 110	80/109	RHW (DW10ATED4)	01/02->	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10ATED4; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW10ATED4; Fitting Position: Left
2.0 HDi 110	80/109	RHZ (DW10ATED)	01/02->	Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW10ATED4; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10ATED; Fitting Position: Right
2.0 HDi 95	69/94	RHX (DW10BTED)	10/99->	Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW10ATED; Fitting Position: Left
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW10ATED; Fitting Position: Centre; + AC
2.0 i 16V	102/138	RFN (EW10J4)	03/00->	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10BTED W3; Fitting Position: Right; Fitting Position: Right; engine DW10BTED W4; engine DW10BTED+; Fitting Position: Right
				Tensioner	SR-1424	OD: 70; W: 27; ALT; engine DW10BTED W3; engine DW10BTED W4; engine DW10BTED+; Fitting Position: Centre; + AC
2.0 i 16V	102/138	RFN (EW10J4)	03/00->	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; engine EW10J4; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; engine EW10J4; Fitting Position: Left






	kW/HP	Engine code		Type		
JUMPY Platform/Chassis [BU_, BV_, BW_, BX_] 						
1.9 TD	68/92	D8B (XUD9TF)	10/99->	Tensioner	SR-1129	OD: 70; W: 27; ALT; engine XUD9TE; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine XUD9TE; Fitting Position: Left; + AC; + PS
				Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10ATED4; Fitting Position: Right
2.0 HDi 110 16V	80/109	RHW (DW10ATED4)	12/03->10/06	Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW10ATED4; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW10ATED4; Fitting Position: Left
2.0 HDi 95	69/94	RHX (DW10BTED)	10/99->	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10BTED W3; Fitting Position: Right; Fitting Position: Right; engine DW10BTED W4; engine DW10BTED+; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW10BTED W3; engine DW10BTED W4; engine DW10BTED+; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW10BTED W3; engine DW10BTED W4; engine DW10BTED+; Fitting Position: Left
NEMO Box [AA_] 						
1.4	54/73	KFV (TU3A)	02/08->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU3A; engine TU3AE5; Fitting Position: Centre
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; engine TU3A; engine TU3AE5
1.4 HDi	50/68	8HS (DV4TED)	02/08->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV4TED
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV4TED; Fitting Position: Left
NEMO Estate 						
1.4	54/73	KFV (TU3A);KFT (TU3A)	04/09->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU3A; engine TU3AE5; Fitting Position: Centre
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; engine TU3A; engine TU3AE5
1.4 HDi	50/68	8HS (DV4TED)	04/09->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV4TED
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV4TD; Fitting Position: Left
SAXO [S0, S1] 						
1.0 X	33/45	CDZ (TU9M)	05/96->11/98	Tensioner	SR-1122	OD: 59; W: 22
1.0 X	37/50	CDZ (TU9M)	05/98->06/03	Tensioner	SR-1122	OD: 59; W: 22
1.1 BiFuel	44/60	HDZ (TU1M)	07/00->06/03	Tensioner	SR-1122	OD: 59; W: 22; engine TU1M+
1.1 X,SX	40/54	HDZ (TU1M)	05/96->09/03	Tensioner	SR-1122	OD: 59; W: 22; engine TU1M+
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; engine TU1M+; Fitting Position: Lower; + AC
1.1 X,SX	44/60	HDZ (TU1M);HFX (TU1JP)	05/96->09/03	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; engine TU1JP; Fitting Position: Lower; + AC
				Tensioner	SR-1122	OD: 59; W: 22; -eng.# 3762433; engine TU1JP
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; eng.# 3762434->; engine TU1JP
1.4 VTS	55/75	KFV (TU3JP);KFW (TU3JP)	05/96->06/03	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; engine TU3JP; Fitting Position: Lower; + AC
				Tensioner	SR-1122	OD: 59; W: 22; -eng.# 3666765; engine TU3JP
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; eng.# 3666766->
1.5 D	40/54	VJY (TUD5)	09/96->09/03	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
1.5 D	42/57	VJZ (TUD5)	09/96->06/01	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
1.6	74/101	NFT (TU5JP)	02/01->04/04	Tensioner	SR-1122	OD: 59; W: 22; engine NFT
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Lower; + AC
1.6	66/90	NFZ (TU5JP)	02/96->06/03	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1122	OD: 59; W: 22
1.6	88/120	NFX (TU5JP4)	02/96->04/04	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Lower
				Tensioner	SR-1122	OD: 59; W: 22
1.6 VTL,VTR	65/88	NFZ (TU5JP)	05/96->06/03	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Lower; + AC
1.6 VTS	87/118	NFX (TU5JP4)	06/96->09/03	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Lower
				Tensioner	SR-1122	OD: 59; W: 22; engine NFT
1.6 VTS	72/98	NFT (TU5JP)	09/00->09/03	Tensioner	SR-1122	OD: 59; W: 22; engine NFT
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Lower; + AC
XANTIA [X1] 						
1.6 i	65/88	BFZ (XU5JP)	03/93->01/98	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; - AC
				Tensioner	SR-1122	OD: 59; W: 22
1.8 i	74/101	LFZ (XU7JP)	03/93->01/98	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1122	OD: 59; W: 22
				Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; - AC
1.8 i	66/90	LFX (XU7JB)	04/97->01/98	Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1122	OD: 59; W: 22
1.8 i 16V	81/110	LFY (XU7JP4)	06/95->01/98	Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; ACC 90; Fitting Position: Left; + AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
1.9 D	50/68	DJZ (XUD9Y)	06/94->01/98	Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; - AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
1.9 D	51/69	D9B (XUD9A/L)	06/94->01/98	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
1.9 SD	55/75	DHW (XUD9SD)	02/96->01/98	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC






	kW/HP	Engine code		Type		
1.9 Turbo D	66/90	DHX (XUD9TF/BTF);DHY (XUD9TE/Y)	10/94->01/98	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
				Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC
2.0 i	89/121	RFX (XU10J2C)	03/93->01/98	Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; - AC
				Tensioner	SR-1122	OD: 59; W: 22; engine XU10J2
2.0 i 16V	112/152	RFY (XU10J4/Z)	03/93->01/98	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Centre; - AC
2.0 i 16V	110/150	RFT (XU10J4/Z)	06/94->01/98	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Centre; - AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
2.0 i 16V	97/132	RFV (XU10J4R)	06/95->01/98	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Upper; + AC
2.0 Turbo	108/147	RGX (XU10J2TE)	06/95->01/98	Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1122	OD: 59; W: 22
2.1 Turbo D 12V	80/109	P8C (XUD11BTE)	06/95->01/98	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
3.0 i 24V	140/190	XFZ (ES9J4)	01/97->01/98	Deflection/Guide	SR-1366	OD: 65; W: 26,6; ALT; Fitting Position: Centre
XANTIA (X2) 						
1.8 i	66/90	LFX (XU7JB)	01/98->04/03	Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; ACC 90; Fitting Position: Left; + AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ->06/98; Fitting Position: Centre; - AC
1.8 i 16V	81/110	LFY (XU7JP4)	01/98->04/03	Deflection/Guide	SR-1125	OD: 60; W: 30; ->01/00; Fitting Position: Right; DEPOLLUTION CEE 2000; man. TPA; 01/00->; Fitting Position: Right; DEPOLLUTION CEE 2000; auto. TPA; Fitting Position: Right; DEPOLLUTION CEE 95; auto. TPA
				Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; ACC 90; Fitting Position: Left; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ->06/98; Fitting Position: Centre; - AC
1.9 SD	55/75	DHW (XUD9SD)	01/98->04/03	Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1130	OD: 90; W: 25; ALT; ->06/98; Fitting Position: Centre; - AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
1.9 Turbo D	66/90	DHX (XUD9TF/BTF);DHY (XUD9TE/Y)	01/98->04/03	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1130	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
2.0 HDI 109	80/109	RHZ (DW10ATED)	02/99->04/03	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
2.0 HDI 90	66/90	RHY (DW10TD)	03/99->04/03	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10TD; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
2.0 i	89/121	RFX (XU10J2C)	01/98->04/03	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Centre; - AC
2.0 i 16V	97/132	RFV (XU10J4R)	01/98->04/03	Tensioner	SR-1122	OD: 59; W: 22; engine XU10J2
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; Fitting Position: Left; + AC
2.0 Turbo	108/147	RGX (XU10J2TE)	01/98->04/03	Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1122	OD: 59; W: 22
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
2.1 Turbo D 12V	80/109	P8C (XUD11BTE)	01/98->02/99	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
3.0 V6	140/190	XFZ (ES9J4)	01/98->04/03	Deflection/Guide	SR-1366	OD: 65; W: 26,6; ALT; Fitting Position: Centre
XANTIA Break (X1) 						
1.8 i	66/90	LFX (XU7JB)	04/97->01/98	Tensioner	SR-1131	OD: 90; W: 25; ALT; engine XU7JB; Fitting Position: Centre
				Tensioner	SR-1122	OD: 59; W: 22; engine XU7JB
				Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC
1.8 i	74/101	LFZ (XU7JP)	06/95->01/98	Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Centre; - AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1122	OD: 59; W: 22
1.8 i 16V	81/110	LFY (XU7JP4)	06/95->01/98	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; ACC 90; Fitting Position: Left; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; - AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC






	kW/HP	Engine code		Type		
1.9 SD	55/75	DHW [XUD9SD]	04/97->01/98	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
1.9 Turbo D	66/90	DHX [XUD9TF/BTF];DHY [XUD9TE/Y];D8B [XUD9TF]	06/95->01/98	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
2.0 i	89/121	RFX [XU10J2C]	06/95->01/98	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1122	OD: 59; W: 22; engine XU10J2
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
2.0 i 16V	97/132	RFV [XU10J4R]	06/95->01/98	Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; - AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
2.0 Turbo	108/147	RGX [XU10J2TE]	06/95->01/98	Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Upper; + AC
2.1 Turbo D 12V	80/109	P8C [XUD11BTE]	06/96->01/98	Tensioner	SR-1132	- holder; OD: 70; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1122	OD: 59; W: 22
2.1 Turbo D 12V	80/109	P8C [XUD11BTE]	06/96->01/98	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
2.1 Turbo D 12V	80/109	P8C [XUD11BTE]	06/96->01/98	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1122	OD: 59; W: 22
XANTIA Break (X2) 						
1.8 i	66/90	LFX [XU7JB]	01/98->04/03	Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; ACC 90; Fitting Position: Left; + ACOM
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ->06/98; Fitting Position: Centre; - AC
				Tensioner	SR-1122	OD: 59; W: 22
1.8 i 16V	81/110	LFY [XU7JP4]	01/98->04/03	Deflection/Guide	SR-1125	OD: 60; W: 30; ->01/00; Fitting Position: Right; DEPOLLUTION CEE 2000; man. TPA; 01/00->; Fitting Position: Right; DEPOLLUTION CEE 2000; DEPOLLUTION CEE 95; auto. TPA; 01/00->; Fitting Position: Right; DEPOLLUTION CEE 2000; auto. TPA
				Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; ACC 90; Fitting Position: Left; + AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
1.9 SD	55/75	DHW [XUD9SD]	01/98->04/03	Tensioner	SR-1131	OD: 90; W: 25; ALT; ->06/98; Fitting Position: Centre; - AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
1.9 Turbo D	66/90	DHX [XUD9TF/BTF];D8B [XUD9TF]	01/98->04/03	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
2.0 HDI 109	80/109	RHZ [DW10ATED]	02/99->04/03	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
2.0 HDI 90	66/90	RHY [DW10TD]	03/99->04/03	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
2.0 i	89/121	RFX [XU10J2C]	01/98->04/03	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1122	OD: 59; W: 22; engine XU10J2
2.0 i 16V	97/132	RFV [XU10J4R]	01/98->04/03	Tensioner	SR-1131	OD: 90; W: 25; ALT; - AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC
2.0 Turbo	108/147	RGX [XU10J2TE]	01/98->04/03	Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
2.1 Turbo D 12V	80/109	P8C [XUD11BTE]	01/98->02/99	Tensioner	SR-1122	OD: 59; W: 22
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
2.1 Turbo D 12V	80/109	P8C [XUD11BTE]	01/98->02/99	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
3.0 V6	140/190	XFZ [ES9J4]	01/98->04/03	Deflection/Guide	SR-1366	OD: 65; W: 26,6; ALT; Fitting Position: Centre
XM (Y3) 						
2.0	94/128	R6A	05/89->06/94	Tensioner	SR-1122	OD: 59; W: 22; 01/93->
2.0 i	89/121	RFZ [XU10J2]	05/89->06/94	Tensioner	SR-1122	OD: 59; W: 22; 01/93->
2.0 i	79/107	RDZ [XU10MZ]	05/89->04/94	Tensioner	SR-1122	OD: 59; W: 22; 01/93->
2.0 i Turbo	104/141	RGY [XU10J2TE/Z]	09/92->06/94	Tensioner	SR-1122	OD: 59; W: 22
2.1 D 12V	60/82	P9A [XUD11A]	05/89->06/94	Deflection/Guide	SR-1128	OD: 60; W: 29; Fitting Position: Right
2.1 TD 12V	80/109	P8A [XUD11ATE];PHZ [XUD11ATE];PJZ [XUD11ATE]	05/89->06/94	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
XM (Y4) 						
2.0 i 16V	97/132	RFV [XU10J4R]	05/94->10/00	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; 06/95->; Fitting Position: Left; + AC
				Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; ->05/95; Fitting Position: Left; + AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; 06/95->; Fitting Position: Centre; + AC; ->05/95; Fitting Position: Centre; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ->05/95; Fitting Position: Centre; - AC

	kW/HP	Engine code		Type		
2.0 Turbo	108/147	RGX (XU10J2TE)	05/94->10/00	Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; 06/95->; Fitting Position: Left; + AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; 06/95->; Fitting Position: Centre; + AC
				Tensioner	SR-1122	OD: 59; W: 22; engine XU10J2TE
2.1 TD 12V	80/109	P8A (XUD11ATE);PHZ (XUD11ATE);PJZ (XUD11ATE);P8C (XUD11BTE)	05/94->10/00	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; 06/95->; Fitting Position: Right; + AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; 06/95->; Fitting Position: Left; + AC
3.0 V6	140/190	XFZ (ES9J4)	04/97->10/00	Deflection/Guide	SR-1366	OD: 65; W: 26,6; ALT; Fitting Position: Lower
XM Break (Y3) 						
2.0	94/128	R6A	05/89->06/94	Tensioner	SR-1122	OD: 59; W: 22; 01/93->; engine XU102C
2.0 i	89/121	RFZ (XU10J2)	11/91->04/94	Tensioner	SR-1122	OD: 59; W: 22; 01/93->
2.0 i (Y3A)	79/107	RDZ (XU10MZ);XU102C	11/91->04/94	Tensioner	SR-1122	OD: 59; W: 22; 01/93->
2.0 Turbo	104/141	RGY (XU10J2TE/Z)	09/92->04/94	Tensioner	SR-1122	OD: 59; W: 22
2.1 D 12V	60/82	P9A (XUD11A)	11/91->04/94	Deflection/Guide	SR-1128	OD: 60; W: 29; Fitting Position: Right
2.1 TD 12V	80/109	P8A (XUD11ATE);PHZ (XUD11ATE);PJZ (XUD11ATE);P8C (XUD11BTE)	11/91->04/94	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
XM Break (Y4) 						
2.0 i 16V	97/132	RFV (XU10J4R)	05/94->10/00	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; ->05/95; Fitting Position: Left; + AC
				Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; 06/95->; Fitting Position: Left; + AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right; man. TPA
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; ALT; 06/95->; Fitting Position: Centre; + AC; ->05/95; Fitting Position: Centre; + AC
2.0 Turbo	108/147	RGX (XU10J2TE);RGY (XU10J2TE/Z)	05/94->10/00	Tensioner	SR-1131	OD: 90; W: 25; ALT; ->05/95; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; 06/95->; Fitting Position: Left; + AC
				Tensioner	SR-1122	OD: 59; W: 22
2.1 D12	60/82	P9A (XUD11A)	07/94->06/96	Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; 06/95->; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1128	OD: 60; W: 29; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; 06/95->; Fitting Position: Centre; + AC
2.1 TD 12V	80/109	PHZ (XUD11ATE);PJZ (XUD11ATE);P8C (XUD11BTE)	05/94->10/00	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; 06/95->; Fitting Position: Left; + AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; 06/95->; Fitting Position: Right; + AC
3.0 V6	140/190	XFZ (ES9J4)	04/97->10/00	Deflection/Guide	SR-1366	OD: 65; W: 26,6; ALT; Fitting Position: Lower
XSARA (N1) 						
1.4 HDi	50/68	8HX (DV4TD)	01/03->03/05	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV4TD
				Tensioner	SR-1509	- holder; ID: 17; OD: 55; W: 26; ALT; engine DV4TD; Fitting Position: Left
				Deflection/Guide	SR-1387	OD: 70; W: 27; ALT; ->12/01; engine TU3JP; MD Generation 2; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; 12/01->; engine TU3JP; MD Generation 2; Fitting Position: Centre; + AC
				Tensioner	SR-1122	OD: 59; W: 22; ->eng.# 3666765
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; PSP; engine TU3JP; MD Generation 1; Fitting Position: Lower
				Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; 12/01->; engine TU3JP; MD Generation 2; Fitting Position: Left; + AC
1.4 i	55/75	KFX (TU3JP);KFW (TU3JP)	04/97->03/05	Tensioner	SR-1388	- holder; OD: 65; W: 27; ALT; ->12/01; engine TU3JP; MD Generation 2; Fitting Position: Left; + AC
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; engine TU3JP; MD Generation 2; Fitting Position: Left; - AC
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; eng.# 3666766->
				Deflection/Guide	SR-1125	OD: 60; W: 30; engine TUD5; Fitting Position: Right
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; engine TUD5; Fitting Position: Lower
				Deflection/Guide	SR-1387	OD: 70; W: 27; ALT; ->12/01; engine TU5JP4; Fitting Position: Centre; + AC
1.6 16V	80/109	NFU (TU5JP4)	09/00->03/05	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; 12/01->; engine TU5JP4; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1340	OD: 60; W: 30; eng.# 1804405->; engine TU5JP4; Fitting Position: Right
				Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; 12/01->; engine TU5JP4; Fitting Position: Left; + AC
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; engine TU5JP4; Fitting Position: Left; - AC
				Tensioner	SR-1388	- holder; OD: 65; W: 27; ALT; ->12/01; engine TU5JP4; Fitting Position: Left; + AC
1.6 i	65/88	NFZ (TU5JP)	04/97->09/00	Tensioner	SR-1122	OD: 59; W: 22; engine TU5JP
				Tensioner	SR-1123	- holder; OD: 65; W: 27; PSP; ACCOM; engine TU5JP; Fitting Position: Lower
1.8 D	43/58	161A (XUD7);A9A (XUD7)	04/97->09/00	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC; + PS
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC; + PS
1.8 i	66/90	LFX (XU7JB)	04/97->09/00	Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; engine XU7JB; Fitting Position: Left; + AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; engine XU7JB; Fitting Position: Centre; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ->06/98; Fitting Position: Lower; - AC
				Tensioner	SR-1122	OD: 59; W: 22; engine XU7JB
1.8 i 16V	81/110	LFY (XU7JP4)	04/97->09/00	Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; engine XU7JP4; Fitting Position: Left; + AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1131	OD: 90; W: 25; ALT; engine XU7JP4; Fitting Position: Lower; - AC
Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; engine XU7JP4; Fitting Position: Centre; + AC				

	kW/HP	Engine code		Type		
1.8 i Aut.	74/101	LFZ [XU7JP]	04/97->09/00	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; engine XU7JP; Fitting Position: Left; + AC
				Tensioner	SR-1122	OD: 59; W: 22; engine XU7JP
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ->06/98; engine XU7JP; Fitting Position: Lower; - AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; engine XU7JP; Fitting Position: Centre; + AC
1.9 D	50/68	DJY [XUD9A]	04/97->09/00	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine XUD9; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine XUD9; Fitting Position: Right; + AC; + PS
1.9 D	51/70	WJZ [DW8];WJY [DW8B]	07/98->03/05	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW8; engine DW8B; Fitting Position: Right
				Deflection/Guide	SR-1407	OD: 60; thread size M10x1,5; W: 26; ALT; ALT; 10/99->; engine DW8; Fitting Position: Centre; + PS; - AC; engine DW8B; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1406	OD: 37; W: 27; ALT; ALT; ALT; 10/99->; engine DW8; Fitting Position: Lower; + PS; - AC; ->10/99; engine DW8; QTY 2; + PS; - AC; engine DW8B; Fitting Position: Lower; - AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; ALT; engine DW8; Fitting Position: Right; + AC; + PS; engine DW8B; Fitting Position: Centre; + AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine DW8; Fitting Position: Left; + AC; + PS; ->03/03; engine DW8B; Fitting Position: Upper; + AC
				Tensioner	SR-1409	OD: 60; W: 27; ALT; ->10/99; engine DW8; Fitting Position: Left; + PS; - AC
1.9 SD	55/75	DHV [XUD9BSD]	01/98->09/00	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC; + PS
1.9 TD	66/90	DHY [XUD9TE/Y]	04/97->09/00	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Upper; + AC
2.0 16V	120/163	RFS [XU10J4RS]	04/97->09/00	Deflection/Guide	SR-1125	OD: 60; W: 30; ->04/00; Fitting Position: Right; man. TPA; 04/00->; Fitting Position: Right; auto. TPA
				Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
2.0 16V	97/132	RFV [XU10J4R]	07/98->09/00	Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; Fitting Position: Left; + AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
2.0 16V	100/136	RFN [EW10J4]	09/00->03/05	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 HDi 109	80/109	RHZ [DW10ATED]	05/01->03/05	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
2.0 HDi 90	66/90	RHY [DW10TD]	02/99->03/05	Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
				Deflection/Guide	SR-1125	OD: 60; W: 30; 10/00->; Fitting Position: Right; ->10/00; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
XSARA Break [N2] 				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
1.4 HDi	50/68	8HX [DV4TD]	01/03->08/05	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30
				Tensioner	SR-1509	- holder; ID: 17; OD: 55; W: 26; ALT; Fitting Position: Left
				Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; 12/01->; MD Generation 2; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1387	OD: 70; W: 27; ALT; ->12/01; MD Generation 2; Fitting Position: Centre; + AC
1.4 i	55/75	KFX [TU3JP];KFW [TU3JP]	10/97->08/05	Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; PSP; Fitting Position: Lower; Fitting Position: Lower
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; eng.# 3666766->
				Tensioner	SR-1122	OD: 59; W: 22; ->eng.# 3666765
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; MD Generation 2; Fitting Position: Left; - AC
				Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; 12/01->; MD Generation 2; Fitting Position: Left; + AC
				Tensioner	SR-1388	- holder; OD: 65; W: 27; ALT; ->12/01; MD Generation 2; Fitting Position: Left; + AC
1.5 D	42/57	VJZ [TUD5]	10/97->09/00	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; engine TUD5; Fitting Position: Lower
1.6 16V	80/109	NFU [TU5JP4]	09/00->08/05	Deflection/Guide	SR-1387	OD: 70; W: 27; ALT; ->12/01; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; 12/01->; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1340	OD: 60; W: 30; eng.# 1806405->; Fitting Position: Right
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; Fitting Position: Left; - AC
1.6 i	65/88	NFZ [TU5JP]	10/97->09/00	Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; 12/01->; Fitting Position: Left; + AC
				Tensioner	SR-1388	- holder; OD: 65; W: 27; ALT; ->12/01; Fitting Position: Left; + AC
				Tensioner	SR-1122	OD: 59; W: 22; engine TU5JP
1.8 D	43/58	A9A [XUD7]	10/97->09/00	Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; PSP; Fitting Position: Lower; Fitting Position: Lower
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC; + PS
1.8 i	66/90	LFX [XU7JB]	10/97->09/00	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC; + PS
				Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1122	OD: 59; W: 22
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ->06/98; Fitting Position: Lower; - AC
1.8 i 16V	81/110	LFY [XU7JP4]	10/97->09/00	Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; - AC

	kW/HP	Engine code		Type		
1.8 i Aut.	74/101	LFZ (XU7JP)	10/97->09/00	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ->06/98; Fitting Position: Lower; - AC
				Tensioner	SR-1122	OD: 59; W: 22
1.9 D	55/75	DHV (XUD9BSD)	01/98->09/00	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC; + PS
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC; + PS
1.9 D	51/70	WJZ (DW8);WJY (DW8B)	07/98->08/05	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW8; engine DW8B; Fitting Position: Right
				Deflection/Guide	SR-1406	OD: 37; W: 27; ALT; ALT; ALT; 10/99->; engine DW8; Fitting Position: Lower; + PS; - AC; ->10/99; engine DW8; QTY 2; + PS; - AC; engine DW8B; Fitting Position: Lower; - AC
				Deflection/Guide	SR-1407	OD: 60; thread size M10x1,5; W: 26; ALT; ALT; 10/99->; engine DW8; Fitting Position: Centre; + PS; - AC; engine DW8B; Fitting Position: Centre; - AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; engine DW8; Fitting Position: Left; + AC; + PS; ->03/03; engine DW8B; Fitting Position: Left; + AC
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; 10/99->; engine DW8; Fitting Position: Upper; + PS; - AC; engine DW8B; Fitting Position: Upper; - AC
				Tensioner	SR-1409	OD: 60; W: 27; ALT; ->10/99; engine DW8; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; ALT; ALT; engine DW8; Fitting Position: Right; + AC; + PS; 03/03->; engine DW8B; Fitting Position: Centre; + AC; ->03/03; engine DW8B; Fitting Position: Right; + AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC; + PS
1.9 D	50/68	DJY (XUD9A)	10/97->09/00	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC; + PS
1.9 TD	66/90	DHY (XUD9TE/Y)	10/97->09/00	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC; + PS
2.0 16V	97/132	RFV (XU10J4R)	07/98->09/00	Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; Fitting Position: Left; + AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
2.0 16V	100/136	RFN (EW10J4)	09/00->08/05	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 HDi 109	80/109	RHZ (DW10ATED)	05/01->08/05	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
2.0 HDi 90	66/90	RHY (DW10TD)	02/99->08/05	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; 10/00->; Fitting Position: Right; ->10/00; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
XSARA Coupe (N0) 						
1.4 HDi	50/68	8HX (DV4TD)	01/03->03/05	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30
				Tensioner	SR-1509	- holder; ID: 17; OD: 55; W: 26; ALT; Fitting Position: Left
				Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; 12/01->; MD Generation 2; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1387	OD: 70; W: 27; ALT; ->12/01; MD Generation 2; Fitting Position: Centre; + AC
1.4 i	55/75	KFX (TU3JP);KFW (TU3JP)	03/98->03/05	Tensioner	SR-1122	OD: 59; W: 22; ->eng.# 3666765
				Tensioner	SR-1123	- holder; OD: 65; W: 27; PSP; MD Generation 1; Fitting Position: Lower; + AC; - AC
				Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; 12/01->; MD Generation 2; Fitting Position: Left; + AC
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; eng.# 3666766->
				Tensioner	SR-1388	- holder; OD: 65; W: 27; ALT; ->12/01; MD Generation 2; Fitting Position: Left; + AC
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; MD Generation 2; Fitting Position: Left; - AC
				Deflection/Guide	SR-1340	OD: 60; W: 30; eng.# 1806405->; Fitting Position: Right
				Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; 12/01->; Fitting Position: Centre; + AC
1.6 16V	80/109	NFU (TU5JP4)	09/00->03/05	Deflection/Guide	SR-1387	OD: 70; W: 27; ALT; ->12/01; Fitting Position: Centre; + AC
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; Fitting Position: Left; - AC
				Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; 12/01->; Fitting Position: Left; + AC
				Tensioner	SR-1388	- holder; OD: 65; W: 27; ALT; ->12/01; Fitting Position: Left; + AC
1.6 i	65/88	NFZ (TU5JP)	02/98->09/00	Tensioner	SR-1123	- holder; OD: 65; W: 27; PSP; Fitting Position: Lower; + AC; - AC
				Tensioner	SR-1122	OD: 59; W: 22; engine TU5JP
1.8 i	66/90	LFX (XU7JB)	02/98->09/00	Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1122	OD: 59; W: 22
1.8 i	74/101	LFZ (XU7JP)	02/98->09/00	Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ->06/98; Fitting Position: Lower; - AC
				Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1122	OD: 59; W: 22; engine XU7JP
1.8 i 16V	81/110	LFY (XU7JP4)	02/98->09/00	Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; - AC
1.9 D	50/68	DJY (XUD9A)	02/98->09/00	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
1.9 D	50/68	DJY (XUD9A)	02/98->09/00	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC; + PS

	kW/HP	Engine code		Type		
1.9 D	55/75		02/98->05/99	Tensioner	SR-1129	OD: 70; W: 27; ALT; engine XUD9BSD; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; engine XUD9BSD; Fitting Position: Left; + AC; + PS
				Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW8; engine DW8B; Fitting Position: Right
				Deflection/Guide	SR-1407	OD: 60; thread size M10x1,5; W: 26; ALT; ALT; 10/99->; engine DW8; Fitting Position: Centre; + PS; - AC; engine DW8B; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1406	OD: 37; W: 27; ALT; ALT; ALT; 10/99->; engine DW8; Fitting Position: Lower; + PS; - AC; ->10/99; engine DW8; QTY 2; + PS; - AC; engine DW8B; Fitting Position: Lower; - AC
1.9 D	51/70	WJZ (DW8);WJY (DW8B)	02/99->03/05	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; engine DW8; Fitting Position: Left; + AC; + PS; ->03/03; engine DW8B; Fitting Position: Left; + AC
				Tensioner	SR-1409	OD: 60; W: 27; ALT; ->10/99; engine DW8; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; 10/99->; engine DW8; Fitting Position: Upper; + PS; - AC; engine DW8B; Fitting Position: Upper; - AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; ALT; ALT; engine DW8; Fitting Position: Right; + AC; + PS; 03/03->; engine DW8B; Fitting Position: Centre; + AC; ->03/03; engine DW8B; Fitting Position: Right; + AC
1.9 TD	66/90	DHY (XUD9TE/Y)	02/98->09/00	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC; + PS
2.0 16V	100/136	RFN (EW10J4)	09/00->03/05	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 HDi 109	80/109	RHZ (DW10ATED)	05/01->03/05	Tensioner	SR-1129	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
2.0 HDI 90	66/90	RHY (DW10TD)	02/99->03/05	Deflection/Guide	SR-1125	OD: 60; W: 30; 10/00->; Fitting Position: Right; ->10/00; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
2.0 i 16V	120/163	RFS (XU10J4RS)	02/98->03/05	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; ->04/00; Fitting Position: Right; man. TPA. 04/00->; Fitting Position: Right; auto. TPA
				Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; Fitting Position: Left; + AC
XSARA PICASSO [N68] 						
1.6	65/88	NFZ (TU5JP)	12/99->	Deflection/Guide	SR-1387	OD: 70; W: 27; ALT; engine TU5JP; Fitting Position: Centre; + AC
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; engine TU5JP; Fitting Position: Left; - AC
				Tensioner	SR-1388	- holder; OD: 65; W: 27; ALT; engine TU5JP; Fitting Position: Left; + AC
				Tensioner	SR-1122	OD: 59; W: 22; engine TU5JP
1.6	70/95	NFV (TU5JP)	12/99->	Deflection/Guide	SR-1387	OD: 70; W: 27; ALT; engine TU5JP; Fitting Position: Centre; + AC
				Tensioner	SR-1388	- holder; OD: 65; W: 27; ALT; engine TU5JP; Fitting Position: Left; + AC
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; engine TU5JP; Fitting Position: Left; - AC
				Tensioner	SR-1122	OD: 59; W: 22; engine TU5JP
1.6 16V	80/109	NFU (TU5JP4)	09/05->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; ACC 80; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1340	OD: 60; W: 30; engine TU5JP4; Fitting Position: Right
				Deflection/Guide	SR-1407	OD: 60; thread size M10x1,5; W: 26; ALT; ->10/06; ACC 120; Fitting Position: Centre; + AC
1.6 HDi	80/109	9HZ (DV6TED4);9HY (DV6TED4)	05/04->	Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; Fitting Position: Left; - AC
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; ACC 120; Fitting Position: Upper; + AC
				Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6TED4; Fitting Position: Right
1.6 HDi	66/90	9HX (DV6ATED4)	09/05->	Tensioner	SR-1509	- holder; ID: 17; OD: 55; W: 26; ALT; Fitting Position: Left
				Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6ATED4; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; Fitting Position: Left; + AC
1.8 16V	85/115	6FZ (EW7J4)	02/00->	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; engine EW7J4; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; engine EW7J4; Fitting Position: Left
2.0 16V	100/136	RFN (EW10J4)	01/03->	Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; ->04/07; engine EW10J4; Fitting Position: Left
				Deflection/Guide	SR-1125	OD: 60; W: 30; 10/00->; Fitting Position: Right; ->10/00; Fitting Position: Right
2.0 HDi	66/90	RHY (DW10TD)	12/99->	Tensioner	SR-1129	OD: 70; W: 27; ALT; ->05/06; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
				Deflection/Guide	SR-1125	OD: 60; W: 30; 10/00->; Fitting Position: Right; ->10/00; Fitting Position: Right
2.0 HDi	80/109	RHZ (DW10ATED)	12/99->	Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW10TD; Fitting Position: Upper
				Tensioner	SR-1129	OD: 70; W: 27; ALT; ->05/06; engine DW10TD; Fitting Position: Centre; + AC
ZX [N2] 						
1.1	40/54	H1B;H1A	03/91->08/93	Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; PSP; Fitting Position: Lower; Fitting Position: Lower
				Tensioner	SR-1122	OD: 59; W: 22; engine TU1
1.1	44/60	HDZ (TU1M)	03/91->06/97	Tensioner	SR-1122	OD: 59; W: 22; engine TU1M; engine TU1M+
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; PSP; Fitting Position: Lower; Fitting Position: Lower
1.4	55/75	KDZ (TU3M/Z)	03/91->06/97	Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; PSP; Fitting Position: Lower; Fitting Position: Lower
				Tensioner	SR-1122	OD: 59; W: 22; engine TU3M; engine TU3MC; engine TU3-2; engine TU3-2
1.4 i	55/75	KDZ (TU3M/Z);KDX (TU3M/Z);KFX (TU3JP)	03/91->06/97	Tensioner	SR-1122	OD: 59; W: 22; engine TU3JP
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; PSP; Fitting Position: Lower; Fitting Position: Lower

	kW/HP	Engine code		Type		
1.6 i	65/88	BDY (XU5M);BFZ (XU5JP)	03/91->06/97	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; engine XU5JP; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1122	OD: 59; W: 22; 09/91->; engine XU5JP; engine XU5JP; 01/92->; engine XU5M
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ALT; engine XU5JP; Fitting Position: Lower; + AC; - AC; engine XU5JP; Fitting Position: Lower; + PS; - AC
1.8 D	44/60	161A (XUD7)	06/93->06/97	Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; engine XU5JP; Fitting Position: Right; + AC; + PS
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; 01/95->; Fitting Position: Left; + AC; + PS
1.8 i	74/101	LFZ (XU7JP)	07/92->06/97	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; engine XU7JP; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; engine XU7JP; Fitting Position: Right; + AC; + PS
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ALT; engine XU7JP; Fitting Position: Lower; + PS; - AC; engine XU7JP; Fitting Position: Lower; + AC; - PS
1.8 i 16V	81/110	LFY (XU7JP4)	01/96->06/97	Tensioner	SR-1122	OD: 59; W: 22; engine XU7JP
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; ACC 90; Fitting Position: Left; + AC
1.9	93/126	D6E (XU9JA)	03/91->06/97	Tensioner	SR-1122	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; - AC
1.9 D	47/64	DJZ (XUD9Y)	03/91->06/97	Tensioner	SR-1129	OD: 59; W: 22; 01/92->; engine XU9JA; num. of teeth 114
				Tensioner	SR-1129	OD: 70; W: 27; ALT; 01/95->; Fitting Position: Right; + AC; + PS
1.9 D	50/68	D9B (XUD9A/U);DJY (XUD9A)	07/93->06/97	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; 01/95->; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; 01/95->; Fitting Position: Right; + AC; + PS
1.9 i	88/120	DKZ (XU9JA)	03/91->06/97	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; engine XU9JA; num. of teeth 114
				Tensioner	SR-1129	OD: 70; W: 27; ALT; 01/95->; engine XUD9TE; Fitting Position: Right; + AC; + PS
1.9 TD	66/90	DHY (XUD9TE/Y)	07/92->06/97	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; 01/95->; engine XUD9TE; Fitting Position: Left; + AC; + PS
				Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Upper; + AC; + PS
2.0 i	89/121	RFX (XU10J2C)	07/92->06/97	Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; Fitting Position: Upper; + AC; + PS
				Tensioner	SR-1122	OD: 59; W: 22; engine XU10J2
				Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; + PS; - AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + ACOM; + PS
2.0 i 16V	120/163	RFS (XU10J4RS)	05/96->06/97	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; Fitting Position: Upper; + AC
2.0 i 16V	110/150	RFT (XU10J4/Z)	06/94->06/97	Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Upper; + AC; + PS
2.0 i 16V	112/152	RFY (XU10J4/Z);RFT (XU10J4/Z)	07/92->10/94	Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; + PS; - AC
				Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Upper; + AC; + PS
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC; + PS
ZX Break (N2) 						
1.4 i	55/75	KDX (TU3M/Z);KDY (TU3M);KFX (TU3JP)	10/93->10/97	Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; PSP; Fitting Position: Lower; Fitting Position: Lower
				Tensioner	SR-1122	OD: 59; W: 22; engine TU3JP; engine TU3M; engine TU3MC
1.6 i	65/88	BDY (XU5M);BFZ (XU5JP)	10/93->10/97	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; engine XU5JP; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1122	OD: 59; W: 22; engine XU5JP; engine XU5M
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; engine XU5JP; Fitting Position: Right; + AC; + PS
1.8 D	44/60	161A (XUD7)	10/93->10/97	Tensioner	SR-1131	OD: 90; W: 25; ALT; ALT; engine XU5JP; Fitting Position: Lower; + AC; - AC; engine XU5JP; Fitting Position: Lower; + PS; - AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; 01/95->; Fitting Position: Right; + AC; + PS
1.8 i	74/101	LFZ (XU7JP)	10/93->10/97	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; 01/95->; Fitting Position: Left; + AC; + PS
				Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; engine XU7JP; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; engine XU7JP; Fitting Position: Right; + AC; + PS
1.8 i 16V	81/110	LFY (XU7JP4)	01/96->02/98	Tensioner	SR-1131	OD: 90; W: 25; ALT; ALT; engine XU7JP; Fitting Position: Lower; + PS; - AC; engine XU7JP; Fitting Position: Lower; + AC; - PS
				Tensioner	SR-1122	OD: 59; W: 22
				Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; ACC 90; Fitting Position: Left; + AC
1.9 D	50/68	D9B (XUD9A/U)	06/94->10/97	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; - AC
1.9 D	47/64	DJZ (XUD9Y)	10/93->10/97	Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; 01/95->; Fitting Position: Left; + AC; + PS
1.9 TD	66/90	DHY (XUD9TE/Y)	10/93->10/97	Tensioner	SR-1129	OD: 70; W: 27; ALT; 01/95->; engine XUD9TE; Fitting Position: Right; + AC; + PS
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; 01/95->; engine XUD9TE; Fitting Position: Left; + AC; + PS



kW/HP

Engine code



Type



DACIA

DOKKER

1.2 TCe	85/115	H5F 402	11/12->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine H5F 402; Fitting Position: Right
1.5 dCi	55/75	K9K 612	11/12->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K 612; Fitting Position: Lower Left; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 612; Fitting Position: Centre
1.5 dCi	66/90	K9K 612	11/12->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K 612; Fitting Position: Lower Left; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 612; Fitting Position: Centre
1.6	75/102		04/15->	Tensioner	SR-1215	ID: 8.2; OD: 73.5; W: 22; engine K7M 828; ->06/15
1.6	61/83	K7M 812;K7M 828	11/12->	Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; engine K7M 812; + AC
				Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; engine K7M 812; + AC
				Tensioner	SR-1215	ID: 8.2; OD: 73.5; W: 22; ->06/15; engine K7M 812; engine K7M 828
1.6 LPG	61/83	K7M 812;K7M 828	11/13->	Tensioner	SR-1215	ID: 8.2; OD: 73.5; W: 22; engine K7M 828

DOKKER Express

1.2 TCe 115	84/114	H5F 402	12/12->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine H5F 402; Fitting Position: Right
1.5 dCi	55/75	K9K 612	12/12->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K 612; Fitting Position: Lower Left; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 612; Fitting Position: Centre
1.5 dCi	66/90	K9K 612	12/12->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K 612; Fitting Position: Lower Left; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 612; Fitting Position: Centre
1.6	61/83	K7M 812;K7M 828	12/12->	Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; engine K7M 812; + AC
				Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; engine K7M 812; + AC
				Tensioner	SR-1215	ID: 8.2; OD: 73.5; W: 22; engine K7M 812
1.6 LPG	61/83	K7M 812;K7M 828	11/13->	Tensioner	SR-1215	ID: 8.2; OD: 73.5; W: 22; engine K7M 828

DUSTER

1.2 TCe 125	92/125	H5F 404	10/13->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine H5F 404; Fitting Position: Right
1.5 dCi	63/86	K9K 796;K9K 830	04/10->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi	79/107	K9K 896	06/10->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi	80/109	K9K 856	08/13->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi	66/90	K9K 892;K9K 884	10/10->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi 4x4	79/107	K9K 898	06/10->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi 4x4	80/109	K9K 858	08/13->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi 4x4	66/90	K9K 894;K9K 884	10/10->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi 4x4	81/110	K9K 898	10/10->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.6 16V	77/105	K4M 690;K4M 696	04/10->	Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1005	OD: 54; W: 32
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
1.6 16V 4x4	77/105	K4M 606	06/10->	Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1005	OD: 54; W: 32
				Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; Fitting Position: Centre left; + AC
1.6 16V Hi-Flex	77/105	K4M 696	08/10->	Deflection/Guide	SR-1005	OD: 54; W: 32
				Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
1.6 16V LPG	77/105	K4M 696	04/11->	Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1005	OD: 54; W: 32
				Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC

LODGY

1.2 TCe	85/115	H5F 402	03/12->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Upper Right; + AC
1.5 dCi	79/107	K9K 846	01/13->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 830
1.5 dCi	66/90	K9K 612	03/12->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 612; engine K9K 846; Fitting Position: Centre
				Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; engine K7M 812; Fitting Position: Centre right; + AC; + PS
1.6	61/83	K7M 812;K7M 828	03/12->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K7M 812; Fitting Position: Centre; + AC; - PS
				Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; engine K7M 812; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1215	ID: 8.2; OD: 73.5; W: 22; engine K7M 812
1.6 LPG	61/83	K7M 812;K7M 828	11/13->	Tensioner	SR-1215	ID: 8.2; OD: 73.5; W: 22; engine K7M 828

LOGAN (LS_)

1.2 16V	55/75	D4F 732	02/06->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; Fitting Position: Centre; Fitting Position: Centre; - AC
1.2 16V LPG	55/75	D4F 734	02/06->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; Fitting Position: Centre; Fitting Position: Centre; - AC



kW/HP







Engine code



















Type



























1.4 (LSOA, LSOC, LSOE, LSOG)	55/75	K7J 710	09/04->	Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; 09/09->; engine K7J 710; Fitting Position: Centre right; + AC; + PS
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7J 710; Fitting Position: Centre right; + AC; + PS
				Tensioner	SR-1189	OD: 70; W: 25,7; ALT; ->09/09; engine K7J 710; Fitting Position: Centre; + PS; - AC
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7J 710; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; 09/09->; engine K7J 710; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1215	ID: 8,2; OD: 73,5; W: 22; 11/09->; engine K7J 710
				Tensioner	SR-1214	OD: 55; W: 22; ->11/09; engine K7J 710; engine K7J 714
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
1.4 MPI LPG (LS0C)	55/75	K7J 710;K7J 714	02/06->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7J 710; Fitting Position: Centre right; + AC; + PS
				Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; 09/09->; engine K7J 710; Fitting Position: Centre right; + AC; + PS
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7J 710; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1189	OD: 70; W: 25,7; ALT; ->09/09; engine K7J 710; Fitting Position: Centre; + PS; - AC
				Tensioner	SR-1215	ID: 8,2; OD: 73,5; W: 22; 11/09->; engine K7J 710; engine K7J 714
				Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; 09/09->; engine K7J 710; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1214	OD: 55; W: 22; ->11/09; engine K7J 710; engine K7J 714
1.5 dCi (LS04)	65/88	K9K 892	05/10->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC
1.5 dCi (LS04)	55/75	K9K 892	05/10->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC
1.5 dCi (LS0J, LS0Y)	48/65	K9K 790	09/05->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ->12/07; Fitting Position: Right; - AC; - PS
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; Fitting Position: Right; - AC; - PS
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Centre; + AC; Fitting Position: Centre; - AC
1.5 dCi (LS0K)	50/68	K9K 792	01/06->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC; - PS
1.5 dCi (LS0W)	63/86	K9K 796	09/07->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC; - PS
1.6 (LSOB, LSOD, LSOE, LSOH)	64/87	K7M 710	09/04->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7M 710; Fitting Position: Centre right; + AC; + PS
				Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; 09/09->; engine K7M 710; engine K7M 718; Fitting Position: Centre right; + AC; + PS
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; 09/09->; engine K7M 710; engine K7M 718; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1214	OD: 55; W: 22; ->11/09; engine K7M 710; engine K7M 714; engine K7M 718; ->07/10; engine K7M 732
				Tensioner	SR-1215	ID: 8,2; OD: 73,5; W: 22; 11/09->; engine K7M 710; engine K7M 714; engine K7M 718; 07/10->; engine K7M 732
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7M 710; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1189	OD: 70; W: 25,7; ALT; ->09/09; engine K7M 710; Fitting Position: Centre; + PS; - AC
1.6 16V (LS0M)	77/105	K4M 690;K4M 696	02/06->	Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; 10/09->; engine K4M 690; Fitting Position: Centre right; + AC; + PS
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->10/09; engine K4M 690; Fitting Position: Centre right; + AC; + PS
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ->12/07; engine K4M 690; Fitting Position: Lower Right; - AC; - PS
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K4M 690; Fitting Position: Lower Right; - AC; - PS
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 690; engine K4M 694; engine K4M 697; engine K4M 698
				Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; 10/09->; engine K4M 690; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; ->10/09; engine K4M 690; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
1.6 16V Flexifuel	77/105	K4M 696	07/10->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 690; Fitting Position: Centre; - AC; - PS
				Deflection/Guide	SR-1005	OD: 54; W: 32
				Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; Fitting Position: Centre left; + AC; + PS
1.6 Bifuel	62/84	K7M 718	05/10->	Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; Fitting Position: Centre; + AC; + PS
				Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; Fitting Position: Centre left; + AC
1.6 MPI 85	62/84	K7M 800	05/10->	Tensioner	SR-1215	ID: 8,2; OD: 73,5; W: 22; engine K7M 710
				Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; Fitting Position: Centre; + AC
LOGAN EXPRESS (FS_)						
1.4	55/75	K7J 710	03/09->	Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; 09/09->; engine K7J 710; Fitting Position: Centre right; + AC; + PS
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7J 710; Fitting Position: Centre right; + AC; + PS
				Tensioner	SR-1214	OD: 55; W: 22; ->11/09
				Tensioner	SR-1215	ID: 8,2; OD: 73,5; W: 22; 11/09->; engine K7J 710
				Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; 09/09->; engine K7J 710; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7J 710; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1189	OD: 70; W: 25,7; ALT; ->09/09; engine K7J 710; Fitting Position: Centre; + PS; - AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26









	kW/HP	Engine code		Type		
1.5 dCi	55/75	K9K 892	05/10->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi	65/88	K9K 892	05/10->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi (FS0K)	50/68	K9K 792	03/09->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC; - PS
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi (FS0W)	63/86	K9K 796	03/09->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC; - PS
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.6	64/87	K7M 710	03/09->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7M 710; engine K7M 718; Fitting Position: Centre right; + AC; + PS
				Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; 09/09->; engine K7M 710; engine K7M 718; Fitting Position: Centre right; + AC; + PS
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7M 710; engine K7M 718; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; 09/09->; engine K7M 710; engine K7M 718; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1214	OD: 55; W: 22; ->11/09; engine K7M 710; engine K7M 718
1.6 MPI 85	62/84	K7M 800	05/10->	Tensioner	SR-1215	ID: 8.2; OD: 73.5; W: 22
LOGAN II 						
1.2	54/73		05/15->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; engine D4F 732; engine D4F 734; Fitting Position: Centre; engine D4F 732; engine D4F 734; Fitting Position: Centre
1.2	55/75	D4F 732	10/12->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; engine D4F 732; engine D4F 734; Fitting Position: Centre; engine D4F 732; engine D4F 734; Fitting Position: Centre
1.2 LPG	55/75	D4F 734	10/12->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; engine D4F 732; engine D4F 734; Fitting Position: Centre; engine D4F 732; engine D4F 734; Fitting Position: Centre
1.5 dCi	55/75	K9K 612	10/12->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K 612; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 612
1.5 dCi	66/90	K9K 612	10/12->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 830; engine K9K 838
1.6 16V	77/105	K4M 842	01/13->	Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; engine K4M 842; + AC
				Deflection/Guide	SR-1005	OD: 54; W: 32
				Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; engine K4M 842; + AC
TCe 90	66/90	H4B 400	10/12->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine H4B 400; Fitting Position: Right; + AC
LOGAN MCV (KS_) 						
1.4	55/75	K7J 710	02/07->	Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; 09/09->; engine K7J 710; Fitting Position: Centre right; + AC; + PS
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7J 710; Fitting Position: Centre right; + AC; + PS
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; ->09/09; engine K7J 710; Fitting Position: Centre; + PS; - AC
				Tensioner	SR-1214	OD: 55; W: 22; ->11/09; engine K7J 710
				Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; 09/09->; engine K7J 710; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7J 710; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1215	ID: 8.2; OD: 73.5; W: 22; 11/09->; engine K7J 710
1.5 dCi (KS04)	55/75	K9K 892	05/10->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi (KS04)	65/88	K9K 892	05/10->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi (KS0K)	50/68	K9K 792	02/07->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC; - PS
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi (KS0W)	63/86	K9K 796	09/07->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC; - PS
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.6	64/87	K7M 710	02/07->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7M 710; Fitting Position: Centre right; + AC; + PS
				Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; 09/09->; engine K7M 710; engine K7M 718; Fitting Position: Centre right; + AC; + PS
				Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; 09/09->; engine K7M 710; engine K7M 718; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1215	ID: 8.2; OD: 73.5; W: 22; 11/09->; engine K7M 710; engine K7M 718
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7M 710; Fitting Position: Centre; + AC; + PS
1.6 16V	77/105	K4M 690;K4M 696	02/07->	Tensioner	SR-1189	OD: 70; W: 25.7; ALT; ->09/09; engine K7M 710; Fitting Position: Centre; + PS; - AC
				Tensioner	SR-1214	OD: 55; W: 22; ->11/09; engine K7M 710; engine K7M 718
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K4M 690; engine K4M 694; engine K4M 696; engine K4M 698; Fitting Position: Centre right; + AC; + PS
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K4M 690; engine K4M 694; engine K4M 696; engine K4M 698; Fitting Position: Right; - AC; - PS
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; engine K4M 690; engine K4M 694; engine K4M 696; engine K4M 698; Fitting Position: Right; - AC; - PS
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 690; engine K4M 696; engine K4M 697
1.6 16V	77/105	K4M 690;K4M 696	02/07->	Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K4M 690; engine K4M 694; engine K4M 696; engine K4M 698; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; ->09/09; engine K7M 710; Fitting Position: Centre; + PS; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 690; engine K4M 694; engine K4M 696; engine K4M 698; Fitting Position: Centre; - PS; + PS; - AC













	kW/HP	Engine code		Type						
1.6 16V Hi-Flex	77/105	K4M 690;K4M 694	11/09->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K4M 690; Fitting Position: Lower Right; - AC; - PS				
				Deflection/Guide	SR-1005	OD: 54; W: 32				
				Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; engine K4M 690; Fitting Position: Centre right; + AC; + PS				
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 690; Fitting Position: Centre; - AC; engine K4M 690; Fitting Position: Centre; + AC; - PS				
				Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; engine K4M 690; Fitting Position: Centre; + AC; + PS				
				Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; 09/09->; engine K7M 710; engine K7M 718; Fitting Position: Centre right; + AC; + PS				
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7M 710; Fitting Position: Centre right; + AC; + PS				
				Tensioner	SR-1189	OD: 70; W: 25,7; ALT; ->09/09; engine K7M 710; Fitting Position: Centre; + PS; - AC				
				Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; 09/09->; engine K7M 710; engine K7M 718; Fitting Position: Centre; + AC; + PS				
				Tensioner	SR-1215	ID: 8,2; OD: 73,5; W: 22; 11/09->; engine K7M 710				
1.6 Bifuel	64/87	K7M 710	11/08->	Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7M 710; Fitting Position: Centre; + AC; + PS				
				Tensioner	SR-1215	ID: 8,2; OD: 73,5; W: 22; 11/09->; engine K7M 710				
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7M 710; Fitting Position: Centre; + AC; + PS				
				Tensioner	SR-1214	OD: 55; W: 22; ->11/09; engine K7M 710				
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26				
				Tensioner	SR-1215	ID: 8,2; OD: 73,5; W: 22				
1.6 MPI 85	62/84	K7M 800	05/10->	Tensioner	SR-1215	ID: 8,2; OD: 73,5; W: 22				
LOGAN MCV II 										
1.2	55/75	D4F 732	02/13->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; engine D4F 732; engine D4F 734; Fitting Position: Centre; engine D4F 732; engine D4F 734; Fitting Position: Centre				
1.2	54/73	D4F 732	05/15->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; engine D4F 732; engine D4F 734; Fitting Position: Centre; engine D4F 732; engine D4F 734; Fitting Position: Centre				
1.2 LPG	55/75	D4F 734	02/13->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; engine D4F 732; engine D4F 734; Fitting Position: Centre; engine D4F 732; engine D4F 734; Fitting Position: Centre				
1.5 dCi	55/75	K9K 612	02/13->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K 612; - AC				
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 612				
1.5 dCi	66/90	K9K 612	02/13->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 830; engine K9K 838				
TCe 90	66/90	H4B 400	02/13->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine H4B 400; Fitting Position: Right; + AC				
LOGAN Pickup (US_) 										
1.4	55/75	K7J 710	01/09->	Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; 09/09->; engine K7J 710; Fitting Position: Centre right; + AC; + PS				
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7J 710; Fitting Position: Centre right; + AC; + PS				
				Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; 09/09->; engine K7J 710; Fitting Position: Centre; + AC; + PS				
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7J 710; Fitting Position: Centre; + AC; + PS				
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26				
				Tensioner	SR-1189	OD: 70; W: 25,7; ALT; ->09/09; engine K7J 710; Fitting Position: Centre; + PS; - AC				
				Tensioner	SR-1215	ID: 8,2; OD: 73,5; W: 22; 11/09->; engine K7J 710				
				Tensioner	SR-1214	OD: 55; W: 22; ->11/09; engine K7J 710				
				1.5 dCi	55/75	K9K 892	05/10->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre				
1.5 dCi	65/88	K9K 892	05/10->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC				
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre				
1.5 dCi (USOK)	50/68	K9K 792	03/08->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC; - PS				
Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre								
1.5 dCi (USOW)	63/86	K9K 796	03/08->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC; - PS				
Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre								
1.6	64/87	K7M 710	03/08->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7M 710; Fitting Position: Centre right; + AC; + PS				
				Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; 09/09->; engine K7M 710; engine K7M 718; Fitting Position: Centre right; + AC; + PS				
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7M 710; Fitting Position: Centre; + AC; + PS				
				Tensioner	SR-1189	OD: 70; W: 25,7; ALT; ->09/09; engine K7M 710; Fitting Position: Centre; + PS; - AC				
				Tensioner	SR-1214	OD: 55; W: 22; ->11/09; engine K7M 710				
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26				
				Tensioner	SR-1215	ID: 8,2; OD: 73,5; W: 22; 11/09->; engine K7M 710				
				Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; Fitting Position: Centre left; + AC				
				Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; Fitting Position: Centre; + AC				
				Tensioner	SR-1215	ID: 8,2; OD: 73,5; W: 22; engine K7M 710				
1.6 Bifuel	62/84	K7M 800	05/10->	Tensioner	SR-1215	ID: 8,2; OD: 73,5; W: 22				
SANDERO 										
1.2 16V	55/75	D4F 732	11/08->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; Fitting Position: Centre; Fitting Position: Centre; - AC				
1.2 16V LPG	55/75	D4F 732	11/08->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; Fitting Position: Centre; Fitting Position: Centre; - AC				


















	kW/HP	Engine code		Type		
1.4	55/75	K7J 710	06/08->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; --09/09; engine K7J 710; Fitting Position: Centre right; + AC; + PS
				Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; 09/09->; engine K7J 710; Fitting Position: Centre right; + AC; + PS
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1215	OD: 8.2; OD: 73.5; W: 22; 11/09->; engine K7J 710; engine K7J 714
				Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; 09/09->; engine K7J 710; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; --09/09; engine K7J 710; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1214	OD: 55; W: 22; --11/09; engine K7J 710; engine K7J 714
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; --09/09; engine K7J 710; Fitting Position: Centre; + PS; - AC
				1.4 MPI LPG	53/72	K7J 714
Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; --09/09; engine K7J 710; Fitting Position: Centre right; + AC; + PS				
Tensioner	SR-1189	OD: 70; W: 25.7; ALT; --09/09; engine K7J 710; Fitting Position: Centre; + PS; - AC				
Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; 09/09->; engine K7J 710; Fitting Position: Centre; + AC; + PS				
Tensioner	SR-1214	OD: 55; W: 22; --11/09; engine K7J 710; engine K7J 714				
Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26				
Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; --09/09; engine K7J 710; Fitting Position: Centre; + AC; + PS				
Tensioner	SR-1215	ID: 8.2; OD: 73.5; W: 22; 11/09->; engine K7J 710; engine K7J 714				
1.5 dCi	55/75	K9K 892	05/10->			
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi	65/88	K9K 892	05/10->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC
1.5 dCi	50/68	K9K 792	11/08->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K 790; engine K9K 792; engine K9K 796; Fitting Position: Right; - AC; - PS
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 790; engine K9K 792; engine K9K 796; Fitting Position: Centre
1.5 dCi	63/86	K9K 796	11/08->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.6	64/87	K7M 710	06/08->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; --09/09; engine K7M 710; Fitting Position: Centre right; + AC; + PS
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; --09/09; engine K7M 710; Fitting Position: Centre; + PS; - AC
				Tensioner	SR-1214	OD: 55; W: 22; --11/09
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; --09/09; engine K7M 710; Fitting Position: Centre; + AC; + PS
1.6 16V	77/105	K4M 690	07/11->	Deflection/Guide	SR-1005	OD: 54; W: 32
				Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; Fitting Position: Centre left; + AC; + PS
1.6 MPI 85	62/84	K7M 800	05/10->	Tensioner	SR-1215	ID: 8.2; OD: 73.5; W: 22
SANDERO II 						
1.2	54/73	D4F 732	05/15->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; engine D4F 732; engine D4F 734; Fitting Position: Centre; engine D4F 732; engine D4F 734; Fitting Position: Centre
1.2	55/75	D4F 732	10/12->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; engine D4F 732; engine D4F 734; Fitting Position: Centre; engine D4F 732; engine D4F 734; Fitting Position: Centre
1.2 LPG	55/75	D4F 732	10/12->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; engine D4F 732; engine D4F 734; Fitting Position: Centre; engine D4F 732; engine D4F 734; Fitting Position: Centre
1.5 dCi	55/75	K9K 612	10/12->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K 612; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 612
1.5 dCi	66/90	K9K 612	10/12->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K 612; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 612
1.6	61/83	K7M 812	11/12->	Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; engine K7M 812; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1215	ID: 8.2; OD: 73.5; W: 22; engine K7M 812
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K7M 812; Fitting Position: Centre; + AC; + PS
1.6 16V	77/105	K4M 842;K4M 845	01/13->	Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; engine K4M 842; + AC
				Deflection/Guide	SR-1005	OD: 54; W: 32
				Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; engine K4M 842; + AC
TCe 90	66/90	H4B 400	10/12->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine H4B 400; Fitting Position: Right; + AC
SOLENZA 						
1.4	55/75	K7J 710	02/03->	Tensioner	SR-1214	OD: 55; W: 22; engine E7J 262
1.9 D	46/63	F8Q 630	02/03->	Deflection/Guide	SR-1117	OD: 50; W: 31; engine F8Q 636; engine F8Q 636
				Tensioner	SR-1114	OD: 50; W: 31; engine F8Q 636; engine F8Q 636
SUPERNOVA 						
1.4	55/75		04/00->03/03	Tensioner	SR-1214	OD: 55; W: 22; engine E7J 260
DAEWOO						
CIELO 						
1.5	66/90	V15L	06/94->07/98	Deflection/Guide	SR-1254	OD: 64; W: 30; engine A15MF
				Tensioner	SR-1253	OD: 60; W: 29; engine A15MF
CIELO (KLETN) 						
1.5	52/71	G15MF	02/95->08/97	Tensioner	SR-1049	ID: 8.2; OD: 59; W: 19; engine G15MF; Fitting Position: Upper Left
1.5	55/75	G15MF	02/95->08/97	Tensioner	SR-1049	ID: 8.2; OD: 59; W: 19; engine G15MF; Fitting Position: Upper Left












	kW/HP	Engine code		Type		
1.5	44/60	G15MF	08/96->08/97	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; engine G15MF; Fitting Position: Upper Left
1.5 16V	66/90	A15MF	02/95->08/97	Deflection/Guide	SR-1254	OD: 64; W: 30; engine A15MF
				Tensioner	SR-1253	OD: 60; W: 29; engine A15MF
CIELO Saloon (KLETN) 						
1.5	52/71	G15MF	02/95->08/97	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; engine G15MF; Fitting Position: Upper Left
1.5	55/75	G15MF	02/95->08/97	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; engine G15MF; Fitting Position: Upper Left
1.5	44/60	G15MF	08/96->08/97	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; engine G15MF; Fitting Position: Upper Left
1.5 16V	66/90	A15MF	02/95->08/97	Deflection/Guide	SR-1254	OD: 64; W: 30; engine A15MF
				Tensioner	SR-1253	OD: 60; W: 29; engine A15MF
ESPERO (KLEJ) 						
1.5 16V	66/90	A15MF	02/95->06/99	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; ->06/96; engine G15MF; Fitting Position: Upper Left; camshaft SOHC/OHC
				Deflection/Guide	SR-1254	OD: 64; W: 30; engine A15MF; camshaft DOHC
1.5 16V	65/88	A15MF	10/93->09/94	Tensioner	SR-1253	OD: 60; W: 29; engine A15MF; camshaft DOHC
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; 05/94-> engine G15MF; Fitting Position: Upper Left; camshaft SOHC/OHC
EVANDA (KLAL) 						
2.0	96/131	X 20 SED;L88	08/02->	Deflection/Guide	SR-1051	OD: 52; W: 27; 01/03-> ->12/06; engine T20SED; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1050	OD: 59; W: 26; 01/03-> ->12/06; engine T20SED; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; 01/03-> ->12/06; engine T20SED
KALOS (KLAS) 						
1.2	53/72	B12S1;F12S3	04/03->	Tensioner	SR-1036	OD: 42; W: 28; ->12/08; engine B12S1
1.4	61/83	F14S3	09/02->	Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->12/06; engine F14S3; - AC
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; ->12/06; engine F14S3; Fitting Position: Upper Left
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; ->12/06; engine F14S3
1.4 16V	69/94	F14D3	04/03->	Deflection/Guide	SR-1254	OD: 64; W: 30; ->12/08; engine F14D3
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->12/08; engine F14D3; - AC
				Tensioner	SR-1253	OD: 60; W: 29; ->12/08; engine F14D3
1.4 16V	69/94	F14D3	04/03->	Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; ->12/08; engine F14D3
				Deflection/Guide	SR-1254	OD: 64; W: 30; engine F14D3
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; engine F14D3; - AC
KALOS Saloon (KLAS) 						
1.4	69/94	F14D3	05/03->12/04	Deflection/Guide	SR-1254	OD: 64; W: 30; engine F14D3
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; engine F14D3; - AC
				Tensioner	SR-1253	OD: 60; W: 29; engine F14D3
1.4	61/83	F14S3	11/02->12/04	Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; engine F14D3
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; - AC
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
KONDOR (KLAV) 						
2.0 16V	98/133	X 20 SED	06/97->12/02	Deflection/Guide	SR-1051	OD: 52; W: 27; engine X20SED; Fitting Position: Left; Fitting Position: Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine X20SED
2.0 16V	93/126	T20SED	07/00->04/04	Deflection/Guide	SR-1051	OD: 52; W: 27; engine T20SED; Fitting Position: Left; Fitting Position: Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine T20SED
2.2 16V	100/136	T22SED	04/99->12/02	Deflection/Guide	SR-1051	OD: 52; W: 27; engine T22SED; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine T22SED
KORANDO (KJ) 						
2.3	105/143	M 161.970	01/99->	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Deflection/Guide	SR-1044	OD: 64; W: 21,8
2.9 D	72/98	MB-OM 662	01/99->	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; + AC; + PS
				Tensioner	SR-1039	+ holder
KORANDO Cabrio (KJ) 						
2.3	105/143	M 161.970	02/99->	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Deflection/Guide	SR-1044	OD: 64; W: 21,8
2.9 D	72/98	MB-OM 662	02/99->	Tensioner	SR-1039	+ holder
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
LACETTI Hatchback (KLAN) 						
1.4	70/95	F14D3	02/04->	Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->12/06; engine F14D3; - AC
				Deflection/Guide	SR-1254	OD: 64; W: 30; ->12/06; engine F14D3
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; ->12/06; engine F14D3
1.4	70/95	F14D3	02/04->	Tensioner	SR-1253	OD: 60; W: 29; ->12/06; engine F14D3
				Deflection/Guide	SR-1254	OD: 64; W: 30; ->12/06; engine F14D3
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->12/06; engine F14D3; - AC
1.6	80/109	F16D3	02/04->	Tensioner	SR-1253	OD: 60; W: 29; ->12/06; engine F16D3
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; ->12/06; engine F16D3
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; ->12/06; engine F16D3











	kW/HP	Engine code		Type		
1.8	90/122	T18SED	02/04->	Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->12/06; engine T18SED; - AC
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; 01/06->; ->12/06; engine T18SED; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; 01/06->; ->12/06; engine T18SED; Fitting Position: Upper Left
				Deflection/Guide	SR-1051	OD: 52; W: 27; ->12/05; engine T18SED; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; 01/06->; ->12/06; engine T18SED; Fitting Position: Lower
				Tensioner	SR-1050	OD: 59; W: 26; ->12/05; engine T18SED; Fitting Position: Lower
LANOS / SENS (KLAT) 						
1.4	55/75	A14SMS	05/97->	Deflection/Guide	SR-1398	- holder; OD: 83; thread size M10x1,5; W: 18,5; ACCOM; ->12/02; engine A14SMS
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; ->12/02; engine A14SMS; Fitting Position: Upper Left
1.5	63/86	A15SMS	05/97->	Deflection/Guide	SR-1398	- holder; OD: 83; thread size M10x1,5; W: 18,5; ACCOM; ->12/02; engine A15SMS
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; ->12/02; engine A15SMS; Fitting Position: Upper Left
1.6 16V	78/106	A16DMS	05/97->	Deflection/Guide	SR-1254	OD: 64; W: 30; ->12/02; engine A16DMS
				Deflection/Guide	SR-1398	- holder; OD: 83; thread size M10x1,5; W: 18,5; ACCOM; ->12/02; engine A16DMS
				Tensioner	SR-1253	OD: 60; W: 29; ->12/02; engine A16DMS
Lanos / Sens Saloon (KLAT) 						
1.4 Lanos / Sens	55/75	A14SMS	05/97->	Deflection/Guide	SR-1398	- holder; OD: 83; thread size M10x1,5; W: 18,5; ACCOM; ->12/02; engine A14SMS
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; ->12/02; engine A14SMS; Fitting Position: Upper Left
1.5	63/86	A15SMS	05/97->	Deflection/Guide	SR-1398	- holder; OD: 83; thread size M10x1,5; W: 18,5; ACCOM; ->12/02; engine A15SMS
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; ->12/02; engine A15SMS; Fitting Position: Upper Left
1.6 16V	78/106	A16DMS	05/97->	Deflection/Guide	SR-1254	OD: 64; W: 30; ->12/02; engine A16DMS
				Deflection/Guide	SR-1398	- holder; OD: 83; thread size M10x1,5; W: 18,5; ACCOM; ->12/02; engine A16DMS
				Tensioner	SR-1253	OD: 60; W: 29; ->12/02; engine A16DMS
LEMANS 						
1.5	65/88	G15MG	09/90->07/95	Deflection/Guide	SR-1254	OD: 64; W: 30
				Tensioner	SR-1253	OD: 60; W: 29
MATIZ (KLYA) 						
0.8	38/52	F8CV	09/98->	Tensioner	SR-1036	OD: 42; W: 28; ->12/08; engine F8CV
1.0	47/64	B10S	01/03->	Tensioner	SR-1036	OD: 42; W: 28; ->12/08
MUSSO (FJ) 						
2.3	103/140	M 111.970	01/99->	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Deflection/Guide	SR-1044	OD: 64; W: 21,8
2.9 D 4x4	73/99	MB-OM 662	01/99->09/99	Tensioner	SR-1039	+ holder
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
NUBIRA Saloon (KLAJ) 						
1.6 16V	78/106	A16DMS	05/97->	Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->07/03; engine A16DMS; - AC
				Deflection/Guide	SR-1254	OD: 64; W: 30; ->07/03; engine A16DMS
				Tensioner	SR-1253	OD: 60; W: 29; ->07/03; engine A16DMS
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; ->07/03; engine A16DMS
1.6 16V	76/103	A16DMS	07/00->	Deflection/Guide	SR-1254	OD: 64; W: 30; ->07/03; engine A16DMS
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->07/03; engine A16DMS; - AC
				Tensioner	SR-1253	OD: 60; W: 29; ->07/03; engine A16DMS
2.0 16V	98/133	X 20 SED	05/97->	Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; ->07/03; engine A16DMS
				Deflection/Guide	SR-1051	OD: 52; W: 27; ->07/03; engine X20SED; Fitting Position: Upper Left; Fitting Position: Upper Right
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->07/03; engine X20SED; - AC
2.0 16V	93/126	T20SED	12/00->	Tensioner	SR-1050	OD: 59; W: 26; ->07/03; engine X20SED; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; ->07/03; engine X20SED
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->07/03; engine T20SED; - AC
2.0 16V	93/126	T20SED	12/00->	Deflection/Guide	SR-1051	OD: 52; W: 27; ->07/03; engine T20SED; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1050	OD: 59; W: 26; ->07/03; engine T20SED; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; ->07/03; engine T20SED
NUBIRA Saloon (KLAN) 						
1.6	80/109	F16D3	07/03->	Deflection/Guide	SR-1254	OD: 64; W: 30; ->12/06; engine F16D3
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->12/06; engine F16D3; - AC
				Tensioner	SR-1253	OD: 60; W: 29; ->12/06; engine F16D3
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; ->12/06; engine F16D3









	kW/HP	Engine code		Type		
1.8	90/122	T18SED	07/03->	Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->12/06; engine T18SED; - AC
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; 01/06->; ->12/06; engine F18D3; Fitting Position: Upper Right
				Deflection/Guide	SR-1051	OD: 52; W: 27; ->12/05; engine T18SED; Fitting Position: Upper Left; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; 01/06->; ->12/06; engine F18D3; Fitting Position: Upper Left
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; ->12/06; engine T18SED
				Tensioner	SR-1050	OD: 59; W: 26; ->12/05; engine T18SED; Fitting Position: Lower
NUBIRA Wagon (KLAN) 						
1.6	80/109	F16D3	07/03->	Deflection/Guide	SR-1254	OD: 64; W: 30; ->12/06; engine F16D3
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->12/06; engine F16D3; - AC
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; ->12/06; engine F16D3
				Tensioner	SR-1253	OD: 60; W: 29; ->12/06; engine F16D3
1.8	90/122	T18SED	07/03->	Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; 01/06->; ->12/06; engine F18D3; Fitting Position: Upper Right
				Deflection/Guide	SR-1051	OD: 52; W: 27; ->12/05; engine T18SED; Fitting Position: Upper Left; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; 01/06->; ->12/06; engine F18D3; Fitting Position: Upper Left
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->12/06; engine T18SED; - AC
				Tensioner	SR-1050	OD: 59; W: 26; ->12/05; engine T18SED; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; ->12/06; engine T18SED
ORION (KLAJ) 						
1.6 16V	78/106	A16DMS	05/97->	Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->07/03; engine A16DMS; - AC
				Deflection/Guide	SR-1254	OD: 64; W: 30; ->07/03; engine A16DMS
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; ->07/03; engine A16DMS
				Tensioner	SR-1253	OD: 60; W: 29; ->07/03; engine A16DMS
2.0 16V	98/133	X 20 SED;Z20L	05/97->	Deflection/Guide	SR-1051	OD: 52; W: 27; ->07/03; engine X20SED; Fitting Position: Upper Left; Fitting Position: Upper Right
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->07/03; engine X20SED; - AC
				Tensioner	SR-1050	OD: 59; W: 26; ->07/03; engine X20SED; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; ->07/03; engine X20SED
ORION Estate (KLAJ) 						
1.6 16V	78/106	A16DMS	05/97->	Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->07/03; engine A16DMS; - AC
				Deflection/Guide	SR-1254	OD: 64; W: 30; ->07/03; engine A16DMS
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; ->07/03; engine A16DMS
				Tensioner	SR-1253	OD: 60; W: 29; ->07/03; engine A16DMS
1.6 16V	66/90	A16SMS	06/97->	Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->07/03; engine A16DMS; - AC
				Deflection/Guide	SR-1254	OD: 64; W: 30; ->07/03; engine A16DMS
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; ->07/03; engine A16DMS
				Tensioner	SR-1253	OD: 60; W: 29; ->07/03; engine A16DMS
1.6 16V	76/103	A16DMS	12/00->	Deflection/Guide	SR-1254	OD: 64; W: 30; ->07/03; engine A16DMS
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->07/03; engine A16DMS; - AC
				Tensioner	SR-1253	OD: 60; W: 29; ->07/03; engine A16DMS
				Tensioner	SR-1356	- holder; ID: 17; OD: 76; W: 30; ALT; ->07/03; engine A16DMS
2.0 16V	98/133	X 20 SED	05/97->	Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->07/03; engine X20SED; - AC
				Deflection/Guide	SR-1051	OD: 52; W: 27; ->07/03; engine X20SED; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1050	OD: 59; W: 26; ->07/03; engine X20SED; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; ->07/03; engine X20SED
2.0 16V	93/126	T20SED	12/00->	Deflection/Guide	SR-1051	OD: 52; W: 27; ->07/03; engine T20SED; Fitting Position: Upper Left; Fitting Position: Upper Right
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->07/03; engine T20SED; - AC
				Tensioner	SR-1050	OD: 59; W: 26; ->07/03; engine T20SED; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; ->07/03; engine T20SED
REZZO (KLAU) 						
1.6	77/105	A16DMS	09/00->	Deflection/Guide	SR-1254	OD: 64; W: 30; ->12/08; engine A16DMS
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->12/08; engine A16DMS; - AC
				Tensioner	SR-1253	OD: 60; W: 29; ->12/08; engine A16DMS
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; ->12/08; engine A16DMS
1.6 SX	66/90	A16SMS	08/01->12/04	Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; engine A16DMS; - AC
				Deflection/Guide	SR-1254	OD: 64; W: 30; engine A16DMS
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine A16DMS
1.8	74/101	F18S2	09/00->	Tensioner	SR-1253	OD: 60; W: 29; engine A16DMS
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22,5; ALT; ->12/01; engine F18S2; - AC
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; ->12/01; engine F18S2









	kW/HP	Engine code		Type		
2.0	94/128	T20SED	09/00->	Deflection/Guide	SR-1051	OD: 52; W: 27; ->12/08; engine T20SED; Fitting Position: Upper Left; Fitting Position: Upper Right
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22.5; ALT; ->12/08; engine T20SED; - AC
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; ->12/08; engine T20SED
				Tensioner	SR-1050	OD: 59; W: 26; ->12/08; engine T20SED; Fitting Position: Lower
2.0	89/121	X 20 SED	09/01->	Deflection/Guide	SR-1051	OD: 52; W: 27; ->12/08; engine X20SED; Fitting Position: Upper Left; Fitting Position: Upper Right
				Deflection/Guide	SR-1355	ID: 17; num. of ribs: 6; OD: 110; W: 22.5; ALT; ->12/08; engine X20SED; - AC
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; ->12/08; engine X20SED
				Tensioner	SR-1050	OD: 59; W: 26; ->12/08; engine X20SED; Fitting Position: Lower
TICO (KLY3) 						
0.8	35/48	F8C	02/95->12/00	Tensioner	SR-1036	OD: 42; W: 28; ->03/97
DAIHATSU						
CHARMANT (A) 						
1.3 (A35)	48/65	4K	11/81->07/87	Tensioner	SR-1177	OD: 52; W: 23; engine 4K
1.6 (A60)	60/82	4A	05/86->07/87	Tensioner	SR-1177	OD: 52; W: 23; engine 4A
1.6 (A60)	61/83	4A	08/83->07/87	Tensioner	SR-1177	OD: 52; W: 23; 01/84->; engine 4A
1.6 (A60)	57/78	4A	09/85->07/87	Tensioner	SR-1177	OD: 52; W: 23; engine 4A
DODGE						
AVENGER 						
2.0	115/156	ECN	06/07->	Deflection/Guide	SR-1041	OD: 70; W: 24.7; ALT
				Tensioner	SR-1042	+ holder; OD: 65; W: 26; ALT
2.0 CRD	103/140	ECD	06/07->	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
2.4	125/170	EDG	06/07->	Deflection/Guide	SR-1041	OD: 70; W: 24.7; ALT
				Tensioner	SR-1042	+ holder; OD: 65; W: 26; ALT
2.4	129/175	ED3;EDG	06/07->	Deflection/Guide	SR-1041	OD: 70; W: 24.7; ALT
				Tensioner	SR-1042	+ holder; OD: 65; W: 26; ALT
CALIBER 						
1.8	110/150	EBA	06/06->	Deflection/Guide	SR-1041	OD: 70; W: 24.7; ALT
				Tensioner	SR-1042	+ holder; OD: 65; W: 26; ALT
2.0	115/156	ECN	06/06->	Deflection/Guide	SR-1041	OD: 70; W: 24.7; ALT
				Tensioner	SR-1042	+ holder; OD: 65; W: 26; ALT
2.0 CRD	103/140	ECD;ECE	06/06->	Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
2.4	125/170	ED3	10/06->	Deflection/Guide	SR-1041	OD: 70; W: 24.7; ALT
				Tensioner	SR-1042	+ holder; OD: 65; W: 26; ALT
CARAVAN 						
2.0 i	98/133		01/95->03/01	Tensioner	SR-1284	OD: 62; W: 35; engine mod. SOHC
2.4 i	111/151	EDZ	01/95->03/01	Deflection/Guide	SR-1288	OD: 58; W: 35; auto. TPA
				Tensioner	SR-1289	OD: 67; W: 33
3.0	112/152	EFA	01/95->03/01	Tensioner	SR-1488	- holder; ID: 17; OD: 90; W: 29; ALT; 10/95->; ->06/00
				Tensioner	SR-1170	OD: 60; W: 32
3.3 i	116/158	EGP	01/95->03/01	Tensioner	SR-1255	- holder; OD: 90; W: 29; ALT
3.8 i	122/166	EGH	01/95->03/01	Tensioner	SR-1255	- holder; OD: 90; W: 29; ALT
3.8 i	131/178	EGH	01/95->03/01	Tensioner	SR-1255	- holder; OD: 90; W: 29; ALT
3.8 i AWD	122/166	EGH	01/95->03/01	Tensioner	SR-1255	- holder; OD: 90; W: 29; ALT
3.8 i AWD	131/178	EGH	01/95->03/01	Tensioner	SR-1255	- holder; OD: 90; W: 29; ALT
CARAVAN 						
2.8 CRD	120/163	ENS	01/09->	Tensioner	SR-1348	- holder; ID: 17; OD: 70; W: 26; ALT
3.6	208/283		01/12->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Right
CARAVAN (RG_) 						
2.4	111/151	EDZ	02/00->12/07	Deflection/Guide	SR-1288	OD: 58; W: 35; ->12/02; auto. TPA; 01/03->
				Tensioner	SR-1289	OD: 67; W: 33; ->12/02
				Tensioner	SR-1486	- holder; ID: 35; OD: 67; W: 33; 01/03->
				Tensioner	SR-1439	+ holder; OD: 70; W: 26; ALT
3.3	128/174	EGA	02/00->12/07	Tensioner	SR-1255	- holder; OD: 90; W: 29; ALT; ->12/00
3.3 AWD	128/174	EGA	02/00->12/07	Tensioner	SR-1255	- holder; OD: 90; W: 29; ALT; ->12/00
3.8	160/218	EGH	02/00->12/07	Tensioner	SR-1255	- holder; OD: 90; W: 29; ALT; ->12/00
3.8 AWD	160/218	EGH	02/00->12/07	Tensioner	SR-1255	- holder; OD: 90; W: 29; ALT; ->12/00
CHALLENGER Coupe 						
3.5	186/253	EGG	09/08->12/10	Tensioner	SR-1284	OD: 62; W: 35
3.6	227/309	ERB	01/11->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Right











	kW/HP	Engine code		Type		
CHARGER 						
3.6	218/296	ERB	09/11->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Right
DURANGO 						
3.6	216/294	ERB	01/11->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Right
3.6 AWD	216/294	ERB	01/11->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Right
INTREPID 						
3.2	168/228	EKK;EGW	04/98->09/04	Tensioner	SR-1284	OD: 62; W: 35
3.5 ES	187/254	EGG	04/98->09/04	Tensioner	SR-1284	OD: 62; W: 35
JOURNEY 						
2.0 CRD	103/140	ECE	06/08->	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
2.4	125/170	ED3	01/09->	Deflection/Guide	SR-1041	OD: 70; W: 24,7; ALT
				Tensioner	SR-1042	+ holder; OD: 65; W: 26; ALT
2.4 ECO+	125/170	EDG	03/09->	Deflection/Guide	SR-1041	OD: 70; W: 24,7; ALT
				Tensioner	SR-1042	+ holder; OD: 65; W: 26; ALT
3.5	173/235	EGF	06/08->	Tensioner	SR-1284	OD: 62; W: 35
3.5 AWD	173/235	EGF	06/08->	Tensioner	SR-1284	OD: 62; W: 35
3.6	211/287	ERB	01/12->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Right
NEON 						
2.0 16V	109/148	ECC	04/96->08/99	Tensioner	SR-1284	OD: 62; W: 35; engine mod. SOHC,DOHC; engine mod. DOHC
2.0 16V	112/152	ECC	04/96->08/99	Tensioner	SR-1284	OD: 62; W: 35; engine mod. SOHC,DOHC; engine mod. DOHC
2.0 16V	98/133	ECB	05/94->08/99	Tensioner	SR-1284	OD: 62; W: 35; engine mod. SOHC,DOHC; engine mod. DOHC
2.0 16V	107/145	ECC	06/94->08/99	Tensioner	SR-1284	OD: 62; W: 35; engine mod. SOHC,DOHC; engine mod. DOHC
NEON II 						
2.0 16V	98/133	ECB	08/99->	Tensioner	SR-1284	OD: 62; W: 35; engine mod. SOHC,DOHC; engine mod. DOHC
2.0 16V	112/152	ECH	08/99->	Tensioner	SR-1284	OD: 62; W: 35; engine mod. SOHC,DOHC; engine mod. DOHC
NITRO 						
2.8 CRD	130/177	ENR;ENS	06/07->12/12	Tensioner	SR-1348	- holder; ID: 17; OD: 70; W: 26; ALT
2.8 CRD 4WD	130/177	ENR;ENS	06/07->12/12	Tensioner	SR-1348	- holder; ID: 17; OD: 70; W: 26; ALT
4.0 4WD	191/260	EGS	09/06->12/07	Tensioner	SR-1284	OD: 62; W: 35
STRATUS 						
2.0 16V	98/133	ECB	12/95->04/01	Tensioner	SR-1284	OD: 62; W: 35
				Deflection/Guide	SR-1288	OD: 58; W: 35; auto. TPA
2.4 16 V	103/140	EDZ	12/95->04/01	Tensioner	SR-1289	OD: 67; W: 33
				Tensioner	SR-1439	+ holder; OD: 70; W: 26; ALT
				Deflection/Guide	SR-1288	OD: 58; W: 35; auto. TPA
2.4 16V	112/152	EDZ	12/95->04/01	Tensioner	SR-1289	OD: 67; W: 33
				Tensioner	SR-1439	+ holder; OD: 70; W: 26; ALT
				Deflection/Guide	SR-1174	OD: 58; W: 35
2.5 V6	125/170	EEB	12/95->04/01	Tensioner	SR-1173	OD: 60; W: 35
STRATUS II 						
2.4 STX	112/152	EDZ	10/00->10/06	Tensioner	SR-1289	OD: 67; W: 33; ->12/02
				Tensioner	SR-1439	+ holder; OD: 70; W: 26; ALT
FIAT						
131 (131_) 						
2.0 D	44/60	8144.65	07/78->08/84	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Lower
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Upper
2.5 D	53/72	8144.61	06/78->02/84	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
131 Familiare/Panorama (131_) 						
2.0 D	44/60	8144.65	07/78->08/84	Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Lower
2.5 Super Diesel (AF)	53/72	8144.61	03/79->12/84	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
132 (132_) 						
2.0 D	44/60	8144.65	07/78->07/82	Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Lower
2.5 D	53/72	8144.61	07/78->07/82	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
500 (312) 						
1.2	51/69	169 A4.000	10/07->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1046	OD: 55,5; W: 26; 06/08->; ->06/08; engine 169 A4.000













	kW/HP	Engine code		Type		
1.2 LPG	51/69	169 A4.000	12/10->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1046	OD: 55,5; W: 26
1.3 D Multijet	55/75	169 A1.000	10/07->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.3 D Multijet	70/95	199 B1.000	12/09->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.4	74/100	169 A3.000	10/07->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
500 C (312) 						
1.2	51/69	169 A4.000	09/09->	Tensioner	SR-1046	OD: 55,5; W: 26
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.3 D Multijet	55/75	169 A1.000	09/09->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.3 D Multijet	70/95	199 B1.000	09/09->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.4	74/100	169 A3.000	09/09->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
500L (199) 						
1.3 D Multijet	70/95	330 A1.000	06/14->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.3 D Multijet	62/84	199 B4.000	09/12->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.4	70/95	843 A1.000	09/12->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4	88/120	940 B7.000	10/13->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4 LPG	88/120	940 B7.000	02/14->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.6 D Multijet	77/105	199 B5.000	09/12->	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Left
1.6 D Multijet	88/120	955 A3.000;940 C1.000	09/13->	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Left
500X (334) 						
1.6 D Multijet	88/120	55260384	09/14->	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.6 D Multijet	84/114	55260384	09/14->	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
2.0 D Multijet 4x4	103/140	55263087;55263088	09/14->	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
2.0 D Multijet 4x4	100/136	55263087;55263088	09/14->	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
ALBEA (178) 						
1.2	54/73	178 B5.000	09/98->12/09	Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 9042883; eng.# 9042884->
1.4	51/69	178 B2.000	04/96->12/09	Tensioner	SR-1127	OD: 57; W: 24
1.4 CAT	51/69	178 B2.016	04/96->12/09	Tensioner	SR-1127	OD: 57; W: 24
				Deflection/Guide	SR-1292	OD: 65; W: 30; Fitting Position: Right; ->07/99; engine 178 B3.000; engine 178 D2.011; engine 182 B6.000; Fitting Position: Right; 07/99->
1.6 16V	78/106	178 B3.000	09/98->12/09	Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT; 02/00->; Fitting Position: Lower
				Tensioner	SR-1291	ID: 8,2; OD: 60; W: 29; Fitting Position: Left; ->07/99; engine 178 B3.000; engine 178 D2.011; engine 182 B6.000; Fitting Position: Left; 07/99->
ARGENTA (132A) 						
2500 Diesel	53/72	8144.61	06/81->11/85	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
2500 Turbodiesel	66/90	8144.61.500.81	07/83->08/85	Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
BARCETTA (183) 						
1.8 16V	96/130	183 A1.000;188 A6.000	04/95->05/05	Deflection/Guide	SR-1272	ID: 10,2; OD: 91; W: 25; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
BRAVA (182) 						
1.4 (182.BG)	55/75	182 A5.000	10/95->10/01	Deflection/Guide	SR-1272	ID: 10,2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower; + AC; Fitting Position: Lower; + PS
1.4 12 V (182.BA)	59/80	182 A3.000	10/95->08/98	Deflection/Guide	SR-1272	ID: 10,2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower; + AC; Fitting Position: Lower; + PS
1.6 16V (182.BB)	76/103	182 A4.000	02/96->10/01	Deflection/Guide	SR-1292	OD: 65; W: 30; ->07/99; engine 182 A4.000; engine 182 A4.027; Fitting Position: Right; 08/99->
				Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT; ACCOM; 02/00->; Fitting Position: Lower; 02/00->; Fitting Position: Upper
				Tensioner	SR-1291	ID: 8,2; OD: 60; W: 29; ->07/99; engine 182 A4.000; engine 182 A4.027; Fitting Position: Left; 08/99->
1.6 16V (182.BH)	66/90	182 A6.000	10/95->10/01	Deflection/Guide	SR-1292	ID: 17; OD: 70; W: 24; ALT; ACCOM; 02/00->; Fitting Position: Lower; 02/00->; Fitting Position: Upper
				Deflection/Guide	SR-1292	OD: 65; W: 30; ->07/99; engine 182 A6.000; engine 182 B6.000; Fitting Position: Right; 08/99->; engine 182 A6.000; engine 182 B6.000; Fitting Position: Right
				Tensioner	SR-1291	ID: 8,2; OD: 60; W: 29; ->07/99; engine 182 A6.000; engine 182 B6.000; Fitting Position: Left; 08/99->; engine 182 A6.000; engine 182 B6.000; Fitting Position: Left
1.8 GT 16V (182.BC)	83/113	182 A2.000	10/95->10/01	Deflection/Guide	SR-1272	ID: 10,2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD	74/100	182 B9.000	09/00->10/01	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD 105	77/105	182 B4.000	12/98->10/01	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 TD 100 S (182.BF)	74/100	182 A7.000	03/96->10/01	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 TD 75 S (182.BF)	55/75	182 A8.000	03/96->10/01	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; ->eng.# 1865932; Fitting Position: Lower
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; eng.# 1865933->











	kW/HP	Engine code		Type		
BRAVO I [182] 						
1.4 (182.AA)	59/80	182 A3.000	10/95->10/01	Deflection/Guide	SR-1272	ID: 10.2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower; + PS; - AC; Fitting Position: Lower; + AC; + PS
1.4 (182.AG)	55/75	182 A5.000	10/95->10/01	Deflection/Guide	SR-1272	ID: 10.2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower; + PS; - AC; Fitting Position: Lower; + AC; + PS
1.6 16V (182.AB)	76/103	182 A4.000	03/96->10/01	Deflection/Guide	SR-1292	OD: 65; W: 30; ->07/99; Fitting Position: Right; 08/99->; Fitting Position: Right
				Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT; ACCOM; 02/00->; Fitting Position: Lower; 02/00->; Fitting Position: Upper
1.6 16V (182.AH)	66/90	182 A6.000	10/95->10/01	Tensioner	SR-1291	ID: 8.2; OD: 60; W: 29; ->07/99; Fitting Position: Left; 08/99->; Fitting Position: Left
				Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT; ACCOM; 02/00->; Fitting Position: Lower; 02/00->; Fitting Position: Upper
1.6 16V (182.AH)	66/90	182 A6.000	10/95->10/01	Deflection/Guide	SR-1292	OD: 65; W: 30; ->07/99; engine 178 A8.011; engine 182 A6.000; engine 182 B6.000; Fitting Position: Right; 08/99->
				Tensioner	SR-1291	ID: 8.2; OD: 60; W: 29; ->07/99; engine 178 A8.011; engine 182 A6.000; engine 182 B6.000; Fitting Position: Left; 08/99->
1.8 GT (182.AC)	83/113	182 A2.000	10/95->10/01	Deflection/Guide	SR-1272	ID: 10.2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD	74/100	182 B9.000	09/00->10/01	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD 105	77/105	182 B4.000	12/98->10/01	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 TD 100 S (182.AF)	74/100	182 A7.000	03/96->10/01	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 TD 75 S (182.AF)	55/75	182 A8.000	03/96->10/01	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
BRAVO II [198] 						
1.4	66/90	192 B2.000	04/07->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4 16V	103/140	198 A7.000	03/08->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4 LPG	66/90	192 B2.000	11/09->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4 T-Jet	88/120	198 A4.000	09/07->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4 T-Jet	110/150	198 A1.000	09/07->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.6 D Multijet	66/90	198 A6.000	03/08->	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower
1.6 D Multijet	88/120	198 A2.000	03/08->	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower
1.6 D Multijet	77/105	198 A3.000;844 A3.000	09/07->	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower
1.6 D Multijet	85/115	955 A4.000	11/08->	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower
1.9 D Multijet	88/120	192 A8.000	04/07->	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower; + AC
1.9 D Multijet	110/150	937 A5.000	04/07->	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Right
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower
1.9 D Multijet	66/90	192 B5.000	04/07->12/08	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower; + AC
1.9 D Multijet	85/116	192 A1.000;192 B4.000	11/06->	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower; + AC
2.0 D Multijet	120/163	844 A2.000;198 A8.000	09/08->	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; 12/09->; Fitting Position: Lower
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->12/09; Fitting Position: Lower
2.0 D Multijet	121/165	198 A5.000	09/08->	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->12/09; Fitting Position: Lower
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; 12/09->; Fitting Position: Lower
CAMPAGNOLA 						
2.4 D	53/72	8144.61.200	06/74->10/89	Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
CINQUECENTO [170] 						
1.1 Sporting (170AH)	40/54	176 B2.000	10/94->01/98	Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 9042883; eng.# 9042884->
COUPE (FA/175) 						
1.8 16V	96/131	183 A1.000	03/96->08/00	Deflection/Guide	SR-1272	ID: 10.2; OD: 91; W: 25; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
CROMA [194] 						
1.8 16V	103/140	939 A4.000	12/05->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8.2; OD: 66; W: 29
1.9 D Multijet	88/120	939 A1.000	06/05->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; ->03/11; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->03/11; Fitting Position: Left
1.9 D Multijet	110/150	939 A2.000	06/05->	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; 03/11->; Fitting Position: Left
				Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; ->03/11; Fitting Position: Upper
1.9 D Multijet	110/150	939 A2.000	06/05->	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; 03/11->; Fitting Position: Left
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->03/11; Fitting Position: Left

	kW/HP	Engine code		Type		
1.9 D Multijet	85/115	939 A7.000	06/05->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; ->03/11; Fitting Position: Upper
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; 03/11->; Fitting Position: Left
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->03/11; Fitting Position: Left
1.9 D Multijet	100/136	939 A8.000	12/05->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; ->03/11; Fitting Position: Upper
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; 03/11->; Fitting Position: Left
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->03/11; Fitting Position: Left
2.2 16V	108/147	194 A1.000	06/05->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; Fitting Position: Centre
DOBLO Box Body / Estate [263] 						
1.4	70/95	843 A1.000	02/10->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4	88/120	198 A4.000	10/11->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4 Natural Power	88/120	198 A4.000	06/10->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.6 D Multijet	77/105	198 A3.000	02/10->	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower Left
1.6 D Multijet	66/90	263 A4.000	02/10->	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower Left
1.6 D Multijet	74/100	263 A3.000	02/10->	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower Left
2.0 D Multijet	99/135	263 A1.000	02/10->	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower Left
DOBLO Cargo [223] 						
1.2 [223XA1A]	48/65	223 A5.000	03/01->	Tensioner	SR-1046	OD: 55,5; W: 26; eng.# 2533529->
				Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 2533528
1.3 D Multijet	55/75	199 A2.000	10/05->01/10	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.3 JTD 16V	51/70	188 A9.000;188 A8.000	05/04->12/06	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.3 JTD 16V Multijet	62/84	223 A9.000	08/06->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.4	57/77	350 A1.000	10/05->	Tensioner	SR-1046	OD: 55,5; W: 26; 06/08->; ->06/08; engine 350 A1.000
				Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1292	OD: 65; W: 30; Fitting Position: Right
1.6 16V [223XD1A]	76/103	182 B6.000	10/01->	Tensioner	SR-1291	ID: 8,2; OD: 60; W: 29; Fitting Position: Left
				Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1292	OD: 65; W: 30; Fitting Position: Right
1.6 Natural Power	76/103	182 B6.000	09/02->	Tensioner	SR-1291	ID: 8,2; OD: 60; W: 29; Fitting Position: Left
				Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1292	OD: 65; W: 30; Fitting Position: Right
1.9 D [223XB1A]	46/63	223 A6.000	03/01->	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD	77/105	223 A7.000;223 B1.000	07/03->	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD [223XE1A]	74/100	182 B9.000	10/01->	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD Multijet	88/120	186 A9.000	12/06->	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
DOBLO MPV [223, 119] 						
1.2 [223AXA1A]	48/65	223 A5.000	03/01->	Tensioner	SR-1046	OD: 55,5; W: 26; eng.# 2533529->
				Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 2533528
1.3 D Multijet	62/84	223 A9.000	10/05->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.3 JTD 16V	51/70	188 A9.000	12/04->05/05	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.4	57/77	350 A1.000	10/05->	Tensioner	SR-1046	OD: 55,5; W: 26; 06/08->; ->06/08; engine 350 A1.000
				Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1292	OD: 65; W: 30; Fitting Position: Right
1.6 16V [223AXD1A]	76/103	182 B6.000	10/01->	Tensioner	SR-1291	ID: 8,2; OD: 60; W: 29; Fitting Position: Left
				Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1292	OD: 65; W: 30; Fitting Position: Right
1.6 Natural Power	76/103	182 B6.000	09/02->	Tensioner	SR-1291	ID: 8,2; OD: 60; W: 29; Fitting Position: Left
				Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1292	OD: 65; W: 30; Fitting Position: Right
1.9 D [223AXB1A]	46/63	223 A6.000	03/01->	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 D Multijet	88/120	186 A9.000	10/05->	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD	77/105	223 A7.000;223 B1.000	07/03->	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD [223AXE1A]	74/100	182 B9.000;223 B2.000	10/01->	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
DOBLO MPV [263_, 152] 						
1.4	70/95	843 A1.000	02/10->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4	88/120	198 A4.000	10/11->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4 Natural Power	88/120	198 A4.000	02/10->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.6 D Multijet	66/90	263 A4.000	02/10->	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower Left
1.6 D Multijet	77/105	198 A3.000	02/10->	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower Left

	kW/HP	Engine code		Type		
2.0 D Multijet	99/135	263 A1.000	02/10->	Deflection/Guide Tensioner	SR-1070 SR-1069	OD: 65; W: 25.5; ALT; Fitting Position: Upper - holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower Left
DOBLO Platform/Chassis [263] 						
1.4	70/95	843 A1.000	04/10->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.6 D Multijet	77/105	198 A3.000	02/10->	Deflection/Guide Tensioner	SR-1070 SR-1069	OD: 65; W: 25.5; ALT; Fitting Position: Upper - holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower Left
1.6 D Multijet	66/90	263 A4.000;263 A5.000	02/10->	Deflection/Guide Tensioner	SR-1070 SR-1069	OD: 65; W: 25.5; ALT; Fitting Position: Upper - holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower Left
1.6 D Multijet	74/101	263 A3.000	02/11->	Deflection/Guide Tensioner	SR-1070 SR-1069	OD: 65; W: 25.5; ALT; Fitting Position: Upper - holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower Left
2.0 D Multijet	99/135	263 A1.000	02/10->	Deflection/Guide Tensioner	SR-1070 SR-1069	OD: 65; W: 25.5; ALT; Fitting Position: Upper - holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower Left
DUCATO Box [230L] 						
1.9 TD	60/82	230 A3.000	03/94->04/02	Deflection/Guide	SR-1143	- holder; ID: 20; OD: 80; W: 23; ACCOM; Fitting Position: Upper
1.9 TD CAT	59/80	230 A4.000	08/94->04/02	Deflection/Guide	SR-1143	- holder; ID: 20; OD: 80; W: 23; ACCOM; Fitting Position: Upper
2.0	80/109	RFW	03/94->04/02	Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Centre; + AC
2.0 4x4	80/109	RFW	11/94->04/02	Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Centre; + AC
2.0 JTD	62/84	RHV (DW10)	10/01->04/02	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Deflection/Guide	SR-1517	OD: 50; W: 26; ALT; ALT; Fitting Position: Centre; + AC; Fitting Position: Lower; - AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25.5; ALT; Fitting Position: Left; - AC
2.5 D	62/84	8140.67	03/94->04/02	Deflection/Guide	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
2.5 D	62/84	8140.67	03/94->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
2.5 TDI	85/116	8140.47	03/94->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
2.5 TDI	80/109	8140.47R	03/94->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
2.5 TDI 4x4	85/116	8140.47	05/98->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
2.8 D	64/87	8140.63	05/98->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
2.8 D 4x4	64/87	8140.63	08/98->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
2.8 JTD	94/128	8140.43S	11/00->04/02	Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
2.8 JTD 4x4	94/128	8140.43S	11/00->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
2.8 TDI	90/122	8140.43	10/97->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
DUCATO Box [244] 						
2.0	81/110	RFL	04/02->	Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Centre; + AC
2.0 4x4	81/110	RFL	05/02->07/06	Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Centre; + AC
2.0 Bipower	81/110	RFL	11/02->	Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Centre; + AC
2.0 JTD	62/84	RHV (DW10)	04/02->	Deflection/Guide	SR-1517	OD: 50; W: 26; ALT; ALT; 05/04->; Fitting Position: Lower; + AC; ->05/04; Fitting Position: Lower; - AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; Fitting Position: Upper; + AC; 05/04->; Fitting Position: Upper; - AC
2.3 JTD	81/110	F1AE0481C	04/02->	Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25.5; ALT; ->05/04; Fitting Position: Upper; - AC
				Deflection/Guide	SR-1432	OD: 70; W: 29; ALT; Fitting Position: Upper
2.8 JTD	94/128	8140.43S	04/02->	Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
2.8 JTD 4x4	94/128	8140.43S	07/02->	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
2.8 JTD Power	107/146	8140.43N	05/04->	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
DUCATO Box [250, 290] 						
100 Multijet 2,2 D	74/100	4HV	07/06->	Deflection/Guide	SR-1435	ID: 8.2; OD: 65; W: 25; ALT; Fitting Position: Right; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1.25; W: 22; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Centre; + AC
110 Multijet 2,3 D	83/113	F1AE3481G	10/11->	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT; Fitting Position: Upper
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower
115 Multijet 2,0 D	85/116	250 A1.000;250 A2.000	06/11->	Deflection/Guide	SR-1070	OD: 65; W: 25.5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre left
120 Multijet 2,3 D	88/120	F1AE0481D;FPT	07/06->	Deflection/Guide	SR-1432	OD: 70; W: 29
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; Fitting Position: Centre
120 Multijet 2,3 D 4x4	88/120	F1AE0481D	03/10->	Deflection/Guide	SR-1432	OD: 70; W: 29
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; Fitting Position: Centre
130 Multijet 2,3 D	96/131	F1AE0481N;F1AE3481D;F1AGL411D	01/07->	Deflection/Guide	SR-1432	OD: 70; W: 29
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; Fitting Position: Centre
140 Natural Power	100/136	F1CE0441A;F1CFA401A	04/09->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
150 Multijet 2,3 D	109/148	F1AE3481E	06/11->	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT; Fitting Position: Upper
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower
150 Multijet 3,0 D	107/146	F1CE3481N	04/10->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT; - AC











	kW/HP	Engine code		Type		
160 Multijet 3,0 D	116/158	F1CE0481D	07/06->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT; - AC
160 Multijet 3,0 D	115/156	F1CE3481M	07/06->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT; - AC
180 Multijet 3,0 D	130/177	F1CE3481E	06/11->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT; - AC
DUCATO Box (280) 						
2.5 D	55/75	8144.67;CRD93L (U25-661)	01/82->08/90	Deflection/Guide	SR-1119	OD: 64; W: 34; ->07/90; engine 8144.67; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; ->07/90; engine 8144.67; Fitting Position: Upper
				Tensioner	SR-1127	OD: 57; W: 24; IP; engine CDR93
2.5 D 4x4	55/75	8144.67	03/89->08/90	Deflection/Guide	SR-1120	OD: 67; W: 34; ->07/90; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; ->07/90; Fitting Position: Lower
DUCATO Box (290) 						
2.5 D 4x4	55/75	8144.67	07/90->03/94	Deflection/Guide	SR-1119	OD: 64; W: 34; 08/90->; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; 08/90->; Fitting Position: Upper
2.5 TD	70/95	8140.27	07/90->03/94	Deflection/Guide	SR-1120	OD: 50; W: 26; ALT; ALT; Fitting Position: Centre; + AC; Fitting Position: Lower; - AC
2.5 TD 4x4	70/95	8140.27	07/90->03/94	Deflection/Guide	SR-1120	OD: 67; W: 34; 08/90->; Fitting Position: Upper; Fitting Position: Lower
DUCATO Bus (230) 						
2.0 4x4	80/109	RFW	11/94->11/01	Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
2.0 JTD	62/84	RHV (DW10)	10/01->04/02	Deflection/Guide	SR-1517	OD: 50; W: 26; ALT; ALT; Fitting Position: Centre; + AC; Fitting Position: Lower; - AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left; - AC
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
2.0 Panorama/Combinato	80/109	RFW	03/94->04/02	Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Centre; + AC
2.5 D Combinato	62/84	8140.67	08/94->04/02	Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
2.5 TDI 4x4	85/116	8140.47	04/97->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
2.5 TDI Panorama/Combinato	85/116	8140.47	03/94->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
2.5 TDI Panorama/Combinato	80/109	8140.47R	07/94->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
2.8 D	64/87	8140.63	02/98->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
2.8 JTD	94/128	8140.43S	11/00->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
2.8 JTD 4x4	94/128	8140.43S	11/00->04/02	Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
2.8 TDI	90/122	8140.43	10/97->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
2.8 TDI 4x4	90/122	8140.43	07/99->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
DUCATO Bus (244, Z_) 						
2.0	81/110	RFL	04/02->	Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Centre; + AC
2.0 4x4	81/110	RFL	05/02->07/06	Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Centre; + AC
2.0 Bipower	81/110	RFL	11/02->	Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1517	OD: 50; W: 26; ALT; ALT; 05/04->; Fitting Position: Lower; + AC; ->05/04; Fitting Position: Lower; - AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
2.0 JTD	62/84	RHV (DW10)	04/02->	Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; ->05/04; Fitting Position: Upper; - AC
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; Fitting Position: Upper; + AC; 05/04->; Fitting Position: Upper; - AC
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
2.8 JTD	94/128	8140.43S	04/02->	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
2.8 JTD	107/145	8140.43N	04/04->07/06	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
2.8 JTD 4x4	94/128	8140.43S	07/02->	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
DUCATO Bus (250, 290) 						
100 Multijet 2,2 D	74/100	4HV	07/06->	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Left; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Centre; + AC
130 Multijet 2,3 D	96/131	F1AE3481D;F1AGL411D	01/07->	Deflection/Guide	SR-1432	OD: 70; W: 29
140 Natural Power	100/136	F1CE0441A	04/09->	Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; Fitting Position: Centre
160 Multijet 3,0 D	115/156	F1CE0481D	10/06->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Centre
DUCATO Panorama (280) 						
2.5 D	55/75	8144.67;CRD93L (U25-661)	01/86->08/90	Deflection/Guide	SR-1119	OD: 64; W: 34; ->07/90; engine 8144.67; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; ->07/90; engine 8144.67; Fitting Position: Upper
				Tensioner	SR-1127	OD: 57; W: 24; IP; engine CRD93
2.5 D 4x4	55/75	8144.67	01/87->08/90	Deflection/Guide	SR-1120	OD: 67; W: 34; ->07/90; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; ->07/90; Fitting Position: Lower
2.5 TD	68/92	8144.21;8144.21.220	01/87->08/90	Deflection/Guide	SR-1120	OD: 67; W: 34; ->07/90; Fitting Position: Upper; Fitting Position: Lower
2.5 TD 4x4	68/92	8144.21	01/86->08/90	Deflection/Guide	SR-1120	OD: 67; W: 34; ->07/90; Fitting Position: Upper; Fitting Position: Lower












	kW/HP	Engine code		Type		
DUCATO Panorama (290) 						
2.5 D	55/75	8144.67	07/90->03/94	Deflection/Guide	SR-1119	OD: 64; W: 34; 08/90->; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; 08/90->; Fitting Position: Upper
2.5 D 4x4	55/75	8144.67	07/90->03/94	Deflection/Guide	SR-1120	OD: 67; W: 34; 08/90->; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; 08/90->; Fitting Position: Lower
2.5 TD	70/95	8140.27	08/90->03/94	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
2.5 TD 4x4	70/95	8140.27	01/91->03/94	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
DUCATO Platform/Chassis (230) 						
2.0	80/109	RFW	03/94->04/02	Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower Right; + AC
2.0 JTD	62/84	RHV (DW10)	07/01->04/02	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
2.5 D	62/84	8140.67	03/94->04/02	Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
2.5 D 4x4	62/84	8140.67	03/94->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
2.5 TDI	85/116	8140.47	03/94->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
2.5 TDI	80/109	8140.47R	03/94->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
2.5 TDI 4x4	85/116	8140.47	06/98->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
2.8 D	64/87	8140.63	02/98->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
2.8 JTD	94/128	8140.43S	11/00->04/02	Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
2.8 JTD 4x4	94/128	8140.43S	10/01->04/02	Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
2.8 TDI	90/122	8140.43	12/98->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
DUCATO Platform/Chassis (244) 						
2.0	81/110	RFL	04/02->07/06	Tensioner	SR-1131	OD: 90; W: 25; ALT; + AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
2.0 JTD	62/84	RHV (DW10)	04/02->07/06	Deflection/Guide	SR-1517	OD: 50; W: 26; ALT; ALT; 05/04->; Fitting Position: Lower; + AC; ->05/04; Fitting Position: Lower; - AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25.5; ALT; ->05/04; Fitting Position: Upper; - AC
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; Fitting Position: Upper; + AC; 05/04->; Fitting Position: Upper; - AC
2.3 JTD	81/110	F1AE0481C	04/02->07/06	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT; Fitting Position: Upper
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
2.8 JTD	94/128	8140.43S	04/02->07/06	Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
2.8 JTD 4x4	94/128	8140.43S	10/02->07/06	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
2.8 JTD Power	107/146	8140.43N	05/04->07/06	Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
DUCATO Platform/Chassis (250, 290) 						
100 Multijet 2,2 D	74/100	4HV	07/06->	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Left; + AC
				Deflection/Guide	SR-1435	ID: 8.2; OD: 65; W: 25; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Centre; + AC
130 Multijet 2,3 D	96/131	F1AE0481N;F1AE3481D ;F1AGL411D	01/07->	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT; + AC
160 Multijet 3,0 D	115/156	F1CE3481M	07/06->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
DUCATO Platform/Chassis (280) 						
2.5 D	55/75	8144.67;CRD93L (U25-661)	07/82->08/90	Deflection/Guide	SR-1120	OD: 67; W: 34; ->07/90; engine 8144.67; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; ->07/90; engine 8144.67; Fitting Position: Lower
				Tensioner	SR-1127	OD: 57; W: 24; IP; engine CDR93
2.5 D 4x4	55/75	8144.67	03/89->08/90	Deflection/Guide	SR-1119	OD: 64; W: 34; ->07/90; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; ->07/90; Fitting Position: Upper
2.5 TD	68/92	8144.21	01/86->08/90	Deflection/Guide	SR-1120	OD: 67; W: 34; ->07/90; Fitting Position: Upper; Fitting Position: Lower
DUCATO Platform/Chassis (290) 						
2.5 D	55/75	8144.67	03/89->03/94	Deflection/Guide	SR-1119	OD: 64; W: 34; 08/90->; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; 08/90->; Fitting Position: Upper
2.5 D 4x4	55/75	8144.67	07/90->03/94	Deflection/Guide	SR-1120	OD: 67; W: 34; 08/90->; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; 08/90->; Fitting Position: Lower
2.5 TD	70/95	8140.27	07/90->03/94	Deflection/Guide	SR-1120	OD: 67; W: 34; 08/90->; Fitting Position: Upper; Fitting Position: Lower
2.5 TD 4x4	70/95	8140.27	07/90->03/94	Deflection/Guide	SR-1120	OD: 67; W: 34; 08/90->; Fitting Position: Upper; Fitting Position: Lower
FIORINO (147) 						
1.3	49/67	146 A5.000	12/87->08/93	Tensioner	SR-1127	OD: 57; W: 24; engine 146 A5.000
FIORINO Box (146) 						
60 1.1	40/54	146 A9.000	05/88->12/93	Tensioner	SR-1127	OD: 57; W: 24
70 1.3	49/67	146 A5.000	01/88->12/94	Tensioner	SR-1127	OD: 57; W: 24
70 i.e. 1.4	49/67	146 C5.000;146 D5.000	05/94->05/01	Deflection/Guide	SR-1143	- holder; ID: 20; OD: 80; W: 23; ALT; ->03/95; Fitting Position: Lower
				Tensioner	SR-1127	OD: 57; W: 24









	kW/HP	Engine code		Type		
75 i.e. 1.6	55/75	146 C6.000;146 D6.000	10/93->05/01	Tensioner	SR-1127	OD: 57; W: 24
FIORINO Box Body / Estate (225) 						
1.3 D Multijet	70/95	199 B1.000;330 A1.000	07/09->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; MT; not for exhaust-emission standard: Euro 5
				Tensioner	SR-1013	- holder; ID: 17; OD: 65; W: 25; ALT; trans.type Sequential Manual Transmission; not for exhaust-emission standard: Euro 5
1.3 D Multijet	55/75	199 A2.000;199 A9.000	11/07->	Tensioner	SR-1013	- holder; ID: 17; OD: 65; W: 25; ALT; trans.type Sequential Manual Transmission; Fitting Position: Centre
				Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; MT; Fitting Position: Centre
1.4	54/73	KFV;KFT	11/07->	Tensioner	SR-1139	ID: 8;2; OD: 60; W: 25; DEPOLLUTION CF4
1.4 Natural Power	57/78	350 A1.000	10/09->	Tensioner	SR-1046	OD: 55,5; W: 26
FIORINO Pick up (146) 						
1.4	49/67	146 D5.000	05/94->05/01	Tensioner	SR-1127	OD: 57; W: 24
1.6	55/75	146 C6.000;146 D6.000	01/94->05/01	Tensioner	SR-1127	OD: 57; W: 24
FIORINO Pick up (147) 						
1.1	41/56	156 A.000	09/87->12/88	Tensioner	SR-1127	OD: 57; W: 24
FREEMONT (JC_, JF_) 						
2.0 JTD	120/163	939 B5.000	08/11->	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 JTD	103/140	939 B5.000;940 A5.000	08/11->	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 JTD	125/170	939 B5.000	08/11->	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 JTD	100/136	939 B5.000	08/11->	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 JTD 4x4	120/163	939 B5.000	08/11->	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 JTD 4x4	125/170	939 B5.000	08/11->	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.4	125/170	ED3;EDG	08/11->	Deflection/Guide	SR-1041	OD: 70; W: 24,7; ALT; Fitting Position: Lower Right
				Tensioner	SR-1042	+ holder; OD: 65; W: 26
3.6	206/280	ERB	08/11->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Lower Right
3.6 4x4	206/280	ERB	08/11->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Lower Right
GRANDE PUNTO (199) 						
1.2	51/69	169 A4.000	09/10->	Tensioner	SR-1046	OD: 55,5; W: 26
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.2	48/65	199 A4.000	10/05->	Tensioner	SR-1046	OD: 55,5; W: 26; ->06/08; 06/08->
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.3 D Multijet	62/84	223 A9.000;199 B4.000	04/10->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.3 D Multijet	51/69	199 B2.000	07/08->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.3 D Multijet	55/75	199 A2.000	10/05->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.3 D Multijet	66/90	199 A3.000	10/05->	Tensioner	SR-1013	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4	55/75	199 A7.000	06/06->	Tensioner	SR-1046	OD: 55,5; W: 26; ->06/08; 06/08->
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4	57/77	350 A1.000	10/05->	Tensioner	SR-1046	OD: 55,5; W: 26; ->06/08; 06/08->
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4 16V	70/95	199 A6.000	10/05->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4 LPG	57/78	350 A1.000	12/08->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1046	OD: 55,5; W: 26
1.4 Natural Power	57/78	350 A1.000	07/08->	Tensioner	SR-1046	OD: 55,5; W: 26
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4 T-Jet	88/120	198 A4.000	09/07->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.6 D Multijet	88/120	955 A3.000	07/08->	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
1.9 D Multijet	85/116	939 A7.000	06/06->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
1.9 D Multijet	88/120	939 A1.000	10/05->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
1.9 D Multijet	96/130	199 A5.000	10/05->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
IDEA (350_) 						
1.2 16V	59/80	188 A5.000	01/04->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.3 D Multijet	70/95	199 B1.000	05/08->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.3 D Multijet	66/90	199 A3.000	10/05->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.3 JTD	51/70	188 A9.000	01/04->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.4	57/77	350 A1.000	10/05->	Tensioner	SR-1046	OD: 55,5; W: 26; 06/08->; ->06/08; engine 350 A1.000
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.4	66/90	192 B2.000	12/03->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4 16V	70/95	843 A1.000	01/04->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; + AC



	kW/HP	Engine code		Type		
1.4 LPG	57/78	350 A1.000	03/09->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1046	OD: 55,5; W: 26
1.6 D Multijet	88/120	350 A2.000	05/08->	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower
1.9 JTD	74/101	188 B2.000	01/04->	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Right
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
LINEA (323) 						
1.3 D Multijet	66/90	199 A3.000	06/07->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4	57/77	350 A1.000	06/07->	Tensioner	SR-1046	OD: 55,5; W: 26; 06/08->; ->06/08; engine 350 A1.000
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4 T-Jet	88/120	198 A4.000	09/07->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.6 D Multijet	77/105	198 A3.000	06/09->	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower
MAREA (185) 						
1.4 80 12V	59/80	182 A3.000	09/96->05/02	Deflection/Guide	SR-1272	ID: 10,2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1292	OD: 65; W: 30; ->07/99; Fitting Position: Right; 08/99->; Fitting Position: Right
1.6 100 16V	76/103	182 A4.000	09/96->05/02	Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT; ACCOM; 02/00->; Fitting Position: Lower; 02/00->; Fitting Position: Upper
				Tensioner	SR-1291	ID: 8,2; OD: 60; W: 29; ->07/99; Fitting Position: Left; 08/99->; Fitting Position: Left
1.6 100 16V Bipower	76/103	186 A4.000;185 A3.000	04/99->05/02	Deflection/Guide	SR-1292	ID: 17; OD: 70; W: 24; ALT; ACCOM; 02/00->; Fitting Position: Lower; 02/00->; Fitting Position: Upper
				Deflection/Guide	SR-1292	OD: 65; W: 30; ->07/99; Fitting Position: Right; 08/99->; Fitting Position: Right
				Tensioner	SR-1291	ID: 8,2; OD: 60; W: 29; ->07/99; Fitting Position: Left; 08/99->; Fitting Position: Left
1.6 SX	72/98	182 B5.098	09/00->08/02	Deflection/Guide	SR-1293	OD: 65; W: 30; Fitting Position: Right; engine 182 A4.000; engine 182 B6.000; engine 185 A3.000; Fitting Position: Right
				Tensioner	SR-1291	ID: 17; OD: 70; W: 24; ALT; ACCOM; Fitting Position: Lower; ->06/01; Fitting Position: Upper
1.8 115 16V	83/113	182 A2.000	09/96->05/02	Deflection/Guide	SR-1272	ID: 8,2; OD: 60; W: 29; Fitting Position: Left; engine 182 A4.000; engine 182 B6.000; engine 185 A3.000; Fitting Position: Left
				Tensioner	SR-1273	ID: 10,2; OD: 91; W: 25; ALT; -> VET # 270957; -> VET # 2018321; + AC
1.9 JTD 105	77/105	182 B4.000	04/99->01/01	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD 110	81/110	186 A6.000	01/01->05/02	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 TD 100	74/100	182 A7.000	09/96->05/02	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
1.9 TD 75	55/75	182 A8.000	09/96->05/02	Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; ->eng.# 1865932; Fitting Position: Lower
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; eng.# 1865933->; Fitting Position: Lower
MAREA Weekend (185) 						
1.4 80 12V	59/80	182 A3.000	09/96->05/02	Deflection/Guide	SR-1272	ID: 10,2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
1.6 100 16V	76/103	182 A4.000	09/96->05/02	Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT; ACCOM; 02/00->; Fitting Position: Lower; 02/00->; Fitting Position: Upper
				Deflection/Guide	SR-1292	OD: 65; W: 30; Fitting Position: Right
				Tensioner	SR-1291	ID: 8,2; OD: 60; W: 29; Fitting Position: Left
1.8 115 16V	83/113	182 A2.000	09/96->05/02	Deflection/Guide	SR-1272	ID: 10,2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD 105	77/105	182 B4.000	04/99->05/02	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD 110	81/110	186 A6.000	01/01->05/02	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 TD 100	74/100	182 A7.000;182 B9.000	09/96->05/02	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
1.9 TD 75	55/75	182 A8.000	09/96->05/02	Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; ->eng.# 1865932; Fitting Position: Lower
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; eng.# 1865933->; Fitting Position: Lower
MULTIPLA (186) 						
1.6	76/103	182 B6.000	09/00->06/10	Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1292	OD: 65; W: 30; Fitting Position: Right
				Tensioner	SR-1291	ID: 8,2; OD: 60; W: 29; Fitting Position: Left
1.6 100 16V (186AXA1A)	76/103	182 A4.000	04/99->06/10	Deflection/Guide	SR-1292	OD: 65; W: 30; ->07/99; Fitting Position: Right; 07/99->; Fitting Position: Right; Fitting Position: Right
				Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT; 02/00->; Fitting Position: Lower
				Tensioner	SR-1291	ID: 8,2; OD: 60; W: 29; ->07/99; Fitting Position: Left; 07/99->; Fitting Position: Left; Fitting Position: Left
1.6 16V (186AGB1A)	70/95	182 B6.000	04/02->06/10	Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1292	OD: 65; W: 30; Fitting Position: Right
				Tensioner	SR-1291	ID: 8,2; OD: 60; W: 29; Fitting Position: Left
1.6 16V Bipower (186AMB1A)	76/103	186 A4.000	04/99->06/10	Deflection/Guide	SR-1292	OD: 65; W: 30; ->07/99; Fitting Position: Right; 07/99->; Fitting Position: Right; Fitting Position: Right
				Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT; 02/00->; Fitting Position: Lower
				Tensioner	SR-1291	ID: 8,2; OD: 60; W: 29; ->07/99; Fitting Position: Left; 07/99->; Fitting Position: Left; Fitting Position: Left

	kW/HP	Engine code		Type		
1.6 16V Bipower [186AXC1A]	76/103	182 B6.000	10/01->06/10	Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1292	OD: 65; W: 30; Fitting Position: Right
				Tensioner	SR-1291	ID: 8,2; OD: 60; W: 29; Fitting Position: Left
1.6 16V Blupower [186AMA1A]	70/95	186 A3.000	04/99->06/10	Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT; 02/00->; Fitting Position: Lower
				Deflection/Guide	SR-1292	OD: 65; W: 30; ->07/99; Fitting Position: Right; 07/99->; Fitting Position: Right; Fitting Position: Right
1.9 JTD [186AXE1A]	88/120	186 A9.000	04/02->06/10	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD 105 [186AXB1A]	77/105	182 B4.000	04/99->06/10	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD 110	81/110	186 A6.000	03/01->07/02	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD 115	85/115	186 A8.000	07/02->06/10	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
PALIO [178BX] 						
1.0	45/61		04/96->	Tensioner	SR-1127	OD: 57; W: 24; engine 178 A1.000
1.2	54/73	176 A8.000;178 B5.000;178 E2.000	06/98->	Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 9042883; eng.# 9042884->
1.2	50/68	178 E2.000	06/99->10/00	Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 9042883; eng.# 9042884->
1.2	44/60	188 A4.000;178 B7.045;178 C4.066	07/97->08/02	Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 9042883; eng.# 9042884->
1.4	51/69	178 B2.000	04/96->	Tensioner	SR-1127	OD: 57; W: 24
1.4 CAT	51/69	178 B2.016	04/96->	Tensioner	SR-1127	OD: 57; W: 24
1.6 16V	74/100	178 B3.000	04/96->	Deflection/Guide	SR-1292	OD: 65; W: 30; ->07/99; Fitting Position: Right; 08/99->; Fitting Position: Right
				Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT; 02/00->; Fitting Position: Lower
				Tensioner	SR-1291	ID: 8,2; OD: 60; W: 29; ->07/99; Fitting Position: Left; 08/99->; Fitting Position: Left
PALIO Weekend [178DX] 						
1.2	59/80	188 A5.000	09/01->	Deflection/Guide	SR-1469	OD: 65; thread size M8x1,25; W: 23,5; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.2 [178DX.G1A]	54/73	178 B5.000	04/96->02/01	Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 9042883; eng.# 9042884->
1.2 [178DYA1A]	44/60	188 A4.000;178 C4.066	02/01->	Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 9042883; eng.# 9042884->
1.6 16V [178DX.D1A]	74/100	178 B3.000	04/96->02/01	Deflection/Guide	SR-1292	OD: 65; W: 30; ->07/99; Fitting Position: Right; 08/99->; Fitting Position: Right
				Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower
				Tensioner	SR-1291	ID: 8,2; OD: 60; W: 29; ->07/99; Fitting Position: Left; 08/99->; Fitting Position: Left
1.6 16V [178DYC1A06]	76/103	182 B6.000	02/01->	Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1292	OD: 65; W: 30; Fitting Position: Right
				Tensioner	SR-1291	ID: 8,2; OD: 60; W: 29; Fitting Position: Left
PANDA [141A] 						
1000	37/50	156 A3.000	01/85->12/92	Tensioner	SR-1127	OD: 57; W: 24; eng.# 9042884->; ->eng.# 9042883; engine 156 A2.048
1000	32/44	156 A2.100	01/86->04/92	Tensioner	SR-1127	OD: 57; W: 24; eng.# 9042884->; ->eng.# 9042883; engine 156 A2.000; engine 156 A2.146
1000 4x4	32/44	156 A3.100;156 A2.100	01/86->07/89	Tensioner	SR-1127	OD: 57; W: 24; engine 156 A2.100
1000 4x4	37/50	156 A3.000	01/86->12/92	Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 9042883; eng.# 9042884->
1000 4x4	33/45	156 A2.246;141 C2.000	05/86->12/94	Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 9042883; eng.# 9042884->
1000 i.e. CAT	33/45	156 A2.246;141 C2.000	10/87->08/98	Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 9042883; eng.# 9042884->
1100	40/54	176 B2.000;187 A1.000	02/95->09/03	Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 9042883; engine 176 B2.000; engine 187 A1.000; eng.# 9042884->
1100	37/50	156 C.046	05/91->12/99	Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 9042883; eng.# 9042884->; engine 156 C.046
1100 4x4	40/54	176 B2.000	02/95->07/04	Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 9042883; eng.# 9042884->; engine 176 B2.000
1100 Trekking 4x4	37/50	156 C.046	10/91->07/04	Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 9042883; eng.# 9042884->; engine 156 C.046
750 [141AA]	25/34	141 B.000;156 A4.000;156 A4.048	01/86->01/95	Tensioner	SR-1127	OD: 57; W: 24
750 [141AM] CAT	25/34	156 A4.048	01/95->10/03	Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 9042883; eng.# 9042884->
PANDA [169] 						
1.1	40/54	187 A1.000	09/03->	Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 2533528
				Tensioner	SR-1046	OD: 55,5; W: 26; eng.# 2533529->
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.2	51/69	169 A4.000	03/10->	Tensioner	SR-1046	OD: 55,5; W: 26
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.2	44/60	188 A4.000	09/03->	Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 2533528
				Tensioner	SR-1046	OD: 55,5; W: 26; 06/08->; ->06/08; eng.# 2533529->
1.2 4x4	44/60	188 A4.000	10/04->	Tensioner	SR-1046	OD: 55,5; W: 26; 06/08->; ->06/08; eng.# 2533529->
				Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 2533528
1.2 4x4	51/69	169 A4.000	11/09->	Tensioner	SR-1046	OD: 55,5; W: 26
1.2 LPG	44/60	188 A4.000	04/09->	Tensioner	SR-1046	OD: 55,5; W: 26
1.2 LPG	51/69	169 A4.000	11/10->	Tensioner	SR-1046	OD: 55,5; W: 26
1.2 Natural Power	44/60	188 A4.000	01/07->11/09	Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 2533528; engine 188 A4.000
				Tensioner	SR-1046	OD: 55,5; W: 26; ->06/08; eng.# 2533529->; 06/08->; eng.# 2533529->

	kW/HP	Engine code		Type		
1.3 D Multijet	55/75	169 A1.000;169 A5.000	06/06->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.3 D Multijet	51/70	188 A9.000;188 A8.000	09/03->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.3 D Multijet 4x4	55/75	169 A1.000;169 A5.000	09/10->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.3 D Multijet 4x4	51/70	188 A9.000;188 A8.000	10/04->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.4	74/100	169 A3.000	10/06->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.4 Natural Power	51/69	350 A1.000	01/10->	Tensioner	SR-1046	OD: 55,5; W: 26
1.4 Natural Power	57/78	350 A1.000	09/10->	Tensioner	SR-1046	OD: 55,5; W: 26
PANDA (312_, 312) 						
1.2	51/69	169 A4.000	02/12->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1046	OD: 55,5; W: 26
1.2 LPG	51/69	169 A4.000	06/12->	Tensioner	SR-1046	OD: 55,5; W: 26
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower
1.3 D Multijet	55/75	199 A9.000;199 A1.000	02/12->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.3 D Multijet 4x4	55/75	199 A9.000;199 A1.000	06/12->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
PANDA Van (141_) 						
1000	32/44	156 A3.100;156 A2.100	01/86->02/92	Tensioner	SR-1127	OD: 57; W: 24; engine 156 A2.100
1000 i.e	33/45	156 A2.246	08/92->02/04	Tensioner	SR-1127	OD: 57; W: 24; ->08/98; ->04/99; 09/98->->eng.# 9042883; 05/99->->eng.# 9042884->
PANDA Van (169) 						
1.3 D Multijet	55/75	169 A1.000	01/06->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.3 D Multijet 4x4	51/70	188 A9.000;188 A8.000	10/04->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1046	OD: 55,5; W: 26
1.4 Natural Power	57/78	350 A1.000	10/09->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
PUNTO (176) 						
1.4 GT Turbo	98/133	176 A4.000	01/94->09/96	Deflection/Guide	SR-1143	- holder; ID: 20; OD: 80; W: 23; ACCOM; ->04/96; Fitting Position: Upper
				Tensioner	SR-1127	OD: 57; W: 24
1.4 GT Turbo	96/131	176 B6.000	09/96->09/99	Tensioner	SR-1127	OD: 57; W: 24
1.6	65/88	176 A9.000	01/94->04/97	Deflection/Guide	SR-1143	- holder; ID: 20; OD: 80; W: 23; ACCOM; ->04/96; Fitting Position: Upper
				Tensioner	SR-1127	OD: 57; W: 24
55 1.1	40/54	176 A6.000;176 B2.000	09/93->09/99	Tensioner	SR-1127	OD: 57; W: 24; 01/97->->eng.# 9042883; ->12/96; ->eng.# 9042883; 01/97->->eng.# 9042884->
60 1.2	43/58	176 A7.000	01/94->09/99	Tensioner	SR-1127	OD: 57; W: 24
60 1.2	44/60	176 B1.000;176 B4.000	03/94->09/99	Tensioner	SR-1127	OD: 57; W: 24; engine 176 B1.000; eng.# 9042884->->engine 176 B4.000; ->eng.# 9042883; engine 176 B4.000
75 1.2	54/73	176 A8.000	10/93->09/99	Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 9042883; eng.# 9042884->
PUNTO (188) 						
1.2 16V 80 (188.233, .235, .253, .255, .333, .353, .639...)	59/80	188 A5.000	09/99->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; LHD; + AC
				Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 2533528
1.2 60 (188.030, .050, .130, .150, .230, .250)	44/60	188 A4.000	09/99->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1046	OD: 55,5; W: 26; 06/08->->06/08; eng.# 2533529->
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.2 Natural Power	44/60	188 A4.000	09/03->	Tensioner	SR-1046	OD: 55,5; W: 26; eng.# 2533529->
				Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 2533528
1.3 JTD 16V	51/70	188 A9.000	06/03->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.4	70/95	843 A1.000	09/03->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
				Deflection/Guide	SR-1272	ID: 10,2; OD: 91; W: 25; ALT; Fitting Position: Centre
1.8 130 HGT (188.738, .718)	96/130	183 A1.000;188 A6.000	09/99->	Tensioner	SR-1294	- holder; OD: 66; W: 29; ALT; 09/03->->Fitting Position: Lower
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; ->09/03; Fitting Position: Lower
1.9 DS 60 (188.031, .051, .231, .251)	44/60	188 A3.000	09/99->	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Lower Right; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower; + AC
1.9 JTD	74/101	188 B2.000	06/03->	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Lower Right
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD	63/86	188 A7.000	10/01->	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Lower Right; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower; + AC
1.9 JTD 80 (188.237, .257, .337, .357)	59/80	188 A2.000	09/99->	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Lower Right; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower; + AC
PUNTO (199) 						
1.2	49/67	199 B9.000	02/14->	Tensioner	SR-1046	OD: 55,5; W: 26
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.2	51/69	169 A4.000	03/12->	Tensioner	SR-1046	OD: 55,5; W: 26
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.3 D Multijet	55/75	199 A2.000;199 A9.000	03/12->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; MT; Fitting Position: Left; - start-stop
				Tensioner	SR-1013	- holder; ID: 17; OD: 65; W: 25; ALT; trans.type Seleespeed; Fitting Position: Left; + start-stop
1.3 D Multijet	62/84	199 B4.000	03/12->	Tensioner	SR-1013	- holder; ID: 17; OD: 65; W: 25; ALT; trans.type Seleespeed; Fitting Position: Left; + start-stop
				Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; MT; Fitting Position: Left; + start-stop
1.3 D Multijet	70/95	199 B1.000	03/12->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; MT; Fitting Position: Left; + start-stop
				Tensioner	SR-1013	- holder; ID: 17; OD: 65; W: 25; ALT; trans.type Seleespeed; Fitting Position: Left; + start-stop

	kW/HP	Engine code		Type		
1.3 D Multijet	59/80	199 B8.000	12/13->	Tensioner	SR-1013	- holder; ID: 17; OD: 65; W: 25; ALT; trans.type Selespeed; Fitting Position: Centre
				Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; MT; Fitting Position: Centre
1.4	57/78	350 A1.000	03/12->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1046	OD: 55,5; W: 26
1.4	55/75	199 A7.000	03/12->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1046	OD: 55,5; W: 26
1.4 Bifuel	57/78	350 A1.000	03/12->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1046	OD: 55,5; W: 26
1.4 Multi Air	77/105	955 A6.000	03/12->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4 Natural Power	57/78	350 A1.000	03/12->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1046	OD: 55,5; W: 26
1.4 Turbo Multi Air	99/135	955 A2.000	03/12->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
PUNTO Convertible (176C) 						
60 1.2	43/58	176 A7.000	04/94->06/00	Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 9042883; eng.# 9042884->
60 1.2	44/60	176 B1.000;176 B4.000	05/95->06/00	Tensioner	SR-1127	OD: 57; W: 24; eng.# 9042884->; engine 176 B4.000; ->eng.# 9042883; engine 176 B4.000
90 1.6	65/88	176 A9.000	04/94->04/97	Deflection/Guide	SR-1143	- holder; ID: 20; OD: 80; W: 23; ACCOM; ->04/96; Fitting Position: Upper
				Tensioner	SR-1127	OD: 57; W: 24
PUNTO EVO (199) 						
1.2	51/69	169 A4.000	10/09->02/12	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1046	OD: 55,5; W: 26
1.2	48/65	199 A4.000	10/09->02/12	Tensioner	SR-1046	OD: 55,5; W: 26
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.3 D Multijet	51/69	199 B2.000	07/08->02/12	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; MT; Fitting Position: Centre
				Tensioner	SR-1013	- holder; ID: 17; OD: 65; W: 25; ALT; trans.type Sequential Manual Transmission; Fitting Position: Centre
1.3 D Multijet	62/84	223 A9.000;199 B4.000	10/09->02/12	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; MT; Fitting Position: Centre
				Tensioner	SR-1013	- holder; ID: 17; OD: 65; W: 25; ALT; trans.type Sequential Manual Transmission; Fitting Position: Centre; DEPOLLUTION CF5
1.3 D Multijet	55/75	199 A2.000;199 A9.000	10/09->02/12	Tensioner	SR-1013	- holder; ID: 17; OD: 65; W: 25; ALT; trans.type Sequential Manual Transmission; Fitting Position: Centre; DEPOLLUTION CF5
				Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; MT; Fitting Position: Centre; DEPOLLUTION CF5; DEPOLLUTION CF4
1.3 D Multijet	70/95	199 B1.000	10/09->02/12	Tensioner	SR-1013	- holder; ID: 17; OD: 65; W: 25; ALT; trans.type Sequential Manual Transmission; Fitting Position: Centre
				Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; MT; Fitting Position: Centre
1.4	55/75	199 A7.000	07/09->02/12	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1046	OD: 55,5; W: 26
1.4	57/77	350 A1.000	10/09->02/12	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1046	OD: 55,5; W: 26
1.4 16V	77/105	955 A6.000	10/09->02/12	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4 16V	99/135	955 A2.000	10/09->02/12	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4 LPG	57/78	350 A1.000	06/09->02/12	Tensioner	SR-1046	OD: 55,5; W: 26
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4 Natural Power	57/78	350 A1.000	10/09->02/12	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1046	OD: 55,5; W: 26
1.6 D Multijet	88/120	955 A3.000	10/09->02/12	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
PUNTO Van (176L) 						
1.1	40/54	176 B2.000	04/96->02/00	Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 9042883; eng.# 9042884->; ->12/96; ->eng.# 9042883
PUNTO Van (188AX) 						
1.2 60	44/60	188 A4.000	02/00->10/09	Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 2533528
				Tensioner	SR-1046	OD: 55,5; W: 26; 06/08->; ->06/08; eng.# 2533529->
1.3 JTD	51/69	188 A9.000	06/03->10/05	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; LHD; + AC
				Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.9 D 60	44/60	188 A3.000	02/00->10/09	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Lower Right; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower; + AC
1.9 JTD	63/86	188 A7.000	02/00->10/09	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Lower Right; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower; + AC
QUBO (225) 						
1.3 D Multijet	55/75	199 A2.000;199 A9.000	02/08->	Tensioner	SR-1013	- holder; ID: 17; OD: 65; W: 25; ALT; trans.type Sequential Manual Transmission; Fitting Position: Centre; DEPOLLUTION CF4
				Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; MT; Fitting Position: Centre; DEPOLLUTION CF4
1.4	54/73	KFV;KFT	02/08->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU3A; engine TU3AE5; Fitting Position: Centre
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; engine KFV
1.4 Natural Power	57/78	350 A1.000	10/09->	Tensioner	SR-1046	OD: 55,5; W: 26
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
SCUDO (272, 270) 						
1.6 D Multijet	66/90	9HU	01/07->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6UTED4; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; Fitting Position: Left
SCUDO Box (220L) 						
1.6	58/79	220 A 2.000	02/96->12/06	Tensioner	SR-1127	OD: 57; W: 24

	kW/HP	Engine code		Type		
1.9 D	51/69	D9B	02/96->12/06	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC; + PS
				Deflection/Guide	SR-1406	OD: 37; W: 27; ALT; ALT; ->10/99; engine DW8; -> VET # 8375; DEPOLLUTION CF2; QTY 2; + PS; - AC; 10/99->; engine DW8; engine DW8B; Fitting Position: Lower; + PS; - AC
				Deflection/Guide	SR-1407	OD: 60; thread size M10x1,5; W: 26; ALT; 10/99->; engine DW8; engine DW8B; Fitting Position: Centre; + PS; - AC
1.9 D	51/69	WJZ (DW8);WJY (DW8B)	04/98->12/06	Deflection/Guide	SR-1125	OD: 60; W: 30; engine WJY (DW8B); engine WJZ (DW8); Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; ALT; ->12/02; -> VET # 9520; Fitting Position: Right; + AC; + PS; 12/02->; VET # 9521->; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; ->12/02; -> VET # 9520; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; 10/99->; engine DW8; engine DW8B; Fitting Position: Upper; + PS; - AC
1.9 TD	66/90	DHX (XUD9TF/L)	02/96->12/06	Tensioner	SR-1129	OD: 60; W: 27; ALT; ->10/99; engine DW8; -> VET # 8375; Fitting Position: Left; DEPOLLUTION CF2; + PS; - AC
				Tensioner	SR-1130	OD: 70; W: 27; ALT; Fitting Position: Right; + AC; + PS
1.9 TD	68/92	D8B	02/98->12/06	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC; + PS
2.0	100/136	RFN (EW10J4)	05/00->12/06	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC; + PS
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC; + PS
2.0 JTD	80/109	RHZ	12/02->12/06	Deflection/Guide	SR-1125	OD: 60; W: 30; ->11/03; VET # 8562->; MD PL SCUDO; DEPOLLUTION CF2; Depollution CF3; MD 2X SCUDO FL; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25.5; ALT; Fitting Position: Left
2.0 JTD	69/94	RHX	12/99->12/06	Deflection/Guide	SR-1125	OD: 60; W: 30; 04/00->; ->11/03; VET # 8562->; MD PL SCUDO; DEPOLLUTION CF2; DEPOLLUTION CF3; ->04/00; -> VET # 8561; Fitting Position: Right; MD 2X SCUDO
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25.5; ALT; Fitting Position: Left
2.0 JTD 16V	80/109	RHW (DW10ATED4)	05/99->12/06	Deflection/Guide	SR-1125	OD: 60; W: 30; ->04/04; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25.5; ALT; Fitting Position: Left
SCUDO Box [272, 270] 						
1.6 D Multijet	66/90	9HU	01/07->	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine 9HU; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25.5; ALT; Fitting Position: Left
SCUDO Combinato [220P] 						
1.6	58/79	220 A 2.000	02/96->12/06	Tensioner	SR-1127	OD: 57; W: 24
1.9 D	51/69	D9B	02/96->04/98	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC; + PS
				Deflection/Guide	SR-1125	OD: 60; W: 30; engine WJY (DW8B); engine WJZ (DW8); Fitting Position: Right
				Deflection/Guide	SR-1407	OD: 60; thread size M10x1,5; W: 26; ALT; 10/99->; engine DW8; engine DW8B; Fitting Position: Centre; + PS; - AC
1.9 D	51/69	WJZ (DW8)	04/98->12/06	Deflection/Guide	SR-1406	OD: 37; W: 27; ALT; ALT; ->10/99; engine DW8; -> VET # 8375; DEPOLLUTION CF2; QTY 2; + PS; - AC; 10/99->; engine DW8; engine DW8B; Fitting Position: Lower; + PS; - AC
				Tensioner	SR-1409	OD: 60; W: 27; ALT; ->10/99; engine DW8; -> VET # 8375; Fitting Position: Left; DEPOLLUTION CF2; + PS; - AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; ALT; ->12/02; -> VET # 9520; Fitting Position: Right; + AC; + PS; 12/02->; VET # 9521->; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; 10/99->; engine DW8; engine DW8B; Fitting Position: Upper; + PS; - AC
1.9 TD	68/92	D8B	02/96->12/06	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; ->12/02; -> VET # 9520; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC; + PS
1.9 TD Eco	66/90	DHX (XUD9TF/L)	02/96->12/06	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC; + PS
2.0 16V	100/136	RFN (EW10J4)	06/00->12/06	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC; + PS
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 JTD	69/94	RHX	01/04->12/06	Deflection/Guide	SR-1125	OD: 60; W: 30; engine RHX; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
2.0 JTD	80/109	RHZ	12/99->12/06	Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25.5; ALT; Fitting Position: Left
				Deflection/Guide	SR-1125	OD: 60; W: 30; 04/00->; ->11/03; VET # 8562->; ->04/00; -> VET # 8561; Fitting Position: Right; MD 2X SCUDO; Depollution CF3
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
2.0 JTD 16V	80/109	RHW (DW10ATED4)	05/99->12/06	Deflection/Guide	SR-1125	OD: 60; W: 30; ->04/04; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25.5; ALT; Fitting Position: Left
SCUDO Platform/Chassis [272, 270] 						
1.6 D Multijet	66/90	9HU	01/07->	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine 9HU; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25.5; ALT; Fitting Position: Left
SEDICI (FY_) 						
1.9 D Multijet	88/120	D19AA	06/06->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left

	kW/HP	Engine code		Type		
1.9 D Multijet 4x4	88/120	D19AA	06/06->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 D Multijet	99/135	D20AA	06/06->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 D Multijet 4x4	99/135	D20AA	06/06->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
SEICENTO / 600 (187) 						
1.1 (187AXB, 187AXB1A)	40/54	176 B2.000;187 A1.000	01/98->01/10	Tensioner	SR-1127	OD: 57; W: 24; -eng.# 9042883; 1108 SPI; eng.# 9042884->; 1108 SPI; 1108 MP
STILO (192) 						
1.2 16V (192_XA1B)	59/80	188 A5.000	02/02->11/06	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4 16V	70/95	843 A1.000	01/04->11/06	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4 16V	66/90	192 B2.000	03/05->11/06	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.6 16V	77/105	192 B3.000	05/05->11/06	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
1.6 16V (192_XB1A)	76/103	182 B6.000	10/01->11/06	Deflection/Guide	SR-1292	OD: 65; W: 30; Fitting Position: Right
				Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower
				Tensioner	SR-1291	ID: 8,2; OD: 60; W: 29; Fitting Position: Left
1.8 16V (192_XC1A)	98/133	192 A4.000	10/01->11/06	Deflection/Guide	SR-1506	OD: 65; thread size M10x1,25; W: 26; ALT; QTY 2
				Tensioner	SR-1294	- holder; OD: 66; W: 29; ALT; Fitting Position: Lower
1.9 D Multijet	88/120	192 A8.000	09/05->11/06	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Lower Right; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower Left; + AC
1.9 D Multijet	110/150	937 A5.000	09/05->11/06	Deflection/Guide	SR-1506	OD: 65; thread size M10x1,25; W: 26; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Lower Right
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower Left
1.9 D Multijet	74/100	192 A9.000	09/05->11/06	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Lower Right; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower Left; + AC
1.9 JTD	103/140	192 A5.000	01/04->11/06	Deflection/Guide	SR-1506	OD: 65; thread size M10x1,25; W: 26; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Lower Right
1.9 JTD	93/126	937 A4.000	09/03->11/06	Deflection/Guide	SR-1506	OD: 65; thread size M10x1,25; W: 26; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Lower Right
1.9 JTD (192_XE1A)	85/115	192 A1.000;937 A7.000	10/01->11/06	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Lower Right; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower Left; + AC
1.9 JTD (192_XF1A)	59/80	192 A3.000	02/02->11/06	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Lower Right; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower Left; + AC
1.9 JTD (192AXS1B, 192BXS1B)	66/90	192 B5.000	09/04->11/06	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Lower Right; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower Left; + AC
STILO Multi Wagon (192) 						
1.4 16V	70/95	843 A1.000	01/04->08/08	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4 16V	66/90	192 B2.000	03/05->08/08	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.6 16V	76/103	182 B6.000	01/03->08/08	Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower; - AC
				Deflection/Guide	SR-1292	OD: 65; W: 30; Fitting Position: Right
				Tensioner	SR-1291	ID: 8,2; OD: 60; W: 29; Fitting Position: Left
1.6 16V	77/105	192 B3.000	03/05->12/07	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
1.8 16V	98/133	192 A4.000	01/03->08/08	Deflection/Guide	SR-1506	OD: 65; thread size M10x1,25; W: 26; ALT; QTY 2
				Tensioner	SR-1294	- holder; OD: 66; W: 29; ALT; Fitting Position: Lower
1.9 D Multijet	88/120	192 A8.000	09/05->08/08	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Lower Right
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower Left
1.9 D Multijet	110/150	937 A5.000	09/05->08/08	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1506	OD: 65; thread size M10x1,25; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower Left
1.9 D Multijet	74/100	192 A9.000	09/05->08/08	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Lower Right; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower Left; + AC
1.9 JTD	59/80	192 A3.000	01/03->08/08	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Lower Right; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower Left; + AC
1.9 JTD	85/115	192 A1.000;937 A7.000	01/03->08/08	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Lower Right; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower Left; + AC
1.9 JTD	103/140	192 A5.000	01/04->08/08	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1506	OD: 65; thread size M10x1,25; W: 26; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Lower Right
1.9 JTD	93/126	937 A4.000	09/03->08/08	Deflection/Guide	SR-1506	OD: 65; thread size M10x1,25; W: 26; ALT; Fitting Position: Upper



kW/HP

Engine code



Type



STRADA Pickup (178E)

1.2	44/60	188 A4.000	04/03->	Deflection/Guide	SR-1469	OD: 65; thread size M&x1,25; W: 23,5; ALT; MD 1.2 MPI; Fitting Position: Right; DEPOLLUTION CF3; + AC
				Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 9042883; eng.# 9042884->; ->eng.# 2546254
				Tensioner	SR-1046	OD: 55,5; W: 26; 06/08->; ->06/08; eng.# 2546255->
1.2	54/73	178 B5.000	06/99->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; MD 1.2 MPI; Fitting Position: Lower; DEPOLLUTION CF3; + AC
				Deflection/Guide	SR-1469	OD: 65; thread size M&x1,25; W: 23,5; ALT; MD 1.2 MPI; Fitting Position: Right; DEPOLLUTION CF3; + AC
				Tensioner	SR-1127	OD: 57; W: 24; ->12/03; eng.# 9042884->; ->eng.# 9042883; 01/04->; ->eng.# 2546254
				Tensioner	SR-1046	OD: 55,5; W: 26; 01/04->; eng.# 2546254->
1.3 D Multijet	62/85	223 A9.000	05/06->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.9 D	46/63	223 A6.000	12/00->	Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD	59/80	188 A2.000	04/03->	Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower

TEMPRA (159)

1.4 i.e. (159.AC, 159.AX)	51/69	836 A4.000;160 A1.046	03/92->08/96	Tensioner	SR-1127	OD: 57; W: 24
1.6	63/86	159 B9.000;159 A3.000	03/90->04/93	Tensioner	SR-1127	OD: 57; W: 24
1.6 i.e. (159.AE)	57/78	159 A3.046	06/90->07/92	Tensioner	SR-1127	OD: 57; W: 24
1.6 i.e. (159.AJ)	66/90	159 B9.000	06/94->08/96	Tensioner	SR-1127	OD: 57; W: 24
1.6 i.e. (159.AS, 159.AT)	55/75	159 A3.048;835 C1.000	06/92->08/96	Tensioner	SR-1127	OD: 57; W: 24

TEMPRA S.W. (159)

1.4 i.e. (159.AC, 159.AX)	51/69	836 A4.000;160 A1.046	10/92->08/96	Tensioner	SR-1127	OD: 57; W: 24
1.6	63/86	159 A3.000	12/90->04/93	Tensioner	SR-1127	OD: 57; W: 24
1.6 i.e. (159.AE)	57/78	159 A3.046;835 C1.000	10/90->08/96	Tensioner	SR-1127	OD: 57; W: 24
1.6 i.e. (159.AJ)	66/90	159 B9.000	06/94->08/96	Tensioner	SR-1127	OD: 57; W: 24
1.6 i.e. (159.AS, 159.AT)	55/75	159 A3.048;835 C1.000	10/92->08/96	Tensioner	SR-1127	OD: 57; W: 24

TIPO (160)








1.1 (160.AA)	41/56	160 A3.000	01/88->10/91	Tensioner	SR-1127	OD: 57; W: 24
1.4 (160.AC)	52/71	160 A1.000;160 A1.048	07/87->12/89	Deflection/Guide	SR-1143	- holder; ID: 20; OD: 80; W: 23; ALT; eng.# 6876503->; MT; + AC
				Tensioner	SR-1127	OD: 57; W: 24
1.4 i.e.	57/78	159 A2.000	05/89->04/95	Tensioner	SR-1127	OD: 57; W: 24
1.4 i.e. (160.AP, 160.AD, 160.EA)	51/70	836 A4.000;160 A1.046	05/89->04/95	Tensioner	SR-1127	OD: 57; W: 24
1.6 (160.AE)	61/83	160 A2.000	01/88->10/91	Tensioner	SR-1127	OD: 57; W: 24
1.6 i.e. (160.A1, 160.EC, 160.EB)	55/75	159 A3.048;835 C1.000	10/92->04/95	Tensioner	SR-1127	OD: 57; W: 24
1.6 i.e. (160.AF)	57/78	159 A3.046	07/90->01/93	Tensioner	SR-1127	OD: 57; W: 24
1.9 TD (160.AW)	59/80	160 B6.046	03/92->06/93	Deflection/Guide	SR-1143	- holder; ID: 20; OD: 80; W: 23; ALT; eng.# 953305->; Fitting Position: Lower; + AC
1.9 TD (160.EL, 160.GL, 160.AQ, 160.EI, 160.AR)	66/90	160 A6.046;160 D1.000;160 A6.000	09/90->04/95	Deflection/Guide	SR-1143	- holder; ID: 20; OD: 80; W: 23; ALT; eng.# 953305->; Fitting Position: Lower; + AC


















ULYSSE (179AX)











2.0	100/136	RFN (EW10J4)	08/02->06/11	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; ->11/04; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 JTD	79/107	RHM (DW10ATED4)	05/03->08/06	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
2.0 JTD	80/109	RHW (DW10ATED4)	08/02->08/06	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre
2.2 JTD	94/128	4HW (DW12ATED4)	08/02->08/06	Deflection/Guide	SR-1125	OD: 60; W: 30; ->04/04; -> VET # 10011; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
3.0	150/204	XFW	08/02->06/11	Deflection/Guide	SR-1366	OD: 65; W: 26,6; ALT; Fitting Position: Centre









ULYSSE (220)







1.8 (220.BB5)	73/99	LFW	05/97->08/02	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1122	OD: 59; W: 22
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ->07/98; -> VET # 7905; Fitting Position: Lower; - AC
1.9 TD	68/92	DHX (XUD9TF/L)	05/97->12/99	Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
1.9 TD (220AH5)	66/90	DHX (XUD9TF/L)	02/95->08/02	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
				Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC
2.0 (220.AC5)	89/121	RFU (XU10J2C)	06/94->08/02	Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ->07/98; -> VET # 7905; Fitting Position: Lower; - AC
				Tensioner	SR-1122	OD: 59; W: 22
2.0 16V	97/132	RFV	05/98->09/00	Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; Fitting Position: Left; + AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC











	kW/HP	Engine code		Type		
2.0 16V	100/136	RFN (EW10J4)	09/00->08/02	Deflection/Guide Tensioner	SR-1458 SR-1457	ID: 17; OD: 78,5; W: 25; ALT; Fitting Position: Centre - holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 JTD	80/109	RHZ	10/99->08/02	Deflection/Guide Tensioner Tensioner	SR-1125 SR-1424 SR-1129	OD: 60; W: 30; ->04/00; engine RHZ; -> VET # 8561; Fitting Position: Right; 04/00->; VET # 8562-> - holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Upper OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
2.0 JTD 16V	80/109	RHW (DW10ATED4)	05/99->08/02	Deflection/Guide Tensioner Tensioner	SR-1125 SR-1129 SR-1424	OD: 60; W: 30; Fitting Position: Right OD: 70; W: 27; ALT; Fitting Position: Centre; + AC - holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Upper
2.0 Turbo (220.AD5)	108/147	RGX (XU10J2CTE)	06/94->08/02	Deflection/Guide Tensioner Tensioner Tensioner	SR-1133 SR-1134 SR-1122 SR-1131 SR-1132	ID: 17; OD: 90,5; W: 25; ALT; ->02/97; -> VET # 7390; Fitting Position: Left; + AC - holder; OD: 70; W: 25; ALT; 02/97->; VET # 7391->; Fitting Position: Left; + AC OD: 59; W: 22 OD: 90; W: 25; ALT; ->02/97; -> VET # 7390; Fitting Position: Lower; - AC - holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
2.1 TD	80/109	P8C	03/96->10/99	Deflection/Guide Tensioner Tensioner	SR-1125 SR-1129 SR-1130	OD: 60; W: 30; Fitting Position: Right OD: 70; W: 27; ALT; Fitting Position: Right; + AC - holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
UNO (146A/E) 						
1.4 Turbo i.e.	82/112	146 A8.046	09/89->09/93	Deflection/Guide Tensioner	SR-1143 SR-1127	- holder; ID: 20; OD: 80; W: 23; ALT; Fitting Position: Lower OD: 57; W: 24
1.4 Turbo i.e.	87/118	146 A8.000	12/89->12/96	Tensioner	SR-1127	OD: 57; W: 24
45 1.0 (146A.ED)	32/44	156 A2.048;156 A2.100	06/86->12/93	Tensioner	SR-1127	OD: 57; W: 24
45 i.e. 1.0	33/45	156 A2.246	04/84->10/95	Tensioner	SR-1127	OD: 57; W: 24
50 1.1	37/50	156 C.046	01/90->12/93	Tensioner	SR-1127	OD: 57; W: 24
50 i.e. 1.1	36/49	146 C3.000	06/92->12/93	Tensioner	SR-1127	OD: 57; W: 24
60 1.1	42/57	160 A3.000	04/89->12/92	Tensioner	SR-1127	OD: 57; W: 24
70 i.e. 1.4	51/70	160 A1.046	09/89->12/93	Deflection/Guide Tensioner	SR-1143 SR-1127	- holder; ID: 20; OD: 80; W: 23; ALT; ALT; ACCOM; eng.# 8114397->; Fitting Position: Lower; - AC; Fitting Position: Lower; + AC; Fitting Position: Lower OD: 57; W: 24
70 i.e. 1.4	53/72	146 C1.000	09/89->12/93	Deflection/Guide Tensioner	SR-1143 SR-1127	- holder; ID: 20; OD: 80; W: 23; ALT; ALT; ACCOM; eng.# 8114397->; Fitting Position: Lower; - AC; Fitting Position: Lower; + AC; Fitting Position: Lower OD: 57; W: 24
70 S 1.4	52/71	160 A1.048	09/89->10/92	Deflection/Guide Tensioner	SR-1143 SR-1127	- holder; ID: 20; OD: 80; W: 23; ALT; ACCOM; ALT; eng.# 8114397->; Fitting Position: Lower; - AC; Fitting Position: Lower; + AC OD: 57; W: 24
75 i.e. 1.5	55/75	138 C2.048;149 C1.000	10/85->12/93	Deflection/Guide	SR-1143	- holder; ID: 20; OD: 80; W: 23; ALT; ACCOM; Fitting Position: Lower; + AC; Fitting Position: Lower
FORD						
B-MAX (JK) 						
1.0 EcoBoost	74/100	SFJA;SFJB;SFJC;SFJD	10/12->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine FOX (10FD0X); Fitting Position: Lower; - AC
1.0 EcoBoost	88/120	M1JA	10/12->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine FOX (10FD0X); Fitting Position: Lower; - AC
1.4	66/90	SPJD	10/12->	Deflection/Guide Tensioner	SR-1016 SR-1015	OD: 73; W: 29; ALT; engine mod. Duratec; - AC ID: 8,2; OD: 62; W: 26,5; engine mod. Duratec
1.6 Ti	77/105	IQJA	10/12->	Deflection/Guide Tensioner	SR-1016 SR-1015	OD: 73; W: 29; ALT; engine mod. Duratec; - AC ID: 8,2; OD: 62; W: 26,5; engine mod. Duratec
C-MAX (DM2) 						
1.6	74/100	HWDA;HWDB;SHDA;SHDB;SHDC	02/07->09/10	Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; engine mod. ZH16 Zetec
1.6 TDCi	74/101	G8DC;MTDA	02/07->09/10	Deflection/Guide Tensioner	SR-1353 SR-1434	ID: 10,2; OD: 60; W: 30; engine mod. Duratorq; Fitting Position: Right - holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Upper
1.6 TDCi	66/90	HHDA;HHDB;GPDA	02/07->09/10	Deflection/Guide Tensioner	SR-1353 SR-1434	ID: 10,2; OD: 60; W: 30; engine mod. Duratorq; Fitting Position: Right - holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Upper
1.6 TDCi	80/109	G8DA;G8DB;G8DD	02/07->09/10	Deflection/Guide Tensioner	SR-1353 SR-1434	ID: 10,2; OD: 60; W: 30; engine mod. Duratorq; Fitting Position: Right - holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Upper
1.8	90/122	QQDC	02/07->09/10	Deflection/Guide Tensioner	SR-1016 SR-1426	OD: 73; W: 29; ALT; 01/08->; engine mod. Duratec; Fitting Position: Upper; - sup. plate - holder; ID: 17; num. of ribs: 6; OD: 68,5; W: 22,5; ALT; ->01/08; engine mod. Duratec; Fitting Position: Upper
1.8	92/125	QQDB;QQDA	02/07->09/10	Deflection/Guide Tensioner	SR-1016 SR-1426	OD: 73; W: 29; ALT; 01/08->; engine mod. Duratec; Fitting Position: Upper; - sup. plate - holder; ID: 17; num. of ribs: 6; OD: 68,5; W: 22,5; ALT; ->01/08; engine mod. Duratec; Fitting Position: Upper
1.8 Flexifuel	92/125	Q7DA	02/07->09/10	Deflection/Guide Tensioner	SR-1016 SR-1426	OD: 73; W: 29; ALT; 01/08->; engine mod. Duratec; Fitting Position: Upper; - sup. plate - holder; ID: 17; num. of ribs: 6; OD: 68,5; W: 22,5; ALT; ->01/08; engine mod. Duratec; Fitting Position: Upper
1.8 TDCi	85/115	KKDA	02/07->09/10	Deflection/Guide Tensioner Tensioner	SR-1493 SR-1536 SR-1419	+ holder; OD: 76; thread size M10x1,5; W: 30; ALT; engine mod. Duratorq; Fitting Position: Centre - holder; OD: 76,5; W: 27,5; ALT; engine mod. Duratorq; Fitting Position: Upper Left ID: 10,2; OD: 74; W: 24; CS; engine mod. Duratorq










	kW/HP	Engine code		Type		
2.0	107/145	AODA;AODB;SYDA;AODE	02/07->09/10	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; 01/08->; engine mod. Duratec; Fitting Position: Upper; - sup. plate
				Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68.5; W: 22.5; ALT; ->01/08; engine mod. Duratec; Fitting Position: Upper
2.0 CNG	107/145	SYDA	04/09->09/10	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine mod. Duratec; Fitting Position: Upper; - sup. plate
2.0 LPG	107/145	SYDA	06/08->09/10	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine mod. Duratec; Fitting Position: Upper; - sup. plate
C-MAX II (DXA/CB7, DXA/CEU) 						
1.0 EcoBoost	74/100	M2DA;SFDA	10/12->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine FOX [10FD0X]; Fitting Position: Lower; - AC
1.0 EcoBoost	92/125	M1DA	10/12->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine FOX [10FD0X]; Fitting Position: Lower; - AC
1.6 Flexifuel	88/120	MUDA	02/11->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine mod. Duratec; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. Duratec
1.6 LPG	88/120	MUDA	02/12->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine mod. Duratec; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. Duratec
1.6 Ti	92/125	PNDA	12/10->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine mod. Duratec; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. Duratec
1.6 Ti	77/105	IQDA;IQDB	12/10->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine mod. Duratec; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. Duratec
1.6 Ti	63/85	XTDA	12/10->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine mod. Duratec; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. Duratec
COUGAR (EC_) 						
2.0 16V	96/131	EDBA;EDBB;EDBC;EDBD	08/98->12/01	Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; 01/99->; engine mod. ZH20 Zetec
				Tensioner	SR-1336	ID: 8.2; OD: 60; W: 29; ->01/99; engine mod. ZH20 Zetec; Fitting Position: Upper Left; 01/99->; engine mod. ZH20 Zetec
				Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; engine mod. ZH20 Zetec; Fitting Position: Left
ECOSPORT 						
1.5 Ti	82/112	UEJB	10/13->	Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5
ESCORT '81 Express (AVA) 						
1.6	61/84		03/81->02/86	Tensioner	SR-1034	OD: 57; W: 30; 07/83->; engine HL16 CVH
ESCORT '86 Express (AVF) 						
1.4 i	54/73	F6B;F6D;FUC	02/86->07/90	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH
1.8 D	44/60	RTA;RTB	07/88->07/90	Tensioner	SR-1054	OD: 60; W: 26; IP; engine D18
ESCORT '91 Express (AVL) 						
1.4	52/71	F6F;F6G	07/90->12/94	Tensioner	SR-1034	OD: 57; W: 30; ->04/92; engine HL14 CVH; num. of teeth 97; 03/92->; engine HL14 CVH; num. of teeth 97
1.8 D	44/60	RTH	07/90->12/94	Tensioner	SR-1054	OD: 60; W: 26; IP; engine D18
ESCORT '95 Box (AVL) 						
1.4	54/73	F4B	01/95->	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH; num. of teeth 97
1.8 D	44/60	RTF;RTH	01/95->	Tensioner	SR-1054	OD: 60; W: 26; IP; IP; ->10/95; engine D18; 02/97->; engine D18; 11/95->; ->01/97; engine D18
1.8 Turbo D	51/70	RVA	12/95->06/01	Tensioner	SR-1054	OD: 60; W: 26; IP; IP; 02/97->; engine D18T; ->01/97; engine D18T
ESCORT CLASSIC (AAL, ABL) 						
1.6 16V	66/90	L1E	10/98->07/00	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH16 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH16 Zetec; Fitting Position: Lower
1.8 TD	66/90	RFD;RFK	10/98->07/00	Tensioner	SR-1054	OD: 60; W: 26; IP; engine D18T1
ESCORT CLASSIC Turnier (ANL) 						
1.6 16V	66/90	L1E	02/99->07/00	Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH16 Zetec; Fitting Position: Upper
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH16 Zetec; Fitting Position: Lower
1.8 TD	66/90	RFD;RFK	02/99->07/00	Tensioner	SR-1054	OD: 60; W: 26; IP; engine D18T1
ESCORT III (GAA) 						
1.6	58/79	LP1;LPA	09/80->12/85	Tensioner	SR-1034	OD: 57; W: 30; 07/83->; engine HL16 CVH
1.6 i (GAA)	66/90	L4B	07/85->12/85	Tensioner	SR-1034	OD: 57; W: 30; engine HL16 CVH
1.6 RS Turbo	97/132	LNA	11/84->12/85	Tensioner	SR-1034	OD: 57; W: 30; engine HL16T CVH
1.6 XR3i	77/105	LR1;LRA	10/82->12/85	Tensioner	SR-1034	OD: 57; W: 30; 07/83->; engine HL16 CVH
ESCORT III Convertible (ALD) 						
1.6	58/79	LP1;LPA	09/83->12/85	Tensioner	SR-1034	OD: 57; W: 30; engine HL16 CVH
1.6 i	77/105	LR1;LRA	09/83->12/85	Tensioner	SR-1034	OD: 57; W: 30; engine HL16 CVH
ESCORT III Estate (AWA) 						
1.6	58/79	LP1;LPA	09/80->12/85	Tensioner	SR-1034	OD: 57; W: 30; 07/83->; engine HL16 CVH
ESCORT IV (GAF, AWF, ABFT) 						
1.4	54/73	F6B;F6D;FUC	01/86->07/90	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH
1.4	55/75	FUA	01/86->07/90	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH







	kW/HP	Engine code		Type		
1.6	65/88	LUG	04/89->07/90	Tensioner	SR-1034	OD: 57; W: 30; engine HL16 CVH
1.6 i	66/90	L4B	01/86->05/90	Tensioner	SR-1034	OD: 57; W: 30; engine HL16 CVH
1.6 i	75/102	LJB	08/89->07/90	Tensioner	SR-1034	OD: 57; W: 30; engine HL16 CVH
1.6 Turbo RS	97/132	LNB	01/86->07/90	Tensioner	SR-1034	OD: 57; W: 30; engine HL16T CVH
1.6 XR3i	77/105	LR2;LRB	01/86->08/89	Tensioner	SR-1034	OD: 57; W: 30; engine HL16 CVH
1.8 D	44/60	RTA;RTB	01/89->07/90	Tensioner	SR-1054	OD: 60; W: 26; IP; engine D18
ESCORT IV Convertible (ALF) 						
1.4	55/75	FUA	01/86->07/90	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH
1.4	54/73	F6B;F6D;FUC	02/87->07/90	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH
1.6 i	66/90	L4B	01/86->07/90	Tensioner	SR-1034	OD: 57; W: 30; engine HL16 CVH
1.6 i	75/102	LJB	08/89->07/90	Tensioner	SR-1034	OD: 57; W: 30; engine HL16 CVH
1.6 XR3i	77/105	LR2;LRB	01/86->07/90	Tensioner	SR-1034	OD: 57; W: 30; engine HL16 CVH
ESCORT IV Estate (AWF, AVF) 						
1.4	54/73	F6B;F6D;FUC	01/86->07/90	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH
1.4	55/75	FUA	01/86->07/90	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH
1.6 i	66/90	L4B	01/86->07/90	Tensioner	SR-1034	OD: 57; W: 30; engine HL16 CVH
1.8 D	44/60	RTA;RTB	01/89->07/90	Tensioner	SR-1054	OD: 60; W: 26; IP; engine D18
ESCORT V (GAL) 						
1.4	52/71	F6F;F6G	07/90->09/92	Tensioner	SR-1034	OD: 57; W: 30; ->04/92; engine HL14 CVH; num. of teeth 97; 05/92->; engine HL14 CVH; num. of teeth 97
1.6	77/105	LJF	07/90->12/92	Tensioner	SR-1034	OD: 57; W: 30; 05/92->; engine HL16 CVH; num. of teeth 97; ->04/92; engine HL16 CVH; num. of teeth 97
1.6	66/90	LUJ;LUK	07/90->08/92	Tensioner	SR-1034	OD: 57; W: 30; 05/92->; engine HL16 CVH; num. of teeth 97; ->04/92; engine HL16 CVH; num. of teeth 97
1.8 16V XR3i	77/105	RDA	02/92->12/92	Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
1.8 16V XR3i	96/130	RQB	02/92->12/92	Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
1.8 D	44/60	RTE;RTF;RTH	07/90->12/92	Tensioner	SR-1054	OD: 60; W: 26; IP; engine D18
ESCORT V Convertible (ALL) 						
1.4	52/71	F6F;F6G	07/90->12/92	Tensioner	SR-1034	OD: 57; W: 30; ->04/92; engine HL14 CVH; num. of teeth 97; 05/92->; engine HL14 CVH; num. of teeth 97
1.6	77/105	LJF	07/90->12/92	Tensioner	SR-1034	OD: 57; W: 30; 05/92->; engine HL16 CVH; num. of teeth 97; ->04/92; engine HL16 CVH; num. of teeth 97
1.8 16V XR3i	77/105	RDA	02/92->12/92	Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
1.8 16V XR3i	96/130	RQB	02/92->12/92	Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
ESCORT V Estate (GAL, AVL) 						
1.4	52/71	F6F;F6G	07/90->09/92	Tensioner	SR-1034	OD: 57; W: 30; ->04/92; engine HL14 CVH; num. of teeth 97; 05/92->; engine HL14 CVH; num. of teeth 97
1.6	77/105	LJF	07/90->09/92	Tensioner	SR-1034	OD: 57; W: 30; 05/92->; engine HL16 CVH; num. of teeth 97; ->04/92; engine HL16 CVH; num. of teeth 97
1.6	66/90	LUJ;LUK	07/90->08/92	Tensioner	SR-1034	OD: 57; W: 30; 05/92->; engine HL16 CVH; num. of teeth 97; ->04/92; engine HL16 CVH; num. of teeth 97
1.8 16V	77/105	RDA	02/92->12/92	Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
1.8 D	44/60	RTE;RTF;RTH	07/90->12/92	Tensioner	SR-1054	OD: 60; W: 26; IP; engine D18
ESCORT VI (GAL) 						
1.4	55/75	FUH;F4B	01/94->01/95	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH
1.4	52/71	F6F;F6G	09/92->01/95	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH
1.6 i 16V	65/88	L1H	01/94->01/95	Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH16 Zetec; Fitting Position: Lower
1.6 i 16V	66/90	L1E	09/92->01/95	Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH16 Zetec; Fitting Position: Lower
1.8 16V XR3i	96/130	RQB	09/92->01/95	Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
1.8 D	44/60	RTE;RTF;RTH	09/92->01/95	Tensioner	SR-1054	OD: 60; W: 26; IP; engine D18








	kW/HP	Engine code		Type		
1.8 i 16V	77/105	RDA	09/92->01/95	Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
1.8 TD	66/90	RFD;RFK;RFS	02/93->01/95	Tensioner	SR-1054	OD: 60; W: 26; IP; IP; engine D18T; engine D18T; engine D18TI
1.8 XR3i 16V 4x4	77/105	RDA	08/93->01/95	Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
1.8 XR3i 16V 4x4	96/130	RQB	08/93->01/95	Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
ESCORT VI Convertible [ALL] 						
1.4	52/71	F6F;F6G	12/92->04/94	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH
1.4 i	55/75	F4B	07/93->01/95	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
1.6 16V XR3i	66/90	L1E	12/92->01/95	Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH16 Zetec; Fitting Position: Lower
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
1.6 i 16V	65/88	L1H	02/94->01/95	Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH16 Zetec; Fitting Position: Lower
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
1.8 16V XR3i	96/130	RQB	12/92->01/95	Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
1.8 16V XR3i	77/105	RDA	12/92->01/95	Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
ESCORT VI Estate [GAL] 						
1.4	55/75	FUH;F4B	01/94->01/95	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH
1.4	52/71	F6F;F6G	09/92->01/95	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
1.6 i 16V	65/88	L1H	01/94->01/95	Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH16 Zetec; Fitting Position: Lower
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
1.6 i 16V	66/90	L1E	09/92->01/95	Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH16 Zetec; Fitting Position: Lower
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
1.8 D	44/60	RTH	09/92->01/95	Tensioner	SR-1054	OD: 60; W: 26; IP; engine D18
1.8 i 16V	77/105	RDA	01/93->01/95	Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
1.8 i 16V	96/130	RQB	02/93->01/95	Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
1.8 TD	66/90	RFD;RFK	02/93->01/95	Tensioner	SR-1054	OD: 60; W: 26; IP; IP; engine D18T; engine D18T; engine D18TI
ESCORT VI Saloon [GAL] 						
1.4	55/75	FUH;F4B	08/93->01/95	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH
1.4	52/71	F6F;F6G	08/93->04/94	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
1.6 i 16V	65/88	L1H	01/94->01/95	Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH16 Zetec; Fitting Position: Lower
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
1.6 i 16V	66/90	L1E;L1K	08/93->01/95	Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH16 Zetec; Fitting Position: Lower
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
1.8 D	44/60	RTE;RTF;RTH	08/93->01/95	Tensioner	SR-1054	OD: 60; W: 26; IP; engine D18
1.8 i 16V	77/105	RDA	08/93->01/95	Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
1.8 TD	66/90	RFD;RFK	08/93->01/95	Tensioner	SR-1054	OD: 60; W: 26; IP; IP; engine D18T; engine D18T
ESCORT VII [GAL, AAL, ABL] 						
1.3	44/60	J6A;J4B	01/95->10/98	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1.25; W: 26; ALT; engine BL13 [OHV/HCS]; Fitting Position: Centre
1.4	55/75	F4B	01/95->10/98	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH








	kW/HP	Engine code		Type		
1.6 16V	66/90	L1E	01/95->10/98	Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH16 Zetec; Fitting Position: Upper
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH16 Zetec; Fitting Position: Lower
1.6 16V 4x4	66/90	L1E	01/95->10/98	Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH16 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH16 Zetec; Fitting Position: Lower
1.6 i 16V	65/88	L1H	01/95->08/95	Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH16 Zetec; Fitting Position: Upper
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH16 Zetec; Fitting Position: Lower
1.8 16V	85/115	RKC	01/95->10/98	Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH18 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
1.8 16V	77/105	RDA	01/95->08/95	Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH18 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
1.8 D	44/60	RTE;RTF;RTH	01/95->12/96	Tensioner	SR-1054	OD: 60; W: 26; IP; 11/95->; engine D18
1.8 TD	66/90	RFD;RFK	01/95->10/98	Tensioner	SR-1054	OD: 60; W: 26; IP; IP; ->10/95; engine D18Ti; 02/97->; engine D18Ti; 11/95->; ->01/97; engine D18Ti
1.8 Turbo D	51/70	RVA	12/95->10/98	Tensioner	SR-1054	OD: 60; W: 26; IP; IP; ->01/97; engine D18Ti; 02/97->; engine D18Ti
ESCORT VII Convertible [ALL] 						
1.4	55/75	F4B	02/95->08/98	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH
1.6 16V XR3i	65/88	L1H	02/95->12/96	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH16 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH16 Zetec; Fitting Position: Lower
1.6 16V XR3i	66/90	L1E	02/95->09/99	Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH16 Zetec; Fitting Position: Upper
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH16 Zetec; Fitting Position: Lower
1.8 16V XR3i	96/130	RQB	02/95->08/00	Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH18 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
1.8 16V XR3i	77/105	RDA	02/95->08/98	Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH18 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
1.8 16V XR3i	85/115	RKC	10/95->08/98	Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH18 Zetec; Fitting Position: Upper
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
1.8 TD	66/90	RFD;RFK	09/95->08/98	Tensioner	SR-1054	OD: 60; W: 26; IP; IP; ->10/95; engine D18Ti; 02/97->; engine D18Ti; 11/95->; ->01/97; engine D18Ti
1.8 Turbo D	51/70	RVA	10/96->08/99	Tensioner	SR-1054	OD: 60; W: 26; IP; IP; ->01/97; engine D18Ti; 02/97->; engine D18Ti
ESCORT VII Estate [GAL, ANL] 						
1.3	44/60	J6A;J4B	01/95->01/99	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine BL13 [OHV/HCS]; Fitting Position: Centre
1.4	55/75	FUH;F4B	01/95->02/99	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH
1.6 16V	66/90	L1E	01/95->02/99	Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH16 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH16 Zetec; Fitting Position: Lower
1.6 i 16V	65/88	L1H	01/95->08/95	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH16 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH16 Zetec; Fitting Position: Lower









	kW/HP	Engine code		Type		
1.8 16V	85/115	RKC	01/95->02/99	Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH18 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
1.8 16V	77/105	RDA	01/95->08/95	Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH18 Zetec; Fitting Position: Upper
Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower				
1.8 D	44/60	RTE;RTF;RTH	01/95->02/99	Tensioner	SR-1054	OD: 60; W: 26; IP; IP: ->10/95; engine D18; 02/97-> engine D18; 11/95-> ->01/97; engine D18
1.8 TD	66/90	RFD;RFK	01/95->02/99	Tensioner	SR-1054	OD: 60; W: 26; IP; IP: ->10/95; engine D18Ti; 02/97-> engine D18Ti; 11/95-> ->01/97; engine D18Ti
1.8 Turbo D	51/70	RVA	12/95->02/99	Tensioner	SR-1054	OD: 60; W: 26; IP; IP: ->01/97; engine D18Ti; 02/97-> engine D18Ti
ESCORT VII Saloon (GAL, AFL) 						
1.3	44/60	J6A;J4B	01/95->02/99	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine BL13 (OHV/HCS); Fitting Position: Centre
1.4	55/75	FUH;F4B	01/95->02/99	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH
1.6 i 16V	66/90	L1E;L1K	01/95->02/99	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH16 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH16 Zetec; Fitting Position: Lower
1.6 i 16V	65/88	L1H	01/95->08/95	Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH16 Zetec; Fitting Position: Upper
Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH16 Zetec; Fitting Position: Lower				
1.8 16V	85/115	RKC	01/95->02/99	Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH18 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower				
1.8 16V	77/105	RDA	01/95->08/95	Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH18 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower				
1.8 D	44/60	RTE;RTF;RTH	01/95->12/96	Tensioner	SR-1054	OD: 60; W: 26; IP; IP: 11/95-> engine D18
1.8 TD	66/90	RFD;RFK	01/95->02/99	Tensioner	SR-1054	OD: 60; W: 26; IP; IP: ->10/95; engine D18Ti; 02/97-> engine D18Ti; 11/95-> ->01/97; engine D18Ti
1.8 Turbo D	51/70	RVA	12/95->02/99	Tensioner	SR-1054	OD: 60; W: 26; IP; IP: ->01/97; engine D18Ti; 02/97-> engine D18Ti
FIESTA Box (F3L, F5L) 						
1.3	44/60	J6B	09/91->02/96	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine BL13 (OHV/HCS); Fitting Position: Centre
1.8 D	44/60	RTD;RTG;RTC	09/91->02/96	Tensioner	SR-1054	OD: 60; W: 26; IP; IP: ->10/95; engine D18; 11/95-> engine D18
FIESTA Box (FVD) 						
1.8 D (FVJ)	43/60	RTD;RTG;RTC	03/89->12/95	Tensioner	SR-1054	OD: 60; W: 26; IP; IP: ->10/95; engine D18; 11/95-> engine D18
FIESTA Box (J5_, J3_) 						
1.3	44/60	J4C	02/96->	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine BL13 (OHV/HCS); Fitting Position: Lower
1.4 i	66/90	FHA	04/96->10/99	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH14 Zetec; Fitting Position: Centre
				Tensioner	SR-1034	OD: 57; W: 30; engine mod. ZH14 Zetec
1.8 D	44/60	RTK	02/96->04/02	Tensioner	SR-1054	OD: 60; W: 26; IP; IP: 02/97-> engine D18; ->01/97; engine D18
				Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. LD18 Lynx; Fitting Position: Centre right
1.8 DI	55/75	RTN;RTP	09/00->08/03	Deflection/Guide	SR-1420	+ holder; OD: 90; thread size M10x1,5; W: 29; ALT; engine mod. LD18 Lynx; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1493	+ holder; OD: 76; thread size M10x1,5; W: 30; ALT; engine mod. LD18 Lynx; Fitting Position: Centre; - AC
				Tensioner	SR-1419	ID: 10,2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
FIESTA Box (JV_) 						
D 1.8	44/60	RTK;RTJ	05/98->04/02	Tensioner	SR-1054	OD: 60; W: 26; IP; engine D18
				Deflection/Guide	SR-1420	+ holder; OD: 90; thread size M10x1,5; W: 29; ALT; engine mod. LD18 Lynx; Fitting Position: Lower; + AC
TD 1.8	55/75	RTN;RTP;RTQ	03/00->08/03	Deflection/Guide	SR-1493	+ holder; OD: 76; thread size M10x1,5; W: 30; ALT; engine mod. LD18 Lynx; Fitting Position: Lower; - AC
				Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. LD18 Lynx; Fitting Position: Centre
				Tensioner	SR-1419	ID: 10,2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
FIESTA I (GFBI) 						
1.6 XR2	62/84	L3E	08/81->08/83	Tensioner	SR-1034	OD: 57; W: 30; 06/83-> engine HL16 CVH
FIESTA II (FBD) 						
1.4	51/69	FUBA	09/83->01/87	Tensioner	SR-1034	OD: 57; W: 30; 01/86-> engine HL14 CVH
1.4 (FBD)	54/73	FUD	02/87->02/89	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH
1.4 (FBD)	55/75	FUB	10/85->11/89	Tensioner	SR-1034	OD: 57; W: 30; 01/86-> engine HL14 CVH








	kW/HP	Engine code		Type		
1.4 (FBD)	52/71	F6A;F6C	10/86->02/89	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH
1.6 XR2 (FBD)	70/95	LUD	03/84->02/89	Tensioner	SR-1034	OD: 57; W: 30; engine HL16 CVH
1.6 XR2 (FBD)	71/97	LUB	04/84->02/89	Tensioner	SR-1034	OD: 57; W: 30; engine HL16 CVH
FIESTA III (GFJ) 						
1.4	54/73	FUG;FUJ	03/89->12/95	Tensioner	SR-1034	OD: 57; W: 30; ->04/92; engine HL14 CVH; num. of teeth 97; 05/92->; engine HL14 CVH; num. of teeth 97
1.4	52/71	F6E	03/89->12/95	Tensioner	SR-1034	OD: 57; W: 30; ->04/92; engine HL14 CVH; num. of teeth 97; 05/92->; engine HL14 CVH; num. of teeth 97
1.4 CAT	54/73	F4A	03/89->12/95	Tensioner	SR-1034	OD: 57; W: 30; ->04/92; engine HL14 CVH; num. of teeth 97; 05/92->; engine HL14 CVH; num. of teeth 97
1.6	65/88	LUH	01/89->01/94	Tensioner	SR-1034	OD: 57; W: 30; 05/92->; engine HL16 CVH; num. of teeth 97; ->04/92; engine HL16 CVH; num. of teeth 97
1.6	66/90	LUH	03/89->12/92	Tensioner	SR-1034	OD: 57; W: 30; ->04/92; engine HL16 CVH; num. of teeth 97
1.6 i 16V	65/88	L1G	01/94->12/95	Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; 01/95->; engine mod. ZH16 Zetec; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH16 Zetec; Fitting Position: Lower
1.6 Turbo (FBJT)	96/131	LHA	03/90->10/92	Tensioner	SR-1034	OD: 57; W: 30; ->04/92; engine HL16 CVH; num. of teeth 97; 05/92->
1.6 XR2i	76/103	LJD	03/89->03/93	Tensioner	SR-1034	OD: 57; W: 30; 05/92->; engine HL16 CVH; num. of teeth 97; ->04/92; engine HL16 CVH; num. of teeth 97
1.8 16V	77/105	RDB	02/92->12/95	Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; 01/95->; engine mod. ZH18 Zetec; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
1.8 D	44/60	RTD;RTG;RTC	03/89->12/95	Tensioner	SR-1054	OD: 60; W: 26; IP; IP; ->10/95; engine D18; 11/95->; engine D18
1.8 XR2i 16V	96/130	RQC	02/92->12/95	Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
FIESTA IV (JA_, JB_) 						
1.25 i 16V	55/75	DHA;DHB;DHC;DHD;DHE;DHF;DHG	08/95->01/02	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH12 Zetec; Fitting Position: Centre
1.3 i	44/60	J4C;J4J;J4L;J4Q;J4R;J4T	04/96->08/99	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine BL13 (OHV/HCS); Fitting Position: Lower
1.3 i	37/50	JJA;JJC;JJE;JJJ;JJK;JJM	08/95->01/02	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine BL13 (OHV/HCS); Fitting Position: Lower
1.3 i	44/60	JBC;J4C;J4J;J4L;J4Q;J4R;J4T	08/95->01/02	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine BL13 (OHV/HCS); Fitting Position: Lower
1.4 i 16V	66/90	FHA;FHE	04/96->01/02	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH14 Zetec; Fitting Position: Centre
1.6 16V Sport	76/103	L1T;L1V	02/00->01/02	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH16 Zetec; Fitting Position: Centre
1.8 D	44/60	RTK;RTJ	08/95->04/00	Tensioner	SR-1054	OD: 60; W: 26; IP; IP; ->10/95; engine D18; 02/97->; engine D18; 11/95->; ->01/97; engine D18
1.8 DI	55/75	RTN;RTP;RTQ	04/00->01/02	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. LD18 Lynx; Fitting Position: Centre right
				Deflection/Guide	SR-1420	+ holder; OD: 90; thread size M10x1,5; W: 29; ALT; engine mod. LD18 Lynx; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1493	+ holder; OD: 76; thread size M10x1,5; W: 30; ALT; engine mod. LD18 Lynx; Fitting Position: Centre; - AC
				Tensioner	SR-1419	ID: 10,2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
FIESTA V (JH_, JD_) 						
1.25 16V	51/70	M7JA;M7JB	03/03->06/08	Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; 04/05->; engine mod. ZH12 Zetec
1.25 16V	55/75	FUJA;FUJB	05/02->06/08	Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; 04/05->; engine mod. ZH12 Zetec
1.3	44/60	BAJA	11/01->06/08	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. Duratec; Fitting Position: Centre
1.3	51/69	A9JA;A9JB	11/01->06/08	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. Duratec; Fitting Position: Centre
1.4 16V	59/80	FXJA;FXJB	11/01->06/08	Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; 04/05->; engine mod. ZH14 Zetec
1.4 TDCi	50/68	F6JA;F6JB	11/01->06/08	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine mod. Duratorq
				Tensioner	SR-1509	- holder; ID: 17; OD: 55; W: 26; ALT; engine mod. Duratorq; Fitting Position: Left
1.6 16V	74/100	FYJA;FYJB	11/01->06/08	Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; 04/05->; engine mod. ZH16 Zetec
1.6 TDCi	66/90	HHJA;HHJB	11/04->06/08	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine mod. Duratorq; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Upper
				Deflection/Guide	SR-1500	+ holder; OD: 76; thread size M8x1,25; W: 30; ALT; ->11/05; engine mod. Duratec
ST150	110/150	N4JB	03/05->06/08	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; 11/05->; engine mod. Duratec
				Tensioner	SR-1520	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; engine mod. Duratec; Fitting Position: Lower Left
FIESTA V Van 						
1.4 TDCi	50/68	F6JA;F6JB	10/03->12/10	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine mod. Duratorq
				Tensioner	SR-1509	- holder; ID: 17; OD: 55; W: 26; ALT; engine mod. Duratorq; Fitting Position: Left
FIESTA VI 						
1.0	48/65	XMJA;XMJB	01/13->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine FOX (10FD0X); Fitting Position: Lower; - AC
1.0	59/80	P4JA;P4JB;P4JC;P4JD	10/12->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine FOX (10FD0X); Fitting Position: Lower; - AC
1.0 EcoBoost	74/100	SFJA;SFJB;SFJC;SFJD	01/13->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine FOX (10FD0X); Fitting Position: Lower; - AC










	kW/HP	Engine code		Type		
1.0 EcoBoost	92/125	M1JE;M1JH	09/12->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine FOX (10FD0X); Fitting Position: Lower; - AC
1.25	44/60	STJA;STJB	06/08->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; Fitting Position: Lower Right; - AC
1.25	60/82	SNJA;SNJB;SNJC;SNJD	06/08->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; Fitting Position: Lower Right; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. ZH12 Zetec
1.4	71/97	SPJA;SPJC	06/08->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; Fitting Position: Lower Right; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. ZH14 Zetec
1.4 LPG	71/97	RTJA;RTJB	01/09->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; Fitting Position: Lower Right; - AC
1.4 LPG	68/92	RTJA;RTJB	01/09->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; Fitting Position: Lower Right; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. ZH14 Zetec
1.4 TDCi	50/68	F6JB	01/09->	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine mod. Duratorq
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; ->09/09; engine mod. Duratorq; Fitting Position: Upper
1.6 TDCi	66/90	HHJD;HHJC;HHJE	06/08->	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine mod. Duratorq; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Upper
1.6 TDCi	55/75	HHJF;UBJA	06/08->	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine mod. Duratorq; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Upper
1.6 Ti	88/120	HXJA;HXJB	06/08->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; Fitting Position: Lower Right; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5
1.6 Ti	77/105	IQJA	09/12->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; Fitting Position: Lower Right; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5
1.6 Ti	99/134	U5JA	12/10->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; Fitting Position: Lower Right; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. ZH16 Zetec
FIESTA VI Van 						
1.25	60/82	SNJA;SNJB	01/09->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; Fitting Position: Lower Right; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. ZH12 Zetec
1.4 TDCi	50/68	F6JB	01/09->	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine mod. Duratorq
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; ->09/09; engine mod. Duratorq; Fitting Position: Upper
1.6 TDCi	66/90	HHJD;HHJC;HHJE	01/09->	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine mod. Duratorq; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Upper
FOCUS (DAW, DBW) 						
1.4 16V	55/75	FXDA;FXDC;FXDB;FXDD	10/98->11/04	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH14 Zetec; Fitting Position: Centre
				Tensioner	SR-1411	- holder; OD: 69; W: 22; ALT; engine mod. ZH14 Zetec; Fitting Position: Left; - AC
				Tensioner	SR-1412	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 24.5; ALT; + AC
1.6 16V	74/100	FYDA;FYDC;FYDB;FYDD;FYDH	10/98->11/04	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH16 Zetec; Fitting Position: Centre
				Tensioner	SR-1412	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 24.5; ALT; + AC
				Tensioner	SR-1411	- holder; OD: 69; W: 22; ALT; engine mod. ZH16 Zetec; Fitting Position: Left; - AC
1.8 16V	85/115	EYDC;EYDB;EYDD;EYDE;EYDF;EYDG;EYDI;EYDJ;EYDL	10/98->11/04	Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; 01/99->; engine mod. ZH18 Zetec
				Deflection/Guide	SR-1413	+ holder; OD: 70; thread size M10x1,5; W: 25.5; ALT; 06/01->; engine mod. ZH18 Zetec; Fitting Position: Centre
				Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; engine mod. ZH18 Zetec; Fitting Position: Right
1.8 16V	85/115	EYDC;EYDB;EYDD;EYDE;EYDF;EYDG;EYDI;EYDJ;EYDL	10/98->11/04	Tensioner	SR-1336	ID: 8.2; OD: 60; W: 29; ->01/99; engine mod. ZH18 Zetec; Fitting Position: Upper Left; 01/99->
				Deflection/Guide	SR-1420	+ holder; OD: 90; thread size M10x1,5; W: 29; ALT; engine mod. LD18 Lynx; Fitting Position: Centre
				Tensioner	SR-1419	ID: 10.2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
1.8 DI / TDDi	55/75	BHDA;BHDB	08/99->11/04	Tensioner	SR-1421	- holder; ID: 17; OD: 70; W: 26; ALT; engine mod. LD18 Lynx; Fitting Position: Left
				Deflection/Guide	SR-1420	+ holder; OD: 90; thread size M10x1,5; W: 29; ALT; engine mod. LD18 Lynx; Fitting Position: Centre
				Tensioner	SR-1419	ID: 10.2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
1.8 TDCi	85/115	F9DA;F9DB	03/01->11/04	Tensioner	SR-1421	- holder; ID: 17; OD: 70; W: 26; ALT; engine mod. LD18 Lynx; Fitting Position: Left
				Deflection/Guide	SR-1420	+ holder; OD: 90; thread size M10x1,5; W: 29; ALT; engine mod. LD18 Lynx; Fitting Position: Centre
				Tensioner	SR-1419	ID: 10.2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
1.8 TDCi	74/100	FFDA	08/02->11/04	Tensioner	SR-1421	- holder; ID: 17; OD: 70; W: 26; ALT; engine mod. LD18 Lynx; Fitting Position: Left
				Deflection/Guide	SR-1420	+ holder; OD: 90; thread size M10x1,5; W: 29; ALT; engine mod. LD18 Lynx; Fitting Position: Centre
				Tensioner	SR-1419	ID: 10.2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
1.8 Turbo DI / TDDi	66/90	C9DC;C9DA;C9DB	10/98->11/04	Tensioner	SR-1419	+ holder; OD: 90; thread size M10x1,5; W: 29; ALT; engine mod. LD18 Lynx; Fitting Position: Centre
				Deflection/Guide	SR-1420	+ holder; OD: 90; thread size M10x1,5; W: 29; ALT; engine mod. LD18 Lynx; Fitting Position: Centre
				Tensioner	SR-1421	ID: 10.2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
2.0 16V	96/131	EDDC;EDDB;EDDD;EDDF	10/98->11/04	Deflection/Guide	SR-1413	+ holder; OD: 70; thread size M10x1,5; W: 25.5; ALT; 06/01->; engine mod. ZH20 Zetec; Fitting Position: Centre
				Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; 01/99->; engine mod. ZH20 Zetec
				Tensioner	SR-1336	ID: 8.2; OD: 60; W: 29; ->01/99; engine mod. ZH20 Zetec; Fitting Position: Upper Left; 01/99->; engine mod. ZH20 Zetec
RS	158/215	HMDA	10/02->11/04	Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; engine mod. ZH20 Zetec; Fitting Position: Right
				Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29
				Deflection/Guide	SR-1413	+ holder; OD: 70; thread size M10x1,5; W: 25.5; ALT; Fitting Position: Lower
				Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; Fitting Position: Centre
				Tensioner	SR-1336	ID: 8.2; OD: 60; W: 29





	kW/HP	Engine code		Type		
ST170	127/173	ALDA	03/02->11/04	Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; engine mod. ZH20 Zetec; Fitting Position: Right
				Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; engine mod. ZH20 Zetec; Fitting Position: Centre
FOCUS C-MAX 						
1.6	74/100	HWDA;HWDB	10/03->03/07	Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; 04/05->; engine mod. ZH16 Zetec
1.6 TDCi	66/90	HHDA;HHDB	02/05->03/07	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine mod. Duratorc; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorc; Fitting Position: Upper
1.6 TDCi	80/109	G8DA;G8DB	10/03->03/07	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine mod. Duratorc; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorc; Fitting Position: Upper
1.6 Ti	85/115	HXDA;SIDA	08/04->03/07	Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; 04/05->; engine mod. ZH16 Zetec
1.8	92/125	QQDB;QQDA;Q7DA	04/04->03/07	Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Upper
1.8	90/122	QQDC	09/05->03/07	Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Upper
1.8	88/120	CSDA;CSDB	10/03->03/07	Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Upper
1.8 Flexifuel	92/125	Q7DA	01/06->03/07	Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Upper
1.8 TDCi	85/115	KKDA	01/05->03/07	Deflection/Guide	SR-1493	+ holder; OD: 76; thread size M10x1,5; W: 30; ALT; engine mod. LD18 Lynx; Fitting Position: Centre
				Tensioner	SR-1419	ID: 10,2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
				Tensioner	SR-1536	- holder; OD: 76,5; W: 27,5; ALT; engine mod. LD18 Lynx; Fitting Position: Upper Left
2.0	107/145	AODA;AODB;SYDA	03/04->03/07	Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Upper
FOCUS Estate (DNW) 						
1.4 16V	55/75	FXDA;FXDC;FXDB;FXD D	02/99->11/04	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH14 Zetec; Fitting Position: Centre
				Tensioner	SR-1411	- holder; OD: 69; W: 22; ALT; engine mod. ZH14 Zetec; Fitting Position: Left; - AC
				Tensioner	SR-1412	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 24,5; ALT; + AC
1.6 16V	74/100	FYDA;FYDC;FYDB;FYDD ;FYDH	02/99->11/04	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH16 Zetec; Fitting Position: Centre
				Tensioner	SR-1412	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 24,5; ALT; + AC
				Tensioner	SR-1411	- holder; OD: 69; W: 22; ALT; engine mod. ZH16 Zetec; Fitting Position: Left; - AC
1.8 16V	85/115	EYDC;EYDB;EYDD;EYDE ;EYDF;EYDG;EYDI;EYDJ; EYDL	02/99->11/04	Deflection/Guide	SR-1413	+ holder; OD: 70; thread size M10x1,5; W: 25,5; ALT; 06/01->; engine mod. ZH18 Zetec; Fitting Position: Centre
				Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; engine mod. ZH18 Zetec
				Tensioner	SR-1336	ID: 8,2; OD: 60; W: 29; engine mod. ZH18 Zetec
				Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; engine mod. ZH18 Zetec; Fitting Position: Right
1.8 DI / TDDi	55/75	BHDA;BHDB	08/99->11/04	Deflection/Guide	SR-1420	+ holder; OD: 90; thread size M10x1,5; W: 29; ALT; engine mod. LD18 Lynx; Fitting Position: Centre
				Tensioner	SR-1421	- holder; ID: 17; OD: 70; W: 26; ALT; engine mod. LD18 Lynx; Fitting Position: Left
				Tensioner	SR-1419	ID: 10,2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
1.8 TDCi	85/115	F9DA;F9DB	03/01->11/04	Deflection/Guide	SR-1420	+ holder; OD: 90; thread size M10x1,5; W: 29; ALT; engine mod. LD18 Lynx; Fitting Position: Centre
				Tensioner	SR-1419	ID: 10,2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
				Tensioner	SR-1421	- holder; ID: 17; OD: 70; W: 26; ALT; engine mod. LD18 Lynx; Fitting Position: Left
1.8 TDCi	74/100	FFDA	08/02->11/04	Deflection/Guide	SR-1420	+ holder; OD: 90; thread size M10x1,5; W: 29; ALT; engine mod. LD18 Lynx; Fitting Position: Centre
				Tensioner	SR-1421	- holder; ID: 17; OD: 70; W: 26; ALT; engine mod. LD18 Lynx; Fitting Position: Left
				Tensioner	SR-1419	ID: 10,2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
1.8 Turbo DI / TDDi	66/90	C9DC;C9DA;C9DB	02/99->11/04	Deflection/Guide	SR-1420	+ holder; OD: 90; thread size M10x1,5; W: 29; ALT; engine mod. LD18 Lynx; Fitting Position: Centre
				Tensioner	SR-1421	- holder; ID: 17; OD: 70; W: 26; ALT; engine mod. LD18 Lynx; Fitting Position: Left
				Tensioner	SR-1419	ID: 10,2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
2.0 16V	96/131	EDDC;EDDB;EDDD;ED DF	02/99->11/04	Deflection/Guide	SR-1413	+ holder; OD: 70; thread size M10x1,5; W: 25,5; ALT; 06/01->; engine mod. ZH20 Zetec; Fitting Position: Centre
				Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; engine mod. ZH20 Zetec
				Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; engine mod. ZH20 Zetec; Fitting Position: Right
				Tensioner	SR-1336	ID: 8,2; OD: 60; W: 29; engine mod. ZH20 Zetec
ST170	127/173	ALDA	08/02->11/04	Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; engine mod. ZH20 Zetec; Fitting Position: Right
				Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; engine mod. ZH20 Zetec; Fitting Position: Centre
FOCUS II (DA_) 						
1.4	59/80	ASDA;ASDB	07/04->09/12	Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; 04/05->; engine mod. ZH14 Zetec
1.6	74/100	HWDA;HWDB;SHDA;SH DB;SHDC	07/04->09/12	Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; 04/05->; engine mod. ZH16 Zetec
1.6 LPG	85/115	SIDA	10/09->07/11	Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; engine mod. ZH16 Zetec
1.6 TDCi	66/90	HHDA;HHDB;GPDA;GP DC;GPDB	01/05->09/12	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine mod. Duratorc; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorc; Fitting Position: Upper
1.6 TDCi	74/100	G8DC;MTDA	07/04->09/12	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine mod. Duratorc; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorc; Fitting Position: Upper
1.6 TDCi	80/109	G8DA;G8DB;G8DD;G8D E;G8DF	07/04->09/12	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine mod. Duratorc; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorc; Fitting Position: Upper
1.6 Ti	85/115	HXDA;HXDB;SIDA	07/04->09/12	Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; 04/05->; engine mod. ZH16 Zetec

	kW/HP	Engine code		Type		
1.8	92/125	QQDB	03/06->09/12	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; 01/08->; engine mod. Duratec; Fitting Position: Upper; - sup. plate
				Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68.5; W: 22.5; ALT; -->01/08; engine mod. Duratec; Fitting Position: Upper
1.8 Flexifuel	92/125	Q7DA	01/06->09/12	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; 01/08->; engine mod. Duratec; Fitting Position: Upper; - sup. plate
				Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68.5; W: 22.5; ALT; -->01/08; engine mod. Duratec; Fitting Position: Upper
1.8 TDCi	85/115	KKDA;KKDB	01/05->09/12	Deflection/Guide	SR-1493	+ holder; OD: 76; thread size M10x1.5; W: 30; ALT; engine mod. LD18 Lynx; Fitting Position: Centre
				Tensioner	SR-1536	- holder; OD: 76.5; W: 27.5; ALT; engine mod. LD18 Lynx; Fitting Position: Upper Left
				Tensioner	SR-1419	ID: 10.2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
				Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; 01/08->; engine mod. Duratec; Fitting Position: Upper; - sup. plate
2.0	107/145	AODA;AODB;AODE	07/04->09/12	Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68.5; W: 22.5; ALT; -->01/08; engine mod. Duratec; Fitting Position: Upper
2.0 CNG	107/145	SYDA	04/09->07/11	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine mod. Duratec; Fitting Position: Upper; - sup. plate
2.0 LPG	107/145	SYDA	06/08->07/11	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine mod. Duratec; Fitting Position: Upper; - sup. plate
				Deflection/Guide	SR-1146	OD: 53; W: 27; engine mod. Duratec; Fitting Position: Right
2.5 RS	224/305	JZDA	01/09->07/11	Tensioner	SR-1319	ID: 8.2; OD: 60; W: 26.5; engine mod. Duratec; Fitting Position: Left
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM
2.5 RS 500	257/350	JZDA	05/10->07/11	Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM
				Deflection/Guide	SR-1146	OD: 53; W: 27; engine mod. Duratec; Fitting Position: Right
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM; 01/08->
2.5 ST	166/225	HYDA	10/05->09/12	Tensioner	SR-1319	ID: 8.2; OD: 60; W: 26.5; engine mod. Duratec; Fitting Position: Left
				Tensioner	SR-1346	- holder; OD: 65.2; W: 21; ACCOM; -->11/08; engine mod. Duratec; Fitting Position: Lower
				Tensioner	SR-1345	+ holder; OD: 70; W: 20.5; ALT; -->11/08; engine mod. Duratec; Fitting Position: Centre
FOCUS II Convertible 						
1.6	74/100	HWDA;HWDB;SHDA;SHDB;SHDC	10/06->07/11	Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. ZH16 Zetec
2.0	107/145	AODA;AODB	10/06->07/11	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; 01/08->; engine mod. Duratec; Fitting Position: Upper; - sup. plate
				Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68.5; W: 22.5; ALT; -->01/08; engine mod. Duratec; Fitting Position: Upper
FOCUS II Estate (DA_) 						
1.4	59/80	ASDA;ASDB	07/04->09/12	Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; 04/05->; engine mod. ZH14 Zetec
1.6	74/100	HWDA;HWDB;SHDA;SHDB;SHDC	07/04->07/11	Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; 04/05->; engine mod. ZH16 Zetec
1.6 LPG	85/115	SIDA	10/09->09/12	Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. ZH16 Zetec
1.6 TDCi	74/100	G8DC;MTDA	07/04->09/12	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine mod. Duratorq; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Upper
1.6 TDCi	80/109	G8DA;G8DB;G8DD;G8DE;G8DF	07/04->09/12	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine mod. Duratorq; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Upper
1.6 TDCi	66/90	HHDA;HHDB;GPDA;GPD	07/04->09/12	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine mod. Duratorq; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Upper
1.6 Ti	85/115	HXDA;HXDB	07/04->09/12	Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; 04/05->; engine mod. ZH16 Zetec
1.8	92/125	QQDB;Q7DA	03/06->09/12	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; 01/08->; engine mod. Duratec; Fitting Position: Upper; - sup. plate
				Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68.5; W: 22.5; ALT; -->01/08; engine mod. Duratec; Fitting Position: Upper
1.8 Flexifuel	92/125	Q7DA	01/06->09/12	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; 01/08->; engine mod. Duratec; Fitting Position: Upper; - sup. plate
				Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68.5; W: 22.5; ALT; -->01/08; engine mod. Duratec; Fitting Position: Upper
1.8 TDCi	85/115	KKDA;KKDB	07/04->09/12	Deflection/Guide	SR-1493	+ holder; OD: 76; thread size M10x1.5; W: 30; ALT; engine mod. LD18 Lynx; Fitting Position: Centre
				Tensioner	SR-1419	ID: 10.2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
	107/145	AODA;AODB;AODE	07/04->09/12	Tensioner	SR-1536	- holder; OD: 76.5; W: 27.5; ALT; engine mod. LD18 Lynx; Fitting Position: Upper Left
				Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; 01/08->; engine mod. Duratec; Fitting Position: Upper; - sup. plate
2.0	107/145	AODA;AODB;AODE	07/04->09/12	Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68.5; W: 22.5; ALT; -->01/08; engine mod. Duratec; Fitting Position: Upper
2.0 LPG	107/145	SYDA	06/08->07/11	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine mod. Duratec; Fitting Position: Upper; + sup. plate
FOCUS II Saloon (DA_) 						
1.4	59/80	ASDA;ASDB	04/05->09/12	Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. ZH14 Zetec
1.6	74/100	HWDA;HWDB;SHDA;SHDB;SHDC	04/05->09/12	Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. ZH16 Zetec
1.6 TDCi	74/100	G8DC;MTDA	04/05->09/12	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine mod. Duratorq; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Upper
1.6 TDCi	66/90	HHDA;HHDB	04/05->09/12	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine mod. Duratorq; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Upper
1.6 TDCi	80/109	G8DA;G8DB;G8DD;G8DE;G8DF	04/05->09/12	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine mod. Duratorq; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Upper
1.6 Ti	85/115	HXDA;HXDB	04/05->09/12	Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. ZH16 Zetec
1.8	92/125	QQDB	03/06->09/12	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; 01/08->; engine mod. Duratec; Fitting Position: Upper; - sup. plate
				Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68.5; W: 22.5; ALT; -->01/08; engine mod. Duratec; Fitting Position: Upper

	kW/HP	Engine code		Type		
1.8 Flexifuel	92/125	Q7DA	06/06->07/11	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; 01/08->; engine mod. Duratec; Fitting Position: Upper; - sup. plate
				Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68.5; W: 22.5; ALT; ->01/08; engine mod. Duratec; Fitting Position: Upper
1.8 TDCi	85/115	KKDA;KKDB	04/05->09/12	Deflection/Guide	SR-1493	+ holder; OD: 76; thread size M10x1.5; W: 30; ALT; engine mod. LD18 Lynx; Fitting Position: Centre
				Tensioner	SR-1536	- holder; OD: 76.5; W: 27.5; ALT; engine mod. LD18 Lynx; Fitting Position: Upper Left
2.0	107/145	AODA;AODB	04/05->07/11	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; 01/08->; engine mod. Duratec; Fitting Position: Upper; - sup. plate
				Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68.5; W: 22.5; ALT; ->01/08; engine mod. Duratec; Fitting Position: Upper
FOCUS III 						
1.0 EcoBoost	92/125	M1DA	02/12->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine FOX [10FD0X]; Fitting Position: Lower; - AC
1.0 EcoBoost	74/100	M2DA	02/12->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine FOX [10FD0X]; Fitting Position: Lower; - AC
1.6 Flexifuel	88/120	MUDA	07/10->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; MT; engine mod. Duratec; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. Duratec
1.6 LPG	88/120	MUDA	02/12->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; MT; engine mod. Duratec; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. Duratec
1.6 Ti	77/105	IQDB	07/10->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; MT; engine mod. Duratec; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. Duratec
1.6 Ti	92/125	PNDA	07/10->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; MT; engine mod. Duratec; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. Duratec
1.6 Ti	63/85	XTDA	08/11->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; MT; engine mod. Duratec; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. Duratec
FOCUS III Saloon 						
1.0 EcoBoost	74/100	M2DA	02/12->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine FOX [10FD0X]; Fitting Position: Lower; - AC
1.0 EcoBoost	92/125	M1DA	02/12->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine FOX [10FD0X]; Fitting Position: Lower; - AC
1.6 Flexifuel	88/120	MUDA	07/10->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; MT; engine mod. Duratec; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. Duratec
1.6 Ti	77/105	IQDB	07/10->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; MT; engine mod. Duratec; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. Duratec
1.6 Ti	92/125	PNDA	07/10->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; MT; engine mod. Duratec; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. Duratec
1.6 Ti	63/85	XTDA	08/11->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; MT; engine mod. Duratec; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. Duratec
FOCUS III Turnier 						
1.0 EcoBoost	74/100	M2DA	02/12->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine FOX [10FD0X]; Fitting Position: Lower; - AC
1.0 EcoBoost	92/125	M1DA	02/12->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine FOX [10FD0X]; Fitting Position: Lower; - AC
1.6 Flexifuel	88/120	MUDA	07/10->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; MT; engine mod. Duratec; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. Duratec
1.6 LPG	88/120	MUDA	02/12->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; MT; engine mod. Duratec; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. Duratec
1.6 Ti	77/105	IQDB	07/10->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; MT; engine mod. Duratec; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. Duratec
1.6 Ti	92/125	PNDA	07/10->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; MT; engine mod. Duratec; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. Duratec
1.6 Ti	63/85	XTDA	08/11->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; MT; engine mod. Duratec; - AC
				Tensioner	SR-1015	ID: 8.2; OD: 62; W: 26.5; engine mod. Duratec
FOCUS Saloon (DFW) 						
1.4 16V	55/75	FXDA;FXDC;FXDB;FXD D	02/99->11/04	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1.25; W: 26; ALT; engine mod. ZH14 Zetec; Fitting Position: Centre
				Tensioner	SR-1412	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 24.5; ALT; + AC
				Tensioner	SR-1411	- holder; OD: 69; W: 22; ALT; engine mod. ZH14 Zetec; Fitting Position: Left; - AC
1.6 16V	74/100	FYDA;FYDC;FYDB;FYDD ;FYDH	02/99->11/04	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1.25; W: 26; ALT; engine mod. ZH16 Zetec; Fitting Position: Centre
				Tensioner	SR-1412	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 24.5; ALT; + AC
				Tensioner	SR-1411	- holder; OD: 69; W: 22; ALT; engine mod. ZH16 Zetec; Fitting Position: Left; - AC
1.8 16V	85/115	EYDC;EYDB;EYDD;EYDE ;EYDF;EYDG;EYDI;EYDJ; EYDL	02/99->11/04	Deflection/Guide	SR-1413	+ holder; OD: 70; thread size M10x1.5; W: 25.5; ALT; 06/01->; engine mod. ZH18 Zetec; Fitting Position: Centre
				Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1.25; W: 29; engine mod. ZH18 Zetec
				Tensioner	SR-1336	ID: 8.2; OD: 60; W: 29; engine mod. ZH18 Zetec
1.8 TDCi	85/115	F9DA;F9DB	03/01->11/04	Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; engine mod. ZH18 Zetec; Fitting Position: Right
				Deflection/Guide	SR-1420	+ holder; OD: 90; thread size M10x1.5; W: 29; ALT; engine mod. LD18 Lynx; Fitting Position: Centre
				Tensioner	SR-1421	- holder; ID: 17; OD: 70; W: 26; ALT; engine mod. LD18 Lynx; Fitting Position: Left
1.8 TDCi	74/100	FFDA	08/02->11/04	Tensioner	SR-1419	ID: 10.2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
				Deflection/Guide	SR-1420	+ holder; OD: 90; thread size M10x1.5; W: 29; ALT; engine mod. LD18 Lynx; Fitting Position: Centre
				Tensioner	SR-1421	- holder; ID: 17; OD: 70; W: 26; ALT; engine mod. LD18 Lynx; Fitting Position: Left

	kW/HP	Engine code		Type		
1.8 Turbo DI / TDDi	66/90	C9DC;C9DA;C9DB	02/99->11/04	Deflection/Guide	SR-1420	+ holder; OD: 90; thread size M10x1,5; W: 29; ALT; engine mod. LD18 Lynx; Fitting Position: Centre
				Tensioner	SR-1421	- holder; ID: 17; OD: 70; W: 26; ALT; engine mod. LD18 Lynx; Fitting Position: Left
				Tensioner	SR-1419	ID: 10,2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
1.8 Turbo DI / TDDi	55/75	BHDA;BHDB	08/01->03/05	Deflection/Guide	SR-1420	+ holder; OD: 90; thread size M10x1,5; W: 29; ALT; engine mod. LD18 Lynx; Fitting Position: Centre
				Tensioner	SR-1421	- holder; ID: 17; OD: 70; W: 26; ALT; engine mod. LD18 Lynx; Fitting Position: Left
				Tensioner	SR-1419	ID: 10,2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
2.0 16V	96/131	EDDC;EDDB;EDDD;EDDF	02/99->11/04	Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; engine mod. ZH20 Zetec
				Deflection/Guide	SR-1413	+ holder; OD: 70; thread size M10x1,5; W: 25,5; ALT; 06/01-> engine mod. ZH20 Zetec; Fitting Position: Centre
				Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; engine mod. ZH20 Zetec; Fitting Position: Right
				Tensioner	SR-1336	ID: 8,2; OD: 60; W: 29; engine mod. ZH20 Zetec
FUSION (JU_) 						
1.25	55/75	FUJA;FUJB	08/04->12/12	Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; 04/05-> engine mod. ZH12 Zetec
1.4	59/80	FXJA;FXJB;FXJC	08/02->12/12	Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; 04/05-> engine mod. ZH14 Zetec
1.4 TDCi	50/68	F6JA;F6JB	08/02->07/05	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine mod. Duratorq
				Tensioner	SR-1509	- holder; ID: 17; OD: 55; W: 26; ALT; engine mod. Duratorq; Fitting Position: Left
1.6	74/100	FYJA;FYJB;FYJC	08/02->11/08	Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; 04/05-> engine mod. ZH16 Zetec
1.6 TDCi	66/90	HHJA;HHJB	11/04->12/12	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine mod. Duratorq; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Upper
GALAXY (WA6) 						
1.8 TDCi	74/100	FFWA	05/06->06/15	Deflection/Guide	SR-1493	+ holder; OD: 76; thread size M10x1,5; W: 30; ALT; engine mod. LD18 Lynx; Fitting Position: Right
				Tensioner	SR-1419	ID: 10,2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
				Tensioner	SR-1545	- holder; OD: 65; W: 23; ALT; engine mod. LD18 Lynx; Fitting Position: Lower
1.8 TDCi	92/125	QYWA	05/06->06/15	Deflection/Guide	SR-1493	+ holder; OD: 76; thread size M10x1,5; W: 30; ALT; engine mod. LD18 Lynx; Fitting Position: Right
				Tensioner	SR-1545	- holder; OD: 65; W: 23; ALT; engine mod. LD18 Lynx; Fitting Position: Lower
				Tensioner	SR-1419	ID: 10,2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
2.0	107/145	AOWA;AOWB	05/06->06/15	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine mod. Duratec; Fitting Position: Centre right
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Upper
2.2 TDCi	129/175	Q4BA;Q4WA	03/08->12/12	Deflection/Guide	SR-1148	OD: 70; W: 28; ALT; engine mod. Duratorq; Fitting Position: Upper Left
2.2 TDCi	147/200	KNWA	11/10->06/15	Deflection/Guide	SR-1148	OD: 70; W: 28; ALT; engine mod. Duratorq; Fitting Position: Upper Left
2.3	118/160	SEWA	09/07->06/15	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine mod. Duratec; Fitting Position: Upper
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine DH23; Fitting Position: Lower Left
GALAXY (WGR) 						
1.9 TDI	96/130	ASZ	02/03->05/06	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1266	OD: 28; W: 34; 04/00-> ->04/02; engine ANU; engine VW19NPD; Fitting Position: Lower Left; ->03/00
1.9 TDI	66/90	AHU;1Z;ANU	03/95->05/06	Deflection/Guide	SR-1096	OD: 29; W: 29; ->03/00; engine 1Z; engine AHU; engine VW19N; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; 05/02-> engine ANU; engine VW19NPD; Fitting Position: Lower Left
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; ->03/00; engine 1Z; engine AHU; engine VW19N; Fitting Position: Left
1.9 TDI	85/115	AUY	04/00->05/06	Deflection/Guide	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; engine 1Z; engine AHU; engine VW19N; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; 05/02-> engine AUY; engine VW19PPD; Fitting Position: Lower Left
1.9 TDI	110/150	BTB	05/05->05/06	Deflection/Guide	SR-1266	OD: 28; W: 34; ->04/02; engine AUY; engine VW19PPD; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; engine AUY; engine VW19PPD; Fitting Position: Centre
1.9 TDI	81/110	AFN;AVG	08/97->04/00	Deflection/Guide	SR-1096	OD: 29; W: 29; engine AFN; engine AVG; engine VW19P; Fitting Position: Upper
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; engine AFN; engine AVG; engine VW19P; Fitting Position: Upper
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; engine AFN; engine AVG; engine VW19P; Fitting Position: Left
2.0 i	85/116	NSE;ZVSA	11/95->05/06	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine DL20; Fitting Position: Centre
				Tensioner	SR-1268	- holder; OD: 70; W: 26; ALT; engine DL20; Fitting Position: Upper
2.3 16V	107/146	Y5B;E5SA	01/97->05/06	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine DL20; Fitting Position: Centre
				Tensioner	SR-1268	- holder; OD: 70; W: 26; ALT; engine DL20; Fitting Position: Upper
2.3 16V	103/140	E5SB	09/01->05/06	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine DL20; Fitting Position: Centre
				Tensioner	SR-1268	- holder; OD: 70; W: 26; ALT; engine DL20; Fitting Position: Upper
2.8 i V6	128/174	AAA;AMY	11/95->04/00	Tensioner	SR-1102	- holder; ID: 17; num. of ribs: 7; OD: 62,5; W: 26; ALT; Fitting Position: Left
2.8 i V6 4x4	128/174	AAA;AMY	04/96->04/00	Tensioner	SR-1102	- holder; ID: 17; num. of ribs: 7; OD: 62,5; W: 26; ALT; Fitting Position: Left
GRAND C-MAX (DXA/CB7, DXA/CEU) 						
1.0 EcoBoost	74/100	M2DA;SFDA	10/12->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine FOX (10FD0X); Fitting Position: Lower; - AC
1.0 EcoBoost	92/125	M1DA	10/12->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine FOX (10FD0X); Fitting Position: Lower; - AC

	kW/HP	Engine code		Type		
1.6 Ti	77/105	IQDA;IQDB	12/10->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine mod. Duratec; - AC
				Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; engine mod. Duratec
1.6 Ti	92/125	PNDA	12/10->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine mod. Duratec; - AC
				Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; engine mod. Duratec
KA (RB) 						
1.3 i	36/49	JJD;JF;JJG;JJH;JL	06/98->11/08	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine BL13 (OHV/HCS); Fitting Position: Centre
1.3 i	37/50	JJB	09/96->10/02	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine BL13 (OHV/HCS); Fitting Position: Lower
1.3 i	44/60	J4D;J4K;J4M;J4N;J4P;J4S;BAA	09/96->11/08	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine BL13 (OHV/HCS); Fitting Position: Lower
KA (RU8) 						
1.2	51/69	FP4	10/08->	Tensioner	SR-1046	OD: 55,5; W: 26
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.3 TDCi	55/75	FD4	10/08->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Upper
KUGA I 						
2.5	147/200	HYDB;HYDC	03/09->11/12	Deflection/Guide	SR-1146	OD: 53; W: 27; engine mod. Duratec; Fitting Position: Right
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM
2.5 4x4	147/200	HYDB	03/09->	Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; engine mod. Duratec; Fitting Position: Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; engine mod. Duratec; Fitting Position: Right
2.5 4x4	147/200	HYDB	03/09->	Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; engine mod. Duratec; Fitting Position: Left
MAVERICK 						
2.0 16V	91/124	YF	02/01->	Deflection/Guide	SR-1413	+ holder; OD: 70; thread size M10x1,5; W: 25,5; ALT; engine mod. ZH20 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; engine mod. ZH20 Zetec
				Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; engine mod. ZH20 Zetec; Fitting Position: Left
2.3 16V	110/150	GZ	03/04->	Deflection/Guide	SR-1500	+ holder; OD: 76; thread size M8x1,25; W: 30; ALT; engine mod. Duratec; Fitting Position: Upper Left
				Tensioner	SR-1520	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; ->12/05; engine mod. Duratec; Fitting Position: Centre
MONDEO I (GBP) 						
1.6 i 16V	66/90	L1F	02/93->08/96	Deflection/Guide	SR-1086	+ holder; OD: 90; thread size M10x1,5; W: 30; ALT; engine mod. ZH16 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH16 Zetec; Fitting Position: Lower
1.6 i 16V	65/88	L1J	07/94->08/96	Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1086	+ holder; OD: 90; thread size M10x1,5; W: 30; ALT; engine mod. ZH16 Zetec; Fitting Position: Upper
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH16 Zetec; Fitting Position: Lower
1.8 i 16V	85/115	RKA	02/93->08/96	Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1086	+ holder; OD: 90; thread size M10x1,5; W: 30; ALT; engine mod. ZH18 Zetec; Fitting Position: Upper
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
1.8 i 16V	82/112	RKB	07/94->08/96	Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1086	+ holder; OD: 90; thread size M10x1,5; W: 30; ALT; engine mod. ZH18 Zetec; Fitting Position: Upper
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
1.8 i 16V 4x4	85/115	RKA	02/93->08/96	Deflection/Guide	SR-1086	+ holder; OD: 90; thread size M10x1,5; W: 30; ALT; engine mod. ZH18 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
1.8 TD	65/88	RFM;RFN	06/93->08/96	Tensioner	SR-1054	OD: 60; W: 26; IP; 11/95->; engine D18Ti; ->10/95; engine D18Ti
				Tensioner	SR-1085	- holder; OD: 72; W: 18; ALT; engine D18Ti; Fitting Position: Left
1.8 TD	66/90	RFM;RFN	10/95->08/96	Tensioner	SR-1085	- holder; OD: 72; W: 18; ALT; engine D18Ti; Fitting Position: Left
				Tensioner	SR-1054	OD: 60; W: 26; IP; 11/95->; engine D18Ti; ->10/95; engine D18Ti
2.0 i 16V	100/136	NGA	02/93->08/96	Deflection/Guide	SR-1086	+ holder; OD: 90; thread size M10x1,5; W: 30; ALT; engine mod. ZH20 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH20 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH20 Zetec; Fitting Position: Upper Left
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH20 Zetec; Fitting Position: Lower
2.0 i 16V 4x4	97/132	NGA	12/94->08/96	Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH20 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH20 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1086	+ holder; OD: 90; thread size M10x1,5; W: 30; ALT; engine mod. ZH20 Zetec; Fitting Position: Upper
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH20 Zetec; Fitting Position: Lower





	kW/HP	Engine code		Type		
2.0 i 16V	100/136	NGA	02/93->08/96	Deflection/Guide	SR-1086	+ holder; OD: 90; thread size M10x1,5; W: 30; ALT; engine mod. ZH20 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH20 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH20 Zetec; Fitting Position: Upper Left
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH20 Zetec; Fitting Position: Lower
2.0 i 16V 4x4	97/132	NGA	12/94->08/96	Deflection/Guide	SR-1086	+ holder; OD: 90; thread size M10x1,5; W: 30; ALT; engine mod. ZH20 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH20 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH20 Zetec; Fitting Position: Upper Right
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH20 Zetec; Fitting Position: Lower

MONDEO II (BAP) 

1.6 i	66/90	L1J	08/96->09/00	Deflection/Guide	SR-1077	OD: 46; W: 29; ->05/98; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; ->05/98; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1086	+ holder; OD: 90; thread size M10x1,5; W: 30; ALT; ->05/98; engine mod. ZH16 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; 02/99->; engine mod. ZH16 Zetec
				Tensioner	SR-1075	OD: 86; W: 30; ->05/98; engine mod. ZH16 Zetec; Fitting Position: Lower
				Tensioner	SR-1336	ID: 8,2; OD: 60; W: 29; 06/98->; ->01/99; engine mod. ZH16 Zetec; Fitting Position: Upper Left; 02/99->; engine mod. ZH16 Zetec
				Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; 05/98->; engine mod. ZH16 Zetec; Fitting Position: Left
				Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; 02/99->; engine mod. ZH16 Zetec
1.6 i 16V	70/95	L1L;L1N;L1Q	05/98->09/00	Deflection/Guide	SR-1076	OD: 60; W: 29; ->05/98; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; ->05/98; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; engine mod. ZH16 Zetec; Fitting Position: Left
				Tensioner	SR-1336	ID: 8,2; OD: 60; W: 29; 06/98->; ->01/99; engine mod. ZH16 Zetec; Fitting Position: Upper Left; 02/99->; engine mod. ZH16 Zetec
				Tensioner	SR-1075	OD: 86; W: 30; ->05/98; engine mod. ZH16 Zetec; Fitting Position: Lower
				Deflection/Guide	SR-1086	+ holder; OD: 90; thread size M10x1,5; W: 30; ALT; ->05/98; engine mod. ZH18 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; 02/99->; engine mod. ZH18 Zetec
				Deflection/Guide	SR-1077	OD: 46; W: 29; ->05/98; engine mod. ZH18 Zetec; Fitting Position: Upper Left
1.8 i	85/115	RKF;RKJ;RKB;RKH;RK K	08/96->09/00	Deflection/Guide	SR-1076	OD: 60; W: 29; ->05/98; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1076	OD: 60; W: 29; ->05/98; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Tensioner	SR-1336	ID: 8,2; OD: 60; W: 29; 06/98->; ->01/99; engine mod. ZH18 Zetec; Fitting Position: Upper Left; 02/99->; engine mod. ZH18 Zetec
				Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; 05/98->; engine mod. ZH18 Zetec; Fitting Position: Left
				Tensioner	SR-1075	OD: 86; W: 30; ->05/98; engine mod. ZH18 Zetec; Fitting Position: Lower
				Tensioner	SR-1054	OD: 60; W: 26; IP; engine D18T1
				Tensioner	SR-1085	- holder; OD: 72; W: 18; ALT; engine D18T1; Fitting Position: Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; ->05/98; engine mod. ZH20 Zetec; Fitting Position: Upper Right
2.0 i	96/131	NGA;NGB;NGC;NGD	08/96->09/00	Deflection/Guide	SR-1086	+ holder; OD: 90; thread size M10x1,5; W: 30; ALT; ->05/98; engine mod. ZH20 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1077	OD: 46; W: 29; ->05/98; engine mod. ZH20 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; 02/99->; engine mod. ZH20 Zetec
				Tensioner	SR-1075	OD: 86; W: 30; ->05/98; engine mod. ZH20 Zetec; Fitting Position: Lower
				Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; 05/98->; engine mod. ZH20 Zetec; Fitting Position: Left
				Tensioner	SR-1336	ID: 8,2; OD: 60; W: 29; 06/98->; ->01/99; engine mod. ZH20 Zetec; Fitting Position: Upper Left; 02/99->; engine mod. ZH20 Zetec

MONDEO II Estate (BNP) 

1.6 i	66/90	L1J	08/96->09/00	Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; 02/99->; engine mod. ZH16 Zetec
				Deflection/Guide	SR-1086	+ holder; OD: 90; thread size M10x1,5; W: 30; ALT; ->05/98; engine mod. ZH16 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1076	OD: 60; W: 29; ->05/98; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; ->05/98; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Tensioner	SR-1336	ID: 8,2; OD: 60; W: 29; 06/98->; ->01/99; engine mod. ZH16 Zetec; Fitting Position: Upper Left; 02/99->; engine mod. ZH16 Zetec
				Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; 05/98->; engine mod. ZH16 Zetec; Fitting Position: Left
				Tensioner	SR-1075	OD: 86; W: 30; ->05/98; engine mod. ZH16 Zetec; Fitting Position: Lower
				Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; 02/99->; engine mod. ZH16 Zetec
1.6 i 16V	70/95	L1L;L1N;L1Q	05/98->09/00	Deflection/Guide	SR-1076	OD: 60; W: 29; ->05/98; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; ->05/98; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; engine mod. ZH16 Zetec; Fitting Position: Left
				Tensioner	SR-1336	ID: 8,2; OD: 60; W: 29; 06/98->; ->01/99; engine mod. ZH16 Zetec; Fitting Position: Upper Left; 02/99->; engine mod. ZH16 Zetec
				Tensioner	SR-1075	OD: 86; W: 30; ->05/98; engine mod. ZH16 Zetec; Fitting Position: Lower






	kW/HP	Engine code		Type		
1.8 i	85/115	RKF;RKJ;RKB;RKH;RK K	08/96->09/00	Deflection/Guide	SR-1077	OD: 46; W: 29; ->05/98; engine mod. ZH18 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1086	+ holder; OD: 90; thread size M10x1,5; W: 30; ALT; ->05/98; engine mod. ZH18 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1076	OD: 60; W: 29; ->05/98; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; 02/99->; engine mod. ZH18 Zetec
				Tensioner	SR-1075	OD: 86; W: 30; ->05/98; engine mod. ZH18 Zetec; Fitting Position: Lower
				Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; 05/98->; engine mod. ZH18 Zetec; Fitting Position: Left
				Tensioner	SR-1336	ID: 8,2; OD: 60; W: 29; 06/98->; ->01/99; engine mod. ZH18 Zetec; Fitting Position: Upper Left; 02/99->; engine mod. ZH18 Zetec
1.8 TD	66/90	RFN	08/96->09/00	Tensioner	SR-1054	OD: 60; W: 26; IP; engine D18TI
				Tensioner	SR-1085	- holder; OD: 72; W: 18; ALT; engine D18TI; Fitting Position: Left
2.0 i	96/131	NGA;NGB;NGC;NGD	08/96->09/00	Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; 02/99->; engine mod. ZH20 Zetec
				Deflection/Guide	SR-1076	OD: 60; W: 29; ->05/98; engine mod. ZH20 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1086	+ holder; OD: 90; thread size M10x1,5; W: 30; ALT; ->05/98; engine mod. ZH20 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1077	OD: 46; W: 29; ->05/98; engine mod. ZH20 Zetec; Fitting Position: Upper Left
				Tensioner	SR-1336	ID: 8,2; OD: 60; W: 29; 06/98->; ->01/99; engine mod. ZH20 Zetec; Fitting Position: Upper Left; 02/99->; engine mod. ZH20 Zetec
				Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; 05/98->; engine mod. ZH20 Zetec; Fitting Position: Left
				Tensioner	SR-1075	OD: 86; W: 30; ->05/98; engine mod. ZH20 Zetec; Fitting Position: Lower







MONDEO II Saloon [BFP] 









1.6 i	66/90	L1J	08/96->09/00	Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; 02/99->; engine mod. ZH16 Zetec
				Deflection/Guide	SR-1086	+ holder; OD: 90; thread size M10x1,5; W: 30; ALT; ->05/98; engine mod. ZH16 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1077	OD: 46; W: 29; ->05/98; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; ->05/98; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Tensioner	SR-1336	ID: 8,2; OD: 60; W: 29; 06/98->; ->01/99; engine mod. ZH16 Zetec; Fitting Position: Upper Left; 02/99->; engine mod. ZH16 Zetec
				Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; 05/98->; engine mod. ZH16 Zetec; Fitting Position: Left
				Tensioner	SR-1075	OD: 86; W: 30; ->05/98; engine mod. ZH16 Zetec; Fitting Position: Lower
1.6 i 16V	70/95	L1L;L1N;L1Q	05/98->09/00	Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; 02/99->; engine mod. ZH16 Zetec
				Deflection/Guide	SR-1076	OD: 60; W: 29; ->05/98; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; ->05/98; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; engine mod. ZH16 Zetec; Fitting Position: Left
				Tensioner	SR-1336	ID: 8,2; OD: 60; W: 29; 06/98->; ->01/99; engine mod. ZH16 Zetec; Fitting Position: Upper Left; 02/99->; engine mod. ZH16 Zetec
				Tensioner	SR-1075	OD: 86; W: 30; ->05/98; engine mod. ZH16 Zetec; Fitting Position: Lower
				1.8 i	85/115	RKF;RKJ;RKB;RKH;RK K
Deflection/Guide	SR-1077	OD: 46; W: 29; ->05/98; engine mod. ZH18 Zetec; Fitting Position: Upper Left				
Deflection/Guide	SR-1086	+ holder; OD: 90; thread size M10x1,5; W: 30; ALT; ->05/98; engine mod. ZH18 Zetec; Fitting Position: Upper				
Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; 02/99->; engine mod. ZH18 Zetec				
Tensioner	SR-1075	OD: 86; W: 30; ->05/98; engine mod. ZH18 Zetec; Fitting Position: Lower				
Tensioner	SR-1336	ID: 8,2; OD: 60; W: 29; 06/98->; ->01/99; engine mod. ZH18 Zetec; Fitting Position: Upper Left; 02/99->; engine mod. ZH18 Zetec				
Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; 05/98->; engine mod. ZH18 Zetec; Fitting Position: Left				
1.8 TD	66/90	RFN	08/96->09/00	Tensioner	SR-1085	- holder; OD: 72; W: 18; ALT; engine D18TI; Fitting Position: Left
				Tensioner	SR-1054	OD: 60; W: 26; IP; engine D18TI
2.0 i	96/131	NGA;NGB;NGC;NGD	08/96->09/00	Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; 02/99->; engine mod. ZH20 Zetec
				Deflection/Guide	SR-1086	+ holder; OD: 90; thread size M10x1,5; W: 30; ALT; ->05/98; engine mod. ZH20 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1077	OD: 46; W: 29; ->05/98; engine mod. ZH20 Zetec; Fitting Position: Upper Left
				Deflection/Guide	SR-1076	OD: 60; W: 29; ->05/98; engine mod. ZH20 Zetec; Fitting Position: Upper Right
				Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; 05/98->; engine mod. ZH20 Zetec; Fitting Position: Left
				Tensioner	SR-1336	ID: 8,2; OD: 60; W: 29; 06/98->; ->01/99; engine mod. ZH20 Zetec; Fitting Position: Upper Left; 02/99->; engine mod. ZH20 Zetec
				Tensioner	SR-1075	OD: 86; W: 30; ->05/98; engine mod. ZH20 Zetec; Fitting Position: Lower













MONDEO III [B5Y] 










1.8 16V	81/110	CGBA;CGBB	10/00->03/07	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; 11/05->; engine mod. Duratec; Fitting Position: Centre
				Deflection/Guide	SR-1500	+ holder; OD: 76; thread size M8x1,25; W: 30; ALT; ->11/05; engine mod. Duratec; Fitting Position: Centre
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Left
1.8 16V	92/125	CHBA;CHBB	10/00->03/07	Deflection/Guide	SR-1500	+ holder; OD: 76; thread size M8x1,25; W: 30; ALT; ->11/05; engine mod. Duratec; Fitting Position: Centre
				Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; 11/05->; engine mod. Duratec; Fitting Position: Centre
1.8 SCi	96/130	CFBA	06/03->03/07	Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Left
				Deflection/Guide	SR-1500	+ holder; OD: 76; thread size M8x1,25; W: 30; ALT; ->11/05; engine mod. Duratec; Fitting Position: Centre
				Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; 11/05->; engine mod. Duratec; Fitting Position: Centre
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Left










	kW/HP	Engine code		Type		
2.0 16V	107/146	CJBA;CJBB	10/00->03/07	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; 11/05->; engine mod. Duratec; Fitting Position: Centre
				Deflection/Guide	SR-1500	+ holder; OD: 76; thread size M8x1,25; W: 30; ALT; ->11/05; engine mod. Duratec; Fitting Position: Centre
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Left
2.0 16V DI / TDDi / TDCi	66/90	D5BA;SDBA	10/00->03/07	Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre
				Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP; ->09/04; engine mod. Duratorq
2.0 16V TDDi / TDCi	85/115	D6BA;HJBA;HJBB;HJBC	10/00->03/07	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left
				Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Left
2.0 TDCi	96/130	FMBA;N7BA	10/01->03/07	Deflection/Guide	SR-1437	- holder; ID: 17; OD: 52; W: 18; PSP; ->09/04; engine mod. Duratorq
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left
				Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP; ->09/04; engine mod. Duratorq
2.2 TDCi	114/155	QJBA;QJBB	09/04->03/07	Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre
				Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Left
2.2 TDCi	110/150	QJBC;QJBD	09/04->03/07	Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre
				Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Left
MONDEO III Estate (BWY) 						
1.8 16V	81/110	CGBA;CGBB	10/00->03/07	Deflection/Guide	SR-1500	+ holder; OD: 76; thread size M8x1,25; W: 30; ALT; ->11/05; engine mod. Duratec; Fitting Position: Centre
				Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; 11/05->; engine mod. Duratec; Fitting Position: Centre
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Left
1.8 16V	92/125	CHBA;CHBB	10/00->03/07	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; 11/05->; engine mod. Duratec; Fitting Position: Centre
				Deflection/Guide	SR-1500	+ holder; OD: 76; thread size M8x1,25; W: 30; ALT; ->11/05; engine mod. Duratec; Fitting Position: Centre
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Left
1.8 SCi	96/130	CFBA	06/03->03/07	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; 11/05->; engine mod. Duratec; Fitting Position: Centre
				Deflection/Guide	SR-1500	+ holder; OD: 76; thread size M8x1,25; W: 30; ALT; ->11/05; engine mod. Duratec; Fitting Position: Centre
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Left
2.0 16V	107/146	CJBA;CJBB	10/00->03/07	Deflection/Guide	SR-1500	+ holder; OD: 76; thread size M8x1,25; W: 30; ALT; ->11/05; engine mod. Duratec; Fitting Position: Centre
				Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; 11/05->; engine mod. Duratec; Fitting Position: Centre
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Left
2.0 16V DI / TDDi / TDCi	66/90	D5BA;SDBA	10/00->03/07	Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre
				Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP; ->09/04; engine mod. Duratorq
2.0 16V TDDi / TDCi	85/115	D6BA;HJBA;HJBB;HJBC	10/00->03/07	Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre
				Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Left
2.0 TDCi	96/130	FMBA;N7BA	10/01->03/07	Deflection/Guide	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP; ->09/04; engine mod. Duratorq
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left
				Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Left
2.2 TDCi	110/150	QJBC;QJBD	09/04->03/07	Deflection/Guide	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP; ->09/04; engine mod. Duratorq
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left
				Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Left
2.2 TDCi	114/155	QJBA;QJBB	09/04->03/07	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left
				Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Left







	kW/HP	Engine code		Type		
MONDEO III Saloon (B4Y) 						
1.8 16V	81/110	CGBA;CGBB	10/00->03/07	Deflection/Guide	SR-1500	+ holder; OD: 76; thread size M8x1,25; W: 30; ALT; ->11/05; engine mod. Duratec; Fitting Position: Centre
				Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; 11/05->; engine mod. Duratec; Fitting Position: Centre
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Left
1.8 16V	92/125	CHBA;CHBB	10/00->03/07	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; 11/05->; engine mod. Duratec; Fitting Position: Centre
				Deflection/Guide	SR-1500	+ holder; OD: 76; thread size M8x1,25; W: 30; ALT; ->11/05; engine mod. Duratec; Fitting Position: Centre
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Left
1.8 SCi	96/130	CFBA	06/03->03/07	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; 11/05->; engine mod. Duratec; Fitting Position: Centre
				Deflection/Guide	SR-1500	+ holder; OD: 76; thread size M8x1,25; W: 30; ALT; ->11/05; engine mod. Duratec; Fitting Position: Centre
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Left
2.0 16V	107/146	CJBA;CJBB	10/00->03/07	Deflection/Guide	SR-1500	+ holder; OD: 76; thread size M8x1,25; W: 30; ALT; ->11/05; engine mod. Duratec; Fitting Position: Centre
				Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; 11/05->; engine mod. Duratec; Fitting Position: Centre
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Left
2.0 16V DI / TDDi / TDCi	66/90	D5BA;SDBA	10/00->03/07	Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre
				Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP; ->09/04; engine mod. Duratorq
2.0 16V TDDi / TDCi	85/115	D6BA;HJBA;HJBB;HJBC	10/00->03/07	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left
				Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Left
2.0 TDCi	96/130	FMBA;N7BA	10/01->03/07	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left
				Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP; ->09/04; engine mod. Duratorq
2.2 TDCi	114/155	QJBA;QJBB	09/04->03/07	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left
				Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Left
2.2 TDCi	110/150	QJBC;QJBD	09/04->03/07	Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre
				Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Left
MONDEO IV (BA7) 						
1.6 Ti	81/110	RHBA	03/07->09/14	Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; engine mod. Duratec
1.6 Ti	92/125	PNBA	03/07->09/14	Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; engine mod. Duratec
1.6 Ti	88/120	KGBA	07/10->09/14	Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; engine mod. Duratec
1.8 TDCi	74/100	FFBA	03/07->09/14	Deflection/Guide	SR-1493	+ holder; OD: 76; thread size M10x1,5; W: 30; ALT; engine mod. LD18 Lynx; Fitting Position: Right
				Tensioner	SR-1545	- holder; OD: 65; W: 23; ALT; engine mod. LD18 Lynx; Fitting Position: Lower
				Tensioner	SR-1419	ID: 10,2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
2.0	107/145	AOBA;TBBA;AOBC	03/07->09/14	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine mod. Duratec; Fitting Position: Centre right
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Upper
				Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine mod. Duratec; Fitting Position: Centre right
2.0 Flexifuel	107/145	TBBA;TBBB	03/09->09/14	Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Upper
				Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine mod. Duratec; Fitting Position: Centre right
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Upper
2.0 LPG	107/145	TBBA	07/09->09/14	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine mod. Duratec; Fitting Position: Centre right
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Upper
				Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; ->04/12; engine mod. Duratorq; Fitting Position: Right
2.0 TDCi	96/130	AZBA	03/07->09/14	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine mod. Duratorq; Fitting Position: Right
				Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; ->04/12; engine mod. Duratorq; Fitting Position: Right
				Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine mod. Duratorq; Fitting Position: Right
2.0 TDCi	103/140	QXBA;QXBB;UFBA;UFB	03/07->09/14	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; ->04/12; engine mod. Duratorq; Fitting Position: Right
				Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; ->04/12; engine mod. Duratorq; Fitting Position: Right
				Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine mod. Duratorq; Fitting Position: Right
2.0 TDCi	120/163	TXBA;TXBB	03/10->09/14	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; ->04/12; engine mod. Duratorq; Fitting Position: Right
				Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine mod. Duratorq; Fitting Position: Right
				Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine mod. Duratorq; Fitting Position: Right
2.2 TDCi	129/175	Q4BA	03/08->10/10	Deflection/Guide	SR-1148	OD: 70; W: 28; ALT; engine mod. Duratorq; Fitting Position: Upper Left
				Deflection/Guide	SR-1148	OD: 70; W: 28; ALT; engine mod. Duratorq; Fitting Position: Upper Left
				Deflection/Guide	SR-1500	+ holder; OD: 76; thread size M8x1,25; W: 30; ALT; engine mod. Duratec; Fitting Position: Upper
2.3	118/160	SEBA	07/07->09/14	Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Lower Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; engine mod. Duratec; Fitting Position: Right
				Tensioner	SR-1546	+ holder; OD: 76; W: 22; ALT; engine mod. Duratec; Fitting Position: Centre
2.5	162/220	HUBA	03/07->09/14	Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; engine mod. Duratec; Fitting Position: Left
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; engine mod. Duratec; Fitting Position: Left













	kW/HP	Engine code		Type		
MONDEO IV Saloon (BA7) 						
1.6 Ti	92/125	PNBA	03/07->09/14	Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; engine mod. Duratec
				Deflection/Guide	SR-1493	+ holder; OD: 76; thread size M10x1,5; W: 30; ALT; engine mod. LD18 Lynx; Fitting Position: Right
1.8 TDCi	74/100	FFBA	03/07->09/14	Tensioner	SR-1545	- holder; OD: 65; W: 23; ALT; engine mod. LD18 Lynx; Fitting Position: Lower
				Tensioner	SR-1419	ID: 10,2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
2.0	107/145	AOBA;TBBA;AOBC	03/07->09/14	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine mod. Duratec; Fitting Position: Centre right
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Upper
2.0 Flexifuel	107/145	TBBA;TBBB	03/09->09/14	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine mod. Duratec; Fitting Position: Centre right
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Upper
2.0 LPG	107/145	TBBA	07/09->09/14	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine mod. Duratec; Fitting Position: Centre right
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Upper
2.0 TDCi	96/130	AZBA	03/07->09/14	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine mod. Duratec; Fitting Position: Right
2.0 TDCi	103/140	QXBA;QXBB;UFBA;UFB B	03/07->09/14	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; --04/12; engine mod. Duratec; Fitting Position: Right
2.0 TDCi	120/163	TXBA;TXBB	03/10->09/14	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; --04/12; engine mod. Duratec; Fitting Position: Right
2.0 TDCi	85/115	KLBA;LPBA;TYBA	11/07->09/14	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine mod. Duratec; Fitting Position: Right
2.2 TDCi	129/175	Q4BA	03/08->10/10	Deflection/Guide	SR-1148	OD: 70; W: 28; ALT; engine mod. Duratec; Fitting Position: Upper Left
2.3	118/160	SEBA	07/07->09/14	Deflection/Guide	SR-1500	+ holder; OD: 76; thread size M8x1,25; W: 30; ALT; engine mod. Duratec; Fitting Position: Upper
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Lower Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; engine mod. Duratec; Fitting Position: Right
2.5	162/220	HUBA	03/07->09/14	Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; engine mod. Duratec; Fitting Position: Left
				Tensioner	SR-1546	+ holder; OD: 76; W: 22; ALT; engine mod. Duratec; Fitting Position: Centre
MONDEO IV Turnier (BA7) 						
1.6 Ti	81/110	RHBA	03/07->12/12	Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; engine mod. Duratec
1.6 Ti	92/125	PNBA	03/07->12/10	Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; engine mod. Duratec
1.6 Ti	88/120	KGBA	07/10->09/14	Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; engine mod. Duratec
				Deflection/Guide	SR-1493	+ holder; OD: 76; thread size M10x1,5; W: 30; ALT; engine mod. LD18 Lynx; Fitting Position: Right
1.8 TDCi	74/100	FFBA	03/07->12/12	Tensioner	SR-1419	ID: 10,2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
				Tensioner	SR-1545	- holder; OD: 65; W: 23; ALT; engine mod. LD18 Lynx; Fitting Position: Lower
				Deflection/Guide	SR-1493	+ holder; OD: 76; thread size M10x1,5; W: 30; ALT; engine mod. LD18 Lynx; Fitting Position: Right
1.8 TDCi	92/125	QYBA;KHBA	06/07->12/12	Tensioner	SR-1545	- holder; OD: 65; W: 23; ALT; engine mod. LD18 Lynx; Fitting Position: Lower
				Tensioner	SR-1419	ID: 10,2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
2.0	107/145	AOBA;TBBA;AOBC	03/07->09/14	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine mod. Duratec; Fitting Position: Centre right
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Upper
2.0 Flexifuel	107/145	TBBA;TBBB	03/09->09/14	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine mod. Duratec; Fitting Position: Centre right
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Upper
2.0 LPG	107/145	TBBA	07/09->09/14	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine mod. Duratec; Fitting Position: Centre right
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Upper
2.0 TDCi	100/136	AZBC;UKBA;UKBB	03/07->09/14	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine mod. Duratec; Fitting Position: Right
2.0 TDCi	96/130	AZBA	03/07->12/12	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine mod. Duratec; Fitting Position: Right
2.0 TDCi	103/140	QXBA;QXBB;UFBA;UFB B	03/07->09/14	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; --04/12; engine mod. Duratec; Fitting Position: Right
2.0 TDCi	120/163	TXBA;TXBB	03/10->09/14	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; --04/12; engine mod. Duratec; Fitting Position: Right
2.0 TDCi	85/115	KLBA;LPBA;TYBA	11/07->09/14	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; --04/12; engine mod. Duratec; Fitting Position: Right
2.2 TDCi	129/175	Q4BA	03/08->10/10	Deflection/Guide	SR-1148	OD: 70; W: 28; ALT; engine mod. Duratec; Fitting Position: Upper Left
2.2 TDCi	147/200	KNBA	07/10->09/14	Deflection/Guide	SR-1148	OD: 70; W: 28; ALT; engine mod. Duratec; Fitting Position: Upper Left
2.3	118/160	SEBA	07/07->09/14	Deflection/Guide	SR-1500	+ holder; OD: 76; thread size M8x1,25; W: 30; ALT; engine mod. Duratec; Fitting Position: Upper
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Lower Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; engine mod. Duratec; Fitting Position: Right
2.5	162/220	HUBA	03/07->12/12	Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; engine mod. Duratec; Fitting Position: Left
				Tensioner	SR-1546	+ holder; OD: 76; W: 22; ALT; engine mod. Duratec; Fitting Position: Centre
ORION I (AFD) 						
1.6	58/79	LP1;LPA	07/83->03/86	Tensioner	SR-1034	OD: 57; W: 30; engine HL16 CVH
1.6 i	77/105	LR1;LRA	07/83->03/86	Tensioner	SR-1034	OD: 57; W: 30; engine HL16 CVH
ORION II (AFF) 						
1.4	54/73	FUC	01/86->07/90	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH
1.4	52/72	FUAA	03/86->07/90	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH
1.4	55/75	FUA	12/85->07/90	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH
1.4 CAT	54/73	F6B;F6D	02/87->07/90	Tensioner	SR-1034	OD: 57; W: 30; engine HL14 CVH








	kW/HP	Engine code		Type		
1.6	66/90	LUC	12/85->07/90	Tensioner	SR-1034	OD: 57; W: 30; engine HL16 CVH
1.6 i	77/105	LRB	03/86->07/90	Tensioner	SR-1034	OD: 57; W: 30; engine HL16 CVH
1.6 i	75/102	LJB	08/89->07/90	Tensioner	SR-1034	OD: 57; W: 30; engine HL16 CVH
1.6 i CAT	66/90	L4B	03/86->07/90	Tensioner	SR-1034	OD: 57; W: 30; engine HL16 CVH
1.8 D	44/60	RTA;RTB	01/89->07/90	Tensioner	SR-1054	OD: 60; W: 26; IP; engine D18
ORION III (GAL) 						
1.4	52/71	F6F;F6G	07/90->12/93	Tensioner	SR-1034	OD: 57; W: 30; ->04/92; engine HL14 CVH; num. of teeth 97; 05/92->; engine HL14 CVH; num. of teeth 97
1.4	54/73	FUH	07/90->12/93	Tensioner	SR-1034	OD: 57; W: 30; ->04/92; engine HL14 CVH; num. of teeth 97; 05/92->; engine HL14 CVH; num. of teeth 97
1.6	66/90	LUJ;LUK	07/90->12/92	Tensioner	SR-1034	OD: 57; W: 30; 05/92->; engine HL16 CVH; num. of teeth 97; ->04/92; engine HL16 CVH; num. of teeth 97
1.6 i	77/105	LJF	07/90->09/92	Tensioner	SR-1034	OD: 57; W: 30; 05/92->; engine HL16 CVH; num. of teeth 97; ->04/92; engine HL16 CVH; num. of teeth 97
1.6 i 16V	66/90	L1E;L1K	07/92->12/93	Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH16 Zetec; Fitting Position: Upper Left
				Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH16 Zetec; Fitting Position: Lower
1.8 D	44/60	RTE;RTF;RTH	11/90->12/93	Tensioner	SR-1054	OD: 60; W: 26; IP; engine D18
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
1.8 i 16V	96/130	RQB	01/92->12/93	Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
1.8 i 16V	77/105	RDA	02/92->12/93	Tensioner	SR-1075	OD: 86; W: 30; engine mod. ZH18 Zetec; Fitting Position: Lower
				Deflection/Guide	SR-1076	OD: 60; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Right
				Deflection/Guide	SR-1077	OD: 46; W: 29; engine mod. ZH18 Zetec; Fitting Position: Upper Left
1.8 TD	66/90	RFD;RFK	03/92->12/93	Tensioner	SR-1054	OD: 60; W: 26; IP; IP; engine D18T; engine D18T; engine D18T; engine D18T
P 100 II 						
1.8 TD	55/75	RFA	10/87->12/92	Tensioner	SR-1054	OD: 60; W: 26; IP; engine D18T
PUMA (EC_) 						
1.4 16V	66/90	FHD;FHF	11/97->10/00	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH14 Zetec; Fitting Position: Centre
1.6 16V	76/103	L1W	08/00->06/02	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH16 Zetec; Fitting Position: Centre
1.7 16V	92/125	MHA;MHB	03/97->06/02	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH17 Zetec; Fitting Position: Centre
ST 160	118/160		06/99->06/02	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine mod. ZH17 Zetec; Fitting Position: Centre
RANGER (TKE) 						
2.5 i 4x4	122/166	GBVAF;GBVAL;GBVAK	11/11->	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; Fitting Position: Centre
SIERRA (GBG, GB4) 						
1.6	55/75	LSE	01/87->02/93	Tensioner	SR-1034	OD: 57; W: 30; 01/90->; ->04/92; engine HL16 CVH; num. of teeth 97; 05/92->; engine HL16 CVH; num. of teeth 97
1.6	53/72	LSF	01/88->02/93	Tensioner	SR-1034	OD: 57; W: 30; 01/90->; ->04/92; engine HL16 CVH; num. of teeth 97; 05/92->; engine HL16 CVH; num. of teeth 97
1.6 i	59/80	L6B	10/89->02/93	Tensioner	SR-1034	OD: 57; W: 30; 01/90->; ->04/92; engine HL16 CVH; num. of teeth 97; 05/92->; engine HL16 CVH; num. of teeth 97
1.8 TD	55/75	RFA;RFB;RFL	08/88->02/93	Tensioner	SR-1054	OD: 60; W: 26; IP; engine D18T
SIERRA Estate (BNG) 						
1.6	55/75	LSE	01/87->02/93	Tensioner	SR-1034	OD: 57; W: 30; 01/90->; ->04/92; engine HL16 CVH; num. of teeth 97; 05/92->; engine HL16 CVH; num. of teeth 97
1.6	53/72	LSF	01/88->02/93	Tensioner	SR-1034	OD: 57; W: 30; 01/90->; ->04/92; engine HL16 CVH; num. of teeth 97; 05/92->; engine HL16 CVH; num. of teeth 97
1.8 TD	55/75	RFA;RFB;RFL	08/88->02/93	Tensioner	SR-1054	OD: 60; W: 26; IP; engine D18T
SIERRA Hatchback (GBC, GBG) 						
1.6	55/75	LSE	01/87->02/93	Tensioner	SR-1034	OD: 57; W: 30; 01/90->; ->04/92; engine HL16 CVH; num. of teeth 97; 05/92->; engine HL16 CVH; num. of teeth 97
1.6	53/72	LSF	01/88->02/93	Tensioner	SR-1034	OD: 57; W: 30; 01/90->; ->04/92; engine HL16 CVH; num. of teeth 97; 05/92->; engine HL16 CVH; num. of teeth 97
1.6 i	59/80	L6B	10/89->02/93	Tensioner	SR-1034	OD: 57; W: 30; 01/90->; ->04/92; engine HL16 CVH; num. of teeth 97; 05/92->; engine HL16 CVH; num. of teeth 97
1.8 TD	55/75	RFA;RFB;RFL	08/88->02/93	Tensioner	SR-1054	OD: 60; W: 26; IP; engine D18T
S-MAX (WA6) 						
1.8 TDCi	92/125	QYWA	05/06->	Deflection/Guide	SR-1493	+ holder; OD: 76; thread size M10x1,5; W: 30; ALT; engine mod. LD18 Lynx; Fitting Position: Right
				Tensioner	SR-1545	- holder; OD: 65; W: 23; ALT; engine mod. LD18 Lynx; Fitting Position: Lower
				Tensioner	SR-1419	ID: 10,2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
2.0	107/145	AOWA;AOWB	05/06->	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine mod. Duratec; Fitting Position: Centre right
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Upper
2.0 Flexifuel	107/145	TBWA;TBWB	05/06->	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine mod. Duratec; Fitting Position: Centre right
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Upper
2.2 TDCi	129/175	Q4WA	03/08->	Deflection/Guide	SR-1148	OD: 70; W: 28; ALT; engine mod. Duratorq; Fitting Position: Upper Left
2.2 TDCi	147/200	KNWA	07/10->	Deflection/Guide	SR-1148	OD: 70; W: 28; ALT; engine mod. Duratorq; Fitting Position: Upper Left
2.3	118/160	SEWA	07/07->	Deflection/Guide	SR-1500	+ holder; OD: 76; thread size M8x1,25; W: 30; ALT; engine mod. Duratec; Fitting Position: Upper
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Lower Left


















	kW/HP	Engine code		Type		
2.5 ST	162/220	HUWA	05/06->	Deflection/Guide	SR-1146	OD: 53; W: 27; engine mod. Duratec; Fitting Position: Right
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; engine mod. Duratec; Fitting Position: Left
				Tensioner	SR-1546	+ holder; OD: 76; W: 22; ALT; engine mod. Duratec; Fitting Position: Centre
TOURNEO CONNECT 						
1.8 16V	85/116	EYPA;EYPC;EYPD	06/02->12/13	Deflection/Guide	SR-1413	+ holder; OD: 70; thread size M10x1,5; W: 25,5; ALT; engine mod. ZH18 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; engine mod. ZH18 Zetec
				Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; engine mod. ZH18 Zetec; Fitting Position: Left
				Tensioner	SR-1336	ID: 8,2; OD: 60; W: 29; engine mod. ZH18 Zetec
1.8 TDCi	66/90	HCPA;HCPB;P9PA;P9PB;P9PC;P9PD;R3PA;RWPE;RWPF	06/02->12/13	Deflection/Guide	SR-1420	+ holder; OD: 90; thread size M10x1,5; W: 29; ALT; engine mod. LD18 Lynx; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1521	OD: 60; W: 26,6; ALT; engine mod. LD18 Lynx; Fitting Position: Centre; - AC
				Tensioner	SR-1419	ID: 10,2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
1.8 TDCi	81/110	RWPA;RWPC;RWPD	08/06->12/13	Deflection/Guide	SR-1420	+ holder; OD: 90; thread size M10x1,5; W: 29; ALT; engine mod. LD18 Lynx; Fitting Position: Centre
				Tensioner	SR-1419	ID: 10,2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
				Tensioner	SR-1421	- holder; ID: 17; OD: 70; W: 26; ALT; engine mod. LD18 Lynx; Fitting Position: Left
1.8 TDCi /TDDi /DI	55/75	BHPA;P7PA;P7PB;R2PA	06/02->12/13	Deflection/Guide	SR-1521	OD: 60; W: 26,6; ALT; engine mod. LD18 Lynx; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1420	+ holder; OD: 90; thread size M10x1,5; W: 29; ALT; engine mod. LD18 Lynx; Fitting Position: Centre; + AC
				Tensioner	SR-1421	- holder; ID: 17; OD: 70; W: 26; ALT; engine mod. LD18 Lynx; Fitting Position: Left
Tensioner	SR-1419	ID: 10,2; OD: 74; W: 24; CS; engine mod. LD18 Lynx				
TOURNEO CONNECT / GRAND TOURNEO CONNECT Kombi 						
1.0 EcoBoost	74/100	M2GA;M2GB	11/13->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine FOX [10FD0X]; Fitting Position: Lower; - AC
TOURNEO COURIER Kombi 						
1.0 EcoBoost	74/100	SFCA;SFCD;SFCC;SFC	02/14->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; Fitting Position: Lower; - AC
TOURNEO CUSTOM Bus 						
2.2 TDCi	74/100	DRFG;DRFF;DRF4	04/12->	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Upper Left; + AC; - start-stop
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Lower Left; + AC
2.2 TDCi	92/125	CYF4;CYFF	04/12->	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Upper Left; + AC; - start-stop
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Lower Left; + AC
2.2 TDCi	114/155	CVFF	04/12->	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Upper Left; + AC; - start-stop
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Lower Left; + AC
TRANSIT Box 						
2.2 TDCi	81/110	QVFA	04/06->08/14	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine mod. Duratorq; Fitting Position: Upper; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Right; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
2.2 TDCi	96/130	QWFA	04/06->08/14	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Right; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine mod. Duratorq; Fitting Position: Upper; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
2.2 TDCi	63/85	P8FA;P8FB	04/06->08/14	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine mod. Duratorq; Fitting Position: Upper; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Right; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
2.2 TDCi	103/140	PGFA;PGFB;UHFA;UHF B;UHFC	10/07->08/14	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Right; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine mod. Duratorq; Fitting Position: Upper; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
2.2 TDCi	85/115	SRFA;SRFB;SRFC;SRF D;SRFE	10/08->08/14	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine mod. Duratorq; Fitting Position: Upper; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Right; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
2.2 TDCi	74/100	DRFA;DRFB;DRFC;DRF D;DRFE	10/11->08/14	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Left; FWD; + AC; - start-stop
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Centre right; FWD; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Centre; FWD; + AC
2.2 TDCi	92/125	CYFA;CYFB;CYFC;CYFD	10/11->08/14	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Centre right; FWD; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Left; FWD; + AC; - start-stop
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Centre; FWD; + AC
2.3 16V [RWD]	107/145	GZFA;GZFC;GZFB	04/06->08/14	Deflection/Guide	SR-1500	+ holder; OD: 76; thread size M8x1,25; W: 30; ALT; engine mod. Duratec; Fitting Position: Centre
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Left















	kW/HP	Engine code		Type		
2.4 TDCi [RWD]	85/115	JXFA;JXFC	04/06->08/14	Deflection/Guide	SR-1548	ID: 10,2; OD: 76; W: 31; ALT; engine mod. Duratorq; Fitting Position: Upper
				Tensioner	SR-1547	- holder; ID: 17; OD: 65; W: 29; ALT; engine mod. Duratorq; Fitting Position: Left
2.4 TDCi [RWD]	103/140	H9FD	04/06->08/14	Deflection/Guide	SR-1548	ID: 10,2; OD: 76; W: 31; ALT; engine mod. Duratorq; Fitting Position: Upper
				Tensioner	SR-1547	- holder; ID: 17; OD: 65; W: 29; ALT; engine mod. Duratorq; Fitting Position: Left
2.4 TDCi [RWD]	74/100	PHFA;PHFC	04/06->08/14	Deflection/Guide	SR-1548	ID: 10,2; OD: 76; W: 31; ALT; engine mod. Duratorq; Fitting Position: Upper
				Tensioner	SR-1547	- holder; ID: 17; OD: 65; W: 29; ALT; engine mod. Duratorq; Fitting Position: Left
2.4 TDCi 4x4	103/140	H9FB	11/06->08/14	Deflection/Guide	SR-1548	ID: 10,2; OD: 76; W: 31; ALT; engine mod. Duratorq; Fitting Position: Upper
				Tensioner	SR-1547	- holder; ID: 17; OD: 65; W: 29; ALT; engine mod. Duratorq; Fitting Position: Left
3.2 TDCi [RWD]	147/200	SAFA;SAFB	09/07->08/14	Deflection/Guide	SR-1548	ID: 10,2; OD: 76; W: 31; ALT; engine mod. Duratorq; Fitting Position: Upper
				Tensioner	SR-1547	- holder; ID: 17; OD: 65; W: 29; ALT; engine mod. Duratorq; Fitting Position: Left
TRANSIT Box [E_] 						
2.0 [EAL, EAS]	84/114	NSF;NSG	06/94->03/00	Tensioner	SR-1269	- holder; OD: 76; W: 26
TRANSIT Box [E_] 						
2.5 DI [EAL, EAS]	51/70	4BC;4CC;4FA	05/91->06/94	Tensioner	SR-1068	OD: 60; W: 32; ->07/91
2.5 DI [EAS, EAL]	59/80	4DA	05/91->06/94	Tensioner	SR-1068	OD: 60; W: 32; ->07/91
2.5 TD [EAS, EAL]	74/101	4EA	05/91->06/94	Tensioner	SR-1068	OD: 60; W: 32; ->07/91
TRANSIT Box [FA_] 						
2.0 DI [FAE_, FAF_, FAG_]	55/75	D3FA	08/00->05/06	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left; + AC
				Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Left; + AC
				Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP; engine mod. Duratorq
2.0 DI [FAE_, FAF_, FAG_]	74/100	ABFA	08/00->05/06	Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
				Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP; engine mod. Duratorq
				Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Left; + AC
2.0 DI [FAE_, FAF_, FAG_]	63/86	F3FA	08/00->05/06	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left; + AC
				Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Left; + AC
				Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP; engine mod. Duratorq
2.0 TDCi	92/125	F1FA	08/02->05/06	Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
				Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP; engine mod. Duratorq
				Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Left; + AC
2.4 DI [FAA_, FAB_, FAC_, FAD_]	66/90	D2FA;D2FE;D2FB	01/00->05/06	Deflection/Guide	SR-1490	- holder; ID: 17; OD: 76,5; W: 37; ALT; engine mod. Duratorq; Fitting Position: Upper Right
				Tensioner	SR-1489	- holder; ID: 17; OD: 76,5; W: 37; ALT; engine mod. Duratorq; Fitting Position: Left
2.4 DI [RWD] [FAA_, FAB_, FAC_, FAD_]	88/120	D4FA	01/00->05/06	Deflection/Guide	SR-1490	- holder; ID: 17; OD: 76,5; W: 37; ALT; engine mod. Duratorq; Fitting Position: Upper Right
				Tensioner	SR-1489	- holder; ID: 17; OD: 76,5; W: 37; ALT; engine mod. Duratorq; Fitting Position: Left
2.4 DI [RWD] [FAA_, FAB_, FAC_, FAD_]	55/75	F4FA	01/00->05/06	Deflection/Guide	SR-1490	- holder; ID: 17; OD: 76,5; W: 37; ALT; engine mod. Duratorq; Fitting Position: Upper Right
				Tensioner	SR-1489	- holder; ID: 17; OD: 76,5; W: 37; ALT; engine mod. Duratorq; Fitting Position: Left
2.4 TDCi	101/137	H9FA	03/04->05/06	Deflection/Guide	SR-1490	- holder; ID: 17; OD: 76,5; W: 37; ALT; engine mod. Duratorq; Fitting Position: Upper Right
				Tensioner	SR-1489	- holder; ID: 17; OD: 76,5; W: 37; ALT; engine mod. Duratorq; Fitting Position: Left
2.4 TDE	85/115	FXFA	03/04->05/06	Deflection/Guide	SR-1490	- holder; ID: 17; OD: 76,5; W: 37; ALT; engine mod. Duratorq; Fitting Position: Upper Right
				Tensioner	SR-1489	- holder; ID: 17; OD: 76,5; W: 37; ALT; engine mod. Duratorq; Fitting Position: Left
2.4 TDE	92/125	DOFA	07/01->05/06	Deflection/Guide	SR-1490	- holder; ID: 17; OD: 76,5; W: 37; ALT; engine mod. Duratorq; Fitting Position: Upper Right
				Tensioner	SR-1489	- holder; ID: 17; OD: 76,5; W: 37; ALT; engine mod. Duratorq; Fitting Position: Left
TRANSIT Box [T_] 						
2.5 D [TAL, TAS, TGL, TWS]	50/68	4AB	01/86->09/91	Tensioner	SR-1068	OD: 60; W: 32; ->07/91
2.5 D [TAL, TAS, TGL, TWS]	52/71	4BA;4CA	10/88->09/91	Tensioner	SR-1068	OD: 60; W: 32; ->07/91
TRANSIT Bus 						
2.2 TDCi	63/85	P8FA;P8FB	04/06->08/14	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine mod. Duratorq; Fitting Position: Upper; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Right; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
2.2 TDCi	81/110	QVFA	04/06->08/14	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Right; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine mod. Duratorq; Fitting Position: Upper; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC













	kW/HP	Engine code		Type		
2.2 TDCi	96/130	QWFA	04/06->08/14	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine mod. Duratorq; Fitting Position: Upper; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Right; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
2.2 TDCi	103/140	PGFA;PGFB;UHFA;UHF B;UHFC	10/07->08/14	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine mod. Duratorq; Fitting Position: Upper; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Right; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
2.2 TDCi	85/115	SRFA;SRFB;SRFC;SRF D;SRFE	10/08->08/14	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Right; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine mod. Duratorq; Fitting Position: Upper; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
2.2 TDCi	74/100	DRFA;DRFB;DRFC;DRF D;DRFE	10/11->08/14	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Centre right; FWD; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Left; FWD; + AC; - start-stop
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Centre; FWD; + AC
2.2 TDCi	92/125	CYFA;CYFB;CYFC;CYFD	10/11->08/14	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Left; FWD; + AC; - start-stop
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Centre right; FWD; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Centre; FWD; + AC
2.4 TDCi	85/115	JXFA;JXFC	04/06->08/14	Deflection/Guide	SR-1548	ID: 10,2; OD: 76; W: 31; ALT; engine mod. Duratorq; Fitting Position: Upper
				Tensioner	SR-1547	- holder; ID: 17; OD: 65; W: 29; ALT; engine mod. Duratorq; Fitting Position: Left
2.4 TDCi	103/140	H9FD	04/06->08/14	Deflection/Guide	SR-1548	ID: 10,2; OD: 76; W: 31; ALT; engine mod. Duratorq; Fitting Position: Upper
				Tensioner	SR-1547	- holder; ID: 17; OD: 65; W: 29; ALT; engine mod. Duratorq; Fitting Position: Left
2.4 TDCi	74/100	PHFA;PHFC	04/06->08/14	Deflection/Guide	SR-1548	ID: 10,2; OD: 76; W: 31; ALT; engine mod. Duratorq; Fitting Position: Upper
				Tensioner	SR-1547	- holder; ID: 17; OD: 65; W: 29; ALT; engine mod. Duratorq; Fitting Position: Left
2.4 TDCi 4x4	103/140	H9FB	11/06->08/14	Deflection/Guide	SR-1548	ID: 10,2; OD: 76; W: 31; ALT; engine mod. Duratorq; Fitting Position: Upper
				Tensioner	SR-1547	- holder; ID: 17; OD: 65; W: 29; ALT; engine mod. Duratorq; Fitting Position: Left
3.2 TDCi	147/200	SAFA;SAFB	02/08->08/14	Deflection/Guide	SR-1548	ID: 10,2; OD: 76; W: 31; ALT; engine mod. Duratorq; Fitting Position: Upper
				Tensioner	SR-1547	- holder; ID: 17; OD: 65; W: 29; ALT; engine mod. Duratorq; Fitting Position: Left
TRANSIT Bus (E_) 						
2.0 (EBL, EBS, ECL, EDS, EDL, EGL, ESS, ESL, EUS)	84/114	NSF;NSG	09/95->03/00	Tensioner	SR-1269	- holder; OD: 76; W: 26
2.0 CNG	84/114	NSH	06/94->03/00	Tensioner	SR-1269	- holder; OD: 76; W: 26
TRANSIT Bus (FD_, FB_, FS_, FZ_, FC_) 						
2.0 DI (F_E_, F_F_, F_G_)	55/75	D3FA	08/00->05/06	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left; + AC
				Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Left; + AC
2.0 DI (F_E_, F_F_, F_G_)	74/100	ABFA	08/00->05/06	Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP; engine mod. Duratorq
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
2.0 DI (F_E_, F_F_, F_G_)	63/86	F3FA	08/00->05/06	Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP; engine mod. Duratorq
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left; + AC
2.0 TDCi (F_F_, F_E_, F_G_)	92/125	FIFA	08/02->05/06	Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Left; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left; + AC
2.4 DI (F_B_, F_C_, F_A_)	66/90	D2FA;D2FE;D2FB	01/00->05/06	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left; + AC
				Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP; engine mod. Duratorq
2.4 DI (RWD) (F_B_, F_C_)	55/75	F4FA	01/00->05/06	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left; + AC
				Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP; engine mod. Duratorq
2.4 DI (RWD) (F_B_, F_C_, F_A_)	88/120	D4FA	01/00->05/06	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left; + AC
				Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP; engine mod. Duratorq
2.4 TDCi	101/137	H9FA	03/04->05/06	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left; + AC
				Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP; engine mod. Duratorq
2.4 TDE	85/115	FXFA	03/04->05/06	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left; + AC
				Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP; engine mod. Duratorq
2.4 TDE (F_C_, F_B_, F_A_)	92/125	DOFA	07/01->05/06	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left; + AC
				Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP; engine mod. Duratorq










	kW/HP	Engine code		Type		
TRANSIT Bus (T_) 						
2.5 D (TBS, TCL, TCS, TEL, TES)	50/68	4AB	12/85->01/89	Tensioner	SR-1068	OD: 60; W: 32
2.5 D (TBS, TEL, TES)	52/71	4AB;4BA;4CA	09/88->09/92	Tensioner	SR-1068	OD: 60; W: 32; ->07/91
TRANSIT CONNECT (P65_ , P70_ , P80_) 						
1.8 16V	85/116	EYPA;EYPC;EYPD	06/02->12/13	Deflection/Guide	SR-1413	+ holder; OD: 70; thread size M10x1,5; W: 25,5; ALT; engine mod. ZH18 Zetec; Fitting Position: Upper
				Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; engine mod. ZH18 Zetec
				Tensioner	SR-1336	ID: 8,2; OD: 60; W: 29; engine mod. ZH18 Zetec
1.8 Di	55/75	BHPA;P7PA;P7PB;R2P A	06/02->12/13	Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; engine mod. ZH18 Zetec; Fitting Position: Left
				Deflection/Guide	SR-1420	+ holder; OD: 90; thread size M10x1,5; W: 29; ALT; engine mod. LD18 Lynx; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1521	OD: 60; W: 26,6; ALT; engine mod. LD18 Lynx; Fitting Position: Centre; - AC
1.8 TDCi	66/90	HCPA;HCPB;P9PA;P9P B;P9PC;P9PD;R3PA;R WPE;RWPF	06/02->12/13	Tensioner	SR-1421	- holder; ID: 17; OD: 70; W: 26; ALT; engine mod. LD18 Lynx; Fitting Position: Left
				Tensioner	SR-1419	ID: 10,2; OD: 74; W: 24; CS; engine mod. LD18 Lynx
				Deflection/Guide	SR-1521	OD: 60; W: 26,6; ALT; engine mod. LD18 Lynx; Fitting Position: Centre; - AC
1.8 TDCi	81/110	RWPA;RWPC;RWPD	08/06->12/13	Deflection/Guide	SR-1420	+ holder; OD: 90; thread size M10x1,5; W: 29; ALT; engine mod. LD18 Lynx; Fitting Position: Centre
				Tensioner	SR-1419	ID: 10,2; OD: 74; W: 24; IP; engine mod. LD18 Lynx
				Tensioner	SR-1421	- holder; ID: 17; OD: 70; W: 26; ALT; engine mod. LD18 Lynx; Fitting Position: Left
TRANSIT CONNECT Box 						
1.0 EcoBoost	74/100	M2GA	02/13->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; engine FOX [10FD0X]; Fitting Position: Lower; - AC
TRANSIT COURIER Box 						
1.0 EcoBoost	74/100	SFCA;SFCB;SFCC;SFC D	02/14->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; Fitting Position: Lower; - AC
TRANSIT COURIER Kombi 						
1.0 EcoBoost	74/100	SFCA;SFCB;SFCC;SFC D	02/14->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; Fitting Position: Lower; - AC
TRANSIT CUSTOM Box 						
2.2 TDCi	74/100	DRFG;DRFF;DRF4	04/12->	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Upper Left; + AC; - start-stop
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Lower Left; + AC
2.2 TDCi	92/125	CYF4;CYFF	04/12->	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Upper Left; + AC; - start-stop
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Lower Left; + AC
2.2 TDCi	114/155	CVFF	04/12->	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Upper Left; + AC; - start-stop
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Lower Left; + AC
TRANSIT CUSTOM Bus 						
2.2 TDCi	74/100	DRFG;DRFF;DRF4	04/12->	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Upper Left; + AC; - start-stop
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Lower Left; + AC
2.2 TDCi	92/125	CYF4;CYFF	04/12->	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Upper Left; + AC; - start-stop
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Lower Left; + AC
2.2 TDCi	114/155	CVFF	04/12->	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Upper Left; + AC; - start-stop
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Lower Left; + AC
TRANSIT Platform/Chassis 						
2.2 TDCi	81/110	QVFA	04/06->08/14	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Right; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine mod. Duratorq; Fitting Position: Upper; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
2.2 TDCi	63/85	P8FA;P8FB	04/06->08/14	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine mod. Duratorq; Fitting Position: Upper; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Right; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
2.2 TDCi	96/130	QWFA	04/06->08/14	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Right; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine mod. Duratorq; Fitting Position: Upper; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
2.2 TDCi	103/140	PGFA;PGFB;UHFA;UHF B;UHFC	10/07->09/11	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Right; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine mod. Duratorq; Fitting Position: Upper; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC














	kW/HP	Engine code		Type		
2.2 TDCi	85/115	SRFA;SRFB;SRFC;SRFD;SRFE	10/08->08/14	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Right; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine mod. Duratorq; Fitting Position: Upper; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
2.2 TDCi	74/100	DRFA;DRFB;DRFC;DRFD;DRFE	10/11->08/14	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Centre right; FWD; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Left; FWD; + AC; - start-stop
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Centre; FWD; + AC
2.2 TDCi	92/125	CYFA;CYFB;CYFC;CYFD	10/11->08/14	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Left; FWD; + AC; - start-stop
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Centre right; FWD; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Centre; FWD; + AC
2.3 16V [RWD]	107/145	GZFA;GZFC;GZFB	04/06->08/14	Deflection/Guide	SR-1500	+ holder; OD: 76; thread size M8x1,25; W: 30; ALT; engine mod. Duratec; Fitting Position: Centre
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine mod. Duratec; Fitting Position: Left
2.4 TDCi [RWD]	74/100	PHFA;PHFC	04/06->08/14	Deflection/Guide	SR-1548	ID: 10,2; OD: 76; W: 31; ALT; engine mod. Duratorq; Fitting Position: Upper
				Tensioner	SR-1547	- holder; ID: 17; OD: 65; W: 29; ALT; engine mod. Duratorq; Fitting Position: Left
2.4 TDCi [RWD]	85/115	JXFA;JXFC	04/06->08/14	Deflection/Guide	SR-1548	ID: 10,2; OD: 76; W: 31; ALT; engine mod. Duratorq; Fitting Position: Upper
				Tensioner	SR-1547	- holder; ID: 17; OD: 65; W: 29; ALT; engine mod. Duratorq; Fitting Position: Left
2.4 TDCi [RWD]	103/140	H9FB;H9FD	04/06->08/14	Deflection/Guide	SR-1548	ID: 10,2; OD: 76; W: 31; ALT; engine mod. Duratorq; Fitting Position: Upper
				Tensioner	SR-1547	- holder; ID: 17; OD: 65; W: 29; ALT; engine mod. Duratorq; Fitting Position: Left
2.4 TDCi 4x4	103/140	H9FB	11/06->08/14	Deflection/Guide	SR-1548	ID: 10,2; OD: 76; W: 31; ALT; engine mod. Duratorq; Fitting Position: Upper
				Tensioner	SR-1547	- holder; ID: 17; OD: 65; W: 29; ALT; engine mod. Duratorq; Fitting Position: Left
3.2 TDCi [RWD]	147/200	SAFA;SAFB	09/07->08/14	Deflection/Guide	SR-1548	ID: 10,2; OD: 76; W: 31; ALT; engine mod. Duratorq; Fitting Position: Upper
				Tensioner	SR-1547	- holder; ID: 17; OD: 65; W: 29; ALT; engine mod. Duratorq; Fitting Position: Left
TRANSIT Platform/Chassis [E_] 						
2.0 [EME/L/S, ENE/L/S]	84/114	NSF;NSG	08/94->03/00	Tensioner	SR-1269	- holder; OD: 76; W: 26
TRANSIT Platform/Chassis [FM_-, FN_] 						
2.0 DI [F_E_-, F_F_]	55/75	D3FA	08/00->05/06	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left; + AC
				Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP; engine mod. Duratorq
2.0 DI [F_E_-, F_F_]	74/100	ABFA	08/00->05/06	Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Left; + AC
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
2.0 DI [F_E_-, F_F_]	63/86	F3FA	08/00->05/06	Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP; engine mod. Duratorq
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
2.0 TDCi [F_E_-, F_F_]	92/125	F1FA	08/02->05/06	Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Left; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; engine mod. Duratorq; Fitting Position: Upper Left; + AC
2.4 DI [F_A_-, F_B_-, F_C_-, F_D_]	66/90	D2FA;D2FE;D2FB	01/00->05/06	Deflection/Guide	SR-1490	- holder; ID: 17; OD: 76,5; W: 37; ALT; engine mod. Duratorq; Fitting Position: Upper Right
				Tensioner	SR-1489	- holder; ID: 17; OD: 76,5; W: 37; ALT; engine mod. Duratorq; Fitting Position: Left
2.4 DI [F_A_-, F_B_-, F_C_-, F_D_]	88/120	D4FA	01/00->05/06	Deflection/Guide	SR-1490	- holder; ID: 17; OD: 76,5; W: 37; ALT; engine mod. Duratorq; Fitting Position: Upper Right
				Tensioner	SR-1489	- holder; ID: 17; OD: 76,5; W: 37; ALT; engine mod. Duratorq; Fitting Position: Left
2.4 DI [F_A_-, F_B_-, F_C_-, F_D_]	55/75	F4FA	01/00->05/06	Deflection/Guide	SR-1490	- holder; ID: 17; OD: 76,5; W: 37; ALT; engine mod. Duratorq; Fitting Position: Upper Right
				Tensioner	SR-1489	- holder; ID: 17; OD: 76,5; W: 37; ALT; engine mod. Duratorq; Fitting Position: Left
2.4 TDCi	101/137	H9FA	03/04->05/06	Deflection/Guide	SR-1490	- holder; ID: 17; OD: 76,5; W: 37; ALT; engine mod. Duratorq; Fitting Position: Upper Right
				Tensioner	SR-1489	- holder; ID: 17; OD: 76,5; W: 37; ALT; engine mod. Duratorq; Fitting Position: Left
2.4 TDE	85/115	FXFA	03/04->05/06	Deflection/Guide	SR-1490	- holder; ID: 17; OD: 76,5; W: 37; ALT; engine mod. Duratorq; Fitting Position: Upper Right
				Tensioner	SR-1489	- holder; ID: 17; OD: 76,5; W: 37; ALT; engine mod. Duratorq; Fitting Position: Left
2.4 TDE	92/125	DOFA	07/01->05/06	Deflection/Guide	SR-1490	- holder; ID: 17; OD: 76,5; W: 37; ALT; engine mod. Duratorq; Fitting Position: Upper Right
				Tensioner	SR-1489	- holder; ID: 17; OD: 76,5; W: 37; ALT; engine mod. Duratorq; Fitting Position: Left
TRANSIT Platform/Chassis [T_] 						
2.5 D [ITL, TTS, TUL, TUS, TTE] CAT	50/68	4AB	01/86->01/89	Tensioner	SR-1068	OD: 60; W: 32
2.5 DI [TTE, TTL, TTS, TUL]	52/71	4BA;4CA	09/88->09/92	Tensioner	SR-1068	OD: 60; W: 32; ->07/91

















	kW/HP	Engine code		Type		
TRANSIT TOURNEO 						
2.2 TDCi	81/110	QVFA	07/06->08/14	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Right; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine mod. Duratorq; Fitting Position: Upper; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
2.2 TDCi	96/131	QWFA	07/06->08/14	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine mod. Duratorq; Fitting Position: Upper; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Right; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
2.2 TDCi	103/140	PGFA;PGFB;UHFA;UHF B	10/07->08/14	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine mod. Duratorq; Fitting Position: Upper; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Right; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
2.2 TDCi	85/115	SRFA;SRFB;SRFC;SRF D;SRFE	10/08->08/14	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Right; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; engine mod. Duratorq; Fitting Position: Upper; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; engine mod. Duratorq; Fitting Position: Centre; + AC
TRANSIT TOURNEO 						
2.0	84/114	NSH	11/94->12/00	Tensioner	SR-1269	- holder; OD: 76; W: 26
FORD USA						
MUSTANG Convertible (C) 						
3.8	112/152		09/93->	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; 08/98->; ->07/99
3.8	108/147		09/93->05/99	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; 08/98->
4.6	160/218		11/95->05/99	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT
4.6	225/306		11/95->05/99	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT
MUSTANG Coupe (C) 						
3.8	112/152		09/93->	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; 08/98->; ->05/99
4.6	160/218		11/95->05/99	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT
4.6	225/306		11/95->05/99	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT
4.6	165/224	99W	11/95->05/99	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT
PROBE II (ECP) 						
2.0 16V	85/116	FS	10/93->03/98	Deflection/Guide	SR-1210	OD: 52; W: 29
				Tensioner	SR-1209	OD: 62; W: 29
TAURUS (P5_) 						
3.0	108/147		09/95->	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; ->09/99
3.0	95/129		11/98->	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; ->09/99
3.0 24V	149/203		09/96->	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; ->09/99
3.0 V6	115/156		03/99->	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; 10/99->; ->09/05
TAURUS Wagon (P5_) 						
3.0	108/147		09/96->12/99	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; ->09/99
3.0	95/129		11/98->12/99	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; ->09/99
3.0 24V	149/203		06/95->12/99	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; 09/96->; ->09/99
3.0 V6	115/156		03/99->12/99	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; 10/99->
GAZ						
GAZELLE Bus 						
2.3	72/98	ZMZ-4063.10	09/01->	Tensioner	SR-1430	OD: 80; W: 30; ALT; ->12/06; QTY 2
SOBOL (2217) Bus 						
2.3	72/98	ZMZ-4063.10	09/97->04/13	Tensioner	SR-1430	OD: 80; W: 30; ALT; 09/01->; QTY 2
SOBOL (2752) Box 						
2.3	72/98	ZMZ-4063.10	09/97->04/13	Tensioner	SR-1430	OD: 80; W: 30; ALT; 09/01->; QTY 2
VOLGA 						
2.3	96/131	ZMZ-4062.10	02/93->12/10	Tensioner	SR-1430	OD: 80; W: 30; ALT; ->03/04; QTY 2
VOLGA Estate 						
2.3	96/131	ZMZ-4062.10	02/93->03/04	Tensioner	SR-1430	OD: 80; W: 30; ALT; QTY 2
HONDA						
ACCORD IV (CB) 						
2.0 16V (CB3)	66/90	F20A6	01/90->03/93	Tensioner	SR-1226	OD: 62; W: 27; CS; engine F20A4; engine F20A8
				Tensioner	SR-1225	OD: 70; W: 19; bal. shaft; engine F20A4; engine F20A8
2.0 16V (CB3)	81/110	F20A2;F20A3	01/90->03/93	Tensioner	SR-1225	OD: 70; W: 19; bal. shaft; engine F20A4; engine F20A8
				Tensioner	SR-1226	OD: 62; W: 27; CS; engine F20A4; engine F20A8














	kW/HP	Engine code		Type		
2.0 i 16V (CB3)	98/133	F20A4;F20A8	01/90->03/93	Tensioner	SR-1225	OD: 70; W: 19; bal. shaft
				Tensioner	SR-1226	OD: 62; W: 27; CS
2.2 i 16V (CB7)	110/150	F22A3	01/90->03/93	Tensioner	SR-1225	OD: 70; W: 19; bal. shaft
				Tensioner	SR-1226	OD: 62; W: 27; CS
2.2 i 16V Automatik (CB7)	108/147	F22A3	01/90->03/93	Tensioner	SR-1226	OD: 62; W: 27; CS
				Tensioner	SR-1225	OD: 70; W: 19; bal. shaft
ACCORD IV Aerodeck (CB) 						
2.0 i 16V (CC9)	98/133	F20Z3	03/93->12/93	Tensioner	SR-1225	OD: 70; W: 19; bal. shaft
				Tensioner	SR-1226	OD: 62; W: 27; CS
2.2 i 16V (CB8)	108/147	F22A8	01/91->12/93	Tensioner	SR-1225	OD: 70; W: 19; bal. shaft
				Tensioner	SR-1226	OD: 62; W: 27; CS
2.2 i 16V (CB8)	110/150	F22A7	01/91->12/93	Tensioner	SR-1226	OD: 62; W: 27; CS
				Tensioner	SR-1225	OD: 70; W: 19; bal. shaft
ACCORD IV Coupe (CB, CC) 						
2.0 i 16V (CC1)	98/133	F20A7	01/92->09/93	Tensioner	SR-1225	OD: 70; W: 19; bal. shaft
				Tensioner	SR-1226	OD: 62; W: 27; CS
ACCORD V (CC, CD) 						
2.0 i	85/116	F20Z2	03/93->01/96	Tensioner	SR-1225	OD: 70; W: 19; bal. shaft; ->12/94
				Tensioner	SR-1226	OD: 62; W: 27; CS; ->12/94
2.0 i S	96/131	F20Z1	03/93->01/96	Tensioner	SR-1226	OD: 62; W: 27; CS; ->12/94
				Tensioner	SR-1225	OD: 70; W: 19; bal. shaft; ->12/94
2.3 i SR	116/158	H23A3	03/93->01/96	Tensioner	SR-1225	OD: 70; W: 19; bal. shaft; ->12/94
				Tensioner	SR-1226	OD: 62; W: 27; CS; ->12/94
ACCORD V (CE, CF) 						
1.9 i (CE7)	85/116	F18A3	02/96->10/98	Tensioner	SR-1226	OD: 62; W: 27; CS; ->12/96
				Tensioner	SR-1225	OD: 70; W: 19; bal. shaft; ->12/96
2.0 i LS (CE8)	96/131	F20Z1	02/96->10/98	Tensioner	SR-1225	OD: 70; W: 19; bal. shaft; ->12/96
				Tensioner	SR-1226	OD: 62; W: 27; CS; ->12/96
2.2 i VTEC (CE9)	110/150	F22Z2	02/96->10/98	Tensioner	SR-1225	OD: 70; W: 19; bal. shaft; ->12/97
				Tensioner	SR-1226	OD: 62; W: 27; CS; ->12/97
ACCORD V Aerodeck (CE) 						
2.0 i LS 16V (CE2)	100/136	F20B3	09/93->02/98	Tensioner	SR-1226	OD: 62; W: 27; CS; 01/94->; ->12/97
				Tensioner	SR-1225	OD: 70; W: 19; bal. shaft; 01/94->; ->12/97
2.2 i ES (CE1)	110/150	F22B5	09/93->02/98	Tensioner	SR-1225	OD: 70; W: 19; bal. shaft; 01/94->; ->12/97
				Tensioner	SR-1226	OD: 62; W: 27; CS; 01/94->; ->12/97
ACCORD V Coupe (CD) 						
2.0 (CD9)	100/136	F20B3	09/93->12/97	Tensioner	SR-1225	OD: 70; W: 19; bal. shaft; 01/94->
				Tensioner	SR-1226	OD: 62; W: 27; CS; 01/94->
2.2 i ES (CD7)	110/150	F22B5	09/93->02/98	Tensioner	SR-1226	OD: 62; W: 27; CS; 01/94->; ->12/97
				Tensioner	SR-1225	OD: 70; W: 19; bal. shaft; 01/94->; ->12/97
ACCORD VI (CG, CK) 						
1.6 i	85/116	D16B6	10/98->12/02	Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; 01/99->
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
				Tensioner	SR-1234	OD: 53; W: 26; 01/99->
1.6 LS	79/107	D16B7	10/98->12/02	Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; 01/99->; engine D16B6
				Tensioner	SR-1234	OD: 53; W: 26; 01/99->; engine D16B6
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
1.8 i	100/136	F18B2	10/98->12/02	Tensioner	SR-1225	OD: 70; W: 19; bal. shaft; 01/99->
				Tensioner	SR-1226	OD: 62; W: 27; CS; 01/99->
2.0 i	108/147	F20B6	10/98->01/01	Tensioner	SR-1226	OD: 62; W: 27; CS
				Tensioner	SR-1225	OD: 70; W: 19; bal. shaft
2.3 (CK2)	113/154	F23A1;F23Z5	01/01->06/03	Tensioner	SR-1226	OD: 62; W: 27; CS; ->12/02
				Tensioner	SR-1225	OD: 70; W: 19; bal. shaft; ->12/02
ACCORD VI Coupe (CG) 						
2.0 i 16V	108/147	F20B5;F20B7	02/98->06/03	Tensioner	SR-1225	OD: 70; W: 19; bal. shaft; ->12/02
				Tensioner	SR-1226	OD: 62; W: 27; CS; ->12/02
ACCORD VI Hatchback (CH) 						
1.8 i (CH6)	100/136	F18B2	12/99->12/02	Tensioner	SR-1226	OD: 62; W: 27; CS
				Tensioner	SR-1225	OD: 70; W: 19; bal. shaft
2.0 (CH7)	108/147	F20B6	12/99->12/02	Tensioner	SR-1225	OD: 70; W: 19; bal. shaft; engine F20B6
				Tensioner	SR-1226	OD: 62; W: 27; CS; engine F20B6
2.3 (CL4)	113/154	F23Z5	11/00->12/02	Tensioner	SR-1226	OD: 62; W: 27; CS
				Tensioner	SR-1225	OD: 70; W: 19; bal. shaft
ACCORD VII (CL) 						
2.0 (CL7)	114/155	K20A6	02/03->05/08	Deflection/Guide	SR-1513	ID: 17; num. of ribs: 7; OD: 74; W: 25,5; ALT; engine K20A6; engine K20Z2; MD Comfort; MD SE; RHD
				Tensioner	SR-1312	ID: 17; OD: 76,5; W: 34,5; ALT
				Tensioner	SR-1311	- holder; ID: 17; OD: 76,5; W: 34,5; ALT; engine K20A6; engine K20Z2











	kW/HP	Engine code		Type		
2.0 All-wheel Drive (CL8)	114/155	K20A6	02/03->05/08	Deflection/Guide	SR-1513	ID: 17; num. of ribs: 7; OD: 74; W: 25,5; ALT; ->12/05; RHD
				Tensioner	SR-1311	- holder; ID: 17; OD: 76,5; W: 34,5; ALT; ->12/05
				Tensioner	SR-1312	ID: 17; OD: 76,5; W: 34,5; ALT
2.4 (CL9)	140/190	K24A;K24A3	02/03->05/08	Tensioner	SR-1311	- holder; ID: 17; OD: 76,5; W: 34,5; ALT; engine K24A3
				Tensioner	SR-1312	ID: 17; OD: 76,5; W: 34,5; ALT
ACCORD VII Tourer (CM) 						
2.0 (CM1)	114/155	K20A6	04/03->05/08	Tensioner	SR-1311	- holder; ID: 17; OD: 76,5; W: 34,5; ALT; engine K20A6; engine K20Z2
				Tensioner	SR-1312	ID: 17; OD: 76,5; W: 34,5; ALT
2.4 (CM2)	140/190	K24A	04/03->05/08	Deflection/Guide	SR-1513	ID: 17; num. of ribs: 7; OD: 74; W: 25,5; ALT; 01/06->; engine K24A3; MD Executive-E; RHD
				Tensioner	SR-1312	ID: 17; OD: 76,5; W: 34,5; ALT
				Tensioner	SR-1311	- holder; ID: 17; OD: 76,5; W: 34,5; ALT; engine K24A3
ACCORD VIII (CU) 						
2.0 i	110/150		07/08->	Deflection/Guide	SR-1484	ID: 17; num. of ribs: 7; OD: 74; W: 31,5; ALT; 01/09->; engine R20A3
				Tensioner	SR-1485	- holder; ID: 17; OD: 70; W: 30,5; ALT
2.0 i	115/156	R20A3	07/08->06/15	Deflection/Guide	SR-1484	ID: 17; num. of ribs: 7; OD: 74; W: 31,5; ALT; 01/09->
				Tensioner	SR-1485	- holder; ID: 17; OD: 70; W: 30,5; ALT
2.4 i	148/201	K24Z3	07/08->06/15	Deflection/Guide	SR-1513	ID: 17; num. of ribs: 7; OD: 74; W: 25,5; ALT; 01/09->; ->eng.# 2319183
ACCORD VIII Estate 						
2.0 i	115/156	R20A3	07/08->	Deflection/Guide	SR-1484	ID: 17; num. of ribs: 7; OD: 74; W: 31,5; ALT; 01/09->
				Tensioner	SR-1485	- holder; ID: 17; OD: 70; W: 30,5; ALT
2.0 i	110/150	R20A4	07/08->	Deflection/Guide	SR-1484	ID: 17; num. of ribs: 7; OD: 74; W: 31,5; ALT; 01/09->; engine R20A3
				Tensioner	SR-1485	- holder; ID: 17; OD: 70; W: 30,5; ALT
2.4 i	148/201	K24Z3	07/08->	Deflection/Guide	SR-1513	ID: 17; num. of ribs: 7; OD: 74; W: 25,5; ALT; 01/09->; ->12/09; ->eng.# 2401429
CIVIC II Shuttle (EE) 						
1.4 i 16V (EE1)	66/90	D14A1	01/88->12/92	Tensioner	SR-1154	OD: 57; W: 26; ->12/91
1.5 i 16V (EE2)	69/94	D15B2	01/88->11/91	Tensioner	SR-1154	OD: 57; W: 26
1.6 i 16V 4WD (EE4)	80/109	D16A6	01/88->12/89	Tensioner	SR-1154	OD: 57; W: 26
1.6 i 16V 4WD (EE4)	81/110	D16A6	01/88->02/95	Tensioner	SR-1154	OD: 57; W: 26
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
CIVIC IV Hatchback (EC, ED, EE) 						
1.3 (EC8)	55/75	D13B1	10/87->12/89	Tensioner	SR-1154	OD: 57; W: 26; 01/88->
1.3 16 V (EC8) CAT	55/75	D13B2	09/89->09/91	Tensioner	SR-1154	OD: 57; W: 26
1.4 L (EC9)	66/90	D14A1	10/87->12/89	Tensioner	SR-1154	OD: 57; W: 26; 01/88->
1.5 i 16V	66/90	D15B2	10/88->09/91	Tensioner	SR-1154	OD: 57; W: 26
1.5 i 16V (ED6)	69/94	D15B2	10/88->09/91	Tensioner	SR-1154	OD: 57; W: 26
1.6 i 16V	96/130	D16A9;D16A7	09/87->09/91	Tensioner	SR-1154	OD: 57; W: 26; 01/88->; camshaft DOHC
1.6 i 16V (ED7)	80/109	D16A6	10/87->09/91	Tensioner	SR-1154	OD: 57; W: 26; 01/88->; camshaft SOHC/OHC
1.6 i 16V (ED7)	81/110	D16Z2	10/87->09/91	Tensioner	SR-1154	OD: 57; W: 26; 01/88->; camshaft SOHC/OHC
1.6 i 16V Vtec (EE9)	110/150	B16A1	10/89->09/91	Tensioner	SR-1228	OD: 50; W: 30; ->12/90
CIVIC IV Saloon (ED) 						
1.3	55/75	D13B1	10/87->12/89	Tensioner	SR-1154	OD: 57; W: 26; 01/88->
1.4 L (ED2)	66/90	D14A1	10/87->12/89	Tensioner	SR-1154	OD: 57; W: 26; 01/88->
1.5 i 16V	66/90	D15B2	10/87->09/91	Tensioner	SR-1154	OD: 57; W: 26; 01/88->
1.5 i 16V (ED3)	69/94	D15B2	10/87->09/91	Tensioner	SR-1154	OD: 57; W: 26; 01/88->
1.6 i 16V	96/130	D16A7	09/87->09/91	Tensioner	SR-1154	OD: 57; W: 26; 01/88->; camshaft DOHC
1.6 i 16V (ED4)	81/110	D16Z2	10/87->09/91	Tensioner	SR-1154	OD: 57; W: 26; 01/88->; camshaft SOHC/OHC
1.6 i 16V (ED4)	80/109	D16A6	11/87->09/91	Tensioner	SR-1154	OD: 57; W: 26; 01/88->; camshaft SOHC/OHC
CIVIC V Coupe (EJ) 						
1.5 i LSi (EJ2)	74/101	D15B7	08/93->11/95	Tensioner	SR-1154	OD: 57; W: 26
1.6 i (EJ6)	77/105	D16Y7	01/94->11/95	Tensioner	SR-1154	OD: 57; W: 26
1.6 i Vtec	118/160	B16A2	01/94->11/95	Tensioner	SR-1228	OD: 50; W: 30
1.6 i Vtec (EJ1)	92/125	D16Z9 ;D16Y6	01/94->03/96	Tensioner	SR-1234	OD: 53; W: 26; ->12/95
CIVIC V Hatchback (EG) 						
1.3 16V (EG3)	55/75	D13B2	10/91->11/95	Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; 01/95->
				Tensioner	SR-1154	OD: 57; W: 26
1.5 i 16V (EG4)	69/94	D15Z1 ;D15B2	10/91->11/95	Tensioner	SR-1154	OD: 57; W: 26; 01/92->; engine D15B2
				Tensioner	SR-1234	OD: 53; W: 26; 01/92->; engine D15Z1
1.5 i 16V (EG4)	66/90	D15B2;D15Z2	10/91->11/95	Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; 01/95->
				Tensioner	SR-1154	OD: 57; W: 26; 01/92->
1.6 16V Vtec (EG5)	92/125	D16Z6	10/91->11/95	Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; 01/95->
				Tensioner	SR-1234	OD: 53; W: 26; 01/92->; engine D16Z6; engine D16Z7
1.6 Vti 16V (EG6)	118/160	B16A2	10/91->11/95	Tensioner	SR-1228	OD: 50; W: 30; 01/92->; camshaft DOHC










	kW/HP	Engine code		Type		
CIVIC V Saloon (EG, EH) 						
1.5 i 16V (EG8)	69/94	D15Z1 ;D15B2	10/91->11/95	Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; 01/95->
				Tensioner	SR-1234	OD: 53; W: 26; 01/92->; engine D15Z1
				Tensioner	SR-1154	OD: 57; W: 26; 01/92->; engine D15B2
1.6 16V Vtec (EH9)	92/125	D16Z7;D16Z6	10/91->11/95	Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; 01/95->
				Tensioner	SR-1234	OD: 53; W: 26; 01/92->
1.6 VTi (EG9)	118/160	B16A2	10/91->11/95	Tensioner	SR-1228	OD: 50; W: 30; 01/92->; camshaft DOHC
CIVIC VI Aerodeck (MB, MC) 						
1.4 16V (MB8)	55/75	D14A7	04/98->02/01	Tensioner	SR-1234	OD: 53; W: 26; ->12/99
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
1.4 16V (MB8)	66/90	D14A8	04/98->02/01	Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
				Tensioner	SR-1234	OD: 53; W: 26; ->12/99
1.5 16V (MB9)	84/114	D15Z8	04/98->02/01	Tensioner	SR-1234	OD: 53; W: 26; ->12/99
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
1.6 16V (MC1)	85/116	D16B2	04/98->02/01	Tensioner	SR-1235	OD: 57; W: 26; 01/95->; engine D16B2; engine D16W3
				Tensioner	SR-1234	OD: 53; W: 26; ->12/99; engine D16B2; engine D16W3
1.6 16V (MC1)	92/125	D16W4	04/98->02/01	Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
1.8 16V (MC2)	124/169	B18C4	04/98->02/01	Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
				Tensioner	SR-1228	OD: 50; W: 30; ->12/99
CIVIC VI Coupe (EJ, EM1) 						
1.6 i	77/105	D16Y7	03/96->03/00	Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
				Tensioner	SR-1234	OD: 53; W: 26
1.6 i Vtec	92/125	D16Y8	03/96->03/00	Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM
				Tensioner	SR-1234	OD: 53; W: 26
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
1.6 i Vtec	118/160	B16A2	04/99->12/00	Deflection/Guide	SR-1295	OD: 72; W: 12,5; PSP; + AC
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
				Tensioner	SR-1228	OD: 50; W: 30
CIVIC VI Fastback (MA, MB) 						
1.4 i (MA8, MB2)	66/90	D14A2;D14A8;D14Z4;D14A6	09/94->02/01	Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; 01/95->; ->12/97
				Tensioner	SR-1234	OD: 53; W: 26; 01/97->; ->12/97; engine D14A8
				Tensioner	SR-1154	OD: 57; W: 26; 01/95->; ->12/96; engine D14A2
1.4 i (MA8, MB2)	55/75	D14A5;D14A7;D14Z3	09/95->02/01	Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
				Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; ->12/97
				Tensioner	SR-1154	OD: 57; W: 26; ->12/96; engine D14A5
1.5 16V (MB3)	84/114	D15Z8	01/97->02/01	Tensioner	SR-1234	OD: 53; W: 26; 01/97->; ->12/97; engine D14A7
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
				Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; ->12/97
1.5 i Vtec-E (MA9)	66/90	D15Z3	09/94->01/97	Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; 01/95->; ->12/96
				Tensioner	SR-1234	OD: 53; W: 26; 01/95->; ->12/96; ->12/95
1.6 16V (MB4)	85/116	D16B2	01/97->02/01	Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; ->12/97
				Tensioner	SR-1234	OD: 53; W: 26; ->12/97
1.6 i (MB1)	83/113	D16Y3	09/94->01/97	Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; 01/95->; ->12/96
				Tensioner	SR-1154	OD: 57; W: 26; ->12/96; camshaft SOHC/OHC
1.6 i Vtec (MB1)	93/126	D16Y2	09/94->01/97	Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; 01/95->; ->12/96
				Tensioner	SR-1234	OD: 53; W: 26; ->12/96; ->12/95
1.6 VTi	118/160	B16A2	01/97->02/01	Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
CIVIC VI Hatchback (EJ, EK) 						
1.4 i (EJ9)	55/75	D14A3;D14Z1	11/95->02/01	Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; 01/96->; ->12/00; compr. ID Hadsys
				Deflection/Guide	SR-1295	OD: 72; W: 12,5; ACCOM; 01/96->; ->12/00; compr. ID Denso
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
				Tensioner	SR-1234	OD: 53; W: 26; 01/96->; ->12/00
1.4 i S (EJ9)	66/90	D14A4;D14Z4;D14Z2	11/95->02/01	Deflection/Guide	SR-1295	OD: 72; W: 12,5; ACCOM; 01/96->; ->12/00; compr. ID Denso
				Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; 01/96->; ->12/00; compr. ID Hadsys
				Tensioner	SR-1234	OD: 53; W: 26; 01/96->; ->12/00
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
1.5 i (EK3)	84/114	D15Z6	11/95->02/01	Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; 01/96->; ->12/00; compr. ID Hadsys
				Deflection/Guide	SR-1295	OD: 72; W: 12,5; ACCOM; 01/96->; ->12/00; compr. ID Denso
				Tensioner	SR-1234	OD: 53; W: 26; 01/96->; ->12/00
Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT				









	kW/HP	Engine code		Type		
1.6 i (EK1)	84/114	D16Y5	11/95->02/01	Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; 01/96->; ->12/00; compr. ID Hadsys
				Deflection/Guide	SR-1295	OD: 72; W: 12,5; ACCOM; 01/96->; ->12/00; compr. ID Denso
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
				Tensioner	SR-1234	OD: 53; W: 26; 01/96->; ->12/00
1.6 VtI (EK4)	118/160	B16A2	11/95->02/01	Tensioner	SR-1228	OD: 50; W: 30; 01/96->; ->12/00
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
CIVIC VI Saloon (EJ, EK) 						
1.4 i (EJ9)	66/90	D14A4;D14Z4;D14Z2	11/95->02/01	Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; 01/96->; ->12/00; compr. ID Hadsys
				Deflection/Guide	SR-1295	OD: 72; W: 12,5; ACCOM; 01/96->; ->12/00; compr. ID Denso
				Tensioner	SR-1234	OD: 53; W: 26; 01/96->; ->12/00
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
1.5 i (EK3)	84/114	D15Z6	11/95->02/01	Deflection/Guide	SR-1295	OD: 72; W: 12,5; ACCOM; 01/96->; ->12/00; compr. ID Denso
				Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; 01/96->; ->12/00; compr. ID Hadsys
1.6 i Vtec	92/125	D16Y8;D16Y6	11/95->02/01	Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
				Tensioner	SR-1234	OD: 53; W: 26; 01/96->; ->12/00
1.6 VtI (EK4)	118/160	B16A2	11/95->02/01	Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; 01/00->; ->12/00
				Tensioner	SR-1234	OD: 53; W: 26; 01/96->; ->12/00
1.6 VtI (EK4)	118/160	B16A2	11/95->02/01	Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
				Tensioner	SR-1228	OD: 50; W: 30; 01/96->; ->12/00
CIVIC VII Hatchback (EU, EP, EV) 						
1.7 CTDi	74/100	4EE-2	01/02->09/05	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT
				Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; ALT
2.0 i Sport	118/160	K20A3	09/01->09/05	Deflection/Guide	SR-1513	ID: 17; num. of ribs: 7; OD: 74; W: 25,5; ALT
				Tensioner	SR-1312	ID: 17; OD: 76,5; W: 34,5; ALT
2.0 Type-R	147/200	K20A2	09/01->09/05	Deflection/Guide	SR-1513	ID: 17; num. of ribs: 7; OD: 74; W: 25,5; ALT
				Tensioner	SR-1312	ID: 17; OD: 76,5; W: 34,5; ALT
CIVIC VII Saloon (ES) 						
1.3 IMA	61/83	LDA1	01/04->09/05	Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; WP
1.8	103/140	R18A1	02/01->09/05	Tensioner	SR-1539	- holder; ID: 17; OD: 70; W: 30,5; ALT
CIVIC VIII Hatchback (FN, FK) 						
1.4	61/83	L13A7	09/05->	Deflection/Guide	SR-1514	ID: 17; OD: 80; W: 25,5; ALT; ->12/08; + AC
				Deflection/Guide	SR-1484	ID: 17; num. of ribs: 7; OD: 74; W: 31,5; ALT; ->12/11
1.8	103/140	R18A2	09/05->	Tensioner	SR-1485	- holder; ID: 17; OD: 70; W: 30,5; ALT; 01/07->
				Tensioner	SR-1539	- holder; ID: 17; OD: 70; W: 30,5; ALT; ->12/06
Type R	148/201	K20Z4	09/06->	Deflection/Guide	SR-1513	ID: 17; num. of ribs: 7; OD: 74; W: 25,5; ALT; 01/07->; ->12/11
				Tensioner	SR-1312	ID: 17; OD: 76,5; W: 34,5; ALT
Tensioner	SR-1311	- holder; ID: 17; OD: 76,5; W: 34,5; ALT; 01/07->; ->12/11				
CONCERTO (HW, MA) 						
1.4	66/90	D14A1;D14A8	08/89->10/91	Tensioner	SR-1154	OD: 57; W: 26; engine D14A1
1.4	61/83	D14A1	10/89->10/92	Tensioner	SR-1154	OD: 57; W: 26; ->12/91
1.5 i 16V	66/90	D15B2	08/89->03/95	Tensioner	SR-1154	OD: 57; W: 26; 01/90->; ->12/93
1.6 16V	78/106	D16Z2	08/89->03/95	Tensioner	SR-1154	OD: 57; W: 26; 01/90->; ->12/93; engine D16A8; engine D16A9; camshaft DOHC
1.6 i 16V	82/112	D16Z2	08/89->03/95	Tensioner	SR-1154	OD: 57; W: 26; 01/90->; ->12/93; engine D16A8; engine D16A9; camshaft DOHC
1.6 i 16V	90/122	D16A8	08/89->03/95	Tensioner	SR-1154	OD: 57; W: 26; 01/90->; ->12/93; engine D16A8; engine D16A9; camshaft DOHC
CONCERTO Saloon (HWW) 						
1.4	66/90	D14A1;D14A8	08/89->10/91	Tensioner	SR-1154	OD: 57; W: 26
1.4	61/83	D14A1	10/89->10/92	Tensioner	SR-1154	OD: 57; W: 26; ->12/91
1.5 i 16V	66/90	D15B2	08/89->05/95	Tensioner	SR-1154	OD: 57; W: 26; ->12/93
1.6 16V	78/106	D16Z2	08/89->03/95	Tensioner	SR-1154	OD: 57; W: 26; 01/90->; ->12/93; camshaft SOHC/OHC; 01/90->; ->12/93; engine D16A; engine D16Z; camshaft DOHC
1.6 i 16V	82/112	D16Z2	08/89->03/95	Tensioner	SR-1154	OD: 57; W: 26; 01/90->; ->12/93; camshaft SOHC/OHC; 01/90->; ->12/93; engine D16A; engine D16Z; camshaft DOHC
1.6 i 16V	90/122	D16A8	08/89->03/95	Tensioner	SR-1154	OD: 57; W: 26; 01/90->; ->12/93; camshaft SOHC/OHC; 01/90->; ->12/93; engine D16A; engine D16Z; camshaft DOHC
CR-V I (RD) 						
2.0 16V (RD1, RD3)	108/147	B20Z1	01/99->02/02	Deflection/Guide	SR-1295	OD: 72; W: 12,5; ACCOM; ->12/01
				Tensioner	SR-1228	OD: 50; W: 30; ->12/01
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
2.0 16V 4WD (RD1, RD3)	94/128	B20B	10/95->12/01	Deflection/Guide	SR-1295	OD: 72; W: 12,5; ACCOM; 01/97->; ->12/98
				Tensioner	SR-1228	OD: 50; W: 30; 01/97->; ->12/98
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
CR-V II (RD_) 						
2.0	110/150	K20A4	09/01->09/06	Tensioner	SR-1518	ID: 17; OD: 76,5; W: 36; 01/02->
				Tensioner	SR-1311	- holder; ID: 17; OD: 76,5; W: 34,5; ALT; engine K20A
				Tensioner	SR-1312	ID: 17; OD: 76,5; W: 34,5; ALT
CR-V III (RE) 						
2.0 i 4WD	110/150	R20A2	01/07->	Deflection/Guide	SR-1484	ID: 17; num. of ribs: 7; OD: 74; W: 31,5; ALT; ->12/12
				Tensioner	SR-1485	- holder; ID: 17; OD: 70; W: 30,5; ALT









	kW/HP	Engine code		Type		
2.4 i-Vtec 4WD	125/170	K24Z1	04/07->	Tensioner	SR-1311	- holder; ID: 17; OD: 76,5; W: 34,5; ALT; ->12/12
				Tensioner	SR-1312	ID: 17; OD: 76,5; W: 34,5; ALT
2.4 i-VTEC 4WD	122/166	K24Z4;K24Z1	09/09->	Tensioner	SR-1312	ID: 17; OD: 76,5; W: 34,5; ALT
				Tensioner	SR-1311	- holder; ID: 17; OD: 76,5; W: 34,5; ALT; ->12/12
2.4 i-VTEC 4WD	118/160	K24Z1	10/06->	Tensioner	SR-1312	ID: 17; OD: 76,5; W: 34,5; ALT
				Tensioner	SR-1311	- holder; ID: 17; OD: 76,5; W: 34,5; ALT; ->12/12
CR-V IV (RE) 						
2.4 AWD	132/180	K24Z6	01/12->	Tensioner	SR-1311	- holder; ID: 17; OD: 76,5; W: 34,5; ALT; ->12/12; engine K24Z4
CRX II (ED, EE) 						
1.6 i 16V (ED9)	96/131	D16A8;D16A9	10/87->12/89	Tensioner	SR-1154	OD: 57; W: 26
1.6 i 16V (ED9)	91/124	D16Z5	10/87->02/92	Tensioner	SR-1154	OD: 57; W: 26; ->12/90
CRX III (EH, EG)						
1.6 ESi (EH6)	92/125	D16Y8;D16Z6	03/92->12/98	Tensioner	SR-1234	OD: 53; W: 26; ->12/96
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
1.6 i VTi (EG2)	118/160	B16A2	03/92->12/98	Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
				Tensioner	SR-1228	OD: 50; W: 30; ->12/97; ->12/95; 01/96->
FR-V (BE) 						
1.8	103/140	R18A1	01/07->	Tensioner	SR-1485	- holder; ID: 17; OD: 70; W: 30,5; ALT
2.0	110/150	K20A9	02/05->	Tensioner	SR-1311	- holder; ID: 17; OD: 76,5; W: 34,5; ALT; ->12/06; + AC
				Tensioner	SR-1312	ID: 17; OD: 76,5; W: 34,5; ALT
HR-V (GH) 						
1.6 16V	77/105	D16W1	03/99->	Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; ->12/05
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
				Tensioner	SR-1234	OD: 53; W: 26; 01/01->; ->12/05; ->12/00; ->eng.# 1120502; eng.# 1120503->
1.6 16V 4WD	77/105	D16W1	03/99->	Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; ->12/05
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
				Tensioner	SR-1234	OD: 53; W: 26; ->12/00; ->eng.# 1007192; 01/01->; ->12/05; ->12/00; eng.# 1007193->
1.6 16V 4WD	91/124	D16W5	10/99->	Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; ->12/05
				Tensioner	SR-1234	OD: 53; W: 26; ->12/00; ->eng.# 1007192; 01/01->; ->12/05; ->12/00; eng.# 1007193->
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
INTEGRA (DC5) 						
2.0	118/160	K20A3	02/02->	Tensioner	SR-1312	ID: 17; OD: 76,5; W: 34,5; ALT
2.0 16V Type-R	162/220	K20Z1	02/02->	Tensioner	SR-1312	ID: 17; OD: 76,5; W: 34,5; ALT
INTEGRA Coupe (DC2, DC4) 						
1.8 Type-R	140/190	B18C6	11/97->10/01	Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ALT
				Tensioner	SR-1228	OD: 50; W: 30; 01/98->
JAZZ II (GD) 						
1.2	57/78	L12A1	03/02->07/08	Deflection/Guide	SR-1514	ID: 17; OD: 80; W: 25,5; ALT
1.3	61/83	L13A1	03/02->07/08	Deflection/Guide	SR-1514	ID: 17; OD: 80; W: 25,5; ALT
LEGEND IV (KB_) 						
3.5 V6 4WD	217/295	J35A8;C35A8	05/06->	Deflection/Guide	SR-1550	OD: 55; engine J35; IDLER; OE 14550RCAA01
				Tensioner	SR-1551	OD: 55; W: 24; engine J35; TENS; OE 14510RCAA01
3.7 VTEC V6 4WD	217/295	J37A3;J37A2	07/08->	Deflection/Guide	SR-1550	OD: 55; engine J37A; IDLER; OE 14550RCAA01
				Tensioner	SR-1551	OD: 55; W: 24; engine J37A; TENS; OE 14510RCAA01
LOGO (GA3) 						
1.3	48/65	D13B7	03/99->03/02	Deflection/Guide	SR-1236	num. of ribs: 4; OD: 72,5; thread size M10x1,25; W: 15; ACCOM; ->12/00
				Tensioner	SR-1234	OD: 53; W: 26; ->12/00
PRELUDE IV (BB) 						
2.0 i 16V (BB3)	98/133	F20A4	02/92->09/96	Tensioner	SR-1226	OD: 62; W: 27; CS
				Tensioner	SR-1225	OD: 70; W: 19; bal. shaft
2.3 i 16V (BB2)	118/160	H23A2	02/92->09/96	Tensioner	SR-1226	OD: 62; W: 27; CS; ->12/95
				Tensioner	SR-1225	OD: 70; W: 19; bal. shaft; ->12/95
PRELUDE V (BB) 						
2.0 16V (BB9)	98/133	F20A4	10/96->10/00	Tensioner	SR-1226	OD: 62; W: 27; CS
				Tensioner	SR-1225	OD: 70; W: 19; bal. shaft
2.2 16V	147/200	H22A5	10/96->10/00	Tensioner	SR-1225	OD: 70; W: 19; bal. shaft; engine F22A; camshaft SOHC/OHC
				Tensioner	SR-1226	OD: 62; W: 27; CS; engine F22A; camshaft SOHC/OHC
SHUTTLE (RA) 						
2.2 16V	110/150	F22B8	10/94->02/98	Tensioner	SR-1225	OD: 70; W: 19; bal. shaft; ->12/97
				Tensioner	SR-1226	OD: 62; W: 27; CS; ->12/97
2.3 16V	110/150	F23A7	10/97->06/04	Tensioner	SR-1226	OD: 62; W: 27; CS; ->12/99
				Tensioner	SR-1225	OD: 70; W: 19; bal. shaft; ->12/99













	kW/HP	Engine code		Type		
STREAM (RN) 						
2.0 16V	115/156	K20A1	05/01->	Tensioner	SR-1312	ID: 17; OD: 76.5; W: 34.5; ALT
				Tensioner	SR-1311	- holder; ID: 17; OD: 76.5; W: 34.5; ALT; ->12/05; - AC
HUMMER						
H2 Closed Off-Road Vehicle (US) 						
6.0 AWD	236/321	LQ4	09/03->12/04	Tensioner	SR-1381	- holder; ID: 17; num. of ribs: 6; OD: 75; W: 21; ALT
HUMMER H1 						
6.5 D	125/170		01/92->	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33.5; ALT; 10/92->; ->09/97
6.5 Turbo D	143/195		01/92->	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33.5; ALT; 10/92->; ->09/02
HUMMER H2 						
6.0 AWD	232/315	LQ4	09/02->09/04	Tensioner	SR-1381	- holder; ID: 17; num. of ribs: 6; OD: 75; W: 21; ALT
6.2 AWD	293/398	L92	10/04->	Tensioner	SR-1381	- holder; ID: 17; num. of ribs: 6; OD: 75; W: 21; ALT; 09/07->; ->12/09; MD ->1 2009
HUMMER H2 SUT 						
6.0	237/322	LQ4	09/04->	Tensioner	SR-1381	- holder; ID: 17; num. of ribs: 6; OD: 75; W: 21; ALT; ->12/07
HUMMER H3 						
5.3 V8 AWD	224/305	LH8	10/08->	Tensioner	SR-1381	- holder; ID: 17; num. of ribs: 6; OD: 75; W: 21; ALT; ->12/10
HYUNDAI						
ACCENT I (X-3) 						
1.3	44/60	G4EH	10/94->01/00	Deflection/Guide	SR-1252	OD: 55; W: 25; 01/95->; ->09/99; camshaft DOHC
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; 03/98->
1.3	55/75	G4EH	10/94->01/00	Tensioner	SR-1251	OD: 60; W: 26; 01/95->; ->09/99; camshaft SOHC/OHC; 01/95->; ->09/99; camshaft DOHC; 10/99->; camshaft SOHC/OHC
				Deflection/Guide	SR-1252	OD: 55; W: 25; 01/95->; ->09/99; camshaft DOHC
1.3 i 12V	62/84	G4EH	10/94->01/00	Tensioner	SR-1251	OD: 60; W: 26; 01/95->; ->09/99; camshaft SOHC/OHC; 01/95->; ->09/99; camshaft DOHC; 10/99->; camshaft SOHC/OHC
				Deflection/Guide	SR-1252	OD: 55; W: 25; 01/95->; camshaft DOHC
1.5 i 12V	65/88	G4EK	10/94->01/00	Tensioner	SR-1251	OD: 60; W: 26; 01/95->; ->09/99; camshaft SOHC/OHC; 10/99->; camshaft SOHC/OHC; 01/95->; camshaft DOHC
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; 03/98->
1.5 i 16V	73/99	G4ER	12/95->01/00	Deflection/Guide	SR-1252	OD: 55; W: 25; camshaft DOHC
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; 03/98->
				Tensioner	SR-1251	OD: 60; W: 26; 10/99->; camshaft SOHC/OHC; ->09/99; camshaft SOHC/OHC; camshaft DOHC
ACCENT II (LC) 						
1.3	55/75	G4EA	01/00->11/05	Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
1.3	63/86	G4EA	01/00->11/05	Tensioner	SR-1251	OD: 60; W: 26; camshaft SOHC/OHC
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
1.3	62/84	G4EH	08/02->11/05	Tensioner	SR-1251	OD: 60; W: 26; camshaft SOHC/OHC
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
1.5	66/90	G4EB	01/00->11/05	Deflection/Guide	SR-1252	OD: 55; W: 25; camshaft DOHC
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
				Tensioner	SR-1251	OD: 60; W: 26; camshaft DOHC; camshaft SOHC/OHC
1.5	75/102	G4EC-G	09/00->11/05	Deflection/Guide	SR-1252	OD: 55; W: 25; camshaft DOHC
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
				Tensioner	SR-1251	OD: 60; W: 26; camshaft DOHC; camshaft SOHC/OHC
1.5 CRDi	60/82	D3EA	04/02->11/05	Deflection/Guide	SR-1280	OD: 58; W: 32
				Deflection/Guide	SR-1277	OD: 70; thread size M10x1.5; W: 27.5; ALT; Fitting Position: Upper
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT
1.6	77/105	G4ED-G	12/02->11/05	Deflection/Guide	SR-1252	OD: 55; W: 25
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
				Tensioner	SR-1251	OD: 60; W: 26
ACCENT II Saloon (LC) 						
1.3	55/75	G4EA	01/00->11/05	Tensioner	SR-1251	OD: 60; W: 26; camshaft SOHC/OHC
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
1.3	63/86	G4EA	01/00->11/05	Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
				Tensioner	SR-1251	OD: 60; W: 26; camshaft SOHC/OHC
1.5	66/90	G4EB	01/00->11/05	Deflection/Guide	SR-1252	OD: 55; W: 25; camshaft DOHC
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
				Tensioner	SR-1251	OD: 60; W: 26; camshaft DOHC; camshaft SOHC/OHC












	kW/HP	Engine code		Type		
1.5	75/102	G4FK	09/99->10/02	Deflection/Guide	SR-1252	OD: 55; W: 25; camshaft DOHC
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
				Tensioner	SR-1251	OD: 60; W: 26; 10/99->; camshaft SOHC/OHC; --09/99; camshaft SOHC/OHC; camshaft DOHC
1.5 CRDi	60/82	D3EA	01/02->11/05	Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1280	OD: 58; W: 32
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT
1.6	77/105	G4ED-G	12/02->11/05	Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32
				Deflection/Guide	SR-1252	OD: 55; W: 25
				Tensioner	SR-1251	OD: 60; W: 26
ACCENT III (MC) 						
1.4 GL	71/97	G4EE	11/05->11/10	Deflection/Guide	SR-1252	OD: 55; W: 25
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
				Tensioner	SR-1251	OD: 60; W: 26
1.5 CRDi GLS	81/110	D4FA	11/05->11/10	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6 GLS	82/112	G4ED	11/05->11/10	Deflection/Guide	SR-1252	OD: 55; W: 25
				Tensioner	SR-1251	OD: 60; W: 26
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
ACCENT III Saloon (MC) 						
1.4 GL	71/97	G4EE	11/05->11/10	Deflection/Guide	SR-1252	OD: 55; W: 25
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
				Tensioner	SR-1251	OD: 60; W: 26
1.5 CRDi GLS	81/110	D4FA	11/05->11/10	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6 GLS	82/112	G4ED	11/05->11/10	Deflection/Guide	SR-1252	OD: 55; W: 25
				Tensioner	SR-1251	OD: 60; W: 26
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
ACCENT Saloon (X-3) 						
1.3	44/60	G4EH	10/94->01/00	Deflection/Guide	SR-1252	OD: 55; W: 25; 01/95->; --09/99; camshaft DOHC
				Tensioner	SR-1251	OD: 60; W: 26; 01/95->; --09/99; camshaft SOHC/OHC; 01/95->; --09/99; camshaft DOHC; 10/99->; camshaft SOHC/OHC
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; 03/98->
1.3	55/75	G4EH	10/94->01/00	Deflection/Guide	SR-1252	OD: 55; W: 25; 01/95->; --09/99; camshaft DOHC
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; 03/98->
				Tensioner	SR-1251	OD: 60; W: 26; 01/95->; --09/99; camshaft SOHC/OHC; 01/95->; --09/99; camshaft DOHC; 10/99->; camshaft SOHC/OHC
1.3 i 12V	62/84	G4EH	10/94->01/00	Deflection/Guide	SR-1252	OD: 55; W: 25; 01/95->; --09/99; camshaft DOHC
				Tensioner	SR-1251	OD: 60; W: 26; 01/95->; --09/99; camshaft SOHC/OHC; 01/95->; --09/99; camshaft DOHC; 10/99->; camshaft SOHC/OHC
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; 03/98->
1.5 i 12V	65/88	G4EK	10/94->01/00	Deflection/Guide	SR-1252	OD: 55; W: 25; 01/95->; camshaft DOHC
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; 03/98->
				Tensioner	SR-1251	OD: 60; W: 26; 01/95->; --09/99; camshaft SOHC/OHC; 01/95->; camshaft SOHC/OHC; 01/95->; camshaft DOHC
1.5 i 16V	73/99	G4ER	10/95->01/00	Deflection/Guide	SR-1252	OD: 55; W: 25; camshaft DOHC
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; 03/98->
				Tensioner	SR-1251	OD: 60; W: 26; 10/99->; camshaft SOHC/OHC; --09/99; camshaft SOHC/OHC; camshaft DOHC
ATOS (MX) 						
1.0 i	40/54	G4HC	02/98->03/02	Tensioner	SR-1391	OD: 58; W: 24
1.0 i	43/58	G4HC-E	03/01->	Tensioner	SR-1391	OD: 58; W: 24; --12/03
1.1	46/63	G4HG	03/04->	Tensioner	SR-1391	OD: 58; W: 24; 06/05->; --01/08
ATOS PRIME (MX) 						
1.0 i	40/54	G4HC	08/99->	Tensioner	SR-1391	OD: 58; W: 24; --12/03
1.1	43/59	G4HD	06/03->	Tensioner	SR-1391	OD: 58; W: 24; 06/05->; --01/08
1.1	46/63	G4HG	09/05->	Tensioner	SR-1391	OD: 58; W: 24; --01/08
COUPE (GK) 						
1.6 16V	77/105	G4ED-G	03/02->08/09	Deflection/Guide	SR-1252	OD: 55; W: 25; --10/08
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; --10/08
				Tensioner	SR-1251	OD: 60; W: 26; --10/08
1.6 16V	79/107	G4ED-G	03/02->08/09	Deflection/Guide	SR-1252	OD: 55; W: 25; --10/08
				Tensioner	SR-1251	OD: 60; W: 26; --10/08
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; --10/08
2.0	102/139	G4GC-G	03/02->08/09	Deflection/Guide	SR-1297	OD: 60; W: 28,5; --05/06; 06/06->; --10/08
				Tensioner	SR-1296	OD: 70; W: 30; --05/06
				Tensioner	SR-1491	ID: 8,1; OD: 70; W: 29; 06/06->; --10/08
2.0	100/136	G4GC-G	08/01->08/09	Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; --10/08
				Deflection/Guide	SR-1297	OD: 60; W: 28,5; --05/06; 06/06->; --10/08
				Tensioner	SR-1296	OD: 70; W: 30; --05/06
2.0	100/136	G4GC-G	08/01->08/09	Tensioner	SR-1491	ID: 8,1; OD: 70; W: 29; 06/06->; --10/08
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; --10/08










	kW/HP	Engine code		Type		
2.0 GLS	105/143	G4GC-G	02/03->08/09	Deflection/Guide	SR-1297	OD: 60; W: 28,5; ->05/06; 06/06->; ->10/08
				Tensioner	SR-1491	ID: 8,1; OD: 70; W: 29; 06/06->; ->10/08
				Tensioner	SR-1296	OD: 70; W: 30; ->05/06
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; ->10/08
2.7 V6	121/165	G6BA-G	01/07->08/09	Deflection/Guide	SR-1453	ID: 17; OD: 82; W: 27; ALT; ->10/08
				Deflection/Guide	SR-1404	OD: 60; W: 35; ->10/08
				Tensioner	SR-1452	- holder; OD: 83; W: 31,5; ALT; ->10/08
2.7 V6	123/167	G6BA-G	03/02->08/09	Tensioner	SR-1403	OD: 58; W: 38,5; ->10/08
				Deflection/Guide	SR-1453	ID: 17; OD: 82; W: 27; ALT; ->10/08
				Deflection/Guide	SR-1404	OD: 60; W: 35; ->10/08
COUPE (RD) 	85/116	G4GR	03/98->04/02	Tensioner	SR-1452	- holder; OD: 83; W: 31,5; ALT; ->10/08
				Deflection/Guide	SR-1297	OD: 60; W: 28,5; ->06/00
				Deflection/Guide	SR-1252	OD: 55; W: 25; 07/00->
1.6 i 16V	84/114	4G61	12/96->04/02	Tensioner	SR-1296	OD: 70; W: 30; ->06/00
				Tensioner	SR-1251	OD: 60; W: 26; 07/00->
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
2.0 16V	99/135	G4DF	03/01->04/02	Deflection/Guide	SR-1297	OD: 60; W: 28,5
				Tensioner	SR-1296	OD: 70; W: 30
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
2.0 16V	102/139	G4GF	08/96->04/02	Deflection/Guide	SR-1297	OD: 60; W: 28,5
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
				Tensioner	SR-1296	OD: 70; W: 30
ELANTRA (XD) 	77/105	G4ED-G	05/03->07/06	Deflection/Guide	SR-1252	OD: 55; W: 25; camshaft DOHC
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
				Tensioner	SR-1251	OD: 60; W: 26; camshaft DOHC
1.6	79/107	G4ED-G	06/00->07/06	Deflection/Guide	SR-1252	OD: 55; W: 25; camshaft DOHC
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
				Tensioner	SR-1251	OD: 60; W: 26; camshaft DOHC
1.6	66/90	G4GR	06/00->07/06	Deflection/Guide	SR-1252	OD: 55; W: 25; camshaft DOHC
				Tensioner	SR-1251	OD: 60; W: 26; camshaft DOHC
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
1.8	97/132	G4BB	06/00->07/06	Deflection/Guide	SR-1297	OD: 60; W: 28,5; ->05/06; 06/06->
				Tensioner	SR-1491	ID: 8,1; OD: 70; W: 29; 06/06->
				Tensioner	SR-1296	OD: 70; W: 30; ->05/06
2.0	104/141	G4GC	06/00->07/06	Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
				Deflection/Guide	SR-1297	OD: 60; W: 28,5; ->05/06; 06/06->
				Tensioner	SR-1296	OD: 70; W: 30; ->05/06
2.0	102/139	G4GC-G	06/00->07/06	Tensioner	SR-1491	ID: 8,1; OD: 70; W: 29; 06/06->
				Deflection/Guide	SR-1297	OD: 60; W: 28,5; ->05/06; 06/06->
				Tensioner	SR-1296	OD: 70; W: 30; ->05/06
2.0	105/143	G4GC	10/03->07/06	Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
				Deflection/Guide	SR-1297	OD: 60; W: 28,5; ->05/06; 06/06->
				Tensioner	SR-1491	ID: 8,1; OD: 70; W: 29; 06/06->
2.0 CRDi	83/113	D4EA	04/01->07/06	Tensioner	SR-1296	OD: 70; W: 30; ->05/06
				Deflection/Guide	SR-1280	OD: 58; W: 32; 02/06->; turbo/intercooler; ->01/06
				Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; Fitting Position: Upper; + PS; - AC
ELANTRA Saloon (HD) 	90/122	G4FC	06/06->06/11	Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->01/06; 02/06->; turbo/intercooler
				Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; 08/06->; ->05/11
				Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT; 08/06->; ->02/09; turbo/intercooler; + AC
ELANTRA Saloon (MD, UD) 	97/132	G4FG	06/11->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
				Deflection/Guide	SR-1280	OD: 58; W: 32; 02/06->; turbo/intercooler; ->01/06
ELANTRA Saloon (XD) 	77/105	G4ED-G	05/03->07/06	Deflection/Guide	SR-1252	OD: 55; W: 25; camshaft DOHC
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
				Tensioner	SR-1251	OD: 60; W: 26; camshaft DOHC







	kW/HP	Engine code		Type		
1.6	79/107	G4ED-G	06/00->07/06	Deflection/Guide	SR-1252	OD: 55; W: 25; camshaft DOHC
				Tensioner	SR-1251	OD: 60; W: 26; camshaft DOHC
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
1.6	66/90	G4GR	06/00->07/06	Deflection/Guide	SR-1252	OD: 55; W: 25; camshaft DOHC
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
				Tensioner	SR-1251	OD: 60; W: 26; camshaft DOHC
1.8	97/132	G4BB	06/00->07/06	Deflection/Guide	SR-1297	OD: 60; W: 28.5; ->05/06; 06/06->
				Tensioner	SR-1296	OD: 70; W: 30; ->05/06
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
2.0	104/141	G4GC	06/00->07/06	Tensioner	SR-1491	ID: 8,1; OD: 70; W: 29; 06/06->
				Deflection/Guide	SR-1297	OD: 60; W: 28.5; ->05/06; 06/06->
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
2.0	102/139	G4GC-G	06/00->07/06	Tensioner	SR-1296	OD: 70; W: 30; ->05/06
				Deflection/Guide	SR-1297	OD: 60; W: 28.5; ->05/06; 06/06->
				Tensioner	SR-1491	ID: 8,1; OD: 70; W: 29; 06/06->
2.0	105/143	G4GC	10/03->07/06	Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
				Tensioner	SR-1491	ID: 8,1; OD: 70; W: 29; 06/06->
				Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; Fitting Position: Upper; + PS; - AC
2.0 CRDi	83/113	D4EA	04/01->07/06	Deflection/Guide	SR-1280	OD: 58; W: 32; 02/06->; turbo/intercooler; ->01/06
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->01/06; 02/06->; turbo/intercooler
GALLOPER I 						
3.0 V6	104/141	6G72	08/91->07/98	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27
				Tensioner	SR-1170	OD: 60; W: 32; 05/96->
GALLOPER II (JK-01) 						
2.5 Tci D	77/105	D4BH	08/98->12/03	Tensioner	SR-1168	OD: 60; W: 30,5; CS; 05/00->; ->06/02
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; 05/00->; ->06/02
2.5 TD	65/88	D4BA	08/98->12/03	Tensioner	SR-1168	OD: 60; W: 30,5; CS; 05/00->; ->06/02; engine D4BF
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; 05/00->; ->06/02; engine D4BF
2.5 TD intercooler	73/99	D4BH	08/98->12/03	Tensioner	SR-1168	OD: 60; W: 30,5; CS; 05/00->; ->06/02
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; 05/00->; ->06/02
3.0 V6	104/141	G6AT	08/98->12/03	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
				Tensioner	SR-1170	OD: 60; W: 32; ->06/02
GETZ (TB) 						
1.1	46/63	G4HD	09/02->09/05	Tensioner	SR-1391	OD: 58; W: 24
1.1	49/67	G4HD;G4HG	09/05->06/09	Tensioner	SR-1391	OD: 58; W: 24
1.3	63/85	G4EA	09/03->09/05	Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; ->08/05
				Tensioner	SR-1251	OD: 60; W: 26; ->08/05
1.3 i	60/82	G4EA	09/02->03/04	Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
				Tensioner	SR-1251	OD: 60; W: 26
1.4 i	71/97	G4EE	08/05->	Deflection/Guide	SR-1252	OD: 55; W: 25
				Tensioner	SR-1251	OD: 60; W: 26
1.5 CRDi	60/82	D3EA	03/03->09/05	Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
				Deflection/Guide	SR-1280	OD: 58; W: 32; 07/03->; ->07/05; turbo/intercooler
				Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; 07/03->; ->07/05; Fitting Position: Upper; turbo/intercooler
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; 07/03->; ->07/05; turbo/intercooler
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; 07/03->; ->07/05; turbo/intercooler
1.5 CRDi	65/88	D4FA	08/05->06/09	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.5 CRDi GLS	81/110	D4FA	08/05->06/09	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6	77/106	G4ED-G	09/02->09/05	Deflection/Guide	SR-1252	OD: 55; W: 25
				Tensioner	SR-1251	OD: 60; W: 26
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
GRANDEUR (TG) 						
2.2 CRDi	110/150	D4EB	06/06->	Deflection/Guide	SR-1280	OD: 58; W: 32; ->10/10
				Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->10/10; Fitting Position: Upper
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->10/10
2.2 CRDi	114/155	D4EB	06/06->	Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->10/10; Fitting Position: Upper
				Deflection/Guide	SR-1280	OD: 58; W: 32; ->10/10
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->10/10
2.7	141/192	G6BA	05/06->	Deflection/Guide	SR-1499	OD: 82; thread size M10x1,5; W: 29; ALT; 10/06->; ->10/10
				Tensioner	SR-1538	ID: 17; OD: 90; W: 30; 10/06->; ->11/10; AT
				Tensioner	SR-1498	- holder; ID: 17; OD: 90; W: 29; ALT; 10/06->; ->10/10
				Tensioner	SR-1403	OD: 58; W: 38,5; 10/06->; ->10/10; Fitting Position: Right











	kW/HP	Engine code		Type		
H-1 / STAREX 						
2.4	82/112	G4CS	06/97->04/04	Deflection/Guide	SR-1165	OD: 60; W: 32; 07/01->
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; 07/01->
				Tensioner	SR-1378	OD: 60; W: 32; CS; 07/01->
2.4	107/145	G4JS	11/01->04/04	Tensioner	SR-1379	OD: 21; 07/01->; Fitting Position: Lower
				Deflection/Guide	SR-1165	OD: 60; W: 32
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft
2.4 4WD	82/112	G4CS	02/98->04/04	Tensioner	SR-1378	OD: 60; W: 32; CS
				Tensioner	SR-1379	OD: 21; Fitting Position: Lower
				Deflection/Guide	SR-1165	OD: 60; W: 32; 07/01->
2.4 4WD	99/135	G4JS	06/01->04/04	Tensioner	SR-1379	OD: 21; 07/01->; Fitting Position: Lower
				Tensioner	SR-1378	OD: 60; W: 32; CS; 07/01->
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; 07/01->
2.5 CRDi	81/110	D4CB	06/06->12/07	Deflection/Guide	SR-1241	ID: 17; OD: 76; W: 32,5; ALT; ALT; engine D4CB; - AC; engine D4CB; + AC
				Tensioner	SR-1240	- holder; ID: 17; OD: 76,5; W: 33; ALT; engine D4CB
2.5 CRDi	85/116	D4CB	06/97->04/04	Deflection/Guide	SR-1241	ID: 17; OD: 76; W: 32,5; ALT; 01/02->; engine D4CB; - AC; + AC
				Tensioner	SR-1240	- holder; ID: 17; OD: 76,5; W: 33; ALT; 01/02->; engine D4CB
2.5 CRDi	120/163	D4CB	12/02->04/04	Deflection/Guide	SR-1241	ID: 17; OD: 76; W: 32,5; ALT; ALT; engine D4CB; - AC; engine D4CB; + AC
				Tensioner	SR-1240	- holder; ID: 17; OD: 76,5; W: 33; ALT; engine D4CB
2.5 CRDi 4WD	103/140	D4CB	12/02->04/04	Deflection/Guide	SR-1241	ID: 17; OD: 76; W: 32,5; ALT; ALT; engine D4CB; - AC; engine D4CB; + AC
				Tensioner	SR-1240	- holder; ID: 17; OD: 76,5; W: 33; ALT; engine D4CB
2.5 D	57/78	D4BF	10/97->04/04	Tensioner	SR-1168	OD: 60; W: 30,5; CS; ->07/01
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; ->07/01
2.5 TCi	73/99	D4BH	10/97->12/07	Tensioner	SR-1169	OD: 58; W: 21; bal. shaft
				Tensioner	SR-1168	OD: 60; W: 30,5; CS
2.5 TD	59/80	D4BF	06/97->04/04	Tensioner	SR-1168	OD: 60; W: 30,5; CS; ->07/01
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; ->07/01
2.5 TD 4WD	59/80	D4BF	02/98->04/04	Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; ->07/01
				Tensioner	SR-1168	OD: 60; W: 30,5; CS; ->07/01
2.5 TD 4WD	73/99	D4BH	03/01->04/04	Tensioner	SR-1168	OD: 60; W: 30,5; CS
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft
2.5 TD 4WD	74/101	D4BH	11/01->04/04	Tensioner	SR-1169	OD: 58; W: 21; bal. shaft
				Tensioner	SR-1168	OD: 60; W: 30,5; CS
H-1 Box 						
2.4	82/112	G4CS	03/00->04/04	Deflection/Guide	SR-1165	OD: 60; W: 32; 07/01->
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; 07/01->
				Tensioner	SR-1379	OD: 21; 07/01->; Fitting Position: Lower
2.5 CRDi	81/110	D4CB	07/01->04/04	Tensioner	SR-1378	OD: 60; W: 32; CS; 07/01->
				Deflection/Guide	SR-1241	ID: 17; OD: 76; W: 32,5; ALT; ALT; 01/02->; - AC; + AC
2.5 CRDi	103/140	D4CB	08/03->12/07	Tensioner	SR-1240	- holder; ID: 17; OD: 76,5; W: 33; ALT; 01/02->
				Deflection/Guide	SR-1241	ID: 17; OD: 76; W: 32,5; ALT; - AC; + AC
2.5 TD	59/80	D4BF	03/00->09/00	Tensioner	SR-1240	- holder; ID: 17; OD: 76,5; W: 33; ALT
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft
2.5 TD	73/99	D4BH	03/00->04/04	Tensioner	SR-1168	OD: 60; W: 30,5; CS
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft
2.5 TD	74/101	D4BH	10/01->04/04	Tensioner	SR-1169	OD: 58; W: 21; bal. shaft
				Tensioner	SR-1168	OD: 60; W: 30,5; CS
H-1 Cargo (TQ) 						
2.5 CRDi	125/170	D4CB	02/08->	Deflection/Guide	SR-1241	ID: 17; OD: 76; W: 32,5; ALT; ALT; QTY 1; - AC; QTY 3; + AC
				Tensioner	SR-1240	- holder; ID: 17; OD: 76,5; W: 33; ALT; 10/10->
2.5 CRDi	81/110	D4CB	02/08->	Deflection/Guide	SR-1241	ID: 17; OD: 76; W: 32,5; ALT; ALT; QTY 1; - AC; QTY 3; + AC
				Tensioner	SR-1240	- holder; ID: 17; OD: 76,5; W: 33; ALT
2.5 CRDi	120/163	D4CB-L	02/08->	Deflection/Guide	SR-1241	ID: 17; OD: 76; W: 32,5; ALT; ALT; QTY 1; - AC; QTY 3; + AC
				Tensioner	SR-1240	- holder; ID: 17; OD: 76,5; W: 33; ALT
2.5 CRDi	100/136	D4CB-W	08/09->	Deflection/Guide	SR-1241	ID: 17; OD: 76; W: 32,5; ALT; ALT; QTY 1; - AC; QTY 3; + AC
				Tensioner	SR-1240	- holder; ID: 17; OD: 76,5; W: 33; ALT
2.5 CRDi	85/116	D4CB	08/11->	Deflection/Guide	SR-1241	ID: 17; OD: 76; W: 32,5; ALT; ALT; QTY 1; - AC; QTY 3; + AC
				Tensioner	SR-1240	- holder; ID: 17; OD: 76,5; W: 33; ALT
H-1 Travel (TQ) 						
2.5 CRDi	125/170	D4CB	05/08->	Deflection/Guide	SR-1241	ID: 17; OD: 76; W: 32,5; ALT; ALT; QTY 1; - AC; QTY 3; + AC
				Tensioner	SR-1240	- holder; ID: 17; OD: 76,5; W: 33; ALT
2.5 CRDi	81/110	D4CB	07/10->	Deflection/Guide	SR-1241	ID: 17; OD: 76; W: 32,5; ALT; ALT; QTY 1; - AC; QTY 3; + AC
				Tensioner	SR-1240	- holder; ID: 17; OD: 76,5; W: 33; ALT
2.5 CRDi	85/116	D4CB	08/11->	Deflection/Guide	SR-1241	ID: 17; OD: 76; W: 32,5; ALT; ALT; QTY 1; - AC; QTY 3; + AC
				Tensioner	SR-1240	- holder; ID: 17; OD: 76,5; W: 33; ALT









	kW/HP	Engine code		Type		
2.5 CRDi	100/136	D4CB	07/08->	Deflection/Guide Tensioner	SR-1241 SR-1240	ID: 17; OD: 76; W: 32,5; ALT; QTY 1; - AC; QTY 3; + AC - holder; ID: 17; OD: 76,5; W: 33; ALT
H100 Box 						
2.5 D	55/75	D4BA;D4BX	07/93->12/94	Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; ->03/94
				Tensioner	SR-1168	OD: 60; W: 30,5; CS; ->03/94
2.5 D	57/78	D4BA	12/94->03/00	Tensioner	SR-1168	OD: 60; W: 30,5; CS; 01/96->; engine D4BA; engine D4BX
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; 01/96->; engine D4BA; engine D4BX
H100 Bus (P) 						
2.5 D	55/75	D4BA;D4BX	07/93->12/94	Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; ->03/94
				Tensioner	SR-1168	OD: 60; W: 30,5; CS; ->03/94
2.5 D	57/78	D4BA	12/94->03/00	Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; 01/96->; engine D4BA; engine D4BX
				Tensioner	SR-1168	OD: 60; W: 30,5; CS; 01/96->; engine D4BA; engine D4BX
i10 (PA) 						
1.1	49/67	G4HG	01/08->	Tensioner	SR-1391	OD: 58; W: 24
1.1 CRDi	55/75	D3FA	01/08->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT; ->11/10
i20 (PB, PBT) 						
1.1 CRDi	55/75	D3FA	03/12->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.4	74/101	G4FA	09/08->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.4 CRDi	66/90	D4FC	08/08->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.4 CRDi	55/75	D4FC	08/09->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6	93/126	G4FC	09/08->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.6 CRDi	94/128	D4FB	01/09->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6 CRDi	85/116	D4FB	09/08->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
i30 (FD) 						
1.4	80/109	G4FA	10/07->11/11	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.4	77/105	G4FA	10/07->11/11	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.6	93/126	G4FC	02/08->11/11	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.6	90/122	G4FC	10/07->11/11	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.6	85/116	G4FC	10/07->11/11	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.6 CRDi	85/116	D4FB	10/07->11/11	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6 CRDi	66/90	D4FB	10/07->11/11	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
				Deflection/Guide	SR-1297	OD: 60; W: 28,5
2.0	105/143	G4GC-G;G4GC	10/07->11/11	Tensioner	SR-1491	ID: 8,1; OD: 70; W: 29
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
				Deflection/Guide	SR-1280	OD: 58; W: 32; ->07/10
2.0 CRDi	103/140	D4EA	10/07->11/11	Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->07/10
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->07/10
				Deflection/Guide	SR-1280	OD: 58; W: 32; ->07/10
2.0 CRDi	100/136	D4EA	10/07->11/11	Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->07/10
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->07/10
i30 (GD) 						
1.4	73/99	G4FA	12/11->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.4 CRDi	66/90	D4FC	12/11->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6	88/120	G4FC	01/12->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.6 CRDi	94/128	D4FB	12/11->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6 CRDi	81/110	D4FB	12/11->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6 GDI	99/135	G4FD	12/11->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.6 GDI	95/129	G4FG	12/11->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
i30 CW (FD) 						
1.4	77/105	G4FA	10/07->06/12	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.4	80/109	G4FA	11/09->06/12	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.6	90/122	G4FC	02/08->06/12	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.6	93/126	G4FC	02/08->06/12	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.6 CRDi	85/116	D4FB	02/08->06/12	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6 CRDi	66/90	D4FB	02/08->06/12	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
				Deflection/Guide	SR-1297	OD: 60; W: 28,5
2.0	105/143	G4GC-G;G4GC	02/08->06/12	Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
				Tensioner	SR-1491	ID: 8,1; OD: 70; W: 29
				Deflection/Guide	SR-1280	OD: 58; W: 32; ->07/10
2.0 CRDi	103/140	D4EA	02/08->06/12	Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->07/10
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->07/10
				Deflection/Guide	SR-1280	OD: 58; W: 32; ->07/10
2.0 CRDi	100/136	D4EA	10/08->06/12	Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->07/10
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->07/10
i30 CW (GD) 						
1.4	73/99	G4FA	06/12->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT

	kW/HP	Engine code		Type		
1.4 CRDi	66/90	D4FC	06/12->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6	88/120	G4FG	06/12->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.6	95/129	G4FG	06/12->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.6 CRDi	94/128	D4FB-5P	06/12->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6 CRDi	81/110	D4FB	06/12->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6 GDI	99/135	G4FD	06/12->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
i40 (VF) 						
1.6 GDI	99/135	G4FD	03/12->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.7 CRDi	85/116	D4FD	03/12->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.7 CRDi	100/136	D4FD	03/12->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
i40 CW (VF) 						
1.6 GDI	99/135	G4FD	07/11->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.7 CRDi	85/116	D4FD	07/11->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.7 CRDi	100/136	D4FD	07/11->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
ix20 (JC) 						
1.4	66/90	G4FA	11/10->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.4 CRDi	57/78	D4FC-M	06/11->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.4 CRDi	66/90	D4FC	11/10->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6	92/125	G4FC	11/10->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.6 CRDi	85/116	D4FB	06/11->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6 CRDi	94/128	D4FB	06/11->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
ix35 (LM, EL, ELH) 						
1.6	99/135	G4FD	11/10->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.7 CRDi	85/116	D4FD	11/10->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
2.0	120/163	G4KD	01/10->	Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; -->08/13; engine Theta II engine; Fitting Position: Centre
				Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; -->08/13
				Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT; -->08/13; engine Theta II engine
2.0 4WD	120/163	G4KD	01/10->	Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; -->08/13; engine Theta II engine; Fitting Position: Centre
				Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT; -->08/13; engine Theta II engine
				Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; -->08/13
2.0 CWT	110/150	G4KD	08/09->	Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; 01/10-->-->08/13
2.0 GDi	122/166	G4NC	08/13->	Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; -->08/13
2.0 GDi 4WD	122/166	G4NC	08/13->	Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; -->08/13
2.4 DCWT-I 4WD	128/174	G4KE	07/10->12/13	Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; AT
LANTRA I (J-1) 						
1.5 i.e.	63/86	G15B;G4DJ	10/90->11/95	Tensioner	SR-1158	OD: 60; W: 24
				Deflection/Guide	SR-1165	OD: 60; W: 32
1.6 i.e. 16V	78/106	G4CR	10/90->11/95	Tensioner	SR-1166	OD: 55; W: 16; bal. shaft
				Tensioner	SR-1164	OD: 60; W: 31; CS
				Deflection/Guide	SR-1165	OD: 60; W: 32
1.6 i.e. 16V	84/114	G4CR	10/90->11/95	Tensioner	SR-1164	OD: 60; W: 31; CS
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft
				Deflection/Guide	SR-1165	OD: 60; W: 32
1.8 i.e. 16V	93/127	G4CN	10/90->11/95	Tensioner	SR-1166	OD: 55; W: 16; bal. shaft
				Tensioner	SR-1164	OD: 60; W: 31; CS
LANTRA II (J-2) 						
1.5 12V	65/88	G4EK	12/96->09/00	Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; -->07/00
				Tensioner	SR-1251	OD: 60; W: 26; -->11/98; 12/98-->-->07/00
				Deflection/Guide	SR-1297	OD: 60; W: 28,5; -->07/00
1.6 16V	84/114	4G61	11/95->09/00	Tensioner	SR-1296	OD: 70; W: 30; -->07/00
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; -->07/00
				Deflection/Guide	SR-1297	OD: 60; W: 28,5; -->07/00
1.6 i	66/90	G4GR	11/95->09/00	Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; -->07/00
				Tensioner	SR-1296	OD: 70; W: 30; -->07/00
				Deflection/Guide	SR-1297	OD: 60; W: 28,5; -->07/00
1.8 16V	94/128	G4GM	11/95->09/00	Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; -->07/00
				Tensioner	SR-1296	OD: 70; W: 30; -->07/00
				Deflection/Guide	SR-1297	OD: 60; W: 28,5; -->07/00
2.0 16V	102/139	G4GF	08/96->09/00	Tensioner	SR-1296	OD: 70; W: 30; -->07/00
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; -->07/00
LANTRA II Wagon (J-2) 						
1.5 12V	65/88	G4EK	04/97->10/00	Tensioner	SR-1251	OD: 60; W: 26; -->11/98; 12/98-->-->07/00
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; -->07/00





	kW/HP	Engine code		Type		
1.6 16V	84/114	4G61	02/96->10/00	Deflection/Guide	SR-1297	OD: 60; W: 28,5; ->07/00
				Tensioner	SR-1296	OD: 70; W: 30; ->07/00
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; ->07/00
1.6 i	66/90	G4GR	02/96->10/00	Deflection/Guide	SR-1297	OD: 60; W: 28,5; ->07/00
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; ->07/00
				Tensioner	SR-1296	OD: 70; W: 30; ->07/00
1.8 16V	94/128	G4GM	02/96->10/00	Deflection/Guide	SR-1297	OD: 60; W: 28,5; ->07/00
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; ->07/00
				Tensioner	SR-1296	OD: 70; W: 30; ->07/00
2.0 16V	102/139	G4GF	12/96->10/00	Deflection/Guide	SR-1297	OD: 60; W: 28,5; ->07/00
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; ->07/00
				Tensioner	SR-1296	OD: 70; W: 30; ->07/00
MATRIX (FC) 						
1.5 CRDi	60/82	D3EA	10/01->08/10	Deflection/Guide	SR-1280	OD: 58; W: 32; ->05/05; camshaft SOHC/OHC
				Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->05/05; Fitting Position: Upper; camshaft SOHC/OHC
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->05/05; camshaft SOHC/OHC
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->05/05; camshaft SOHC/OHC
1.5 CRDi	75/102	D4FA	12/04->08/10	Deflection/Guide	SR-1280	OD: 58; W: 32; ->05/05; camshaft SOHC/OHC
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->05/05; camshaft SOHC/OHC
				Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT; ->04/10; camshaft DOHC
				Deflection/Guide	SR-1252	OD: 55; W: 25; ->04/10
1.6	76/103	G4ED-G	06/01->08/10	Tensioner	SR-1251	OD: 60; W: 26; ->04/10
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; ->04/10
				Deflection/Guide	SR-1297	OD: 60; W: 28,5; ->05/06; 07/06->; ->04/10
1.8	90/122	G4GB-G	06/01->08/10	Tensioner	SR-1296	OD: 70; W: 30; ->05/06
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; ->04/10
				Tensioner	SR-1491	ID: 8,1; OD: 70; W: 29; 07/06->; ->04/10
NF V (NF) 						
2.0 CRDi	103/140	D4EA	02/06->12/10	Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->11/10; Fitting Position: Upper
				Deflection/Guide	SR-1280	OD: 58; W: 32; ->11/10
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->11/10
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->11/10
2.0 CRDi	100/136	D4EA	02/06->12/10	Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->11/10; Fitting Position: Upper
				Tensioner	SR-1280	OD: 58; W: 32; ->11/10
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->11/10
2.0 CRDi	110/150	D4EA	03/09->12/10	Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->11/10; Fitting Position: Upper
				Deflection/Guide	SR-1280	OD: 58; W: 32; ->11/10
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->11/10
2.0 GLSi	119/162	G4KD	07/08->12/10	Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; 09/10->; AT
				Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; ->11/10; Fitting Position: Centre; Fitting Position: Upper; QTY 2
				Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; 09/10->; AT
2.0 WTi GLS	121/165	G4KD	01/08->12/10	Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT; ->11/10
				Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; ->11/10; Fitting Position: Centre; Fitting Position: Upper; QTY 2
				Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT; ->11/10
2.4	119/162	G4KC	01/05->12/10	Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; ->11/10; Fitting Position: Centre; Fitting Position: Upper; QTY 2
				Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; 12/09->
				Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT; ->11/10
2.4	127/173	G4KE	06/08->12/10	Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; ->11/10; Fitting Position: Centre; Fitting Position: Upper; QTY 2
				Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT; ->11/10
				Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; 12/09->
PONY (X-2) 						
1.3	43/58	G4DG	10/89->01/95	Tensioner	SR-1158	OD: 60; W: 24; ->07/94
1.5	53/72	G15B;G4DJ	10/89->01/95	Tensioner	SR-1158	OD: 60; W: 24; ->07/94
1.5 i	61/83	G15B;G4DJ	10/89->01/95	Tensioner	SR-1158	OD: 60; W: 24; ->07/94
1.5 i	62/84	G15B;G4DJ	10/89->01/95	Tensioner	SR-1158	OD: 60; W: 24; ->07/94
PONY / EXCEL Saloon (X-2) 						
1.5	53/72	G15B;G4DJ	01/90->01/95	Tensioner	SR-1158	OD: 60; W: 24; ->07/94
1.5 i	61/83	G15B;G4DJ	01/90->01/95	Tensioner	SR-1158	OD: 60; W: 24; ->07/94
1.5 i	62/84	G15B;G4DJ	01/90->01/95	Tensioner	SR-1158	OD: 60; W: 24; ->07/94
S COUPE (SLC) 						
1.5 i	62/84	G15B;G4DJ	02/90->05/96	Tensioner	SR-1158	OD: 60; W: 24; ->03/95
1.5 i	65/88	G4EK	04/92->05/96	Tensioner	SR-1251	OD: 60; W: 26; ->06/93; 07/93->; ->03/95

	kW/HP	Engine code		Type		
1.5 i Turbo	85/116	G4EK-TC	04/91->05/96	Tensioner	SR-1251	OD: 60; W: 26; 06/92->; ->07/93; 07/93->; ->09/94
SANTA FÉ I (SM) 						
2.0	99/135	G4BP	08/01->03/06	Deflection/Guide	SR-1165	OD: 60; W: 32; ->12/05
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->12/05
				Tensioner	SR-1379	OD: 21; ->12/05; Fitting Position: Lower
2.0 CRDi	83/113	D4EA	08/01->03/06	Tensioner	SR-1504	ID: 17; OD: 90; W: 25; PSP
				Tensioner	SR-1378	OD: 60; W: 32; CS; ->12/05
				Deflection/Guide	SR-1280	OD: 58; W: 32; 12/02->; ->12/05; + VTG turbocharger; ->12/05; turbo/intercooler
2.0 CRDi 4x4	83/113	D4EA	04/01->03/06	Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->12/05; Fitting Position: Upper
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->12/05; turbo/intercooler; 12/02->; ->12/05; + VTG turbocharger
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->12/05
2.0 CRDi 4x4	92/125	D4EA	08/03->03/06	Deflection/Guide	SR-1280	OD: 58; W: 32; 12/02->; ->12/05; + VTG turbocharger; ->12/05; turbo/intercooler
				Tensioner	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->12/05; Fitting Position: Upper
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->12/05; turbo/intercooler; 12/02->; ->12/05; + VTG turbocharger
2.4 16V	100/136	G4JS-G	02/01->03/06	Deflection/Guide	SR-1165	OD: 60; W: 32; ->12/05
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->12/05
				Tensioner	SR-1378	OD: 60; W: 32; CS; ->12/05
2.4 16V	107/146	G4JS-G	02/01->03/06	Tensioner	SR-1379	OD: 21; ->12/05; Fitting Position: Lower
				Deflection/Guide	SR-1165	OD: 60; W: 32; ->12/05
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->12/05
2.4 16V 4x4	100/136	G4JS-G	02/01->03/06	Tensioner	SR-1378	OD: 60; W: 32; CS; ->12/05
				Tensioner	SR-1379	OD: 21; ->12/05; Fitting Position: Lower
				Deflection/Guide	SR-1165	OD: 60; W: 32; ->12/05
2.4 16V 4x4	107/146	G4JS-G	02/01->03/06	Tensioner	SR-1379	OD: 21; ->12/05; Fitting Position: Lower
				Tensioner	SR-1504	ID: 17; OD: 90; W: 25; + AC; + PS
				Tensioner	SR-1378	OD: 60; W: 32; CS; ->12/05
2.7 V6 4x4	127/173	G6BA-G	02/01->03/06	Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->12/05
				Deflection/Guide	SR-1165	OD: 60; W: 32; ->12/05
				Tensioner	SR-1379	OD: 21; ->12/05; Fitting Position: Lower
2.7 V6 4x4	127/173	G6BA-G	02/01->03/06	Tensioner	SR-1378	OD: 60; W: 32; CS; ->12/05
				Tensioner	SR-1504	ID: 17; OD: 90; W: 25; + PS; + AC
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->12/05
2.2 CRDi	145/197	D4HB	01/09->	Deflection/Guide	SR-1499	OD: 82; thread size M10x1,5; W: 29; ALT; 01/06->
				Deflection/Guide	SR-1453	ID: 17; OD: 82; W: 27; ALT; ->12/05
				Deflection/Guide	SR-1404	OD: 60; W: 35; ->12/05
2.2 CRDi	102/139	D4EB	03/06->	Tensioner	SR-1498	- holder; ID: 17; OD: 90; W: 29; ALT; 01/06->
				Tensioner	SR-1452	- holder; OD: 83; W: 31,5; ALT; ->12/05
				Tensioner	SR-1403	OD: 58; W: 38,5; ->12/05; 01/06->; Fitting Position: Right
SANTA FÉ II (CM) 						
2.2 CRDi	145/197	D4HB	01/09->	Deflection/Guide	SR-1280	OD: 58; W: 32; ->09/09
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->09/09
2.2 CRDi	102/139	D4EB	03/06->	Deflection/Guide	SR-1280	OD: 58; W: 32; ->09/09
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->09/09
2.2 CRDi	114/155	D4EB	03/06->	Deflection/Guide	SR-1280	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->09/09; Fitting Position: Upper
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->09/09
2.2 CRDi 4x4	145/197	D4HB	01/09->	Deflection/Guide	SR-1280	OD: 58; W: 32; ->09/09
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->09/09
2.2 CRDi 4x4	102/139	D4EB	03/06->	Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->09/09; Fitting Position: Upper
				Deflection/Guide	SR-1280	OD: 58; W: 32; ->09/09
2.2 CRDi 4x4	114/155	D4EB	03/06->	Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->09/09
				Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->09/09; Fitting Position: Upper
2.2 CRDi GLS	110/150	D4EB	03/06->	Deflection/Guide	SR-1280	OD: 58; W: 32; ->09/09
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->09/09
2.2 CRDi GLS 4x4	110/150	D4EB	03/06->	Deflection/Guide	SR-1280	OD: 58; W: 32; ->09/09
				Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->09/09; Fitting Position: Upper
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->09/09

	kW/HP	Engine code		Type		
2.4	128/174	G4KE	11/10->	Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; ->09/12; Fitting Position: Centre; Fitting Position: Upper; QTY 2
				Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT; ->09/12
2.7	125/170	G6BA	03/06->	Deflection/Guide	SR-1499	OD: 82; thread size M10x1,5; W: 29; ALT; ->09/09
				Tensioner	SR-1498	- holder; ID: 17; OD: 90; W: 29; ALT; ->09/09
2.7 4x4	125/170	G6BA	03/06->	Tensioner	SR-1403	OD: 58; W: 38,5; ->09/09; Fitting Position: Right
				Deflection/Guide	SR-1499	OD: 82; thread size M10x1,5; W: 29; ALT; ->09/09
2.7 V6 GLS	139/189	G6EA	03/06->	Tensioner	SR-1403	OD: 58; W: 38,5; ->09/09; Fitting Position: Right
				Tensioner	SR-1498	- holder; ID: 17; OD: 90; W: 29; ALT; ->09/09
2.7 V6 GLS 4x4	139/189	G6EA	03/06->	Deflection/Guide	SR-1499	OD: 82; thread size M10x1,5; W: 29; ALT; ->09/09
				Tensioner	SR-1498	- holder; ID: 17; OD: 90; W: 29; ALT; ->09/09
				Tensioner	SR-1403	OD: 58; W: 38,5; ->09/09; Fitting Position: Right
SANTA FÉ III (DM) 						
2.4	141/192	G4KJ	09/12->	Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; ALT; Fitting Position: Centre; Fitting Position: Upper; QTY 2; + PS; Fitting Position: Centre; + EPS
				Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT
2.4 4WD	141/192	G4KJ	09/12->	Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; ALT; Fitting Position: Centre; Fitting Position: Upper; QTY 2; + PS; Fitting Position: Centre; + EPS
				Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT
SANTAMO 						
2.0 16V	102/139	G4JP	05/99->	Deflection/Guide	SR-1165	OD: 60; W: 32; ->12/02; camshaft DOHC
				Tensioner	SR-1164	OD: 60; W: 31; CS; ->12/02; camshaft DOHC
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; ->12/02; camshaft DOHC
2.0 16V 4x4	102/139	G4CP	05/99->	Deflection/Guide	SR-1165	OD: 60; W: 32; ->12/02; camshaft DOHC
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; ->12/02; camshaft DOHC
				Tensioner	SR-1164	OD: 60; W: 31; CS; ->12/02; camshaft DOHC
SOLARIS IV (RB) 						
1.4	79/107	G4FA	11/10->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
				Tensioner	SR-1357	- holder; ID: 17; OD: 76; W: 31; ALT; MD Solaris; + PS
1.6	91/124	G4FC	11/10->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
				Tensioner	SR-1357	- holder; ID: 17; OD: 76; W: 31; ALT; MD Solaris; + PS
SOLARIS IV Saloon (RB) 						
1.4	80/109	G4FA	11/10->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
				Tensioner	SR-1357	- holder; ID: 17; OD: 76; W: 31; ALT; MD Solaris; + PS
1.6	91/123	G4FC	11/10->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
				Tensioner	SR-1357	- holder; ID: 17; OD: 76; W: 31; ALT; MD Solaris; + PS
1.6 CRDI	100/136	D4FB	04/11->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
SONATA II (Y-2) 						
2.0 i	80/109	G4CP-U	01/91->10/93	Deflection/Guide	SR-1165	OD: 60; W: 32; camshaft DOHC
				Tensioner	SR-1164	OD: 60; W: 31; CS; camshaft DOHC
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; camshaft DOHC
2.0 i	74/101	G4CP	09/88->08/91	Deflection/Guide	SR-1165	OD: 60; W: 32; camshaft DOHC
				Tensioner	SR-1164	OD: 60; W: 31; CS; camshaft DOHC
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; camshaft DOHC
2.0 i 16V	96/130	G4CP-D	01/91->10/93	Deflection/Guide	SR-1165	OD: 60; W: 32; camshaft DOHC
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; camshaft DOHC
3.0 i V6	107/145	G6AT	01/91->10/93	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
				Tensioner	SR-1170	OD: 60; W: 32
SONATA III (Y-3) 						
1.8 i	72/98	G4CM	05/93->06/98	Deflection/Guide	SR-1165	OD: 60; W: 32; 01/94->; ->02/96; camshaft DOHC; 03/96->; ->04/98; camshaft DOHC
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; 01/94->; ->02/96; camshaft DOHC
				Tensioner	SR-1164	OD: 60; W: 31; CS; 01/94->; ->02/96; camshaft DOHC; 03/96->; ->04/98; camshaft DOHC
2.0 i	77/105	G4CP	06/94->08/96	Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; 03/96->; ->04/98; camshaft DOHC
				Deflection/Guide	SR-1165	OD: 60; W: 32; ->02/96; camshaft DOHC; 03/96->
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; ->02/96; camshaft DOHC
2.0 i	70/95	G4EP	08/96->06/98	Tensioner	SR-1164	OD: 60; W: 31; CS; ->02/96; camshaft DOHC; 03/96->
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; 03/96->; camshaft DOHC
				Deflection/Guide	SR-1165	OD: 60; W: 32; ->04/98; camshaft DOHC
2.0 i 16V	102/139	G4CP-D	05/93->06/98	Deflection/Guide	SR-1165	OD: 60; W: 32; 01/94->; ->02/96; camshaft DOHC; 03/96->; ->04/98; camshaft DOHC
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; 03/96->; ->04/98; camshaft DOHC
				Tensioner	SR-1164	OD: 60; W: 31; CS; 01/94->; ->02/96; camshaft DOHC; 03/96->; ->04/98; camshaft DOHC
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; 01/94->; ->02/96; camshaft DOHC

	kW/HP	Engine code		Type		
2.0 i 16V	92/125	G4CP-DM	06/96->06/98	Deflection/Guide	SR-1165	OD: 60; W: 32; ->04/98; camshaft DOHC
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->04/98; camshaft DOHC
				Tensioner	SR-1164	OD: 60; W: 31; CS; ->04/98; camshaft DOHC
3.0 i V6	107/146	G6AT	05/93->06/98	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
				Tensioner	SR-1170	OD: 60; W: 32; ->04/98
SONATA IV (EF) 						
2.0 16V	100/136	G4JP-G	06/98->10/01	Deflection/Guide	SR-1165	OD: 60; W: 32; 01/99->
				Deflection/Guide	SR-1418	OD: 90; thread size M10x1,25; W: 25; PSP; + AC
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; 01/99->
				Tensioner	SR-1379	OD: 21; 01/99->; Fitting Position: Lower
2.0 16V	96/131	G4JP-EG	10/01->11/04	Tensioner	SR-1378	OD: 60; W: 32; CS; 01/99->
				Deflection/Guide	SR-1165	OD: 60; W: 32
				Deflection/Guide	SR-1418	OD: 90; thread size M10x1,25; W: 25; PSP; + AC
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft
2.4 16V	105/143	G4BS	03/98->10/01	Tensioner	SR-1378	OD: 60; W: 32; CS
				Tensioner	SR-1379	OD: 21; Fitting Position: Lower
				Deflection/Guide	SR-1165	OD: 60; W: 32; 01/99->; ->04/01
				Deflection/Guide	SR-1418	OD: 90; thread size M10x1,25; W: 25; PSP; 01/99->; ->04/01; + AC
2.5 V6 24V	118/160	G6BV-G	06/98->10/01	Tensioner	SR-1379	OD: 60; W: 32; CS; 01/99->; ->04/01
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; 01/99->; ->04/01
				Deflection/Guide	SR-1404	OD: 60; W: 35; 01/99->; ->04/01
				Tensioner	SR-1403	OD: 58; W: 38,5; 01/99->; ->04/01
SONATA VI (YF) 						
2.0	110/150	G4KD	01/09->	Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; 07/10->; engine Theta II engine; Fitting Position: Centre; Fitting Position: Upper; QTY 2
				Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT; 07/10->; engine Theta II engine
				Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; 09/10->; AT
2.4	131/178	G4KC	01/09->	Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; 07/10->; Fitting Position: Centre; Fitting Position: Upper; QTY 2
				Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT; 07/10->
				Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; 12/09->
2.4	128/174	G4KC	01/09->	Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; 07/10->; Fitting Position: Centre; Fitting Position: Upper; QTY 2
				Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; 12/09->
				Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT; 07/10->
TERRACAN (HP) 						
2.5 TD	74/101	D4BH	12/01->12/06	Tensioner	SR-1168	OD: 60; W: 30,5; CS; ->12/03
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; ->12/03
2.9 CRDi	110/150	J3	11/01->07/03	Deflection/Guide	SR-1479	OD: 55; W: 34; Fitting Position: Lower
				Deflection/Guide	SR-1480	OD: 60; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1481	OD: 28,3; W: 36,5; Fitting Position: Left
				Tensioner	SR-1478	ID: 8,2; OD: 59; W: 34
2.9 CRDi 4WD	120/163	J3	11/03->12/06	Deflection/Guide	SR-1481	OD: 28,3; W: 36,5; ->10/06; Fitting Position: Left
				Deflection/Guide	SR-1480	OD: 60; W: 34; ->10/06; Fitting Position: Right
				Deflection/Guide	SR-1479	OD: 55; W: 34; ->10/06; Fitting Position: Lower
				Tensioner	SR-1478	ID: 8,2; OD: 59; W: 34; ->10/06
2.9 CRDi 4WD	110/150	J3	12/01->12/06	Deflection/Guide	SR-1479	OD: 55; W: 34; ->10/06; Fitting Position: Lower
				Deflection/Guide	SR-1480	OD: 60; W: 34; ->10/06; Fitting Position: Right
				Deflection/Guide	SR-1481	OD: 28,3; W: 36,5; ->10/06; Fitting Position: Left
				Tensioner	SR-1478	ID: 8,2; OD: 59; W: 34; ->10/06
3.5 i V6 4WD	143/194	G6CU	12/01->12/06	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
TRAJET (FO) 						
2.0	103/140	G4GC-G	01/04->07/08	Deflection/Guide	SR-1297	OD: 60; W: 28,5; 03/04->; ->05/06; 06/06->; ->06/07
				Deflection/Guide	SR-1165	OD: 60; W: 32; ->02/04
				Tensioner	SR-1491	ID: 8,1; OD: 70; W: 29; 06/06->; ->06/07
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->02/04
				Tensioner	SR-1296	OD: 70; W: 30; 03/04->; ->05/06
				Tensioner	SR-1378	OD: 60; W: 32; CS; ->02/04
				Tensioner	SR-1379	OD: 21; ->02/04; Fitting Position: Lower
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; 03/04->; ->06/07
				Deflection/Guide	SR-1165	OD: 60; W: 32; ->02/04
				Deflection/Guide	SR-1297	OD: 60; W: 28,5; 03/04->; ->05/06; 06/06->; ->06/07
2.0	100/136	G4JP-G	03/00->07/08	Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->02/04
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; 03/04->; ->06/07
				Tensioner	SR-1379	OD: 21; ->02/04; Fitting Position: Lower
				Tensioner	SR-1378	OD: 60; W: 32; CS; ->02/04
				Tensioner	SR-1296	OD: 70; W: 30; 03/04->; ->05/06
				Tensioner	SR-1491	ID: 8,1; OD: 70; W: 29; 06/06->; ->06/07

	kW/HP	Engine code		Type		
2.0 CRDi	83/113	D4EA	04/01->07/08	Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->06/07; Fitting Position: Upper
				Deflection/Guide	SR-1280	OD: 58; W: 32; 02/06->; ->06/07; 12/02->; ->01/06; + VTG turbocharger; ->06/07; ->01/06
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->06/07
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->01/06; 02/06->; ->06/07; 12/02->; ->01/06; + VTG turbocharger; ->06/07
2.7 V6	127/173	G6BA-G	09/00->07/08	Deflection/Guide	SR-1453	ID: 17; OD: 82; W: 27; WP; ->06/07
				Deflection/Guide	SR-1404	OD: 60; W: 35; ->06/07
				Tensioner	SR-1452	- holder; OD: 83; W: 31,5; WP; ->06/07
				Tensioner	SR-1403	OD: 58; W: 38,5; ->06/07
TUCSON (JM) 						
2.0	104/141	G4GC	08/04->03/10	Deflection/Guide	SR-1297	OD: 60; W: 28,5; ->05/06; 06/06->
				Tensioner	SR-1491	ID: 8,1; OD: 70; W: 29; 06/06->
				Tensioner	SR-1296	OD: 70; W: 30; ->05/06
				Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; 01/10->
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
2.0 All-wheel Drive	104/141	G4GC	08/04->03/10	Deflection/Guide	SR-1297	OD: 60; W: 28,5; ->05/06; 06/06->
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM
				Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; 01/10->
				Tensioner	SR-1296	OD: 70; W: 30; ->05/06
				Tensioner	SR-1491	ID: 8,1; OD: 70; W: 29; 06/06->
2.0 CRDi	103/140	D4EA-V	01/06->03/10	Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1280	OD: 58; W: 32; ->01/06; + VTG turbocharger
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->01/06; + VTG turbocharger
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 CRDi	100/136	D4EA	01/06->03/10	Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1280	OD: 58; W: 32; ->01/06; + VTG turbocharger
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->01/06; + VTG turbocharger
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT
				Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1280	OD: 58; W: 32; + VTG turbocharger
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; + VTG turbocharger
2.0 CRDi	110/150	D4EA	01/09->03/10	Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1280	OD: 58; W: 32; + VTG turbocharger
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; + VTG turbocharger
				Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1280	OD: 58; W: 32; ->01/06; + VTG turbocharger; ->01/06
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->01/06; 11/04->; + VTG turbocharger
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 CRDi All-wheel Drive	103/140	D4EA-V;D4EA-F	01/06->03/10	Deflection/Guide	SR-1280	OD: 58; W: 32; ->01/06; + VTG turbocharger
				Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; Fitting Position: Upper
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->01/06; + VTG turbocharger
				Deflection/Guide	SR-1280	OD: 58; W: 32; ->01/06; + VTG turbocharger
				Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; Fitting Position: Upper
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->01/06; + VTG turbocharger
2.0 CRDi All-wheel Drive	100/136	D4EA	01/06->03/10	Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; Fitting Position: Upper
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->01/06; + VTG turbocharger
				Deflection/Guide	SR-1280	OD: 58; W: 32; + VTG turbocharger
				Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; Fitting Position: Upper
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; + VTG turbocharger
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 CRDi All-wheel Drive	110/150	D4EA	01/09->03/10	Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; Fitting Position: Upper
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; + VTG turbocharger
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT
				Deflection/Guide	SR-1280	OD: 58; W: 32; 11/04->; + VTG turbocharger; ->01/06
				Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; Fitting Position: Upper
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->01/06; 11/04->; + VTG turbocharger
2.0 CRDi All-wheel Drive	83/113	D4EA	08/04->03/10	Deflection/Guide	SR-1404	OD: 60; W: 35
				Deflection/Guide	SR-1453	ID: 17; OD: 82; W: 27; ALT
				Tensioner	SR-1403	OD: 58; W: 38,5
				Tensioner	SR-1452	- holder; OD: 83; W: 31,5; ALT
VELOSTER (FS) 						
1.6 GDI	103/140	G4FD	03/11->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.6 MPI	97/132	G4FG	04/11->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.6 T-GDI	137/186	G4FJ	10/12->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
XG (XG) 						
250	120/163	G6AV	12/98->12/05	Deflection/Guide	SR-1404	OD: 60; W: 35; ->11/05
				Deflection/Guide	SR-1453	ID: 17; OD: 82; W: 27; WP; ->11/05
				Tensioner	SR-1403	OD: 58; W: 38,5; ->11/05
				Tensioner	SR-1452	- holder; OD: 83; W: 31,5; WP; ->11/05
				Deflection/Guide	SR-1174	OD: 58; W: 35; ->11/05
				Tensioner	SR-1454	OD: 20; ->11/05; Fitting Position: Upper Left
				Tensioner	SR-1173	OD: 60; W: 35; ->11/05

	kW/HP	Engine code		Type		
300	145/197	G6CT	09/99->09/03	Deflection/Guide	SR-1174	OD: 58; W: 35
				Tensioner	SR-1173	OD: 60; W: 35
				Tensioner	SR-1454	OD: 20; Fitting Position: Upper Left

INFINITI

EX

25	175/238	VQ25HR	04/10->	Tensioner	SR-1459	ID: 12; OD: 84; W: 25; 02/11->; AT
----	---------	--------	---------	-----------	---------	------------------------------------

FX

35	206/280	VQ35DE	02/03->12/08	Tensioner	SR-1459	ID: 12; OD: 84; W: 25; AT
35 All-wheel Drive	206/280	VQ35DE	01/03->12/08	Tensioner	SR-1459	ID: 12; OD: 84; W: 25; AT
45	232/316	VK45DE	02/03->12/08	Tensioner	SR-1459	ID: 12; OD: 84; W: 25; AT
45 All-wheel Drive	232/316	VK45DE	01/03->12/08	Tensioner	SR-1459	ID: 12; OD: 84; W: 25; AT

G Saloon

25	163/222	VQ25HR	01/11->	Tensioner	SR-1459	ID: 12; OD: 84; W: 25; AT
----	---------	--------	---------	-----------	---------	---------------------------

G Saloon

35	191/260	VQ35DE	10/02->	Tensioner	SR-1459	ID: 12; OD: 84; W: 25
----	---------	--------	---------	-----------	---------	-----------------------

I30

3.0	142/193	VQ30DE	01/97->	Tensioner	SR-1271	OD: 84; thread size M10x1.25; W: 25; 07/99->; -07/01; AT
-----	---------	--------	---------	-----------	---------	--

Q50

50 D	125/170		04/13->	Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26.5; ALT
------	---------	--	---------	------------------	---------	---------------------------------------

ISUZU

ASCENDER

5.3 4WD	224/305	LH6	03/03->	Tensioner	SR-1381	- holder; ID: 17; num. of ribs: 6; OD: 75; W: 21; ALT; -07/09
---------	---------	-----	---------	-----------	---------	---

IVECO

DAILY I Box Body / Estate







30-8 (10014131, 10014132, 10014137, 10014231, 10014232...)	53/72	8140.61.200	01/78->12/89	Deflection/Guide	SR-1119	OD: 64; W: 34; engine 8140.61.200; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine 8140.61.200; Fitting Position: Upper
35-10 (10314204, 10314211, 10314212, 10314217, 10314411...)	68/92	8140.21.200	01/85->12/89	Deflection/Guide	SR-1120	OD: 67; W: 34; eng.# 1307401->; engine 8140.21; Fitting Position: Upper; Fitting Position: Lower; ->eng.# 1307400; engine 8140.21; Fitting Position: Upper; Fitting Position: Lower
35-8 (10034131, 10034132, 10034137, 10034224, 10034231...)	53/72	8140.61.200	01/78->12/89	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
40-10 V	68/92	8140.27 S	01/85->12/89	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
40-8 V	53/72	8140.61.200	01/83->06/89	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
45-10 V (10334204, 10334211, 10334212, 10334217, 10334404)	68/92	8140.21.200	01/85->12/89	Deflection/Guide	SR-1120	OD: 67; W: 34; eng.# 1307401->; engine 8140.21; Fitting Position: Upper; Fitting Position: Lower; ->eng.# 1307400; engine 8140.21; Fitting Position: Upper; Fitting Position: Lower
49-10 V (10354204, 10354211, 10354212, 10354217...)	68/92	8140.21.200	01/85->12/89	Deflection/Guide	SR-1120	OD: 67; W: 34; eng.# 1307401->; engine 8140.21; Fitting Position: Upper; Fitting Position: Lower; ->eng.# 1307400; engine 8140.21; Fitting Position: Upper; Fitting Position: Lower






DAILY I Platform/Chassis







30-8 (10011131, 10011132, 10011231, 10011232, 10011237...)	53/72	8140.61.200	01/78->12/89	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
35-10 (10310311, 10311111, 10311112, 10311117, 10311211...)	68/92	8140.21.200	01/85->12/89	Deflection/Guide	SR-1120	OD: 67; W: 34; eng.# 1307401->; engine 8140.21; Fitting Position: Upper; Fitting Position: Lower; ->eng.# 1307400; engine 8140.21; Fitting Position: Upper; Fitting Position: Lower
35-8 (10031131, 10031132, 10031137, 10031224, 10031231...)	53/72	8140.61.200	01/78->12/89	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
40-10	68/92	8140.27 S	01/85->12/89	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
40-8	53/72	8140.61.200	01/83->06/89	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
45-10 (10331211, 10331212, 10331217, 10331304, 10331311...)	68/92	8140.21.200	01/85->12/89	Deflection/Guide	SR-1120	OD: 67; W: 34; eng.# 1307401->; engine 8140.21; Fitting Position: Upper; Fitting Position: Lower; ->eng.# 1307400; engine 8140.21; Fitting Position: Upper; Fitting Position: Lower
49-10 (10350211, 10350304, 10350311, 10350404, 10350411...)	68/92	8140.21.200	01/85->12/89	Deflection/Guide	SR-1120	OD: 67; W: 34; eng.# 1307401->; engine 8140.21; Fitting Position: Upper; Fitting Position: Lower; ->eng.# 1307400; engine 8140.21; Fitting Position: Upper; Fitting Position: Lower






DAILY II Box Body / Estate





30-10	76/103	8140.23.	01/97->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
30-10 C	76/103	8140.23.	01/97->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
30-10 C	76/103	8140.23.	01/97->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
30-8 (12914111, 12914112, 12914117, 12914131, 12914137...)	55/75	8140.07.2700;8140.07.2712	01/89->08/98	Deflection/Guide	SR-1120	OD: 67; W: 34; ->eng.# 1307400; Fitting Position: Upper; Fitting Position: Lower; eng.# 1307401->; Fitting Position: Upper; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; ->eng.# 1307400; Fitting Position: Upper; Fitting Position: Lower; eng.# 1307401->; Fitting Position: Upper; Fitting Position: Lower
30-8 (12914111, 12914112, 12914117, 12914131, 12914137...)	60/82	8140.67F.	01/89->08/98	Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
30-8 (14914111, 14914117, 14914211, 14914217, 14915111...)	60/82	8140.67F.;8140.67F.3710;8140.67F.3711;8140.67F.3713;8140.67F.3721	01/89->08/98	Deflection/Guide	SR-1120	OD: 67; W: 34; ->eng.# 1307400; Fitting Position: Upper; Fitting Position: Lower; eng.# 1307401->; Fitting Position: Upper; Fitting Position: Lower














	kW/HP	Engine code		Type		
30-8 [14914111, 14914117, 14914211, 14914217, 14915111...]	62/84	8140.63.	09/98->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; ->eng.# 1307400; Fitting Position: Upper; Fitting Position: Lower; eng.# 1307401->; Fitting Position: Upper; Fitting Position: Lower
35-10 [12974212, 12974217, 12974417]	68/92	8140.97.2781	09/96->08/98	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
35-10 [12974212, 12974217, 13014111, 13014131, 13014204...]	76/103	8140.47R.2790	01/89->08/98	Deflection/Guide	SR-1120	OD: 67; W: 34; ->eng.# 1307400; Fitting Position: Upper; Fitting Position: Lower; eng.# 1307401->; Fitting Position: Upper; Fitting Position: Lower
35-10 [12974212, 12974217, 13014111, 13014131, 13014204...]	80/109	8140.47R	01/89->08/98	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
35-10 [15034111, 15034204, 15034211, 15034215, 15034217...]	76/103	8140.23.	01/96->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
35-12 [13114131, 13114204, 13114211, 13114212, 13114217...]	85/116	8140.47.2700;8140.47S	01/90->04/96	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
35-8 [12934104, 12934111, 12934112, 12934117, 12934124...]	55/75	8140.07.2700;8140.07.2712	01/91->08/98	Deflection/Guide	SR-1120	OD: 67; W: 34; ->eng.# 1307400; Fitting Position: Upper; Fitting Position: Lower; eng.# 1307401->; Fitting Position: Upper; Fitting Position: Lower
35-8 [12934104, 12934111, 12934112, 12934117, 12934124...]	60/82	8140.67F.;8140.67F.3701;8140.67F.3710;8140.67F.3711;8140.67F.3713;8140.67F.3721	01/91->08/98	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
35-8 [12934104, 12934111, 12934112, 12934117, 12934124...]	55/75	8140.07.2700;8140.07.2712	01/91->08/98	Deflection/Guide	SR-1120	OD: 67; W: 34; ->eng.# 1307400; Fitting Position: Upper; Fitting Position: Lower; eng.# 1307401->; Fitting Position: Upper; Fitting Position: Lower
35-8 [14934104, 14934111, 14934204, 14934205, 14934211...]	62/84	8140.63.	09/98->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
40-10 4x4 [15214104, 15214111, 15214117, 15215111]	76/103	8140.23.	01/97->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
40-10 V	76/103	8140.27.2720	01/90->04/96	Deflection/Guide	SR-1120	OD: 67; W: 34; ->eng.# 1307400; Fitting Position: Upper; Fitting Position: Lower; eng.# 1307401->; Fitting Position: Upper; Fitting Position: Lower
45-10 V [13034204, 13034211, 13034212, 13034224...]	76/103	8140.27.2720	01/89->04/96	Deflection/Guide	SR-1120	OD: 67; W: 34; ->eng.# 1307400; Fitting Position: Upper; Fitting Position: Lower; eng.# 1307401->; Fitting Position: Upper; Fitting Position: Lower
49-12 V [13134124, 13134204, 13134211, 13134212...]	85/116	8140.47.2711;8140.47.2721	06/90->04/96	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
49-12 V [15154204, 15154211, 15154215, 15154217...]	90/122	8140.43.	05/96->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
59-12 V [13154404, 13154411, 13154412, 13154417...]	85/116	8140.47.2700;8140.47.2711;8140.47S	05/91->04/96	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
59-12 V [15174404, 15174411, 15174415, 15174417]	90/122	8140.43.	05/96->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
DAILY II Bus 						
A 40-10 [94139111, 94139131, 94139311, 94139315...]	76/103	8140.27.2720	01/91->12/96	Deflection/Guide	SR-1120	OD: 67; W: 34; ->01/96; eng.# 1307400->; Fitting Position: Upper; Fitting Position: Lower
A 40-10 [95719111, 95719131, 95719311, 95719315...]	76/103	8140.23.	09/96->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
A 40-12 [95819311, 95819315, 95819317, 95819331]	90/122	8140.43.	05/96->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
A 45-10 [94159111, 94159131, 94159211, 94159311...]	76/103	8140.27.2720	01/91->04/96	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
A 45-10 [95739111, 95739131, 95739311, 95739315...]	76/103	8140.23.	05/96->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
A 45-12 [94179211, 94179231, 94179311, 94179317...]	85/116	8140.47.2711;8140.47.2721	06/90->04/96	Deflection/Guide	SR-1120	OD: 67; W: 34; eng.# 1307401->; Fitting Position: Upper; Fitting Position: Lower
A 45-12 [95839211, 95839231, 95839311, 95839317...]	90/122	8140.43.	05/96->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
DAILY II Dumptruck						
35-10 K [15030111, 15030211, 15030311, 15031111...]	76/103	8140.23.	01/97->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
35-12 K [15130311, 15130411, 15131111, 15131204...]	90/122	8140.43.	09/96->08/98	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
35-8 K [14930304, 14931104, 14931111, 14931115...]	62/84	8140.63.	09/98->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
45-10 [13031204, 13031211, 13031212, 13031224, 13031231...]	76/103	8140.27.2720	01/92->04/96	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
49-10 K [13056212, 13056224, 13056231, 13056237...]	76/103	8140.27.2700;8140.47R.2790	01/89->04/96	Deflection/Guide	SR-1120	OD: 67; W: 34; ->eng.# 1307400; Fitting Position: Upper; Fitting Position: Lower; eng.# 1307401->; Fitting Position: Upper; Fitting Position: Lower
49-10 K [15056204, 15056211, 15056304, 15056311]	76/103	8140.23.	05/96->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
49-12 K	90/122	8140.43.	05/96->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
59-12 K [13156211, 13156212, 13156231, 13156311...]	85/116	8140.47.2700;8140.47.2711	05/91->04/96	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
59-12 K [15176211, 15176304, 15176311, 15176315...]	90/122	8140.43.	05/96->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
DAILY II Platform/Chassis 						
30-10	76/103	8140.23.	01/98->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
30-8 [10011131, 10011132, 10011231, 10011232, 10011237...]	60/82	8140.67F.;8140.67F.3710;8140.67F.3711;8140.67F.3713;8140.67F.3721	01/92->08/98	Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
30-8 [12910211, 12911111, 12911112, 12911117, 12911131...]	55/75	8140.07.2700	01/92->08/98	Deflection/Guide	SR-1120	OD: 67; W: 34; ->eng.# 1307400; Fitting Position: Upper; Fitting Position: Lower; eng.# 1307401->; Fitting Position: Upper; Fitting Position: Lower
30-8 [12910211, 12911111, 12911112, 12911117, 12911131...]	60/82	8140.67F.	01/92->08/98	Deflection/Guide	SR-1119	OD: 64; W: 34; 01/96->; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; 01/96->; Fitting Position: Upper
30-8 [12910211, 12911111, 12911112, 12911117, 12911131...]	55/75	8140.07.2700	01/92->08/98	Deflection/Guide	SR-1120	OD: 67; W: 34; ->eng.# 1307400; Fitting Position: Upper; Fitting Position: Lower; eng.# 1304701->; Fitting Position: Upper; Fitting Position: Lower
30-8 [12910211, 12911111, 12911112, 12911117, 12911131...]	60/82	8140.67F.	01/92->08/98	Deflection/Guide	SR-1120	OD: 67; W: 34; 01/96->; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; 01/96->; Fitting Position: Lower
35-10	80/109	8140.47R	01/89->12/96	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
35-10 [12971112, 12971212, 12971312, 12971317, 12976112...]	68/92	8140.97.2781	01/89->12/96	Deflection/Guide	SR-1120	OD: 67; W: 34; ->eng.# 1307400; Fitting Position: Upper; Fitting Position: Lower; eng.# 1307401->; Fitting Position: Upper; Fitting Position: Lower










	kW/HP	Engine code		Type		
35-10 (12971112, 12971212, 12971312, 12971317, 12976112...)	76/103	8140.47R.2790	01/89->12/96	Deflection/Guide	SR-1120	OD: 67; W: 34; ->eng.# 1307400; Fitting Position: Upper; Fitting Position: Lower; eng.# 1307401->; Fitting Position: Upper; Fitting Position: Lower
35-10 (15030111, 15030211, 15030311, 15031111, 15031117...)	76/103	8140.23.	01/96->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
35-12 (13110131, 13110211, 13110231, 13110311, 13110312...)	85/116	8140.47.2700	01/90->04/96	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
35-12 (15130311, 15130411, 15131111, 15131204, 15131211...)	90/122	8140.43.	05/96->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
35-8 (12931102, 12931104, 12931111, 12931112, 12931117...)	55/75	8140.07.2700;8140.07.2712	01/89->08/98	Deflection/Guide	SR-1120	OD: 67; W: 34; ->eng.# 1307400; Fitting Position: Upper; Fitting Position: Lower; eng.# 1307401->; Fitting Position: Upper; Fitting Position: Lower
35-8 (12931102, 12931104, 12931111, 12931112, 12931117...)	60/82	8140.67F.	01/89->08/98	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
35-8 (12931102, 12931104, 12931111, 12931112, 12931117...)	55/75	8140.07.2700;8140.07.2712	01/89->08/98	Deflection/Guide	SR-1120	OD: 67; W: 34; ->eng.# 1307400; Fitting Position: Upper; Fitting Position: Lower; eng.# 1307401->; Fitting Position: Upper; Fitting Position: Lower
35-8 (12931102, 12931104, 12931111, 12931112, 12931117...)	60/82	8140.67F.	01/89->08/98	Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
40-10 W 4x4	76/103	8140.23.	01/97->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
45-10 (13031204, 13031211, 13031212, 13031224, 13031231...)	76/103	8140.27.2720	01/89->04/96	Deflection/Guide	SR-1120	OD: 67; W: 34; ->eng.# 1307400; Fitting Position: Upper; Fitting Position: Lower; eng.# 1307401->; Fitting Position: Upper; Fitting Position: Lower
49-10 (13050211, 13050231, 13050304, 13050311, 13050331...)	76/103	8140.27.2700;8140.47R.2790	01/89->04/96	Deflection/Guide	SR-1120	OD: 67; W: 34; ->eng.# 1307400; Fitting Position: Upper; Fitting Position: Lower; eng.# 1307401->; Fitting Position: Upper; Fitting Position: Lower
49-10 (15050304, 15050404, 15050411, 15051204, 15051211...)	76/103	8140.23.	05/96->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
49-12 (13130211, 13130231, 13130304, 13130311, 13130312...)	85/116	8140.47.2711;8140.47.2721	06/90->04/96	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
49-12 (15150211, 15150311, 15150404, 15150411, 15151204...)	90/122	8140.43.	05/96->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
59-12 (13150204, 13150211, 13150231, 13150311, 13150312...)	85/116	8140.47.2700;8140.47.2711	05/91->04/96	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
59-12 (15170211, 15170304, 15170311, 15170504, 15170511...)	90/122	8140.43.	05/96->05/99	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
DAILY III Box Body / Estate 						
29 L 10 V (ALJA43A2, ALJA42A2, ALJA41A2)	70/95	F1AE0481A	09/02->07/07	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
29 L 11 V	78/106	8140.43C	05/99->07/07	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; 99456476; Fitting Position: Upper; Fitting Position: Lower; 99456477
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower; 99456476
				Tensioner	SR-1563	- holder; OD: 65; W: 23,5
29 L 13	92/125	8140.43S	05/01->07/07	Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Tensioner	SR-1563	- holder; OD: 65; W: 23,5; ALT
29 L 14	100/136	F1AE0481M	01/05->04/06	Deflection/Guide	SR-1432	OD: 70; W: 29
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
29 L 9 V	62/84	8140.63.	05/99->07/07	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
				Tensioner	SR-1563	- holder; OD: 65; W: 23,5; ALT
29 L 9 V	66/90	8140.43R	11/01->04/06	Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Tensioner	SR-1563	- holder; OD: 65; W: 23,5; ALT
35 C 12 V, 35 S 12 V (AGKA43A2, AGKB43A2, AGKB46A2...)	85/116	F1AE0481B	09/02->07/07	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
35 C 14	100/136	F1CE0481A	09/04->04/06	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
35 C 17, 35 S 17	122/166	F1CE0481B	01/05->04/06	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
35 S 10 (ANJA41A1, ANJA42A2, ANJA42AB, ANJA43A, ANJAV1A...)	70/95	F1AE0481A	09/02->07/07	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
35 S 11 V, 35 C 11 V	78/106	8140.43C	05/99->07/07	Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower; 99456476
				Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; 99456476; Fitting Position: Upper; Fitting Position: Lower; 99456477
				Tensioner	SR-1563	- holder; OD: 65; W: 23,5; ALT
35 S 13 V, 35 C 13 V	92/125	8140.43S	05/99->07/07	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
				Tensioner	SR-1563	- holder; OD: 65; W: 23,5; ALT
35 S 15 V, 35 C 15 V (A6HCV3B2, A6HBV4B2, A6HC41B2...)	107/146	8140.43N	11/02->07/07	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
				Tensioner	SR-1563	- holder; OD: 65; W: 23,5; ALT
35 S 9 V	66/90	8140.43R	11/01->04/06	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
35 S 9 V, 35 C 9 V	62/84	8140.63.	05/99->07/07	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
				Tensioner	SR-1563	- holder; OD: 65; W: 23,5; ALT
40 C 13	92/125	8140.43S	05/99->04/06	Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Tensioner	SR-1563	- holder; OD: 65; W: 23,5; ALT
40 C 14	100/136	F1AE0481M	01/05->04/06	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
40 C 14	100/136	F1CE0481A	09/04->04/06	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
40 C 15	107/146	8140.43N	11/01->04/06	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
				Tensioner	SR-1563	- holder; OD: 65; W: 23,5
40 C 17, 40 S 17	122/166	F1CE0481B	01/05->04/06	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT















	kW/HP	Engine code		Type		
50 C 11	78/106	8140.43C	05/99->07/07	Deflection/Guide Tensioner	SR-1120 SR-1563	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower - holder; OD: 65; W: 23,5
50 C 13	92/125	8140.43S	05/99->07/07	Deflection/Guide Deflection/Guide Tensioner	SR-1119 SR-1120 SR-1563	OD: 64; W: 34; Fitting Position: Lower OD: 67; W: 34; Fitting Position: Upper - holder; OD: 65; W: 23,5; ALT
50 C 14	100/136	F1CE0481A	09/04->04/06	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
50 C 15	107/146	8140.43N	01/01->04/06	Deflection/Guide Deflection/Guide Tensioner	SR-1119 SR-1120 SR-1563	OD: 64; W: 34; Fitting Position: Lower OD: 67; W: 34; Fitting Position: Upper - holder; OD: 65; W: 23,5; ALT
50 C 17	122/166	F1CE0481B	09/04->04/06	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
65 C 14	100/136	F1CE0481A	09/04->04/06	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
65 C 15	107/146	8140.43N	11/01->04/06	Deflection/Guide Deflection/Guide Tensioner	SR-1120 SR-1119 SR-1563	OD: 67; W: 34; Fitting Position: Upper OD: 64; W: 34; Fitting Position: Lower - holder; OD: 65; W: 23,5; ALT
65 C 17	122/166	F1CE0481B	09/04->04/06	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
DAILY III Platform/Chassis 						
29 L 10 (ALJAV1A1, ALJA41AA, ALJA41A1, AHJA64A1...)	70/95	F1AE0481A	09/02->04/06	Deflection/Guide Tensioner	SR-1432 SR-1433	OD: 70; W: 29; ALT - holder; ID: 17; OD: 70; W: 28; ALT
29 L 11	78/105	8140.43C;8140.43B	05/99->04/06	Deflection/Guide Tensioner	SR-1120 SR-1563	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower - holder; OD: 65; W: 23,5; ALT
29 L 12 (ALKA41A1, AHKA64A1, ALLA51A1)	85/116	F1AE0481B	09/02->04/06	Deflection/Guide Tensioner	SR-1432 SR-1433	OD: 70; W: 29; ALT - holder; ID: 17; OD: 70; W: 28; ALT
29 L 13	92/125	8140.43S	11/01->04/06	Deflection/Guide Deflection/Guide Tensioner	SR-1119 SR-1120 SR-1563	OD: 64; W: 34; Fitting Position: Lower OD: 67; W: 34; Fitting Position: Upper - holder; OD: 65; W: 23,5; ALT
29 L 14 (AHRA11C1B1, AHRA14C1B1, AHRA64C1B1)	100/136	F1AE0481M	11/05->04/06	Deflection/Guide Tensioner	SR-1432 SR-1433	OD: 70; W: 29; ALT - holder; ID: 17; OD: 70; W: 28; ALT
29 L 9	62/84	8140.63.	05/99->04/06	Deflection/Guide Tensioner	SR-1120 SR-1563	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower - holder; OD: 65; W: 23,5; ALT
29 L 9	66/90	8140.43R	11/01->04/06	Deflection/Guide Tensioner	SR-1120 SR-1563	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower - holder; OD: 65; W: 23,5; ALT
35 C 10 V , 35 S 10 V (AMJA11A1, AMJA14A1, AMJA64A1...)	70/95	F1AE0481A	09/02->04/06	Deflection/Guide Tensioner	SR-1432 SR-1433	OD: 70; W: 29; ALT - holder; ID: 17; OD: 70; W: 28; ALT
35 C 12 , 35 S 12 (AEKA14A1, AEKA14AA, AEKA64A1...)	85/116	F1AE0481B	09/02->04/06	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
35 C 14	100/136	F1CE0481A	09/04->04/06	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
35 C 14, 35 S 14	100/136	F1AE0481M	01/05->04/06	Deflection/Guide Tensioner	SR-1432 SR-1433	OD: 70; W: 29; ACCOM - holder; ID: 17; OD: 70; W: 28
35 C 15	107/146	8140.43N	11/01->04/06	Deflection/Guide Deflection/Guide Tensioner	SR-1120 SR-1119 SR-1563	OD: 67; W: 34; Fitting Position: Upper OD: 64; W: 34; Fitting Position: Lower - holder; OD: 65; W: 23,5
35 C 17, 35 S 17	122/166	F1CE0481B	01/05->04/06	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
35 C 9, 35 S 9	66/90	8140.43R	11/01->04/06	Deflection/Guide Tensioner	SR-1120 SR-1563	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower - holder; OD: 65; W: 23,5; ALT
35 S 11, 35 C 11 (A2FC13AA, A6FBU4AB, A2NB14A1, A2ND13A1...)	78/106	8140.43C	05/99->04/06	Deflection/Guide Tensioner	SR-1120 SR-1563	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower - holder; OD: 65; W: 23,5; ALT
35 S 13, 35 C 13	92/125	8140.43S	05/99->04/06	Deflection/Guide Deflection/Guide Tensioner	SR-1120 SR-1119 SR-1563	OD: 67; W: 34; Fitting Position: Upper OD: 64; W: 34; Fitting Position: Lower - holder; OD: 65; W: 23,5; ALT
35 S 9, 35 C 9	62/84	8140.63.	05/99->04/06	Deflection/Guide Tensioner	SR-1120 SR-1563	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower - holder; OD: 65; W: 23,5; ALT
40 C 13	92/125	8140.43S	05/99->04/06	Deflection/Guide Deflection/Guide Tensioner	SR-1120 SR-1119 SR-1563	OD: 67; W: 34; Fitting Position: Upper OD: 64; W: 34; Fitting Position: Lower - holder; OD: 65; W: 23,5; ALT
40 C 14	100/136	F1AE0481M	01/05->04/06	Deflection/Guide Tensioner	SR-1432 SR-1433	OD: 70; W: 29; ALT - holder; ID: 17; OD: 70; W: 28; ALT
40 C 14	100/136	F1CE0481A	09/04->04/06	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
40 C 15	107/146	8140.43N	11/01->04/06	Deflection/Guide Deflection/Guide Tensioner	SR-1120 SR-1119 SR-1563	OD: 67; W: 34; Fitting Position: Upper OD: 64; W: 34; Fitting Position: Lower - holder; OD: 65; W: 23,5; ALT
40 C 17, 40 S 17	122/166	F1CE0481B	01/05->04/06	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
50 C 13	92/125	8140.43S	05/99->04/06	Deflection/Guide Deflection/Guide Tensioner	SR-1120 SR-1119 SR-1563	OD: 67; W: 34; Fitting Position: Upper OD: 64; W: 34; Fitting Position: Lower - holder; OD: 65; W: 23,5; ALT
50 C 14	100/136	F1CE0481A	09/04->04/06	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
50 C 17	122/166	F1CE0481B	09/04->04/06	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
65 C 14	100/136	F1CE0481A	09/04->04/06	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
65 C 17	122/166	F1CE0481B	09/04->04/06	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
DAILY IV Box Body / Estate 						
29L10 V	70/95	F1AE0481FA	05/06->08/11	Deflection/Guide Tensioner	SR-1432 SR-1433	OD: 70; W: 29; ALT - holder; ID: 17; OD: 70; W: 28; ALT












	kW/HP	Engine code		Type		
29L12 V, 29L12 V/P	85/116	F1AE0481GA	05/06->08/11	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
35C10, 35S10	70/95	F1AE0481FA	05/06->08/11	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
35C11 V, 35S11 V	78/106	F1AE0481FA	07/07->08/11	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
35C12 V, 35C12 V/P, 35S12 V, 35S12 V/P	85/116	F1AE0481GA	05/06->08/11	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
35C13 V, 35C13 V/P, 35S13 V, 35S13 V/P	93/126	F1AE0481GA	07/07->08/11	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
35C14 GV, 35C14 GV/P, 35S14 GV, 35S14 GV/P	100/136	F1CE0441A	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
35C14 V, 35C14 V/P, 35S14 V, 35S14 V/P	103/140	F1CE3481LC	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
35C15 V, 35C15 V/P	107/146	F1CE0481FA	05/06->08/11	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
35C17 V, 35C17 V/P, 35S17 V, 35S17 V/P	125/170	F1CE0481HA	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
40C10 V	70/95	F1AE0481FA	05/06->08/11	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
40C11 V	78/106	F1AE0481FA	07/07->08/11	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
40C12 V, 40C14 V/P	85/116	F1AE0481GA	05/06->08/11	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
40C13 V, 40C13 V/P	93/126	F1AE0481GA	07/07->08/11	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
40C14 GV, 40C14 GV/P	100/136	F1CE0441A	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
40C14 V, 40C14 V/P	103/140	F1CE3481LC	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
40C15 V, 40C15 V/P	107/146	F1CE0481FA	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
40C17 V, 40C17 V/P	125/170	F1CE0481HA	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
40C18 V, 40C18 V/P	130/176	F1CE0481HA	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
45C15 V	107/146	F1CE0481FA	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
45C17 V, 45C17 V/P	125/170	F1CE0481HA	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
45C18	130/176	F1CE0481HA	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
50C14 GV, 50C14 GV/P	100/136	F1CE0441A	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
50C14 V, 50C14 V/P	103/140	F1CE3481LC	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
50C15 V, 50C15 V/P	107/146	F1CE0481FA	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
50C17 V, 50C17 V/P	125/170	F1CE0481HA	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
50C18 V, 50C18 V/P	130/176	F1CE0481HA	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
60C15 V	107/146	F1CE0481FA	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
60C17 V, 60C17 V/P	125/170	F1CE0481HA	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
60C18	130/176	F1CE0481HC	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
65C14 V, 65C14 V/P	103/140	F1CE3481LC	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
65C15	107/146	F1CE0481FA	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
65C17 V, 65C17 V/P	125/170	F1CE0481HA	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
65C18	130/176	F1CE0481HC	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
70C14 V, 70C14 V/P	103/140	F1CE3481LC	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
70C17V, 70C17 V/P	125/170	F1CE0481HA	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
DAILY IV Bus 						
35S14 G	100/136	F1CE0441A	07/09->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
35S14, 35S14 /P	100/136	F1AE0481HA	05/06->08/11	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
DAILY IV Dumptruck						
35C10 K	70/95	F1AE0481FA	05/06->08/11	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
35C11 K, 35C11 DK, 35S11 K, 35S11 DK	78/106	F1AE0481FA	07/07->08/11	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
35C12	85/116	F1AE0481GA	05/06->08/11	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
35C13 K, 35C13 DK, 35S13 K, 35S13 DK	93/126	F1AE0481GA	07/07->08/11	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
35C14 K, 35C14 DK, 35S14 K, 35S14 DK	103/140	F1CE3481LC	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
35C15	107/146	F1CE0481FA	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
35C17 K, 35C17 DK, 35S17 K, 35S17 DK	125/170	F1CE0481HA	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
35C18	130/176	F1CE0481HA	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
40C14 K, 40C14 DK	103/140	F1CE3481LC	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
40C17 K, 40C17 DK	125/170	F1CE0481HA	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
50C14 K, 50C14 DK	103/140	F1CE3481LC	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
50C15	107/146	F1CE0481FA	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
50C17 K, 50C17 DK	125/170	F1CE0481HA	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
50C18	130/176	F1CE0481HA	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT









	kW/HP	Engine code		Type		
60C14 K, 60C14 DK	103/140	F1CE3481LC	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
60C15	107/146	F1CE0481FA	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
60C17 K, 60C17 DK	125/170	F1CE0481HA	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
60C18	130/176	F1CE0481HC	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
65C14 K, 65C14 DK	103/140	F1CE3481LC	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
65C17 K, 65C17 DK, 65C17KK	125/170	F1CE0481HA	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
70C14 K, 70C14 DK, 70C14 KK	103/140	F1CE3481LC	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
70C17 K, 70C17 DK, 70C17 KK	125/170	F1CE0481HA	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
DAILY IV Platform/Chassis 						
29L10	70/95	F1AE0481FA	05/06->08/11	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
29L12	85/116	F1AE0481GA	05/06->08/11	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
35C12, 35S12	85/116	F1AE0481GA	05/06->08/11	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
35C13, 35C13 /P, 35S13 D, 35S13, 35S13 /P	93/126	F1AE0481GA	07/07->08/11	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
35C14 G, 35C14 G/P, 35S14 G, 35S14 G/P, 35C14 GD, 35S14 GD	100/136	F1CE0441A	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
35C14, 35C14 /P, 35S14, 35S14 /P, 35S14 D, 35S14 D/P	103/140	F1CE3481LC	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
35C17, 35C17 /P, 35S17, 35S17 /P, 35S17 D	125/170	F1CE0481HA	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
35C18, 35S18	130/176	F1CE0481HA	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
35S17 W, 35S17 WD	125/170	F1CE0481HA	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
40C12	85/116	F1AE0481GA	05/06->08/11	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
40C13, 40C13 /P	93/126	F1AE0481GA	07/07->08/11	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
40C14 G, 40C14 G/P	100/136	F1CE0441A	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
40C14, 40C14 /P	103/140	F1CE3481LC	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
40C15	107/146	F1CE0481FA	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
40C17, 40C17 /P	125/170	F1CE0481HA	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
40C18	130/176	F1CE0481HA	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
45C14, 45C14 /P	103/140	F1CE3481LC	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
45C15	107/146	F1CE0481FA	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
45C17, 45C17 /P	125/170	F1CE0481HA	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
45C18, 45C18 /P, 45C18 D, 45C18 D/P	130/176	F1CE0481HA	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
50C14 G, 50C14 G/P, 50C14 GD, 50C14 GD/P	100/136	F1CE0441A	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
50C14, 50C14 /P	103/140	F1CE3481LC	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
50C15	107/146	F1CE0481FA	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
50C17, 50C17 /P	125/170	F1CE0481HA	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
50C18	130/176	F1CE0481HA	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
55S17 W, 55S17 WD	125/170	F1CE0481HA	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
60C14, 60C14 /P	103/140	F1CE3481LC	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
60C15, 60C15 /P, 60C15 D, 60C15 D/P	107/146	F1CE0481FA	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
60C17, 60C17 /P	125/170	F1CE0481HA	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
60C18	130/176	F1CE0481HC	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
65C14 G, 65C14 G/P, 65C14 GD, 65C14 GD/P	100/136	F1CE0441A	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
65C14, 65C14 /P	103/140	F1CE3481LC	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
65C15, 65C15 /P, 65C15 D, 65C15 D/P	107/146	F1CE0481FA	05/06->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
65C17, 65C17 /P	125/170	F1CE0481HA	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
70C14, 70C14 /P	103/140	F1CE3481LC	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
70C17, 70C17 /P	125/170	F1CE0481HA	07/07->08/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
DAILY V Box Body / Estate 						
29L11 V, 35C11 V, 35S11 V, 40C11 V	78/106	F1AE3481A	09/11->02/14	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT; engine F1AE3481A
29L15 V, 35C15L V, 40C15L V, 50C15L V	107/146	F1AE3481C	09/11->02/14	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
35C15 V, 40C15 V	107/146	F1CE3481L;F1CE3481J	09/11->02/14	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
35C17 V, 35S17 V, 40C17 V, 45C17 V, 50C17 V, 60C17 V	125/170	F1CE3481C;F1CE3481K	09/11->02/14	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
35C21 V, 35S21 V, 40C21 V, 45C21 V, 50C21 V	150/204	F1CE3481D	09/11->02/14	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
DAILY V Dumptruck						
35C11K, 35S11DKP	78/106	F1AE3481A	09/11->02/14	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
35C13K, 35C13DKP	93/126	F1AE3481B	09/11->02/14	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
35C15K, 35S15DKP, 50C15K, 60C15K, 65C15DK, 70C15K	107/146	F1CE3481L	09/11->02/14	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT
35S21DKP	150/205	F1CE3481D	09/11->02/14	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25.5; ALT












	kW/HP	Engine code		Type		
DAILY V Platform/Chassis 						
29L13, 29L13D, 35C13D, 40C13	93/126	F1AE3481B	09/11->02/14	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
35C15, 35C15D, 35S15, 40C15, 45C15, 50C15, 60C15, 70C15	107/146	F1CE3481L;F1CE3481J	09/11->02/14	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5
35C17, 35C17D, 35S17, 40C17, 45C17, 50C17, 60C17, 70C17	125/170	F1CE3481C;F1CE3481K	09/11->02/14	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5
35C21, 35S21, 40C21, 45C21, 50C21, 60C21, 70C21	150/205	F1CE3481D	09/11->02/14	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5
DAILY VI Box Body / Estate 						
3.0 Natural Power 35S14, 35C14, 40C14, 50C14, 65C14, 70C14	100/136	F1CFA401A;F1CFA401B	03/14->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
33S11, 35S11, 35C11	78/106	F1AE3481A;F1AFL411A	03/14->	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
33S13, 35S13, 35C13	93/126	F1AFL411B	03/14->	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
33S15, 35S15, 35C15	107/146	F1AE3481C;F1AFL411C	03/14->	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
35S21, 35C21, 40C21, 50C21, 65C21, 70C21	150/205	F1CE3481D;F1CFL411G	03/14->	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
DAILY VI Platform/Chassis 						
33S11, 35S11, 35C11	78/106	F1AE3481A;F1AFL411A	03/14->	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
33S13, 35S13, 35C13	93/126	F1AE3481B;F1AFL411B	03/14->	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
33S15, 35S15, 35C15	107/146	F1AE3481C;F1AFL411C	03/14->	Deflection/Guide	SR-1432	OD: 70; W: 29; ALT
				Tensioner	SR-1433	- holder; ID: 17; OD: 70; W: 28; ALT
MASSIF Pickup 						
3.0 HPI	107/146	F1CE0481FA	10/08->02/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5
3.0 HPT	130/176	F1CE0481HA	10/08->02/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT
MASSIF Single Cab 						
3.0 HPI	107/146	F1CE0481FA	10/08->02/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5
3.0 HPT	130/176	F1CE0481HA	10/08->02/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5
MASSIF Station Wagon 						
3.0 HPI	107/146	F1CE0481FA	10/08->02/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5
3.0 HPT	130/176	F1CE0481HA	10/08->02/11	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5
JAGUAR						
XF [_J05_, CC9] 						
2.2 D	147/200	224DT	03/12->04/15	Deflection/Guide	SR-1148	OD: 70; W: 28; ALT; Fitting Position: Upper Left
2.2 D	120/163	224DT	04/11->04/15	Deflection/Guide	SR-1148	OD: 70; W: 28; ALT; Fitting Position: Upper Left
2.2 D	140/190	224DT	05/11->04/15	Deflection/Guide	SR-1148	OD: 70; W: 28; ALT; Fitting Position: Upper Left
XF SPORTBRAKE (CC9) 						
2.2 D	147/200	224DT	09/12->04/14	Deflection/Guide	SR-1148	OD: 70; W: 28; ALT; Fitting Position: Upper Left
2.2 D	120/163	224DT	09/12->04/14	Deflection/Guide	SR-1148	OD: 70; W: 28; ALT; Fitting Position: Upper Left
X-TYPE (CF1) 						
2.0 D	96/130	R4-X404;FMBA;FMBB	07/03->11/09	Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP
				Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.2 D	107/146	LJ46G	01/07->11/09	Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP
2.2 D	110/150	LJ46G	10/05->11/09	Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Centre
2.2 D	114/155	LJ46G	10/05->11/09	Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP
				Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Upper Left
2.2 D	114/155	LJ46G	10/05->11/09	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
				Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP














	kW/HP	Engine code		Type		
X-TYPE Estate (CF1_) 						
2.0 D	96/130	R4-X404;FMBA;FMBB	02/04->12/09	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Upper Left
				Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP
2.2 D	107/146	LJ46G	01/07->12/09	Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
				Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Centre
2.2 D	110/150	LJ46G	10/05->12/09	Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
				Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Centre
2.2 D	114/155	LJ46G	10/05->12/09	Deflection/Guide	SR-1436	+ holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1437	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
				Tensioner	SR-1447	- holder; ID: 17; OD: 52; W: 18; PSP
JEEP						
CHEROKEE (KJ) 						
2.4 4x4	108/147	ED1	09/01->01/08	Deflection/Guide	SR-1288	OD: 58; W: 35; ->12/02; auto. TPA
				Tensioner	SR-1289	OD: 67; W: 33; ->12/02
2.4 Laredo	108/147	ED1	10/01->09/04	Deflection/Guide	SR-1288	OD: 58; W: 35; ->12/02; auto. TPA
				Tensioner	SR-1289	OD: 67; W: 33; ->12/02
2.5 CRD 4x4	105/143	R 425 DOHC	09/01->01/08	Deflection/Guide	SR-1496	+ holder; OD: 76; thread size M10x1,5; W: 32; engine ENJ; Fitting Position: Upper Left; Fitting Position: Right
				Tensioner	SR-1348	- holder; ID: 17; OD: 70; W: 26; ALT; OE 04861630AA; OE 04861630AB
2.8 CRD 4x4	110/150	ENR	11/02->01/08	Deflection/Guide	SR-1496	+ holder; OD: 76; thread size M10x1,5; W: 32; engine ENR; Fitting Position: Upper Left; Fitting Position: Right
				Tensioner	SR-1348	- holder; ID: 17; OD: 70; W: 26; ALT; OE 04861630AA; OE 04861630AB
2.8 CRD 4x4	120/163	ENR	11/04->01/08	Deflection/Guide	SR-1496	+ holder; OD: 76; thread size M10x1,5; W: 32; engine ENR; Fitting Position: Upper Left; Fitting Position: Right
				Tensioner	SR-1348	- holder; ID: 17; OD: 70; W: 26; ALT; OE 04861630AA; OE 04861630AB
CHEROKEE (KK) 						
2.8 CRD 4x4	130/177	ENS	05/08->	Tensioner	SR-1348	- holder; ID: 17; OD: 70; W: 26; ALT; ->12/11
2.8 CRDi 4x4	147/200	ENS	01/10->	Tensioner	SR-1348	- holder; ID: 17; OD: 70; W: 26; ALT; ->12/11
CHEROKEE (XJ) 						
2.1 D 4x4	59/80	J8S 742	10/86->09/92	Deflection/Guide	SR-1116	OD: 60; W: 33
2.1 TD	59/80	J8S	06/89->03/92	Deflection/Guide	SR-1116	OD: 60; W: 33
2.1 TD	64/87	J8S	10/84->09/01	Deflection/Guide	SR-1116	OD: 60; W: 33
COMMANDER (XK) 						
3.0 CRD 4x4	160/218	EXL	04/06->12/10	Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT
5.7 V8 4x4	240/326	EZB	09/05->12/10	Deflection/Guide	SR-1492	ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT
COMPASS (MK49) 						
2.0	115/156	ECN	05/11->	Deflection/Guide	SR-1041	OD: 70; W: 24,7; ALT; Fitting Position: Upper
2.0 CRD	103/140	ECD,ECE	08/06->	Deflection/Guide	SR-1023	OD: 40; W: 36; engine ECD; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine ECD; Fitting Position: Right
2.0 CRD 4x4	103/140	ECE	09/06->	Deflection/Guide	SR-1023	OD: 40; W: 36; engine ECD; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine ECD; Fitting Position: Right
2.2 CRD 4x4	120/163	OM 651.925	12/10->	Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
2.4	125/170	ED3	08/06->	Deflection/Guide	SR-1041	OD: 70; W: 24,7; ALT
				Tensioner	SR-1042	+ holder; OD: 65; W: 28; ALT
2.4 4x4	125/170	ED3	09/06->	Deflection/Guide	SR-1041	OD: 70; W: 24,7; ALT
				Tensioner	SR-1042	+ holder; OD: 65; W: 28; ALT
GRAND CHEROKEE II (WJ, WG) 						
2.7 CRD 4x4	120/163	ENF	10/01->09/05	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
2.7 CRD 4x4	120/163		10/04->09/05	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
2.7 CRD Laredo	120/163		10/04->09/05	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
4.0 4x4	140/190	ERH	04/99->09/05	Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26; -> year 2000
GRAND CHEROKEE III (WH, WK) 						
3.0 CRD 4x4	155/211	EXL	05/06->12/10	Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT
3.0 CRD 4x4	160/218	EXL	06/05->12/10	Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT
5.7 V8 4x4	240/326	EZB	06/05->12/10	Deflection/Guide	SR-1492	ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT
6.1 SRT8 4x4	313/426	ESF	03/06->12/10	Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT
				Deflection/Guide	SR-1492	ID: 17; OD: 70; W: 24; 10/06->; MD 2007













	kW/HP	Engine code		Type		
GRAND CHEROKEE IV (WK, WK2) 						
3.0 CRD V6 4x4	140/190	EXF	02/11->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Right
3.0 CRD V6 4x4	177/241	EXF	02/11->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Right
3.6 V6 4x4	210/286	ERB	11/10->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Right
3.6 V6 FlexFuel 4x4	210/286	ERB	11/10->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Right
PATRIOT (MK74) 						
2.0 CRD 4x4	103/140	ECD;ECE	02/07->	Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
2.4 4x4	125/170	ED3	01/08->	Deflection/Guide	SR-1041	OD: 70; W: 24.7; ALT
				Tensioner	SR-1042	+ holder; OD: 65; W: 26; ALT
2.4 Eco + 4x4	125/170	ED3	07/08->	Deflection/Guide	SR-1041	OD: 70; W: 24.7; ALT
				Tensioner	SR-1042	+ holder; OD: 65; W: 26; ALT
RENEGADE Closed Off-Road Vehicle (BU) 						
1.6 CRD	88/120	EJK	07/14->	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
2.0 CRD 4x4	103/140	EBT	07/14->	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
2.0 CRD 4x4	125/170	EBT	07/14->	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
WRANGLER II (TJ) 						
2.4	105/143	ED1	11/02->04/07	Deflection/Guide	SR-1288	OD: 58; W: 35; ->12/02; auto. TPA; 01/03->
				Tensioner	SR-1486	- holder; ID: 35; OD: 67; W: 33; 01/03->
4.0	124/169		06/98->04/07	Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26; year 2000 ->; -> year 2006
4.0	130/177	S01	08/96->04/07	Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26; year 2000 ->; -> year 2006
4.0	130/177	ERH	08/96->04/07	Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26; year 2000 ->; -> year 2006
WRANGLER III (JK) 						
2.8 CRD	130/177	ENS	04/07->	Tensioner	SR-1348	- holder; ID: 17; OD: 70; W: 26; ALT; ->12/11
2.8 CRD	147/200	ENS	11/10->	Tensioner	SR-1348	- holder; ID: 17; OD: 70; W: 26; ALT; ->12/11
3.6 V6	209/284	ERB	10/11->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Right
KIA						
AVELLA 						
1.3	55/75	B3	11/95->12/01	Tensioner	SR-1185	OD: 58; W: 25; ->02/00
AVELLA Hatchback 						
1.3	55/75	B3	11/95->12/01	Tensioner	SR-1185	OD: 58; W: 25; ->02/00
1.5	55/75		02/97->12/01	Tensioner	SR-1185	OD: 58; W: 25; ->02/00
CARENS I (FC) 						
1.8 i	81/110	T8	11/00->07/02	Deflection/Guide	SR-1208	OD: 52; W: 25
				Tensioner	SR-1367	OD: 52; W: 25
CARENS II (FJ) 						
1.6	77/105	GA6D	07/02->	Deflection/Guide	SR-1208	OD: 52; W: 25; 12/03->; ->08/06
				Tensioner	SR-1207	OD: 52; W: 25; 12/03->; ->08/06
1.8	93/126	TB	07/02->	Deflection/Guide	SR-1208	OD: 52; W: 25; ->08/06
				Tensioner	SR-1367	OD: 52; W: 25; ->08/06
2.0 CRDi	83/113	D4EA	07/02->	Deflection/Guide	SR-1280	OD: 58; W: 32; ->05/05; 06/05->; ->08/06; ->08/06
				Deflection/Guide	SR-1277	OD: 70; thread size M10x1.5; W: 27.5; ALT; ->08/06; Fitting Position: Upper; + PS
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->05/05; 06/05->; ->08/06; ->08/06
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->08/06
2.0 CRDi	103/140	D4EA	11/05->	Deflection/Guide	SR-1277	OD: 70; thread size M10x1.5; W: 27.5; ALT; ->08/06; Fitting Position: Upper
				Deflection/Guide	SR-1280	OD: 58; W: 32; ->08/06
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->08/06
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->08/06
2.0 CWT	102/139	G4GC	08/04->	Deflection/Guide	SR-1297	OD: 60; W: 28.5; ->05/06; 06/06->; ->08/06
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; ->08/06
				Tensioner	SR-1491	ID: 8,1; OD: 70; W: 29; 06/06->; ->08/06
				Tensioner	SR-1296	OD: 70; W: 30; ->05/06
CARENS III (UN) 						
1.6 CRDi 110	85/116	D4FB	10/10->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT; ->12/12
1.6 CRDi 128	94/128	D4FB	10/10->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT; ->12/12
1.6 CWT	97/132	G4FC	08/09->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1.5; W: 26; ALT; ->12/12
				Tensioner	SR-1357	- holder; ID: 17; OD: 76; W: 31; ALT; ->12/12
1.6 CWT	93/126	G4FC	10/10->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1.5; W: 26; ALT; ->12/12
				Tensioner	SR-1357	- holder; ID: 17; OD: 76; W: 31; ALT; ->12/12
2.0 CRDi 115	85/115	D4EA	05/07->	Deflection/Guide	SR-1277	OD: 70; thread size M10x1.5; W: 27.5; ALT; ->12/12
				Deflection/Guide	SR-1280	OD: 58; W: 32; ->12/12
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->12/12
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->12/12









	kW/HP	Engine code		Type		
2.0 CRDi 135	100/136	D4EA	08/09->	Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->12/12
				Deflection/Guide	SR-1280	OD: 58; W: 32; ->12/12
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->12/12
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->12/12
2.0 CRDi 140	103/140	D4EA	09/06->	Deflection/Guide	SR-1280	OD: 58; W: 32; ->12/12
				Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->12/12
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->12/12
2.0 CWT	106/144	G4KA	09/06->	Deflection/Guide	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->12/12
				Tensioner	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; ->12/12; Fitting Position: Centre; Fitting Position: Upper; QTY 2
CARENS IV 						
1.6 GDi	99/135	G4FD	03/13->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.7 CRDi	85/116	D4FD-L	03/13->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.7 CRDi	100/136	D4FD-L	03/13->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
CARNIVAL / GRAND CARNIVAL III (VQ) 						
2.7 V6	139/189	G6EA	06/06->	Deflection/Guide	SR-1499	OD: 82; thread size M10x1,5; W: 29; ALT; ->02/12
				Tensioner	SR-1538	ID: 17; OD: 90; W: 30; ->04/14
				Tensioner	SR-1403	OD: 58; W: 38,5; ->02/12; Fitting Position: Right
				Tensioner	SR-1498	- holder; ID: 17; OD: 90; W: 29; ALT; ->02/12
2.9 CRDi	136/185	J3	06/06->	Deflection/Guide	SR-1481	OD: 28,3; W: 36,5; ->02/12; Fitting Position: Left
				Deflection/Guide	SR-1480	OD: 60; W: 34; ->02/12; Fitting Position: Right
				Deflection/Guide	SR-1479	OD: 55; W: 34; ->02/12; Fitting Position: Lower
				Deflection/Guide	SR-1477	OD: 76; W: 22,1; ALT; ->02/12
				Tensioner	SR-1476	+ holder; OD: 76; W: 22; ALT; ->02/12
Tensioner	SR-1478	ID: 8,2; OD: 59; W: 34; ->02/12				
CARNIVAL I (UP) 						
2.5 V6	121/165	KRV6	08/99->10/01	Tensioner	SR-1473	OD: 60; W: 26; bal. shaft; engine OK52; Fitting Position: Right
				Tensioner	SR-1474	OD: 60; W: 26; bal. shaft; engine OK52; Fitting Position: Left
				Tensioner	SR-1475	OD: 60; thread size M10x1,5; W: 32; CS; CS; engine OK52; engine OK52; Fitting Position: inner
2.9 TD	93/126	J3	08/99->10/01	Deflection/Guide	SR-1481	OD: 28,3; W: 36,5; 06/00->; engine OK53; Fitting Position: Left
				Deflection/Guide	SR-1477	OD: 76; W: 22,1; ALT
				Deflection/Guide	SR-1479	OD: 55; W: 34; 06/00->; engine OK53; Fitting Position: Lower; ->05/00; engine OK53; Fitting Position: Lower
				Deflection/Guide	SR-1480	OD: 60; W: 34; 06/00->; engine OK53; Fitting Position: Right; ->05/00; engine OK53; Fitting Position: Upper
				Tensioner	SR-1476	+ holder; OD: 76; W: 22; ALT; 07/00->
Tensioner	SR-1478	ID: 8,2; OD: 59; W: 34; 06/00->; engine OK53				
CARNIVAL II (GQ) 						
2.5 V6	110/150	K5	10/01->	Tensioner	SR-1475	OD: 60; thread size M10x1,5; W: 32; CS; ->11/05; engine OK52; Fitting Position: inner
				Tensioner	SR-1474	OD: 60; W: 26; bal. shaft; ->11/05; engine OK52; Fitting Position: Left
				Tensioner	SR-1473	OD: 60; W: 26; bal. shaft; ->11/05; engine OK52; Fitting Position: Right
2.9 CRDi	106/144	J3	10/01->	Deflection/Guide	SR-1479	OD: 55; W: 34; ->11/05; Fitting Position: Lower
				Deflection/Guide	SR-1477	OD: 76; W: 22,1; ALT; ->11/05
				Deflection/Guide	SR-1480	OD: 60; W: 34; ->11/05; Fitting Position: Right
				Deflection/Guide	SR-1481	OD: 28,3; W: 36,5; ->11/05; Fitting Position: Left
				Tensioner	SR-1478	ID: 8,2; OD: 59; W: 34; ->11/05
Tensioner	SR-1476	+ holder; OD: 76; W: 22; ALT; 11/05->				
CEE`D Sportswagon (JD) 						
1.4 CRDi 90	66/90	D4FC	09/12->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.4 CWT	73/100	G4FA	09/12->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.6 CRDi 110	81/110	D4FB	03/13->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6 CRDi 128	94/128	D4FB	09/12->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6 GDI	99/135	G4FD	09/12->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
CEE`D (JD) 						
1.4 CRDi 90	66/90	D4FC	05/12->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.4 CWT	66/90	G4FA-L	05/12->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.4 CWT	73/100	G4FA	05/12->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.6 CRDi 115	85/115	D4FB	05/12->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6 CRDi 128	94/128	D4FB	05/12->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6 CRDi 90	66/90	D4FB-L	05/12->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6 CWT	92/125	G4FC	05/12->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.6 GDI	99/135	G4FD	05/12->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
CEE`D Hatchback (ED) 						
1.4	77/105	G4FA	12/06->12/12	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; ->08/12
1.4	80/109	G4FA	12/06->12/12	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; ->08/12
1.4 CWT	66/90	G4FA-L	06/10->12/12	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; ->08/12
1.6	93/126	G4FC	02/08->12/12	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; ->08/12











	kW/HP	Engine code		Type		
1.6	85/115	G4FC	09/07->12/12	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; ->08/12
1.6	90/122	G4FC	12/06->12/12	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; ->08/12
1.6 CRDi 115	85/115	D4FB	12/06->12/12	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT; ->08/12
1.6 CRDi 128	94/128	D4FB	10/10->12/12	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT; ->08/12
1.6 CRDi 90	66/90	D4FB-L	12/06->12/12	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT; ->08/12
1.6 CWT	92/125	G4FC	10/10->12/12	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; ->08/12
2.0	105/143	G4GC	12/06->12/12	Deflection/Guide	SR-1297	OD: 60; W: 28,5; ->08/12
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; ->08/12
				Tensioner	SR-1491	ID: 8,1; OD: 70; W: 29; ->08/12
2.0 CRDi	100/136	D4EA	06/07->12/12	Deflection/Guide	SR-1280	OD: 58; W: 32; ->08/10
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->08/10
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->08/10
2.0 CRDi 140	103/140	D4EA-F	09/07->12/12	Deflection/Guide	SR-1280	OD: 58; W: 32; ->08/10
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->08/10
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->08/10
CEE'D SW (ED) 						
1.4	80/109	G4FA	09/07->12/12	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; ->08/12
1.4	77/105	G4FA	10/10->12/12	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; ->08/12
1.4 CWT	66/90	G4FA-L	10/10->12/12	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; ->08/12
1.6	85/115	G4FC	09/07->11/12	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; ->08/12
1.6	90/122	G4FC	09/07->12/12	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; ->08/12
1.6	93/126	G4FC	09/07->12/12	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; ->08/12
1.6 CRDi 115	85/115	D4FB	09/07->12/12	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT; ->08/12
1.6 CRDi 128	94/128	D4FB	10/10->12/12	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT; ->08/12
1.6 CRDi 90	66/90	D4FB-L	09/07->12/12	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT; ->08/12
1.6 CWT	92/125	G4FC	06/09->12/12	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; ->08/12
2.0	105/143	G4GC	09/07->12/12	Deflection/Guide	SR-1297	OD: 60; W: 28,5; ->08/12
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; ->08/12
				Tensioner	SR-1491	ID: 8,1; OD: 70; W: 29; ->08/12
2.0 CRDi 140	103/140	D4EA-F	09/07->12/12	Deflection/Guide	SR-1280	OD: 58; W: 32; ->08/10
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->08/10
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->08/10
CERATO (LD) 						
1.5 CRDi	75/102	D4FA	07/05->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT; ->10/06
				Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; 11/06-> ->12/09
				Deflection/Guide	SR-1252	OD: 55; W: 25; ->10/06
1.6	77/105	G4ED	07/04->	Tensioner	SR-1357	- holder; ID: 17; OD: 76; W: 31; ALT; 11/06-> ->12/09
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; ->10/06
				Tensioner	SR-1251	OD: 60; W: 26; ->10/06
1.6 CRDi	85/115	D4FB	06/05->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT; 12/05-> ->12/09
				Deflection/Guide	SR-1297	OD: 60; W: 28,5; ->05/06; 06/06-> ->12/09
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; ->12/09
2.0	105/143	G4GC	04/04->	Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; 11/09-> ->03/13
				Tensioner	SR-1296	OD: 70; W: 30; ->05/06
				Tensioner	SR-1491	ID: 8,1; OD: 70; W: 29; 06/06-> ->12/09
2.0 CRDi	83/112	D4EA	04/04->	Deflection/Guide	SR-1280	OD: 58; W: 32; ->10/06; 05/05-> ->10/06; ->04/05
				Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->10/06; Fitting Position: Upper
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->10/06; 05/05-> ->10/06; ->04/05
Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->10/06				
CERATO II Saloon (TD) 						
1.6	90/122	G4FC	01/10->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; ->03/13
				Tensioner	SR-1357	- holder; ID: 17; OD: 76; W: 31; ALT; ->03/13; + PS
1.6	93/126	G4FC	01/10->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; ->03/13
				Tensioner	SR-1357	- holder; ID: 17; OD: 76; W: 31; ALT; ->03/13; + PS
1.6 CWT	91/124	G4FC	02/09->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; ->03/13
				Tensioner	SR-1357	- holder; ID: 17; OD: 76; W: 31; ALT; ->03/13; + PS
2.0	115/156	G4KD	01/09->	Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; ALT; 05/09-> ->03/13; Fitting Position: Centre; Fitting Position: Upper; QTY 2; + PS; 05/09-> ->03/13; Fitting Position: Centre; + EPS
				Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT; 05/09-> ->03/13
				Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; 11/09-> ->03/13
CERATO KOUP (TD) 						
1.6 CWT	91/124	G4FC	10/09->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; ->03/13
				Tensioner	SR-1357	- holder; ID: 17; OD: 76; W: 31; ALT; ->03/13; + PS
2.0	115/156	G4KD	01/09->	Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; ALT; 05/09-> ->03/13; Fitting Position: Centre; Fitting Position: Upper; QTY 2; + PS; 05/09-> ->03/13; Fitting Position: Centre; + EPS
				Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; 11/09-> ->03/13
				Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT; 05/09-> ->03/13















	kW/HP	Engine code		Type		
CERATO Saloon 						
1.6 MPI	96/130	G4FC	06/13->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
JOICE 						
2.0	102/139	G4CP	02/00->	Deflection/Guide	SR-1165	OD: 60; W: 32; ->03/03
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->03/03
2.0	88/120	G4CP	09/01->	Tensioner	SR-1164	OD: 60; W: 31; CS; ->03/03
				Deflection/Guide	SR-1165	OD: 60; W: 32; ->03/03
2.0	88/120	G4CP	09/01->	Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->03/03
				Tensioner	SR-1164	OD: 60; W: 31; CS; ->03/03
MAGENTIS (GD) 						
2.0	100/136	G4JP	05/01->	Deflection/Guide	SR-1418	OD: 90; thread size M10x1,25; W: 25; PSP; ->09/05
				Deflection/Guide	SR-1165	OD: 60; W: 32; ->09/05
				Tensioner	SR-1379	OD: 21; ->09/05; Fitting Position: Lower
				Tensioner	SR-1378	OD: 60; W: 32; CS; ->09/05
2.5 V6	124/169	G6BV	05/01->	Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->09/05
				Deflection/Guide	SR-1453	ID: 17; OD: 82; W: 27; ALT; ->09/05
				Deflection/Guide	SR-1404	OD: 60; W: 35; ->09/05
				Tensioner	SR-1452	- holder; OD: 83; W: 31,5; ALT; ->09/05
Tensioner	SR-1403	OD: 58; W: 38,5; ->09/05				
MAGENTIS (MG) 						
2.0	121/165	G4KD	07/09->	Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; ->04/10; Fitting Position: Centre; Fitting Position: Upper; QTY 2
				Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT; ->04/10
2.0	106/144	G4KA	11/05->	Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; ->04/10; Fitting Position: Centre; Fitting Position: Upper; QTY 2
				Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT; ->04/10
2.0 CRDi	103/140	D4EA	04/06->	Deflection/Guide	SR-1280	OD: 58; W: 32; ->04/10
				Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->04/10
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->04/10
2.0 CRDi	110/150	D4EA	04/06->	Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->04/10
				Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->04/10
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->04/10
2.0 CRDi	100/136	D4EA	11/05->12/08	Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT
				Deflection/Guide	SR-1280	OD: 58; W: 32
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT
2.7	138/188	G6EA	11/05->	Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32
				Deflection/Guide	SR-1499	OD: 82; thread size M10x1,5; W: 29; ALT; ->04/10
				Tensioner	SR-1403	OD: 58; W: 38,5; ->04/10; Fitting Position: Right
2.7 V6	142/193	G6EA	07/09->	Tensioner	SR-1538	ID: 17; OD: 90; W: 30; ->04/10; AT
				Tensioner	SR-1498	- holder; ID: 17; OD: 90; W: 29; ALT; ->04/10
				Deflection/Guide	SR-1499	OD: 82; thread size M10x1,5; W: 29; ALT; ->04/10
2.7 V6	142/193	G6EA	07/09->	Tensioner	SR-1498	- holder; ID: 17; OD: 90; W: 29; ALT; ->04/10
				Tensioner	SR-1538	ID: 17; OD: 90; W: 30; ->04/10; AT
				Tensioner	SR-1403	OD: 58; W: 38,5; ->04/10; Fitting Position: Right
OPTIMA 						
1.7 CRDi	100/136	D4FD-L	03/12->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
2.0	125/170	G4KD	03/12->	Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; engine Theta II engine; Fitting Position: Centre
				Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29
2.0	204/277		09/10->	Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT; engine Theta II engine
				Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; engine Theta II engine; Fitting Position: Centre
2.0 CWT Hybrid	140/190		12/12->	Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29
				Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; Fitting Position: Centre
2.4	149/203	G4KJ	09/10->	Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT
				Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29
PICANTO (BA) 						
1.0	45/61	G4HE	04/04->	Tensioner	SR-1391	OD: 58; W: 24; ->01/11
1.0	46/63	G4HE	11/09->	Tensioner	SR-1391	OD: 58; W: 24; ->01/11
1.1	48/65	G4HG	04/04->	Tensioner	SR-1391	OD: 58; W: 24; ->01/11
1.1 CRDi	55/75	D3FA	11/05->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT; ->01/11
PRIDE (DA) 						
1.1 i	38/52	B1	01/91->	Tensioner	SR-1185	OD: 58; W: 25; ->12/01
1.3 16V	44/60	B3	01/90->	Tensioner	SR-1185	OD: 58; W: 25; ->12/01
1.3 16V	53/72	B3	01/90->	Tensioner	SR-1185	OD: 58; W: 25; ->12/01
1.3 16V	47/64	B3	10/96->	Tensioner	SR-1185	OD: 58; W: 25; ->12/01
1.3 i	51/69		01/90->	Tensioner	SR-1185	OD: 58; W: 25; ->12/01





	kW/HP	Engine code		Type		
PRIDE Estate 						
1.3	47/64	B3A5	08/99->	Tensioner	SR-1185	OD: 58; W: 25; ->12/01
PRO CEE'D (JD) 						
1.4 CRDi 90	66/90	D4FC	03/13->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.4 CWT	73/100	G4FA	03/13->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.6 CRDi 110	81/110	D4FB	03/13->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6 CRDi 128	94/128	D4FB	03/13->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6 GDI	99/135	G4FD	03/13->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.6 GT	150/204	G4FJ	06/13->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
PRO CEE'D (ED) 						
1.4	77/105	G4FA	02/08->09/12	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; ->08/12
1.4	80/109	G4FA	02/08->09/12	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; ->08/12
1.4 CWT	66/90	G4FA-L	06/10->09/12	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; ->08/12
1.6	90/122	G4FC	02/08->09/12	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; ->08/12
1.6	93/126	G4FC	02/08->09/12	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; ->08/12
1.6 CRDi 115	85/115	D4FB	02/08->09/12	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT; ->08/12
1.6 CRDi 128	94/128	D4FB	10/10->09/12	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT; ->08/12
1.6 CRDi 90	66/90	D4FB-L	02/08->09/12	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT; ->08/12
1.6 CWT	92/125	G4FC	10/10->02/13	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; ->08/12
				Deflection/Guide	SR-1297	OD: 60; W: 28,5; ->08/12
2.0	105/143	G4GC	02/08->09/12	Tensioner	SR-1491	ID: 8,1; OD: 70; W: 29; ->08/12
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; ->08/12
				Deflection/Guide	SR-1280	OD: 58; W: 32; ->08/10
2.0 CRDi 140	103/140	D4EA-F	02/08->09/12	Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->08/10
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->08/10
RIO Estate (DC) 						
1.3	60/82	A3E	08/00->02/05	Tensioner	SR-1185	OD: 58; W: 25; camshaft 50HC/OHC
1.3	55/75	A3E	08/00->02/05	Tensioner	SR-1185	OD: 58; W: 25; camshaft 50HC/OHC
1.5 16V	72/98	A5D	08/00->02/05	Deflection/Guide	SR-1208	OD: 52; W: 25
				Tensioner	SR-1207	OD: 52; W: 25
1.5 16V	71/97	A5D	09/02->02/05	Deflection/Guide	SR-1208	OD: 52; W: 25
				Tensioner	SR-1207	OD: 52; W: 25
RIO II (JB) 						
				Deflection/Guide	SR-1252	OD: 55; W: 25; 04/05->; ->09/11
1.4 16V	71/97	G4EE	03/05->	Tensioner	SR-1251	OD: 60; W: 26; 04/05->; ->09/11
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; 04/05->; ->09/11
1.5 CRDi	81/110	D4FA	03/05->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT; 05/05->; ->09/11
1.5 CRDi	65/88	D4FA	06/08->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT; ->09/11
1.6 CWT	82/112	G4ED	03/05->	Deflection/Guide	SR-1252	OD: 55; W: 25; 04/05->; ->09/11
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; 04/05->; ->09/11
				Tensioner	SR-1251	OD: 60; W: 26; 04/05->; ->09/11
RIO II Saloon (JB) 						
				Deflection/Guide	SR-1252	OD: 55; W: 25; 04/05->; ->09/11
1.4 16V	71/97	G4EE	03/05->	Tensioner	SR-1251	OD: 60; W: 26; 04/05->; ->09/11
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; 04/05->; ->09/11
1.5 CRDi	81/110	D4FA	03/05->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT; 05/05->; ->09/11
1.6 16V	82/112	G4ED	03/05->	Deflection/Guide	SR-1252	OD: 55; W: 25; 04/05->; ->09/11
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; 04/05->; ->09/11
				Tensioner	SR-1251	OD: 60; W: 26; 04/05->; ->09/11
RIO III (UB) 						
1.1 CRDi	55/75	D3FA	09/11->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.4 CRDi	66/90	D4FC	09/11->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.4 CWT	80/109	G4FA	09/11->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
				Tensioner	SR-1357	- holder; ID: 17; OD: 76; W: 31; ALT; 12/11->; + PS
1.4 CWT	79/107	G4FA	09/11->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
				Tensioner	SR-1357	- holder; ID: 17; OD: 76; W: 31; ALT; 12/11->; + PS
1.6 CWT	90/123	G4FC	06/12->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
				Tensioner	SR-1357	- holder; ID: 17; OD: 76; W: 31; ALT; + PS
RIO III Saloon (UB) 						
1.4 CWT	80/109	G4FA	10/11->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
				Tensioner	SR-1357	- holder; ID: 17; OD: 76; W: 31; ALT; 12/11->; + PS
1.6 CWT	90/123	G4FC	06/12->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
				Tensioner	SR-1357	- holder; ID: 17; OD: 76; W: 31; ALT; + PS
RIO Saloon (DC) 						
1.3	60/82	A3E	08/02->02/05	Tensioner	SR-1185	OD: 58; W: 25; camshaft 50HC/OHC
1.3	55/75	A3E	09/00->02/05	Tensioner	SR-1185	OD: 58; W: 25; camshaft 50HC/OHC











	kW/HP	Engine code		Type		
1.5 16V	72/98	A5D	09/00->02/05	Deflection/Guide Tensioner	SR-1208 SR-1207	OD: 52; W: 25 OD: 52; W: 25
SEPHIA (FA) 						
1.5 i	59/80	B5	02/96->10/97	Tensioner	SR-1185	OD: 58; W: 25
1.6 i	59/80	B6	01/95->10/97	Tensioner	SR-1185	OD: 58; W: 25
1.8 i 16V	82/112	OK24N;OK26Y	01/95->10/97	Deflection/Guide Tensioner	SR-1208 SR-1367	OD: 52; W: 25 OD: 52; W: 25
SEPHIA Saloon (FA) 						
1.5 i	59/80	B5	02/96->10/97	Tensioner	SR-1185	OD: 58; W: 25
1.6 i	59/80	B6	09/93->10/97	Tensioner	SR-1185	OD: 58; W: 25
1.8 i 16V	82/112	OK24N;OK26Y	01/95->10/97	Deflection/Guide Tensioner	SR-1208 SR-1367	OD: 52; W: 25 OD: 52; W: 25
SHUMA (FB) 						
1.5 i 16V	65/88	ZYVE;BFD	10/97->03/01	Deflection/Guide Tensioner	SR-1208 SR-1207	OD: 52; W: 25; ->02/01 OD: 52; W: 25; ->02/01
1.8 i 16V	81/110	T8	10/97->03/01	Deflection/Guide Tensioner	SR-1208 SR-1367	OD: 52; W: 25 OD: 52; W: 25
SHUMA II (FB) 						
1.6	75/101	GA6D	05/01->08/04	Deflection/Guide Tensioner	SR-1208 SR-1207	OD: 52; W: 25; ->02/04 OD: 52; W: 25; ->02/04
1.8	84/114	T8	04/03->08/04	Deflection/Guide Tensioner	SR-1208 SR-1367	OD: 52; W: 25; ->02/04 OD: 52; W: 25; ->02/04
SHUMA II Saloon (FB) 						
1.6	75/101	GA6D	05/01->05/04	Deflection/Guide Tensioner	SR-1208 SR-1207	OD: 52; W: 25; ->02/04 OD: 52; W: 25; ->02/04
SHUMA Saloon (FB) 						
1.5	59/80	OK280	03/96->12/98	Deflection/Guide Tensioner	SR-1208 SR-1207	OD: 52; W: 25 OD: 52; W: 25
1.5 i 16V	65/88	ZYVE;BFD	10/97->10/01	Deflection/Guide Tensioner	SR-1208 SR-1207	OD: 52; W: 25; ->02/01 OD: 52; W: 25; ->02/01
SORENTO I (JC) 						
2.4	102/139	G4JS	08/02->	Deflection/Guide	SR-1418	OD: 90; thread size M10x1,5; W: 25; PSP; ->03/03; + AC
				Deflection/Guide	SR-1165	OD: 60; W: 32; ->04/06
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->04/06
				Tensioner	SR-1504	ID: 17; OD: 90; W: 25; + AC
				Tensioner	SR-1379	OD: 21; ->04/06; Fitting Position: Lower
				Tensioner	SR-1378	OD: 60; W: 32; CS; ->04/06
2.5 CRDi	120/163	D4CB	05/06->	Deflection/Guide	SR-1241	ID: 17; OD: 76; W: 32,5; ALT; ALT; ->08/09; QTY 1; + PS; - AC; ->08/09; QTY 3; + AC; + PS
				Tensioner	SR-1240	- holder; ID: 17; OD: 76,5; W: 33; ALT; ->08/09; + PS
2.5 CRDi	103/140	D4CB	08/02->	Deflection/Guide	SR-1241	ID: 17; OD: 76; W: 32,5; ALT; ALT; ->08/09; QTY 1; + PS; - AC; ->08/09; QTY 3; + AC; + PS
				Tensioner	SR-1240	- holder; ID: 17; OD: 76,5; W: 33; ALT; ->08/09; + PS
2.5 CRDi	125/170	D4CB	12/06->	Deflection/Guide	SR-1241	ID: 17; OD: 76; W: 32,5; ALT; ALT; ->08/09; QTY 1; + PS; - AC; ->08/09; QTY 3; + AC; + PS
				Tensioner	SR-1240	- holder; ID: 17; OD: 76,5; W: 33; ALT; ->08/09; + PS
3.5 V6 4WD	143/194	G6CU	08/02->	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
SORENTO II (XM) 						
2.4 CWT	141/192	G4KJ	10/12->	Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; Fitting Position: Centre; + EPS
				Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29
				Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT
2.4 CWT	128/174	G4KE	11/09->	Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; ALT; ->09/12; Fitting Position: Centre; Fitting Position: Upper; QTY 2; + PS; 10/12->; Fitting Position: Centre; + EPS
				Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; 07/12->
				Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT
2.4 CWT 4WD	141/192	G4KJ	10/12->	Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; Fitting Position: Centre; + EPS
				Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT
				Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29
2.4 CWT 4WD	128/174	G4KE	11/09->	Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; ALT; ->09/12; Fitting Position: Centre; Fitting Position: Upper; QTY 2; + PS; 10/12->; Fitting Position: Centre; + EPS
				Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT
				Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; 07/12->
2.4 GDI	141/192	G4KJ	10/12->	Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; Fitting Position: Centre; + EPS
				Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29
				Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT
2.4 GDI 4WD	141/192	G4KJ	10/12->	Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; Fitting Position: Centre; + EPS
				Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT
				Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29





	kW/HP	Engine code		Type		
SOUL (AM) 						
1.6 CRDi 115	85/115	D4FB	02/09->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6 CRDi 128	94/126	D4FB	02/09->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6 CWT	77/105	G4FC	02/09->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.6 CWT	93/126	G4FC	02/09->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.6 GDI	103/140	G4FD	06/11->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
SOUL II (PS) 						
1.6 CRDi 128	94/126	D4FB	02/14->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6 GDI	97/132	G4FD	02/14->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
SPECTRA Saloon (LD) 						
1.5 CRDi	75/102	D4FA	07/05->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT; ->10/06
				Deflection/Guide	SR-1252	OD: 55; W: 25; ->10/06
				Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; 11/06-> ->12/09
1.6	77/105	G4ED	04/04->	Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; ->10/06
				Tensioner	SR-1251	OD: 60; W: 26; ->10/06
				Tensioner	SR-1357	- holder; ID: 17; OD: 76; W: 31; ALT; 11/06-> ->12/09
				Deflection/Guide	SR-1252	OD: 55; W: 25; ->10/06
				Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT; 11/06-> ->12/09
1.6	90/122	G4FC	05/06->	Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; ->10/06
				Tensioner	SR-1251	OD: 60; W: 26; ->10/06
				Tensioner	SR-1357	- holder; ID: 17; OD: 76; W: 31; ALT; 11/06-> ->12/09
1.6 CRDi	85/115	D4FB	06/05->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT; 12/05-> ->12/09
				Deflection/Guide	SR-1297	OD: 60; W: 28,5; ->05/06; 06/06-> ->12/09
				Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; 11/09-> ->03/13
2.0	105/143	G4GC	04/04->	Tensioner	SR-1491	ID: 8,1; OD: 70; W: 29; 06/06-> ->12/09
				Tensioner	SR-1296	OD: 70; W: 30; ->05/06
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; ->12/09
				Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->10/06; Fitting Position: Upper
2.0 CRDi	83/112	D4EA	04/04->	Deflection/Guide	SR-1280	OD: 58; W: 32; ->10/06; 05/05-> ->10/06; ->04/05
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->10/06
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->10/06; 05/05-> ->10/06; ->04/05
SPORTAGE (JE_, KM_) 						
				Deflection/Guide	SR-1297	OD: 60; W: 28,5; ->05/06; 06/06-> ->05/10
				Tensioner	SR-1491	ID: 8,1; OD: 70; W: 29; 06/06-> ->05/10
2.0 16V 4WD	104/141	G4GC	09/04->	Tensioner	SR-1296	OD: 70; W: 30; ->05/06
				Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; 09/10->
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; ->05/10
				Deflection/Guide	SR-1280	OD: 58; W: 32; ->05/10
2.0 CRDi	100/136	D4EA	01/06->	Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->05/10; Fitting Position: Upper; + PS
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->05/10
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->05/10; + PS
				Deflection/Guide	SR-1280	OD: 58; W: 32; ->05/10
2.0 CRDi	103/140	D4EA-V	01/06->	Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->05/10; Fitting Position: Upper; + PS
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->05/10
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->05/10; + PS
				Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->05/10; Fitting Position: Upper; + PS
2.0 CRDi	83/113	D4EA	02/05->	Deflection/Guide	SR-1280	OD: 58; W: 32; ->03/05; 04/05-> ->05/10; ->05/10
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->05/10; + PS
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->05/10; ->03/05; 04/05-> ->05/10
				Deflection/Guide	SR-1280	OD: 58; W: 32; ->05/10
2.0 CRDi	110/150	D4EA	09/08->	Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->05/10; Fitting Position: Upper; + PS
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->05/10
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->05/10; + PS
				Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->05/10; Fitting Position: Upper; + PS
2.0 CRDi 4WD	100/136	D4EA	01/06->	Deflection/Guide	SR-1280	OD: 58; W: 32; ->05/10
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->05/10; + PS
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->05/10
				Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->05/10; Fitting Position: Upper; + PS
2.0 CRDi 4WD	103/140	D4EA-V;D4EA-F	01/06->	Deflection/Guide	SR-1280	OD: 58; W: 32; ->05/10
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->05/10; + PS
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->05/10
				Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->05/10; Fitting Position: Upper; + PS
2.0 CRDi 4WD	83/113	D4EA	09/04->	Deflection/Guide	SR-1280	OD: 58; W: 32; ->03/05; 04/05-> ->05/10; ->05/10
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->05/10; + PS
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->05/10; ->03/05; 04/05-> ->05/10

	kW/HP	Engine code		Type		
2.0 CRDi 4WD	110/150	D4EA	09/08->	Deflection/Guide	SR-1277	OD: 70; thread size M10x1,5; W: 27,5; ALT; ->05/10; Fitting Position: Upper; + PS
				Deflection/Guide	SR-1280	OD: 58; W: 32; ->05/10
				Tensioner	SR-1278	- holder; ID: 17; OD: 70; W: 26; ALT; ->05/10; + PS
				Tensioner	SR-1279	- holder; ID: 17; OD: 58; W: 32; ->05/10
2.0 i 16V	104/141	G4GC	09/04->	Deflection/Guide	SR-1297	OD: 60; W: 28,5; ->05/06; 06/06->; ->05/10
				Tensioner	SR-1250	- holder; ID: 12; OD: 78; W: 20; ACCOM; ->05/10
				Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; 09/10->
				Tensioner	SR-1296	OD: 70; W: 30; ->05/06
2.7 V6 4WD	129/175	G6BA	09/04->	Tensioner	SR-1491	ID: 8,1; OD: 70; W: 29; 06/06->; ->05/10
				Deflection/Guide	SR-1453	ID: 17; OD: 82; W: 27; ALT; ->05/10
				Deflection/Guide	SR-1404	OD: 60; W: 35; ->05/10
				Tensioner	SR-1452	- holder; OD: 83; W: 31,5; ALT; ->05/10
Tensioner	SR-1403	OD: 58; W: 38,5; ->05/10				
SPORTAGE (K00) 						
2.0	87/118	FE (16V)	10/00->08/03	Deflection/Guide	SR-1203	OD: 60; W: 30; ->12/00; camshaft DOHC; 01/01->; ->12/02; camshaft DOHC
				Tensioner	SR-1202	OD: 52; W: 29; ->12/00; camshaft DOHC; 01/01->; ->12/02; camshaft DOHC
2.0 4WD	87/118	FE (16V)	10/00->08/03	Deflection/Guide	SR-1203	OD: 60; W: 30; 01/01->; ->12/02; camshaft DOHC; ->12/01; camshaft DOHC
				Tensioner	SR-1202	OD: 52; W: 29; 01/01->; ->12/02; camshaft DOHC; ->12/01; camshaft DOHC
2.0 i 16V	94/128	FE (16V)	10/99->08/03	Deflection/Guide	SR-1203	OD: 60; W: 30; ->12/00; camshaft DOHC; 01/01->; ->12/02; camshaft DOHC
				Tensioner	SR-1202	OD: 52; W: 29; ->12/00; camshaft DOHC; 01/01->; ->12/02; camshaft DOHC
2.0 i 16V 4WD	94/128	FE (16V)	04/94->08/03	Deflection/Guide	SR-1203	OD: 60; W: 30; 01/95->; ->11/98; camshaft SOHC/OHC; ->12/00; camshaft DOHC; 01/01->; ->12/02; camshaft DOHC
				Tensioner	SR-1202	OD: 52; W: 29; 01/95->; ->11/98; camshaft SOHC/OHC; ->12/00; camshaft DOHC; 01/01->; ->12/02; camshaft DOHC
2.0 i 4WD	70/95	FE (8V)	04/94->08/99	Deflection/Guide	SR-1203	OD: 60; W: 30; camshaft DOHC; 01/95->; ->11/98; camshaft SOHC/OHC
				Deflection/Guide	SR-1204	OD: 60; W: 28,5
Tensioner	SR-1202	OD: 52; W: 29; camshaft DOHC; 01/95->; ->11/98; camshaft SOHC/OHC				
SPORTAGE (SL) 						
1.6 GDI	99/135	G4FD	02/11->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.7 CRDi	85/116	D4FD-L	12/10->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
2.0 CWT	120/163	G4KD	07/10->	Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; engine Theta II engine; Fitting Position: Centre
				Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; 09/10->
Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT; engine Theta II engine				
2.0 CWT AWD	120/163	G4KD	07/10->	Deflection/Guide	SR-1135	OD: 70; thread size M10x1,5; W: 29; ALT; engine Theta II engine; Fitting Position: Centre
				Tensioner	SR-1136	- holder; ID: 17; OD: 65; W: 31; ALT; engine Theta II engine
Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; 09/10->				
2.0 GDI	122/166	G4NC	02/14->	Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; AT
2.0 GDI AWD	122/166	G4NC	02/14->	Tensioner	SR-1137	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 29; AT
VENGA (YN) 						
1.4 CRDi 75	57/78	D4FC	02/10->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.4 CRDi 75	55/75	D4FC	02/10->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.4 CRDi 90	66/90	D4FC	02/10->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.4 CWT	66/90	G4FA-L	02/10->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
1.6 CRDi 115	85/116	D4FB	02/10->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6 CRDi 128	94/128	D4FB	02/10->	Tensioner	SR-1144	- holder; ID: 17; OD: 65; W: 22; ALT
1.6 CWT	92/125	G4FC	02/10->	Deflection/Guide	SR-1142	+ holder; OD: 95; thread size M10x1,5; W: 26; ALT
LADA						
110 						
1.5	54/73	BA3 2111	01/95->	Tensioner	SR-1298	OD: 61; W: 24; ALT; ->09/04; MD 110 (VAZ2110); + AC; MD Vega
1.5	57/78	VAZ-2111	01/95->	Tensioner	SR-1298	OD: 61; W: 24; ALT; ->09/04; MD 110 (VAZ2110); + AC; MD Vega
1.5	56/76	VAZ-2111	10/00->	Tensioner	SR-1298	OD: 61; W: 24; ALT; ->09/04; + AC
2.0 i	110/150	C 20 XE	08/96->	Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Right
Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower				
111 						
1.5	57/78	VAZ-2111	01/96->	Tensioner	SR-1298	OD: 61; W: 24; ALT; 01/97->; ->09/04; + AC
1.5	52/71	BA3 2111	01/97->	Tensioner	SR-1298	OD: 61; W: 24; ALT; ->10/03; + AC
1.5	58/79	VAZ-2111	10/00->	Tensioner	SR-1298	OD: 61; W: 24; ALT; ->09/04; + AC
1.5	56/76	VAZ-2111	10/00->	Tensioner	SR-1298	OD: 61; W: 24; ALT; ->12/12; + AC
1.6	60/82	VAZ-21114	01/05->	Tensioner	SR-1298	OD: 61; W: 24; ALT; 09/06->; ->12/13; + AC
1.6	66/90	VAZ-21124	03/06->	Tensioner	SR-1298	OD: 61; W: 24; ALT; 09/06->; ->12/13; + AC
112 						
1.5	57/78	VAZ-2111	01/95->	Tensioner	SR-1298	OD: 61; W: 24; ALT; 02/02->; ->09/04; + AC
1.5	56/76	VAZ-2111	10/00->	Tensioner	SR-1298	OD: 61; W: 24; ALT; ->09/04; + AC

	kW/HP	Engine code		Type		
KALINA Estate (1117) 						
1.6	60/82	VAZ-21114	10/04->	Tensioner	SR-1298	OD: 61; W: 24; ALT; 01/07-> ->12/13; + AC
KALINA Hatchback (1119) 						
1.6	60/82	VAZ-21114	10/04->	Tensioner	SR-1298	OD: 61; W: 24; ALT; 03/06-> ->06/13; + AC
1.6 16V	66/90		10/04->	Tensioner	SR-1298	OD: 61; W: 24; ALT; 03/06-> ->06/13; + AC
KALINA Saloon (1118) 						
1.6	62/84	VAZ1110	01/10->	Tensioner	SR-1298	OD: 61; W: 24; ALT; ->12/13; + AC
1.6	60/82	VAZ-21114;VAZ-21124	10/04->	Tensioner	SR-1298	OD: 61; W: 24; ALT; 01/05-> ->12/13; + AC
1.6 16V	66/90		10/04->	Tensioner	SR-1298	OD: 61; W: 24; ALT; ->12/13; + AC
PRIORA Estate (2171) 						
1.6	72/98	VAZ-21126	10/09->	Tensioner	SR-1298	OD: 61; W: 24; ALT; + AC
1.6	60/82	BA3 21703	10/09->	Tensioner	SR-1298	OD: 61; W: 24; ALT; + AC
PRIORA Hatchback (2172) 						
1.6	60/82	BA3 21703	12/08->	Tensioner	SR-1298	OD: 61; W: 24; ALT; + AC
1.6	72/98	VAZ-21126	12/08->	Tensioner	SR-1298	OD: 61; W: 24; ALT; + AC
1.6 LPG	71/96	VAZ-21126	12/08->	Tensioner	SR-1298	OD: 61; W: 24; ALT; 03/09-> + AC
PRIORA Saloon (2170) 						
1.6	60/82	BA3 21703	12/08->	Tensioner	SR-1298	OD: 61; W: 24; ALT; + AC
1.6	72/98	VAZ-21126	12/08->	Tensioner	SR-1298	OD: 61; W: 24; ALT; + AC
1.6 LPG	71/96		03/09->	Tensioner	SR-1298	OD: 61; W: 24; ALT; + AC
LANCIA						
DEDRA (835) 						
1.6 16V (835EI)	76/103	182 A4.000	01/96->07/99	Deflection/Guide Tensioner	SR-1292 SR-1291	OD: 65; W: 30; Fitting Position: Right ID: 8.2; OD: 60; W: 29; Fitting Position: Left
1.6 i.e. (835AA)	66/90	835 A1.000	08/89->06/94	Deflection/Guide Tensioner	SR-1143 SR-1127	- holder; ID: 20; OD: 80; W: 23; ALT; eng.# 8130541->; Fitting Position: Lower OD: 57; W: 24
1.6 i.e. (835AB)	57/78	835 A1.046	08/89->03/93	Deflection/Guide Tensioner	SR-1143 SR-1127	- holder; ID: 20; OD: 80; W: 23; ALT; eng.# 8130541->; Fitting Position: Lower OD: 57; W: 24
1.6 i.e. (835AN)	55/75	835 C1.000	04/93->07/99	Deflection/Guide Tensioner	SR-1143 SR-1127	- holder; ID: 20; OD: 80; W: 23; ALT; ->eng.# 9673757; Fitting Position: Lower OD: 57; W: 24
1.6 LE (835EB) CAT	66/90	159 B9.000	07/94->07/99	Deflection/Guide Tensioner	SR-1143 SR-1127	- holder; ID: 20; OD: 80; W: 23; ALT; ->eng.# 9673757; Fitting Position: Lower OD: 57; W: 24
1.8 16V LE (835FG)	83/113	182 A2.000	03/96->07/99	Deflection/Guide Tensioner	SR-1274 SR-1273	OD: 100; W: 29; ALT; Fitting Position: Centre; + AC - holder; OD: 65; W: 29; ALT; Fitting Position: Lower
1.8 GT 16V (835EH)	96/131	183 A1.000	03/96->07/99	Deflection/Guide Tensioner	SR-1274 SR-1273	OD: 100; W: 29; ALT; Fitting Position: Centre - holder; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 TDS (835EE, 835EF)	66/90	835 A4.000;160 D1.000;835 A4.046	04/89->07/99	Deflection/Guide	SR-1143	- holder; ID: 20; OD: 80; W: 23; ALT; eng.# 933347->; MD Generation 1; MD RZ; Fitting Position: Lower; + AC
DEDRA SW (835) 						
1.6 (835EB)	66/90	159 B9.000	10/94->07/99	Deflection/Guide Tensioner	SR-1143 SR-1127	- holder; ID: 20; OD: 80; W: 23; ALT; ->eng.# 9673757; Fitting Position: Lower OD: 57; W: 24
1.6 16V (835EI)	76/103	182 A4.000	01/96->07/99	Deflection/Guide Tensioner	SR-1292 SR-1291	OD: 65; W: 30; Fitting Position: Right ID: 8.2; OD: 60; W: 29; Fitting Position: Left
1.8 16V LE (835FG)	83/113	182 A2.000	03/96->07/99	Deflection/Guide Tensioner	SR-1274 SR-1273	OD: 100; W: 29; ALT; Fitting Position: Centre; + AC - holder; OD: 65; W: 29; ALT; Fitting Position: Lower
1.8 GT 16V (835EH)	96/131	183 A1.000	03/96->07/99	Deflection/Guide Tensioner	SR-1274 SR-1273	OD: 100; W: 29; ALT; Fitting Position: Centre - holder; OD: 65; W: 29; ALT; Fitting Position: Lower
DELTA II (836) 						
1.4 i.e. (836AF, 836AH)	51/69	160 A1.046;836 A4.000	10/94->08/99	Tensioner	SR-1127	OD: 57; W: 24
1.6 i.e. (836AD)	55/75	835 C1.000	06/93->08/99	Tensioner	SR-1127	OD: 57; W: 24
1.6 i.e. (836AP)	66/90	182 A6.000	03/96->08/99	Deflection/Guide Tensioner	SR-1292 SR-1291	OD: 65; W: 30; ->07/99; Fitting Position: Right; 07/99->; Fitting Position: Right ID: 8.2; OD: 60; W: 29; ->07/99; Fitting Position: Left; 07/99->; Fitting Position: Left
1.6 i.e. 16V (836AO)	76/103	182 A4.000	01/96->08/99	Deflection/Guide Tensioner	SR-1292 SR-1291	OD: 65; W: 30; ->07/99; Fitting Position: Right; 07/99->; Fitting Position: Right ID: 8.2; OD: 60; W: 29; ->07/99; Fitting Position: Left; 07/99->; Fitting Position: Left
1.8 i.e. 16V (836AQ)	83/113	182 A2.000	03/96->08/99	Deflection/Guide Tensioner	SR-1274 SR-1273	OD: 100; W: 29; ALT; Fitting Position: Centre; + AC - holder; OD: 65; W: 29; ALT; Fitting Position: Lower
1.8 i.e. 16V GT (836AR)	96/131	183 A1.000	03/96->08/99	Deflection/Guide Tensioner	SR-1274 SR-1273	OD: 100; W: 29; ALT; Fitting Position: Centre; + AC - holder; OD: 65; W: 29; ALT; Fitting Position: Lower
DELTA III (844) 						
1.4	88/120	198 A4.000	09/08->08/14	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower
1.4	110/150	198 A1.000	09/08->08/14	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower
1.4 16V	103/140	198 A7.000	07/10->08/14	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower

	kW/HP	Engine code		Type		
1.4 Bifuel	88/120	198 A4.000	07/11->08/14	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower
1.6 D Multijet	77/105	944 A 3.000	04/11->08/14	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Left
1.6 D Multijet	85/116	955 A4.000	08/08->08/14	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; 12/09->; Fitting Position: Left
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->12/09; Fitting Position: Centre Left
1.6 D Multijet	88/120	198 A2.000	09/08->08/14	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->12/09; Fitting Position: Left
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; 12/09->; Fitting Position: Lower
1.8	147/200	939 B1.000	01/09->08/14	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Lower
1.9 D Multijet	140/190	844 A1.000	01/09->08/14	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; 12/09->; Fitting Position: Left
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->12/09; Fitting Position: Left
2.0 D Multijet	120/163	844 A2.000	09/08->08/14	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->12/09; Fitting Position: Left
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; 12/09->; Fitting Position: Left
2.0 D Multijet	121/165	198 A5.000;198 A8.000	09/08->08/14	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->12/09; Fitting Position: Left
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; 12/09->; Fitting Position: Left
FLAVIA Convertible (JS) 						
2.4	125/170	EDG	03/12->12/14	Deflection/Guide	SR-1041	OD: 70; W: 24,7; ALT; Fitting Position: Lower Right
				Tensioner	SR-1042	+ holder; OD: 65; W: 26
LYBRA (839AX) 						
1.6 16V (839AXA1A)	76/103	182 A4.000	07/99->10/05	Deflection/Guide	SR-1292	OD: 65; W: 30; ->07/99; Fitting Position: Right; engine 182 A4.000; engine 182 B6.000; Fitting Position: Right
				Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT; 02/00->; Fitting Position: Lower
				Tensioner	SR-1291	ID: 8,2; OD: 60; W: 29; ->07/99; Fitting Position: Left; engine 182 A4.000; engine 182 B6.000; Fitting Position: Left
1.8 16V (839AXB1A, 839AXG1A)	96/131	839 A4.000;839 A7.000;839 A9.000	07/99->10/05	Deflection/Guide	SR-1274	OD: 100; W: 29; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1294	- holder; OD: 66; W: 29; ALT; Fitting Position: Lower
1.9 JTD	85/116	937 A2.000	05/01->10/05	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD (839AXD1A)	77/105	AR 32302	07/99->09/00	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD (839AXI1A)	81/110	AR 37101	09/00->05/01	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
LYBRA SW (839BX) 						
1.6 16V (839BXA1A)	76/103	182 A4.000	07/99->10/05	Deflection/Guide	SR-1292	OD: 65; W: 30; ->07/99; Fitting Position: Right; engine 182 A4.000; engine 182 B6.000; Fitting Position: Right
				Deflection/Guide	SR-1293	ID: 17; OD: 70; W: 24; ALT; 02/00->; Fitting Position: Lower
				Tensioner	SR-1291	ID: 8,2; OD: 60; W: 29; ->07/99; Fitting Position: Left; engine 182 A4.000; engine 182 B6.000; Fitting Position: Left
1.8 16V (839BXB1A, 839BXG1A)	96/131	839 A4.000;839 A7.000	07/99->10/05	Deflection/Guide	SR-1274	OD: 100; W: 29; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1294	- holder; OD: 66; W: 29; ALT; Fitting Position: Lower
1.9 JTD	85/116	937 A2.000	05/01->10/05	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD (839BXD1A)	77/105	AR 32302	07/99->09/00	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
1.9 JTD (839BXI1A)	81/110	AR 37101	09/00->05/01	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Lower
MUSA (350) 						
1.3 D Multijet	70/95	199 B1.000	03/09->09/12	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
1.3 D Multijet	66/90	199 A3.000	09/06->09/12	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
1.3 D Multijet	51/70	188 A9.000	10/04->09/12	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
1.4	57/78	350 A1.000	09/05->09/12	Tensioner	SR-1046	OD: 55,5; W: 26; ->04/08; 06/08->
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower
1.4	70/95	843 A 1.000	10/04->09/12	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower
1.4	66/90	192 B2.000	10/07->09/12	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower
1.4 LPG	57/78	350 A1.000	11/10->09/12	Tensioner	SR-1046	OD: 55,5; W: 26
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower
1.6 D Multijet	85/116	350 A2.000;350 A3.000	07/08->09/12	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
1.6 D Multijet	88/120	350 A2.000	07/08->09/12	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
1.9 D Multijet	74/101	188 B2.000	10/04->09/12	Deflection/Guide	SR-1304	OD: 80; W: 25; ALT; Fitting Position: Lower Right
				Tensioner	SR-1305	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Left
PHEDRA (179) 						
2.0 (179AXA11)	100/136	RFN (EW10J4)	09/02->11/10	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; ->11/04; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 JTD	79/107	RHM (DW10ATED4)	07/03->11/10	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre
2.0 JTD (179AXB1A)	80/109	RHW (DW10ATED4)	09/02->11/10	Deflection/Guide	SR-1125	OD: 60; W: 30; engine RHM; engine RHW; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre
Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left				
2.2 JTD (179AXC1A)	94/128	4HW (DW12ATED4)	09/02->11/10	Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
3.0 V6	150/204	ES9 J4S	09/02->11/10	Deflection/Guide	SR-1366	OD: 65; W: 26,6; ALT; Fitting Position: Centre
THEMA (LX) 						
3.0 D	140/190	EXF	09/11->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Right

	kW/HP	Engine code		Type		
3.0 D	176/239	EXF	09/11->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Right
3.6	210/286	ERB	09/11->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Right
VOYAGER MPV (RT) 						
2.8 CRD	120/163	ENS	09/11->	Deflection/Guide	SR-1041	OD: 70; W: 24,7; ALT
3.6 V6 VVT	208/283	ERB	09/11->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper
Y (840A) 						
1.1 [840AE]	40/54	176 B2.000	11/95->09/03	Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 9042883; eng.# 9042884->
1.2 [840AA, 840AF1A]	44/60	840 A3.000;188 A4.000	03/96->09/03	Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 9042883; engine 840 A3.000; eng.# 9042884->
1.4 12V [840AB]	59/80	840 A2.000	10/96->09/03	Deflection/Guide	SR-1272	ID: 10,2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
1.4 12V [840AC]	55/75	840 A4.000	03/96->09/03	Deflection/Guide	SR-1272	ID: 10,2; OD: 91; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1273	- holder; OD: 65; W: 29; ALT; Fitting Position: Lower
Y10 (156) 						
1.0 Fire [156AA]	33/45	156 A2.000	03/85->06/89	Tensioner	SR-1127	OD: 57; W: 24; engine 156 A2.000
1.0 Fire [156AE] CAT	33/45	156 A2.246	10/87->02/92	Tensioner	SR-1127	OD: 57; W: 24; engine 156 A2.246
1.0 Fire [156B, 156AD]	32/44	156 A2.100	06/85->06/91	Tensioner	SR-1127	OD: 57; W: 24; engine 156 A2.100
1.0 Fire All-wheel Drive	32/44	156 A2.100	12/86->02/89	Tensioner	SR-1127	OD: 57; W: 24; engine 156 A2.100
1.1 Fire [156AG]	40/54	176 B2.000	01/95->12/95	Tensioner	SR-1127	OD: 57; W: 24; engine 176 B2.000
1.1 Fire All-wheel Drive [156AG]	40/54	176 B2.000	01/95->12/95	Tensioner	SR-1127	OD: 57; W: 24; engine 176 B2.000
1.1 i.e Fire [156AC]	42/57	156 C.000	08/89->06/92	Tensioner	SR-1127	OD: 57; W: 24; engine 156 C.000
1.1 i.e Fire All-wheel Drive [156AC]	42/57	156 C.000	08/89->06/92	Tensioner	SR-1127	OD: 57; W: 24; engine 156 C.000
1.1 i.e. Fire [156AG]	37/50	156 C.046	07/89->09/95	Tensioner	SR-1127	OD: 57; W: 24; engine 156 C.046
1.1 i.e. Fire All-wheel Drive [156AG]	37/50	156 C.046	09/92->12/95	Tensioner	SR-1127	OD: 57; W: 24; engine 156 C.046
1.3 i.e. [156AF]	53/72	156 B.000;146 A 5.046	02/89->12/95	Tensioner	SR-1127	OD: 57; W: 24; 03/92->
YPSILON (312, 846) 						
1.2	51/69	169 A4.000	05/11->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1046	OD: 55,5; W: 26
1.2 Bifuel	49/67	169 A4.000	05/11->	Tensioner	SR-1046	OD: 55,5; W: 26
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.3 Multijet	70/95	199 B1.000	05/11->	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
YPSILON (843) 						
1.2	51/69	169 A4.000	08/10->12/11	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1046	OD: 55,5; W: 26
1.2	44/60	188 A4.000	10/03->12/11	Tensioner	SR-1046	OD: 55,5; W: 26; 06/08->; ->06/08; eng.# 2533529->
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.2	59/80	188 A5.000	10/03->12/11	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1127	OD: 57; W: 24; ->eng.# 2533528
1.3 D Multijet	77/105	199 A3.000	05/07->12/11	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.3 D Multijet	55/75	199 A2.000	09/06->12/11	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.3 D Multijet	66/90	199 A3.000	09/06->12/11	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
1.3 JTD	51/70	188 A9.000	10/03->12/11	Tensioner	SR-1097	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4	57/78	350 A1.000	02/06->12/11	Tensioner	SR-1046	OD: 55,5; W: 26; ->06/08; 06/08->
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4 16V	70/95	843 A 1.000	10/03->12/11	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Lower; + AC
1.4 LPG	57/78	350 A1.000	11/10->12/11	Tensioner	SR-1046	OD: 55,5; W: 26
				Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
ZETA (220) 						
2.0 16V [220AL5]	97/132	RFV (XU10J4R)	05/98->07/00	Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; Fitting Position: Upper; + AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
2.0 16V [220AQ5]	100/136	RFN	07/00->09/02	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Upper
2.0 JTD	80/109	RHZ (DW10ATED)	04/00->09/02	Deflection/Guide	SR-1125	OD: 60; W: 30; ->04/00; -> VET # 8561; Fitting Position: Right; VET # 8562->
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
2.0 JTD 16V [220AN5]	80/109	RHW (DW10ATED4)	09/99->09/02	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Upper
2.0 Turbo [220AD5, 220CD5]	108/147	RGX (XU10J2TE)	05/95->09/02	Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; 02/97->; VET # 7391->; Fitting Position: Upper; + AC
				Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; ->02/97; -> VET # 7390; Fitting Position: Upper; + AC
				Tensioner	SR-1122	OD: 59; W: 22
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ->02/97; -> VET # 7390; Fitting Position: Lower; - AC

	kW/HP	Engine code		Type		
2.1 TD (220AJ5)	80/109	P 8 C	05/96->09/99	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC

LAND ROVER

FREELANDER (LN)

1.8 16V 4x4	86/117	18 K4F	11/00->10/06	Deflection/Guide	SR-1393	OD: 65,2; W: 25,6; ACCOM; engine 18 K4F; Fitting Position: Centre; man. TPA
				Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14,5; PSP; engine 18 K4F; Fitting Position: Left
				Tensioner	SR-1392	- holder; ID: 17; OD: 70; W: 22; ACCOM; engine 18 K4F; Fitting Position: Centre
1.8 i 16V 4x4	88/120	18 K4F	02/98->11/00	Deflection/Guide	SR-1393	OD: 65,2; W: 25,6; ACCOM; engine 18 K4F; Fitting Position: Centre; man. TPA
				Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14,5; PSP; engine 18 K4F; Fitting Position: Left
				Tensioner	SR-1392	- holder; ID: 17; OD: 70; W: 22; ACCOM; engine 18 K4F; Fitting Position: Centre
2.0 Td4 4x4	80/109	204D3	03/01->10/06	Deflection/Guide	SR-1399	OD: 70; W: 23; ALT; engine M 47; Fitting Position: Right
2.0 Td4 4x4	82/112	204D3;M 47	11/00->10/06	Deflection/Guide	SR-1399	OD: 70; W: 23; ALT; engine M 47; Fitting Position: Right
2.5 V6 4x4	130/177	25 K4F	11/00->10/06	Tensioner	SR-1332	- holder; OD: 96; W: 26; PSP

FREELANDER 2 (LF_, FA_)

2.2 eD4	110/150	224DT;DW12BTED4	08/10->10/14	Deflection/Guide	SR-1148	OD: 70; W: 28; ALT; engine mod. Duratorq; Fitting Position: Upper Left
				Tensioner	SR-1147	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre
2.2 SD4 4x4	140/190	224DT	08/10->10/14	Deflection/Guide	SR-1148	OD: 70; W: 28; ALT; engine mod. Duratorq; Fitting Position: Upper Left
				Tensioner	SR-1147	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre
2.2 TD4 4x4	112/152	224DT	01/07->10/14	Deflection/Guide	SR-1148	OD: 70; W: 28; ALT; engine mod. Duratorq; Fitting Position: Upper Left
				Tensioner	SR-1147	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre
2.2 TD4 4x4	110/150	224DT;DW12BTED4	10/06->10/14	Deflection/Guide	SR-1148	OD: 70; W: 28; ALT; engine mod. Duratorq; Fitting Position: Upper Left
				Tensioner	SR-1147	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre
2.2 TD4 4x4	118/160	224DT;DW12BTED4	10/06->10/14	Deflection/Guide	SR-1148	OD: 70; W: 28; ALT; engine mod. Duratorq; Fitting Position: Upper Left
				Tensioner	SR-1147	- holder; ID: 17; OD: 65; W: 25; ALT; engine mod. Duratorq; Fitting Position: Centre
3.2 4x4	171/233	B 6324 S	10/06->10/14	Deflection/Guide	SR-1344	OD: 76,2; W: 24; ACCOM; Fitting Position: Upper
				Tensioner	SR-1343	- holder; ID: 17; OD: 76; W: 24; ACCOM; Fitting Position: Lower

FREELANDER Soft Top (LN_)

1.8 i 16V 4x4	88/120	18 K4F	02/98->10/06	Deflection/Guide	SR-1393	OD: 65,2; W: 25,6; ACCOM; engine 18 K4F; Fitting Position: Centre; man. TPA
				Tensioner	SR-1392	- holder; ID: 17; OD: 70; W: 22; ACCOM; engine 18 K4F; Fitting Position: Centre
				Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14,5; PSP; engine 18 K4F; Fitting Position: Left; man. TPA

RANGE ROVER III (LM)

3.0 D 4x4	130/177	306D1	03/02->08/12	Deflection/Guide	SR-1399	OD: 70; W: 23; ALT; engine M 57; Fitting Position: Right; QTY 2
-----------	---------	-------	--------------	------------------	---------	---

RANGE ROVER SPORT (LW)

3.0 4x4	250/340	30HD0D	04/13->	Tensioner	SR-1538	ID: 17; OD: 90; W: 30; year 2014 ->
---------	---------	--------	---------	-----------	---------	-------------------------------------

LDV

CUB

2.3 D	53/72	LD23	08/98->09/01	Deflection/Guide	SR-1233	OD: 60; W: 35
				Tensioner	SR-1232	OD: 60; W: 35

MAXUS Box

2.5 D	70/95	VM39C;VM40C	02/05->12/08	Deflection/Guide	SR-1496	+ holder; OD: 76; thread size M10x1,5; W: 32; Fitting Position: Upper Left; Fitting Position: Right
2.5 D	88/120		10/05->12/09	Deflection/Guide	SR-1496	+ holder; OD: 76; thread size M10x1,5; W: 32; Fitting Position: Upper Left; Fitting Position: Right

MAXUS Bus

2.5 D	70/95	VM39C;VM40C	02/05->12/08	Deflection/Guide	SR-1496	+ holder; OD: 76; thread size M10x1,5; W: 32; Fitting Position: Upper Left; Fitting Position: Right
-------	-------	-------------	--------------	------------------	---------	---

LEXUS

ES (AVV6_, GSV6_, ASV6_)

350	204/277	2GR-FE	06/12->	Deflection/Guide	SR-1058	OD: 70; W: 32; ALT
				Tensioner	SR-1059	- holder; OD: 70; W: 33; AT
				Tensioner	SR-1152	+ holder; OD: 70; W: 33,5; ALT

ES (GSV4_, ACV4_)

















3.5 (GSV40_)	204/277	2GR-FE	05/06->06/12	Tensioner	SR-1059	- holder; OD: 70; W: 33
--------------	---------	--------	--------------	-----------	---------	-------------------------














ES (VCV10_, F1, VZV21_, F2)















300 (MCV10_, VCV10_)	138/188	3VZ-FE	09/91->12/97	Deflection/Guide	SR-1194	OD: 62; W: 37; -12/94; engine 3VZ-FE
----------------------	---------	--------	--------------	------------------	---------	--------------------------------------













GS (GRL1_, GWL1_)












250	154/209	4GR-FSE	01/12->	Tensioner	SR-1059	- holder; OD: 70; W: 33; AT
-----	---------	---------	---------	-----------	---------	-----------------------------










	kW/HP	Engine code		Type		
250 (GRL11_)	158/215	4GR-FSE	01/12->	Tensioner	SR-1059	- holder; OD: 70; W: 33; AT
350 (GRL10_, GRL15_, GWL10_)	234/318	2GR-FSE	01/12->	Tensioner	SR-1059	- holder; OD: 70; W: 33; AT
350 AWD (GRL10_, GRL15_, GWL10_)	234/318	2GR-FSE	01/12->	Tensioner	SR-1059	- holder; OD: 70; W: 33; AT
GS (GRS19_, UZS19_, URS19_, GWS19_) 						
300 (GRS195_, GRS190_)	183/249	3GR-FSE	04/05->11/11	Deflection/Guide Tensioner	SR-1058 SR-1059	OD: 70; W: 32; ALT; + AC - holder; OD: 70; W: 33
430	208/283	3UZ-FE	04/05->11/11	Deflection/Guide Deflection/Guide Tensioner Tensioner	SR-1197 SR-1314 SR-1198 SR-1315	OD: 66; W: 38; ->09/08 OD: 70; W: 22,5; ALT; ->09/08; Fitting Position: Upper; + AC ID: 17; OD: 90,5; W: 29; ALT OD: 62; W: 37,5; ->09/08; ->09/08; Fitting Position: Upper
GS (UZS161, JZS160, UZS160_) 						
400 (UZS160_)	216/294	1UZ-FE	12/97->11/00	Tensioner	SR-1198	ID: 17; OD: 90,5; W: 29; ALT; 01/00->
430 (UZS161_)	208/283	3UZ-FE	11/00->03/05	Deflection/Guide Deflection/Guide Tensioner Tensioner	SR-1314 SR-1197 SR-1315 SR-1198	OD: 70; W: 22,5; ALT; ->01/05; Fitting Position: Upper OD: 66; W: 38; ->01/05 OD: 62; W: 37,5; ->01/05; ->01/05; Fitting Position: Upper ID: 17; OD: 90,5; W: 29; ALT
GX (_J12_) 						
470	199/271	2UZ-FE	11/01->11/09	Tensioner	SR-1198	ID: 17; OD: 90,5; W: 29; ALT
470	175/238	2UZ-FE	11/01->11/09	Tensioner	SR-1198	ID: 17; OD: 90,5; W: 29; ALT
IS C (GSE2_) 						
250	153/208	4GR-FSE	04/09->	Deflection/Guide Tensioner	SR-1058 SR-1152	OD: 70; W: 32; ALT + holder; OD: 70; W: 33,5; ALT; ->08/10; MT
IS I (JCE1_, GXE1_) 						
200	114/155	1G-FE	04/99->07/05	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM
IS II (GSE2_, ALE2_, USE2_) 						
200d	110/150	2AD-FTV	07/10->	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; ->08/12; Fitting Position: Left
220d (ALE20)	130/177	2AD-FHV	10/05->	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; ->08/12; Fitting Position: Left
250	158/215	4GR-FSE	11/10->	Deflection/Guide	SR-1058	OD: 70; W: 32; ALT; ->04/13
250 (GSE20)	153/208	4GR-FSE	10/05->	Deflection/Guide Tensioner Tensioner	SR-1058 SR-1059 SR-1152	OD: 70; W: 32; ALT; ->04/13 - holder; OD: 70; W: 33 + holder; OD: 70; W: 33,5; ALT; ->08/10; MT
250 AWD	153/208	4GR-FSE	10/05->	Tensioner	SR-1059	- holder; OD: 70; W: 33; AT
250 AWD	158/215	4GR-FSE	11/10->	Tensioner	SR-1059	- holder; OD: 70; W: 33; AT
350	234/318	2GR-FSE	09/10->	Deflection/Guide Tensioner	SR-1058 SR-1059	OD: 70; W: 32; ALT; ->04/13 - holder; OD: 70; W: 33; AT
350	228/310	2GR-FSE	10/05->	Deflection/Guide Tensioner	SR-1058 SR-1059	OD: 70; W: 32; ALT; 08/10-> ->04/13 - holder; OD: 70; W: 33; AT
350 AWD	228/310	2GR-FSE	10/05->	Tensioner	SR-1059	- holder; OD: 70; W: 33; 08/10-> ->04/13
IS F (USE20)	311/423	2UR-GSE	11/07->	Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26; 12/07->
IS III (GSE3_, AVE3_) 						
250	153/208	4GR-FSE	04/13->	Tensioner	SR-1059	- holder; OD: 70; W: 33; ->08/15; AT
IS SportCross 						
200	114/155	1G-FE	10/02->10/05	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; ->07/05
LS (UCF10) 						
400	180/245	1UZ-FE	12/89->12/94	Deflection/Guide Tensioner	SR-1197 SR-1198	OD: 66; W: 38; engine 1UZ-FE ID: 17; OD: 90,5; W: 29; ALT
LS (UCF20) 						
400	209/284	1UZ-FE	09/97->10/00	Deflection/Guide Tensioner Tensioner	SR-1197 SR-1315 SR-1198	OD: 66; W: 38; ->08/00 OD: 62; W: 37,5; ->08/00; ->08/00; Fitting Position: Upper ID: 17; OD: 90,5; W: 29; ALT
400	203/276	1UZ-FE	09/98->10/00	Deflection/Guide Tensioner Tensioner	SR-1197 SR-1315 SR-1198	OD: 66; W: 38; ->08/00 OD: 62; W: 37,5; ->08/00; ->08/00; Fitting Position: Upper ID: 17; OD: 90,5; W: 29; ALT
400	194/264	1UZ-FE	12/94->08/97	Deflection/Guide Tensioner	SR-1197 SR-1198	OD: 66; W: 38 ID: 17; OD: 90,5; W: 29; ALT
LS (UCF30) 						
430	207/282	3UZ-FE	10/00->08/06	Deflection/Guide Deflection/Guide Tensioner Tensioner	SR-1314 SR-1197 SR-1315 SR-1198	OD: 70; W: 22,5; ALT; Fitting Position: Upper OD: 66; W: 38 OD: 62; W: 37,5; Fitting Position: Upper ID: 17; OD: 90,5; W: 29; ALT
LS (UVF4_, USF4_) 						
460	280/381	1UR-FSE	04/06->	Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26; 08/06-> ->04/06
460	255/347	1UR-FE	05/08->	Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26; AT
460	285/388	1UR-FSE	09/12->	Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26; AT
460 AWD	272/370	1UR-FSE	09/12->	Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26; AT











	kW/HP	Engine code		Type		
460 AWD	270/367	1UR-FSE	12/08->	Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26; AT
LX (UZJ100) 						
470	170/231	2UZ-FE	05/98->03/08	Deflection/Guide	SR-1197	OD: 66; W: 38; 08/02->; ->08/07
				Deflection/Guide	SR-1314	OD: 70; W: 22,5; ALT; 08/02->; ->08/07
470	197/268	2UZ-FE	05/98->10/02	Tensioner	SR-1198	ID: 17; OD: 90,5; W: 29; ALT
				Tensioner	SR-1315	OD: 62; W: 37,5; 08/02->; ->08/07; 08/02->; ->08/07; Fitting Position: Upper
470	202/275	2UZ-FE	08/02->03/08	Tensioner	SR-1198	ID: 17; OD: 90,5; W: 29; ALT
				Deflection/Guide	SR-1314	OD: 70; W: 22,5; ALT; ->08/07
470	173/235	2UZ-FE	09/01->03/08	Deflection/Guide	SR-1197	OD: 66; W: 38; 08/02->; ->08/07
				Tensioner	SR-1315	OD: 62; W: 37,5; 08/02->; ->08/07; 08/02->; ->08/07; Fitting Position: Upper
				Tensioner	SR-1198	ID: 17; OD: 90,5; W: 29; ALT
RC (AVC1_, GSC1_, USC1_) 						
F	330/449	2UR-GSE	08/14->	Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26; 09/14->; AT
F	344/468	2UR-GSE	08/14->	Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26; 09/14->; AT
F	351/477	2UR-GSE	08/14->	Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26; 09/14->; AT
RX (GGL1_, GYL1_, AGL1_) 						
350 (GYL10_)	206/280	2GR-FE;2GR-FXE	12/08->10/15	Deflection/Guide	SR-1058	OD: 70; W: 32; ALT
				Tensioner	SR-1152	+ holder; OD: 70; W: 33,5; ALT
350 AWD (GYL15_)	206/280	2GR-FE;2GR-FXE	12/08->10/15	Deflection/Guide	SR-1058	OD: 70; W: 32; ALT
				Tensioner	SR-1059	- holder; OD: 70; W: 33; AT
350 AWD (GYL15_)	204/277	2GR-FE;2GR-FXE	12/08->10/15	Tensioner	SR-1152	+ holder; OD: 70; W: 33,5; ALT
				Deflection/Guide	SR-1058	OD: 70; W: 32; ALT
				Tensioner	SR-1059	- holder; OD: 70; W: 33; AT
				Tensioner	SR-1152	+ holder; OD: 70; W: 33,5; ALT
RX (MCU15) 						
300	148/201	1MZ-FE	07/00->03/03	Deflection/Guide	SR-1194	OD: 62; W: 37; ->02/03
300 AWD	148/201	1MZ-FE	10/00->05/03	Deflection/Guide	SR-1194	OD: 62; W: 37; ->02/03
RX (MHU3_, GSU3_, MCU3_) 						
300	150/204	1MZ-FE	05/03->12/08	Deflection/Guide	SR-1194	OD: 62; W: 37; ->01/06
				Tensioner	SR-1516	+ holder; OD: 62; W: 36; ->01/06; ->01/06; Fitting Position: Upper
350	203/276	2GR-FE	01/06->12/08	Deflection/Guide	SR-1058	OD: 70; W: 32; ALT; Fitting Position: Left; Fitting Position: Right; QTY 2
				Tensioner	SR-1152	+ holder; OD: 70; W: 33,5; ALT
350 AWD	203/276	2GR-FE	02/06->12/08	Tensioner	SR-1059	- holder; OD: 70; W: 33; AT
				Deflection/Guide	SR-1058	OD: 70; W: 32; ALT; Fitting Position: Left; Fitting Position: Right; QTY 2
400h	155/211	3MZ-FE	09/05->12/08	Tensioner	SR-1152	+ holder; OD: 70; W: 33,5; ALT
				Deflection/Guide	SR-1194	OD: 62; W: 37
400h AWD	155/211	3MZ-FE	09/04->12/08	Tensioner	SR-1516	+ holder; OD: 62; W: 36; Fitting Position: Upper
				Deflection/Guide	SR-1194	OD: 62; W: 37; 03/05->
				Tensioner	SR-1516	+ holder; OD: 62; W: 36; 03/05->; 03/05->; Fitting Position: Upper
SC (UZZ40_) 						
430 (UZZ40L_, UZZ40R_)	210/286	3UZ-FE	05/01->07/10	Deflection/Guide	SR-1314	OD: 70; W: 22,5; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1197	OD: 66; W: 38
				Tensioner	SR-1315	OD: 62; W: 37,5; Fitting Position: Upper
				Tensioner	SR-1198	ID: 17; OD: 90,5; W: 29; ALT
MAZDA						
121 I (DA) 						
1.1	42/57	B1;B116	10/87->10/90	Tensioner	SR-1185	OD: 58; W: 25; ->12/88; engine B1; 04/89->
1.3	40/55	B3	04/89->10/90	Tensioner	SR-1185	OD: 58; W: 25
1.3	44/60	B3	10/87->11/90	Tensioner	SR-1185	OD: 58; W: 25; ->12/88; 04/89->
121 II (DB) 						
1.3 16V	39/53	B3 (16V)	11/90->03/96	Tensioner	SR-1185	OD: 58; W: 25
1.3 i 16V	53/72	B3 (16V)	11/90->03/96	Tensioner	SR-1185	OD: 58; W: 25
121 III (JASM, JBSM) 						
1.25	55/75	DHF;DHG	03/96->04/03	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; ->01/02; engine DHA
1.3	37/50	JJK;JJM	03/96->04/03	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; ->01/02; + PS; made in UK
				Tensioner	SR-1185	OD: 58; W: 25; ->05/99; made in JP
1.3	44/60	J4R;J4T	03/96->04/03	Deflection/Guide	SR-1078	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; ->01/02; + PS; made in UK
				Tensioner	SR-1185	OD: 58; W: 25; ->05/99; made in JP














	kW/HP	Engine code		Type		
1.8 D	44/60	RTJ;RTK	03/96->04/03	Tensioner	SR-1054	OD: 60; W: 26; IP: ->01/97; 01/97->
2 (DE) 						
1.3	55/75	ZJ-VE	10/07->06/15	Deflection/Guide	SR-1532	ID: 17; OD: 72,5; W: 28; ALT; engine ZJ-VE
				Tensioner	SR-1556	- holder; ID: 17; num. of ribs: 6; OD: 75; W: 28; ALT; engine ZJ-VE
1.3	63/86	ZJ-VE	10/07->06/15	Deflection/Guide	SR-1532	ID: 17; OD: 72,5; W: 28; ALT; engine ZJ-VE
				Tensioner	SR-1556	- holder; ID: 17; num. of ribs: 6; OD: 75; W: 28; ALT; engine ZJ-VE
1.3 MZR	62/84	ZJ-VE	01/10->06/15	Deflection/Guide	SR-1532	ID: 17; OD: 72,5; W: 28; ALT; engine ZJ-VE
				Tensioner	SR-1556	- holder; ID: 17; num. of ribs: 6; OD: 75; W: 28; ALT; engine ZJ-VE
1.4 MZR-CD	50/68	Y404	01/08->06/15	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; - AC
1.5	76/103	ZY-VE;ZY-DE	10/07->06/15	Deflection/Guide	SR-1532	ID: 17; OD: 72,5; W: 28; ALT; engine ZY
				Tensioner	SR-1556	- holder; ID: 17; num. of ribs: 6; OD: 75; W: 28; ALT; engine ZY
1.5 MZR	75/102	ZY05;ZY66	06/11->06/15	Deflection/Guide	SR-1532	ID: 17; OD: 72,5; W: 28; ALT
				Tensioner	SR-1556	- holder; ID: 17; num. of ribs: 6; OD: 75; W: 28; ALT
2 (DY) 						
1.4 CD	50/68	F6JA;F6JB	04/03->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; ->05/07; engine F6JA
				Tensioner	SR-1509	- holder; ID: 17; OD: 55; W: 26; ALT; ->09/07; engine F6JA; Fitting Position: Right; - AC; engine F6; + AC
3 (BK) 						
1.4	59/80	FXJA	02/04->06/09	Tensioner	SR-1531	- holder; ID: 17; num. of ribs: 6; OD: 70; W: 22; ALT; 04/06->; ->11/08; engine FXJA
1.4	62/84	ZJ-VE	10/03->06/09	Tensioner	SR-1531	- holder; ID: 17; num. of ribs: 6; OD: 70; W: 22; ALT; 04/06->; ->11/08; engine ZJ
1.6	77/105	B6ZE	10/03->06/09	Tensioner	SR-1531	- holder; ID: 17; num. of ribs: 6; OD: 70; W: 22; ALT; ->11/08; engine Z6
1.6 DI Turbo	80/109	Y601	06/04->06/09	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; ->04/06; engine Y601; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; ->11/08; engine Y6
2.0	110/150	LF17	10/03->06/09	Tensioner	SR-1472	- holder; ID: 17; num. of ribs: 6; OD: 90; W: 37; ALT; ->11/08; engine LF; MT; 04/06->; ->11/08; engine LF; MT; AU
				Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68,5; W: 22,5; ALT; ->11/08; engine LF; AT
3 (BL) 						
1.6 MZR	77/105	Z6	06/09->	Deflection/Guide	SR-1532	ID: 17; OD: 72,5; W: 28; ALT; engine Z6
1.6 MZR CD	80/109	Y601;Y642	12/08->	Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; ->04/10; engine Y6
2.0 MZR	110/150	LF17;LF-DE	06/09->	Tensioner	SR-1472	- holder; ID: 17; num. of ribs: 6; OD: 90; W: 37; ALT
				Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68,5; W: 22,5; AT
2.0 MZR DISI	111/151	LF5W;LF5H	06/09->	Tensioner	SR-1472	- holder; ID: 17; num. of ribs: 6; OD: 90; W: 37; MT
				Deflection/Guide	SR-1220	num. of ribs: 6; OD: 70; W: 22; ALT; Fitting Position: Upper Right
2.5	122/166	L5-VE	06/09->	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; Fitting Position: Lower Left
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT
3 (BM) 						
1.6	77/104	Z6Y1	09/13->	Deflection/Guide	SR-1532	ID: 17; OD: 72,5; W: 28; ALT
				Tensioner	SR-1556	- holder; ID: 17; num. of ribs: 6; OD: 75; W: 28; ALT
3 Saloon (BK) 						
1.6	77/105	Z6	02/04->06/09	Deflection/Guide	SR-1532	ID: 17; OD: 72,5; W: 28; ALT; engine Z6
				Tensioner	SR-1531	- holder; ID: 17; num. of ribs: 6; OD: 70; W: 22; ALT; ->11/08; engine Z6
1.6 DI Turbo	80/109	Y601	06/04->06/09	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; ->04/06; engine Y601; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; ->11/08; engine Y6
2.0	110/150	LF17	02/04->06/09	Tensioner	SR-1472	- holder; ID: 17; num. of ribs: 6; OD: 90; W: 37; ALT; ->11/08; engine LF; MT; 04/06->; ->11/08; engine LF; MT; AU
				Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68,5; W: 22,5; ALT; ->11/08; engine LF; AT
3 Saloon (BL) 						
1.6 MZR	77/105	Z6	06/09->	Deflection/Guide	SR-1532	ID: 17; OD: 72,5; W: 28; ALT; engine Z6
2.0 MZR	110/150	LF17;LF-DE	06/09->	Tensioner	SR-1472	- holder; ID: 17; num. of ribs: 6; OD: 90; W: 37; ALT; engine LF
3 Saloon (BM) 						
1.6	77/104	Z6Y3;Z6Y1	09/13->	Deflection/Guide	SR-1532	ID: 17; OD: 72,5; W: 28; ALT
				Tensioner	SR-1556	- holder; ID: 17; num. of ribs: 6; OD: 75; W: 28; ALT
323 C IV (BG) 						
1.3	49/67	B3E	09/89->07/94	Tensioner	SR-1185	OD: 58; W: 25; engine B3
1.3 16V	54/73	B3 (16V)	09/89->07/94	Tensioner	SR-1185	OD: 58; W: 25; engine B3
1.6	62/84	B6E	09/89->06/91	Tensioner	SR-1185	OD: 58; W: 25; engine B6
1.6 16V	65/88	B6	03/91->10/94	Tensioner	SR-1185	OD: 58; W: 25
1.8 16V 4WD	76/103	BP	11/91->12/93	Tensioner	SR-1185	OD: 58; W: 25; engine BPE; camshaft SOHC/OHC
1.8 16V GT	94/128	BP (DOHC)	09/89->03/93	Deflection/Guide	SR-1208	OD: 52; W: 25; engine BP; camshaft DOHC
				Tensioner	SR-1207	OD: 52; W: 25; engine BP; camshaft DOHC
323 C V (BA) 						
1.3 16V	54/73	B3 (16V)	08/94->09/98	Tensioner	SR-1185	OD: 58; W: 25
1.5 16V	65/88	Z5-DE	08/94->09/98	Deflection/Guide	SR-1208	OD: 52; W: 25; 10/97->; engine Z5; ->09/97; engine Z5; Fitting Position: Lower
				Tensioner	SR-1207	OD: 52; W: 25; 10/97->; engine Z5; ->09/97; engine Z5















	kW/HP	Engine code		Type		
1.8 16V	84/114	BP-ZE	08/94->09/98	Deflection/Guide Tensioner	SR-1208 SR-1207	OD: 52; W: 25; engine BP OD: 52; W: 25; engine BP
323 F IV (BG) 						
1.6	62/84	B6E	09/89->06/91	Tensioner	SR-1185	OD: 58; W: 25; engine B6
1.6 16V	65/88	B6	03/91->10/94	Tensioner	SR-1185	OD: 58; W: 25
1.8 16V	76/103	BP	08/89->07/94	Deflection/Guide Tensioner Tensioner	SR-1208 SR-1207 SR-1185	OD: 52; W: 25; engine BP; camshaft DOHC OD: 52; W: 25; engine BP; camshaft DOHC OD: 58; W: 25; engine BPE; camshaft SOHC/OHC
1.8 16V GT	94/128	BP (DOHC)	08/89->07/94	Deflection/Guide Tensioner	SR-1208 SR-1207	OD: 52; W: 25; engine BP; camshaft DOHC OD: 52; W: 25; engine BP; camshaft DOHC
323 F V (BA) 						
1.5 16V	65/88	Z5-DE	07/94->09/98	Deflection/Guide Tensioner	SR-1208 SR-1207	OD: 52; W: 25; 10/97->; engine Z5; ->09/97; engine Z5; Fitting Position: Lower OD: 52; W: 25; 10/97->; engine Z5; ->09/97; engine Z5
1.8 16V	84/114	BP-ZE	08/94->09/98	Deflection/Guide Tensioner	SR-1208 SR-1207	OD: 52; W: 25; engine BP OD: 52; W: 25; engine BP
323 F VI (BJ) 						
1.4	53/72	B3 (16V)	01/01->05/04	Tensioner	SR-1185	OD: 58; W: 25
1.4 16V	54/73	B3 ME	09/98->01/01	Tensioner	SR-1185	OD: 58; W: 25; engine B3
1.5 16V	65/88	ZL06;ZL05	09/98->01/01	Deflection/Guide Tensioner	SR-1208 SR-1207	OD: 52; W: 25; ->11/00; engine ZL OD: 52; W: 25; ->11/00; engine ZL
1.6	72/98	ZM	01/01->05/04	Deflection/Guide Tensioner	SR-1208 SR-1207	OD: 52; W: 25 OD: 52; W: 25
1.6	70/95	ZM	01/01->05/04	Deflection/Guide Tensioner	SR-1208 SR-1207	OD: 52; W: 25 OD: 52; W: 25
1.9 16V	84/114	FP ;FP55	09/98->01/01	Deflection/Guide	SR-1210	OD: 52; W: 29; engine FP55
2.0	96/131	FS7E;FS7G	01/01->05/04	Deflection/Guide Tensioner	SR-1210 SR-1209	OD: 52; W: 29; engine FS OD: 62; W: 29; engine FS
323 III (BF) 						
1.3	44/60	E3	08/85->05/89	Tensioner	SR-1185	OD: 58; W: 25; 04/87->; ->01/89
1.5	55/75	E5	08/85->05/89	Tensioner	SR-1185	OD: 58; W: 25; 04/87->
1.5	54/73	B5	09/87->10/89	Tensioner	SR-1185	OD: 58; W: 25; engine B5
1.5 i	70/95	E5E3	08/85->05/89	Tensioner	SR-1185	OD: 58; W: 25; 04/87->; engine E5
1.6 GT	77/105	B6 (SOHC)	01/86->12/88	Tensioner	SR-1185	OD: 58; W: 25; 04/87->; ->12/86
1.6 GT	63/85	B6 (SOHC)	11/86->10/89	Tensioner	SR-1185	OD: 58; W: 25; 04/87->
1.6 GT Turbo	103/140	B6T	10/85->11/91	Tensioner	SR-1185	OD: 58; W: 25; 04/87->; engine B6
323 III Hatchback (BF) 						
1.3	44/60	E3	09/85->12/87	Tensioner	SR-1185	OD: 58; W: 25; 04/87->
1.4	44/60	B3	09/87->10/89	Tensioner	SR-1185	OD: 58; W: 25; ->01/89; 02/89->
1.5	55/75	E5	08/85->05/89	Tensioner	SR-1185	OD: 58; W: 25; 04/87->; engine B5
1.5	54/73	B5	09/87->10/89	Tensioner	SR-1185	OD: 58; W: 25
1.5 i	70/95	E5E3	08/85->05/89	Tensioner	SR-1185	OD: 58; W: 25; 04/87->; engine B5
1.6	54/73	B68	09/87->10/89	Tensioner	SR-1185	OD: 58; W: 25; engine B6
1.6 GT	77/105	B6 (SOHC)	08/85->08/93	Tensioner	SR-1185	OD: 58; W: 25; 04/87->; engine B6; ->12/86; engine B6
1.6 GT	63/86	B6 (SOHC)	09/87->10/89	Tensioner	SR-1185	OD: 58; W: 25; engine B6 (SOHC)
1.6 GT Turbo (BF1)	103/140	B6T	10/85->08/93	Tensioner	SR-1185	OD: 58; W: 25; 04/87->; engine B6
1.6 GT Turbo 4WD (BF2)	110/150	B6F2	08/87->10/89	Tensioner	SR-1185	OD: 58; W: 25; engine B6
1.6 GT Turbo 4WD (BF2)	103/140	B6T	10/87->11/91	Tensioner	SR-1185	OD: 58; W: 25; engine B6
323 III Station Wagon (BW) 						
1.5	54/73	B50;B53;B5	01/87->05/89	Tensioner	SR-1185	OD: 58; W: 25; 04/87->; engine B5
1.5	55/75	B50;B53;E5	05/86->05/89	Tensioner	SR-1185	OD: 58; W: 25; 06/87->; engine B5
1.6	63/86	B6E;B65M ;B6 (SOHC)	09/86->10/95	Tensioner	SR-1185	OD: 58; W: 25; 01/87->; ->08/89; engine B6 (SOHC); 09/89->
1.6	54/73	B68	09/87->10/89	Tensioner	SR-1185	OD: 58; W: 25; ->08/89; engine B6; 09/89->
1.6 4x4	63/86	B6E;B65M	05/90->03/93	Tensioner	SR-1185	OD: 58; W: 25; engine B6
323 P V (BA) 						
1.3 16V	54/73	B3 (16V)	10/96->09/98	Tensioner	SR-1185	OD: 58; W: 25
1.5 16V	65/88	Z5-DE	10/96->09/98	Deflection/Guide Tensioner	SR-1208 SR-1207	OD: 52; W: 25; ->09/97; engine Z5; Fitting Position: Lower; 10/97->; engine Z5 OD: 52; W: 25; ->09/97; engine Z5; 10/97->; engine Z5
323 S IV (BG) 						
1.3	49/67	B3E;B383	09/89->06/91	Tensioner	SR-1185	OD: 58; W: 25; engine B3
1.3 16V	54/73	B3 (16V)	04/91->07/94	Tensioner	SR-1185	OD: 58; W: 25; engine B3
1.6	62/84	B6E	09/89->06/91	Tensioner	SR-1185	OD: 58; W: 25; engine B6
1.6 16V	65/88	B6	08/89->10/94	Tensioner	SR-1185	OD: 58; W: 25
1.8 16V	76/103	BP52	08/89->07/94	Deflection/Guide Tensioner Tensioner	SR-1208 SR-1185 SR-1207	OD: 52; W: 25; engine BP; camshaft DOHC OD: 58; W: 25; engine BPE; camshaft SOHC/OHC OD: 52; W: 25; engine BP; camshaft DOHC






	kW/HP	Engine code		Type		
1.8 16V GT	94/128	BP (DOHC)	06/89->07/94	Deflection/Guide	SR-1208	OD: 52; W: 25; engine BP; camshaft DOHC
				Tensioner	SR-1207	OD: 52; W: 25; engine BP; camshaft DOHC
1.8 16V Turbo 4WD	120/163	BP Turbo	01/91->07/94	Tensioner	SR-1185	OD: 58; W: 25; engine BPE; camshaft SOHC/OHC
323 S V [BA] 						
1.3 16V	54/73	B3 (16V)	08/94->09/98	Tensioner	SR-1185	OD: 58; W: 25
1.5 16V	65/88	Z5-DE	08/94->09/98	Deflection/Guide	SR-1208	OD: 52; W: 25; 10/97->; engine Z5; ->09/97; engine Z5; Fitting Position: Lower
				Tensioner	SR-1207	OD: 52; W: 25; 10/97->; engine Z5; ->09/97; engine Z5
1.8 16V	84/114	BP-ZE	08/94->09/98	Deflection/Guide	SR-1208	OD: 52; W: 25; engine BP
				Tensioner	SR-1207	OD: 52; W: 25; engine BP
323 S VI [BJ] 						
1.4	53/72	B3 (16V)	01/01->05/04	Tensioner	SR-1185	OD: 58; W: 25; engine B3
1.4 16V	54/73	B3 ME	09/98->01/01	Tensioner	SR-1185	OD: 58; W: 25; engine B3
1.5 16V	65/88	ZL06;ZL05	09/98->01/01	Deflection/Guide	SR-1208	OD: 52; W: 25; ->11/00; engine ZL
				Tensioner	SR-1207	OD: 52; W: 25; ->11/00; engine ZL
1.6	70/95	ZM	01/01->05/04	Deflection/Guide	SR-1208	OD: 52; W: 25
				Tensioner	SR-1207	OD: 52; W: 25
1.6	72/98	ZM	01/01->05/04	Deflection/Guide	SR-1208	OD: 52; W: 25
				Tensioner	SR-1207	OD: 52; W: 25
1.9 16V	84/114	FP ;FP55	09/98->05/04	Deflection/Guide	SR-1210	OD: 52; W: 29; engine FP55
2.0	96/131	FS7E;FS7G	01/01->05/04	Deflection/Guide	SR-1210	OD: 52; W: 29; engine FS
				Tensioner	SR-1209	OD: 62; W: 29; engine FS
5 [CR19] 						
1.8	85/116	L823	03/05->	Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68,5; W: 22,5; ALT; ->09/07; engine L8; AT
				Tensioner	SR-1472	- holder; ID: 17; num. of ribs: 6; OD: 90; W: 37; ALT; ->08/10; engine L8; MT
2.0	107/146	LFF7	03/05->	Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68,5; W: 22,5; ALT; ->08/10; engine LF; AT
				Tensioner	SR-1472	- holder; ID: 17; num. of ribs: 6; OD: 90; W: 37; ALT; ->08/10; engine LF; MT
5 [CW] 						
1.8 MZR	85/116	L850	09/10->	Tensioner	SR-1472	- holder; ID: 17; num. of ribs: 6; OD: 90; W: 37; ALT; MT
2.0	106/144	LFZB	01/11->	Tensioner	SR-1472	- holder; ID: 17; num. of ribs: 6; OD: 90; W: 37; ALT; MT
6 [GG] 						
1.8	88/120	L813;L823;L828	08/02->08/07	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine L8; Fitting Position: Left
				Tensioner	SR-1520	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; ->07/07; engine L8; - AC
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; 03/05->; engine L8; + AC
2.0	108/147	LFF7	03/05->08/07	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine LF
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; engine LF; + AC
2.0	104/141	LF17;LF18	06/02->08/07	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine LF; Fitting Position: Left
				Tensioner	SR-1520	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; ->02/05; engine LF; + AC; engine LF; - AC
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; 03/05->; engine LF; + AC
2.3	122/166	L3C1	06/02->08/07	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine L3; Fitting Position: Left
				Tensioner	SR-1520	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; ->02/05; engine L3; + AC; ->07/07; engine L3; - AC
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; 03/05->; engine L3; + AC
2.3 MPS Turbo	191/260	L3KG	12/05->08/07	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine L3
				Tensioner	SR-1520	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; engine L3; + AC
6 [GH] 						
1.8 MZR	88/120	L813	08/07->	Deflection/Guide	SR-1220	num. of ribs: 6; OD: 70; W: 22; ALT; engine L8; Fitting Position: Right
				Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine L8; Fitting Position: Left
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; engine L8
2.0 MZR	114/155	LF-DE	01/10->	Deflection/Guide	SR-1220	num. of ribs: 6; OD: 70; W: 22; ALT; engine LF; Fitting Position: Right
				Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; Fitting Position: Left
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT
2.0 MZR	108/147	LF17	08/07->	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine LF; Fitting Position: Left
				Deflection/Guide	SR-1220	num. of ribs: 6; OD: 70; W: 22; ALT; engine LF; Fitting Position: Right
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; engine LF
2.5 MZR	125/170	L5-VE	08/07->	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine L5-VE; Fitting Position: Left
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; engine L5-VE
6 Estate [GH] 						
1.8 MZR	88/120	L813	02/08->	Deflection/Guide	SR-1220	num. of ribs: 6; OD: 70; W: 22; ALT; engine L813; Fitting Position: Right
				Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine L813; Fitting Position: Left
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; engine L813

	kW/HP	Engine code		Type		
2.0 MZR	108/147	LF17	02/08->	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine LF17; Fitting Position: Left
				Deflection/Guide	SR-1220	num. of ribs: 6; OD: 70; W: 22; ALT; engine LF17; Fitting Position: Right
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; engine LF17
2.5 MZR	125/170	L5-VE	02/08->	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine L5-VE; Fitting Position: Left
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; engine L5-VE
6 Hatchback (GG) 						
1.8	88/120	L813	08/02->08/07	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine L8; Fitting Position: Left
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; 03/05->; engine L8; + AC
				Tensioner	SR-1520	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; ALT; ->02/05; engine L8; + AC; engine L8; - AC
2.0	108/147	LFF7	03/05->08/07	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine LF; Fitting Position: Left
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; engine LF; + AC
2.0	104/141	LF17;LF18	08/02->08/07	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine LF; Fitting Position: Left
				Tensioner	SR-1520	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; ALT; ->02/05; engine LF; + AC; engine LF; - AC
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; 03/05->; engine LF; + AC
2.3	122/166	L3C1	08/02->08/07	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine L3; Fitting Position: Left
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; 03/05->; engine L3; + AC
				Tensioner	SR-1520	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; ALT; ->02/05; engine L3; + AC; engine L3; - AC
6 Hatchback (GH) 						
1.8 MZR	88/120	L813	08/07->	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine L813; Fitting Position: Left
				Deflection/Guide	SR-1220	num. of ribs: 6; OD: 70; W: 22; ALT; engine L813; Fitting Position: Right
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; engine L813
2.0 MZR	114/155	LF-DE	01/10->	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine LF-DE; Fitting Position: Left
				Deflection/Guide	SR-1220	num. of ribs: 6; OD: 70; W: 22; ALT; engine LF-DE; Fitting Position: Right
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; engine LF-DE
2.0 MZR	108/147	LF17	08/07->	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine LF; Fitting Position: Left
				Deflection/Guide	SR-1220	num. of ribs: 6; OD: 70; W: 22; ALT; engine LF; Fitting Position: Right
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; engine LF
2.5 MZR	125/170	L5-VE	08/07->	Deflection/Guide	SR-1220	num. of ribs: 6; OD: 70; W: 22; ALT; engine L5-VE; Fitting Position: Right
				Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine L5-VE; Fitting Position: Left
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; engine L5-VE
6 Station Wagon (GY) 						
1.8	88/120	L813	08/02->08/07	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine L8; Fitting Position: Left
				Tensioner	SR-1520	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; ALT; ->02/05; engine L8; + AC; ->02/05; engine L8; - AC
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; 03/05->; ->07/07; engine L8; + AC
2.0	108/147	LFF7	03/05->08/07	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine LF
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; ->07/07; engine LF; + AC
2.0	104/141	LF17;LF18	08/02->08/07	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine LF; Fitting Position: Left
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; 03/05->; ->07/07; engine LF; + AC
				Tensioner	SR-1520	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; ALT; ->02/05; engine LF; + AC; ->02/05; engine LF; - AC
2.3	122/166	L3C1	08/02->08/07	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine L3; Fitting Position: Left
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; 03/05->; ->07/07; engine L3; + AC
				Tensioner	SR-1520	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; ALT; ->02/05; engine L3; + AC; ->02/05; engine L3; - AC
2.3 AWD	119/162	L3C1	11/02->08/07	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine L3; Fitting Position: Left
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; 03/05->; ->07/07; engine L3; + AC
				Tensioner	SR-1520	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; ALT; ->02/05; engine L3; + AC; ->02/05; engine L3; - AC
626 II (GC) 						
1.6	59/80	F6	11/82->06/87	Tensioner	SR-1201	OD: 52; W: 26; 07/85->; ->12/86
2.0	88/120	FE (8V)	01/86->09/87	Tensioner	SR-1201	OD: 52; W: 26; engine FE
2.0	74/101	FE (8V)	03/83->09/87	Tensioner	SR-1201	OD: 52; W: 26; engine FE
2.0	68/93	FE (8V)	11/86->09/87	Tensioner	SR-1201	OD: 52; W: 26
626 II Hatchback (GC) 						
1.6	59/80	F6	03/83->09/87	Tensioner	SR-1201	OD: 52; W: 26; 07/85->; ->12/86
1.6	55/75	F603;F658	03/83->09/87	Tensioner	SR-1201	OD: 52; W: 26; 07/85->; ->12/86
2.0	68/93	FE (8V)	01/85->09/87	Tensioner	SR-1201	OD: 52; W: 26; engine FE
2.0	88/120	FE (8V)	01/86->09/87	Tensioner	SR-1201	OD: 52; W: 26; engine FE
2.0	74/101	FE (8V)	03/83->09/87	Tensioner	SR-1201	OD: 52; W: 26; engine FE

	kW/HP	Engine code		Type		
626 III (GD) 						
1.6	60/82	F6	06/87->05/92	Tensioner	SR-1202	OD: 52; W: 29; ->10/91; engine F6
1.8	65/88	F8 (12V)	11/87->05/92	Deflection/Guide	SR-1204	OD: 60; W: 28,5
				Tensioner	SR-1202	OD: 52; W: 29; ->10/91
2.0	66/90	FE (12V)	09/87->10/90	Deflection/Guide	SR-1204	OD: 60; W: 28,5
				Tensioner	SR-1202	OD: 52; W: 29; engine FE; camshaft SOHC/OHC; engine FEK; camshaft DOHC
2.0 12V	79/107	FE (12V)	09/87->05/92	Deflection/Guide	SR-1204	OD: 60; W: 28,5
				Tensioner	SR-1202	OD: 52; W: 29; ->10/91; engine FE; camshaft SOHC/OHC
2.0 16V	109/148	FE (16V)	07/87->09/89	Deflection/Guide	SR-1203	OD: 60; W: 30; engine FEK; camshaft DOHC
				Tensioner	SR-1202	OD: 52; W: 29; engine FE; camshaft DOHC
2.0 16V	103/140	FE (16V)	11/87->05/92	Deflection/Guide	SR-1203	OD: 60; W: 30; ->10/91; engine FEK; camshaft DOHC
				Tensioner	SR-1202	OD: 52; W: 29; ->10/91; engine FEK; camshaft DOHC
2.2 12V	85/115	F2	11/87->07/91	Deflection/Guide	SR-1204	OD: 60; W: 28,5
				Tensioner	SR-1202	OD: 52; W: 29
626 III Coupe (GD) 						
1.8	65/88	F8 (12V)	09/87->08/91	Deflection/Guide	SR-1204	OD: 60; W: 28,5; engine F8
				Tensioner	SR-1202	OD: 52; W: 29
2.0	66/90	FE (8V)	09/87->10/90	Deflection/Guide	SR-1203	OD: 60; W: 30; engine FEK; camshaft DOHC
				Tensioner	SR-1202	OD: 52; W: 29; engine FE; camshaft SOHC/OHC; engine FEK; camshaft DOHC
2.0 12V	79/107	FE (12V)	09/87->12/88	Deflection/Guide	SR-1204	OD: 60; W: 28,5
				Tensioner	SR-1202	OD: 52; W: 29; engine FE; camshaft SOHC/OHC
2.0 16V	109/148	FE (16V)	06/87->09/89	Deflection/Guide	SR-1203	OD: 60; W: 30; engine FEK; camshaft DOHC
				Tensioner	SR-1202	OD: 52; W: 29; engine FEK; camshaft DOHC
2.0 16V	103/140	FE (16V)	12/87->10/90	Deflection/Guide	SR-1203	OD: 60; W: 30; engine FEK; camshaft DOHC
				Tensioner	SR-1202	OD: 52; W: 29; engine FEK; camshaft DOHC
2.2 12V	85/115	F2	04/88->12/91	Deflection/Guide	SR-1204	OD: 60; W: 28,5
				Tensioner	SR-1202	OD: 52; W: 29; ->10/91
626 III Hatchback (GD) 						
1.8	65/88	F8 (12V)	11/87->05/92	Deflection/Guide	SR-1204	OD: 60; W: 28,5
				Tensioner	SR-1202	OD: 52; W: 29; ->10/91
2.0	66/90	FE (8V)	09/87->10/90	Deflection/Guide	SR-1203	OD: 60; W: 30; engine FEK; camshaft DOHC
				Tensioner	SR-1202	OD: 52; W: 29; engine FE; camshaft SOHC/OHC; engine FEK; camshaft DOHC
2.0 12V	79/107	FE (12V)	11/87->05/92	Deflection/Guide	SR-1204	OD: 60; W: 28,5
				Tensioner	SR-1202	OD: 52; W: 29; ->10/91; engine FE; camshaft SOHC/OHC
2.0 16V	109/148	FE (16V)	06/87->08/89	Deflection/Guide	SR-1203	OD: 60; W: 30; engine FEK; camshaft DOHC
				Tensioner	SR-1202	OD: 52; W: 29; engine FEK; camshaft DOHC
2.0 16V	103/140	FE (16V)	11/87->10/90	Deflection/Guide	SR-1203	OD: 60; W: 30; engine FEK; camshaft DOHC
				Tensioner	SR-1202	OD: 52; W: 29; engine FEK; camshaft DOHC
2.2 12V	85/115	F2	06/88->04/92	Deflection/Guide	SR-1204	OD: 60; W: 28,5
				Tensioner	SR-1202	OD: 52; W: 29; ->10/91
626 III Station Wagon (GV) 						
1.8	65/88	F8 (12V)	01/88->03/92	Deflection/Guide	SR-1204	OD: 60; W: 28,5
				Tensioner	SR-1202	OD: 52; W: 29; 10/89->
2.0	66/90	FE (8V)	10/88->09/97	Deflection/Guide	SR-1203	OD: 60; W: 30; engine FEK; camshaft DOHC
				Tensioner	SR-1202	OD: 52; W: 29; engine FE; camshaft SOHC/OHC; engine FEK; camshaft DOHC
2.0 12V	81/110	FE (12V)	09/87->01/90	Deflection/Guide	SR-1204	OD: 60; W: 28,5
				Tensioner	SR-1202	OD: 52; W: 29; engine FE; camshaft SOHC/OHC
2.0 16V	103/140	FE (16V)	01/88->03/92	Deflection/Guide	SR-1203	OD: 60; W: 30; 03/88->; engine FEK; camshaft DOHC
				Tensioner	SR-1202	OD: 52; W: 29; 03/88->; engine FEK; camshaft DOHC
2.0 i 16V	110/150	FECM	11/94->09/97	Deflection/Guide	SR-1203	OD: 60; W: 30; engine FEK; camshaft DOHC
				Tensioner	SR-1202	OD: 52; W: 29; engine FE; camshaft SOHC/OHC; engine FEK; camshaft DOHC
2.2 12V	85/115	F2	03/89->11/96	Deflection/Guide	SR-1204	OD: 60; W: 28,5
				Tensioner	SR-1202	OD: 52; W: 29; 10/89->
2.2 12V 4WD	85/116	F2 ;F2L1	05/91->11/92	Deflection/Guide	SR-1204	OD: 60; W: 28,5
				Tensioner	SR-1202	OD: 52; W: 29; engine F2
626 IV (GE) 						
1.8 i	77/105	FP	01/92->04/97	Deflection/Guide	SR-1210	OD: 52; W: 29
1.8 i	66/90		08/94->04/97	Deflection/Guide	SR-1210	OD: 52; W: 29
2.0 i	85/115	FS	01/92->04/97	Deflection/Guide	SR-1210	OD: 52; W: 29
				Tensioner	SR-1209	OD: 62; W: 29
2.0 i 4WD	85/116	FS	04/92->04/97	Deflection/Guide	SR-1210	OD: 52; W: 29
				Tensioner	SR-1209	OD: 62; W: 29
626 IV Hatchback (GE) 						
1.8	77/105	FP	08/91->04/97	Deflection/Guide	SR-1210	OD: 52; W: 29






	kW/HP	Engine code		Type		
1.8	66/90	FP01LP	08/94->04/97	Deflection/Guide	SR-1210	OD: 52; W: 29
2.0 i	85/115	FS	08/91->04/97	Deflection/Guide	SR-1210	OD: 52; W: 29
				Tensioner	SR-1209	OD: 62; W: 29
2.0 i 4WD	85/116	FS	04/92->04/97	Deflection/Guide	SR-1210	OD: 52; W: 29
				Tensioner	SR-1209	OD: 62; W: 29
626 V (GF) 						
1.8	66/90	FPY3	05/97->12/99	Deflection/Guide	SR-1210	OD: 52; W: 29; engine FP
1.8	74/100	FP9A	12/99->10/02	Deflection/Guide	SR-1210	OD: 52; W: 29; ->04/02; engine FP
2.0	100/136	FS2C	04/98->10/02	Deflection/Guide	SR-1210	OD: 52; W: 29; ->04/02; engine FS
				Tensioner	SR-1209	OD: 62; W: 29; ->04/02; engine FS
2.0	85/115	FS	05/97->10/02	Deflection/Guide	SR-1210	OD: 52; W: 29; ->04/02; engine FS
				Tensioner	SR-1209	OD: 62; W: 29; ->04/02; engine FS
626 V Hatchback (GF) 						
1.8	66/90	FPY3	05/97->12/99	Deflection/Guide	SR-1210	OD: 52; W: 29; engine FPY3
1.8	74/100	FP	12/99->10/02	Deflection/Guide	SR-1210	OD: 52; W: 29; ->04/02
2.0	85/115	FS	05/97->10/02	Deflection/Guide	SR-1210	OD: 52; W: 29; ->04/02; engine FS
				Tensioner	SR-1209	OD: 62; W: 29; ->04/02; engine FS
2.0 H.P.	100/136	FS2C	02/98->10/02	Deflection/Guide	SR-1210	OD: 52; W: 29; ->04/02; engine FS
				Tensioner	SR-1209	OD: 62; W: 29; ->04/02; engine FS
626 V Station Wagon (GW) 						
1.8	74/100	FP9A	01/00->10/02	Deflection/Guide	SR-1210	OD: 52; W: 29; ->04/02; engine FP
1.8	66/90	FPY3	02/98->01/00	Deflection/Guide	SR-1210	OD: 52; W: 29; engine FPY3
2.0	85/116	FS	02/98->10/02	Deflection/Guide	SR-1210	OD: 52; W: 29; ->04/02; engine FS
				Tensioner	SR-1209	OD: 62; W: 29; ->04/02; engine FS
2.0 H.P.	100/136	FS2C	02/98->10/02	Deflection/Guide	SR-1210	OD: 52; W: 29; ->04/02; engine FS
				Tensioner	SR-1209	OD: 62; W: 29; ->04/02; engine FS
929 III (HC) 						
2.0	85/115	FE (8V);FEFA	06/87->12/88	Deflection/Guide	SR-1204	OD: 60; W: 28,5
				Tensioner	SR-1202	OD: 52; W: 29; engine FE
2.2 12V	85/115	F2 ;F21;F2E	01/88->04/89	Deflection/Guide	SR-1204	OD: 60; W: 28,5
				Tensioner	SR-1202	OD: 52; W: 29; engine F2
2.2 12V	94/128	F2-C	04/89->06/91	Deflection/Guide	SR-1204	OD: 60; W: 28,5
				Tensioner	SR-1202	OD: 52; W: 29; ->12/89; engine F2
2.2 i	100/136	F2-EGI	05/87->12/88	Deflection/Guide	SR-1204	OD: 60; W: 28,5
				Tensioner	SR-1202	OD: 52; W: 29; engine F2
B-SERIE (UN) 						
2.2 8V 4WD	68/92	JL22	06/99->	Deflection/Guide	SR-1204	OD: 60; W: 28,5
CX-7 (ER) 						
2.3 MZR DISI Turbo	191/260	L3-VDT	09/09->	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine L3-VDT
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; engine L3-VDT
2.3 MZR DISI Turbo	190/258	L3-VDT	10/07->	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine L3-VDT
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; engine L3-VDT
DEMIO (DW) 						
1.3 16V	46/63	B3 ME	08/98->07/03	Tensioner	SR-1185	OD: 58; W: 25; ->12/02; engine B3
1.3 i 16V	53/72	B3 (16V)	08/98->04/00	Tensioner	SR-1185	OD: 58; W: 25; engine B3
1.5 16V	55/75	B5 E	04/00->07/03	Tensioner	SR-1185	OD: 58; W: 25; ->12/02; engine B5
E-SERIE Box (SR2) 						
2200 D 4WD	47/64	R203;R207	03/91->05/03	Tensioner	SR-1205	OD: 58; W: 31; ->12/96; engine R2; MD SD, SRY
E2000	60/82	FE (8V);FE60;FE61	03/91->05/94	Deflection/Guide	SR-1204	OD: 60; W: 28,5
				Tensioner	SR-1202	OD: 52; W: 29; engine FE
E2000	63/86	FE18;FE58	05/85->04/89	Deflection/Guide	SR-1204	OD: 60; W: 28,5
				Tensioner	SR-1202	OD: 52; W: 29; 12/87->; engine FE
E2000	70/95	FE (8V)	06/94->05/03	Deflection/Guide	SR-1204	OD: 60; W: 28,5
				Tensioner	SR-1202	OD: 52; W: 29; ->12/01
E2000 4WD	65/88	FECK	01/88->07/91	Tensioner	SR-1202	OD: 52; W: 29; engine FECK
E2000 4WD	71/97	FEY9	04/97->08/99	Tensioner	SR-1202	OD: 52; W: 29; engine FEY9
E2000 4WD	63/86	FEY7	11/87->09/89	Tensioner	SR-1202	OD: 52; W: 29; 12/87->; engine FEY7
E2200 D	47/64	R203;R207	03/91->05/03	Tensioner	SR-1205	OD: 58; W: 31; ->12/96; engine R2; MD SD, SRY
E2200 D	46/63	R203;R207	05/85->02/88	Tensioner	SR-1205	OD: 58; W: 31; engine R2; MD SD, SRY
E-SERIE Bus (SR1) 						
E2000	63/86	FE (8V);FE18;FEV4	11/84->05/94	Deflection/Guide	SR-1204	OD: 60; W: 28,5
				Tensioner	SR-1202	OD: 52; W: 29; 12/87->; engine FE
				Tensioner	SR-1201	OD: 52; W: 26; ->12/86; engine FE
E2000 4WD	60/82	FE (8V);FE18;FEBN	10/88->09/89	Deflection/Guide	SR-1204	OD: 60; W: 28,5
E2200 D	46/63	R207	01/84->02/88	Tensioner	SR-1205	OD: 58; W: 31; engine R2; MD SD, SRY








	kW/HP	Engine code		Type		
MPV II (LW) 						
2.0	88/120	FS	08/00->07/02	Deflection/Guide	SR-1210	OD: 52; W: 29; engine FS
				Tensioner	SR-1209	OD: 62; W: 29; engine FS
2.0	90/122	FS-DS	09/99->08/00	Deflection/Guide	SR-1210	OD: 52; W: 29; engine FS
				Tensioner	SR-1209	OD: 62; W: 29; engine FS
MX-3 (EC) 						
1.6 i	79/107	B6D	01/94->10/97	Deflection/Guide	SR-1208	OD: 52; W: 25; engine B6
				Tensioner	SR-1207	OD: 52; W: 25; engine B6
1.6 i	65/88	B69	07/91->10/97	Deflection/Guide	SR-1208	OD: 52; W: 25; 11/93->; engine B6
				Tensioner	SR-1207	OD: 52; W: 25; 11/93->; engine B6
MX-5 I (NA) 						
1.6	66/90	8AN1	01/95->04/98	Deflection/Guide	SR-1208	OD: 52; W: 25; ->11/97; engine B6
				Tensioner	SR-1207	OD: 52; W: 25; ->11/97; engine B6
1.6	85/115	B64F	05/90->01/94	Deflection/Guide	SR-1208	OD: 52; W: 25; engine B6
				Tensioner	SR-1207	OD: 52; W: 25; engine B6
1.8	96/130	BP (DOHC);BPF1	02/94->04/98	Deflection/Guide	SR-1208	OD: 52; W: 25; ->11/97; engine BP
				Tensioner	SR-1207	OD: 52; W: 25; ->11/97; engine BP
MX-5 II (NB) 						
1.6 16V	81/110	B6D	05/98->10/05	Deflection/Guide	SR-1208	OD: 52; W: 25; engine B6
				Tensioner	SR-1207	OD: 52; W: 25; engine B6
1.8 16V	103/140	BP-ZE	05/98->10/05	Deflection/Guide	SR-1208	OD: 52; W: 25; engine BP
				Tensioner	SR-1207	OD: 52; W: 25; engine BP
1.8 16V	107/146	BP-ZE;BPD	11/00->10/05	Deflection/Guide	SR-1208	OD: 52; W: 25; engine BP
				Tensioner	SR-1207	OD: 52; W: 25; engine BP
1.8 16V	102/139	BPD	11/00->10/05	Deflection/Guide	SR-1208	OD: 52; W: 25; engine BP
				Tensioner	SR-1207	OD: 52; W: 25; engine BP
MX-5 III (NC) 						
1.8	93/126	L828;L8-DE	03/05->	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine L8-DE; + AC
				Tensioner	SR-1520	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; 10/08->; engine L8-DE; MT
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; 10/08->; engine L8-DE; AT
2.0	118/160	LF62;LF-DE	09/08->	Deflection/Guide	SR-1219	+ holder; OD: 70; thread size M8x1,25; W: 26; ALT; engine LF-DE; + AC
				Tensioner	SR-1218	- holder; ID: 17; num. of ribs: 6; OD: 69,2; W: 22,5; ALT; 10/08->; AT
				Tensioner	SR-1520	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; 10/08->; engine LF-DE; MT; + AC
MX-6 (GE) 						
2.0	85/115	FS	02/92->02/97	Deflection/Guide	SR-1210	OD: 52; W: 29
				Tensioner	SR-1209	OD: 62; W: 29
PREMACY (CP) 						
1.9	74/100	FP	07/99->03/05	Deflection/Guide	SR-1210	OD: 52; W: 29
1.9	84/114	FP	07/99->03/05	Deflection/Guide	SR-1210	OD: 52; W: 29
2.0	96/131	FS7E;FS7G	11/01->03/05	Deflection/Guide	SR-1210	OD: 52; W: 29; engine FS
				Tensioner	SR-1209	OD: 62; W: 29; engine FS
TRIBUTE (EP) 						
2.0	91/124	YF	03/00->05/08	Deflection/Guide	SR-1492	ID: 17; OD: 70; W: 24; 11/00->
				Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; 02/01->; ->02/04; engine YF
				Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; 02/01->; ->02/04; engine YF
2.0 4WD	91/124	YF	03/00->05/08	Deflection/Guide	SR-1337	+ holder; OD: 60; thread size M8x1,25; W: 29; 02/01->; ->02/04; engine YF
				Deflection/Guide	SR-1492	ID: 17; OD: 70; W: 24; 11/00->
				Tensioner	SR-1338	- holder; ID: 17; num. of ribs: 6; OD: 69; W: 20; ALT; 02/01->; ->02/04; engine YF
XEDOS 6 (CA) 						
1.6 16V	79/107	B6 (DOHC)	06/94->10/99	Deflection/Guide	SR-1208	OD: 52; W: 25; ->02/99; engine B6
				Tensioner	SR-1207	OD: 52; W: 25; ->02/99; engine B6
1.6 16V	83/113	B69	08/92->05/94	Deflection/Guide	SR-1208	OD: 52; W: 25; engine B6
				Tensioner	SR-1207	OD: 52; W: 25; engine B6
MERCEDES-BENZ						
190 (W201) 						
2.0 (201.023)	75/102	M 102.924	01/86->05/90	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Lower; - PS
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower; + PS
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
2.0 (201.023)	77/105	M 102.924	09/84->05/90	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Left; - PS
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Left; + PS
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS






	kW/HP	Engine code		Type		
D 2.0 [201.122]	53/72	OM 601.911	08/83->08/89	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Lower; - PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1035	OD: 42; W: 29; ALT
D 2.0 [201.122]	55/75	OM 601.911	08/89->08/93	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Lower; - PS
				Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
D 2.5 [201.126]	66/90	OM 602.911	04/85->08/93	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT
				Tensioner	SR-1035	OD: 42; W: 29; ALT
D 2.5 [201.126]	69/94	OM 602.911	08/89->08/93	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
E 1.8 [201.018]	80/109	M 102.910	04/90->08/93	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Left; + PS
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Lower; - PS
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
E 2.0	87/118	M 102.962	01/85->08/93	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower; + PS
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Left; - PS
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
E 2.0 [201.024]	83/113	M 102.962;M 102.961	02/85->12/86	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower; + PS
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Lower; - PS
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
E 2.0 [201.024]	85/116	M 102.962	02/85->12/86	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower; + PS
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Lower; - PS
E 2.0 [201.024]	90/122	M 102.962;M 102.961	10/82->06/93	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower; + PS
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
E 2.3	97/132	M 102.985	09/86->08/91	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower; + PS
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
E 2.3 [201.028]	100/136	M 102.985	10/86->08/93	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Left
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
E 2.3-16	125/170	M 102.983	09/85->12/87	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Left
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Left
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
E 2.3-16 [201.034]	136/185	M 102.983	04/84->01/87	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Left
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Left
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
E 2.5-16	143/194	M 102.991	03/89->08/93	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Left
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Left
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Left
E Evolution II 2.5	173/235	M 102.992	05/90->08/93	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Left
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1035	OD: 42; W: 29; ALT
Turbo-D 2.5 [201.128]	90/122	OM 602.961	02/88->08/93	Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
Turbo-D 2.5 [201.128]	93/126	OM 602.961	02/88->08/93	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
A-CLASS [W168] 						
A 140 [168.031, 168.131]	60/82	M 166.960	01/01->08/04	Deflection/Guide	SR-1377	ID: 17; OD: 70; W: 22; ALT; + AC
				Tensioner	SR-1376	ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Right
A 140 [168.031, 168.131]	60/82	M 166.940	07/97->08/04	Deflection/Guide	SR-1377	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1376	ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Right
A 160 [168.033, 168.133]	75/102	M 166.960	07/97->08/04	Deflection/Guide	SR-1377	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1376	ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Right
A 160 CDI [168.006]	55/75	OM 668.940	02/01->08/04	Tensioner	SR-1376	ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Right
A 160 CDI [168.007]	44/60	OM 668.941	07/98->02/01	Deflection/Guide	SR-1377	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1376	ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Right
A 170 CDI [168.008]	66/90	OM 668.940	07/98->02/01	Deflection/Guide	SR-1377	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1376	ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Right
A 190 [168.032, 168.132]	92/125	M 166.990	03/99->08/04	Tensioner	SR-1376	ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Left
A 210 [168.035, 168.135]	103/140	M 166.995	03/02->08/04	Deflection/Guide	SR-1377	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1376	ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Right

	kW/HP	Engine code		Type		
A-CLASS (W169) 						
A 150 [169.031, 169.331]	70/95	M 266.920	09/04->06/12	Deflection/Guide Tensioner	SR-1377 SR-1376	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Left; + AC ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Centre; - start-stop
A 160 [169.031, 169.331]	70/95	M 266.920	04/09->06/12	Deflection/Guide Tensioner	SR-1377 SR-1376	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Left; + AC ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Centre; - start-stop
A 160 CDI [169.006, 169.306]	60/82	OM 640.942	09/04->06/12	Deflection/Guide Tensioner	SR-1377 SR-1376	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Upper ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Centre
A 170 [169.032, 169.332]	85/116	M 266.940	09/04->06/12	Deflection/Guide Tensioner	SR-1377 SR-1376	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Left; + AC ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Centre
A 180 [169.032, 169.332]	85/116	M 266.940	04/09->06/12	Deflection/Guide Tensioner	SR-1377 SR-1376	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Left; + AC ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Centre; - start-stop
A 180 CDI [169.007, 169.307]	80/109	OM 640.940	09/04->06/12	Deflection/Guide Tensioner	SR-1377 SR-1376	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Upper ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Centre
A 200 [169.033, 169.333]	100/136	M 266.960	09/04->06/12	Deflection/Guide Tensioner	SR-1377 SR-1376	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Left; + AC ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Centre; - start-stop
A 200 CDI [169.008, 169.308]	103/140	OM 640.941	09/04->06/12	Deflection/Guide Tensioner	SR-1377 SR-1376	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Upper ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Centre
A 200 TURBO [169.034, 169.334]	142/193	M 266.980	09/05->06/12	Deflection/Guide Tensioner	SR-1377 SR-1376	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Left; + AC ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Centre; - start-stop
B-CLASS (W245) 						
B 150 [245.231]	70/95	M 266.920	03/05->11/11	Deflection/Guide Tensioner	SR-1377 SR-1376	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Left; + AC ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Centre; + start-stop
B 160 [245.231]	70/95	M 266.920	04/09->11/11	Deflection/Guide Tensioner	SR-1377 SR-1376	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Left; + AC ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Centre; - start-stop
B 170 [245.232]	85/116	M 266.940	03/05->11/11	Deflection/Guide Tensioner	SR-1377 SR-1376	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Left; + AC ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Centre; - start-stop
B 170 NGT [245.233]	85/116	M 266.960	04/08->11/11	Deflection/Guide Tensioner	SR-1377 SR-1376	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Left; + AC ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Centre; - start-stop
B 180 [245.232]	85/116	M 266.940	04/09->11/11	Deflection/Guide Tensioner	SR-1377 SR-1376	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Left; + AC ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Centre; - start-stop
B 180 CDI [245.207]	80/109	OM 640.940	03/05->11/11	Deflection/Guide Tensioner	SR-1377 SR-1376	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Upper ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Centre
B 180 NGT [245.233]	85/116	M 266.960	04/08->11/11	Deflection/Guide Tensioner	SR-1377 SR-1376	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Left; + AC ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Centre; - start-stop
B 200 [245.233]	100/136	M 266.960	03/05->11/11	Deflection/Guide Tensioner	SR-1377 SR-1376	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Left; + AC ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Left; - start-stop
B 200 CDI [245.208]	103/140	OM 640.941	03/05->11/11	Deflection/Guide Tensioner	SR-1377 SR-1376	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Upper ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Centre
B 200 TURBO [245.234]	142/193	M 266.980	03/05->11/11	Deflection/Guide Tensioner	SR-1377 SR-1376	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Left; + AC ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Centre; - start-stop
CABRIOLET (A124) 						
300 CE-24 [124.061]	162/220	M 104.980	04/92->06/93	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; ->eng.# 4956; MT; Fitting Position: Lower; - AC; ->eng.# 21004; AT
C-CLASS (W202) 						
C 180 [202.018]	90/122	M 111.920;M 111.921	03/93->05/00	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
C 180 [202.018]	89/121	M 111.921	11/94->05/00	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
C 200 [202.020]	100/136	M 111.941;M 111.945	01/94->05/00	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
C 200 CDI [202.134]	75/102	OM 611.960	03/98->05/00	Deflection/Guide Tensioner	SR-1140 SR-1389	OD: 64; W: 23; ALT; Fitting Position: Upper Left - holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
C 200 D [202.120]	55/75	OM 601.913	03/93->05/00	Tensioner	SR-1039 SR-1027 SR-1028 SR-1035	+ holder; ALT; eng.# 8286->; MT; eng.# 000 483->; AT OD: 80; W: 25; ALT; Fitting Position: Lower OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS OD: 42; W: 29; ALT; ->eng.# 8285; MT; ->eng.# 000 482; AT
C 200 D [202.122]	65/88	OM 604.915	10/96->05/00	Tensioner	SR-1039 SR-1028 SR-1027	+ holder; ALT OD: 80; thread size M8x1,25; W: 24,5; ALT OD: 80; W: 25; ALT; Fitting Position: Lower
C 200 Kompressor [202.025]	132/180	M 111.944	10/95->05/00	Deflection/Guide Tensioner	SR-1287 SR-1043 SR-1040	OD: 70; W: 25,5; ACOM; Fitting Position: Upper OD: 92; W: 31; TCOM OD: 110; W: 28,5; ALT
C 200 Kompressor [202.025]	141/192	M 111.944	11/96->05/00	Deflection/Guide Tensioner	SR-1287 SR-1040 SR-1043	OD: 70; W: 25,5; ACOM; Fitting Position: Upper OD: 110; W: 28,5; ALT OD: 92; W: 31; TCOM
C 220 [202.022]	110/150	M 111.961	03/93->05/00	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
C 220 CDI [202.133]	92/125	OM 611.960	09/97->05/00	Deflection/Guide Tensioner	SR-1140 SR-1389	OD: 64; W: 23; ALT; Fitting Position: Upper Left - holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
C 220 D	55/75	OM 604.910	07/96->05/00	Tensioner	SR-1027 SR-1028 SR-1039	OD: 80; W: 25; ALT; Fitting Position: Lower Left OD: 80; thread size M8x1,25; W: 24,5; ALT + holder; ALT
C 220 D [202.121]	70/95	OM 604.910	08/93->05/00	Tensioner	SR-1027 SR-1028 SR-1039	OD: 80; W: 25; ALT; Fitting Position: Right OD: 80; thread size M8x1,25; W: 24,5; ALT + holder; ALT






	kW/HP	Engine code		Type		
C 230 [202.023]	110/150	M 111.974	06/96->06/97	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
C 230 Kompressor [202.024]	142/193	M 111.975	10/95->05/00	Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Upper
				Tensioner	SR-1040	OD: 110; W: 28,5; ALT
C 240 [202.026]	125/170	M 112.910	06/97->05/00	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
C 250 D [202.125]	83/113	OM 605.910	05/93->05/00	Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
C 250 Turbo-D [202.128]	110/150	OM 605.960	10/95->05/00	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
C 280 [202.028]	142/193	M 104.941	05/93->05/00	Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
C 280 [202.029]	145/197	M 112.920	06/97->05/00	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 4059->; ->eng.# 6600; eng.# 34967->; ->eng.# 75764
C 36 AMG [202.028]	206/280	M 104.941 [AMG 3.6]	05/94->05/00	Tensioner	SR-1045	OD: 80; W: 31; ALT; eng.# 6601->; eng.# 75765->
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
C 43 AMG [202.033]	225/306	M 113.944	08/97->05/00	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1044	OD: 64; W: 21,8
C-CLASS (W203) 	95/129	M 111.951	10/00->05/02	Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 4059->; ->eng.# 6600; eng.# 34967->; ->eng.# 75764
				Tensioner	SR-1045	OD: 80; W: 31; ALT; eng.# 6601->; eng.# 75765->
C 180 [203.035]	105/143	M 271.946	05/02->02/07	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->eng.# 31216219; Fitting Position: Lower Right
C 180 Kompressor [203.046]	75/102	OM 646.962	02/01->02/07	Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
C 200 CDI	85/116	OM 611.962	09/00->02/07	Tensioner	SR-1508	- holder; OD: 65; W: 30; ALT; ->eng.# 30085731; ->eng.# 40006508; Fitting Position: Lower Right
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; eng.# 30085732->; eng.# 40006509->; Fitting Position: Lower Right; mech. TPA
C 200 CDI [203.004]	90/122	OM 646.962	04/03->02/07	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
C 200 CDI [203.007]	125/170	M 271.942	07/03->02/07	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->eng.# 31216219; Fitting Position: Lower Right
C 200 CGI Kompressor [203.043]	120/163	M 271.940	05/02->02/07	Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
C 200 Kompressor [203.042]	100/136	OM 611.962	05/00->02/07	Deflection/Guide	SR-1422	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->eng.# 31216219; Fitting Position: Lower Right
C 200 Kompressor [203.045]	110/150	OM 646.963	02/03->02/07	Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Upper Left
				Tensioner	SR-1040	OD: 110; W: 28,5; ALT
C 220 CDI [203.006]	105/143	OM 611.962	05/00->02/07	Tensioner	SR-1045	OD: 80; W: 31; TCOM
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
C 220 CDI [203.006]	100/136	OM 611.962	05/00->02/07	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
C 220 CDI [203.008]	150/204	M 272.920	01/05->02/07	Tensioner	SR-1389	- holder; OD: 65; W: 30; ALT; ->eng.# 30085731; ->eng.# 40006509->; Fitting Position: Lower Right; mech. TPA
				Tensioner	SR-1508	- holder; ID: 17; OD: 70; W: 28; ALT; eng.# 30085732->; eng.# 40006509->; Fitting Position: Lower Right; mech. TPA
C 230 [203.052]	141/192	M 271.948	02/04->02/07	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
C 230 Kompressor [203.040]	125/170	M 112.912	05/00->02/07	Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
C 240 [203.061]	142/193	M 111.975	10/95->05/00	Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
C 240 [203.061]	125/170	M 112.912	05/00->02/07	Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->eng.# 31216219; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right











	kW/HP	Engine code		Type		
C 240 4-matic [203.081]	125/170	M 112.916	07/02->02/07	Deflection/Guide Tensioner	SR-1140 SR-1237	OD: 64; W: 23; ALT; Fitting Position: Upper Left - holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
C 270 CDI [203.016]	125/170	OM 612.962	12/00->02/07	Deflection/Guide Tensioner	SR-1140 SR-1389	OD: 64; W: 23; ALT; Fitting Position: Upper Left - holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
C 280 [203.054]	170/231	M 272.940	01/05->02/07	Deflection/Guide Tensioner	SR-1429 SR-1428	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right - holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
C 280 4-matic [203.092]	170/231	M 272.941	01/05->02/07	Deflection/Guide Tensioner	SR-1429 SR-1428	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right - holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
C 30 CDI AMG [203.018]	170/231	OM 612.990	01/03->02/07	Deflection/Guide Tensioner	SR-1140 SR-1389	OD: 64; W: 23; ALT; Fitting Position: Upper Left - holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Upper Left
C 320 [203.064]	160/218	M 112.946	05/00->02/07	Deflection/Guide Tensioner	SR-1140 SR-1237	OD: 64; W: 23; ALT; Fitting Position: Upper Left - holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
C 320 4-matic [203.084]	160/218	M 112.953	07/02->02/07	Deflection/Guide Tensioner	SR-1140 SR-1237	OD: 64; W: 23; ALT; Fitting Position: Upper Left - holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
C 320 CDI [203.020]	165/224	OM 642.910	01/05->02/07	Deflection/Guide Tensioner	SR-1160 SR-1159	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper - holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower
C 350 [203.056]	200/272	M 272.960	01/05->02/07	Deflection/Guide Deflection/Guide Tensioner	SR-1429 SR-1140 SR-1428	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left - holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
C 350 4-matic [203.087]	200/272	M 272.960;M 272.970	01/05->02/07	Deflection/Guide Deflection/Guide Tensioner	SR-1140 SR-1429 SR-1428	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right - holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
C 55 AMG [203.076]	270/367	M 113.988	02/04->02/07	Deflection/Guide Tensioner	SR-1140 SR-1237	OD: 64; W: 23; ALT; Fitting Position: Upper Left - holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
C-CLASS (W204) 						
C 180 CDI [204.000]	88/120	OM 651.913	01/11->01/14	Deflection/Guide Tensioner	SR-1156 SR-1157	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right - holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
C 180 CGI [204.049]	115/156	M 271.820	01/07->01/14	Deflection/Guide Tensioner	SR-1222 SR-1223	OD: 65; thread size M8x1,25; W: 26; ALT; Fitting Position: Centre - holder; ID: 17; OD: 76; W: 28; ALT; Fitting Position: Lower Right
C 180 Kompressor [204.044, 204.045]	115/156	M 271.910	01/08->01/14	Deflection/Guide Tensioner	SR-1422 SR-1223	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left - holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
C 180 Kompressor [204.046]	115/156	M 271.952	01/07->01/14	Deflection/Guide Tensioner	SR-1423 SR-1223	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
C 200 CDI [204.001]	100/136	OM 651.913	01/11->01/14	Deflection/Guide Tensioner	SR-1156 SR-1157	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right - holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
C 200 CDI [204.007]	100/136	OM 646.811;OM 646.812	01/07->12/10	Deflection/Guide Tensioner	SR-1140 SR-1389	OD: 64; W: 23; ALT; QTY 2 - holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
C 200 CGI [204.048]	135/184	M 271.820	01/07->01/14	Deflection/Guide Tensioner	SR-1222 SR-1223	OD: 65; thread size M8x1,25; W: 26; ALT; Fitting Position: Centre - holder; ID: 17; OD: 76; W: 28; ALT; Fitting Position: Lower Right
C 200 Kompressor [204.041]	135/184	M 271.950	01/07->01/14	Deflection/Guide Tensioner	SR-1422 SR-1519	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left - holder; ID: 17; OD: 76; W: 28; ALT; ->03/09; ->eng.# 31216219; Fitting Position: Centre left
C 220 CDI	120/163	OM 651.911	10/08->01/14	Deflection/Guide Tensioner	SR-1156 SR-1157	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right - holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
C 220 CDI [204.002]	125/170	OM 651.911	12/08->01/14	Deflection/Guide Tensioner	SR-1156 SR-1157	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right - holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
C 220 CDI [204.008]	125/170	OM 646.811	01/07->11/08	Deflection/Guide Tensioner	SR-1140 SR-1389	OD: 64; W: 23; ALT; QTY 2 - holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
C 220 CDI 4-matic [204.084]	125/170	OM 651.912	02/13->01/14	Deflection/Guide Tensioner	SR-1156 SR-1157	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right - holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
C 230 [204.052]	150/204	M 272.921	01/07->01/14	Deflection/Guide Deflection/Guide Tensioner	SR-1429 SR-1140 SR-1428	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left - holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
C 230 4-matic [204.085]	150/204	M 272.911	07/07->01/14	Deflection/Guide Deflection/Guide Tensioner	SR-1140 SR-1429 SR-1428	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right - holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
C 250 CDI [204.003]	150/204	OM 651.911	08/08->01/14	Deflection/Guide Tensioner	SR-1156 SR-1157	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right - holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
C 250 CDI 4-matic [204.082]	150/204	OM 651.912	01/11->01/14	Deflection/Guide Tensioner	SR-1156 SR-1157	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right - holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
C 250 CGI [204.047]	150/204	M 271.860	07/09->01/14	Deflection/Guide Tensioner	SR-1222 SR-1223	OD: 65; thread size M8x1,25; W: 26; ALT; Fitting Position: Centre - holder; ID: 17; OD: 76; W: 28; ALT; Fitting Position: Lower Right






	kW/HP	Engine code		Type		
C 280 [204.054]	170/231	M 272.947	01/07->01/14	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
C 280 4-matic [204.081]	170/231	M 272.948	07/07->01/14	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Upper Left
C 300 [204.054]	170/231	M 272.947	07/09->01/14	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
C 300 4-matic [204.081]	170/231	M 272.948	07/07->01/14	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Centre
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
C 300 CDI 4-matic [204.092]	170/231	OM 642.832	01/11->01/14	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower Right
C 320 CDI [204.022]	165/224	OM 642.960	01/07->01/14	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower
C 320 CDI 4-matic [204.089]	165/224	OM 642.961	07/07->01/14	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower
C 350 [204.056]	200/272	M 272.961	01/07->01/14	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
C 350 4-matic [204.087]	200/272	M 272.971	07/07->01/14	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
C 350 CDI [204.022]	165/224	OM 642.960	07/09->01/14	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower
C 350 CDI [204.023]	195/265	OM 642.834	06/11->01/14	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
C 350 CDI [204.025]	170/231	OM 642.830	10/09->01/14	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower
C 350 CDI 4-matic [204.089]	165/224	OM 642.961	07/09->01/14	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower
C 350 CDI 4-matic [204.092]	170/231	OM 642.832	10/09->01/14	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower
C 350 CGI [204.065]	215/292	M 272.982	09/08->01/14	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
C 63 AMG	373/507	M 156.985	02/08->01/14	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre
C 63 AMG [204.077]	358/487	M 156.985	02/08->01/14	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre
C 63 AMG [204.077]	336/457	M 156.985	02/08->01/14	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre
C-CLASS (W205) 						
C 180 BlueTEC / d [205.036]	85/116	OM 626.951	05/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT
C 200 BlueTEC / d [205.037]	100/136	OM 626.951	05/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT
C-CLASS Coupe (C204) 						
C 180 [204.349]	115/156	M 271.820	06/11->	Deflection/Guide	SR-1222	OD: 65; thread size M8x1,25; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; Fitting Position: Lower Right
C 200 CGI [204.348]	135/184	M 271.820	06/11->	Deflection/Guide	SR-1222	OD: 65; thread size M8x1,25; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT
C 220 CDI [204.302]	125/170	OM 651.911	06/11->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
C 250 [204.347]	150/204	M 271.860	06/11->	Deflection/Guide	SR-1222	OD: 65; thread size M8x1,25; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; Fitting Position: Lower Right
C 250 CDI [204.303]	150/204	OM 651.911	06/11->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
C 63 AMG [204.377]	358/487	M 156.985	01/12->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre
C 63 AMG [204.377]	380/517	M 156.985	01/12->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre
C 63 AMG [204.377]	336/457	M 156.985	06/11->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre
C-CLASS Coupe (CL203) 						
C 160 Kompressor [203.730]	90/122	M 271.921	05/02->05/08	Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->eng.# 31216219; Fitting Position: Upper Left
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
C 180 [203.735]	95/129	M 111.951	03/01->05/02	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
C 180 Kompressor [203.746]	105/143	M 271.946	05/02->05/08	Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->eng.# 31216219; Fitting Position: Lower Right
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
C 200 CDI [203.707]	90/122	OM 646.962	03/03->05/08	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1508	- holder; OD: 65; W: 30; ALT; ->eng.# 30085731; ->eng.# 40006508; Fitting Position: Lower Right
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; eng.# 30085732->; eng.# 40006509->; Fitting Position: Lower Right; mech. TPA

	kW/HP	Engine code		Type		
C 200 CGI Kompressor [203.743]	125/170	M 271.942	03/03->05/08	Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
C 200 Kompressor [203.742]	120/163	M 271.940	05/02->05/08	Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; --eng.# 31216219; Fitting Position: Lower Right
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
C 200 Kompressor [203.745]	120/163	M 111.955	03/01->05/02	Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; --eng.# 31216219; Fitting Position: Lower Right
				Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Centre
C 220 CDI [203.706]	105/143	OM 611.962	03/01->01/04	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Tensioner	SR-1045	OD: 80; W: 31; TCOM
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
C 220 CDI [203.708]	110/150	OM 646.963	02/04->05/08	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1508	- holder; OD: 45; W: 30; ALT; --eng.# 30085731; --eng.# 40004508; Fitting Position: Lower Right
C 230 [203.752]	150/204	M 272.920	01/05->05/08	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; eng.# 30085732->; eng.# 40004509->; Fitting Position: Lower Right; mech. TPA
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; --eng.# 30021259; Fitting Position: Upper Left
				Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; --eng.# 30058376; Fitting Position: Right
C 230 Kompressor [203.740]	141/192	M 271.948	05/02->05/08	Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
C 230 Kompressor [203.747]	145/197	M 111.981	03/01->05/02	Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; --eng.# 31216219; Fitting Position: Lower Right
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
				Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Centre
C 30 CDI AMG [203.718]	170/231	OM 612.990	09/02->05/08	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Tensioner	SR-1043	OD: 92; W: 31; TCOM
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
C 320 [203.764]	160/218	M 112.946	09/02->05/08	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
C 350 [203.756]	200/272	M 272.960	01/05->05/08	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; --eng.# 30021259; Fitting Position: Upper Left
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
C-CLASS Estate [S202] 						
C 180 T [202.078]	90/122	M 111.920;M 111.921	06/96->09/00	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
C 180 T [202.081]	95/129	M 111.952	09/00->03/01	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
C 200 T [202.080]	100/136	M 111.941;M 111.945	06/96->03/01	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
C 200 T CDI [202.194]	75/102	OM 611.960	03/98->03/01	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
C 200 T D [202.180]	65/88	OM 604.915	10/96->03/01	Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Centre
C 200 T Kompressor [202.087]	120/163	M 111.956	09/00->03/01	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Tensioner	SR-1045	OD: 80; W: 31; TCOM
				Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Upper
C 200 T Kompressor [202.082]	141/192	M 111.944	11/96->03/01	Tensioner	SR-1043	OD: 92; W: 31; TCOM
				Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
C 220 T CDI [202.193]	92/125	OM 611.960	09/97->03/01	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower Left
C 220 T D	55/75	OM 604.910	06/96->03/01	Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
C 220 T D [202.182]	70/95	OM 604.910	06/96->09/98	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
C 230 T [202.083]	110/150	M 111.974	06/96->06/98	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Upper
				Tensioner	SR-1040	OD: 110; W: 28,5; ALT
C 230 T Kompressor [202.085]	142/193	M 111.975	06/97->09/00	Tensioner	SR-1043	OD: 92; W: 31; TCOM
				Tensioner	SR-1043	OD: 92; W: 31; TCOM
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
C 240 T [202.086]	125/170	M 112.910	06/97->09/00	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
C 240 T [202.088]	125/170	M 112.915	09/00->03/01	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
C 250 T Turbo-D [202.188]	110/150	OM 605.960	06/96->03/01	Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1039	+ holder; ALT


	kW/HP	Engine code		Type		
C 280 T [202.089]	145/197	M 112.920	06/97->03/01	Deflection/Guide Tensioner	SR-1140 SR-1237	OD: 64; W: 23; ALT; Fitting Position: Upper Left - holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
C 43 AMG [202.093]	225/306	M 113.944	08/97->03/01	Deflection/Guide Tensioner	SR-1140 SR-1237	OD: 64; W: 23; ALT; Fitting Position: Upper Left - holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Upper Right
C-CLASS T-Model [S203] 						
C 180 [203.235]	95/129	M 111.951	03/01->05/02	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
C 180 Kompressor [203.246]	105/143	M 271.946	05/02->08/07	Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; -eng.# 31216219; Fitting Position: Lower Right
C 200 CDI [203.204]	85/116	OM 611.962	03/01->08/07	Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
C 200 CDI [203.204, 203.207]	75/102	OM 611.962;OM 646.962	03/01->08/07	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; engine OM 611.962; Fitting Position: Upper Left
C 200 CDI [203.207]	90/122	OM 646.962	04/03->08/07	Tensioner	SR-1508	- holder; OD: 65; W: 30; ALT; ->eng.# 30085731; ->eng.# 40006508; Fitting Position: Lower Right
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; eng.# 30085732->; eng.# 40006509->; Fitting Position: Lower Right; mech. TPA
C 200 CGI Kompressor [203.243]	125/170	M 271.942	07/03->08/07	Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
C 200 Kompressor [203.242]	120/163	M 271.940	05/02->08/07	Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; -eng.# 31216219; Fitting Position: Lower Right
				Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
C 200 Kompressor [203.245]	120/163	M 111.955	03/01->05/02	Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; -eng.# 31216219; Fitting Position: Lower Right
C 220 CDI [203.206]	105/143	OM 611.962	03/01->08/07	Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Centre
				Tensioner	SR-1045	OD: 80; W: 31; TCOM
C 220 CDI [203.208]	110/150	OM 646.963	02/04->08/07	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
C 230 [203.252]	150/204	M 272.920	01/05->08/07	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; eng.# 30085732->; eng.# 40006509->; Fitting Position: Lower Right; mech. TPA
				Deflection/Guide	SR-1508	- holder; OD: 65; W: 30; ALT; ->eng.# 30085731; ->eng.# 40006508; Fitting Position: Lower Right
C 230 Kompressor [203.240]	141/192	M 271.948	02/04->08/07	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
C 240 [203.261]	125/170	M 112.912	03/01->08/07	Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; -eng.# 31216219; Fitting Position: Lower Right
C 240 4-matic [203.281]	125/170	M 112.916	07/02->08/07	Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
C 270 CDI [203.216]	125/170	OM 612.962	03/01->08/07	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
C 280 [203.254]	170/231	M 272.940	01/05->08/07	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
C 280 4-matic [203.292]	170/231	M 272.941	01/05->08/07	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
C 30 CDI AMG [203.218]	170/231	OM 612.990	01/03->08/07	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
C 320 [203.264]	160/218	M 112.946	03/01->08/07	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
C 320 4-matic [203.284]	160/218	M 112.953	07/02->08/07	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
C 320 CDI [203.220]	165/224	OM 642.910	06/05->08/07	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower
C 350 [203.256]	200/272	M 272.960	01/05->08/07	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right

	kW/HP	Engine code		Type		
C 350 4-matic (203.287)	200/272	M 272.970	01/05->08/07	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
C 55 AMG (203.276)	270/367	M 113.988	02/04->08/07	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
C-CLASS T-Model (S204) 						
C 180 CDI (204.200)	88/120	OM 651.913	01/11->08/14	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
C 180 CGI (204.249)	115/156	M 271.820	11/09->08/14	Deflection/Guide	SR-1222	OD: 65; thread size M8x1,25; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; Fitting Position: Lower Right
C 180 Kompressor (204.245)	115/156	M 271.910	01/08->08/14	Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->eng.# 31216219; Fitting Position: Lower Right
C 180 Kompressor (204.246)	115/156	M 271.952	08/07->08/14	Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->eng.# 31216219; Fitting Position: Lower Right
C 200 CDI (204.201)	100/136	OM 651.913	08/10->08/14	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
C 200 CDI (204.207)	100/136	OM 646.811	08/07->12/11	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; QTY 2
C 200 CGI (204.248)	135/184	M 271.860;M 271.820	08/07->08/14	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1222	OD: 65; thread size M8x1,25; W: 26; ALT; Fitting Position: Centre
C 200 Kompressor (204.241)	135/184	M 271.950	08/07->08/14	Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
C 220 CDI	120/163	OM 651.911	12/08->08/14	Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->eng.# 31216219; Fitting Position: Lower Right
C 220 CDI (204.202)	120/163	OM 651.911	12/08->08/14	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; QTY 2
C 220 CDI (204.208)	125/170	OM 651.911	12/08->08/14	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
C 220 CDI (204.208)	125/170	OM 646.811	08/07->11/08	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
C 220 CDI 4-matic (204.284)	125/170	OM 651.912	02/13->08/14	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
C 230 (204.252)	150/204	M 272.921	08/07->08/14	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
C 250 CDI (204.203)	150/204	OM 651.911	01/09->08/14	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left; QTY 2
				Deflection/Guide	SR-1140	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
C 250 CDI 4-matic (204.282)	150/204	OM 651.912	04/10->08/14	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
C 250 CGI (204.247)	150/204	M 271.860	07/09->08/14	Deflection/Guide	SR-1156	OD: 65; thread size M8x1,25; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; Fitting Position: Lower Right
C 280 (204.254)	170/231	M 272.947	08/07->08/14	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
C 320 CDI (204.222)	165/224	OM 642.960	08/07->08/14	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Left; Fitting Position: Upper; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower Right
C 320 CDI 4-matic (204.289)	165/224	OM 642.961	08/07->08/14	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Left; Fitting Position: Upper; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower Right
C 350 (204.256)	200/272	M 272.961	08/07->08/14	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
C 350 CDI (204.223)	195/265	OM 642.834	06/11->08/14	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Left; Fitting Position: Upper; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower Right; - start-stop
C 350 CDI (204.225)	170/231	OM 642.830	10/09->08/14	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Left; Fitting Position: Upper; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower Right
C 350 CDI 4-matic (204.292)	170/231	OM 642.832	10/09->08/14	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Left; Fitting Position: Upper; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower Right
C 63 AMG	373/507	M 156.985	06/13->08/14	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre
C 63 AMG (204.277)	358/487	M 156.985	01/12->08/14	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre
C 63 AMG (204.277)	336/457	M 156.985	02/08->08/14	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre

	kW/HP	Engine code		Type		
C-CLASS T-Model (S205) 						
C 180 BlueTEC / d [205.236]	85/116	OM 626.951	09/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT
C 200 BlueTEC / d [205.237]	100/136	OM 626.951	09/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT
CITAN Box (415) 						
108 CDI [415.601, 415.603]	55/75	OM 607.951	11/12->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; - AC
109 CDI [415.601, 415.603, 415.605]	66/90	OM 607.951	11/12->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; - AC
111 CDI [415.603, 415.605]	81/110	OM 607.951	06/13->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; - AC
CITAN Combi (415) 						
108 CDI [415.703]	55/75	OM 607.951	11/12->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; - AC
109 CDI [415.703]	66/90	OM 607.951	11/12->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; - AC
111 CDI [415.703]	81/110	OM 607.951	06/13->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; - AC
CITAN Mixto (415) 						
109 CDI	66/90	OM 607.951	11/12->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; - AC
111 CDI [415.601, 415.603, 415.605]	81/110	OM 607.951	06/13->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; - AC
CLC-CLASS (CL203) 						
CLC 160 [203.731]	95/129	M 271.911	02/09->06/11	Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->eng.# 31216219; Fitting Position: Lower Right
CLC 180 Kompressor [203.746]	105/143	M 271.946	05/08->06/11	Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
				Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
CLC 200 CDI [203.707]	90/122	OM 646.962	05/08->06/11	Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->eng.# 31216219; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
CLC 200 Kompressor [203.741]	135/184	M 271.957	05/08->06/11	Deflection/Guide	SR-1508	- holder; OD: 65; W: 30; ALT; ->eng.# 30085731; ->eng.# 40006508; Fitting Position: Lower Right
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; eng.# 30085732->; eng.# 40006509->; Fitting Position: Lower Right; mech. TPA
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
CLC 220 CDI [203.708]	110/150	OM 646.963	05/08->06/11	Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->eng.# 31216219; Fitting Position: Lower Right
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
CLC 230 [203.752]	150/204	M 272.920	05/08->06/11	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1508	- holder; OD: 65; W: 30; ALT; ->eng.# 30085731; ->eng.# 40006508; Fitting Position: Lower Right
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; eng.# 30085732->; eng.# 40006509->; Fitting Position: Lower Right
CLC 350 [203.756]	200/272	M 272.960	05/08->06/11	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
				Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
CLC 350 [203.756]	200/272	M 272.960	05/08->06/11	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26
CLK (C208) 						
200 [208.335]	100/136	M 111.945	06/97->06/02	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
200 Kompressor [208.344]	120/163	M 111.956	06/00->06/02	Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Centre
				Tensioner	SR-1045	OD: 80; W: 31; TCOM
				Tensioner	SR-1040	OD: 110; W: 28,5; ALT
200 Kompressor [208.345]	141/192	M 111.944	06/97->06/00	Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Upper
				Tensioner	SR-1043	OD: 92; W: 31; TCOM
				Tensioner	SR-1040	OD: 110; W: 28,5; ALT
230 Kompressor [208.347]	142/193	M 111.973;M 111.975	06/97->06/00	Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Upper
				Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Tensioner	SR-1043	OD: 92; W: 31; TCOM
230 Kompressor [208.348]	145/197	M 111.982	06/00->06/02	Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Centre
				Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Tensioner	SR-1043	OD: 92; W: 31; TCOM
320 [208.365]	160/218	M 112.940	06/97->06/02	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
430 [208.370]	205/279	M 113.943	07/98->06/02	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
55 AMG [208.374]	255/347	M 113.981;M 113.984	08/99->06/02	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right

	kW/HP	Engine code		Type		
CLK (C209) 						
200 CGI (209.343)	125/170	M 271.942	07/03->05/09	Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->eng.# 31216219; Fitting Position: Lower Right
200 Kompressor (209.341)	135/184	M 271.955	10/06->05/09	Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
				Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
200 Kompressor (209.342)	120/163	M 271.940	09/02->05/09	Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->eng.# 31216219; Fitting Position: Lower Right
				Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
220 CDI (209.308)	110/150	OM 646.966	01/05->05/09	Tensioner	SR-1389	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
220 CDI (209.308)	100/136	OM 646.966	01/05->05/09	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; eng.# 30085732->; eng.# 4006509->; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
240 (209.361)	125/170	M 112.912	06/02->05/09	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
270 CDI (209.316)	125/170	OM 612.962;OM 612.967	10/02->05/09	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
280 (209.354)	170/231	M 272.940	01/05->05/09	Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT
				Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; ->eng.# 30058376; Fitting Position: Right
320 (209.365)	160/218	M 112.955	06/02->05/09	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
320 CDI (209.320)	165/224	OM 642.910	01/05->05/09	Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
350 (209.356)	200/272	M 272.960	01/05->05/09	Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; eng.# 30021260->; Fitting Position: Lower Right
				Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; ->eng.# 30058376; Fitting Position: Right
500 (209.372)	285/388	M 273.965	06/06->05/09	Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
500 (209.375)	225/306	M 113.968	06/02->05/09	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
55 AMG (209.376)	270/367	M 113.987	09/02->05/09	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
CLK Convertible (A208) 						
200 (208.435)	100/136	M 111.941;M 111.945	03/98->03/02	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Centre
				Tensioner	SR-1040	OD: 110; W: 28,5; ALT
200 Kompressor (208.444)	120/163	M 111.956	06/00->03/02	Tensioner	SR-1045	OD: 80; W: 31; TCOM
				Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Upper
				Tensioner	SR-1043	OD: 92; W: 31; TCOM
200 Kompressor (208.445)	141/192	M 111.944	03/98->06/00	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Upper
				Tensioner	SR-1043	OD: 92; W: 31; TCOM
230 Kompressor (208.447)	142/193	M 111.973;M 111.975	03/98->06/00	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Upper
				Tensioner	SR-1043	OD: 92; W: 31; TCOM
230 Kompressor (208.448)	145/197	M 111.982	06/00->03/02	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Centre
				Tensioner	SR-1043	OD: 92; W: 31; TCOM
320 (208.465)	160/218	M 112.940	03/98->03/02	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
430 (208.470)	205/279	M 113.943	09/98->03/02	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
55 AMG (208.474)	255/347	M 113.981;M 113.984	01/00->03/02	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Upper Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
CLK Convertible (A209) 						
CLK 200 CGI (209.443)	125/170	M 271.942	07/03->03/10	Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->eng.# 31216219; Fitting Position: Lower Right
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
CLK 200 Kompressor (209.441)	135/184	M 271.955	10/06->03/10	Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->eng.# 31216219; Fitting Position: Lower Right
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right

	kW/HP	Engine code		Type		
CLK 200 Kompressor (209.442)	120/163	M 271.940	02/03->03/10	Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->eng.# 31216219; Fitting Position: Lower Right
CLK 240 (209.461)	125/170	M 112.912	02/03->03/10	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
CLK 280 (209.454)	170/231	M 272.940	01/05->03/10	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; ->eng.# 30058376; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
CLK 320 (209.465)	160/218	M 112.955	02/03->03/10	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
CLK 320 CDI (209.420)	165/224	OM 642.910	03/05->03/10	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower
CLK 350 (209.456)	200/272	M 272.960	01/05->03/10	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; ->eng.# 30058376; Fitting Position: Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
CLK 500 (209.472)	285/388	M 273.967	06/06->03/10	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
CLK 500 (209.475)	225/306	M 113.968	02/03->03/10	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
CLK 55 AMG (209.476)	270/367	M 113.987	02/03->03/10	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
CLS [C218] 						
CLS 250 BlueTEC / d 4-matic (218.397)	150/204	OM 651.924	05/14->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
CLS 250 CDI / BlueTEC / d (218.303, 218.304)	150/204	OM 651.924	04/11->	Deflection/Guide	SR-1155	OD: 108; W: 23; Fitting Position: Centre
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; Fitting Position: Lower Right
CLS 350 BlueTEC (218.326)	185/252	OM 642.852	11/12->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper Left; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; - start-stop
CLS 350 BlueTEC / d (218.326)	190/258	OM 642.853	06/14->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper Left; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; - start-stop
CLS 350 BlueTEC 4-matic (218.394)	185/252	OM 642.858	11/12->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper Left; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; - start-stop
CLS 350 CDI (218.323)	195/265	OM 642.853	01/11->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Left; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower; - start-stop
CLS 350 CDI 4-matic (218.393)	195/265	OM 642.854	09/11->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper Left; Fitting Position: Upper; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower; - start-stop
CLS 500 (218.373)	300/408	M 278.922	02/11->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
CLS 500 4-matic (218.391)	300/408	M 278.922	09/11->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
CLS 63 AMG (218.374)	410/558	M 157.981	01/11->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
CLS 63 AMG (218.374)	386/525	M 157.981	02/11->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
CLS 63 AMG (218.375)	430/585	M 157.981	02/13->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
CLS 63 AMG 4-matic (218.376)	430/585	M 157.981	02/13->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
CLS 63 AMG 4-matic (218.392)	410/558	M 157.981	05/13->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
CLS [C219] 						
CLS 280 (219.354)	170/231	M 272.943	07/08->12/10	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
CLS 300 (219.354)	170/231	M 272.943	04/09->12/10	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
CLS 320 CDI (219.322)	165/224	OM 642.920	01/05->12/10	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower
CLS 350 (219.356)	200/272	M 272.964	10/04->12/10	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
				Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Upper Left
CLS 350 (219.357)	215/292	M 272.985	04/06->12/10	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
CLS 350 CDI (219.322)	165/224	OM 642.920	04/09->12/10	Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper
CLS 350 CGI (219.357)	215/292	M 272.985	04/09->12/10	Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
CLS 500 (219.372)	285/388	M 273.960	04/06->12/10	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
CLS 500 (219.375)	225/306	M 113.967	10/04->12/10	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right

	kW/HP	Engine code		Type		
CLS 55 AMG [219.376]	350/476	M 113.990	01/05->12/10	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
CLS Shooting Brake [X218] 						
CLS 220 BlueTEC / d [218.901]	125/170	OM 651.924	05/14->	Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
CLS 250 BlueTEC / d 4-matic [218.997]	150/204	OM 651.924	05/14->	Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
CLS 250 CDI / BlueTEC / d [218.903, 218.904]	150/204	OM 651.924	10/12->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
CLS 350 BlueTEC / d [218.926]	190/258	OM 642.853	05/14->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; - start-stop
CLS 350 BlueTEC 4-matic [218.994]	185/252	OM 642.858	05/14->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; - start-stop
CLS 350 CDI [218.923]	195/265	OM 642.853	10/12->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; - start-stop
CLS 350 CDI 4-matic [218.993]	195/265	OM 642.854	10/12->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; - start-stop
COUPE [C124] 						
220 CE [124.042]	110/150	M 111.960	10/92->05/93	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
230 CE [124.043]	100/136	M 102.982	03/87->12/92	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
230 CE [124.043]	97/132	M 102.982	03/87->12/92	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
230 CE [124.043] CAT	97/132	M 102.982	06/89->12/92	Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
300 CE-24 [124.051]	162/220	M 104.980	09/89->12/92	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1044	OD: 64; W: 21,8; FAN
320 CE [124.052]	162/220	M 104.992	10/92->05/93	Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 4357->; ->eng.# 5602; eng.# 72237->; ->eng.# 102820
				Tensioner	SR-1045	OD: 80; W: 31; ALT; engine M 104.992; eng.# 5603->; eng.# 108821->
E-CLASS [W124] 						
E 200 [124.019]	100/136	M 111.940	06/93->06/95	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
E 200 D [124.120]	55/75	OM 601.912	06/93->06/95	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1035	OD: 42; W: 29; ALT; ->eng.# 204233; MT; ->eng.# 21216; AT
E 220 [124.022]	110/150	M 111.960	06/93->06/95	Tensioner	SR-1039	+ holder; ALT; eng.# 204234->; MT; eng.# 21217->; AT
				Tensioner	SR-1040	OD: 110; W: 28,5; ALT
E 250 D [124.126, 124.129]	83/113	OM 605.911	07/93->06/95	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
E 250 Turbo-D [124.128]	93/126	OM 602.962	06/93->06/95	Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
E 280 [124.028]	145/197	M 104.942	06/93->06/95	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 5790->; eng.# 48697->
E 280 [124.029]	142/193	M 104.942	06/93->06/95	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 5790->; eng.# 48697->
E 300 D [124.131]	100/136	OM 606.910	07/93->06/95	Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
E 300 Turbo-D [124.133]	108/147	OM 603.960	06/93->06/95	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1035	OD: 42; W: 29; ALT; ->eng.# 49508; engine 603.960; ->eng.# 4190; engine 603.963
E 300 Turbo-D [124.133]	108/147	OM 603.960	06/93->06/95	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
E 300 Turbo-D 4-matic [124.333]	108/147	OM 603.963	06/93->06/95	Tensioner	SR-1039	+ holder; ALT; eng.# 49509->; engine 603.960; ->eng.# 4191; engine 603.963
				Tensioner	SR-1039	+ holder; ALT; eng.# 49509->; engine 603.960; ->eng.# 4191; engine 603.963
E 300 Turbo-D 4-matic [124.333]	108/147	OM 603.963	06/93->06/95	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
E 320 [124.032]	162/220	M 104.992	06/93->06/95	Deflection/Guide	SR-1035	OD: 42; W: 29; ALT; ->eng.# 49508; engine 603.960; ->eng.# 4190; engine 603.963
				Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
E 420 [124.034]	205/279	M 119.975;M 119.985	06/93->06/95	Tensioner	SR-1045	OD: 80; W: 31; ALT; engine M 104.992; eng.# 5603->; eng.# 108821->
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 4357->; ->eng.# 5602; eng.# 72237->; ->eng.# 102820
E 500 [124.036]	235/320	M 119.974	06/93->06/95	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; ->eng.# 9381; Fitting Position: Right
				Tensioner	SR-1043	OD: 92; W: 31; ALT
E 500 [124.036]	235/320	M 119.974	06/93->06/95	Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 5782->
E-CLASS [W210] 						
E 200 [210.035]	100/136	M 111.942	06/95->08/00	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
E 200 CDI [210.007]	75/102	OM 611.961	06/98->03/02	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
E 200 CDI [210.007]	85/116	OM 611.961	07/99->03/02	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right

	kW/HP	Engine code		Type		
E 200 D [210.003]	65/88	OM 604.917	01/96->03/02	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1039	+ holder; ALT
E 200 Kompressor [210.045]	137/186	M 111.947	06/97->03/02	Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Upper
				Tensioner	SR-1043	OD: 92; W: 31; TCOM
				Tensioner	SR-1040	OD: 110; W: 28,5; ALT
E 200 Kompressor [210.048]	120/163	M 111.957	08/00->03/02	Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Centre
				Tensioner	SR-1045	OD: 80; W: 31; TCOM
				Tensioner	SR-1040	OD: 110; W: 28,5; ALT
E 220 CDI [210.006]	92/125	OM 611.961	06/98->07/99	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
E 220 CDI [210.006]	105/143	OM 611.961	07/99->03/02	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
E 220 D	55/75	OM 604.912	05/96->03/02	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower Left
				Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
E 220 D [210.004]	70/95	OM 604.912	06/95->07/99	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1040	OD: 110; W: 28,5; ALT
E 240 [210.061]	125/170	M 112.911	06/97->08/00	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Lower
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
E 240 [210.062]	125/170	M 112.914	08/00->03/02	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
				Tensioner	SR-1039	+ holder; ALT
E 250 D [210.010]	83/113	OM 605.912	06/95->07/99	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1039	+ holder; ALT
E 250 Turbo-D [210.015]	110/150	OM 605.962	06/97->07/99	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Left
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1039	+ holder; ALT
E 270 CDI [210.016]	125/170	OM 612.961	07/99->03/02	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
E 280 [210.053]	142/193	M 104.945	01/96->06/97	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
				Tensioner	SR-1043	OD: 92; W: 31; ALT; ->eng.# 000 500; ->eng.# 2627
				Tensioner	SR-1045	OD: 80; W: 31; ALT; eng.# 000 501->; eng.# 2628->
E 280 [210.063]	150/204	M 112.921	12/96->03/02	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
E 280 4-matic [210.081]	150/204	M 112.921	12/96->03/02	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
E 290 Turbo-D [210.017]	95/129	OM 602.982	03/96->07/99	Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
E 300 D [210.020]	100/136	OM 606.912	06/95->06/97	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1039	+ holder; ALT
E 300 Turbo-D [210.025]	130/177	OM 606.962	12/96->07/99	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
E 320 [210.055]	162/220	M 104.992;M 104.995	06/95->06/97	Tensioner	SR-1043	OD: 92; W: 31; ALT; ->eng.# 34379
				Tensioner	SR-1045	OD: 80; W: 31; ALT; eng.# 34380->
E 320 [210.065]	165/224	M 112.941	06/97->03/02	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
E 320 4-matic [210.082]	165/224	M 112.941	06/97->03/02	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
E 320 CDI [210.026]	145/197	OM 613.961	07/99->03/02	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
E 420 [210.072]	205/279	M 119.985	01/96->06/97	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
				Tensioner	SR-1043	OD: 92; W: 31; ALT
E 430 [210.070]	205/279	M 113.940	06/97->03/02	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
E 430 4-matic [210.083]	205/279	M 113.940	05/99->03/02	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Upper Right
				Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
E 50 AMG [210.072]	255/347	M 119.985 [AMG 5.0]	02/96->08/97	Tensioner	SR-1043	OD: 92; W: 31; ALT
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
E 55 AMG [210.074]	260/354	M 113.980	08/97->03/02	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
E 55 AMG 4-matic [210.074]	260/354	M 113.980	03/01->03/02	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right



kW/HP

Engine code
















Type





E-CLASS (W211)

E 200 CDI (211.004)	75/102	OM 646.951	07/02->12/08	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1508	- holder; OD: 65; W: 30; ALT; ->eng.# 30085731; ->eng.# 40006508; Fitting Position: Lower Right
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; eng.# 30085732->; eng.# 40006509->; Fitting Position: Lower Right
E 200 CDI (211.004)	90/122	OM 646.951	07/02->12/08	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; eng.# 30085732->; eng.# 40006509->; Fitting Position: Lower Right
				Tensioner	SR-1508	- holder; OD: 65; W: 30; ALT; ->eng.# 30085731; ->eng.# 40006508; Fitting Position: Lower Right
E 200 CDI (211.007)	100/136	OM 646.820	04/06->12/08	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
E 200 Kompressor (211.041)	135/184	M 271.956	04/06->12/08	Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->eng.# 31216219; Fitting Position: Lower Right
E 200 Kompressor (211.042)	120/163	M 271.941	11/02->12/08	Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
E 200 NGT (211.041)	120/163	M 271.941	03/04->12/08	Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT
				Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT
E 220 CDI	120/163	OM 646.821	03/03->12/08	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
E 220 CDI (211.006)	110/150	OM 646.961	03/02->12/08	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; eng.# 30085732->; eng.# 40006509->; Fitting Position: Lower Right
				Tensioner	SR-1508	- holder; OD: 65; W: 30; ALT; ->eng.# 30085731; ->eng.# 40006508; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
E 220 CDI (211.006)	100/136	OM 646.961	03/02->12/08	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; eng.# 30085732->; eng.# 40006509->; Fitting Position: Lower Right
				Tensioner	SR-1508	- holder; OD: 65; W: 30; ALT; ->eng.# 30085731; ->eng.# 40006508; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
E 220 CDI (211.008)	125/170	OM 646.821	04/06->12/08	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
E 230 (211.052)	150/204	M 272.922	09/07->12/08	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
E 240 (211.061)	130/177	M 112.917;M 112.913	03/02->12/08	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
E 240 4-matic (211.080)	130/177	M 112.917	03/03->12/08	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1508	- holder; OD: 65; W: 30; ALT; ->ch.30070143; Fitting Position: Lower Right
E 270 CDI (211.016)	130/177	OM 647.961	03/02->12/08	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; ch.30070144->; Fitting Position: Lower Right
				Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
E 280 (211.054)	170/231	M 272.943	03/05->12/08	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper Left
E 280 4-matic (211.092)	170/231	M 272.943	01/06->12/08	Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper Left
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower Right
E 280 CDI (211.020)	140/190	OM 642.920	03/05->12/08	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper Left
E 280 CDI 4-matic	140/190	OM 642.921	03/05->12/08	Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper Left
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower Right
E 300 BlueTEC	155/211	OM 642.920	09/07->12/08	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper Left
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
E 320 (211.065)	165/224	M 112.949	03/02->12/08	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
E 320 4-matic (211.082)	165/224	M 112.954	03/03->12/08	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper Left
E 320 CDI (211.022)	165/224	OM 642.920	03/05->12/08	Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
E 320 CDI (211.026)	150/204	OM 648.961	11/02->12/08	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper Left
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
E 320 CDI 4-matic	165/224	OM 642.910	03/05->12/08	Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper Left
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower Right
E 350 (211.056)	200/272	M 272.964	03/05->12/08	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right








	kW/HP	Engine code		Type		
E 350 4-matic (211.087)	200/272	M 272.972	03/05->12/08	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
E 350 CGI (211.057)	215/292	M 272.985	09/07->12/08	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Right
E 500 (211.070)	225/306	M 113.967	03/02->12/08	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
E 500 (211.072)	285/388	M 273.960	04/06->12/08	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
E 500 4-matic (211.083)	225/306	M 113.969	10/03->12/08	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
E 500 4-matic (211.090)	285/388	M 273.962	04/06->12/08	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
E 55 AMG Kompressor (211.076)	350/476	M 113.990	10/02->12/08	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
E-CLASS (W212) 						
E 200 CDI / BlueTEC (212.005, 212.006)	100/136	OM 651.925	01/09->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
E 200 CGI (212.048, 212.148)	135/184	M 271.860;M 271.820	08/09->	Deflection/Guide	SR-1222	OD: 65; thread size M8x1,25; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; Fitting Position: Lower Right
E 200 NGT (212.041)	120/163	M 271.958	03/11->	Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; Fitting Position: Lower Right
E 220 BlueTEC 4-matic (212.011)	125/170	OM 651.924	01/15->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
E 220 CDI	120/163	OM 651.924	01/09->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
E 220 CDI / BlueTEC (212.001, 212.002)	125/170	OM 651.924	01/09->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
E 250 CDI / BlueTEC (212.003, 212.004)	150/204	OM 651.924	01/09->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
E 250 CDI / BlueTEC 4-matic (212.082, 212.097)	150/204	OM 651.924	01/09->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
E 250 CGI (212.047, 212.147)	150/204	M 271.860	01/09->	Deflection/Guide	SR-1222	OD: 65; thread size M8x1,25; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; Fitting Position: Lower Right
E 300 CDI (212.020)	150/204	OM 642.850	12/09->12/10	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; engine OM 642.850; Fitting Position: Left; Fitting Position: Upper; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; engine OM 642.850; Fitting Position: Lower
E 300 CDI / BlueTEC (212.020, 212.021, 212.027)	170/231	OM 642.850;OM 642.852	03/11->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Left; Fitting Position: Upper; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower; - start-stop
E 300 Hybrid / BlueTEC Hybrid (212.098)	150/204	OM 651.924	12/11->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
E 350 4-matic (212.087)	200/272	M 272.977	01/09->08/11	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
E 350 BlueTEC	185/252	OM 642.852	11/12->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; - start-stop
E 350 BlueTEC (212.024)	155/211	OM 642.850	01/09->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Left; Fitting Position: Upper; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower
E 350 BlueTEC (212.026)	190/258	OM 642.852	05/14->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; - start-stop
E 350 BlueTEC 4-matic (212.094)	190/258	OM 642.858	05/14->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; - start-stop
E 350 BlueTEC 4-matic (212.094)	185/252	OM 642.858	11/12->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; - start-stop
E 350 CDI (212.023)	195/265	OM 642.852	03/11->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Left; Fitting Position: Upper; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower; - start-stop
E 350 CDI (212.025)	170/231	OM 642.850	01/09->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Left; Fitting Position: Upper; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower
E 350 CDI 4-matic (212.089)	170/231	OM 642.856	09/09->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Left; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower
E 350 CDI 4-matic (212.093)	195/265	OM 642.858	03/11->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Left; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower; - start-stop











	kW/HP	Engine code		Type		
E 350 CGI [212.057]	215/292	M 272.982;M 272.983	01/09->08/11	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
				Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower
E 500 [212.072]	285/388	M 273.971	01/09->	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower
E 500 [212.073]	300/408	M 278.922	09/11->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
E 500 4-matic [212.090]	285/388	M 273.970	01/09->	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower
E 500 4-matic [212.091]	300/408	M 278.922	09/11->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
E 63 AMG [212.074]	386/525	M 157.980;M 157.981	02/11->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
E 63 AMG [212.074]	410/558	M 157.981	02/11->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
E 63 AMG [212.075]	430/585	M 157.981	02/13->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
E 63 AMG [212.077]	386/525	M 156.985	12/09->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre
E 63 AMG 4-matic [212.076]	430/585	M 157.981	02/13->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
E 63 AMG 4-matic [212.092]	410/558	M 157.981	02/11->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
E-CLASS Convertible (A124) 						
E 200 [124.060]	100/136	M 111.940	06/93->03/98	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
E 220 [124.062]	110/150	M 111.960	06/93->03/98	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
E 320 [124.066]	162/220	M 104.992;M 104.995	06/93->03/98	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
				Tensioner	SR-1045	OD: 80; W: 31; ALT; eng.# 5603->; eng.# 108821->
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 4357->; ->eng.# 5602; eng.# 72237->; ->eng.# 102820
E 36 AMG [124.066]	200/272	M 104.992 [AMG 3.6]	05/94->03/98	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
				Tensioner	SR-1045	OD: 80; W: 31; ALT; engine M 104.992; eng.# 5603->; eng.# 108821->
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 4357->; ->eng.# 5602; eng.# 72237->; ->eng.# 102820
E-CLASS Convertible (A207) 						
E 200 [207.434]	135/184	M 274.920	03/13->	Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT
E 200 CGI [207.448]	135/184	M 271.860;M 271.820	01/10->	Deflection/Guide	SR-1222	OD: 65; thread size M8x1,25; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; USA
E 220 CDI / BlueTEC / d [207.402, 207.401]	125/170	OM 651.911	01/10->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
E 250 CDI / BlueTEC / d [207.403, 207.404]	150/204	OM 651.911	01/10->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; USA
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
				Deflection/Guide	SR-1222	OD: 65; thread size M8x1,25; W: 26; ALT; Fitting Position: Centre
E 250 CGI [207.447]	150/204	M 271.860	01/10->	Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; Fitting Position: Lower Right
E 350 BlueTEC [207.426]	185/252	OM 642.838	06/13->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre; Fitting Position: Upper
E 350 CDI	195/265	OM 642.838	04/11->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Left; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; - start-stop
E 350 CDI [207.422]	170/231	OM 642.836	01/10->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Left; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
E 350 CGI [207.457]	215/292	M 272.984;M 272.982	01/10->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Right
E 500 [207.472]	285/388	M 273.966	01/10->	Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
E 500 [207.473]	300/408	M 278.922	09/11->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
E-CLASS Coupe (C124) 						
E 200 [124.040]	100/136	M 111.940	06/93->06/97	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
E 220 [124.042]	110/150	M 111.960	06/93->06/97	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
E 320 [124.052]	162/220	M 104.992	06/93->06/97	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 4357->; ->eng.# 5602; eng.# 72237->; ->eng.# 102820
				Tensioner	SR-1045	OD: 80; W: 31; ALT; engine M 104.992; eng.# 5603->; eng.# 108821->
E 36 AMG [124.052]	200/272	M 104.992 [AMG 3.6]	05/94->06/97	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
				Tensioner	SR-1045	OD: 80; W: 31; ALT; engine M 104.992; eng.# 5603->; eng.# 108821->
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 4357->; ->eng.# 5602; eng.# 72237->; ->eng.# 102820
E 36 AMG [124.052]	195/265	M 104.992 [AMG 3.6]	06/93->04/95	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 4357->; ->eng.# 5602; eng.# 72237->; ->eng.# 102820
				Tensioner	SR-1045	OD: 80; W: 31; ALT; engine M 104.992; eng.# 5603->; eng.# 108821->
E-CLASS Coupe (C207) 						
E 200 CGI [207.348]	135/184	M 271.860;M 271.820	01/10->	Deflection/Guide	SR-1222	OD: 65; thread size M8x1,25; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; Fitting Position: Lower Right
E 220 CDI	120/163	OM 651.911	07/14->	Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop






	kW/HP	Engine code		Type		
E 220 CDI / d (207.302)	125/170	OM 651.911	01/10->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; USA
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
E 250 (207.336)	155/211	M 274.920	06/13->	Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; Fitting Position: Lower Right
E 250 CDI / d (207.303)	150/204	OM 651.911	01/09->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; USA
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
E 250 CGI (207.347)	150/204	M 271.860	01/09->	Deflection/Guide	SR-1222	OD: 65; thread size M8x1,25; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; Fitting Position: Lower Right
E 350 BlueTEC	185/252	OM 642.838	03/13->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT
E 350 CDI	195/265	OM 642.838	04/11->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; MD 207.323; Fitting Position: Left; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; MD 207.323; Fitting Position: Lower; - start-stop
E 350 CDI (207.322)	170/231	OM 642.836	01/09->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Left; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower
E 350 CGI (207.357)	215/292	M 272.984;M 272.982	01/09->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
				Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
E 500 (207.372)	285/388	M 273.966	01/09->	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
E 500 (207.373)	300/408	M 278.922	09/11->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
E-CLASS Estate (S124) 						
E 200 T (124.079)	100/136	M 111.940	06/93->06/96	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
E 220 T (124.082)	110/150	M 111.960	06/93->06/96	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Tensioner	SR-1039	+ holder; ALT
E 250 TD (124.186)	83/113	OM 605.911	06/93->06/96	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1039	+ holder; ALT
E 250 Turbo D	93/126	OM 602.962	06/93->06/96	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower Right
E 280 T (124.088)	142/193	M 104.942	06/93->06/96	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 5790->; eng.# 48697->
E 280 T (124.088)	145/197	M 104.942	06/93->06/96	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 5790->; eng.# 48697->
E 300 T Turbo-D (124.193)	108/147	OM 603.960	06/93->06/96	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1035	OD: 42; W: 29; ALT; ->eng.# 49508; engine 603.960; ->eng.# 4190; engine 603.963
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1039	+ holder; ALT; eng.# 49509->; engine 603.960; ->eng.# 4191; engine 603.963
E 300 T Turbo-D 4-matic (124.393)	108/147	OM 603.963	06/93->06/96	Tensioner	SR-1039	+ holder; ALT; eng.# 49509->; engine 603.960; ->eng.# 4191; engine 603.963
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1035	OD: 42; W: 29; ALT; ->eng.# 49508; engine 603.960; ->eng.# 4190; engine 603.963
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
E 300 TD (124.191)	100/136	OM 606.910	06/93->06/96	Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower; + AC
E 320 T (124.092)	162/220	M 104.992	06/93->06/96	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
				Tensioner	SR-1045	OD: 80; W: 31; ALT; engine M 104.992; eng.# 5603->; eng.# 108821->
E 36 T AMG (124.092)	200/272	M 104.992 (AMG 3.6)	05/94->06/96	Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 4357->; ->eng.# 5602; eng.# 72237->; ->eng.# 102820
				Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 4357->; ->eng.# 5602; eng.# 72237->; ->eng.# 102820
Tensioner	SR-1045	OD: 80; W: 31; ALT; eng.# 5603->; eng.# 108821->				
E-CLASS Estate (S210) 						
E 200 T (210.235)	100/136	M 111.942	06/96->08/00	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
E 200 T Kompressor (210.245)	137/186	M 111.947	06/97->03/03	Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Upper
				Tensioner	SR-1043	OD: 92; W: 31; TCOM
				Tensioner	SR-1040	OD: 110; W: 28,5; ALT
E 200 T Kompressor (210.248)	120/163	M 111.957	08/00->03/03	Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Centre
				Tensioner	SR-1045	OD: 80; W: 31; TCOM
E 220 T CDI (210.206)	92/125	OM 611.961	06/98->07/99	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
E 220 T CDI (210.206)	105/143	OM 611.961	07/99->03/03	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ACCOM; Fitting Position: Upper Left
E 230 T (210.237)	110/150	M 111.970	06/96->06/97	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
E 240 T (210.261)	125/170	M 112.911	06/97->03/03	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
E 240 T (210.262)	125/170	M 112.914	08/00->03/03	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right				






	kW/HP	Engine code		Type		
E 250 T D [210.210]	83/113	OM 605.912	06/96->07/99	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1039	+ holder; ALT
E 250 T Turbo-D [210.215]	110/150	OM 605.962	06/97->07/99	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Left
E 270 T CDI [210.216]	125/170	OM 612.961	07/99->03/03	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
E 280 T [210.263]	150/204	M 112.921	12/96->03/03	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
E 280 T 4-matic [210.281]	150/204	M 112.921	12/96->03/03	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
E 290 T Turbo-D [210.217]	95/129	OM 602.982	06/96->07/99	Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
E 300 T Turbo-D [210.225]	130/177	OM 606.962	12/96->07/99	Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
E 320 T [210.265]	165/224	M 112.941	12/96->03/03	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
E 320 T 4-matic [210.282]	165/224	M 112.941	12/96->03/03	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
E 320 T CDI [210.226]	145/197	OM 613.961	07/99->03/03	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
E 420 T [210.272]	205/279	M 119.985	06/96->06/97	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
				Tensioner	SR-1043	OD: 92; W: 31; ALT
E 430 T [210.270]	205/279	M 113.940	06/97->03/03	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
E 430 T 4-matic [210.283]	205/279	M 113.940	05/99->03/03	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
E 55 T AMG [210.274]	260/354	M 113.980	08/97->03/03	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
E 55 T AMG 4-matic [210.283]	260/354	M 113.980	03/01->03/03	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
E-CLASS T-Model [S211] 						
350 CGI [211.257]	215/292	M 272.985	05/06->07/09	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; eng.# 30021259->; Fitting Position: Upper Left
				Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
E 200 CDI [211.207]	100/136	OM 646.821	04/06->07/09	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
E 200 Kompressor [211.241]	135/184	M 271.956	04/06->07/09	Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
E 200 T Kompressor [211.242]	120/163	M 271.941	03/03->07/09	Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->eng.# 31216219; Fitting Position: Lower Right
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
E 220 CDI [211.206]	100/136	OM 646.961	03/03->07/09	Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->eng.# 31216219; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
E 220 T CDI [211.206]	110/150	OM 646.961	03/03->07/09	Tensioner	SR-1508	- holder; OD: 65; W: 30; ALT; ->eng.# 30085731; ->eng.# 40006508; Fitting Position: Lower Right
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; eng.# 30085732->; eng.# 40006509->; Fitting Position: Lower Right
E 220 T CDI [211.208]	125/170	OM 646.821	04/06->07/09	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
E 230 T [211.252]	150/204	M 272.922	05/07->07/09	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
E 240 T [211.261]	130/177	M 112.913	03/03->07/09	Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
E 240 T 4-matic [211.280]	130/177	M 112.917	07/03->07/09	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
E 270 T CDI [211.216]	130/177	OM 647.961	03/03->07/09	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Tensioner	SR-1508	- holder; OD: 65; W: 30; ALT; ->eng.# 30070143; Fitting Position: Lower Right






	kW/HP	Engine code		Type		
E 280 T [211.254]	170/231	M 272.943	03/05->07/09	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
E 280 T 4-matic [211.292]	170/231	M 272.943	03/05->07/09	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
E 280 T CDI [211.220]	140/190	OM 642.920	03/05->07/09	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper Left
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower Right
E 280 T CDI [211.223]	130/177	OM 648.961	05/04->07/09	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
E 280 T CDI 4-matic [211.284]	140/190	OM 642.921	03/05->07/09	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper Left
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower Right
E 320 T [211.265]	165/224	M 112.949	03/03->07/09	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
E 320 T 4-matic [211.282]	165/224	M 112.954	07/03->07/09	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
E 320 T CDI [211.222]	165/224	OM 642.920	03/05->07/09	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper Left
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower Right
E 320 T CDI [211.226]	150/204	OM 648.961	03/03->07/09	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
E 320 T CDI 4-matic [211.289]	165/224	OM 642.920	03/05->07/09	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower
E 350 T [211.256]	200/272	M 272.964	03/05->07/09	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
E 350 T 4-matic [211.287]	200/272	M 272.972	03/05->07/09	Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
E 500 T [211.270]	225/306	M 113.967	10/03->07/09	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
E 500 T [211.272]	285/388	M 273.960	04/06->07/09	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
E 500 T 4-matic [211.283]	225/306	M 113.969	10/03->07/09	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
E 500 T 4-matic [211.290]	285/388	M 273.962	04/06->07/09	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
E 55 T AMG Kompressor [211.276]	350/476	M 113.990	07/03->07/09	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
E-CLASS T-Model [S212] 						
E 200 CDI / BlueTEC [212.205, 212.206]	100/136	OM 651.925	11/09->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
E 200 CGI [212.248]	135/184	M 271.860	11/09->	Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
				Deflection/Guide	SR-1222	OD: 65; thread size M8x1,25; W: 26; ALT; Fitting Position: Centre
E 220 BlueTEC 4-matic [212.211]	125/170	OM 651.924	12/14->	Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
E 220 CDI / BlueTEC [212.202, 212.201]	125/170	OM 651.924	11/09->	Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
E 250 CDI / BlueTEC [212.203, 212.204]	150/204	OM 651.924	11/09->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
E 250 CDI / BlueTEC 4-matic [212.282, 212.297]	150/204	OM 651.924	07/10->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
E 250 CGI [212.247]	150/204	M 271.860	11/09->	Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
				Deflection/Guide	SR-1222	OD: 65; thread size M8x1,25; W: 26; ALT; Fitting Position: Centre
E 300 CDI [212.220]	150/204	OM 642.850	12/09->12/10	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; engine OM 642.852; MD 212.221; Fitting Position: Left; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; engine OM 642.852; MD 212.221; Fitting Position: Lower; - start-stop
E 350 [212.256]	200/272	M 272.980	08/09->	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
E 350 4-matic [212.287]	200/272	M 272.977	11/09->	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
E 350 BlueTEC [212.224]	155/211	OM 642.850	11/09->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Left; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower
E 350 BlueTEC 4-matic [212.294]	190/258	OM 642.858;OM 642.852	07/14->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Left; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower; - start-stop
E 350 CDI [212.223]	195/265	OM 642.852	07/11->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Left; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower; - start-stop
E 350 CDI [212.225]	170/231	OM 642.850	11/09->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Left; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower
E 350 CDI 4-matic [212.289]	170/231	OM 642.856	11/09->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Left; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower






	kW/HP	Engine code		Type		
E 350 CDI 4-matic [212.293]	195/265	OM 642.858	07/11->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Left; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower; - start-stop
E 350 CGI [212.257]	215/292	M 272.983	11/09->	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
E 500 [212.272]	285/388	M 273.971	11/09->	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
E 500 [212.273]	300/408	M 278.922	09/11->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
E 500 4-matic [212.291]	300/408	M 278.922	09/11->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
E 63 AMG [212.274]	386/525	M 157.980;M 157.981	02/11->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
E 63 AMG [212.274]	410/558	M 157.981	02/11->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
E 63 AMG [212.275]	430/585	M 157.981	02/13->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
E 63 AMG [212.277]	386/525	M 156.985	08/09->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre
E 63 AMG 4-matic [212.276]	430/585	M 157.981	02/13->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
E 63 AMG 4-matic [212.292]	410/558	M 157.981	02/11->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
G-CLASS (W460) 						
230 GE [460,2]	90/122	M 102.979;M 102.987	05/87->08/92	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; engine M 102.979
				Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; + AC
250 GD [460,3]	62/84	OM 602.930	10/87->12/92	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; QTY 2
				Tensioner	SR-1035	OD: 42; W: 29; ALT
250 GD [460,3]	68/92	OM 602.930	12/88->08/92	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; + AC
				Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; QTY 2
300 GD [460,3]	83/113	OM 603.912	03/79->07/93	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1035	OD: 42; W: 29; ALT
G-CLASS (W461) 						
230 GE [461]	92/125	M 102.996;M 102.997	06/93->	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; ALT; Fitting Position: Left; + PS; Fitting Position: Lower; + AC
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
230 GE [461.238, 461.239]	90/122	M 102.979	02/93->	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT
250 GD [461]	68/92	OM 602.939	02/90->	Tensioner	SR-1035	OD: 42; W: 29; ALT; ->eng.# 10016
				Tensioner	SR-1039	+ holder; ALT; eng.# 10017->
290 GD/G 290 D [461.337, 461.338]	70/95	OM 602.942	04/92->	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; + AC
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC
				Tensioner	SR-1035	OD: 42; W: 29; ALT; ->eng.# 000 035, 000 580
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower Right; + AC
G 280 CDI	135/184	OM 642.884	04/09->	Tensioner	SR-1039	+ holder; ALT; eng.# 000 036, 000 581->
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; engine OM 642.975; Fitting Position: Left; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; engine OM 642.975; Fitting Position: Lower
G 290 TD [461.335, 461.336]	88/120	OM 602.983	07/97->	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1039	+ holder; ALT
G 300 CDI	135/184	OM 642.884	04/10->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Left; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower
G-CLASS (W463) 						
230 GE [463.224, 463.225]	93/126	M 102.989	06/90->06/93	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT
				Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; + AC
250 GD [463.324, 463.325]	69/94	OM 602.931	06/90->	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; QTY 2
300 GD [463.327, 463.328]	83/113	OM 603.931	09/89->	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; + AC
				Tensioner	SR-1035	OD: 42; W: 29; ALT; ->eng.# 3134; ->eng.# 1145
				Tensioner	SR-1039	+ holder; ALT; eng.# 3135->; eng.# 1146->
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
350 Turbo GD [463.320, 463.321]	100/136	OM 603.972	09/91->	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; + AC
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Upper Left; + AC; Fitting Position: Lower Right
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1035	OD: 42; W: 29; ALT; ->eng.# 2393
G 270 CDI [463.322, 463.323]	115/156	OM 612.965	10/01->	Tensioner	SR-1039	+ holder; ALT; eng.# 2394->
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
G 300 TD [463.330, 463.331]	130/177	OM 606.964	08/96->	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1039	+ holder; ALT







	kW/HP	Engine code		Type		
G 320 [463.230, 463.231]	155/211	M 104.996	09/94->12/97	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
				Tensioner	SR-1043	OD: 92; W: 31; ALT; ->eng.# 2383
				Tensioner	SR-1045	OD: 80; W: 31; ALT; eng.# 2384->
G 320 [463.232, 463.233, 463.244, 463.245]	158/215	M 112.945	07/97->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Left
G 320 CDI [463.340, 463.341, 463.343]	165/224	OM 642.970	09/06->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; eng.# 4077760->; Fitting Position: Upper
				Deflection/Guide	SR-1535	OD: 54; W: 34,2; ALT; ->eng.# 4077759; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; eng.# 4077760->; Fitting Position: Lower
				Tensioner	SR-1534	- holder; OD: 65; W: 32; ALT; ->eng.# 4077759; Fitting Position: Lower Right
G 36 AMG [463.230]	200/272	M 104.996 (AMG 3,6)	01/95->	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; engine M104.996
				Tensioner	SR-1045	OD: 80; W: 31; ALT; eng.# 2384->; engine M104.996
				Tensioner	SR-1043	OD: 92; W: 31; ALT; ->eng.# 2383; engine M104.996
G 55 AMG [463.270, 463.271]	350/476	M 113.993	06/04->	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
G 55 AMG [463.270, 463.271]	368/500	M 113.993	08/06->	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
G 55 AMG [463.270, 463.271]	373/507	M 113.993	08/08->	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
G-CLASS Cabrio (W463) 						
230 GE [463.204]	93/126	M 102.989	06/90->02/93	Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; + AC
300 GD [463.307]	83/113	OM 603.931	12/90->09/97	Tensioner	SR-1035	OD: 42; W: 29; ALT; ->eng.# 3134; ->eng.# 1145
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1039	+ holder; ALT; eng.# 3135->; eng.# 1144->
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
320 GE [463.208]	155/211	M 104.996	09/94->11/97	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
				Tensioner	SR-1045	OD: 80; W: 31; ALT; eng.# 2384->
				Tensioner	SR-1043	OD: 92; W: 31; ALT; ->eng.# 2383
350 G Turbo-D [463.300]	100/136	OM 603.972	09/91->09/97	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; + AC
				Tensioner	SR-1039	+ holder; ALT; eng.# 2394->
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1035	OD: 42; W: 29; ALT; ->eng.# 2393
G 300 TD [463.308]	130/177	OM 606.964	09/96->	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower; + AC
G 320 CDI [463.303]	165/224	OM 642.970	09/06->	Tensioner	SR-1534	- holder; OD: 65; W: 32; ALT; Fitting Position: Lower Right
GL-CLASS (X164) 						
GL 320 CDI / 350 BlueTEC 4-matic [164.824, 164.825]	155/211	OM 642.820	12/09->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower Right
GL 320 CDI 4-matic [164.822]	165/224	OM 642.940	09/06->05/09	Tensioner	SR-1534	- holder; OD: 65; W: 32; ALT; ->11/07; Fitting Position: Lower Right
GL 350 CDI 4-matic [164.822]	165/224	OM 642.940	05/09->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower Right
GL 450 4-matic [164.871]	250/340	M 273.923	09/06->	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Centre
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT
GL 500 4-matic [164.886]	285/388	M 273.963	09/06->	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Centre
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT
GL-CLASS (X166) 						
GL 350 CDI / BlueTec 4-matic [166.823, 166.824]	190/258	OM 642.826	07/12->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
GL 500 4-matic [166.873]	320/435	M 278.928	07/12->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
GLE (W166) 						
250 d [166.006]	150/204	OM 651.960	04/15->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
250 d 4-matic [166.004]	150/204	OM 651.960	04/15->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
350 d 4-matic [166.024]	190/258	OM 642.826	04/15->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper Left; QTY 2
500 4-matic [166.073]	320/435	M 278.928	04/15->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
GLE Coupe (C292) 						
350 d 4-matic [292.323, 292.324]	190/258	OM 642.826	03/15->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper Left; QTY 2
GLK-CLASS (X204) 						
200 CDI [204.901]	105/143	OM 651.916;OM 651.913	07/10->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Right; USA
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
220 CDI [204.902]	125/170	OM 651.916	12/08->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
220 CDI 4-matic [204.984, 204.997]	125/170	OM 651.912	12/08->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre left
				Deflection/Guide	SR-1155	OD: 65; W: 25,5; ALT; Fitting Position: Centre left
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
250 CDI 4-matic [204.982, 204.904]	150/204	OM 651.912	09/09->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre left
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop







	kW/HP	Engine code		Type		
280 4-matic [204.981]	170/231	M 272.948	06/08->06/09	Deflection/Guide	SR-1429	ID: 8.2; OD: 70; W: 22; ALT; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
300 4-matic [204.981]	170/231	M 272.948	07/09->04/11	Deflection/Guide	SR-1429	ID: 8.2; OD: 70; W: 22; ALT; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
320 CDI 4-matic [204.983]	165/224	OM 642.961	06/08->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower
350 [204.956]	200/272	M 272.991	04/09->	Deflection/Guide	SR-1429	ID: 8.2; OD: 70; W: 22; ALT; Fitting Position: Centre
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Right
350 4-matic [204.987]	200/272	M 272.971	06/08->04/11	Deflection/Guide	SR-1429	ID: 8.2; OD: 70; W: 22; ALT; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
350 CDI 4-matic [204.992]	170/231	OM 642.832	02/10->05/10	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT
350 CDI 4-matic [204.992]	165/224	OM 642.832	07/09->01/10	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT
350 CDI 4-matic [204.993]	195/265	OM 642.835	07/12->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2; + start-stop
KOMBI Estate [S124] 						
200 T [124.080]	77/105	M 102.922	01/86->05/90	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
200 T [124.080]	80/109	M 102.922	09/85->08/89	Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
200 T D [124.180]	53/72	OM 601.912	09/85->08/91	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
200 T D [124.180]	55/75	OM 601.912	09/88->08/91	Tensioner	SR-1039	+ holder; ALT; eng.# 204234->; MT; eng.# 21217->; AT
				Tensioner	SR-1035	OD: 42; W: 29; ALT; ->eng.# 204233; MT; ->eng.# 21216; AT
				Tensioner	SR-1035	OD: 42; W: 29; ALT; ->eng.# 204233; MT; ->eng.# 21216; AT
200 TE	90/122	M 102.962	09/88->12/89	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1039	+ holder; ALT; eng.# 204234->; MT; eng.# 21217->; AT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
200 TE [124.079]	100/136	M 111.940	05/86->06/93	Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
200 TE [124.081]	87/118	M 102.963	09/88->08/92	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
220 TE [124.082]	110/150	M 111.960	10/92->05/93	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Left; + PS
230 TE [124.083]	100/136	M 102.982	09/85->08/92	Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
230 TE [124.083]	97/132	M 102.982	09/85->08/92	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Left
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
230 TE [124.083] CAT	97/132	M 102.982	06/89->08/92	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Left; + PS
250 T D [124.185]	69/94	OM 602.912	01/89->06/93	Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
250 T D [124.185]	66/90	OM 602.912	09/85->06/93	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1035	OD: 42; W: 29; ALT
250 TD Turbo [124.188]	93/126	OM 602.962	03/88->07/93	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1035	OD: 42; W: 29; ALT
280 TE [124.088]	145/197	M 104.942	10/92->06/93	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 5790->; eng.# 48697->
300 T D [124.190]	81/110	OM 603.912	01/89->06/93	Tensioner	SR-1035	OD: 42; W: 29; ALT
300 T D [124.190]	83/113	OM 603.912	01/89->06/93	Tensioner	SR-1035	OD: 42; W: 29; ALT
300 T D [124.190]	80/109	OM 603.912	09/86->06/93	Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1039	+ holder; ALT; eng.# 49509->; engine 603.960; ->eng.# 4191; engine 603.963
300 T Turbo-D	105/143	OM 603.960,OM 603.963	09/86->01/89	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1035	OD: 42; W: 29; ALT; ->eng.# 49508; engine 603.960; ->eng.# 4190; engine 603.963
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
300 T Turbo-D [124.193]	108/147	OM 603.960	01/89->06/93	Tensioner	SR-1035	OD: 42; W: 29; ALT; ->eng.# 49508; engine 603.960; ->eng.# 4190; engine 603.963
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
300 T Turbo-D 4-matic [124.393]	108/147	OM 603.960	01/89->06/93	Tensioner	SR-1039	+ holder; ALT; eng.# 49509->; engine 603.960; ->eng.# 4191; engine 603.963
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
300 T Turbo-D 4-matic [124.393]	105/143	OM 603.963	09/86->01/89	Tensioner	SR-1035	OD: 42; W: 29; ALT; ->eng.# 49508; engine 603.960; ->eng.# 4190; engine 603.963
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
300 T Turbo-D 4-matic [124.393]	105/143	OM 603.963	09/86->01/89	Tensioner	SR-1039	+ holder; ALT; eng.# 49509->; engine 603.960; ->eng.# 4191; engine 603.963
				Tensioner	SR-1039	+ holder; ALT; eng.# 49509->; engine 603.960; ->eng.# 4191; engine 603.963

	kW/HP	Engine code		Type		
320 TE (124.092)	162/220	M 104.992	10/92->06/93	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 4357->; ->eng.# 5602; eng.# 72237->; ->eng.# 102820
				Tensioner	SR-1045	OD: 80; W: 31; ALT; engine M 104.992; eng.# 5603->; eng.# 108821->
M-CLASS (W163) 						
ML 230 (163.136)	110/150	M 111.977	02/98->06/05	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
ML 270 CDI (163.113)	120/163	OM 612.963	12/99->06/05	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
ML 320 (163.154)	160/218	M 112.942	02/98->08/02	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
ML 350 (163.157)	180/245	M 112.970	08/02->06/05	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
ML 350 4-matic	173/235	M 112.970	02/03->06/05	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
ML 430 (163.172)	200/272	M 113.942	02/98->06/05	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
ML 500 (163.175)	215/292	M 113.964;M 113.965	09/01->06/05	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
ML 55 AMG (163.174)	255/347	M 113.981	02/00->06/05	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
M-CLASS (W164) 						
ML 280 CDI 4-matic (164.120)	140/190	OM 642.940	07/05->07/09	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; eng.# 40777760->; Fitting Position: Upper
				Deflection/Guide	SR-1535	OD: 54; W: 34,2; ALT; ->eng.# 40777759; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; eng.# 40777760->; Fitting Position: Lower
ML 300 CDI 4-matic (164.120)	140/190	OM 642.940	07/09->	Tensioner	SR-1534	- holder; OD: 65; W: 32; ALT; ->eng.# 40777759; Fitting Position: Lower
				Deflection/Guide	SR-1535	OD: 54; W: 34,2; ALT; ->eng.# 40777759; Fitting Position: Upper Left
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; eng.# 40777760->; Fitting Position: Upper Left
ML 300 CDI 4-matic (164.121)	150/204	OM 642.820	02/10->	Tensioner	SR-1534	- holder; OD: 65; W: 32; ALT; ->eng.# 40777759; Fitting Position: Lower Right
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; eng.# 40777760->; Fitting Position: Lower Right
ML 320 CDI 4-matic (164.122)	165/224	OM 642.940	07/05->07/09	Deflection/Guide	SR-1535	OD: 54; W: 34,2; ALT; ->eng.# 40777759; Fitting Position: Upper
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; eng.# 40777760->; Fitting Position: Upper
				Tensioner	SR-1534	- holder; OD: 65; W: 32; ALT; ->eng.# 40777759; Fitting Position: Lower Right
ML 350 4-matic (164.186)	200/272	M 272.967	07/05->	Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; eng.# 40777760->; Fitting Position: Lower
				Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
ML 350 CDI 4-matic (164.122)	165/224	OM 642.940	07/09->	Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; eng.# 40777760->; Fitting Position: Upper Left
				Deflection/Guide	SR-1535	OD: 54; W: 34,2; ALT; ->eng.# 40777759; Fitting Position: Upper Left
ML 350 CDI 4-matic (164.125)	170/231	OM 642.820	02/10->	Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; eng.# 40777760->; Fitting Position: Lower Right
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT
				Deflection/Guide	SR-1535	OD: 54; W: 34,2; ALT; ->eng.# 40777759; Fitting Position: Upper Left
ML 500 4-matic (164.172)	285/388	M 273.963	12/07->	Tensioner	SR-1534	- holder; OD: 65; W: 32; ALT; ->eng.# 40777759; Fitting Position: Lower Right
				Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Centre
ML 500 4-matic (164.175)	225/306	M 113.964	07/05->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
M-CLASS (W166) 						
ML 250 CDI / BlueTEC 4-matic (166.004, 166.003)	150/204	OM 651.960	06/11->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
ML 350 BlueTEC 4-matic (166.024)	190/258	OM 642.826	06/11->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
O 100						
City	70-72/95-98	OM 602.940	01/94->	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1035	OD: 42; W: 29; ALT
R-CLASS (W251, V251) 						
R 280 (251.054, 251.154)	170/231	M 272.945	01/07->	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Centre
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Right
R 280 CDI (251.121, 251.026, 251.126)	140/190	OM 642.950;OM 642.870;OM 642.872	05/06->	Deflection/Guide	SR-1535	OD: 54; W: 34,2; ALT; ->eng.# 40777759; Fitting Position: Upper
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; eng.# 40777760->; Fitting Position: Upper
				Tensioner	SR-1534	- holder; OD: 65; W: 32; ALT; ->eng.# 40777759; Fitting Position: Lower
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; eng.# 40777760->; Fitting Position: Lower







	kW/HP	Engine code		Type		
R 280 CDI 4-matic (251.020)	140/190	OM 642.950	05/06->	Deflection/Guide	SR-1535	OD: 54; W: 34,2; ALT; eng.# 40777759->; Fitting Position: Upper
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; eng.# 40777760->; Fitting Position: Upper
				Tensioner	SR-1534	- holder; OD: 65; W: 32; ALT; ->eng.# 40777759; Fitting Position: Lower
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; eng.# 40777760->; Fitting Position: Lower
R 300 (251.054, 251.154)	170/231	M 272.945	07/09->	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Centre
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Right
R 300 CDI (251.021, 251.121, 251.026, 251.126)	140/190	OM 642.950;OM 642.870;OM 642.872	07/09->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1534	- holder; OD: 65; W: 32; ALT; Fitting Position: Lower Right
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT
				Deflection/Guide	SR-1535	OD: 54; W: 34,2; ALT; eng.# 40777759->; Fitting Position: Upper
R 300 CDI 4-matic (251.020)	140/190	OM 642.950	07/09->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; eng.# 40777760->; Fitting Position: Upper
				Tensioner	SR-1534	- holder; OD: 65; W: 32; ALT; ->eng.# 40777759; Fitting Position: Lower
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; eng.# 40777760->; Fitting Position: Lower
				Deflection/Guide	SR-1535	OD: 54; W: 34,2; ALT; ->eng.# 40777759; Fitting Position: Upper
R 320 CDI 4-matic (251.022, 251.122)	165/224	OM 642.950	01/06->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; eng.# 40777760->; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; eng.# 40777760->; Fitting Position: Lower
				Tensioner	SR-1534	- holder; OD: 65; W: 32; ALT; ->eng.# 40777759; Fitting Position: Lower
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
R 350 4-matic (251.065, 251.165)	200/272	M 272.967	01/06->	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
				Tensioner	SR-1534	- holder; OD: 65; W: 32; ALT; Fitting Position: Lower Right
R 350 CDI 4-matic (251.022, 251.122)	165/224	OM 642.950	07/09->	Tensioner	SR-1534	- holder; OD: 65; W: 32; ALT; ->11/07; ->eng.# 40777759
R 350 CDI 4-matic (251.124, 251.125)	155/211	OM 642.950;OM 642.870	01/06->	Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30
R 500 4-matic (251.072, 251.172)	285/388	M 273.963	01/07->	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Centre
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT
R 500 4-matic (251.075, 251.175)	225/306	M 113.971	01/06->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
Saloon (W124) 						
200	77/105	M 102.922	01/86->05/90	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
200 (124.020)	75/102	M 102.922	01/86->05/90	Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Left; + PS
200 (124.020)	80/109	M 102.922	12/85->05/90	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Left; + PS
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
200 D (124.120)	55/75	OM 601.912	08/89->06/93	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1039	+ holder; ALT; eng.# 204234->; MT; eng.# 21217->; AT
				Tensioner	SR-1035	OD: 42; W: 29; ALT; ->eng.# 204233; MT; ->eng.# 21216; AT
200 D (124.120)	53/72	OM 601.912	12/84->08/89	Tensioner	SR-1035	OD: 42; W: 29; ALT; ->eng.# 21216; AT; ->eng.# 204233; MT
				Tensioner	SR-1039	+ holder; ALT; eng.# 204234->; MT; eng.# 21217->; AT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
200 E (124.019)	100/136	M 111.940	10/92->06/93	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1040	OD: 110; W: 28,5; ALT
200 E (124.021)	87/118	M 102.963	09/88->08/92	Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Left; + PS
200 E (124.021)	90/122	M 102.963	09/88->12/89	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Left; + PS
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
220 E (124.022)	110/150	M 111.960	10/92->06/93	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Left; + PS
230 E (124.023)	100/136	M 102.982	01/85->06/93	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
230 E (124.023)	97/132	M 102.982	12/84->03/92	Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Left; + PS
230 E (124.023) CAT	97/132	M 102.982	06/89->06/93	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Left; + PS
250 D (124.125)	69/94	OM 602.912	01/89->06/93	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1035	OD: 42; W: 29; ALT
250 D (124.125)	66/90	OM 602.912	04/85->06/93	Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT






	kW/HP	Engine code		Type		
250 Turbo-D (124.128)	93/126	OM 602.962	09/88->06/93	Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
260 E (124.026)	118/160	M 103.940	09/85->08/92	Deflection/Guide	SR-1030	OD: 70; W: 26; FAN; Fitting Position: Left
260 E (124.026)	122/166	M 103.940	09/85->12/89	Deflection/Guide	SR-1030	OD: 70; W: 26; FAN; Fitting Position: Left
260 E 4-matic (124.226)	118/160	M 103.943	09/86->08/92	Deflection/Guide	SR-1030	OD: 70; W: 26; FAN; Fitting Position: Left
260 E 4-matic (124.226)	122/166	M 103.940	12/86->12/89	Deflection/Guide	SR-1030	OD: 70; W: 26; FAN; Fitting Position: Right
280 E (124.028)	145/197	M 104.942	10/92->06/93	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 5790->; eng.# 48697->
300 D (124.130)	81/110	OM 603.912	06/90->06/93	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1035	OD: 42; W: 29; ALT
300 D (124.130)	83/113	OM 603.912	08/89->06/93	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1035	OD: 42; W: 29; ALT
300 D (124.130)	80/109	OM 603.912	12/84->08/89	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1035	OD: 42; W: 29; ALT
300 D 4-matic (124.330)	83/113	OM 603.913	08/89->06/93	Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
300 D 4-matic (124.330)	80/109	OM 603.913	09/86->08/92	Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
300 E-24 (124.031)	162/220	M 104.980	09/88->08/92	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; ALT; ->eng.# 4956; MT; Fitting Position: Right; ->eng.# 21004; AT; Fitting Position: Right
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower Right
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1039	+ holder; ALT; eng.# 49509->; engine 603.960; ->eng.# 4191; engine 603.963
				Tensioner	SR-1035	OD: 42; W: 29; ALT; ->eng.# 49508; engine 603.960; ->eng.# 4190; engine 603.963
300 Turbo-D (124.133)	105/143	OM 603.960;OM 603.963	09/86->09/88	Tensioner	SR-1035	OD: 42; W: 29; ALT; ->eng.# 49508; engine 603.960; ->eng.# 4190; engine 603.963
				Tensioner	SR-1035	OD: 42; W: 29; ALT; ->eng.# 49508; engine 603.960; ->eng.# 4190; engine 603.963
				Tensioner	SR-1039	+ holder; ALT; eng.# 49509->; engine 603.960; ->eng.# 4191; engine 603.963
				Tensioner	SR-1035	OD: 42; W: 29; ALT; ->eng.# 49508; engine 603.960; ->eng.# 4190; engine 603.963
				Tensioner	SR-1039	+ holder; ALT; eng.# 49509->; engine 603.960; ->eng.# 4191; engine 603.963
300 Turbo-D (124.133)	108/147	OM 603.960	09/88->06/93	Tensioner	SR-1039	+ holder; ALT; eng.# 49509->; engine 603.960; ->eng.# 4191; engine 603.963
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
300 Turbo-D 4-matic (124.333)	108/147	OM 603.963	01/88->06/93	Tensioner	SR-1039	+ holder; ALT; eng.# 49509->; engine 603.960; ->eng.# 4191; engine 603.963
				Tensioner	SR-1035	OD: 42; W: 29; ALT; ->eng.# 49508; engine 603.960; ->eng.# 4190; engine 603.963
				Tensioner	SR-1035	OD: 42; W: 29; ALT; ->eng.# 49508; engine 603.960; ->eng.# 4190; engine 603.963
				Tensioner	SR-1039	+ holder; ALT; eng.# 49509->; engine 603.960; ->eng.# 4191; engine 603.963
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
300 Turbo-D 4-matic (124.333)	105/143	OM 603.960;OM 603.963	09/86->09/88	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
320 E (124.032)	162/220	M 104.992	10/92->06/93	Tensioner	SR-1045	OD: 80; W: 31; ALT; eng.# 5603->; eng.# 108821->
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 4357->; ->eng.# 5602; eng.# 72237->; ->eng.# 102820
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; ->eng.# 9381; Fitting Position: Lower
400 E 4.2 (124.034)	205/279	M 119.975	10/92->06/93	Tensioner	SR-1043	OD: 92; W: 31; ALT
500 E (124.036)	240/326	M 119.974	01/91->06/93	Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 5782->
S-CLASS (W140) 						
300 SE 2.8 (140.028)	145/197	M 104.944	01/93->10/98	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 7448->; ->eng.# 16164
				Tensioner	SR-1045	OD: 80; W: 31; ALT; eng.# 16165->
300 SE,SEL/S320 (140.032, 140.033)	170/231	M 104.990;M 104.994	03/91->10/98	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; engine M104.994
				Tensioner	SR-1045	OD: 80; W: 31; ALT; engine M104.994; eng.# 67245->
				Tensioner	SR-1043	OD: 92; W: 31; ALT; engine M104.994; eng.# 31210->; ->eng.# 67244
400 SE,SEL/S420 (140.042, 140.043)	210/286	M 119.971	02/91->10/98	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; eng.# 11683->; ->eng.# 16096; Fitting Position: Right
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 11683->
500 SE,SEL (140.050, 140.051)	240/326	M 119.970	02/91->10/98	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; eng.# 26391->; ->eng.# 32287; engine M 119.970; Fitting Position: Right
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 26391->
600 SE,SEL (140.056, 140.057)	300/408	M 120.980;M 120.982	04/91->12/92	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; engine M120.982
S 280 (140.028)	142/193	M 104.944	02/93->10/98	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT
				Tensioner	SR-1045	OD: 80; W: 31; ALT; eng.# 16165->
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 7448->; ->eng.# 16164
S 300 Turbo-D (140.135)	130/177	OM 606.961	05/96->10/98	Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower; + AC
S 350 Turbo-D (140.134)	110/150	OM 603.971	01/93->10/98	Tensioner	SR-1039	+ holder; ALT; eng.# 7422->
				Tensioner	SR-1035	OD: 42; W: 29; ALT; ->eng.# 7421
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
S 420 (140.042)	205/279	M 119.971	01/93->10/98	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; eng.# 11683->; ->eng.# 16096; Fitting Position: Right
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 11683->

	kW/HP	Engine code		Type		
S 500 (140.050, 140.051)	235/320	M 119.970;M 119.980	01/93->10/98	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; engine M119.980
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; eng. # 26391->; ->eng. # 32287; engine M 190.970; Fitting Position: Right
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng. # 26391->; engine M119.970; engine M119.980
S 600 (140.056, 140.057)	290/394	M 120.980;M 120.982	01/93->10/98	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; engine M120.982
S-CLASS (W220) 						
S 280 (220.063, 220.163)	150/204	M 112.922	10/98->08/05	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
S 320 (220.065, 220.165)	165/224	M 112.944	10/98->08/05	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
S 320 CDI (220.025, 220.125)	150/204	OM 648.960	09/02->08/05	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
S 320 CDI (220.026, 220.126)	145/197	OM 613.960	08/99->09/02	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
S 350 (220.067, 220.167)	180/245	M 112.972	09/02->08/05	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
S 350 4-matic (220.087, 220.187)	180/245	M 112.975	06/03->08/05	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
S 430 (220.070, 220.170)	205/279	M 113.941	10/98->08/05	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
S 430 4-matic (220.083, 220.183)	205/279	M 113.948	09/02->08/05	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
S 500 (220.075, 220.175, 220.875)	225/306	M 113.960;M 113.966	10/98->08/05	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Left
S 500 4-matic (220.084, 220.184)	225/306	M 113.966	09/02->08/05	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
S 55 AMG (220.073, 220.173)	265/360	M 113.986	04/99->08/05	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Upper Right
S 55 AMG Kompressor (220.074, 220.174)	368/500	M 113.991	06/02->08/05	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
S 600 (220.176)	368/500	M 275.950	09/02->08/05	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper Left
S 600 (220.878, 220.178)	270/367	M 137.970	01/00->08/05	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper Left
S 65 AMG (220.179)	450/612	M 275.980	03/04->08/05	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper Left
S-CLASS (W221) 						
S 250 CDI (221.003, 221.103)	150/204	OM 651.961	01/11->12/13	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
S 280 (221.054)	170/231	M 272.946	08/06->12/13	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->03/07; ->eng. # 30621933; Fitting Position: Upper Left
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Upper
S 300 (221.054)	170/231	M 272.946	08/06->12/13	Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Right
				Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
S 320 CDI (221.022, 221.122)	173/235	OM 642.930	12/05->06/09	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->03/07; ->eng. # 30621933; Fitting Position: Upper Left
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Right
				Deflection/Guide	SR-1535	OD: 54; W: 34,2; ALT; ->eng. # 4077759; Fitting Position: Upper
S 320 CDI 4-matic (221.080, 221.180)	173/235	OM 642.932	10/06->12/13	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; eng. # 4077760->; Fitting Position: Upper
				Tensioner	SR-1534	- holder; OD: 65; W: 32; ALT; ->eng. # 4077759; Fitting Position: Lower
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; eng. # 4077760->; Fitting Position: Lower
S 350 (221.056, 221.156)	200/272	M 272.965	10/05->12/13	Deflection/Guide	SR-1535	OD: 54; W: 34,2; ALT; ->eng. # 4077759; Fitting Position: Upper
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; eng. # 4077760->; Fitting Position: Upper
				Tensioner	SR-1534	- holder; OD: 65; W: 32; ALT; ->eng. # 4077759; Fitting Position: Lower
S 350 4-matic (221.087, 221.187)	200/272	M 272.975	02/08->12/13	Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; eng. # 4077760->; Fitting Position: Lower
				Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng. # 30058377->; Fitting Position: Right
				Deflection/Guide	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
S 450 (221.070, 221.170)	250/340	M 273.922	12/05->12/13	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
S 450 4-matic (221.084, 221.184)	250/340	M 273.924	12/05->12/13	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
S 500 (221.071, 221.171)	285/388	M 273.961	10/05->12/13	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
S 500 4-matic (221.086, 221.186)	285/388	M 273.961;M 273.968	10/05->12/13	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right

	kW/HP	Engine code		Type		
S-CLASS (W222, V222, X222) 						
S 350 BlueTEC / d [222.032, 222.132]	190/258	OM 642.861	05/13->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
S 350 BlueTEC / d 4-matic [222.033, 222.133]	190/258	OM 642.867	02/14->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
S 500 [222.082, 222.182]	335/455	M 278.929	05/13->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre
S 600 Maybach [222.976]	390/530	M 277.980	12/14->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre; Fitting Position: Right; QTY 2
S-CLASS Coupe (C140) 						
SEC/CL 420 [140.063]	205/279	M 119.971;M 119.981	10/94->02/99	Deflection/Guide	SR-1044	OD: 64; W: 21.8; ALT
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 11683->
SEC/CL 500 [140.070]	235/320	M 119.970	10/92->02/99	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; eng.# 26391->; ->eng.# 32287; Fitting Position: Right
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 26391->
SEC/CL 600 [140.076]	290/394	M 120.980;M 120.982	09/92->02/99	Deflection/Guide	SR-1044	OD: 64; W: 21.8; ALT; engine M120.982
S-CLASS Coupe (C215) 						
CL 500 [215.375]	225/306	M 113.960	03/99->03/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Right
CL 55 AMG [215.373]	265/360	M 113.986	10/99->03/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Upper Right
CL 55 AMG Kompressor [215.374]	368/500	M 113.991	06/02->03/06	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
CL 600 [215.376]	368/500	M 275.950	09/02->03/06	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper Left
CL 600 [215.378]	270/367	M 137.970	03/99->03/06	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper Left
CL 63 AMG	326/444	M 137.980	09/01->03/06	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper Left
CL 65 AMG [215.379]	450/612	M 275.980	09/03->03/06	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper Left
S-CLASS Coupe (C216) 						
CL 500 [216.371]	285/388	M 273.961	06/06->12/13	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Right
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; ch.A 022955->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Right
CL 500 4-matic [216.386]	285/388	M 273.968	02/08->12/13	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
S-CLASS Coupe (C217) 						
S 500 [217.382]	335/455	M 278.929	11/14->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre; - height-adjus. susp.
S 500 4-matic [217.385]	335/455	M 278.929	04/14->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre; - height-adjus. susp.
S 63 AMG [217.377]	430/585	M 157.985	07/14->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre; - height-adjus. susp.
S 63 AMG 4-matic [217.378]	430/585	M 157.985	04/14->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Centre; - height-adjus. susp.
S 65 AMG [217.379]	463/630	M 279.980	07/14->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper; Fitting Position: Upper Right; QTY 2
SL (R129) 						
280 [129.058]	142/193	M 104.943	08/93->10/01	Deflection/Guide	SR-1044	OD: 64; W: 21.8; ALT
				Tensioner	SR-1045	OD: 80; W: 31; ALT; eng.# 1435->; eng.# 6117->
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 000 901->; ->eng.# 1434; eng.# 3621->; ->eng.# 6116
280 [129.059]	150/204	M 112.923	05/98->10/01	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
300 SL [129.060]	140/190	M 103.984	03/89->08/93	Deflection/Guide	SR-1044	OD: 64; W: 21.8; ALT; + catalytic converter
300 SL-24 [129.061]	170/231	M 104.981	03/89->07/93	Deflection/Guide	SR-1044	OD: 64; W: 21.8; ALT; + catalytic converter
320 [129.063]	170/231	M 104.991	09/93->10/01	Deflection/Guide	SR-1044	OD: 64; W: 21.8; ALT
				Tensioner	SR-1045	OD: 80; W: 31; ALT; eng.# 20514->
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 9986->; ->eng.# 20513
320 [129.064]	165/224	M 112.943	05/98->10/01	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
500 [129.067]	235/320	M 119.972;M 119.982	09/92->10/01	Deflection/Guide	SR-1044	OD: 64; W: 21.8; ALT; engine M119.982
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; ->eng.# 3228; engine M 119.972; Fitting Position: Right
				Tensioner	SR-1043	OD: 92; W: 31; ALT
500 [129.068]	225/306	M 113.961	05/98->10/01	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
500 SL [129.066]	240/326	M 119.960;M 119.972	09/89->08/92	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; engine M119.960
				Tensioner	SR-1043	OD: 92; W: 31; ALT; engine M119.972
55 AMG	260/354	M 113.985	03/00->10/01	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
60 AMG [129.067]	280/381	M 122.981	05/97->10/01	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; ->eng.# 3228; engine M 119.972; Fitting Position: Right
600 [129.076]	290/394	M 120.981;M 120.983	07/92->10/01	Deflection/Guide	SR-1044	OD: 64; W: 21.8; ALT; engine M120.983
SL (R230) 						
280	170/231	M 272.949	03/08->01/12	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
350	200/272	M 272.966	03/06->01/12	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right




	kW/HP	Engine code		Type		
350	232/316	M 272.968	04/08->01/12	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
				Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
350 (230.467)	180/245	M 112.973	03/03->01/12	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
500	285/388	M 273.965	03/06->01/12	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
500 (230.475)	225/306	M 113.963	10/01->01/12	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
55 AMG	380/517	M 113.995	03/06->01/12	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
55 AMG (230.474)	350/476	M 113.992	10/01->06/02	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
55 AMG Kompressor (230.474)	368/500	M 113.992	06/02->01/12	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
SL (R231) 						
500 (231.473)	320/435	M 278.927	01/12->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; - height-adjus. susp.
500 (231.473)	335/455	M 278.927	04/15->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; - height-adjus. susp.
65 AMG (231.479)	463/630	M 279.981	05/12->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Centre left; Fitting Position: Centre right; QTY 2
SLK (R170) 						
200 (170.435)	100/136	M 111.946	09/96->03/00	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
200 Kompressor (170.444)	120/163	M 111.958	03/00->04/04	Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Upper Left
				Tensioner	SR-1045	OD: 80; W: 31; TCOM
				Tensioner	SR-1040	OD: 110; W: 28,5; ALT
200 Kompressor (170.445)	141/192	M 111.943	10/96->03/00	Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Upper
				Tensioner	SR-1043	OD: 92; W: 31; TCOM
				Tensioner	SR-1040	OD: 110; W: 28,5; ALT
230 Kompressor (170.447)	142/193	M 111.973	09/96->03/00	Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Upper
				Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Tensioner	SR-1043	OD: 92; W: 31; TCOM
230 Kompressor (170.449)	145/197	M 111.983	03/00->04/04	Deflection/Guide	SR-1287	OD: 70; W: 25,5; ACOM; Fitting Position: Upper Left
				Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Tensioner	SR-1043	OD: 92; W: 31; TCOM
320 (170.465)	160/218	M 112.947	03/00->04/04	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
SLK (R171) 						
200 Kompressor (171.442)	120/163	M 271.944	03/04->02/11	Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->eng.# 31216219; Fitting Position: Lower Right
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; eng.# 31216220->; Fitting Position: Lower Right
200 Kompressor (171.445)	135/184	M 271.954	01/08->02/11	Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->eng.# 31216219; Fitting Position: Lower Right
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; Fitting Position: Lower Right
280 (171.454)	170/231	M 272.942	01/05->02/11	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; ->eng.# 30058376; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
300 (171.454)	170/231	M 272.942	04/09->02/11	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
350 (171.456)	200/272	M 272.963	06/04->02/11	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
				Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
350 (171.458)	224/305	M 272.969	01/08->02/11	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; eng.# 30058377->; Fitting Position: Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->eng.# 30021259; Fitting Position: Upper Left
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Lower Right
55 AMG (171.473)	265/360	M 113.989	06/04->02/11	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
SLK (R172) 						
200 (172.448)	135/184	M 271.860;M 271.861	02/11->	Deflection/Guide	SR-1222	OD: 65; thread size M8x1,25; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; Fitting Position: Lower Right
250 (172.447)	150/204	M 271.860;M 271.861	02/11->	Deflection/Guide	SR-1222	OD: 65; thread size M8x1,25; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; Fitting Position: Lower Right
250 CDI / d (172.403)	150/204	OM 651.980	01/12->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1157	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
SPRINTER 2-t Box (901, 902) 						
208 CDI	60/82	OM 611.987	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right






	kW/HP	Engine code		Type		
208 D	58/79	OM 601.943	02/95->04/00	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; - PS; + AC
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
208 D	60/82	OM 601.943	10/96->04/00	Tensioner	SR-1039	+ holder; ALT
				Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; - PS; + AC; engine OM601.943
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1039	+ holder; ALT; engine OM601.943
210 D	75/102	OM 602.980	01/97->04/00	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; PSP; + PS; engine OM601.943; engine OM601.943
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1039	+ holder; ALT
211 CDI	80/109	OM 611.981	04/00->05/06	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
212 D	90/122	OM 602.980	02/95->04/00	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
213 CDI	95/129	OM 611.981	04/00->05/06	Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
214	105/143	M 111.979;M 111.984	02/95->05/06	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
214 NGT	92/125	M 111.984	04/00->05/06	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
216 CDI	115/156	OM 612.981	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
SPRINTER 2-t Bus (901, 902) 						
208 CDI	60/82	OM 611.987	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
208 D	58/79	OM 601.943	02/95->04/00	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; - PS; + AC
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
210 D	75/102	OM 602.980	03/97->04/00	Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
211 CDI	80/109	OM 611.981	04/00->05/06	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
212 D	90/122	OM 602.980	02/95->04/00	Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
213 CDI	95/129	OM 611.981	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
214	105/143	M 111.979	02/95->05/06	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
214 NGT	92/125	M 111.984	04/00->05/06	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
216 CDI	115/156	OM 612.981	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
SPRINTER 2-t Platform/Chassis (901, 902) 						
208 CDI	60/82	OM 611.987	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
208 D	58/79	OM 601.943	01/95->04/00	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; - PS; + AC
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
208 D	60/82	OM 601.943	09/96->04/00	Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1039	+ holder; ALT; engine OM601.943
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
210 D	75/102	OM 602.980	01/97->04/00	Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
211 CDI	80/109	OM 611.981	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right







	kW/HP	Engine code		Type		
212 D	90/122	OM 602.980	02/95->04/00	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1039	+ holder; ALT
213 CDI	95/129	OM 611.981	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
214	105/143	M 111.979	02/95->05/06	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
214 NGT	92/125	M 111.984	04/00->05/06	Tensioner	SR-1040	OD: 110; W: 28,5; ALT; engine M111.984
216 CDI	115/156	OM 612.981	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
SPRINTER 3,5-t Box [906] 						
309 CDI [906.631, 906.633, 906.635, 906.637]	65/88	OM 646.984	06/06->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
310 CDI [906.631, 906.633, 906.635, 906.637]	70/95	OM 651.955	03/09->	Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
311 CDI [906.631, 906.633, 906.635, 906.637]	80/109	OM 646.985	06/06->	Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
311 CDI 4x4 [906.631, 906.633, 906.635, 906.637]	80/109	OM 646.985	02/08->	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
313 CDI [906.631, 906.633, 906.635, 906.637]	95/129	OM 651.955;OM 651.956	05/09->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
313 CDI 4x4 [906.631, 906.633, 906.635, 906.637]	95/129	OM 646.986	06/06->	Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
313 CDI 4x4 [906.631, 906.633, 906.635, 906.637]	95/129	OM 651.955;OM 651.956	05/09->	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
315 CDI [906.631, 906.633, 906.635, 906.637]	110/150	OM 646.990;OM 646.989	06/06->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
315 CDI 4x4 [906.631, 906.633, 906.635, 906.637]	110/150	OM 646.990;OM 646.989	02/08->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
316 [906.663, 906.635]	115/156	M 271.951	09/08->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
				Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
316 CDI [906.631, 906.633, 906.635, 906.637]	120/163	OM 651.957;OM 651.955	03/09->	Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; 03/09->; eng.# 31216220->; Fitting Position: Lower Right
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->03/09; ->eng.# 31216219; Fitting Position: Lower Right
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
316 CDI 4x4 [906.631, 906.633, 906.635, 906.637]	120/163	OM 651.957;OM 651.955	03/09->	Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
316 LGT [906.633, 906.635]	115/156	M 271.951	09/08->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
316 NGT [906.633, 906.635]	115/156	M 271.951	09/08->	Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->03/09; ->eng.# 31216219; Fitting Position: Lower Right
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; 03/09->; eng.# 31216220->; Fitting Position: Lower Right
				Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre







	kW/HP	Engine code		Type		
316 NGT (906.633, 906.635)	115/156	M 271.951	09/08->	Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; 03/09->; eng.# 31216220->; Fitting Position: Lower Right
318 CDI (906.631, 906.633, 906.635, 906.637)	135/184	OM 642.992;OM 642.993;OM 642.896	06/06->	Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->03/09; ->eng.# 31216219; Fitting Position: Lower Right
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
318 CDI 4x4 (906.631, 906.633, 906.635, 906.637)	135/184	OM 642.992;OM 642.993;OM 642.896	02/08->	Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; engine OM 642.896; - start-stop; engine OM 642.992; engine OM 642.993
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
319 CDI / BlueTEC (906.631, 906.633, 906.635, 906.637)	140/190	OM 642.992;OM 642.896;OM 642.898	03/09->	Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; engine OM 642.896; - start-stop; engine OM 642.992; engine OM 642.993
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
319 CDI / BlueTEC 4x4 (906.631, 906.633, 906.635, 906.637)	140/190	OM 642.992;OM 642.896;OM 642.898	03/09->	Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; engine OM 642.896; - start-stop; engine OM 642.992; engine OM 642.993
				Deflection/Guide	SR-1429	ID: 8.2; OD: 70; W: 22; ALT; Fitting Position: Upper
324 (906.633, 906.635, 906.637)	190/258	M 272.979	06/06->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->03/07; ->eng.# 30621933; Fitting Position: Upper Left
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; - AC
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Centre
SPRINTER 3,5-t Bus (906) 						
310 CDI (906.731, 906.733, 906.735)	70/95	OM 651.955;OM 651.956	03/09->	Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Tensioner	SR-1333	num. of ribs: 6; OD: 69; W: 26,5; ALT
311 CDI (906.731, 906.733, 906.735)	80/109	OM 646.985	06/06->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
311 CDI 4x4 (906.731, 906.733, 906.735)	80/109	OM 646.985	02/08->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
313 CDI (906.731, 906.733, 906.735)	95/129	OM 651.955;OM 651.956	08/11->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
313 CDI 4x4 (906.731, 906.733, 906.735)	95/129	OM 651.955;OM 651.956	08/11->	Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
315 CDI (906.731, 906.733, 906.735)	110/150	OM 646.990;OM 646.989	06/06->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
315 CDI 4x4 (906.731, 906.733, 906.735)	110/150	OM 646.990;OM 646.989	02/08->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
316 (906.733, 906.735)	115/156	M 271.951	09/08->	Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->03/09; ->eng.# 31216219; Fitting Position: Lower Right
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; 03/09->; eng.# 31216220->; Fitting Position: Lower Right
316 CDI (906.731, 906.733, 906.735)	120/163	OM 651.957;OM 651.955	08/11->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
316 CDI 4x4 (906.731, 906.733, 906.735)	120/163	OM 651.957;OM 651.955	08/11->	Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
316 LGT	115/156	M 271.951	09/08->	Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->03/09; ->eng.# 31216219; Fitting Position: Lower Right
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; 03/09->; eng.# 31216220->; Fitting Position: Lower Right





	kW/HP	Engine code		Type		
316 NGT (906.733, 906.735)	115/156	M 271.951	09/08->	Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; --03/09; --eng.# 31216219; Fitting Position: Lower Right
318 CDI (906.731, 906.733, 906.735)	135/184	OM 642.992;OM 642.993;OM 642.896	02/08->	Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; 03/09->; eng.# 31216220->; Fitting Position: Lower Right
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
318 CDI 4x4 (906.731, 906.733, 906.735)	135/184	OM 642.992;OM 642.993;OM 642.896	02/08->	Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; engine OM 642.896; - start-stop; engine OM 642.992; engine OM 642.993
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
319 CDI / BlueTEC (906.731, 906.733, 906.735)	140/190	OM 642.992;OM 642.896;OM 642.898	03/09->	Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; engine OM 642.896; - start-stop; engine OM 642.992; engine OM 642.993
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
319 CDI / BlueTEC 4x4 (906.731, 906.733, 906.735)	140/190	OM 642.992;OM 642.896;OM 642.898	03/09->	Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; engine OM 642.896; - start-stop; engine OM 642.992; engine OM 642.993
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; - AC
324 (906.733, 906.735)	190/258	M 272.979	06/06->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; --03/07; --eng.# 30621933; Fitting Position: Upper Left
				Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Upper
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Centre
SPRINTER 3,5-t Platform/Chassis (906) 						
309 CDI (906.131, 906.133, 906.135, 906.231, 906.233...)	65/88	OM 646.984	06/06->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
310 CDI (906.131, 906.133, 906.135, 906.231, 906.233...)	70/95	OM 651.955	03/09->	Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
311 CDI (906.131, 906.133, 906.135, 906.231, 906.233...)	80/109	OM 646.985	06/06->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
311 CDI 4x4 (906.131, 906.133, 906.135, 906.231...)	80/109	OM 646.985	02/08->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
313 CDI (906.131, 906.133, 906.135, 906.231, 906.233...)	95/129	OM 651.955;OM 651.956	06/06->	Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
313 CDI (906.131, 906.133, 906.135, 906.231, 906.233...)	95/129	OM 646.986	06/06->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
313 CDI 4x4 (906.131, 906.133, 906.135, 906.231...)	95/129	OM 651.955;OM 651.956	06/06->	Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
315 CDI (906.131, 906.133, 906.135, 906.231, 906.233...)	110/150	OM 646.990;OM 646.989	06/06->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
315 CDI 4x4 (906.131, 906.133, 906.135, 906.231...)	110/150	OM 646.990;OM 646.989	02/08->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
316 (906.133, 906.135, 906.233, 906.235)	115/156	M 271.951	09/08->	Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; 03/09->; eng.# 31216220->; Fitting Position: Lower Right
316 CDI (906.131, 906.133, 906.135, 906.231, 906.233...)	120/163	OM 651.957	03/09->	Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; --03/09; --eng.# 31216219; Fitting Position: Lower Right
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
316 CDI 4x4 (906.131, 906.133, 906.135, 906.231...)	120/163	OM 651.957;OM 651.955	03/09->	Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
316 LGT (906.133, 906.135, 906.233, 906.235)	115/156	M 271.951	09/08->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
316 LGT (906.133, 906.135, 906.233, 906.235)	115/156	M 271.951	09/08->	Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; --03/09; --eng.# 31216219; Fitting Position: Lower Right
316 LGT (906.133, 906.135, 906.233, 906.235)	115/156	M 271.951	09/08->	Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; 03/09->; eng.# 31216220->; Fitting Position: Lower Right
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; 03/09->; eng.# 31216220->; Fitting Position: Lower Right

	kW/HP	Engine code		Type		
316 NGT [906.133, 906.135, 906.233, 906.235]	115/156	M 271.951	09/08->	Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; 03/09->; eng.# 31216220->; Fitting Position: Lower Right
318 CDI [906.131, 906.133, 906.135, 906.231, 906.233...]	135/184	OM 642.992;OM 642.993;OM 642.896	06/06->	Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->03/09; ->eng.# 31216219; Fitting Position: Lower Right
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
318 CDI 4x4 [906.131, 906.133, 906.135, 906.231...]	135/184	OM 642.992;OM 642.993;OM 642.896	02/08->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; engine OM 642.896; - start-stop; engine OM 642.992; engine OM 642.993
319 CDI / BlueTEC [906.131, 906.133, 906.135, 906.231...]	140/190	OM 642.992;OM 642.896;OM 642.898	03/09->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; engine OM 642.896; - start-stop; engine OM 642.992; engine OM 642.993
319 CDI / BlueTEC 4x4 [906.131, 906.133, 906.135...]	140/190	OM 642.992;OM 642.896;OM 642.898	05/11->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; engine OM 642.896; - start-stop; engine OM 642.992; engine OM 642.993
324 [906.133, 906.135, 906.233, 906.235]	190/258	M 272.979	06/06->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; - AC
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->03/07; ->eng.# 30621933; Fitting Position: Upper Left
				Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Upper
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Centre
SPRINTER 3-t Box [903] 						
308 CDI	60/82	OM 611.987	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
308 D 2.3	58/79	OM 601.943	02/95->04/00	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; - PS; + AC
				Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
308 D 2.3	60/82	OM 601.943	02/95->04/00	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; - PS; + AC; engine OM601.943
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1039	+ holder; ALT; engine OM601.943
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Right; + AC
310 D 2.9	75/102	OM 602.980	02/95->04/00	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS; engine OM601.943
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
311 CDI	80/109	OM 611.981	04/00->05/06	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1039	+ holder; ALT
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
311 CDI 4x4	80/109	OM 611.981	08/02->05/06	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
312 D 2.9	90/122	OM 602.980	02/95->04/00	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
312 D 2.9 4x4	90/122	OM 602.980	05/97->08/02	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Left; - AC
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Right
313 CDI	95/129	OM 611.981	04/00->05/06	Tensioner	SR-1039	+ holder; ALT
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
313 CDI 4x4	95/129	OM 611.981	08/02->05/06	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
314	105/143	M 111.979;M 111.984	02/95->05/06	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
314 4x4	105/143	M 111.984	08/02->05/06	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
314 NGT	92/125		04/00->05/06	Tensioner	SR-1040	OD: 110; W: 28,5; ALT; engine M111.984
316 CDI	115/156	OM 612.981	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
316 CDI 4x4	115/156	OM 612.981	08/02->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
SPRINTER 3-t Box [906] 						
209 CDI [906.611, 906.613]	65/88	OM 646.984	06/06->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
210 CDI [906.611, 906.613]	70/95	OM 651.955	03/09->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop

	kW/HP	Engine code		Type		
211 CDI (906.611, 906.613)	80/109	OM 646.985	06/06->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
213 CDI (906.611, 906.613)	95/129	OM 646.986	06/06->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
213 CDI (906.611, 906.613)	95/129	OM 651.955;OM 651.956	06/06->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
215 CDI (906.611, 906.613)	110/150	OM 646.990;OM 646.989	06/06->	Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; 03/09->; - start-stop
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
216 (906.613)	115/156	M 271.951	09/08->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
				Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
216 CDI (906.611, 906.613)	120/163	OM 651.957;OM 651.955	03/09->	Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->03/09; ->eng.# 31216219; Fitting Position: Lower Right
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; 03/09->; eng.# 31216220->; Fitting Position: Lower Right
216 CDI (906.611, 906.613)	120/163	OM 651.957;OM 651.955	03/09->	Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
218 CDI (906.611, 906.613)	135/184	OM 642.992;OM 642.896	06/06->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; engine OM 642.896; engine OM 642.992; QTY 2
219 CDI / BlueTEC (906.611, 906.613)	140/190	OM 642.992;OM 642.896	03/09->	Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; engine OM 642.896; - start-stop; engine OM 642.992
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; engine OM 642.896; engine OM 642.992; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; engine OM 642.896; - start-stop; engine OM 642.992
224 (906.613)	190/258	M 272.979	06/06->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; - AC
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->03/07; ->eng.# 30621933; Fitting Position: Upper Left
				Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Upper
SPRINTER 3-t Bus (903) 						
308 CDI	60/82	OM 611.987	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
308 D	58/79	OM 601.943	02/95->04/00	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; - PS; + AC
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
308 D (903.371, 903.372, 903.373)	60/82	OM 601.943	03/97->04/00	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1039	+ holder; ALT
				Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; - PS; + AC
310 D 4x4	75/102	OM 602.980	05/97->08/02	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1039	+ holder; ALT
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
311 CDI	80/109	OM 611.981	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
311 CDI 4x4	80/109	OM 611.981	08/02->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
312 D 2.9	90/122	OM 602.980	02/95->04/00	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
312 D 2.9 4x4	90/122	OM 602.980	05/97->08/02	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1039	+ holder; ALT
				Deflection/Guide	SR-1030	OD: 70; W: 26; Fitting Position: Upper; - AC
313 CDI	95/129	OM 611.981	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
313 CDI 4x4	95/129	OM 611.981	08/02->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
314	105/143	M 111.984	02/95->05/06	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
314 4x4	105/143	M 111.984	08/02->05/06	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
314 NGT	92/125	M 111.984	04/00->05/06	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
316 CDI	115/156	OM 612.981	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right

	kW/HP	Engine code		Type		
316 CDI 4x4	115/156	OM 612.981	08/02->05/06	Deflection/Guide Tensioner	SR-1140 SR-1389	OD: 64; W: 23; ALT; Fitting Position: Upper Left - holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
SPRINTER 3-t Bus (906) 						
210 CDI (906.711, 906.713)	70/95	OM 651.955	03/09->	Deflection/Guide Deflection/Guide Deflection/Guide Deflection/Guide	SR-1156 SR-1155 SR-1335 SR-1334	OD: 65; W: 25,5; ALT; Fitting Position: Centre OD: 108; W: 23; ALT; Fitting Position: Right; - AC OD: 54; W: 26; ALT num. of ribs: 6; OD: 69; W: 26,5; ALT
211 CDI (906.711, 906.713)	80/109	OM 646.985	06/06->	Deflection/Guide Deflection/Guide Tensioner	SR-1155 SR-1140 SR-1389	OD: 108; W: 23; ALT; Fitting Position: Upper Left OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2 - holder; ID: 17; OD: 70; W: 28; ALT
213 CDI (906.711, 906.713)	95/129	OM 651.955;OM 651.956	06/06->	Deflection/Guide Deflection/Guide Deflection/Guide Tensioner	SR-1334 SR-1335 SR-1156 SR-1155	num. of ribs: 6; OD: 69; W: 26,5; ALT OD: 54; W: 26; ALT OD: 65; W: 25,5; ALT; Fitting Position: Centre OD: 108; W: 23; ALT; Fitting Position: Right; - AC
215 CDI (906.711, 906.713)	110/150	OM 646.990;OM 646.986;OM 646.989	06/06->	Deflection/Guide Deflection/Guide Tensioner	SR-1155 SR-1140 SR-1389	OD: 108; W: 23; ALT; Fitting Position: Upper Left OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2 - holder; ID: 17; OD: 70; W: 28; ALT
216 (906.713)	115/156	M 271.951	09/08->	Deflection/Guide Tensioner Tensioner	SR-1422 SR-1223 SR-1519	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left - holder; ID: 17; OD: 76; W: 28; ALT; 03/09->; eng.# 31216220->; Fitting Position: Lower Right - holder; ID: 17; OD: 76; W: 28; ALT; --03/09; --eng.# 31216219; Fitting Position: Lower Right
216 CDI (906.711, 906.713)	120/163	OM 651.957;OM 651.955	06/06->	Deflection/Guide Deflection/Guide Deflection/Guide Tensioner Deflection/Guide Deflection/Guide	SR-1155 SR-1156 SR-1335 SR-1334 SR-1333 SR-1429	OD: 108; W: 23; ALT; Fitting Position: Right; - AC OD: 65; W: 25,5; ALT; Fitting Position: Centre OD: 54; W: 26; ALT num. of ribs: 6; OD: 69; W: 26,5; ALT - holder; ID: 17; OD: 65; W: 26; ALT; 06/09->; - start-stop ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Upper
224 (906.713)	190/258	M 272.979	06/06->	Deflection/Guide Deflection/Guide Tensioner	SR-1140 SR-1155 SR-1428	OD: 64; W: 23; ALT; --03/07; --eng.# 30621933; Fitting Position: Upper Left OD: 108; W: 23; ALT; - AC - holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Centre
SPRINTER 3-t Platform/Chassis (903) 						
308 CDI	60/82	OM 611.987	04/00->05/06	Deflection/Guide Tensioner	SR-1140 SR-1389	OD: 64; W: 23; ALT; Fitting Position: Upper Left - holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
308 D 2.3	58/79	OM 601.943	02/95->04/00	Deflection/Guide Deflection/Guide Tensioner Tensioner Tensioner Deflection/Guide	SR-1044 SR-1030 SR-1028 SR-1027 SR-1039 SR-1030	OD: 64; W: 21,8; ALT; - PS; + AC OD: 70; W: 26; ALT; Fitting Position: Upper OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS OD: 80; W: 25; ALT; Fitting Position: Lower + holder; ALT OD: 70; W: 26; ALT; Fitting Position: Upper
308 D 2.3	60/82	OM 601.943	11/96->04/00	Deflection/Guide Tensioner Tensioner Tensioner	SR-1044 SR-1027 SR-1028 SR-1039	OD: 64; W: 21,8; ALT; - PS; + AC; engine OM601.943 OD: 80; W: 25; ALT; Fitting Position: Lower OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS; engine OM601.943 + holder; ALT; engine OM601.943
310 D 2.9	75/102	OM 602.980	01/97->04/00	Deflection/Guide Tensioner Tensioner Tensioner	SR-1030 SR-1028 SR-1039 SR-1027	OD: 70; W: 26; ALT; Fitting Position: Upper; - AC OD: 80; thread size M8x1,25; W: 24,5; ALT + holder; ALT OD: 80; W: 25; ALT; Fitting Position: Lower
311 CDI	80/109	OM 611.981	04/00->05/06	Deflection/Guide Tensioner	SR-1140 SR-1389	OD: 64; W: 23; ALT; Fitting Position: Upper Left - holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
311 CDI 4x4	80/109	OM 611.981	08/02->05/06	Deflection/Guide Tensioner Deflection/Guide	SR-1140 SR-1389 SR-1030	OD: 64; W: 23; ALT; Fitting Position: Upper Left - holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
312 D 2.9	90/122	OM 602.980	02/95->04/00	Tensioner Tensioner Tensioner	SR-1027 SR-1028 SR-1039	OD: 80; W: 25; ALT; Fitting Position: Lower OD: 80; thread size M8x1,25; W: 24,5; ALT + holder; ALT
312 D 2.9 (903.411, 903.412, 903.413, 903.421, 903.422...)	85/116	OM 602.980	12/98->09/01	Tensioner Tensioner	SR-1039 SR-1028	+ holder; ALT OD: 80; thread size M8x1,25; W: 24,5; ALT
313 CDI	95/129	OM 611.981	04/00->05/06	Deflection/Guide Tensioner	SR-1140 SR-1389	OD: 64; W: 23; ALT; Fitting Position: Upper Left - holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
313 CDI 4x4	95/129	OM 611.981	08/02->05/06	Deflection/Guide Tensioner	SR-1140 SR-1389	OD: 64; W: 23; ALT; Fitting Position: Upper Left - holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
314	105/143	M 111.984	02/95->05/06	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
314 4x4	105/143	M 111.984	08/02->05/06	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
314 NGT	92/125		04/00->05/06	Tensioner	SR-1040	OD: 110; W: 28,5; ALT; engine M111.984
316 CDI	115/156	OM 612.981	04/00->05/06	Deflection/Guide Tensioner	SR-1140 SR-1389	OD: 64; W: 23; ALT; Fitting Position: Upper Left - holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
316 CDI 4x4	115/156	OM 612.981	08/02->05/06	Deflection/Guide Tensioner	SR-1140 SR-1389	OD: 64; W: 23; ALT; Fitting Position: Upper Left - holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right

	kW/HP	Engine code		Type		
SPRINTER 3-t Platform/Chassis [906] 						
209 CDI [906.111, 906.113, 906.211, 906.213]	65/88	OM 646.984	06/06->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
210 CDI [906.111, 906.113, 906.211, 906.213]	70/95	OM 651.955	03/09->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
211 CDI [906.111, 906.113, 906.211, 906.213]	80/109	OM 646.985	06/06->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
213 CDI [906.111, 906.113, 906.211, 906.213]	95/129	OM 651.956	03/09->	Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
213 CDI [906.111, 906.113, 906.211, 906.213]	95/129	OM 646.986	06/06->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
215 CDI [906.111, 906.113, 906.211, 906.213]	110/150	OM 646.990;OM 646.989	06/06->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
216 [906.113, 906.213]	115/156	M 271.951	09/08->	Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; 03/09->; eng.# 31216220->; Fitting Position: Lower Right
216 CDI [906.111, 906.113, 906.211, 906.213]	120/163	OM 651.957	03/09->	Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->03/09; ->eng.# 31216219; Fitting Position: Lower Right
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
216 CDI [906.111, 906.113, 906.211, 906.213]	120/163	OM 651.957	03/09->	Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
218 CDI [906.111, 906.113, 906.211, 906.213]	135/184	OM 642.992;OM 642.993;OM 642.896	06/06->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; engine OM 642.896; - start-stop; engine OM 642.992; engine OM 642.993
219 CDI / BlueTEC [906.111, 906.113, 906.211, 906.213]	140/190	OM 642.992;OM 642.896	03/09->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; engine OM 642.896; engine OM 642.992; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; engine OM 642.896; - start-stop; engine OM 642.992
224 [906.113, 906.213]	190/258	M 272.979	06/06->	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; - AC
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->03/07; ->eng.# 30621933; Fitting Position: Upper Left
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Centre
SPRINTER 4,6-t Box [906] 						
413 CDI [906.653, 906.655, 906.657]	95/129	OM 646.986	06/06->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
416 CDI [906.653, 906.655, 906.657]	120/163	OM 651.957	03/09->	Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
418 CDI [906.653, 906.655, 906.657]	135/184	OM 642.992;OM 642.896	06/09->	Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; engine OM 642.896; engine OM 642.992; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; engine OM 642.896; - start-stop; engine OM 642.992; engine OM 642.993
419 CDI [906.653, 906.655, 906.657]	140/190	OM 642.992	03/09->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; engine OM 642.896; - start-stop; engine OM 642.992; engine OM 642.993
424 [906.655, 906.657, 906.653]	190/258	M 272.979	06/06->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->03/07; ->eng.# 30621933; Fitting Position: Upper Left
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; - AC
				Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Upper
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Centre
SPRINTER 4,6-t Platform/Chassis [906] 						
413 CDI [906.153, 906.155, 906.253, 906.255]	95/129	OM 646.986	06/06->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT







	kW/HP	Engine code		Type		
415 CDI (906.153, 906.155, 906.253, 906.255)	110/150	OM 646.990;OM 646.989	06/06->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
416 CDI (906.153, 906.155, 906.253, 906.255)	120/163	OM 651.957	03/09->	Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
418 CDI (906.153, 906.155, 906.253, 906.255)	135/184	OM 642.992;OM 642.993;OM 642.896	06/06->	Deflection/Guide	SR-1333	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
419 CDI (906.153, 906.155, 906.253, 906.255)	140/190	OM 642.992;OM 642.896;OM 642.898	03/09->	Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; engine OM 642.896; - start-stop; engine OM 642.992; engine OM 642.993
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; engine OM 642.896; - start-stop; engine OM 642.992; engine OM 642.993
424 (906.153, 906.155, 906.253, 906.255)	190/258	M 272.979	06/06->	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; - AC
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->03/07; ->eng.# 30621933; Fitting Position: Upper Left
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Centre





SPRINTER 4-t Box (904)








408 CDI	60/82	OM 611.987	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
408 D	58/79	OM 601.943	02/96->05/06	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; - PS; + AC
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; + AC; - PS
				Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower Right
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
410 D	75/102	OM 602.980	02/96->05/06	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper Left; - AC
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower Right
				Tensioner	SR-1039	+ holder; ALT
410 D 4x4	75/102	OM 602.980	05/97->05/06	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper Left
				Tensioner	SR-1039	+ holder; ALT
411 CDI	80/109	OM 611.981	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper Left
411 CDI 4x4	80/109	OM 611.981	04/00->05/06	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper Left
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower Right
412 D	85/115	OM 602.980	02/96->05/06	Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper Left
412 D	90/122	OM 602.980	02/96->05/06	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower Right
				Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
412 D 4x4	85/115	OM 602.980	05/97->05/06	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper Left
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1039	+ holder; ALT
412 D 4x4	90/122	OM 602.980	05/97->05/06	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper Left
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
413 CDI	95/129	OM 611.981	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
413 CDI 4x4	95/129	OM 611.981	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
414	105/143	M 111.979	02/96->05/06	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
414 4x4	105/143	M 111.979	05/97->05/06	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
416 CDI	115/156	OM 612.981	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
416 CDI 4x4	115/156	OM 612.981	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right









SPRINTER 4-t Bus (904)

408 CDI	60/82	OM 611.987	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
411 CDI	80/109	OM 611.981	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
413 CDI	95/129	OM 611.981	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
414	105/143	M 111.979	02/96->05/06	Tensioner	SR-1040	OD: 110; W: 28,5; ALT



	kW/HP	Engine code		Type		
416 CDI	115/156	OM 612.981	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
SPRINTER 4-t Platform/Chassis (904) 						
408 CDI	60/82	OM 611.987	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
408 D	58/79	OM 601.943	02/96->05/06	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper Left; + AC; + PS
				Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; - PS; + AC
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower Right; + AC; + PS
410 D	75/102	OM 602.980	02/96->05/06	Tensioner	SR-1039	+ holder; ALT
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper Left; - AC
				Tensioner	SR-1039	+ holder; ALT
410 D 4x4	75/102	OM 602.980	05/97->05/06	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper Left
411 CDI	80/109	OM 611.981	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
411 CDI 4x4	80/109	OM 611.981	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
412 D	85/115	OM 602.980	02/96->05/06	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper Left
				Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
412 D 4x4	85/115	OM 602.980	05/97->05/06	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper Left
				Tensioner	SR-1039	+ holder; ALT
412 D	90/122	OM 602.980	02/96->05/06	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper Left
				Tensioner	SR-1039	+ holder; ALT
412 D 4x4	90/122	OM 602.980	05/97->05/06	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper Left
413 CDI	95/129	OM 611.981	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
413 CDI 4x4	95/129	OM 611.981	04/00->05/06	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
414	105/143	M 111.979	02/96->05/06	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
414 4x4	105/143	M 111.979	05/97->05/06	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
416 CDI	115/156	OM 612.981	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
416 CDI 4x4	115/156	OM 612.981	04/00->05/06	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
SPRINTER 5-t Box (906) 						
509 CDI (906.653, 906.655, 906.657)	65/88	OM 646.984	06/06->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
510 CDI (906.653, 906.655, 906.657)	70/95	OM 651.955	03/09->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
511 CDI (906.653, 906.655, 906.657)	80/109	OM 646.985	06/06->	Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
511 CDI 4x4 (906.653, 906.6355, 906.657)	80/109	OM 646.985	06/06->	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
513 CDI (906.653, 906.655, 906.657)	95/129	OM 646.986	06/06->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT






	kW/HP	Engine code		Type		
513 CDI (906.653, 906.655, 906.657)	95/129	OM 651.956	06/06->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
513 CDI 4x4 (906.653, 906.655, 906.657)	95/129	OM 651.956	06/06->	Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; 03/09->; - start-stop
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
515 CDI (906.653, 906.655, 906.657)	110/150	OM 646.990;OM 646.986;OM 646.989	06/06->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
515 CDI 4x4 (906.653, 906.655, 906.657)	110/150	OM 646.990;OM 646.989	06/06->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
516 CDI (906.653, 906.655, 906.657)	120/163	OM 651.957;OM 651.955	03/09->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
516 CDI 4x4 (906.653, 906.655, 906.657)	120/163	OM 651.957;OM 651.955	06/06->	Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; 03/09->; - start-stop
518 CDI (906.653, 906.655, 906.657)	135/184	OM 642.992;OM 642.993;OM 642.896	06/06->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; engine OM 642.896; - start-stop; engine OM 642.992; engine OM 642.993
518 CDI 4x4 (906.653, 906.655, 906.657)	135/184	OM 642.992;OM 642.993;OM 642.896	06/06->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; engine OM 642.896; - start-stop; engine OM 642.992; engine OM 642.993
519 CDI / BlueTEC (906.653, 906.655, 906.657)	140/190	OM 642.992;OM 642.896;OM 642.898	03/09->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; engine OM 642.896; - start-stop; engine OM 642.992; engine OM 642.993
519 CDI / BlueTEC 4x4 (906.653, 906.655, 906.657)	140/190	OM 642.992;OM 642.896;OM 642.898	03/09->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; engine OM 642.896; - start-stop; engine OM 642.992; engine OM 642.993
524 (906.653, 906.655, 906.657)	190/258	M 272.979	06/06->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; - AC
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->03/07; ->eng.# 30621933; Fitting Position: Upper Left
				Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Upper
				Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Centre
SPRINTER 5-t Platform/Chassis (906) 						
509 CDI (906.153, 906.155, 906.253, 906.255)	65/88	OM 646.984	06/06->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
510 CDI (906.153, 906.155, 906.253, 906.255)	70/95	OM 651.955	03/09->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
511 CDI (906.153, 906.155, 906.253, 906.255)	80/109	OM 646.985	06/06->	Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
511 CDI 4x4 (906.135, 906.155, 906.253, 906.255)	80/109	OM 646.985	06/06->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
513 CDI (906.135, 906.155, 906.253, 906.255)	95/129	OM 646.986	06/06->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
513 CDI (906.135, 906.155, 906.253, 906.255)	95/129	OM 651.955;OM 651.956	06/06->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; 03/09->; - start-stop
513 CDI 4x4 (906.135, 906.155, 906.253, 906.255)	95/129	OM 651.955;OM 651.956	05/11->	Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop









	kW/HP	Engine code		Type		
515 CDI (906.153, 906.155, 906.253, 906.255)	110/150	OM 646.990;OM 646.989	06/06->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
515 CDI 4x4 (906.153, 906.155, 906.253, 906.255)	110/150	OM 646.990;OM 646.989	06/06->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
516 (906.153, 906.155, 906.253, 906.255)	115/156	M 271.951	09/08->	Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->03/09;-; eng.# 31216219; Fitting Position: Lower Right
516 CDI (906.153, 906.155, 906.253, 906.255)	120/163	OM 651.957;OM 651.955	03/09->	Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; 03/09->; eng.# 31216220->; Fitting Position: Lower Right
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
516 CDI (906.153, 906.155, 906.253, 906.255)	120/163	OM 651.957;OM 651.955	03/09->	Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
516 CDI 4x4 (906.153, 906.155, 906.253, 906.255)	120/163	OM 651.957;OM 651.955	05/11->	Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
516 CDI (906.153, 906.155, 906.253, 906.255)	120/163	OM 651.957;OM 651.955	05/11->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
				Deflection/Guide	SR-1422	OD: 90; thread size M8x1,25; W: 27; ALT; Fitting Position: Upper Left
516 NGT (906.153, 906.155, 906.253, 906.255)	115/156	M 271.951	09/08->	Deflection/Guide	SR-1423	- holder; OD: 76; thread size M8x1,25; W: 28; ALT; Fitting Position: Centre
				Tensioner	SR-1223	- holder; ID: 17; OD: 76; W: 28; ALT; 03/09->; eng.# 31216220->; Fitting Position: Lower Right
				Tensioner	SR-1519	- holder; ID: 17; OD: 76; W: 28; ALT; ->03/09;-; eng.# 31216219; Fitting Position: Lower Right
518 CDI (906.153, 906.155, 906.253, 906.255)	135/184	OM 642.992;OM 642.993;OM 642.896	06/06->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; engine OM 642.896; - start-stop; engine OM 642.992; engine OM 642.993
518 CDI 4x4 (906.153, 906.155, 906.253, 906.255)	135/184	OM 642.992;OM 642.993;OM 642.896	06/06->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; engine OM 642.896; - start-stop; engine OM 642.992; engine OM 642.993
519 CDI / BlueTEC (906.153, 906.155, 906.253, 906.255)	140/190	OM 642.992;OM 642.896;OM 642.898	03/09->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; engine OM 642.896; - start-stop; engine OM 642.992; engine OM 642.993
519 CDI / BlueTEC 4x4 (906.153, 906.155, 906.253, 906.255)	140/190	OM 642.992;OM 642.896;OM 642.898	03/09->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; QTY 2
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; engine OM 642.896; - start-stop; engine OM 642.992; engine OM 642.993
524 (906.153, 906.155, 906.253, 906.255)	190/258	M 272.979	06/06->	Deflection/Guide	SR-1429	ID: 8,2; OD: 70; W: 22; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; ->03/07;-; eng.# 30621933; Fitting Position: Upper Left
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; - AC
524 (906.153, 906.155, 906.253, 906.255)	190/258	M 272.979	06/06->	Tensioner	SR-1428	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
SPRINTER CLASSIC 3,5-t Box [909] 						
311 CDI (909.632, 909.633)	80/109	OM 646.701	09/13->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
SPRINTER CLASSIC 4,6-t Bus [909] 						
411 CDI (909.843)	80/109	OM 646.701	09/13->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left; Fitting Position: Centre; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
SPRINTER Dumptruck [905]						
616 CDI (905.612, 905.622, 905.623)	115/156	OM 612.981	04/01->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left; - AC
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left; Fitting Position: Centre; QTY 2
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT
T1 Box [601] 						
208 D 2.3	60/82	OM 601.940	10/88->02/96	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
208 D 2.3	58/79	OM 601.940	11/88->02/96	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1035	OD: 42; W: 29; ALT
210 2.3	77/105	M 102.945	05/89->02/96	Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
210 2.3	70/95	M 102.942;M 102.946	07/82->02/96	Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
210 D 2.8	70/95	OM 602.940	10/88->02/96	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1035	OD: 42; W: 29; ALT
210 D 2.8	70/95	OM 602.940	10/88->02/96	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS








	kW/HP	Engine code		Type		
210 D 2.8	72/98	OM 602.940	10/88->02/96	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
T1 Box (602) 						
308 D 2.3	60/82	OM 601.940	06/89->02/96	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper Left; + AC; + PS
				Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower Right; + AC; + PS
308 D 2.3	58/79	OM 601.940	11/88->02/96	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1035	OD: 42; W: 29; ALT
310 D 2.9	72/98	OM 602.940	06/89->02/96	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
310 D 2.9	70/95	OM 602.940	06/89->02/96	Tensioner	SR-1035	OD: 42; W: 29; ALT
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
310 D 2.9	70/95	OM 602.940	06/89->02/96	Tensioner	SR-1035	OD: 42; W: 29; ALT
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
T1 Bus (601) 						
208 D 2.3	58/79	OM 601.940	10/88->02/96	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
208 D 2.3	60/82	OM 601.940	10/88->02/96	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1035	OD: 42; W: 29; ALT
210 2.3	77/105	M 102.945	05/89->02/96	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
210 2.3	70/95	M 102.942	07/82->01/90	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
210 D 2.8	70/95	OM 602.940	11/88->02/96	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
210 D 2.8	72/98	OM 602.940	11/88->02/96	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1035	OD: 42; W: 29; ALT
210 D 2.8	72/98	OM 602.940	11/88->02/96	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1035	OD: 42; W: 29; ALT
T1 Bus (602) 						
308 D 2.3	58/79	OM 601.940	05/90->02/96	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
308 D 2.3	60/82	OM 601.940	06/89->02/96	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
310 D 2.9	70/95	OM 602.940	06/89->02/96	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
310 D 2.9	72/98	OM 602.940	06/90->02/96	Tensioner	SR-1035	OD: 42; W: 29; ALT
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
310 D 2.9	72/98	OM 602.940	06/90->02/96	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1035	OD: 42; W: 29; ALT
T1 Platform/Chassis (601) 						
208 D 2.3	60/82	OM 601.940	06/89->02/96	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
208 D 2.3	58/79	OM 601.940	11/88->02/96	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
210 2.3	70/95	M 102.942	04/77->10/89	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower










	kW/HP	Engine code		Type		
210 D 2.8	72/98	OM 602.940	11/88->02/96	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1035	OD: 42; W: 29; ALT
210 D 2.9	70/95	OM 602.940	11/88->02/96	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1035	OD: 42; W: 29; ALT
T1 Platform/Chassis (602) 						
308 D 2.3	58/79	OM 601.940	06/89->02/96	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
308 D 2.3	60/82	OM 601.940	06/89->02/96	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
310 D 2.9	70/95	OM 602.940	06/89->02/96	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper Left; + AC; + PS
				Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower Right; + AC
310 D 2.9	72/98	OM 602.940	06/89->02/96	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper Left; + AC; + PS
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower Right; + AC
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1035	OD: 42; W: 29; ALT
T1/TN Box Body / Estate 						
408 D (611.367, 611.368)	58/79	OM 601.940	11/88->06/95	Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
408 D (611.367, 611.368)	60/82	OM 601.940	11/88->06/95	Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
410 (611.067, 611.068)	70/95	M 102.942	08/82->06/95	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS; QTY 1
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; QTY 1
410 (611.067, 611.068)	77/105	M 102.945	08/82->06/95	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS; QTY 1
				Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; QTY 1
410 D (611.467, 611.468)	70/95	OM 602.940	11/88->06/95	Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
410 D (611.467, 611.468)	72/98	OM 602.940	11/88->06/95	Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
T1/TN Platform/Chassis 						
408 D (611.317, 611.318)	58/79	OM 601.940	11/88->06/95	Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
408 D (611.317, 611.318)	60/82	OM 601.940	11/88->06/95	Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
410 (611.017, 611.018)	70/95	M 102.942	08/82->06/95	Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; QTY 1
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS; QTY 1
410 (611.017, 611.018)	77/105	M 102.945	08/82->06/95	Tensioner	SR-1029	- holder; OD: 80; W: 25; ALT; QTY 1
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS; QTY 1
410 D (611.417, 611.418)	70/95	OM 602.940	11/88->06/95	Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
410 D (611.417, 611.418)	72/98	OM 602.940	11/88->06/95	Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
T2/LN1 Box Body / Estate 						
508 D (667.361, 667.362)	58/79	OM 601.941	03/89->12/94	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; + AC; - PS; QTY 1
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS; QTY 1
				Tensioner	SR-1035	OD: 42; W: 29; ALT
T2/LN1 Dumptruck						
508 D (667.301, 667.302, 667.341, 667.342)	58/79	OM 601.941	03/89->12/94	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; + AC; - PS; QTY 1
				Tensioner	SR-1035	OD: 42; W: 29; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS; QTY 1
VANEO (414) 						
1.6 (414.700)	75/102	M 166.961	02/02->07/05	Deflection/Guide	SR-1377	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1376	ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Right
1.6 (414.700)	60/82	M 166.961	02/02->07/05	Deflection/Guide	SR-1377	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1376	ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Right
1.7 CDI (414.700)	55/75	OM 668.914	02/02->07/05	Deflection/Guide	SR-1377	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Left
				Tensioner	SR-1376	ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Right
1.7 CDI (414.700)	67/91	OM 668.914	02/02->07/05	Deflection/Guide	SR-1377	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Left
				Tensioner	SR-1376	ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Right
1.9 (414.700)	92/125	M 166.991	02/02->07/05	Deflection/Guide	SR-1377	ID: 17; OD: 70; W: 22; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1376	ID: 17; OD: 76,5; W: 22; ALT; Fitting Position: Right

	kW/HP	Engine code		Type		
VARIO Box Body / Estate 						
512 D (667.351, 667.352, 667.353)	90/122	OM 602.984	09/96->	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
612 D (668.351, 668.352, 668.353)	90/122	OM 602.984;OM 602.985	09/96->	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1039	+ holder; ALT
812 D (670.351, 670.352, 670.353)	90/122	OM 602.984;OM 602.985	09/96->	Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
VARIO Bus 						
O 812 (670.373, 670.674)	90/122	OM 602.984;OM 602.985	09/96->	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; engine OM 602.984; engine OM 602.985; Fitting Position: Upper; - AC
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; engine OM 602.984; engine OM 602.985; Fitting Position: Upper
Tensioner	SR-1039	+ holder; ALT				
VARIO Dumptruck						
612 D (668.331, 668.332)	90/122	OM 602.984;OM 602.985	09/96->	Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
812 D (670.331, 670.332)	90/122	OM 602.984;OM 602.985	09/96->	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1039	+ holder; ALT
VARIO Platform/Chassis 						
512 D (667.321, 667.322, 667.323)	90/122	OM 602.984	09/96->	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
612 D (668.321, 668.322, 668.323)	90/122	OM 602.984;OM 602.985	09/96->	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; engine OM 602.984; Fitting Position: Upper; - AC
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
812 D (670.321, 670.322, 670.323, 670.324)	90/122	OM 602.984;OM 602.985	09/96->	Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
V-CLASS (638/2) 						
V 200 (638.214, 638.294)	95/129	M 111.948;M 111.950	02/97->07/03	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
V 200 CDI (638.294)	75/102	OM 611.980	03/99->07/03	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
V 220 CDI (638.294)	90/122	OM 611.980	03/99->07/03	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
V 230 (638.234, 638.294)	105/143	M 111.978	10/96->07/03	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
V 230 TD (638.274)	72/98	OM 601.970	09/96->07/03	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
V 280 (638.244, 638.294)	128/174	M 104.900	08/97->07/03	Tensioner	SR-1102	- holder; ID: 17; num. of ribs: 7; OD: 62,5; W: 26; ALT; Fitting Position: Upper
V-CLASS (W447) 						
V 200 CDI / d (447.815, 447.811, 447.813)	100/136	OM 651.950	03/14->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
V 200 CDI / d 4-matic	100/136	OM 651.950	04/15->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
V 220 CDI / d (447.815, 447.811, 447.813)	120/163	OM 651.950	03/14->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
V 220 CDI / d 4-matic	120/163	OM 651.950	04/15->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
V 250 BlueTEC / d (447.815, 447.811, 447.813)	140/190	OM 651.950	03/14->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
V 250 BlueTEC / d 4-matic	140/190	OM 651.950	12/14->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
VIANO (W639) 						
3,0	140/190	M 112.951	09/03->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
3,2	160/218	M 112.951	09/03->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
3,7	170/231	M 112.976	06/04->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
CDI 2.0	100/136	OM 651.940	07/10->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
CDI 2.0	85/116	OM 646.982	08/05->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
CDI 2.0	80/109	OM 646.982	09/03->	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
CDI 2.0	80/109	OM 646.982	09/03->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right








	kW/HP	Engine code		Type		
CDI 2.0 4-matic	80/109	OM 646.982	07/05->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
CDI 2.0 4-matic	100/136	OM 651.940	07/10->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
CDI 2.2	120/163	OM 651.940	07/10->	Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
CDI 2.2	110/150	OM 646.982;OM 646.980	09/03->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
CDI 2.2 4-matic	110/150	OM 646.982	07/05->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
CDI 2.2 4-matic	120/163	OM 651.940	07/10->	Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre right
CDI 3.0	150/204	OM 642.990	03/06->	Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; - start-stop
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower
VITO / MIXTO Box (W639) 						
109 CDI	70/95	OM 646.981;OM 646.980	08/06->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
109 CDI	65/88	OM 646.983	09/03->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
110 CDI	70/95	OM 651.940	09/10->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
111 CDI	80/109	OM 646.982	09/03->	Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; ->08/14; - start-stop
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
111 CDI	85/116	OM 646.982;OM 646.980	09/07->	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
111 CDI 4x4	80/109	OM 646.982	09/07->	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
113 CDI	100/136	OM 651.940	09/10->	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre right
113 CDI 4x4	100/136	OM 651.940	09/10->	Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; ->08/14; - start-stop
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
115 CDI	110/150	OM 646.982;OM 646.980	09/03->	Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; ->08/14; - start-stop
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
115 CDI 4x4	110/150	OM 646.982	07/06->	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
116 CDI	120/163	OM 651.940	09/10->	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
116 CDI 4x4	120/163	OM 651.940	09/10->	Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; ->08/14; - start-stop
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
119	140/190	M 112.951	09/03->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
120 CDI	150/204	OM 642.990	07/06->	Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper
				Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower
122	160/218	M 112.951	09/03->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
















	kW/HP	Engine code		Type		
VITO Box [638] 						
108 CDI 2.2 (638.094)	60/82	OM 611A (60 KW CDI)	03/99->07/03	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
108 D 2.3 (638.064)	58/79	OM 601.942	03/97->07/03	Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; + AC; - PS
				Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower Right; + AC; + PS
110 CDI 2.2 (638.094)	75/102	OM 611LA (75 KW CDI)	03/99->07/03	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
110 D 2.3 (638.074)	72/98	OM 601.970	03/97->07/03	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
				Tensioner	SR-1039	+ holder; ALT
112 CDI 2.2 (638.094)	90/122	OM 611.980	03/99->07/03	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
113 2.0 (638.014, 638.094)	95/129	M 111.948;M 111.950	03/97->07/03	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
114 2.3 (638.034, 638.094)	105/143	M 111.978	03/97->07/03	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
VITO Box [W447] 						
109 CDI (447.601, 447.603, 447.605)	65/88	OM 622.951	10/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT
111 CDI (447.601, 447.603, 447.605)	84/114	OM 622.951	10/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT
114 CDI (447.601, 447.603, 447.605)	100/136	OM 651.950	10/14->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
116 CDI (447.601, 447.603, 447.605)	120/163	OM 651.950	10/14->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
119 BlueTEC (447.601, 447.603, 447.605)	140/190	OM 651.950	10/14->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
VITO Bus [638] 						
108 CDI 2.2 (638.194)	60/82	OM 611A (60 KW CDI)	03/99->07/03	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1044	OD: 64; W: 21,8; ALT; + AC; - PS
108 D 2.3 (638.164)	58/79	OM 601.942	02/96->07/03	Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1039	+ holder; ALT
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + PS
110 CDI 2.2 (638.194)	75/102	OM 611LA (75 KW CDI)	03/99->07/03	Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
110 TD 2.3 (638.174)	72/98	OM 601.970	02/96->07/03	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1030	OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1027	OD: 80; W: 25; ALT; Fitting Position: Lower
112 CDI 2.2 (638.194)	90/122	OM 611.980	03/99->07/03	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
113 2.0 (638.114, 638.194)	95/129	M 111.948;M 111.950	02/96->07/03	Tensioner	SR-1039	+ holder; ALT
114 2.3 (638.134, 638.194)	105/143	M 111.978	12/96->07/03	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
112 CDI 2.2 (638.194)	90/122	OM 611.980	03/99->07/03	Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
113 2.0 (638.114, 638.194)	95/129	M 111.948;M 111.950	02/96->07/03	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
114 2.3 (638.134, 638.194)	105/143	M 111.978	12/96->07/03	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
VITO Bus [W639] 						
109 CDI	65/88	OM 646.983	09/03->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
109 CDI	70/95	OM 646.980	09/06->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
109 CDI 4x4	70/95	OM 646.981	09/07->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
110 CDI	70/95	OM 651.940	09/10->	Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre right
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; ->08/14; - start-stop
111 CDI	80/109	OM 646.982	09/03->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
111 CDI (639.701)	85/116	OM 646.980	09/07->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
111 CDI 4x4	80/109	OM 646.982	09/07->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
113 CDI	100/136	OM 651.940	09/10->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; ->08/14; - start-stop

	kW/HP	Engine code		Type		
113 CDI 4x4	100/136	OM 651.940	09/10->	Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre right
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; ->08/14; - start-stop
115 CDI	110/150	OM 646.982	09/03->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
115 CDI 4x4	110/150	OM 646.982	09/07->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1389	- holder; ID: 17; OD: 70; W: 28; ALT; Fitting Position: Lower Right
116 CDI	120/163	OM 651.940	09/10->	Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
				Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre right
				Tensioner	SR-1333	- holder; ID: 17; OD: 65; W: 26; ALT; ->08/14; - start-stop
116 CDI 4x4	120/163	OM 651.940	09/10->	Deflection/Guide	SR-1156	OD: 65; W: 25,5; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1334	num. of ribs: 6; OD: 69; W: 26,5; ALT
				Deflection/Guide	SR-1335	OD: 54; W: 26; ALT
119	140/190	M 112.951	09/03->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1160	ID: 17; OD: 55; W: 29; ALT; Fitting Position: Upper
120 CDI	150/204	OM 642.990	07/06->	Tensioner	SR-1159	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
122	160/218	M 112.951	09/03->	Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
123	170/231	M 112.976	06/04->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1237	- holder; ID: 17; OD: 96,5; W: 26; ALT; Fitting Position: Lower Right
VITO Mixto (W447) 						
109 CDI (447.701, 447.703, 447.705)	65/88	OM 622.951	10/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT
111 CDI (447.701, 447.703, 447.705)	84/114	OM 622.951	10/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT
114 CDI (447.701, 447.703, 447.705)	100/136	OM 651.950	10/14->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
116 CDI (447.701, 447.703, 447.705)	120/163	OM 651.950	10/14->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
119 BlueTEC (447.701, 447.703, 447.705)	140/190	OM 651.950	10/14->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
119 BlueTEC 4x4 (447.605)	140/190	OM 651.950	12/14->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
VITO Tourer (W447) 						
109 CDI / 109 BlueTEC (447.701, 447.703, 447.705)	65/88	OM 622.951	10/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT
111 CDI / 111 BlueTEC (447.701, 447.703, 447.705)	84/114	OM 622.951	10/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT
114 CDI / 114 BlueTEC (447.701, 447.703, 447.705)	100/136	OM 651.950	10/14->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
116 CDI / 116 BlueTEC (447.701, 447.703, 447.705)	120/163	OM 651.950	10/14->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
119 BlueTEC (447.701, 447.703, 447.705)	140/190	OM 651.950	10/14->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
119 BlueTEC 4x4	140/190	OM 651.950	12/14->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right; - AC
MINI						
MINI (R56) 						
Cooper	85/115	N12 B16 A;N16 B16 A	03/10->11/13	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper	90/122	N16 B16 A	09/09->11/13	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper	88/120	N12 B16 A	10/06->02/12	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper D	80/109	9HZ (DV6TED4);W16 D16	11/06->09/10	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6 TED4; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine DV6 TED4; Fitting Position: Upper
Cooper S	147/200	N18 B16 A	01/12->11/13	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper S	120/163	N18 B16 A	03/10->11/13	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper S	135/184	N18 B16 A	03/10->11/13	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper S	128/174	N14 B16 A	10/06->01/11	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
John Cooper Works	155/211	N14 B16 C	03/08->11/13	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
John Cooper Works GP	160/218	N18 B16 C	09/12->11/13	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
One	55/75	N12 B14 A	03/09->03/10	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
One	55/75	N16 B16 A	03/10->11/13	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC










	kW/HP	Engine code		Type		
One	72/98	N16 B16 A	03/10->11/13	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
One	70/95	N12 B14 A	11/06->03/10	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
One D	66/90	9HZ (DV6TED4)	06/09->07/10	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6 TED4; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine DV6 TED4; Fitting Position: Upper
MINI CLUBMAN (R55) 						
Cooper	85/115	N16 B16 A	03/10->06/15	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper	90/122	N16 B16 A	03/10->06/15	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper	88/120	N12 B16 A;N16 B16 A	10/07->12/13	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper D	80/109	9HZ (DV6TED4)	10/07->02/10	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6 TED4; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine DV6 TED4; Fitting Position: Upper
Cooper S	147/200	N18 B16 A	03/10->06/15	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper S	135/184	N18 B16 A	03/10->06/15	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper S	128/174	N14 B16 A	10/07->02/10	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
John Cooper Works	155/211	N14 B16 C	03/08->08/12	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
One	72/98	N16 B16 A	03/10->06/15	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
MINI CLUBVAN (R55) 						
Cooper	90/122	N16 B16 A	12/12->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
One	72/98	N16 B16 A	12/12->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
MINI Convertible (R57) 						
Cooper	85/116	N16 B16 A	03/09->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper	88/120	N12 B16 A	03/09->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper	90/122	N16 B16 A	03/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper S	128/174	N14 B16 A	03/09->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper S	147/200	N18 B16 A	03/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper S	135/184	N18 B16 A	03/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
John Cooper Works	155/211	N14 B16 C	03/08->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
One	72/98	N16 B16 A	03/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
MINI COUNTRYMAN (R60) 						
Cooper	85/115	N16 B16 A	06/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper	90/122	N16 B16 A	06/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper ALL4	90/122	N16 B16 A	11/14->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper S	147/200	N18 B16 A	02/12->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper S	135/184	N18 B16 A	06/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper S ALL4	120/163	N18 B16 A	06/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper S ALL4	135/184	N18 B16 A	06/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper S JCW	160/218	N18 B16 A	09/12->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
One	72/98	N16 B16 A	06/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
MINI Coupe (R58) 						
Cooper	90/122	N16 B16 A	09/11->	Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC










	kW/HP	Engine code		Type		
Cooper	85/115	N16 B16 A	09/11->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper S	147/200	N18 B16 A	09/11->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper S	135/184	N18 B16 A	09/11->	Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper S	120/163	N18 B16 A	09/11->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
John Cooper Works	155/211	N14 B16 C	09/11->	Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
MINI PACEMAN (R61) 						
Cooper	90/122	N16 B16 A	04/12->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper ALL4	90/122	N16 B16 A	07/14->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper S	135/184	N18 B16 A	04/12->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper S ALL4	135/184	N18 B16 A	04/12->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
John Cooper Works	160/218	N18 B16 C	09/12->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
MINI Roadster (R59) 						
Cooper	90/122	N16 B16 A	02/12->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper	85/115	N16 B16 A	02/12->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper S	147/200	N18 B16 A	02/12->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper S	120/163	N18 B16 A	02/12->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
Cooper S	135/184	N18 B16 A	02/12->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
John Cooper Works	155/211	N14 B16 C;N18 B16 C	02/12->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
MITSUBISHI						
3000 GT Coupe (Z16A) 						
3.0 i 24V 4WD (Z16A)	210/286	6G72 (DOHC 24V)	06/92->08/99	Deflection/Guide	SR-1174	OD: 58; W: 35; ->05/93
				Tensioner	SR-1173	OD: 60; W: 35; ->05/93
AIRTREK I (CU_W) 						
2.0 (CU2W)	100/136	4G63 (DOHC 16V)	05/03->10/06	Deflection/Guide	SR-1528	OD: 90; W: 32; ALT; engine 4G63; MD CU2W
				Deflection/Guide	SR-1165	OD: 60; W: 32; CS; engine 4G63; MD CU2W
				Tensioner	SR-1172	OD: 60; W: 31; CS; engine 4G63; MD CU2W
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; engine 4G63; MD CU2W
				Tensioner	SR-1527	- holder; ID: 17; OD: 80; W: 28.5; ALT; engine 4G63; MD CU2W
2.0 4WD	177/241	4G63 Turbo	01/02->10/06	Deflection/Guide	SR-1165	OD: 60; W: 32; CS; engine 4G63; MD CU2W
				Deflection/Guide	SR-1528	OD: 90; W: 32; ALT; engine 4G63; MD CU2W
				Tensioner	SR-1527	- holder; ID: 17; OD: 80; W: 28.5; ALT; engine 4G63; MD CU2W
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; engine 4G63; MD CU2W
				Tensioner	SR-1172	OD: 60; W: 31; CS; engine 4G63; MD CU2W
2.0 4WD (CU2W)	100/136	4G63 (DOHC 16V)	05/03->10/06	Deflection/Guide	SR-1165	OD: 60; W: 32; CS; engine 4G63; MD CU2W
				Deflection/Guide	SR-1528	OD: 90; W: 32; ALT; engine 4G63; MD CU2W
				Tensioner	SR-1172	OD: 60; W: 31; CS; engine 4G63; MD CU2W
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; engine 4G63; MD CU2W
				Tensioner	SR-1527	- holder; ID: 17; OD: 80; W: 28.5; ALT; engine 4G63; MD CU2W
2.0 4WD (CU2W)	93/126	4G63 (DOHC 16V)	05/03->10/06	Deflection/Guide	SR-1528	OD: 90; W: 32; ALT; engine 4G63; MD CU2W
				Deflection/Guide	SR-1165	OD: 60; W: 32; CS; engine 4G63; MD CU2W
				Tensioner	SR-1172	OD: 60; W: 31; CS; engine 4G63; MD CU2W
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; engine 4G63; MD CU2W
				Tensioner	SR-1527	- holder; ID: 17; OD: 80; W: 28.5; ALT; engine 4G63; MD CU2W
2.0 Turbo 4WD (CU2W)	148/201	4G63 T (DOHC 16V)	04/04->10/06	Deflection/Guide	SR-1528	OD: 90; W: 32; ALT; engine 4G63; MD CU2W
				Deflection/Guide	SR-1165	OD: 60; W: 32; CS; engine 4G63; MD CU2W
				Tensioner	SR-1172	OD: 60; W: 31; CS; engine 4G63; MD CU2W
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; engine 4G63; MD CU2W
				Tensioner	SR-1527	- holder; ID: 17; OD: 80; W: 28.5; ALT; engine 4G63; MD CU2W
2.4 4WD	102/139	4G64 (SOHC 16V)	05/03->10/06	Deflection/Guide	SR-1528	OD: 90; W: 32; ALT; 09/03->; engine 4G69; MD CU5W
				Deflection/Guide	SR-1530	OD: 60; W: 24; 09/03->; engine 4G69; MD CU5W
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; 09/03->; engine 4G69; MD CU5W
				Tensioner	SR-1527	- holder; ID: 17; OD: 80; W: 28.5; ALT; 09/03->; engine 4G69; MD CU5W
				Tensioner	SR-1529	OD: 60; W: 24; CS; 09/03->; engine 4G69; MD CU5W
















	kW/HP	Engine code		Type		
2.4 4WD (CU5W)	118/160	4G69	11/03->10/06	Deflection/Guide	SR-1528	OD: 90; W: 32; ALT; engine 4G69; MD CU5W
				Deflection/Guide	SR-1530	OD: 60; W: 24; engine 4G69
				Tensioner	SR-1527	- holder; ID: 17; OD: 80; W: 28.5; ALT; engine 4G69; MD CU5W
				Tensioner	SR-1529	OD: 60; W: 24; CS; engine 4G69
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; engine 4G69
ASX (GA_W_) 						
2.0 i	110/150	4B11	06/10->	Deflection/Guide	SR-1041	OD: 70; W: 24.7; ALT; ->01/12; MD GA2W
				Tensioner	SR-1042	+ holder; OD: 65; W: 26; ALT; ->01/12; MD GA2W
2.0 i 4WD	110/150	4B11	06/10->	Deflection/Guide	SR-1041	OD: 70; W: 24.7; ALT; ->01/12; MD GA2W
				Tensioner	SR-1042	+ holder; OD: 65; W: 26; ALT; ->01/12; MD GA2W
CARISMA (DA_) 						
1.6 (DA1A)	73/99	4G92 (SOHC 16V)	05/97->06/06	Tensioner	SR-1299	OD: 58; W: 29; ->12/03; engine 4G92; MD DA1A
1.6 (DA1A)	66/90	4G92 (SOHC 16V)	07/95->06/06	Tensioner	SR-1299	OD: 58; W: 29; ->12/03; engine 4G92; MD DA1A
1.6 (DA1A)	76/103	4G92 (SOHC 16V)	09/00->06/06	Tensioner	SR-1299	OD: 58; W: 29; ->12/03; engine 4G92; MD DA1A
1.6 (DA1A)	70/95	4G92 (SOHC 16V)	12/98->06/06	Tensioner	SR-1299	OD: 58; W: 29; ->12/03; engine 4G92; MD DA1A
1.8 (DA2A)	85/116	4G93 (SOHC 16V)	07/95->07/97	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT; engine mod. DOHC
				Deflection/Guide	SR-1165	OD: 60; W: 32; engine 4G93; MD DA2A; camshaft DOHC; engine 4G93; MD DA2A; Fitting Position: Centre right; camshaft DOHC
				Tensioner	SR-1299	OD: 58; W: 29; engine 4G93; MD DA2A; camshaft SOHC/OHC
1.8 16V GDI (DA2A)	92/125	4G93 (GDI)	09/97->06/06	Deflection/Guide	SR-1165	OD: 60; W: 32; ->12/03; engine 4G93; MD DA2A; camshaft DOHC; ->12/03; engine 4G93; MD DA2A; Fitting Position: Centre right; camshaft DOHC
				Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
				Tensioner	SR-1299	OD: 58; W: 29; ->02/99; engine 4G93; MD DA2A; camshaft SOHC/OHC
1.8 GDI (DA2A)	90/122	4G93 (GDI)	10/00->06/06	Deflection/Guide	SR-1165	OD: 60; W: 32; ->12/03; engine 4G93; MD DA2A; camshaft DOHC; ->12/03; engine 4G93; MD DA2A; Fitting Position: Centre right; camshaft DOHC
				Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
				Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT; engine mod. DOHC
1.8 MSX - 16V (DA2A)	103/140	4G93 (DOHC 16V)	07/95->07/97	Deflection/Guide	SR-1165	OD: 60; W: 32; engine 4G93; MD DA2A; camshaft DOHC; engine 4G93; MD DA2A; Fitting Position: Centre right; camshaft DOHC
				Tensioner	SR-1299	OD: 58; W: 29; engine 4G93; MD DA2A; camshaft SOHC/OHC
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; 03/01->-; ->12/03; engine F9Q; MD DA5A; + AC
1.9 DI-D	85/115	F9Q2	09/00->06/06	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->02/01; engine F9Q; MD DA5A; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; ->12/03; engine F9Q; MD DA5A; - AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; 03/01->-; ->12/03; engine F9Q; MD DA5A; + AC; ->02/01; engine F9Q; MD DA5A; + AC
1.9 DI-D (DA5A)	75/102	F9Q1	09/00->06/06	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->02/01; engine F9Q; MD DA5A; + AC
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; 03/01->-; ->12/03; engine F9Q; MD DA5A; + AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; 03/01->-; ->12/03; engine F9Q; MD DA5A; + AC; ->02/01; engine F9Q; MD DA5A; + AC
1.9 TD (DA4A)	66/90	F8QT	10/96->09/00	Deflection/Guide	SR-1115	OD: 50; W: 31; 05/97->-; ->06/00; engine F8QT; MD DA4A
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; ->06/00; engine F8Q; MD DA4A; + AC
				Tensioner	SR-1114	OD: 50; W: 31; 05/97->-; ->06/00; engine F8QT; MD DA4A
Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; ->06/00; engine F8Q; MD DA4A; + AC				
CARISMA Saloon (DA_) 						
1.6 (DA1A)	73/99	4G92 (SOHC 16V)	05/97->06/06	Tensioner	SR-1299	OD: 58; W: 29; ->12/03; engine 4G92; MD DA1A
1.6 (DA1A)	76/103	4G92 (SOHC 16V)	09/00->06/06	Tensioner	SR-1299	OD: 58; W: 29; ->12/03; engine 4G92; MD DA1A
1.6 (DA1A)	66/90	4G92 (SOHC 16V)	09/96->06/06	Tensioner	SR-1299	OD: 58; W: 29; ->12/03; engine 4G92; MD DA1A
1.6 (DA1A)	70/95	4G92 (SOHC 16V)	12/98->06/06	Tensioner	SR-1299	OD: 58; W: 29; ->12/03; engine 4G92; MD DA1A
1.8 (DA2A)	85/115	4G93 (SOHC 16V)	09/96->09/97	Deflection/Guide	SR-1165	OD: 60; W: 32; engine 4G93; MD DA2A; camshaft DOHC; engine 4G93; MD DA2A; Fitting Position: Centre right; camshaft DOHC
				Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT; engine mod. DOHC
				Tensioner	SR-1299	OD: 58; W: 29; engine 4G93; MD DA2A; camshaft SOHC/OHC
1.8 16V GDI (DA2A)	92/125	4G93 (GDI)	09/97->06/06	Deflection/Guide	SR-1165	OD: 60; W: 32; ->12/03; engine 4G93; MD DA2A; camshaft DOHC; ->12/03; engine 4G93; MD DA2A; Fitting Position: Centre right; camshaft DOHC
				Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
				Tensioner	SR-1299	OD: 58; W: 29; ->02/99; engine 4G93; MD DA2A; camshaft SOHC/OHC
1.8 GDI (DA2A)	90/122	4G93 (GDI)	10/00->06/06	Deflection/Guide	SR-1165	OD: 60; W: 32; ->12/03; engine 4G93; MD DA2A; camshaft DOHC; ->12/03; engine 4G93; MD DA2A; Fitting Position: Centre right; camshaft DOHC
				Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->02/01; engine F9Q; MD DA5A; + AC
1.9 DI-D	85/115	F9Q2	09/00->06/06	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; 03/01->-; ->12/03; engine F9Q; MD DA5A; + AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; 03/01->-; ->12/03; engine F9Q; MD DA5A; + AC; ->02/01; engine F9Q; MD DA5A; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; ->12/03; engine F9Q; MD DA5A; - AC
1.9 DI-D (DA5A)	75/102	F9Q1	09/00->06/06	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; 03/01->-; ->12/03; engine F9Q; MD DA5A; + AC
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->02/01; engine F9Q; MD DA5A; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; ->12/03; engine F9Q; MD DA5A; - AC
1.9 TD (DA4A)	66/90	F8QT	10/96->09/00	Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; ->06/00; engine F8Q; MD DA4A; + AC
				Deflection/Guide	SR-1115	OD: 50; W: 31; 05/97->-; ->06/00; engine F8QT; MD DA4A
				Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; ->06/00; engine F8Q; MD DA4A; + AC
Tensioner	SR-1114	OD: 50; W: 31; 05/97->-; ->06/00; engine F8QT; MD DA4A				














	kW/HP	Engine code		Type		
2.0 16V GT EVO VI/VII	206/280	4G63 Turbo	11/99->06/06	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
COLT I [A15_A] 						
1.2 GL [A151A]	40/55	4G11	12/78->01/84	Tensioner	SR-1158	OD: 60; W: 24; 01/81-> ->12/83; engine 4G11; MD A151A
1.4 GLX,GT [A152A]	51/70	4G12	05/79->01/84	Tensioner	SR-1158	OD: 60; W: 24; 01/81-> ->12/83; engine 4G12; MD A152A
1.4 Turbo [A152A]	77/105	4G12 T	09/81->01/84	Tensioner	SR-1158	OD: 60; W: 24; ->12/83; engine 4G12T
COLT II [C1_A] 						
1.2 EL,GL [C15A]	40/55	4G16	02/84->09/86	Tensioner	SR-1158	OD: 60; W: 24; MD C15A
1.2 EL,GL [C15A]	44/60	4G16	09/86->04/88	Tensioner	SR-1158	OD: 60; W: 24; ->05/87; MD C15A; 06/87->
1.3 EL,GL [C11A]	49/67	G13B	06/86->04/88	Tensioner	SR-1158	OD: 60; W: 24; MD C11A
1.5 GLX [C12A]	55/75	4G15	09/84->04/88	Tensioner	SR-1158	OD: 60; W: 24; ->05/87; engine 4G15; MD C12A; 06/87->
1.5 GLX [C12A]	51/70	G15B	09/85->04/88	Tensioner	SR-1158	OD: 60; W: 24; ->05/87; MD C12A; 06/87->
1.8 GL Diesel [C14A]	43/58	4D65	02/84->09/86	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; engine 4D65; MD C14A
1.8 GL Diesel [C14A]	44/60	4D65	09/86->04/88	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; 03/88-> ; engine 4D65; MD C14A
COLT III [C5_A] 						
1.3 [C51A]	51/70	4G13 [8V]	04/88->05/92	Tensioner	SR-1158	OD: 60; W: 24; ->05/90; engine 4G13; MD C51A; camshaft SOHC/OHC
1.3 GL [C61A]	44/60	4G13 [8V]	04/88->12/90	Tensioner	SR-1158	OD: 60; W: 24; ->05/90; engine 4G13; MD C51A; camshaft SOHC/OHC
1.5 GLXi [C52A]	62/84	4G15	04/88->05/92	Tensioner	SR-1158	OD: 60; W: 24; ->05/90; engine 4G15; MD C52A
1.6 GTi 16V [C53A]	91/124	4G61	04/88->05/90	Deflection/Guide	SR-1165	OD: 60; W: 32; MD C53A
				Tensioner	SR-1164	OD: 60; W: 31; MD C53A
1.8 Diesel GLX [C54A]	44/60	4D65	04/88->05/92	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; engine 4D65; MD C54A
				Deflection/Guide	SR-1165	OD: 60; W: 32; MD C58A
1.8 GTi 16V [C58A] CAT	100/136	4G67	06/90->05/92	Tensioner	SR-1164	OD: 60; W: 31; CS; MD C58A
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; MD C58A
COLT IV [CA_A] 						
1.6 [CA4A]	66/90	4G92 [SOHC 16V]	02/94->04/96	Tensioner	SR-1167	OD: 58; W: 30; ->11/94; engine 4G92; MD CA4A; MD CC4A; MD CD4A
1.6 GLXi 16V [CA4A]	83/113	4G92 [SOHC 16V]	04/92->04/96	Tensioner	SR-1167	OD: 58; W: 30; ->11/94; engine 4G92; MD CA4A; MD CC4A; MD CD4A
1.8 GTi 16V [CA5A]	103/140	4G93 [DOHC 16V]	04/92->04/96	Deflection/Guide	SR-1165	OD: 60; W: 32; ->11/94; MD CA5A; camshaft DOHC
				Tensioner	SR-1167	OD: 58; W: 30; ->11/94; MD CA5A; camshaft SOHC/OHC
COLT V [CJ_, CP_] 						
1.5 16V [CJ2A]	69/94	4G15 [16V]	10/99->09/03	Tensioner	SR-1321	OD: 57; W: 34,5; engine 4G15; MD CJ2A; camshaft SOHC/OHC
				Tensioner	SR-1322	OD: 57; W: 31; ->05/01; engine 4G15; MD CK1A; camshaft SOHC/OHC
1300 [CJ1A]	60/82	4G13 [16V]	06/00->09/03	Tensioner	SR-1322	OD: 57; W: 31; engine 4G13; MD CJ1A
1300 GL,GLX [CJ1A]	55/75	4G13 [12V]	05/96->06/00	Tensioner	SR-1321	OD: 57; W: 34,5; ->11/98; engine 4G13; MD CJ1A
				Tensioner	SR-1322	OD: 57; W: 31; 12/98-> ->05/00; engine 4G13; MD CJ1A; 06/00->
1600	76/103	4G92 [SOHC 16V]	09/00->09/03	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT; + AC
				Tensioner	SR-1299	OD: 58; W: 29; ->08/03; engine 4G92; MD CK4A; camshaft SOHC/OHC
1600 GLX [CJ4A]	66/90	4G92 [SOHC 16V]	05/96->09/00	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT; + AC
				Tensioner	SR-1299	OD: 58; W: 29; engine 4G92; MD CK4A; camshaft SOHC/OHC
CORDIA [A21_A, AB] 						
1.8 Turbo Eci [A213A]	100/136	4G62 T	10/84->12/86	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; MD A213A
ECLIPSE I [D2_A] 						
2.0 i 16V [D22A, D27A]	110/150	4G63 [DOHC 16V]	04/91->11/95	Deflection/Guide	SR-1165	OD: 60; W: 32; ->02/93; engine 4G63; MD D22A; MD D27A
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; ->02/93; engine 4G63; MD D22A; MD D27A
				Tensioner	SR-1164	OD: 60; W: 31; CS; ->02/93; engine 4G63; MD D22A; MD D27A
				Deflection/Guide	SR-1165	OD: 60; W: 32; ->02/93; engine 4G63; MD D22A; MD D27A
2.0 i 16V 4WD [D22A, D27A]	110/150	4G63 [DOHC 16V]	04/91->11/95	Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; ->02/93; engine 4G63; MD D22A; MD D27A
				Tensioner	SR-1164	OD: 60; W: 31; CS; ->02/93; engine 4G63; MD D22A; MD D27A
GALANT II [A16_] 						
2.0 GLS [A163]	75/102	4G63 [SOHC 8V]	09/80->05/84	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; 09/81-> ->12/83; MD A163
2.3 Turbo-D [A167]	62/84	4D55 T	09/80->05/84	Tensioner	SR-1168	OD: 60; W: 30,5; CS; 09/82-> ->12/83; engine 4D55; MD A167; MD A167V
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; 09/82-> ->12/83; engine 4D55; MD A167; MD A167V
GALANT II Station Wagon [A16_V] 						
2.0 GLX [A163V]	75/102	4G63 [SOHC 8V]	09/80->06/83	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; 09/81-> ->12/83; MD A163V
2.3 Turbo-D [A167V]	62/84	4D55 T	07/83->05/84	Tensioner	SR-1168	OD: 60; W: 30,5; CS; ->12/83; engine 4D55; MD A167; MD A167V
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; ->12/83; engine 4D55; MD A167; MD A167V
GALANT III [E1_A] 						
1.8 Turbo-D [E14A]	60/82	4D65 T	06/84->04/90	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; ->06/85; engine 4D65; MD E14A
2.0 GLS [E15A]	75/102	4G63 [SOHC 8V]	06/84->04/90	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; ->04/87; MD E15A
2.0 GLS [E15A]	66/90	G63B	06/86->04/90	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; ->04/87; MD E15A
2.4 GLS [E16A]	82/112	G64B	07/85->04/90	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; ->01/87; MD E16A
GALANT IV [E3_A] 						
1.8 Turbo-D [E34A]	55/75	4D65 T	11/88->10/92	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; engine 4D65; MD E34A












	kW/HP	Engine code		Type		
2.0 (E39A, E38A, E33A)	80/109	4G63 (SOHC 8V)	04/89->10/92	Deflection/Guide	SR-1165	OD: 60; W: 32; 11/89->; MD E33A; MD E38A; MD E39A; camshaft DOHC
				Tensioner	SR-1164	OD: 60; W: 31; CS: 11/89->; MD E33A; MD E38A; MD E39A; camshaft DOHC
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; 11/89->; MD E33A; MD E38A; MD E39A; camshaft DOHC
2.0 4WD (E33A, E38A, E39A)	80/109	4G63 (SOHC 8V)	04/89->10/92	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; ->04/92; MD E33A; MD E38A; MD E39A; camshaft DOHC
				Deflection/Guide	SR-1165	OD: 60; W: 32; 11/89->; MD E33A; MD E38A; MD E39A; camshaft DOHC
				Tensioner	SR-1164	OD: 60; W: 31; CS: 11/89->; MD E33A; MD E38A; MD E39A; camshaft DOHC
2.0 GTI 16V (E39A, E38A, E33A)	106/144	4G63 (DOHC 16V)	11/88->10/92	Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; 11/89->; engine 4G63; MD E33A; MD E39A; camshaft DOHC
				Tensioner	SR-1164	OD: 60; W: 31; CS: 11/89->; engine 4G63; MD E33A; MD E39A; camshaft DOHC
				Deflection/Guide	SR-1165	OD: 60; W: 32; 11/89->; engine 4G63; MD E33A; MD E39A; camshaft DOHC
2.0 GTI 16V 4x4 (E38A, E39A, E33A)	106/144	4G63 (DOHC 16V)	07/89->12/92	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; ->04/92; engine 4G63; MD E33A; MD E39A; camshaft SOHC/OHC
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; 11/89->; engine 4G63; MD E33A; MD E39A; camshaft DOHC
				Tensioner	SR-1164	OD: 60; W: 31; CS: 11/89->; engine 4G63; MD E33A; MD E39A; camshaft DOHC
GALANT IV Saloon (E3_A) 						
1.8 Turbo-D (E34A)	55/75	4D65 T	12/87->10/92	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; engine 4D65; MD E34A
2.0 (E39A, E38A, E33A)	80/109	4G63 (SOHC 8V)	11/87->10/92	Deflection/Guide	SR-1165	OD: 60; W: 32; 11/89->; MD E33A; MD E38A; MD E39A; camshaft DOHC
				Tensioner	SR-1164	OD: 60; W: 31; CS: 11/89->; MD E33A; MD E38A; MD E39A; camshaft DOHC
				Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; ->04/92; MD E33A; MD E38A; MD E39A; camshaft SOHC/OHC
2.0 4WD (E39A, E38A, E33A)	80/109	4G63 (SOHC 8V)	12/88->10/92	Tensioner	SR-1161	OD: 55; W: 16; bal. shaft; 11/89->; MD E33A; MD E38A; MD E39A; camshaft DOHC
2.0 GTi 16V (E39A, E38A, E33A)	106/144	4G63 (DOHC 16V)	11/87->10/92	Deflection/Guide	SR-1165	OD: 60; W: 32; 11/89->; engine 4G63; MD E33A; MD E38A; MD E39A; camshaft DOHC
				Tensioner	SR-1164	OD: 60; W: 31; CS: 11/89->; engine 4G63; MD E33A; MD E38A; MD E39A; camshaft DOHC
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; 11/89->; engine 4G63; MD E33A; MD E39A; camshaft DOHC
2.0 GTi 16V (E39A, E38A, E33A)	107/145	4G63 (DOHC 16V)	11/88->10/92	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; ->04/92; engine 4G63; MD E33A; MD E38A; MD E39A; camshaft DOHC
				Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; ->04/92; engine 4G63; MD E33A; MD E38A; MD E39A; camshaft DOHC
				Tensioner	SR-1164	OD: 60; W: 31; CS: 11/89->; engine 4G63; MD E33A; MD E38A; MD E39A; camshaft DOHC
2.0 GTI 16V 4WD (E38A, E39A, E33A) CAT	110/150	4G63 (DOHC 16V)	09/91->10/92	Deflection/Guide	SR-1165	OD: 60; W: 32; engine 4G63; camshaft DOHC
				Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; ->04/92; engine 4G63; camshaft SOHC/OHC
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; engine 4G63; camshaft DOHC
2.0 GTi 16V 4WD (E39A, E38A, E33A)	106/144	4G63 (DOHC 16V)	06/88->10/92	Tensioner	SR-1161	OD: 60; W: 31; CS: engine 4G63; camshaft DOHC
				Deflection/Guide	SR-1165	OD: 60; W: 32; 11/89->; engine 4G63; MD E33A; MD E38A; MD E39A; camshaft DOHC
				Tensioner	SR-1166	OD: 60; W: 16; bal. shaft; ->04/92; engine 4G63; MD E33A; MD E38A; MD E39A; camshaft SOHC/OHC
2.4	116/158	4G69	10/03->	Tensioner	SR-1164	OD: 55; W: 16; bal. shaft; 11/89->; engine 4G63; MD E33A; MD E39A; camshaft DOHC
				Tensioner	SR-1164	OD: 60; W: 31; CS: 11/89->; engine 4G63; MD E33A; MD E38A; MD E39A; camshaft DOHC
				Deflection/Guide	SR-1165	OD: 60; W: 32; engine 4G63; camshaft DOHC
GALANT Saloon (DJ_, ED_, EF_) 						
2.4	116/158	4G69	10/03->	Deflection/Guide	SR-1530	OD: 60; W: 24; ->06/10; MD DM1A
				Deflection/Guide	SR-1528	OD: 90; W: 32; ALT; ->06/10; MD DM1A
				Tensioner	SR-1529	OD: 60; W: 24; CS; ->06/10; MD DM1A
				Tensioner	SR-1527	- holder; ID: 17; OD: 80; W: 28.5; ALT; ->06/10; MD DM1A
Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->06/10; MD DM1A				
GALANT V (E5_A, E7_A, E8_A) 						
1.8 (E52A)	85/116	4G93 (SOHC 16V)	02/94->08/96	Tensioner	SR-1167	OD: 58; W: 30; ->04/95; MD E52A
1.8 GLSi (E52A)	93/126	4G93 (SOHC 16V)	11/92->08/96	Tensioner	SR-1167	OD: 58; W: 30; ->04/95; engine 4G93; MD E52A
2.0 GLSi (E55A)	101/137	4G63 (SOHC 16V)	11/92->08/96	Deflection/Guide	SR-1165	OD: 60; W: 32; ->10/95; MD E55A; MD E75A
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; ->10/95; MD E55A; MD E75A
				Tensioner	SR-1172	OD: 60; W: 31; CS; ->10/95; MD E55A; MD E75A
2.0 GLSi 4WD (E75A)	101/137	4G63 (SOHC 16V)	11/92->08/96	Deflection/Guide	SR-1165	OD: 60; W: 32; ->10/95; MD E55A; MD E75A
				Tensioner	SR-1172	OD: 60; W: 31; CS; ->10/95; MD E55A; MD E75A
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; ->10/95; MD E55A; MD E75A
2.0 GLSTD (E57A)	66/90	4D68 T	11/92->08/96	Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; engine 4D68; MD E57A
2.5 V6-24 4WD (E88A)	125/170	6G73	11/92->08/96	Deflection/Guide	SR-1174	OD: 58; W: 35; ->04/95; MD E88A
				Tensioner	SR-1173	OD: 60; W: 35; ->04/95; MD E88A
GALANT V Saloon (E5_A, E7_A, E8_A) 						
1.8 (E52A)	85/116	4G93 (SOHC 16V)	02/94->08/96	Tensioner	SR-1167	OD: 58; W: 30; ->04/95; MD E52A
1.8 GLSi (E52A)	93/126	4G93 (SOHC 16V)	11/92->08/96	Tensioner	SR-1167	OD: 58; W: 30; ->04/95; engine 4G93; MD E52A












	kW/HP	Engine code		Type		
2.0 GLSI (E55A)	101/137	4G63 (SOHC 16V)	11/92->08/96	Deflection/Guide	SR-1165	OD: 60; W: 32; ->10/95; MD E55A; MD E75A
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; ->10/95; MD E55A; MD E75A
				Tensioner	SR-1172	OD: 60; W: 31; CS; ->10/95; MD E55A; MD E75A
2.0 GLSI 4WD (E75A)	101/137	4G63 (SOHC 16V)	11/92->08/96	Deflection/Guide	SR-1165	OD: 60; W: 32; ->10/95; MD E55A; MD E75A
				Tensioner	SR-1172	OD: 60; W: 31; CS; ->10/95; MD E55A; MD E75A
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; ->10/95; MD E55A; MD E75A
2.0 GLSTD (E57A)	66/90	4D68 T	11/92->08/96	Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; engine 4D65; MD E57A
2.5 V6-24 4WD (E88A)	125/170	6G73	11/92->08/96	Deflection/Guide	SR-1174	OD: 58; W: 35; ->04/95; MD E88A
				Tensioner	SR-1173	OD: 60; W: 35; ->04/95; MD E88A
GALANT VI (EA_) 						
2.0 (EA2A)	98/133	4G63 (SOHC 16V)	09/00->10/04	Deflection/Guide	SR-1165	OD: 60; W: 32; ->08/01; MD EA2A; MD EA2W
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->08/01; MD EA2A; MD EA2W
				Tensioner	SR-1172	OD: 60; W: 31; CS; ->08/01; MD EA2A; MD EA2W
2.0 (EA2A)	100/136	4G63 (SOHC 16V)	09/96->09/00	Deflection/Guide	SR-1165	OD: 60; W: 32; engine 4G63; MD EA2A; MD EA2W
				Tensioner	SR-1172	OD: 60; W: 31; CS; engine 4G63; MD EA2A; MD EA2W
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; engine 4G63; MD EA2A; MD EA2W
2.0 TDI (EA6A)	66/90	4D68 T;4D68 (SOHC)	09/96->10/04	Deflection/Guide	SR-1368	OD: 90; W: 28.3; PSP; 02/98->; engine 4G63; MD EA2A; + AC
				Tensioner	SR-1171	- holder; OD: 90; W: 27; ALT
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->07/01; engine 4D68; MD EA6A; MD EA6W
2.4 GDI (EA3A)	110/150	4G64 (GDI)	02/99->09/00	Deflection/Guide	SR-1165	OD: 60; W: 32; MD EA3A; camshaft DOHC
				Tensioner	SR-1172	OD: 60; W: 31; CS; MD EA3A; camshaft DOHC
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; MD EA3A; camshaft DOHC
2.4 GDI (EA3A)	106/144	4G64 (GDI)	09/00->10/04	Deflection/Guide	SR-1165	OD: 60; W: 32; ->07/01; engine 4G64; MD EA3A; camshaft DOHC
				Tensioner	SR-1172	OD: 60; W: 31; CS; ->07/01; engine 4G64; MD EA3A; camshaft DOHC
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->07/01; engine 4G64; MD EA3A; camshaft DOHC
GALANT VI Estate (EA_) 						
2.0 (EA2W)	98/133	4G63 (SOHC 16V)	09/00->10/03	Deflection/Guide	SR-1165	OD: 60; W: 32; engine 4G63; MD EA2A; MD EA2W
				Tensioner	SR-1172	OD: 60; W: 31; CS; engine 4G63; MD EA2A; MD EA2W
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; engine 4G63; MD EA2A; MD EA2W
2.0 (EA2W)	100/136	4G63 (SOHC 16V)	09/96->09/00	Deflection/Guide	SR-1165	OD: 60; W: 32; engine 4G63; MD EA2A; MD EA2W
				Tensioner	SR-1172	OD: 60; W: 31; CS; engine 4G63; MD EA2A; MD EA2W
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; engine 4G63; MD EA2A; MD EA2W
2.0 TDI (EA6W)	66/90	4D68 (SOHC)	09/96->10/03	Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->07/01; engine 4D68; MD EA6A; MD EA6W
2.4 GDI (EA3W)	110/150	4G64 (GDI)	02/99->10/03	Deflection/Guide	SR-1165	OD: 60; W: 32; MD EA3A; camshaft DOHC
				Tensioner	SR-1172	OD: 60; W: 31; CS; MD EA3A; camshaft DOHC
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; MD EA3A; camshaft DOHC
2.4 GDI (EA3W)	106/144	4G64 (GDI)	09/00->10/03	Deflection/Guide	SR-1165	OD: 60; W: 32; ->07/01; engine 4G64; MD EA3A; camshaft DOHC
				Tensioner	SR-1172	OD: 60; W: 31; CS; ->07/01; engine 4G64; MD EA3A; camshaft DOHC
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->07/01; engine 4G64; MD EA3A; camshaft DOHC
GRANDIS (NA_W) 						
2.0 DI-D	103/140	BWC	02/07->	Deflection/Guide	SR-1023	OD: 40; W: 36; ->03/10; engine VAG; MD NA8W; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; ->03/10; engine VAG; MD NA8W; Fitting Position: Right
2.0 DI-D	100/136	BSY	09/05->	Deflection/Guide	SR-1023	OD: 40; W: 36; ->03/10; engine VAG; MD NA8W; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; ->03/10; engine VAG; MD NA8W; Fitting Position: Right
2.4	121/165	4G69	04/04->	Deflection/Guide	SR-1528	OD: 90; W: 32; ALT; ->11/11; engine 4G69; MD NA4W
				Deflection/Guide	SR-1530	OD: 60; W: 24; ->11/10; engine 4G69; MD NA4W
				Tensioner	SR-1527	- holder; ID: 17; OD: 80; W: 28.5; ALT; ->11/10; engine 4G69; MD NA4W
				Tensioner	SR-1529	OD: 60; W: 24; CS; ->11/10; engine 4G69; MD NA4W
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->11/10; engine 4G69; MD NA4W
L 200 (K3_T, K2_T, K1_T, K0_T) 						
2.5 D (K14T)	51/70	4D56 (8V)	11/86->10/96	Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; ->05/93; engine 4D56; MD K14T; MD K24T; 06/93->
				Tensioner	SR-1168	OD: 60; W: 30.5; CS; ->05/93; engine 4D56; MD K14T; MD K24T; 06/93->
2.5 D 4WD (K24T)	51/70	4D56 (8V)	12/87->05/93	Tensioner	SR-1168	OD: 60; W: 30.5; CS; engine 4D56; MD K14T; MD K24T
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; engine 4D56; MD K14T; MD K24T
L 200 (K7_T, K6_T) 						
2.0 (K62T)	90/122	4G63 (SOHC 16V)	06/96->12/07	Deflection/Guide	SR-1165	OD: 60; W: 32; 09/96->; ->07/01; engine 4G63; MD K62T
				Tensioner	SR-1172	OD: 60; W: 31; CS; 09/96->; ->07/01; engine 4G63; MD K62T
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; 09/96->; ->07/01; engine 4G63; MD K62T
2.4 4WD (K75T)	97/132	4G64 (SOHC 16V)	06/96->12/07	Deflection/Guide	SR-1165	OD: 60; W: 32; ->06/01; engine 4G64; MD K75T; 07/01->
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; ->06/01; engine 4G64; MD K75T
				Tensioner	SR-1172	OD: 60; W: 31; CS; ->06/01; engine 4G64; MD K75T; 07/01->; engine 4G64; MD K75T; Fitting Position: Upper; ->06/01; engine 4G64; MD K75T; Fitting Position: Upper
2.5 D (K64T)	55/75	4D56 (8V)	06/96->12/07	Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; 07/01->; engine 4G64; MD K75T
				Tensioner	SR-1168	OD: 60; W: 30.5; CS; engine 4D56; MD K64T
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; engine 4D56; MD K64T










	kW/HP	Engine code		Type		
2.5 TD 4WD (K74T)	73/99	4D56 TD	06/96->12/07	Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; ->06/05; engine 4D56; MD K74T
				Tensioner	SR-1168	OD: 60; W: 30.5; CS; ->06/05; engine 4D56; MD K74T
2.5 TD 4WD (K74T)	98/133	4D56 T	08/01->12/07	Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; ->06/05; engine 4D56; MD K74T
				Tensioner	SR-1168	OD: 60; W: 30.5; CS; ->06/05; engine 4D56; MD K74T
2.5 TD 4WD (K74T)	85/115	4D56 T	09/01->12/07	Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; ->06/05; engine 4D56
				Tensioner	SR-1168	OD: 60; W: 30.5; CS; ->06/05; engine 4D56
L 200 (KB_T, KA_T) 						
2.5 DI-D (KA4T)	94/128	4D56 HP	04/10->	Deflection/Guide	SR-1468	OD: 60; W: 28.5; CS; engine 4D56; MD KA4T; Fitting Position: Upper Right; Fitting Position: Lower Right
				Tensioner	SR-1465	- holder; ID: 17; OD: 80; W: 31; ALT; engine 4D56; MD KA4T
				Tensioner	SR-1466	+ holder; OD: 60; W: 28.4; CS; engine 4D56; MD KA4T
				Tensioner	SR-1467	OD: 32; CS; engine 4D56; MD KA4T; Fitting Position: Lower Left
2.5 DI-D 4WD (KB4T)	131/178	4D56 HP	04/10->	Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; engine 4D56; MD KA4T
				Deflection/Guide	SR-1468	OD: 60; W: 28.5; CS; engine 4D56; MD KB4T; Fitting Position: Upper Right; Fitting Position: Lower Right
				Tensioner	SR-1467	OD: 32; CS; engine 4D56; MD KB4T; Fitting Position: Lower Left
				Tensioner	SR-1466	+ holder; OD: 60; W: 28.4; CS; engine 4D56; MD KB4T
2.5 DI-D 4WD (KB4T)	123/167	4D56 HP	10/07->	Tensioner	SR-1465	OD: 88; W: 19.6; ACCOM; engine 4D56; MD KB4T
				Tensioner	SR-1464	- holder; ID: 17; OD: 80; W: 31; ALT; engine 4D56; MD KB4T
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; engine 4D56; MD KB4T
				Deflection/Guide	SR-1468	OD: 60; W: 28.5; CS; engine 4D56; MD KB4T; Fitting Position: Upper Right; Fitting Position: Lower Right
2.5 DI-D 4WD (KB4T)	100/136	4D56 HP	11/05->	Tensioner	SR-1467	OD: 32; CS; engine 4D56; MD KB4T; Fitting Position: Lower Left
				Tensioner	SR-1466	+ holder; OD: 60; W: 28.4; CS; engine 4D56; MD KB4T
				Tensioner	SR-1465	- holder; ID: 17; OD: 80; W: 31; ALT; engine 4D56; MD KB4T
				Tensioner	SR-1464	OD: 88; W: 19.6; ACCOM; engine 4D56; MD KB4T
2.5 DI-D 4WD (KB4T)	100/136	4D56 HP	11/05->	Deflection/Guide	SR-1468	OD: 60; W: 28.5; CS; engine 4D56; MD KB4T; Fitting Position: Upper Right; Fitting Position: Lower Right
				Tensioner	SR-1464	OD: 88; W: 19.6; ACCOM; engine 4D56; MD KB4T
				Tensioner	SR-1465	- holder; ID: 17; OD: 80; W: 31; ALT; engine 4D56; MD KB4T
				Tensioner	SR-1466	+ holder; OD: 60; W: 28.4; CS; engine 4D56; MD KB4T
2.5 DI-D 4WD (KB4T)	100/136	4D56 HP	11/05->	Tensioner	SR-1467	OD: 32; CS; engine 4D56; MD KB4T; Fitting Position: Lower Left
				Tensioner	SR-1466	+ holder; OD: 60; W: 28.4; CS; engine 4D56; MD KB4T
				Tensioner	SR-1465	- holder; ID: 17; OD: 80; W: 31; ALT; engine 4D56; MD KB4T
				Tensioner	SR-1464	OD: 88; W: 19.6; ACCOM; engine 4D56; MD KB4T
L 300 Box (L03_P) 						
2.3 D (L038P, L068P)	50/68	4D55	09/83->10/86	Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; ->06/86; engine 4D55; MD L038P; MD L068P
				Tensioner	SR-1168	OD: 60; W: 30.5; CS; ->06/86; engine 4D55; MD L038P; MD L068P
L 300 Box (P0_W, P1_W, P0_V, P1_V, P_2V, P2_W) 						
2.0 (P03V, P13V)	64/87	G63B	11/86->09/13	Deflection/Guide	SR-1165	OD: 60; W: 32; 06/94->->12/96; MD P03V; MD P13V
				Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; ->04/87; MD P03V; MD P03W; MD P13V
				Tensioner	SR-1172	OD: 60; W: 31; CS; 06/94->->12/96; MD P03V; MD P13V
2.5 D (P05V, P05W, P15V)	51/69	4D56 (8V)	11/86->02/06	Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; bal. shaft; 05/92->->05/94; MD P03V; MD P03W; MD P13V; 06/94->->12/96; MD P03V; MD P13V
				Tensioner	SR-1168	OD: 60; W: 30.5; CS; CS; ->05/93; engine 4D56; MD L039P; MD P05V; MD P05W; MD P15V; 06/93->->12/96; engine 4D56; MD L039P; MD P05V; MD P05W; MD P15T; MD P15V
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; bal. shaft; ->05/93; engine 4D56; MD L039P; MD P05V; MD P05W; MD P15V; 06/93->->12/96; engine 4D56; MD L039P; MD P05V; MD P05W; MD P15T; MD P15V
L 300 Bus (L03_P/G, L0_2P) 						
2.3 D (L038P)	50/68	4D55	04/83->10/86	Tensioner	SR-1168	OD: 60; W: 30.5; CS; ->06/86; engine 4D55; MD L038P; MD L068P
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; ->06/86; engine 4D55; MD L038P; MD L068P
L 300 Bus (P0_W, P1_W, P2_W) 						
2.0 (P13T, P03W, P03V, P13V)	66/90	4G63 (SOHC 8V)	11/86->	Deflection/Guide	SR-1165	OD: 60; W: 32; 06/94->->12/96; MD P03V; MD P03W; MD P13V
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; bal. shaft; 05/92->->05/94; MD P03V; MD P03W; MD P13V; 06/94->->12/96; MD P03V; MD P03W; MD P13V
				Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; ->04/87; MD P03V; MD P03W; MD P13V
				Tensioner	SR-1172	OD: 60; W: 31; CS; 06/94->->12/96; MD P03V; MD P03W; MD P13V
2.0 (P13V, P03W, P13T)	64/87	G63B	11/86->	Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; 05/92->->05/94; MD P03V; MD P03W; MD P13V
				Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; ->04/87; MD P03V; MD P03W; MD P13V
2.0 4WD (P13V, P23V, P23W, P03V, P13T)	65/88	4G63 (SOHC 8V)	12/86->	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; ->04/87; MD P23V; MD P23W
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; 05/92->->05/94; MD P23V; MD P23W
2.0 4WD (P13V, P23W, P03V, P13T)	66/90	4G63 (SOHC 8V)	11/86->	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; ->04/87; MD P23V; MD P23W
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; 05/92->->05/94; MD P23V; MD P23W
2.4 4WD (P24W, P24V)	82/112	4G64 (8V)	11/90->	Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; 05/92->->05/94; engine 4G64; engine 644B; MD P24V; MD P24W
2.5 D (P25V, P05W, P05V, P15V, P15T)	51/69	4D56 (8V)	11/86->	Tensioner	SR-1168	OD: 60; W: 30.5; CS; CS; ->05/93; engine 4D56; MD L039P; MD P05V; MD P05W; MD P15V; 06/93->->12/96; engine 4D56; MD L039P; MD P05V; MD P05W; MD P15T; MD P15V
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; bal. shaft; ->05/93; engine 4D56; MD L039P; MD P05V; MD P05W; MD P15V; 06/93->->12/96; engine 4D56; MD L039P; MD P05V; MD P05W; MD P15T; MD P15V
2.5 TD 4WD (P25W, P25V)	64/87	4D56 T	11/88->	Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; ->05/93; engine 4D56; MD P25V; MD P25W; 06/93->->12/96
				Tensioner	SR-1168	OD: 60; W: 30.5; CS; ->05/93; engine 4D56; MD P25V; MD P25W; 06/93->->12/96












	kW/HP	Engine code		Type		
L 300 Platform/Chassis (L03_P) 						
2.5 D (L039P)	51/69	4D56 (8V)	11/86->04/94	Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; bal. shaft; ->05/93; engine 4D56; MD L039P; MD P05W; MD P05W; MD P15V; 06/93-> engine 4D56; MD L039P; MD P05W; MD P05W; MD P15T; MD P15V
				Tensioner	SR-1168	OD: 60; W: 30.5; CS; CS; ->05/93; engine 4D56; MD L039P; MD P05V; MD P05W; MD P15V; 06/93-> engine 4D56; MD L039P; MD P05V; MD P05W; MD P15T; MD P15V
L 300 Platform/Chassis (P1_T) 						
2.5 TD (P15T)	64/87	4D56 T	11/94->04/00	Tensioner	SR-1168	OD: 60; W: 30.5; CS; CS; ->12/96; engine 4D56; MD L039P; MD P05V; MD P05W; MD P15T; MD P15V
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; ->12/96; engine 4D56; MD L039P; MD P05V; MD P05W; MD P15T; MD P15V
L 400 Box (PD_W, PC_W, PB_V, PA_W, PA_V) 						
2500 TD (PD5W, PD5V, PA5W, PA5V)	64/87	4D56 T	09/96->06/05	Tensioner	SR-1168	OD: 60; W: 30.5; CS; engine 4D56; MD PB5V
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; engine 4D56; MD PB5V
LANCER Estate (CS_W) 						
1.6	72/98	4G18	09/03->10/08	Tensioner	SR-1322	OD: 57; W: 31; MD CS3A; MD CS3W
				Deflection/Guide	SR-1165	OD: 60; W: 32; CS; engine 4G63; MD CS9W
				Deflection/Guide	SR-1528	OD: 90; W: 32; ALT; engine 4G63; MD CS9W
2.0	99/135	4G63 (DOHC 16V)	09/03->12/07	Tensioner	SR-1172	OD: 60; W: 31; CS; engine 4G63; MD CS9W
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; engine 4G63; MD CS9W
				Tensioner	SR-1527	- holder; ID: 17; OD: 80; W: 28.5; ALT; engine 4G63; MD CS9W
LANCER F II (A17_) 						
1.2 GLX (A171)	40/55	4G11	03/83->01/84	Tensioner	SR-1158	OD: 60; W: 24; engine 4G11; MD A171
LANCER I (A17_) 						
1.2 (A171)	40/54	4G11	01/80->12/81	Tensioner	SR-1158	OD: 60; W: 24; engine 4G11; MD A171
1.4 GLX (A172)	50/68	4G12	09/79->02/83	Tensioner	SR-1158	OD: 60; W: 24; ->10/82; engine 4G12; MD A172; MD A172A
2.0 Turbo Eci (A176)	125/170	4G63 T (SOHC 8V)	03/81->02/83	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; 09/81-> ->12/82; engine 4G32; MD A176
LANCER III (C1_A, C6_A) 						
1.2 (C65A)	44/60	4G16	08/86->04/88	Tensioner	SR-1158	OD: 60; W: 24; 06/87-> MD C65A
1.2 GL (C15AS)	40/55	4G16	01/84->10/86	Tensioner	SR-1158	OD: 60; W: 24; MD C15AS
1.5 GLX (C12AS)	51/70	G15B	06/85->04/88	Tensioner	SR-1158	OD: 60; W: 24; ->05/87; MD C12AS; MD C12V; 06/87-> MD C12AS; MD C12V
1.5 GLX (C12AS)	55/75	4G15	11/83->04/88	Tensioner	SR-1158	OD: 60; W: 24; ->05/87; engine 4G15; MD C12AS; MD C12V; 06/87-> engine 4G15; MD C12AS; MD C12V
1.8 Diesel (C14AS)	43/58	4D65	01/84->09/86	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; engine 4D65; MD C14AS; MD C14V
1.8 Diesel (C14AS)	44/60	4D65	09/86->04/88	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; bal. shaft; 03/88-> engine 4D65; MD C14AS; MD C14V; MD C64A; ->02/88; engine 4D65; MD C14AS; MD C14V
LANCER III Station Wagon (C1_V, C3_V) 						
1.5 (C12V)	51/70	G15B	09/85->08/89	Tensioner	SR-1158	OD: 60; W: 24; ->05/87; MD C12AS; MD C12V; 06/87-> MD C12AS; MD C12V
1.5 (C12V)	55/75	4G15	09/85->12/87	Tensioner	SR-1158	OD: 60; W: 24; ->05/87; engine 4G15; MD C12AS; MD C12V; 06/87-> engine 4G15; MD C12AS; MD C12V
1.5 (C12V)	61/83	4G15	09/88->12/90	Tensioner	SR-1158	OD: 60; W: 24; engine 4G15; MD C12AS; MD C12V
1.8 D (C14V)	44/60	4D65	08/86->06/92	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; bal. shaft; 03/88-> engine 4D65; MD C14AS; MD C14V; MD C64A; ->02/88; engine 4D65; MD C14AS; MD C14V
1.8 D (C14V)	43/58	4D65	09/85->09/86	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; engine 4D65; MD C14AS; MD C14V
LANCER IV (C6_A, C7_A) 						
1.5 12V (C62A)	66/90	4G15 (12V)	05/89->05/92	Tensioner	SR-1158	OD: 60; W: 24; ->05/90; engine 4G15; MD C62A
1.6 16V (C76A, C66A)	83/113	4G92 (SOHC 16V)	06/92->05/94	Tensioner	SR-1167	OD: 58; W: 30; engine 4G92; MD C66A; MD CA4A; MD CB4A; MD CB4W; MD CD4A; MD CD4W
1.8 D (C64A)	44/60	4D65	04/88->05/92	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; engine 4D65; MD C14AS; MD C14V; MD C64A
				Deflection/Guide	SR-1165	OD: 60; W: 32; MD C68A
1.8 GTi 16V (C68A)	100/136	4G67	11/89->05/92	Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; MD C68A
				Tensioner	SR-1164	OD: 60; W: 31; CS; MD C68A
1.8 GTi 16V (C69A)	103/140	4G93 (DOHC 16V)	06/92->12/93	Deflection/Guide	SR-1165	OD: 60; W: 32; ->05/93; MD C69A; MD CA5A; MD CB5A; camshaft DOHC
LANCER IV Saloon (C6_A) 						
1.3 (C61A)	44/60	4G13 (8V)	04/88->05/92	Tensioner	SR-1158	OD: 60; W: 24; ->05/90; engine 4G13; MD C61A
1.3 (C61A)	51/70	4G13 (8V);G13B	08/88->05/92	Tensioner	SR-1158	OD: 60; W: 24; ->05/90; engine 4G13; MD C61A
1.5 (C62A)	62/84	4G15 (12V)	04/88->05/92	Tensioner	SR-1158	OD: 60; W: 24; ->05/90; engine 4G15; MD C62A
1.5 12V (C62A)	66/90	4G15 (12V)	05/89->05/92	Tensioner	SR-1158	OD: 60; W: 24; ->05/90; engine 4G15; MD C62A
1.8 GLX Diesel (C64A)	44/60	4D65	04/88->05/92	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; engine 4D65; MD C14AS; MD C14V; MD C64A
LANCER Saloon (CS_A, CT0) 						
1.3	60/82	4G13 (16V)	09/03->	Tensioner	SR-1322	OD: 57; W: 31; ->03/11; MD CS1A
1.6 (CS3A)	72/98	4G18	09/03->	Tensioner	SR-1322	OD: 57; W: 31; ->03/11; MD CS3A; MD CS3W
				Deflection/Guide	SR-1165	OD: 60; W: 32; CS; ->03/11; engine 4G63; MD CS9A
				Deflection/Guide	SR-1528	OD: 90; W: 32; ALT; ->03/11; engine 4G63; MD CS9A
2.0 (CS9A)	99/135	4G63 (DOHC 16V)	12/03->	Tensioner	SR-1172	OD: 60; W: 31; CS; ->03/11; engine 4G63; MD CS9A
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->03/11; engine 4G63; MD CS9A
				Tensioner	SR-1527	- holder; ID: 17; OD: 80; W: 28.5; ALT; ->03/11; engine 4G63; MD CS9A
				Deflection/Guide	SR-1165	OD: 60; W: 32; ->06/07; engine 4G63; MD CT9A
				Deflection/Guide	SR-1528	OD: 90; W: 32; ALT; ->06/07; engine 4G63; MD CT9A
2.0 16V EVO IX (CT9A)	206/280	4G63 Turbo	01/06->	Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->06/07; engine 4G63; MD CT9A














	kW/HP	Engine code		Type		
2.0 16V EVO VIII (CT9A)	195/265	4G63 Turbo	03/04->	Deflection/Guide	SR-1165	OD: 60; W: 32; ->06/07; engine 4G63; MD CT9A
				Deflection/Guide	SR-1528	OD: 90; W: 32; ALT; 05/04->; ->06/07; engine 4G63; MD CT9A
				Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT; ->04/05
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->06/07; engine 4G63; MD CT9A
LANCER Saloon (CY/Z_A) 						
1.8	105/143	4B10	02/08->	Deflection/Guide	SR-1041	OD: 70; W: 24,7; ALT; ->02/15; MD CY3A
1.8	103/140	4B10	05/10->	Deflection/Guide	SR-1041	OD: 70; W: 24,7; ALT; engine 4B10; MD CY3A
2.0	108/147	4B11	01/09->	Deflection/Guide	SR-1041	OD: 70; W: 24,7; ALT; ->06/12; engine 4B11; MD CY4A
				Tensioner	SR-1042	+ holder; OD: 65; W: 26; ALT; ->06/12; engine 4B11; MD CY4A
2.0 DI-D	103/140	BKD;BWC	01/08->	Deflection/Guide	SR-1023	OD: 40; W: 36; ->06/10; engine VAG; MD CY8A; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; ->06/10; engine VAG; MD CY8A; Fitting Position: Right
2.0 EVO 4WD (CZ4A)	217/295	4B11 T/C	06/08->	Deflection/Guide	SR-1041	OD: 70; W: 24,7; ALT; ->06/14; engine 4B11; MD CZ4A
LANCER SPORTBACK (CX_A) 						
1.8	103/140	4B10	03/09->	Deflection/Guide	SR-1041	OD: 70; W: 24,7; ALT; ->09/11; MD CX3A
1.8 (CX3A)	105/143	4B10	06/08->	Deflection/Guide	SR-1041	OD: 70; W: 24,7; ALT; ->09/11; MD CX3A
2.0 DI-D	103/140	BKD;BWC	06/08->	Deflection/Guide	SR-1023	OD: 40; W: 36; ->06/10; MD CX8A; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; ->06/10; MD CX8A; Fitting Position: Right
2.0 Ralliart 4WD (CX4A)	177/241	4B11 T/C	10/08->	Deflection/Guide	SR-1041	OD: 70; W: 24,7; ALT; ->09/11; MD CX4A
LANCER V (CB/D_A) 						
1.6 16V (CB4A)	83/113	4G92 (SOHC 16V)	06/92->12/96	Tensioner	SR-1167	OD: 58; W: 30; engine 4G92; MD C66A; MD CA4A; MD CB4A; MD CB4W; MD CD4A; MD CD4W
1.6 16V 4WD (CD4A)	83/113	4G92 (SOHC 16V)	06/92->12/96	Tensioner	SR-1167	OD: 58; W: 30; engine 4G92; MD C66A; MD CA4A; MD CB4A; MD CB4W; MD CD4A; MD CD4W
1.8 16V (CB5A)	103/140	4G93 (DOHC 16V)	06/92->12/93	Tensioner	SR-1167	OD: 58; W: 30; MD CA5A; MD CB5A; camshaft SOHC/OHC
2.0 Diesel (CB8A)	50/68	4D68	06/92->12/96	Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; ->11/94; engine 4D68; MD CB8A
LANCER V Station Wagon (CB_W, CD_W) 						
1.6 16V (CB4W)	83/113	4G92 (SOHC 16V)	12/92->10/03	Tensioner	SR-1167	OD: 58; W: 30; ->09/00; engine 4G92; MD C66A; MD CA4A; MD CB4A; MD CB4W; MD CD4A; MD CD4W
1.6 16V 4WD (CD4W)	83/113	4G92 (SOHC 16V)	12/92->10/03	Tensioner	SR-1167	OD: 58; W: 30; ->09/00; engine 4G92; MD C66A; MD CA4A; MD CB4A; MD CB4W; MD CD4A; MD CD4W
2.0 D (CB8W)	50/68	4D68	12/92->10/03	Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; engine 4D68; MD CB8W
LANCER VI (CJ-CP_) 						
1.3 12V (CK1A)	55/75	4G13 (12V)	12/95->08/03	Tensioner	SR-1322	OD: 57; W: 31; 12/98->; ->05/01; engine 4G13; MD CK1A; camshaft SOHC/OHC
				Tensioner	SR-1321	OD: 57; W: 34,5; ->11/98; engine 4G13; MD CK1A; camshaft SOHC/OHC
				Deflection/Guide	SR-1165	OD: 60; W: 32; ->09/00; engine 4G15; MD CK2A; camshaft DOHC
1.5 16V (CK2A)	69/94	4G15 (16V)	10/99->08/03	Tensioner	SR-1322	OD: 57; W: 31; ->09/00; engine 4G15; MD CK2A; camshaft SOHC/OHC
				Tensioner	SR-1321	OD: 57; W: 34,5; ->09/00; engine 4G15; MD CK2A; camshaft DOHC
1.6 16V (CK4A)	66/90	4G92 (SOHC 16V)	12/95->08/03	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; PSP
				Tensioner	SR-1299	OD: 58; W: 29; engine 4G92; MD CK4A; camshaft SOHC/OHC
2.0 16V EVO	206/280	4G63 Turbo	08/98->08/01	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
				Deflection/Guide	SR-1165	OD: 60; W: 32; engine 4G63; MD CT9A
Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; engine 4G63; MD CT9A				
OUTLANDER II (CW_W) 						
2.0	108/147	4B11	11/06->11/12	Deflection/Guide	SR-1041	OD: 70; W: 24,7; ALT; ->06/12; MD CW4W
				Tensioner	SR-1042	+ holder; OD: 65; W: 26; ALT; ->06/12; MD CW4W
2.0 4WD	108/147	4B11	11/06->11/12	Deflection/Guide	SR-1041	OD: 70; W: 24,7; ALT; ->06/12; MD CW4W
Tensioner	SR-1042	+ holder; OD: 65; W: 26; ALT; ->06/12; MD CW4W				
2.0 DI-D	103/140	BSY	02/07->11/12	Deflection/Guide	SR-1023	OD: 40; W: 36; engine VAG; MD CW8W; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine VAG; MD CW8W; Fitting Position: Right
2.4 4WD	125/170	4B12	09/07->11/12	Deflection/Guide	SR-1041	OD: 70; W: 24,7; ALT; ->06/12; engine 4B12; MD CW5W
Tensioner	SR-1042	+ holder; OD: 65; W: 26; ALT; ->06/12; engine 4B12; MD CW5W				
3.0 4WD	162/220	6B31	11/06->11/12	Tensioner	SR-1558	- holder; ID: 17; OD: 76; W: 26; ALT
PAJERO CLASSIC (V2_W) 						
2.5 TD	85/115	4D56 T	07/02->	Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; ->04/04; engine 4D56; MD V24W
				Tensioner	SR-1168	OD: 60; W: 30,5; CS; ->04/04; engine 4D56; MD V24W
PAJERO I (L04_G, L14_G) 						
2.5 TD (L044G, L049G)	64/87	4D56 T	01/90->12/91	Tensioner	SR-1168	OD: 60; W: 30,5; CS; engine 4D56; MD L044G; MD L049G
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; engine 4D56; MD L044G; MD L049G
2.5 TD (L044G, L049G)	70/95	4D56 T	11/89->11/90	Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; engine 4D56; MD L044G; MD L049G
				Tensioner	SR-1168	OD: 60; W: 30,5; CS; engine 4D56; MD L044G; MD L049G
3.0 V6 (L141G, L146G)	104/141	6G72 (SOHC 12V)	11/88->11/90	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
				Tensioner	SR-1170	OD: 60; W: 32; MD L141G; MD L146G; MD V23C; MD V23W; MD V43W
PAJERO I Canvas Top (L04_G) 						
2.3 TD (L043G, L048G)	62/84	4D55 T	12/82->04/86	Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; 01/83->; engine 4D55; MD L043G; MD L048G
				Tensioner	SR-1168	OD: 60; W: 30,5; CS; 01/83->; engine 4D55; MD L043G; MD L048G
2.5 TD (L044G, L049G)	62/84	4D56 T	05/86->10/89	Tensioner	SR-1168	OD: 60; W: 30,5; CS; engine 4D56; MD L044G; MD L049G
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; engine 4D56; MD L044G; MD L049G








	kW/HP	Engine code		Type		
2.5 TD (L044G, L049G)	70/95	4D56 T	11/89->11/90	Tensioner	SR-1168	OD: 60; W: 30.5; CS; engine 4D56; MD L044G; MD L049G
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; engine 4D56; MD L044G; MD L049G
PAJERO II (V3_W, V2_W, V4_W) 						
2.4 (V21W, V21C)	82/112	4G64 (12V)	04/91->10/99	Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; 05/92-> ; ->05/94
2.5 TD 4WD (V24C, V24W)	73/99	4D56 TD	12/90->10/99	Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; bal. shaft; ->10/93; engine 4D56; MD V24C; MD V24W; 11/93-> ; engine 4D56; MD V24C; MD V24W
				Tensioner	SR-1168	OD: 60; W: 30.5; CS; CS; ->10/93; engine 4D56; MD V24C; MD V24W; 11/93-> ; engine 4D56; MD V24C; MD V24W
3.0 V6 24V (V43W, V23W)	133/181	6G72 (SOHC 24V)	06/94->05/97	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
3.0 V6 24V (V43W, V23W)	130/177	6G72 (SOHC 24V)	06/97->10/99	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
3.0 V6 4WD (V23W, V43W, V23C)	110/150	6G72 (SOHC 12V)	12/90->12/95	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
				Tensioner	SR-1170	OD: 60; W: 32; ->05/94; MD L1416; MD L146G; MD V23C; MD V23W; MD V43W
3.5 V6 24V (V25W, V45W)	153/208	6G74 (DOHC 24V);6G74 (SOHC 24V)	06/94->10/99	Deflection/Guide	SR-1174	OD: 58; W: 35; ->05/97; engine 6G74; MD V25W, V45W, V65W, V7; camshaft DOHC, 06/97-> ; MD V65W, V75W
				Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT; engine 6G74
				Tensioner	SR-1173	OD: 60; W: 35; ->05/97; engine 6G74; MD V25W, V45W, V65W, V7; camshaft DOHC, 06/97-> ; MD V65W, V75W
3.5 V6 24V (V45W, V25W)	143/194	6G74 (DOHC 24V);6G74 (SOHC 24V)	07/97->10/99	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT; engine 6G74
				Deflection/Guide	SR-1174	OD: 58; W: 35; engine 6G74; MD V65W, V75W; camshaft DOHC
				Tensioner	SR-1173	OD: 60; W: 35; engine 6G74; MD V65W, V75W; camshaft DOHC
PAJERO II Canvas Top (V2_W, V4_W) 						
1.8 GDI	96/131	4G93 (GDI)	06/98->04/00	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT; + AC
2.4 (V41W, V21W, V21C)	82/112	4G64 (12V)	04/91->04/00	Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; 05/92-> ; ->05/94
2.5 TD 4WD (V24C, V24W)	73/99	4D56 TD	12/90->04/00	Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; 06/92-> ; ->10/93; engine 4D56; MD V24C; MD V24W
				Tensioner	SR-1168	OD: 60; W: 30.5; CS; 06/92-> ; ->10/93; engine 4D56; MD V24C; MD V24W
3.0 V6 (V23W, V43W, V23C)	110/150	6G72 (SOHC 12V)	12/90->12/95	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
				Tensioner	SR-1170	OD: 60; W: 32; ->05/94; MD L1416; MD L146G; MD V23C; MD V23W; MD V43W
3.0 V6 24V (V23W, V23C)	133/181	6G72 (SOHC 24V)	06/94->04/00	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
PAJERO III (V7_W, V6_W) 						
3.2 Di-D	118/160	4M41	04/00->12/06	Tensioner	SR-1555	ID: 12; OD: 77; W: 16.5; ->08/06
3.5	149/203	6G74 (DOHC 24V)	04/00->01/07	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT; engine 6G74
PAJERO III Open Off-Road Vehicle (V6_W, V7_W) 						
2.5 TDi (V64W, V74W)	85/115	4D56 T	09/01->12/06	Tensioner	SR-1168	OD: 60; W: 30.5; CS; ->08/06; engine 4D56
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; ->08/06; engine 4D56
PAJERO IV (V8_W, V9_W) 						
3.0 4WD	131/178	6G72 (SOHC 24V)	02/07->	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
3.2 Di-D (V88W, V98W)	118/160	4M41	02/07->	Tensioner	SR-1555	ID: 12; OD: 77; W: 16.5
3.2 Di-D (V88W, V98W)	125/170	4M41	02/07->	Tensioner	SR-1555	ID: 12; OD: 77; W: 16.5
3.2 Di-D 4WD (V98W, V88W)	147/200	4M41	01/09->	Tensioner	SR-1555	ID: 12; OD: 77; W: 16.5
				Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
				Deflection/Guide	SR-1553	OD: 70.1; W: 29.7; ALT; engine 6G75; MD V87W; MD V97W; Fitting Position: Upper Left
3.8 V6	182/248	6G75	02/10->	Deflection/Guide	SR-1174	OD: 58; W: 35; CS; engine 6G75; MD V87W; MD V97W
				Tensioner	SR-1554	- holder; ID: 17; OD: 80; W: 32; ALT; engine 6G75; MD V87W; MD V97W
				Tensioner	SR-1173	OD: 60; W: 35; CS; CS; engine 6G75; MD V87W; MD V97W; engine 6G75; MD V87W; MD V97W; Fitting Position: Upper
				Deflection/Guide	SR-1553	OD: 70.1; W: 29.7; ALT; engine 6G75; MD V87W; MD V97W; Fitting Position: Left
				Deflection/Guide	SR-1174	OD: 58; W: 35; CS; engine 6G75; MD V87W; MD V97W
3.8 V6 (V87W, V97W)	184/250	6G75	02/07->	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
				Tensioner	SR-1554	- holder; ID: 17; OD: 80; W: 32; ALT; engine 6G75; MD V87W; MD V97W
				Tensioner	SR-1173	OD: 60; W: 35; CS; CS; engine 6G75; MD V87W; MD V97W; engine 6G75; MD V87W; MD V97W; Fitting Position: Upper
PAJERO PININ (H6_W, H7_W) 						
1.8 (H76W, H66W)	84/114	4G93 (SOHC 16V)	11/01->06/07	Deflection/Guide	SR-1165	OD: 60; W: 32; engine 4G93; MD H66W; camshaft DOHC; engine 4G93; MD H66W; Fitting Position: Centre right; camshaft DOHC
				Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
				Tensioner	SR-1299	OD: 58; W: 29; engine 4G93; MD H66W; camshaft SOHC/OHC
1.8 GDI (H66W)	88/120	4G93 (GDI)	10/99->10/01	Deflection/Guide	SR-1165	OD: 60; W: 32; engine 4G93; MD H66W; camshaft DOHC; engine 4G93; MD H66W; Fitting Position: Centre right; camshaft DOHC
				Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
				Tensioner	SR-1299	OD: 58; W: 29; engine 4G93; MD H66W; camshaft SOHC/OHC
2.0 GDI (H67W, H77W)	95/129	4G94 (GDI)	10/00->06/07	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
PAJERO SPORT (K90) 						
2.5 TD (K94W)	85/115	4D56 T	07/02->	Tensioner	SR-1168	OD: 60; W: 30.5; CS; ->02/09; engine 4D56; MD K94W
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; ->02/09; engine 4D56; MD K94W
2.5 TD (K94W)	98/133	4D56 T	08/03->	Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; ->02/09; engine 4D56; MD K94W
				Tensioner	SR-1168	OD: 60; W: 30.5; CS; CS; ->02/09; engine 4D56; MD K94W
2.5 TD (K94W)	73/99	4D56 T	11/98->	Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; ->02/09; engine 4D56; MD K94W
				Tensioner	SR-1168	OD: 60; W: 30.5; CS; CS; ->02/09; engine 4D56; MD K94W













	kW/HP	Engine code		Type		
3.0 V6 (K96W)	125/170	6G72 (SOHC 24V)	06/00->	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
				Deflection/Guide	SR-1174	OD: 58; W: 35; ->02/09; engine 6G72; MD K96W; Fitting Position: Right; camshaft DOHC; ->02/09; engine 6G72; MD K96W; camshaft DOHC
				Tensioner	SR-1173	OD: 60; W: 35; ->02/09; engine 6G72; MD K96W; Fitting Position: Centre; camshaft DOHC; ->02/09; engine 6G72; MD K96W; camshaft DOHC
3.0 V6 (K96W)	130/177	6G72 (SOHC 24V)	11/98->	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
				Deflection/Guide	SR-1174	OD: 58; W: 35; ->02/09; engine 6G72; MD K96W; Fitting Position: Right; camshaft DOHC; ->02/09; engine 6G72; MD K96W; camshaft DOHC
				Tensioner	SR-1173	OD: 60; W: 35; ->02/09; engine 6G72; MD K96W; Fitting Position: Centre; camshaft DOHC; ->02/09; engine 6G72; MD K96W; camshaft DOHC
PAJERO SPORT II (KH_, KG_) 						
2.5 DI-D	131/178	4D56 HP	07/08->	Deflection/Guide	SR-1468	OD: 60; W: 28,5; CS; MD KG4W; Fitting Position: Upper Right; Fitting Position: Lower Right
				Tensioner	SR-1464	OD: 88; W: 19,6; ACCOM; MD KG4W
				Tensioner	SR-1467	OD: 32; CS; MD KG4W; Fitting Position: Lower Left
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; MD KG4W
				Tensioner	SR-1465	- holder; ID: 17; OD: 80; W: 31; ALT; MD KG4W
				Tensioner	SR-1466	+ holder; OD: 60; W: 28,4; CS; MD KG4W
2.5 DI-D 4WD (KH4W)	131/178	4D56 HP	07/08->	Deflection/Guide	SR-1468	OD: 60; W: 28,5; CS; engine 4D56; MD KH4W; Fitting Position: Upper Right; Fitting Position: Lower Right
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; engine 4D56; MD KH4W
				Tensioner	SR-1466	+ holder; OD: 60; W: 28,4; CS; engine 4D56; MD KH4W
				Tensioner	SR-1467	OD: 32; CS; engine 4D56; MD KH4W; Fitting Position: Lower Left
				Tensioner	SR-1464	OD: 88; W: 19,6; ACCOM; engine 4D56; MD KH4W
				Tensioner	SR-1465	- holder; ID: 17; OD: 80; W: 31; ALT; engine 4D56; MD KH4W
2.5 TD	98/133	4D56 T	09/08->	Deflection/Guide	SR-1468	OD: 60; W: 28,5; CS; MD KG4W; Fitting Position: Upper Right; Fitting Position: Lower Right
				Tensioner	SR-1466	+ holder; OD: 60; W: 28,4; CS; MD KG4W
				Tensioner	SR-1465	- holder; ID: 17; OD: 80; W: 31; ALT; MD KG4W
				Tensioner	SR-1169	OD: 58; W: 21; bal. shaft; MD KG4W
				Tensioner	SR-1464	OD: 88; W: 19,6; ACCOM; MD KG4W
				Tensioner	SR-1467	OD: 32; CS; MD KG4W; Fitting Position: Lower Left
3.0 4WD	162/220	6B31	09/08->	Deflection/Guide	SR-1553	OD: 70,1; W: 29,7; ALT; MD KG6W; Fitting Position: Left
				Tensioner	SR-1554	- holder; ID: 17; OD: 80; W: 32; ALT; MD KG6W
3.2 DI-D 4WD	118/160	4M41	07/08->	Tensioner	SR-1464	OD: 88; W: 19,6; ACCOM; MD KH8W
3.5 V6 24V	153/208	6G74 (SOHC 24V)	09/08->	Deflection/Guide	SR-1553	OD: 70,1; W: 29,7; ALT; MD KH9W; Fitting Position: Left
				Deflection/Guide	SR-1174	OD: 58; W: 35; CS; MD KH9W
				Tensioner	SR-1554	- holder; ID: 17; OD: 80; W: 32; ALT; MD KH9W
				Tensioner	SR-1173	OD: 60; W: 35; CS; MD KH9W; Fitting Position: Upper
SANTAMO 						
2.0 16V	102/139	4G63 (DOHC 16V)	05/99->12/04	Deflection/Guide	SR-1165	OD: 60; W: 32; ->12/00; camshaft DOHC
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; ->12/00; camshaft DOHC
				Tensioner	SR-1164	OD: 60; W: 31; CS; ->12/00; camshaft DOHC
2.0 16V 4WD	102/139	4G63 (DOHC 16V)	05/99->12/04	Deflection/Guide	SR-1165	OD: 60; W: 32; ->12/00; camshaft DOHC
				Tensioner	SR-1164	OD: 60; W: 31; CS; ->12/00; camshaft DOHC
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; ->12/00; camshaft DOHC
SAPPORO II (A16_A) 						
2.0 GSL (A164A)	75/102	4G63 (SOHC 8V)	08/80->08/83	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; bal. shaft; ->06/81; MD A164A; 09/81-> MD A164A
2.0 GSR (A164A)	82/112	4G63 (SOHC 8V)	08/80->09/84	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; bal. shaft; ->06/81; MD A164A; 09/81-> ->01/83; ->12/83; MD A164A
SIGMA (F2_A, F1_A) 						
3.0 V6	130/177	6G72 (SOHC 12V)	12/90->07/96	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
				Deflection/Guide	SR-1174	OD: 58; W: 35; ->03/95; MD F16A; camshaft DOHC
				Tensioner	SR-1170	OD: 60; W: 32; ->03/95; MD F16A; camshaft SOHC/OHC
3.0 V6	151/205	6G72 (DOHC 24V)	12/90->07/96	Tensioner	SR-1173	OD: 60; W: 35; ->03/95; MD F16A; camshaft DOHC
				Deflection/Guide	SR-1174	OD: 58; W: 35; ->03/95; MD F16A; camshaft DOHC
				Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
3.0 V6	151/205	6G72 (DOHC 24V)	12/90->07/96	Tensioner	SR-1173	OD: 60; W: 35; ->03/95; MD F16A; camshaft DOHC
				Tensioner	SR-1170	OD: 60; W: 32; ->03/95; MD F16A; camshaft SOHC/OHC
SIGMA Station Wagon (F0_W) 						
3.0	125/170	6G72 (SOHC 12V)	06/92->10/96	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
SPACE RUNNER (N1_W, N2_W) 						
1.8 (N11W)	90/122	4G93 (SOHC 16V)	10/91->08/99	Tensioner	SR-1167	OD: 58; W: 30; ->05/93; engine 4G93; MD N11W
1.8 4WD (N21W)	90/122	4G93 (SOHC 16V)	10/91->08/99	Tensioner	SR-1167	OD: 58; W: 30; ->05/93; engine 4G93; MD N21W
2.0 TD (N18W)	60/82	4D68 T	10/92->08/99	Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; ->05/93; engine 4D68; MD N18W
SPACE STAR (DG_A) 						
1.3 16V (DG1A)	63/86	4G13 (16V)	06/98->12/04	Tensioner	SR-1322	OD: 57; W: 31; 12/98-> ->08/02; engine 4G13; MD DG1A; 09/02-> 4G13; MD DG1A
1.3 16V (DG1A)	60/82	4G13 (16V)	09/00->12/04	Tensioner	SR-1322	OD: 57; W: 31; 09/02-> ->08/02; engine 4G13; MD DG1A; ->08/02; engine 4G13; MD DG1A
1.3 16V (DG1A)	61/83	4G13 (16V)	12/98->12/04	Tensioner	SR-1322	OD: 57; W: 31; 09/02-> ->08/02; engine 4G13; MD DG1A; ->08/02; engine 4G13; MD DG1A
1.6 16V (DG3A)	72/98	4G18	01/01->12/04	Tensioner	SR-1322	OD: 57; W: 31; 04/01-> ->08/02; MD DG3A; 09/02->












	kW/HP	Engine code		Type		
1.8 GDI (DG5A)	90/122	4G93 (GDI)	06/98->12/04	Deflection/Guide	SR-1165	OD: 60; W: 32; CS; 10/98->->08/02; engine 4G93; MD DG5A; camshaft DOHC; 03/01->->08/02; engine 4G93; MD DG5A; Fitting Position: Centre right; camshaft DOHC; 10/98->->02/01; engine 4G93; MD DG5A; Fitting Position: Centre right; camshaft DOHC
				Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
				Tensioner	SR-1299	OD: 58; W: 29; 09/02->-> engine 4G93; MD DG5A; camshaft SOHC/OHC
1.8 GDI (DG5A)	87/118	4G93 (GDI)	06/98->12/04	Deflection/Guide	SR-1165	OD: 60; W: 32; CS; 10/98->->08/02; engine 4G93; MD DG5A; camshaft DOHC; 03/01->->08/02; engine 4G93; MD DG5A; Fitting Position: Centre right; camshaft DOHC; 10/98->->02/01; engine 4G93; MD DG5A; Fitting Position: Centre right; camshaft DOHC
				Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT
				Tensioner	SR-1299	OD: 58; W: 29; 09/02->-> engine 4G93; MD DG5A; camshaft SOHC/OHC
1.8 MPI	82/112	4G93 (DOHC 16V)	10/02->12/04	Deflection/Guide	SR-1171	- holder; OD: 90; W: 27; ALT; + AC
				Tensioner	SR-1299	OD: 58; W: 29; MD DG5A; camshaft SOHC/OHC
1.9 DI-D	85/115	F9Q2	10/02->12/04	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F9Q2; MD DG4A; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; engine F9Q2; MD DG4A; - AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q2; MD DG4A; + AC
1.9 DI-D (DG4A)	75/102	F9Q1	02/01->12/04	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->02/01; engine F9Q2; MD DG4A; + AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; ->02/01; engine F9Q2; MD DG4A; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; ->08/02; engine F9Q2; MD DG4A; - AC; 09/02->
SPACE WAGON (D0_V/W) 						
1.8 TD (D09V, D09W)	55/75	4D65 T	06/86->04/91	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; ->12/87; engine 4D65; MD D09W
2.0 4WD (D08W)	75/102	4G63 (SOHC 8V)	03/85->04/91	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; ->04/87; MD D08W
2.0 GLX (D04W)	62/84	G63B	06/86->05/88	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; ->04/87; engine G63B; MD D04W
2.0 GLX 4WD (D08W)	62/84	G63B	06/86->05/88	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; ->04/87; engine G63B; MD D08W
SPACE WAGON (N3_W, N4_W) 						
1.8 (N31W)	90/122	4G93 (SOHC 16V)	10/91->10/98	Tensioner	SR-1167	OD: 58; W: 30; ->12/96; MD N31W; MD N41W
1.8 4WD (N41W)	90/122	4G93 (SOHC 16V)	10/91->10/98	Tensioner	SR-1167	OD: 58; W: 30; ->12/96; MD N31W; MD N41W
1.8 TD (N35W)	55/75	4D65 T	10/91->10/98	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft; ->05/92; engine 4D65; MD N35W
2.0 (N33W)	98/133	4G63 (SOHC 16V)	10/92->10/98	Deflection/Guide	SR-1165	OD: 60; W: 32; ->08/95; engine 4G63; MD N33W; 09/95->
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; ->08/95; engine 4G63; MD N33W
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; 09/95->-> engine 4G63; MD N33W
2.0 4WD (N43W)	98/133	4G63 (SOHC 16V)	10/92->10/98	Tensioner	SR-1172	OD: 60; W: 31; CS; ->08/95; engine 4G63; MD N33W; Fitting Position: Upper; 09/95->
				Deflection/Guide	SR-1165	OD: 60; W: 32; ->08/95; engine 4G63; MD N43W; 09/95->
				Tensioner	SR-1172	OD: 60; W: 31; CS; ->08/95; engine 4G63; MD N43W; 09/95->-> engine 4G63; MD N43W; Fitting Position: Upper; ->08/95; engine 4G63; MD N43W; Fitting Position: Upper
2.0 TD (N38W)	60/82	4D68 T	10/92->10/98	Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; 09/95->-> engine 4G63; MD N43W
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; ->08/95; engine 4G63; MD N43W
				Tensioner	SR-1166	OD: 55; W: 16; bal. shaft; ->05/93; engine 4D68; MD N38W
SPACE WAGON (N9_W, N8_W) 						
2.0	98/133	4G63 (SOHC 16V)	10/98->12/04	Deflection/Guide	SR-1165	OD: 60; W: 32; MD N83W
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; MD N83W
				Tensioner	SR-1172	OD: 60; W: 31; CS; MD N83W
2.4 GDI	108/147	4G64 (GDI)	09/00->12/04	Deflection/Guide	SR-1165	OD: 60; W: 32; ->01/04; engine 4G64; MD N84W; camshaft DOHC
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->01/04; engine 4G64; MD N84W; camshaft DOHC
				Tensioner	SR-1368	OD: 90; W: 28.3; PSP; ->01/04; engine 4G64; MD N84W; + AC
2.4 GDI	110/150	4G64 (GDI)	10/98->12/04	Tensioner	SR-1172	OD: 60; W: 31; CS; ->01/04; engine 4G64; MD N84W; camshaft DOHC
				Deflection/Guide	SR-1165	OD: 60; W: 32; ->01/04; engine 4G64; MD N84W; camshaft DOHC
				Tensioner	SR-1368	OD: 90; W: 28.3; PSP; ->01/04; engine 4G64; MD N84W; + AC
2.4 GDI 4WD	108/147	4G64 (GDI)	09/00->12/04	Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->01/04; engine 4G64; MD N84W; camshaft DOHC
				Deflection/Guide	SR-1165	OD: 60; W: 32; ->01/04; engine 4G64; MD N94W; camshaft DOHC
				Tensioner	SR-1172	OD: 60; W: 31; CS; ->01/04; engine 4G64; MD N94W; camshaft DOHC
2.4 GDI 4WD	110/150	4G64 (GDI)	10/98->12/04	Tensioner	SR-1172	OD: 60; W: 31; CS; ->01/04; engine 4G64; MD N84W; camshaft DOHC
				Deflection/Guide	SR-1165	OD: 60; W: 32; ->01/04; engine 4G64; MD N94W; camshaft DOHC
				Tensioner	SR-1175	OD: 55; W: 18; bal. shaft; ->01/04; engine 4G64; MD N94W; camshaft DOHC
TREDIA (A21_) 						
1.4 GLX (A211)	51/70	4G12	10/82->08/85	Tensioner	SR-1158	OD: 60; W: 24; ->08/84; engine 4G12; MD A211
1.8 Turbo	100/136	G62B	08/84->07/86	Tensioner	SR-1161	OD: 60; W: 16; bal. shaft
NISSAN						
350 Z (Z33) 						
3.5	221/301	VQ35DE	09/02->	Tensioner	SR-1459	ID: 12; OD: 84; W: 25; ->06/07
3.5	230/313	VQ35HR	09/05->	Deflection/Guide	SR-1052	OD: 70; W: 26; ALT; ->04/09; engine VQ35HR; MD Z33; Fitting Position: Centre
				Tensioner	SR-1053	+ holder; OD: 70; W: 32; ALT; ->04/09; engine VQ35HR; MD Z33; Fitting Position: Left
3.5	206/280	VQ35DE	10/03->	Tensioner	SR-1459	ID: 12; OD: 84; W: 25; ->06/07











	kW/HP	Engine code		Type		
350 Z Roadster [Z33] 						
3.5	206/280	VQ35DE	03/05->	Tensioner	SR-1459	ID: 12; OD: 84; W: 25; ->04/07
3.5	221/301	VQ35DE	04/06->	Tensioner	SR-1459	ID: 12; OD: 84; W: 25; ->04/07
3.5	230/313	VQ35HR	09/05->	Deflection/Guide	SR-1052	OD: 70; W: 26; ALT; 01/07-> ->04/09; engine VQ35HR; MD Z33; Fitting Position: Centre
				Tensioner	SR-1053	+ holder; OD: 70; W: 32; ALT; 01/07-> ->04/09; engine VQ35HR; MD Z33; Fitting Position: Left
ALMERA I (N15) 						
1.4	64/87	GA14DE	09/95->07/00	Tensioner	SR-1231	OD: 85; W: 22.5; ACCOM; ->01/99
1.4 GX,LX	55/75	GA14DE	09/95->07/00	Tensioner	SR-1231	OD: 85; W: 22.5; ACCOM; ->01/99
1.6	73/99	GA16DE	09/95->07/00	Tensioner	SR-1300	ID: 12; OD: 84; W: 18; ALT; + AC
				Tensioner	SR-1231	OD: 85; W: 22.5; ACCOM; ->06/99
1.6 SLX	66/90	GA16DE	09/95->07/00	Tensioner	SR-1231	OD: 85; W: 22.5; ACCOM; ->06/99
				Tensioner	SR-1300	ID: 12; OD: 84; W: 18; ALT; ->03/00; + AC
2.0 D	55/75	CD20	11/95->07/00	Deflection/Guide	SR-1229	ID: 10.2; OD: 60; W: 29; ->04/96; MD N15
				Tensioner	SR-1230	OD: 70; W: 30; CS; CS; ->04/96; MD N15; 05/96->; MD N15
ALMERA I Hatchback (N15) 						
1.4	64/87	GA14DE	09/95->03/00	Tensioner	SR-1231	OD: 85; W: 22.5; ACCOM; ->01/99
1.4 S,GX,LX	55/75	GA14DE	09/95->03/00	Tensioner	SR-1231	OD: 85; W: 22.5; ACCOM; ->01/99
1.6	73/99	GA16DE	09/95->03/00	Tensioner	SR-1231	OD: 85; W: 22.5; ACCOM; ->06/99
				Tensioner	SR-1300	ID: 12; OD: 84; W: 18; ALT; MD Almera; + AC; MD Pulsar
1.6 SR,SLX	66/90	GA16DE	09/95->03/00	Tensioner	SR-1300	ID: 12; OD: 84; W: 18; ALT; + AC
				Tensioner	SR-1231	OD: 85; W: 22.5; ACCOM; ->06/99
2.0 D	55/75	CD20	11/95->03/00	Deflection/Guide	SR-1229	ID: 10.2; OD: 60; W: 29; ->04/96; MD N15
				Tensioner	SR-1230	OD: 70; W: 30; CS; CS; ->04/96; MD N15; 05/96->; MD N15
ALMERA II (N16) 						
1.5	66/90	QG15DE	07/00->	Tensioner	SR-1451	ID: 12; OD: 84; W: 25; ALT; 02/01-> ->11/06; MD N16E; + AC
1.5	72/98	QG15DE	10/02->	Tensioner	SR-1227	ID: 12; OD: 84; W: 25; ALT; 09/04-> ->09/06; + AC
				Tensioner	SR-1451	ID: 12; OD: 84; W: 25; ALT; ->11/06; MD N16E; + AC
1.5 dCi	60/82	K9K 722	01/03->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ALT; 10/05-> ->11/06; engine K9K; MD N16E; - AC; ->09/05; engine K9K; MD N16E; - AC
				Tensioner	SR-1510	- holder; ID: 17; OD: 65; W: 26.5; ALT; ->01/05; engine K9K; MD N16E; + AC
1.5 dCi	60/82	K9K 722	01/03->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 10/05-> ->11/06; engine K9K; MD N16E; - AC; 02/05-> ->11/06; engine K9K; MD N16E; + AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 10/05-> ->11/06; engine K9K; MD N16E; - AC; 02/05-> ->11/06; engine K9K; MD N16E; + AC
1.8	84/114	QG18DE	07/00->	Tensioner	SR-1451	ID: 12; OD: 84; W: 25; ALT; 02/01-> ->11/06; MD N16E; + AC
				Tensioner	SR-1227	ID: 12; OD: 84; W: 25; ALT; 03/01-> ->11/02; + AC
1.8	85/116	QG18DE	10/02->	Tensioner	SR-1451	ID: 12; OD: 84; W: 25; ALT; ->11/06; MD N16E; + AC
				Tensioner	SR-1227	ID: 12; OD: 84; W: 25; ALT; ->09/06; + AC
2.2 dCi	82/112	YD22DDT	09/03->	Tensioner	SR-1057	OD: 79; thread size M10x1.25; W: 19.5; ACCOM; ->11/06; engine YD22DDT; MD N16E
2.2 dCi	100/136	YD22DDTi	09/03->	Tensioner	SR-1057	OD: 79; thread size M10x1.25; W: 19.5; ACCOM; ->11/06; engine YD22DDT; MD N16E
2.2 Di	81/110	YD22DDT	07/00->	Tensioner	SR-1057	OD: 79; thread size M10x1.25; W: 19.5; ACCOM; ->11/06; engine YD22DDT; MD N16E
ALMERA II Hatchback (N16) 						
1.5	66/90	QG15DE	03/00->	Tensioner	SR-1451	ID: 12; OD: 84; W: 25; ALT; 02/01-> ->11/06; MD N16E; + AC
1.5	72/98	QG15DE	10/02->	Tensioner	SR-1227	ID: 12; OD: 84; W: 25; ALT; 09/04-> ->09/06; + AC
				Tensioner	SR-1451	ID: 12; OD: 84; W: 25; ALT; ->11/06; MD N16E; + AC
1.5 dCi	60/82	K9K 722	01/03->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ALT; 10/05-> ->11/06; engine K9K; MD N16E; - AC; ->09/05; engine K9K; MD N16E; - AC
				Tensioner	SR-1510	- holder; ID: 17; OD: 65; W: 26.5; ALT; ->01/05; engine K9K; MD N16E; + AC
1.5 dCi	60/82	K9K 722	01/03->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 10/05-> ->11/06; engine K9K; MD N16E; - AC; 02/05-> ->11/06; engine K9K; MD N16E; + AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 10/05-> ->11/06; engine K9K; MD N16E; - AC; 02/05-> ->11/06; engine K9K; MD N16E; + AC
1.8	84/114	QG18DE	01/00->	Tensioner	SR-1451	ID: 12; OD: 84; W: 25; ALT; 02/01-> ->11/06; MD N16E; + AC
				Tensioner	SR-1227	ID: 12; OD: 84; W: 25; ALT; 03/01-> ->11/02; + AC
1.8	85/116	QG18DE	10/02->	Tensioner	SR-1451	ID: 12; OD: 84; W: 25; ALT; ->11/06; MD N16E; + AC
				Tensioner	SR-1227	ID: 12; OD: 84; W: 25; ALT; ->09/06; + AC
2.2 dCi	82/112	YD22DDT	09/03->	Tensioner	SR-1057	OD: 79; thread size M10x1.25; W: 19.5; ACCOM; ->11/06; engine YD22DDT; MD N16E
2.2 dCi	100/136	YD22DDTi	09/03->	Tensioner	SR-1057	OD: 79; thread size M10x1.25; W: 19.5; ACCOM; ->11/06; engine YD22DDT; MD N16E
2.2 Di	81/110	YD22DDT	03/00->	Tensioner	SR-1057	OD: 79; thread size M10x1.25; W: 19.5; ACCOM; ->11/06; engine YD22DDT; MD N16E
ALMERA TINO (V10) 						
1.8	84/114	QG18DE	08/00->	Tensioner	SR-1451	ID: 12; OD: 84; W: 25; ACCOM; 02/01-> ->11/05; MD V10M
				Tensioner	SR-1227	ID: 12; OD: 84; W: 25; ALT; 02/02-> ->05/03; MD Almera Tino; + AC
1.8	85/116	QG18DE	12/02->	Tensioner	SR-1451	ID: 12; OD: 84; W: 25; ACCOM; ->11/05; MD V10M
				Tensioner	SR-1227	ID: 12; OD: 84; W: 25; ALT; 06/03-> ->11/05; + AC
2.2 dCi	82/112	YD22DDT	09/03->	Tensioner	SR-1057	OD: 79; thread size M10x1.25; W: 19.5; ACCOM; ->11/05; engine YD22DDT; MD V10M
2.2 dCi	100/136	YD22DDTi	09/03->	Tensioner	SR-1057	OD: 79; thread size M10x1.25; W: 19.5; ACCOM; ->11/05; engine YD22DDT; MD V10M
2.2 Di	84/115	YD22DDTi	08/00->	Tensioner	SR-1057	OD: 79; thread size M10x1.25; W: 19.5; ACCOM; ->11/05; engine YD22DDT; MD V10M
BLUEBIRD (T72 , T12) 						
2.0 D (SLT72, T12)	49/67	LD20	03/86->12/90	Deflection/Guide	SR-1233	OD: 60; W: 35; engine LD20; engine LD20T; MD T12; MD T72; MD U11
				Tensioner	SR-1232	OD: 60; W: 35; engine LD20; engine LD20T; MD T12; MD T72; MD U11













	kW/HP	Engine code		Type		
BLUEBIRD (U11) 						
2.0 D	43/58	LD20	04/84->01/88	Deflection/Guide	SR-1233	OD: 60; W: 35; engine LD20; engine LD20T; MD T12; MD T72; MD U11
				Tensioner	SR-1232	OD: 60; W: 35; engine LD20; engine LD20T; MD T12; MD T72; MD U11
BLUEBIRD Hatchback (T72, T12) 						
2.0 D (FSLT72, T12)	49/67	LD20	03/86->12/90	Deflection/Guide	SR-1233	OD: 60; W: 35; engine LD20; engine LD20T; MD T12; MD T72; MD U11
				Tensioner	SR-1232	OD: 60; W: 35; engine LD20; engine LD20T; MD T12; MD T72; MD U11
BLUEBIRD Station Wagon (WU11) 						
2.0 D	49/67	LD20	03/86->12/90	Deflection/Guide	SR-1233	OD: 60; W: 35; engine LD20; engine LD20T; MD T12; MD T72; MD U11
				Tensioner	SR-1232	OD: 60; W: 35; engine LD20; engine LD20T; MD T12; MD T72; MD U11
2.0 D	43/58	LD20	04/84->01/88	Deflection/Guide	SR-1233	OD: 60; W: 35; engine LD20; engine LD20T; MD T12; MD T72; MD U11
				Tensioner	SR-1232	OD: 60; W: 35; engine LD20; engine LD20T; MD T12; MD T72; MD U11
CEFIRO I Saloon (J31) 						
2.0	103/140	VQ20DE	01/00->	Tensioner	SR-1503	- holder; ID: 17; OD: 80; W: 31; ALT; ->02/08; engine QR20DE; MD J31
CUBE (Z12) 						
1.6 16V	81/110	HR16DE	03/10->	Tensioner	SR-1351	ID: 10.2; OD: 70; W: 37; ALT; MD Z12
GT-R (R35) 						
3.8 V6	357/486	VR38DETT	02/09->	Deflection/Guide	SR-1052	OD: 70; W: 26; ALT; MD R35; Fitting Position: Upper Right
				Tensioner	SR-1053	+ holder; OD: 70; W: 32; ALT; MD R35; Fitting Position: Centre left
3.8 V6	390/530	VR38DETT	02/11->	Deflection/Guide	SR-1052	OD: 70; W: 26; ALT; MD R35; Fitting Position: Upper Right
				Tensioner	SR-1053	+ holder; OD: 70; W: 32; ALT; MD R35; Fitting Position: Centre left
INTERSTAR Box (X70) 						
dCi 100	74/101	G9U 720	04/06->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT
				Deflection/Guide	SR-1180	OD: 76; W: 30; MD X70
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; + AC; - AC
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; - AC
dCi 100	73/99	G9U 720	11/03->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT
				Deflection/Guide	SR-1180	OD: 76; W: 30; MD X70
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; + AC; - AC
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; - AC
dCi 120	84/115	G9U 720	07/02->	Deflection/Guide	SR-1180	OD: 76; W: 30
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; engine G9U 720; engine G9U 724; Fitting Position: Centre right
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9U 720; engine G9U 724; Fitting Position: Centre
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ->09/10; Fitting Position: Centre right; ->09/10; Fitting Position: Centre right; + AC
dCi 120	88/120	G9U 650	09/06->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; Fitting Position: Centre right; 09/10->; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1180	OD: 76; W: 30; MD X70
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; - AC
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; + AC; - AC
dCi 150	107/145	G9U 632	09/06->	Deflection/Guide	SR-1180	OD: 76; W: 30; MD X70
dCi 80	60/82	F9Q 772	07/02->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine F9Q 772; engine F9Q 774; MD X70; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; engine F9Q 772; engine F9Q 774; MD X70; - AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 772; engine F9Q 774; MD X70; + AC
dCi 90	66/90	G9T 722	07/02->	Deflection/Guide	SR-1180	OD: 76; W: 30; MD X70
INTERSTAR Bus (X70) 						
dCi 100	74/101	G9U 650	04/06->	Deflection/Guide	SR-1180	OD: 76; W: 30; MD X70
dCi 100	73/99	G9U 720	11/03->	Deflection/Guide	SR-1180	OD: 76; W: 30; MD X70
dCi 120	84/115	G9U 720	07/02->	Deflection/Guide	SR-1180	OD: 76; W: 30; MD X70
dCi 120	88/120	G9U 650	09/06->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT
				Deflection/Guide	SR-1180	OD: 76; W: 30; MD X70
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; + AC; - AC
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; - AC
dCi 150	107/145	G9U 632	09/06->	Deflection/Guide	SR-1180	OD: 76; W: 30; MD X70
dCi 80	60/82	F9Q 772	07/02->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine F9Q 772; engine F9Q 774; MD X70; + AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 772; engine F9Q 774; MD X70; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; engine F9Q 772; engine F9Q 774; MD X70; - AC
dCi 90	66/90	G9T 722	07/02->	Deflection/Guide	SR-1180	OD: 76; W: 30; MD X70
INTERSTAR Platform/Chassis 						
dCi 100	73/99	G9U 720	02/04->	Deflection/Guide	SR-1180	OD: 76; W: 30; MD X70
dCi 120	84/115	G9U 720	08/03->	Deflection/Guide	SR-1180	OD: 76; W: 30; MD X70





















	kW/HP	Engine code		Type		
dCi 120	88/120	G9U 650	08/06->	Deflection/Guide	SR-1180	OD: 76; W: 30; MD X70
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; - AC
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; + AC; - AC
dCi 150	107/145	G9U 632	08/06->	Deflection/Guide	SR-1180	OD: 76; W: 30; MD X70
JUKE (F15) 						
1.5 dCi	81/110	K9K 636;K9K 896	06/10->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 410; MD F15E
1.6	69/94	HR16DE	01/13->	Tensioner	SR-1351	ID: 10,2; OD: 70; W: 37; ALT; engine HR16DE; MD F15E
1.6	86/117	HR16DE	06/10->	Tensioner	SR-1351	ID: 10,2; OD: 70; W: 37; ALT; engine HR16DE; MD F15E
KUBISTAR (X76) 						
1.2	44/60	D7F 764	08/03->10/09	Tensioner	SR-1329	OD: 56; W: 24; PSP; ACCOM; engine D7F 726; engine D7F 744; engine D7F 764; MD X76; engine D7F 726; MD X76
				Tensioner	SR-1118	OD: 50; W: 22; engine D7F 726; engine D7F 744; engine D7F 764; MD X76
1.2 16V	55/75	D4F 712	04/06->10/09	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; MD X76
1.5 dCi	60/82	K9K 722	08/03->10/09	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ALT; 10/05->; ->12/07; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 710; engine K9K 714; engine K9K 716; engine K9K 718; MD X76; - AC; ->09/05; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 714; engine K9K 718; MD X76; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 10/05->; ->12/07; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 710; engine K9K 714; engine K9K 716; engine K9K 718; MD X76; - AC; engine K9K 714; engine K9K 716; engine K9K 718; MD X76; + AC
1.5 dCi	48/65	K9K 704	08/03->10/09	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 710; engine K9K 714; engine K9K 716; engine K9K 718; MD X76; - PS
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; 10/05->; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 710; engine K9K 714; engine K9K 716; engine K9K 718; MD X76; + AC
1.5 dCi	42/57	K9K 710;K9K 714	08/03->10/09	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ALT; 10/05->; ->12/07; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 710; engine K9K 714; engine K9K 716; engine K9K 718; MD X76; - AC; ->09/05; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 714; engine K9K 718; MD X76; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 10/05->; ->12/07; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 710; engine K9K 714; engine K9K 716; engine K9K 718; MD X76; - AC; engine K9K 714; engine K9K 716; engine K9K 718; MD X76; + AC
1.5 dCi	45/61	K9K 710;K9K 714	08/05->10/09	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ALT; 10/05->; ->12/07; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 710; engine K9K 714; engine K9K 716; engine K9K 718; MD X76; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 10/05->; ->12/07; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 710; engine K9K 714; engine K9K 716; engine K9K 718; MD X76; - AC; engine K9K 714; engine K9K 716; engine K9K 718; MD X76; + AC
1.5 dCi 70	50/68	K9K 700;K9K 716	04/06->10/09	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ->12/07; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 710; engine K9K 714; engine K9K 716; engine K9K 718; MD X76; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; engine K9K 714; engine K9K 716; engine K9K 718; MD X76; + AC; ->12/07; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 710; engine K9K 714; engine K9K 716; engine K9K 718; MD X76; - AC
1.5 dCi 85	62/85	K9K 276	04/06->10/09	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ->12/07; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 710; engine K9K 714; engine K9K 716; engine K9K 718; MD X76; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; engine K9K 714; engine K9K 716; engine K9K 718; MD X76; + AC; ->12/07; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 710; engine K9K 714; engine K9K 716; engine K9K 718; MD X76; - AC
1.6 16V	70/95	K4M 752	08/03->10/09	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 744; engine K4M 750; engine K4M 752; engine K4M 753; MD X76
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K4M 744; engine K4M 750; engine K4M 752; engine K4M 753; MD X76; + AC
				Tensioner	SR-1189	OD: 70; W: 25,7; ALT; engine K4M 744; engine K4M 750; engine K4M 752; engine K4M 753; MD X76; - AC
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K4M 744; engine K4M 750; engine K4M 752; engine K4M 753; MD X76; + AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
KUBISTAR Box (X80) 						
1.2	44/60	D7F 764	08/03->	Tensioner	SR-1329	OD: 56; W: 24; PSP; ACCOM; engine D7F 726; engine D7F 744; engine D7F 764; MD X76; engine D7F 726; MD X76
				Tensioner	SR-1118	OD: 50; W: 22; engine D7F 726; engine D7F 744; engine D7F 764; MD X76
1.2 16V	55/75	D4F 712	04/06->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; MD X76
1.5 dCi	48/65	K9K 704	08/03->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 710; engine K9K 714; engine K9K 716; engine K9K 718; MD X76; - PS
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 710; engine K9K 714; engine K9K 716; engine K9K 718; MD X76
1.5 dCi	60/82	K9K 722	08/03->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; 10/05->; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 710; engine K9K 714; engine K9K 716; engine K9K 718; MD X76
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ALT; 10/05->; ->12/07; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 710; engine K9K 714; engine K9K 716; engine K9K 718; MD X76; - AC; ->09/05; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 714; engine K9K 718; MD X76; - AC
1.5 dCi	45/61	K9K 710;K9K 714	08/05->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ALT; 10/05->; ->12/07; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 710; engine K9K 714; engine K9K 716; engine K9K 718; MD X76; - AC; ->09/05; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 714; engine K9K 718; MD X76; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 10/05->; ->12/07; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 710; engine K9K 714; engine K9K 716; engine K9K 718; MD X76; - AC; engine K9K 714; engine K9K 716; engine K9K 718; MD X76; + AC













	kW/HP	Engine code		Type		
1.6 16V	70/95	K4M 752	08/03->	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 744; engine K4M 750; engine K4M 752; engine K4M 753; MD X76
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K4M 744; engine K4M 750; engine K4M 752; engine K4M 753; MD X76; + AC
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine K4M 744; engine K4M 750; engine K4M 752; engine K4M 753; MD X76; - AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K4M 744; engine K4M 750; engine K4M 752; engine K4M 753; MD X76; + AC
MAXIMA QX [A32] 						
2.0	103/140	VQ20DE	02/95->08/00	Tensioner	SR-1271	OD: 84; thread size M10x1.25; W: 25; 08/99->
2.5 V6 24V	140/190	VQ25DE	02/95->08/00	Tensioner	SR-1271	OD: 84; thread size M10x1.25; W: 25; 08/99->; AT
MAXIMA QX [A33] 						
2.0 V6 24V	103/140	VQ20DE	03/00->11/03	Tensioner	SR-1271	OD: 84; thread size M10x1.25; W: 25
3.0 V6 24V	147/200	VQ30DE	03/00->11/03	Tensioner	SR-1271	OD: 84; thread size M10x1.25; W: 25
MAXIMA Station Wagon [A32] 						
2.0 QX	103/140	VQ20DE	10/97->	Tensioner	SR-1271	OD: 84; thread size M10x1.25; W: 25; 08/99->
3.0 QX	142/193	VQ30DE	10/97->	Tensioner	SR-1271	OD: 84; thread size M10x1.25; W: 25; 04/99->
MICRA C+C [K12] 						
1.4 16V	65/88	CR14DE	08/05->	Tensioner	SR-1526	ID: 12; num. of ribs: 3; OD: 70; W: 15.5
				Tensioner	SR-1525	OD: 83.7; W: 18.3; ALT; MD CK12E
				Tensioner	SR-1524	OD: 70; W: 15.6; WP; MD CK12E
1.6 160 SR	81/110	HR16DE	08/05->	Tensioner	SR-1351	ID: 10.2; OD: 70; W: 37; ALT; MD CK12E
MICRA II [K11] 						
1.0 i 16V	40/54	CG10DE	08/92->09/00	Tensioner	SR-1227	ID: 12; OD: 84; W: 25; ALT; MD Micra; + AC; 03/98->; MD March
1.0 i 16V	44/60	CG10DE	09/00->02/03	Tensioner	SR-1227	ID: 12; OD: 84; W: 25; ALT; + AC
1.3 i 16V	55/75	CG13DE	08/92->09/00	Tensioner	SR-1227	ID: 12; OD: 84; W: 25; ALT; MD Micra; + AC; MD March
1.4 i 16V	60/82	CGA3DE	09/00->02/03	Tensioner	SR-1227	ID: 12; OD: 84; W: 25; ALT; MD March; + AC; MD Micra
MICRA III [K12] 						
1.0 16V	48/65	CG10DE	01/03->06/10	Tensioner	SR-1526	ID: 12; num. of ribs: 3; OD: 70; W: 15.5
				Tensioner	SR-1525	OD: 83.7; W: 18.3; ALT; ->05/06; MD K12E; + AC
				Tensioner	SR-1300	ID: 12; OD: 84; W: 18; ALT; ->05/05
				Tensioner	SR-1524	OD: 70; W: 15.6; WP; ->05/06; MD K12E
				Tensioner	SR-1523	ID: 12; OD: 84; W: 21.5; ALT; ->05/06; MD K12E; - AC
1.2 16V	59/80	CR12DE;CG12DE	01/03->06/10	Tensioner	SR-1300	ID: 12; OD: 84; W: 18; ALT
				Tensioner	SR-1523	ID: 12; OD: 84; W: 21.5; ALT; ->01/07; engine CG12DE; engine CR12DE; MD K12E; Fitting Position: Right; - AC; ->06/04; engine CG12DE; engine CR12DE; MD K12E; Fitting Position: Right; + AC
				Tensioner	SR-1524	OD: 70; W: 15.6; WP; engine CG12DE; engine CR12DE; MD K12E
				Tensioner	SR-1525	OD: 83.7; W: 18.3; ALT; ALT; 02/07->; engine CR12DE; MD K12E; Fitting Position: Right; - AC; 07/04->; engine CR12DE; MD K12E; Fitting Position: Right; + AC
				Tensioner	SR-1526	ID: 12; num. of ribs: 3; OD: 70; W: 15.5
1.2 16V	48/65	CR12DE;CG12DE	01/03->06/10	Tensioner	SR-1525	OD: 83.7; W: 18.3; ALT; ALT; 02/07->; engine CR12DE; MD K12E; Fitting Position: Right; - AC; 07/04->; engine CR12DE; MD K12E; Fitting Position: Right; + AC
				Tensioner	SR-1526	ID: 12; num. of ribs: 3; OD: 70; W: 15.5
				Tensioner	SR-1300	ID: 12; OD: 84; W: 18; ALT
				Tensioner	SR-1523	ID: 12; OD: 84; W: 21.5; ALT; ->01/07; engine CG12DE; engine CR12DE; MD K12E; Fitting Position: Right; - AC; ->06/04; engine CG12DE; engine CR12DE; MD K12E; Fitting Position: Right; + AC
				Tensioner	SR-1524	OD: 70; W: 15.6; WP; engine CG12DE; engine CR12DE; MD K12E
1.4 16V	65/88	CR14DE	01/03->06/10	Tensioner	SR-1526	ID: 12; num. of ribs: 3; OD: 70; W: 15.5; 06/03->
				Tensioner	SR-1525	OD: 83.7; W: 18.3; ALT; engine CR14DE; MD K12E
				Tensioner	SR-1524	OD: 70; W: 15.6; WP; engine CGA3DE; engine CR14DE; MD K12E
				Tensioner	SR-1523	ID: 12; OD: 84; W: 21.5; ALT; engine CGA3DE; engine CR14DE; MD K12E; - AC
				Tensioner	SR-1300	ID: 12; OD: 84; W: 18; ALT; ->12/06; MD March; MD Micra
1.5 dCi	48/65	K9K 704	01/03->06/10	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ALT; 05/05->; engine K9K; MD K12E; - AC; 08/03->; ->05/05; engine K9K; MD K12E; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; 05/05->; engine K9K; MD K12E; + AC
				Tensioner	SR-1510	- holder; ID: 17; OD: 65; W: 26.5; ALT; ->05/05; engine K9K; MD K12E; + AC
1.5 dCi	50/68	K9K 708	06/05->06/10	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; engine K9K; MD K12E; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K; MD K12E; - AC
1.5 dCi	63/86	K9K 276	06/05->06/10	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; engine K9K; MD K12E; - AC
1.5 dCi	60/82	K9K 722	09/03->06/10	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K; MD K12E; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ALT; 05/05->; engine K9K; MD K12E; - AC; ->05/05; engine K9K; MD K12E; - AC
				Tensioner	SR-1510	- holder; ID: 17; OD: 65; W: 26.5; ALT; ->05/05; engine K9K; MD K12E; + AC
160 SR	81/110	HR16DE	05/05->06/10	Tensioner	SR-1351	ID: 10.2; OD: 70; W: 37; ALT; engine HR16DE; MD K12E
MICRA IV [K13] 						
1.2	59/80	HR12DE	05/10->	Tensioner	SR-1351	ID: 10.2; OD: 70; W: 37; ALT; MD K13K; MD K13T
MURANO [Z50] 						
3.5 4x4	172/234	VQ35DE	08/03->	Tensioner	SR-1271	OD: 84; thread size M10x1.25; W: 25; AT










	kW/HP	Engine code		Type		
MURANO (Z51) 						
3.5 4x4	188/256	VQ35DE	10/08->	Deflection/Guide	SR-1561	OD: 75; thread size M10x1,5; W: 36; ALT; ->09/14
				Deflection/Guide	SR-1560	OD: 75; thread size M10x1,5; W: 34; AT
				Tensioner	SR-1559	+ holder; ID: 17; OD: 70; W: 34,5; ALT; MD Z51; MD Z51R; Fitting Position: Lower Left
3.5 4x4	183/249	VQ35DE	12/10->	Deflection/Guide	SR-1561	OD: 75; thread size M10x1,5; W: 36; ALT; ->09/14
				Deflection/Guide	SR-1560	OD: 75; thread size M10x1,5; W: 34; AT
				Tensioner	SR-1559	+ holder; ID: 17; OD: 70; W: 34,5; ALT; MD Z51; MD Z51R; Fitting Position: Lower Left
NAVARA (D40) 						
2.5 dCi	106/144	YD25DDTi	07/05->	Deflection/Guide	SR-1100	ID: 10; OD: 70; W: 33; ALT; 02/10->; MD D40M; + AC
				Tensioner	SR-1099	- holder; ID: 17; OD: 70; W: 33,5; ALT; 02/10->; MD D40M; + AC
				Tensioner	SR-1098	ID: 12; OD: 84; W: 35; ALT; ->01/10; MD D40M; + AC
				Tensioner	SR-1533	OD: 84; thread size M10x1,25; W: 29
2.5 dCi 4WD	128/174	YD25DDTi	07/05->	Deflection/Guide	SR-1100	ID: 10; OD: 70; W: 33; ALT; 02/10->; MD D40M; + AC
				Tensioner	SR-1533	OD: 84; thread size M10x1,25; W: 29
				Tensioner	SR-1098	ID: 12; OD: 84; W: 35; ALT; ->01/10; MD D40M; + AC
				Tensioner	SR-1099	- holder; ID: 17; OD: 70; W: 33,5; ALT; 02/10->; MD D40M; + AC
2.5 dCi 4WD	126/171	YD25DDTi	10/06->	Tensioner	SR-1533	OD: 84; thread size M10x1,25; W: 29
				Tensioner	SR-1098	ID: 12; OD: 84; W: 35; ALT; MD D40M
2.5 dCi 4WD	106/144	YD25DDTi	10/08->	Deflection/Guide	SR-1100	ID: 10; OD: 70; W: 33; ALT; MD D40M
				Tensioner	SR-1099	- holder; ID: 17; OD: 70; W: 33,5; ALT; 02/10->; MD D40M
				Tensioner	SR-1098	ID: 12; OD: 84; W: 35; ALT; ->01/10; MD D40M
2.5 dCi 4WD	140/190	YD25DDTi	12/09->	Deflection/Guide	SR-1100	ID: 10; OD: 70; W: 33; ALT; 02/10->; MD D40M; + AC
				Tensioner	SR-1098	ID: 12; OD: 84; W: 35; ALT; ->01/10; MD D40M; + AC
				Tensioner	SR-1099	- holder; ID: 17; OD: 70; W: 33,5; ALT; 02/10->; MD D40M; + AC
NAVARA Platform/Chassis (D40) 						
2.5 dCi	140/190	YD25DDTi	03/10->	Deflection/Guide	SR-1100	ID: 10; OD: 70; W: 33; ALT; MD D40M
				Tensioner	SR-1099	- holder; ID: 17; OD: 70; W: 33,5; ALT; MD D40M
NOTE (E11) 						
1.4	65/88	CR14DE	03/06->	Tensioner	SR-1300	ID: 12; OD: 84; W: 18; ALT; ->08/13
				Tensioner	SR-1525	OD: 83,7; W: 18,3; ALT; ->08/13; engine CR14DE; MD E11E
				Tensioner	SR-1526	ID: 12; num. of ribs: 3; OD: 70; W: 15,5
				Tensioner	SR-1524	OD: 70; W: 15,6; WP; ->08/13; engine CR14DE; MD E11E
1.5 dCi	50/68	K9K 700	03/06->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ->12/07; engine K9K; MD E11E
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; ALT; ->08/13; engine K9K; MD E11E; Euro 5; 01/08->; ->08/13; engine K9K; MD E11E
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ->08/13; engine K9K; MD E11E
1.5 dCi	63/86	K9K 276	03/06->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; ALT; ->08/13; engine K9K; MD E11E; Euro 5; 01/08->; ->08/13; engine K9K; MD E11E
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ->12/07; engine K9K; MD E11E
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ->08/13; engine K9K; MD E11E
1.5 dCi	76/103	K9K 292	07/08->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; ALT; ->08/13; engine K9K; MD E11E; Euro 5; ->08/13; engine K9K; MD E11E
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ->08/13; engine K9K; MD E11E
1.5 dCi	66/90	K9K 276	09/10->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; ALT; ->08/13; engine K9K; MD E11E; Euro 5; ->08/13; engine K9K; MD E11E
1.6	81/110	HR16DE	03/06->	Tensioner	SR-1351	ID: 10,2; OD: 70; W: 37; ALT; ->08/13; engine HR16DE; MD E11E
NV200 / EVALIA Bus 						
1.5 dci (M20, M20M)	66/90	K9K 892	04/11->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; MD M20M; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; MD M20M
1.5 dci (M20, M20M)	81/110	K9K 636;K9K 646	04/11->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; MD M20M; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; MD M20M
1.5 dci (M20, M20M)	63/86	K9K 608;K9K 400;K9K 628	07/10->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K; MD M20; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K; MD M20
1.6 16V (M20, M20M)	81/110	HR16DE	07/10->	Tensioner	SR-1351	ID: 10,2; OD: 70; W: 37; ALT; engine HR16DE; MD M20M
NV200 Box 						
1.5 dci (M20, M20M)	63/86	K9K 608;K9K 400;K9K 628	02/10->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K; MD M20; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K; MD M20
1.5 dci (M20, M20M)	66/90	K9K 892	04/11->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; MD M20M; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; MD M20M
1.5 dci (M20, M20M)	81/110	K9K 636;K9K 646	04/11->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; MD M20M; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; MD M20M
1.6 16V (M20, M20M)	81/110	HR16DE	02/10->	Tensioner	SR-1351	ID: 10,2; OD: 70; W: 37; ALT; engine HR16DE; MD M20
PATHFINDER III (R51) 						
2.5 dCi 4WD	120/163	YD25DDTi	01/05->	Deflection/Guide	SR-1100	ID: 10; OD: 70; W: 33; ALT; 02/10->; ->11/13; MD R51M; + AC
				Tensioner	SR-1099	- holder; ID: 17; OD: 70; W: 33,5; ALT; 02/10->; ->11/13; MD R51M; + AC
				Tensioner	SR-1098	ID: 12; OD: 84; W: 35; ALT; ->01/10; MD R51M; + AC







	kW/HP	Engine code		Type		
2.5 dCi 4WD	128/174	YD25DDTi	03/05->	Deflection/Guide	SR-1100	ID: 10; OD: 70; W: 33; ALT; 02/10->; ->11/13; MD R51M; + AC
				Tensioner	SR-1533	OD: 84; thread size M10x1,25; W: 29
				Tensioner	SR-1098	ID: 12; OD: 84; W: 35; ALT; ->01/10; MD R51M; + AC
				Tensioner	SR-1099	- holder; ID: 17; OD: 70; W: 33,5; ALT; 02/10->; ->11/13; MD R51M; + AC
2.5 dCi 4WD	140/190	YD25DDTi	08/10->	Deflection/Guide	SR-1100	ID: 10; OD: 70; W: 33; ALT; ->11/13; engine YD25DDTi; MD R51M; + AC
				Tensioner	SR-1099	- holder; ID: 17; OD: 70; W: 33,5; ALT; ->11/13; MD D40M; + AC
2.5 dCi 4WD	126/171	YD25DDTi	10/06->	Deflection/Guide	SR-1100	ID: 10; OD: 70; W: 33; ALT; 02/10->; ->11/13; MD R51M; + AC
				Tensioner	SR-1098	ID: 12; OD: 84; W: 35; ALT; ->01/10; MD R51M; + AC
				Tensioner	SR-1533	OD: 84; thread size M10x1,25; W: 29
				Tensioner	SR-1099	- holder; ID: 17; OD: 70; W: 33,5; ALT; 02/10->; ->11/13; MD D40M; + AC
PATROL GR V Wagon (Y61) 						
3.0 DTi	116/158	ZD30DDTi	05/00->	Tensioner	SR-1497	+ holder; OD: 85; W: 31; ALT; ->12/06; MD Y61
3.0 DTi	118/160	ZD30DDTi	05/00->	Tensioner	SR-1497	+ holder; OD: 85; W: 31; ALT; ->12/06; MD Y61
PICK UP III (D22) 						
2.4 i 4WD	98/133	KA24DE	03/02->	Tensioner	SR-1057	OD: 79; thread size M10x1,25; W: 19,5; PSP; ->01/08; MD D22
2.5 D	61/83	TD25	02/98->	Tensioner	SR-1057	OD: 79; thread size M10x1,25; W: 19,5; ACCOM; 11/01->; ->11/11; engine YD25DDTi; MD D22
2.5 Di	98/133	YD25DDTi	03/02->	Tensioner	SR-1057	OD: 79; thread size M10x1,25; W: 19,5; ACCOM; PSP; ->11/11; engine YD25DDTi; MD D22; ->11/11; engine YD25DDTi; MD D22
2.5 Di 4WD	98/133	YD25DDTi	03/02->	Tensioner	SR-1057	OD: 79; thread size M10x1,25; W: 19,5; ACCOM; PSP; ->11/11; engine YD25DDTi; MD D22; ->11/11; engine YD25DDTi; MD D22
PICKUP / NP300 PICKUP III (D22) 						
2.5 dCi 4x4	98/133	YD25DDTi	04/08->	Tensioner	SR-1057	OD: 79; thread size M10x1,25; W: 19,5; ACCOM; PSP; engine YD25; MD D22SS; engine YD25; MD D22SS
PRIMASTAR Box (X83) 						
dCi 100	74/100	F9Q 760	09/02->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Left
dCi 115	84/114	G9U 720	09/08->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT
				Deflection/Guide	SR-1180	OD: 76; W: 30
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; - AC
dCi 120	84/114	M9R 780	09/06->	Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; + AC; - AC
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; MD X83
dCi 140	99/135	G9U 730	07/03->	Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; MD X83
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 730; MD X83
dCi 80	60/82	F9Q 762	09/02->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F9Q 760; engine F9Q 762; MD X83; + AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 760; engine F9Q 762; MD X83; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; engine F9Q 760; engine F9Q 762; MD X83; - AC
dCi 90	66/90	M9R 782	09/06->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT
PRIMASTAR Bus (X83) 						
dCi 100	74/101	F9Q 760	03/01->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Left
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
dCi 115	84/114	G9U 720	09/08->	Deflection/Guide	SR-1180	OD: 76; W: 30
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; + AC; - AC
dCi 120	84/114	M9R 780	09/06->	Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; - AC
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT
dCi 140	99/135	G9U 730	07/03->	Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT
				Deflection/Guide	SR-1180	OD: 76; W: 30; MD X83
dCi 80	60/80	F9Q 762	03/01->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine F9Q 760; engine F9Q 762; MD X83; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; engine F9Q 760; engine F9Q 762; MD X83; - AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 760; engine F9Q 762; MD X83; + AC
dCi 90	66/90	M9R 782	09/06->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT
PRIMERA (P10) 						
1.6	75/102	GA16DE	06/93->01/96	Tensioner	SR-1231	OD: 85; W: 22,5; ACCOM
2.0 D	55/75	CD20	01/91->01/96	Deflection/Guide	SR-1229	ID: 10,2; OD: 60; W: 29; ->05/95; MD P10
				Tensioner	SR-1230	OD: 70; W: 30; CS; ->05/95; MD P10
PRIMERA (P11) 						
1.6 16V	73/99	GA16DE	09/96->10/00	Tensioner	SR-1231	OD: 85; W: 22,5; ACCOM; ->06/99
1.6 16V	66/90	GA16DE	09/96->12/01	Tensioner	SR-1231	OD: 85; W: 22,5; ACCOM; ->06/99
1.8 16V	84/114	QG18DE	08/99->12/01	Tensioner	SR-1227	ID: 12; OD: 84; W: 25; ALT; 05/01->; + AC
				Tensioner	SR-1451	ID: 12; OD: 84; W: 25; ACCOM; 01/01->; MD P11E
2.0 TD	66/90	CD20T	09/96->12/01	Tensioner	SR-1230	OD: 70; W: 30; CS; 06/99->; MD P11E







	kW/HP	Engine code		Type		
PRIMERA (P12) 						
1.6	80/109	QG16DE	01/02->	Tensioner	SR-1227	ID: 12; OD: 84; W: 25; ALT: ->04/06; + AC
				Tensioner	SR-1451	ID: 12; OD: 84; W: 25; ALT: ->05/07; MD P12E; + AC
1.6	78/106	QG16DE	03/02->	Tensioner	SR-1451	ID: 12; OD: 84; W: 25; ALT: ->05/07; MD P12E; + AC
				Tensioner	SR-1227	ID: 12; OD: 84; W: 25; ALT: ->08/08; + AC
1.8	85/115	QG18DE	03/02->	Tensioner	SR-1451	ID: 12; OD: 84; W: 25; ALT: ->05/07; MD P12E; + AC
				Tensioner	SR-1227	ID: 12; OD: 84; W: 25; ALT: ->10/08; + AC
1.9 dCi	88/120	F9Q	04/03->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT: ->05/07; engine F9Q; MD P12E
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT: ->05/07; engine F9Q; MD P12E
1.9 dCi	85/116	F9Q	08/02->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT: ->05/07; engine F9Q; MD P12E
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT: ->05/07; engine F9Q; MD P12E
2.2 dCi	102/139	YD22DDT	04/03->	Tensioner	SR-1057	OD: 79; thread size M10x1,25; W: 19,5; ACCOM; ->05/07; engine YD22DDT; MD P12E
2.2 Di	93/126	YD22DDT	03/02->	Tensioner	SR-1057	OD: 79; thread size M10x1,25; W: 19,5; ACCOM; ->05/07; engine YD22DDT; MD P12E
PRIMERA Estate (WP12) 						
1.6 Visia	80/109	QG16DE	01/02->	Tensioner	SR-1451	ID: 12; OD: 84; W: 25; ALT: ->05/07; MD P12E; + AC
				Tensioner	SR-1227	ID: 12; OD: 84; W: 25; ALT: ->04/06; + AC
1.8	85/115	QG18DE	03/02->	Tensioner	SR-1227	ID: 12; OD: 84; W: 25; ALT: ->05/07; + AC
				Tensioner	SR-1451	ID: 12; OD: 84; W: 25; ALT: ->05/07; MD P12E; + AC
1.9 dCi	88/120	F9Q	04/03->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT: ->05/07; engine F9Q; MD P12E
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT: ->05/07; engine F9Q; MD P12E
1.9 dCi	85/116	F9Q	08/02->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT: ->05/07; engine F9Q; MD P12E
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT: ->05/07; engine F9Q; MD P12E
2.2 dCi	102/139	YD22DDT	04/03->	Tensioner	SR-1057	OD: 79; thread size M10x1,25; W: 19,5; ACCOM; ->05/07; engine YD22DDT; MD P12E
2.2 Di	93/126	YD22DDT	03/02->	Tensioner	SR-1057	OD: 79; thread size M10x1,25; W: 19,5; ACCOM; ->05/07; engine YD22DDT; MD P12E
PRIMERA Hatchback (P10) 						
1.6	66/90	GA16DS	06/90->01/96	Tensioner	SR-1231	OD: 85; W: 22,5; ACCOM
PRIMERA Hatchback (P11) 						
1.6 16V	73/99	GA16DE	09/96->07/02	Tensioner	SR-1231	OD: 85; W: 22,5; ACCOM; ->06/99
1.6 16V	66/90	GA16DE	09/96->07/02	Tensioner	SR-1231	OD: 85; W: 22,5; ACCOM; ->06/99
1.8 16V	84/114	QG18DE	08/99->07/02	Tensioner	SR-1451	ID: 12; OD: 84; W: 25; ACCOM; 01/01->; MD P11E
				Tensioner	SR-1227	ID: 12; OD: 84; W: 25; ALT; 05/01->; + AC
2.0 TD	66/90	CD20T	09/96->07/02	Tensioner	SR-1230	OD: 70; W: 30; CS; 06/99->; ->01/02; MD P11E
PRIMERA Hatchback (P12) 						
1.6	78/106	QG16DE	07/02->	Tensioner	SR-1227	ID: 12; OD: 84; W: 25; ALT: ->08/08; + AC
				Tensioner	SR-1451	ID: 12; OD: 84; W: 25; ALT: ->05/07; MD P12E; + AC
1.6	80/109	QG16DE	07/02->	Tensioner	SR-1227	ID: 12; OD: 84; W: 25; ALT: ->04/06; + AC
				Tensioner	SR-1451	ID: 12; OD: 84; W: 25; ALT: ->05/07; MD P12E; + AC
1.8	85/115	QG18DE	07/02->	Tensioner	SR-1451	ID: 12; OD: 84; W: 25; ALT: ->05/07; MD P12E; + AC
				Tensioner	SR-1227	ID: 12; OD: 84; W: 25; ALT: ->10/08; + AC
1.9 dCi	88/120	F9Q	04/03->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT: ->05/07; engine F9Q; MD P12E
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT: ->05/07; engine F9Q; MD P12E
1.9 dCi	85/116	F9Q	08/02->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT: ->05/07; engine F9Q; MD P12E
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT: ->05/07; engine F9Q; MD P12E
2.2 dCi	102/139	YD22DDT	04/03->	Tensioner	SR-1057	OD: 79; thread size M10x1,25; W: 19,5; ACCOM; ->05/07; engine YD22DDT; MD P12E
2.2 Di	93/126	YD22DDT	07/02->	Tensioner	SR-1057	OD: 79; thread size M10x1,25; W: 19,5; ACCOM; ->05/07; engine YD22DDT; MD P12E
PRIMERA Traveller (W10) 						
1.6 i	75/102	GA16DE	02/91->03/98	Tensioner	SR-1231	OD: 85; W: 22,5; ACCOM
1.6 i	66/90	GA16DS	07/90->03/98	Tensioner	SR-1231	OD: 85; W: 22,5; ACCOM
2.0 D	55/75	CD20	07/90->12/95	Deflection/Guide	SR-1229	ID: 10,2; OD: 60; W: 29; ->05/95; MD W10
				Tensioner	SR-1230	OD: 70; W: 30; CS; ->05/95; MD W10
PRIMERA Traveller (WP11) 						
1.6 16V	66/90	GA16DE	04/98->12/01	Tensioner	SR-1231	OD: 85; W: 22,5; ACCOM; ->06/99
1.6 16V	73/99	GA16DE	04/98->12/01	Tensioner	SR-1231	OD: 85; W: 22,5; ACCOM; ->06/99
1.8 16V	84/114	QG18DE	08/99->12/01	Tensioner	SR-1451	ID: 12; OD: 84; W: 25; ACCOM; 01/01->; MD WP11E
2.0 TD	66/90	CD20T	04/98->12/01	Tensioner	SR-1230	OD: 70; W: 30; CS; 06/99->; MD WP11E
QASHQAI / QASHQAI +2 (J10, JJ10) 						
1.5 dCi	78/106	K9K 732;K9K 764	02/07->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT: ->12/13; engine K9K; MD J10E; MD JJ10E; Fitting Position: Centre right
1.5 dCi	76/103	K9K 410	07/08->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT: ->12/13; engine K9K; MD J10E; MD JJ10E; Fitting Position: Centre right
1.5 dCi	81/110	K9K 430	11/10->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT: ->12/13; engine K9K; MD J10E; MD JJ10E; Fitting Position: Centre right
1.6	84/114	HR16DE	02/07->	Tensioner	SR-1351	ID: 10,2; OD: 70; W: 37; ALT: ->12/13; MD J10E; MD JJ10E
1.6	86/117	HR16DE	11/10->	Tensioner	SR-1351	ID: 10,2; OD: 70; W: 37; ALT: ->12/13; MD J10E; MD JJ10E
1.6 dCi	96/130	R9M	10/11->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT: ->12/13; engine R9M; MD J10E; MD JJ10E
1.6 dCi All-wheel Drive	96/130	R9M	10/11->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT: ->12/13; engine R9M; MD J10E; MD JJ10E








	kW/HP	Engine code		Type		
2.0	104/141	MR20DE	02/07->	Tensioner	SR-1014	- holder; ID: 17; OD: 70; W: 27; ALT; MD J10E; MD JJ10E; Fitting Position: Centre left
2.0 All-wheel Drive	104/141	MR20DE	02/07->	Tensioner	SR-1014	- holder; ID: 17; OD: 70; W: 27; ALT; ->12/13; MD J10E; MD JJ10E; Fitting Position: Centre left
2.0 dCi	110/150	M1D;M9R	02/07->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ->12/13; engine M9R; MD J10E; MD JJ10E; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; ->12/13; engine M9R; MD J10E; MD JJ10E; Fitting Position: Centre left
2.0 dCi All-wheel Drive	110/150	M1D;M9R	02/07->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ->12/13; engine M9R; MD J10E; MD JJ10E; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; ->12/13; engine M9R; MD J10E; MD JJ10E; Fitting Position: Centre left
SERENA (C23M) 						
1.6 16V	71/97	GA16DE	02/93->09/01	Tensioner	SR-1231	OD: 85; W: 22.5; ACCOM; ->06/99
2.0 D	49/67	LD20	11/92->09/01	Deflection/Guide	SR-1233	OD: 60; W: 35; ->12/92
				Tensioner	SR-1232	OD: 60; W: 35; ->12/92
2.3 D	55/75	LD23	01/95->09/01	Deflection/Guide	SR-1233	OD: 60; W: 35; MD C23M
				Tensioner	SR-1232	OD: 60; W: 35; MD C23M
SUNNY II (N13) 						
1.7 D	40/54	CD17	06/86->05/89	Deflection/Guide	SR-1229	ID: 10.2; OD: 60; W: 29; MD B12; MD N13
SUNNY II Hatchback (N13) 						
1.7 D	40/54	CD17	06/86->01/91	Deflection/Guide	SR-1229	ID: 10.2; OD: 60; W: 29; ->08/90; MD B12; MD N13
SUNNY II Traveller (B12) 						
1.7 D	40/54	CD17	01/86->06/91	Deflection/Guide	SR-1229	ID: 10.2; OD: 60; W: 29; 06/86->->08/90; MD B12; MD N13
SUNNY III (N14) 						
2.0 D	55/75	CD20	10/90->05/95	Deflection/Guide	SR-1229	ID: 10.2; OD: 60; W: 29; MD B14; MD N14; MD Y10
				Tensioner	SR-1230	OD: 70; W: 30; CS; MD B14; MD N14; MD Y10
SUNNY III Box (Y10) 						
1.6 i 16V	66/90	GA16DE	10/92->03/00	Tensioner	SR-1231	OD: 85; W: 22.5; ACCOM; ->07/95; engine GA16DE; + AC
1.7 D	40/54	CD17	11/90->03/00	Deflection/Guide	SR-1229	ID: 10.2; OD: 60; W: 29; 05/92->->10/93; MD Y10; 10/93->->03/94
SUNNY III Hatchback (N14) 						
2.0 D	55/75	CD20	10/90->05/95	Deflection/Guide	SR-1229	ID: 10.2; OD: 60; W: 29; MD B14; MD N14; MD Y10
				Tensioner	SR-1230	OD: 70; W: 30; CS; MD B14; MD N14; MD Y10
SUNNY III Liftback (N14) 						
2.0 D	55/75	CD20	10/90->05/95	Deflection/Guide	SR-1229	ID: 10.2; OD: 60; W: 29; MD B14; MD N14; MD Y10
				Tensioner	SR-1230	OD: 70; W: 30; CS; MD B14; MD N14; MD Y10
SUNNY III Traveller (Y10) 						
1.6 i	66/90	GA16DE;GA16DS	06/91->03/00	Tensioner	SR-1231	OD: 85; W: 22.5; ACCOM; ->07/95; engine GA16DE; + AC
1.6 i 16V 4x4	75/102	GA16DE	10/92->03/00	Tensioner	SR-1231	OD: 85; W: 22.5; ACCOM; ->07/95; engine GA16DE; + AC
2.0 D	55/75	CD20	06/91->03/00	Deflection/Guide	SR-1229	ID: 10.2; OD: 60; W: 29; ->11/95; MD B14; MD N14; MD Y10
				Tensioner	SR-1230	OD: 70; W: 30; CS; ->11/95; MD B14; MD N14; MD Y10
TEANA I (J31) 						
2.3	127/173	VQ23DE	10/03->06/08	Tensioner	SR-1271	OD: 84; thread size M10x1.25; W: 25; AT
3.5	170/231	VQ35DE	10/03->06/08	Tensioner	SR-1271	OD: 84; thread size M10x1.25; W: 25; AT
TEANA II (J32) 						
2.5	134/182	VQ25DE	07/08->09/13	Deflection/Guide	SR-1561	OD: 75; thread size M10x1.5; W: 36; ALT; 10/08->
				Deflection/Guide	SR-1560	OD: 75; thread size M10x1.5; W: 34; AT
				Tensioner	SR-1559	+ holder; ID: 17; OD: 70; W: 34.5; ALT; MD J32; MD J32R; MD J32T
				Deflection/Guide	SR-1560	OD: 75; thread size M10x1.5; W: 34; AT
3.5	183/249	VQ35DE	07/08->09/13	Deflection/Guide	SR-1561	OD: 75; thread size M10x1.5; W: 36; ALT
				Tensioner	SR-1559	+ holder; ID: 17; OD: 70; W: 34.5; ALT; MD J32; MD J32R; MD J32T
TERRANO II (R20) 						
3.0 Di 4WD	113/154	ZD30	05/02->09/07	Tensioner	SR-1497	+ holder; OD: 85; W: 31; ALT; ->12/06; MD R20
TIIDA Hatchback (C11X) 						
1.5 dCi	78/106	K9K 728	09/07->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ->03/10; engine K9K; MD C11X
1.6	81/110	HR16DE	09/07->	Tensioner	SR-1351	ID: 10.2; OD: 70; W: 37; ALT; MD C11X
1.8	93/126	MR18DE	09/07->	Tensioner	SR-1014	- holder; ID: 17; OD: 70; W: 27; ALT; MD C11X
TIIDA Hatchback (C13) 						
1.2 DIG-T	85/115	HR12DDT	10/14->	Tensioner	SR-1351	ID: 10.2; OD: 70; W: 37; ALT; engine HR12DE; MD N17T
1.5 dCi	81/110	K9K	10/14->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT
TIIDA Saloon (SC11X) 						
1.5 dCi	78/106	K9K	09/07->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ->03/10; engine K9K; MD SC11X
1.6	81/110	HR16DE	09/07->	Tensioner	SR-1351	ID: 10.2; OD: 70; W: 37; ALT; MD SC11X
1.8	93/126	MR18DE	09/07->	Tensioner	SR-1014	- holder; ID: 17; OD: 70; W: 27; ALT; MD SC11X
VANETTE Box (C22) 						
2.0 D	49/67	LD20II	07/91->01/95	Deflection/Guide	SR-1233	OD: 60; W: 35; ->02/94; MD C22
				Tensioner	SR-1232	OD: 60; W: 35; ->02/94; MD C22







	kW/HP	Engine code		Type		
VANETTE Bus [C22] 						
2.0 D (ULC22)	47/64	LD20	10/86->12/95	Deflection/Guide Tensioner	SR-1233 SR-1232	OD: 60; W: 35; ->02/94; MD C22 OD: 60; W: 35; ->02/94; MD C22
VANETTE CARGO Box [HC 23] 						
1.6 i	71/97	GA16DE	01/95->	Tensioner	SR-1231	OD: 85; W: 22.5; ACCOM; ->06/99
2.3 D	55/75	LD23	01/95->	Deflection/Guide Tensioner	SR-1233 SR-1232	OD: 60; W: 35; ->11/01; MD C23M OD: 60; W: 35; ->11/01; MD C23M
VANETTE CARGO Bus [HC 23] 						
2.0 D	49/67	LD20	01/96->	Tensioner	SR-1230	OD: 70; W: 30; CS; 01/97->; ->01/98; engine CD20ET; MD C23
2.3 D	55/75	LD23	01/96->	Deflection/Guide Tensioner	SR-1233 SR-1232	OD: 60; W: 35; ->11/01; MD C23M OD: 60; W: 35; ->11/01; MD C23M
X-TRAIL [T30] 						
2.0	103/140	QR20DE	07/01->01/13	Tensioner	SR-1503	- holder; ID: 17; OD: 80; W: 31; ALT; MD T30
2.0 4x4	103/140	QR20DE	07/01->01/13	Tensioner	SR-1503	- holder; ID: 17; OD: 80; W: 31; ALT; MD T30
2.2 dCi	100/136	YD22DDTi	12/03->01/13	Tensioner	SR-1057	OD: 79; thread size M10x1,25; W: 19,5; ACCOM; engine YD22ETi; MD T30
2.2 dCi 4x4	100/136	YD22DDTi	12/03->01/13	Tensioner	SR-1057	OD: 79; thread size M10x1,25; W: 19,5; ACCOM; engine YD22ETi; MD T30
2.2 Di 4x4	84/114	YD22ETi	07/01->10/05	Tensioner	SR-1057	OD: 79; thread size M10x1,25; W: 19,5; ACCOM; MD T30
2.5 4x4	121/165	QR25DE	09/02->01/13	Tensioner	SR-1503	- holder; ID: 17; OD: 80; W: 31; ALT; MD T30
X-TRAIL [T31] 						
2.0	104/141	MR20DE	06/07->11/13	Tensioner	SR-1014	- holder; ID: 17; OD: 70; W: 27; ALT; MD T31
2.0	103/140	MR20DE	06/08->11/13	Tensioner	SR-1014	- holder; ID: 17; OD: 70; W: 27; ALT; MD T31
2.0 dCi	127/173	M9R 760	06/07->11/13	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30; ALT; engine M9R 110; engine M9R 127; MD T31; Fitting Position: Centre right - holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 110; engine M9R 127; MD T31; Fitting Position: Centre left
2.0 dCi	110/150	M9R	06/07->11/13	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30; ALT; engine M9R 110; engine M9R 127; MD T31; Fitting Position: Centre right - holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 110; engine M9R 127; MD T31; Fitting Position: Centre left
2.0 dCi FWD	110/150	M9R	06/07->11/13	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30; ALT; engine M9R 110; engine M9R 127; MD T31; Fitting Position: Centre right - holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 110; engine M9R 127; MD T31; Fitting Position: Centre left
2.0 FWD	103/140	MR20DE	06/08->11/13	Tensioner	SR-1014	- holder; ID: 17; OD: 70; W: 27; ALT; MD T31
2.5 4x4	124/169	QR25DE	06/07->11/13	Tensioner	SR-1417	- holder; ID: 17; OD: 80; W: 31
OPEL						
ADAM 						
1.2	69/94		07/13->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.2	51/69	A 12 XEL; B 12 XEL	10/12->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4	64/87	A 14 XEL; B 14 XEL	10/12->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4	74/101	A 14 XER; B 14 XER	10/12->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4 LPG	64/87	A 14 XEL; B 14 XEL	07/13->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4 S	110/150	B 14 NEH	11/14->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
AGILA (A) [H00] 						
1.0	44/60	Z 10 XEP	08/03->12/07	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 10 XEP; Fitting Position: Centre
1.0 12V	43/58	Z 10 XE	09/00->12/07	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 10 XE; Fitting Position: Centre
1.2 16V	55/75	Z 12 XE	09/00->12/07	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 12 XE; Fitting Position: Centre
1.2 16V Twinport	59/80	Z 12 XEP	07/04->12/07	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 12 XEP; Fitting Position: Centre
ANTARA 						
2.0 CDTI	93/127	Z 20 S	03/07->	Deflection/Guide Tensioner	SR-1383 SR-1382	OD: 65; W: 26; ALT; engine Z 20 DM; Fitting Position: Centre right - holder; ID: 17; OD: 65; W: 24,5; ALT; engine Z 20 DM; Fitting Position: Centre
2.0 CDTI	110/150	Z 20 DMH; Z 20 S	05/06->	Deflection/Guide Tensioner	SR-1383 SR-1382	OD: 65; W: 26; ALT; engine Z 20 DM; Fitting Position: Centre right - holder; ID: 17; OD: 65; W: 24,5; ALT; engine Z 20 DM; Fitting Position: Centre
2.0 CDTI	93/127	Z 20 DM	09/08->	Deflection/Guide Tensioner	SR-1383 SR-1382	OD: 65; W: 26; ALT; engine Z 20 DM; Fitting Position: Centre right - holder; ID: 17; OD: 65; W: 24,5; ALT; engine Z 20 DM; Fitting Position: Centre
2.0 CDTI 4x4	110/150	Z 20 DMH; Z 20 S	05/06->	Deflection/Guide Tensioner	SR-1383 SR-1382	OD: 65; W: 26; ALT; engine Z 20 DMH; Fitting Position: Centre right - holder; ID: 17; OD: 65; W: 24,5; ALT; engine Z 20 DMH; Fitting Position: Centre
2.4	104/141	Z 24 XED	05/06->	Deflection/Guide Tensioner	SR-1051 SR-1066	OD: 52; W: 27; engine Z 24 XE; Fitting Position: Upper Left; Fitting Position: Upper Right - holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.4	103/140	Z 24 XE	09/08->	Deflection/Guide Tensioner	SR-1051 SR-1066	OD: 52; W: 27; engine Z 24 XE; Fitting Position: Upper Left; Fitting Position: Upper Right - holder; ID: 17; OD: 70; W: 26; ALT
2.4	123/167	A 24 XE	12/10->	Deflection/Guide	SR-1352	+ holder; OD: 70; thread size M8x1,25; W: 31; ALT; Fitting Position: Centre
2.4 4x4	103/140	Z 24 XE	01/07->	Deflection/Guide Tensioner	SR-1051 SR-1066	OD: 52; W: 27; engine Z 24 XE; Fitting Position: Upper Left; Fitting Position: Upper Right - holder; ID: 17; OD: 70; W: 26; ALT
2.4 4x4	123/167	A 24 XE	12/10->	Deflection/Guide	SR-1352	+ holder; OD: 70; thread size M8x1,25; W: 31; ALT; Fitting Position: Centre






	kW/HP	Engine code		Type		
2.4 LPG	103/140	Z 24 XE	10/08->	Deflection/Guide	SR-1051	OD: 52; W: 27; engine Z 24 XE; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT
2.4 LPG 4x4	103/140	Z 24 XE	10/08->	Deflection/Guide	SR-1051	OD: 52; W: 27; engine Z 24 XE; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT
3.0	190/258	A 30 XH	11/10->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; engine A 30 XF; engine A 30 XH; Fitting Position: Centre
3.2 V6	167/227	Z 32 SEE; 10 HM	03/07->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; engine Z 32 SE; Fitting Position: Centre
ARENA Box 						
1.9 D	44/60	19 DJ; 19 DL	01/97->12/01	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
2.5 D	55/75	25 DG; 25 DM	01/97->12/01	Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
ARENA Box (TB, TF) 						
1.9 D	44/60	F8Q 606; F8Q 600	03/98->08/01	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
2.5 D	55/75	S8U 758; S8U 780; S8U 782	03/98->08/01	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
ARENA Bus 						
1.9 D	44/60	19 DJ; 19 DL	01/97->12/01	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
2.5 D	55/75	25 DG; 25 DM	01/97->12/01	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
ARENA Combi (THB) 						
1.9 D	44/60	F8Q 606; F8Q 600	03/98->08/01	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
2.5 D	55/75	S8U 758; S8U 780; S8U 782	03/98->08/01	Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
ASTRA F (56_, 57_) 						
1.4	55/75	14 NV	09/91->09/93	Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
1.4	60/82	14 SE	09/92->09/98	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; engine 14 SE; engine X 14 NZ; Fitting Position: Upper Left
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
1.4 i	44/60	C 14 NZ; X 14 NZ	09/91->09/98	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; engine C 14 NZ; engine X 14 NZ; Fitting Position: Upper Left
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; 01/93->; Fitting Position: Left; + PS
1.4 i 16V	66/90	X 14 XE	02/96->09/98	Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + PS
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
1.4 i 16V	66/90	X 14 XE	02/96->09/98	Tensioner	SR-1109	- holder; OD: 70; W: 25; ALT; Fitting Position: Centre; - AC; - PS
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
1.4 Si	60/82	C 14 SE	03/92->09/98	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
1.6	55/75	16 LZ2; 16 NZR	09/95->09/98	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
1.6 i	55/75	C 16 NZ; X 16 SZR	03/92->09/98	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; engine C 16 NZ; engine C 16 NZR; Fitting Position: Upper Left
1.6 i	52/71	X 16 SZ	05/93->07/96	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
1.6 i	52/71	X 16 SZ	05/93->07/96	Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
				Deflection/Guide	SR-1107	OD: 52; W: 23; Fitting Position: Upper Right
1.6 i 16V	74/100	X 16 XEL	08/94->09/98	Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Tensioner	SR-1109	- holder; OD: 70; W: 25; ALT; Fitting Position: Centre; - AC; - PS
1.6 i 16V	74/100	X 16 XEL	08/94->09/98	Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + PS
1.6 i 16V	74/100	X 16 XEL	08/94->09/98	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
1.6 Si	74/100	C 16 SE	05/92->12/94	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
1.7 D	44/60	17 DR	07/92->09/98	Tensioner	SR-1050	OD: 59; W: 26; ch. 14363652->; engine 17 DR (GM); Fitting Position: Lower
1.7 TD	50/68	X 17 DTL	11/94->09/98	Tensioner	SR-1050	OD: 59; W: 26; engine X 17 DTL (GM); Fitting Position: Lower
1.8 i	66/90	C 18 NZ	03/92->09/98	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; 01/94->; Fitting Position: Centre
1.8 i 16V	92/125	C 18 XE	06/93->10/94	Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; 01/94->; Fitting Position: Centre
1.8 i 16V	92/125	C 18 XE	06/93->10/94	Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower






	kW/HP	Engine code		Type		
1.8 i 16V	85/116	C 18 SEL	09/95->08/97	Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.8 i 16V	82/112	18 SE	09/95->09/96	Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower
1.8 i 16V	85/116	C 18 XEL;X 18 XE	11/94->09/98	Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower
2.0 i	85/115	C 20 NE	03/92->09/98	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; 01/94->; Fitting Position: Centre
2.0 i 16V	100/136	X 20 XEV	02/95->09/98	Deflection/Guide	SR-1051	OD: 52; W: 27; eng.# 14142839->; engine C 20 XE; Fitting Position: Upper Right; engine X 20 XEV; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1050	OD: 59; W: 26; eng.# 14142839->; engine C 20 XE; Fitting Position: Lower; engine X 20 XEV; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
ASTRA F CLASSIC Estate 						
1.4 i	44/60	X 14 NZ	01/98->01/05	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS
1.6 i	55/75	X 16 SZR	01/98->01/05	Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
1.6 i 16V	74/101	X 16 XEL	01/98->01/05	Deflection/Guide	SR-1108	OD: 62,7; W: 23,5 ->09/98; Fitting Position: Upper Left; eng.# 20 MV7225->; eng.# 20 U75999->; Fitting Position: Upper Left; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; ->09/98; Fitting Position: Upper Right; eng.# 20 MV7225->; eng.# 20 U75999->; Fitting Position: Upper Right; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; ->09/98; Fitting Position: Lower; eng.# 20 MV7225->; eng.# 20 U75999->; Fitting Position: Lower; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Lower
Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre				
ASTRA F CLASSIC Hatchback 						
1.4 i	44/60	X 14 NZ	01/98->08/02	Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
1.6 i	55/75	X 16 SZR	01/98->08/02	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS
1.6 i 16V	74/101	X 16 XEL	01/98->08/02	Deflection/Guide	SR-1107	OD: 52; W: 23; ->09/98; Fitting Position: Upper Right; eng.# 20 MV7225->; eng.# 20 U75999->; Fitting Position: Upper Right; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5 ->09/98; Fitting Position: Upper Left; eng.# 20 MV7225->; eng.# 20 U75999->; Fitting Position: Upper Left; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Upper Left
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; ->09/98; Fitting Position: Lower; eng.# 20 MV7225->; eng.# 20 U75999->; Fitting Position: Lower; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Lower
Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre				
ASTRA F CLASSIC Saloon 						
1.4 i	44/60	X 14 NZ	01/98->08/02	Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
1.6 i	55/75	X 16 SZR	01/98->08/02	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS
1.6 i 16V	74/101	X 16 XEL	01/98->08/02	Deflection/Guide	SR-1108	OD: 62,7; W: 23,5 ->09/98; Fitting Position: Upper Left; eng.# 20 MV7225->; eng.# 20 U75999->; Fitting Position: Upper Left; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; ->09/98; Fitting Position: Upper Right; eng.# 20 MV7225->; eng.# 20 U75999->; Fitting Position: Upper Right; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; ->09/98; Fitting Position: Lower; eng.# 20 MV7225->; eng.# 20 U75999->; Fitting Position: Lower; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Lower
Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre				
ASTRA F Convertible (53_B) 						
1.4 i 16V	66/90	X 14 XE	01/96->03/01	Deflection/Guide	SR-1107	OD: 52; W: 23; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + PS
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
				Tensioner	SR-1109	- holder; OD: 70; W: 25; ALT; Fitting Position: Centre; - AC; - PS
1.4 Si	60/82	C 14 SE	05/93->03/01	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
1.6 i	55/75	X 16 SZR	01/96->03/01	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
1.6 i	52/71	X 16 SZ	03/93->08/96	Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
1.8 i 16V	85/116	C 18 XEL;X 18 XE	11/94->03/01	Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower

	kW/HP	Engine code		Type		
2.0 i	85/115	C 20 NE	03/93->10/94	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; 01/94->; Fitting Position: Centre
ASTRA F Estate [51_, 52_] 						
1.4	55/75	14 NV	09/91->09/93	Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
1.4	60/82	14 SE	09/92->01/98	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
1.4 i	44/60	C 14 NZ	09/91->01/98	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; 01/93->; Fitting Position: Left; + PS
1.4 i 16V	66/90	X 14 XE	02/96->01/98	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
1.4 Si	60/82	C 14 SE	03/92->01/98	Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + PS
				Tensioner	SR-1109	- holder; OD: 70; W: 25; ALT; Fitting Position: Centre; - AC; - PS
1.6	55/75	16 LZ2;16 NZR	09/95->01/98	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left; engine C 14 SE; engine X 14 NZ; Fitting Position: Upper Left
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
1.6 i	52/71	X 16 SZ	05/93->07/96	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
1.6 i	55/75	C 16 NZ;X 16 SZR	09/91->01/98	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
1.6 i 16V	74/100	X 16 XEL	08/94->01/98	Deflection/Guide	SR-1107	OD: 52; W: 23; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Tensioner	SR-1109	- holder; OD: 70; W: 25; ALT; Fitting Position: Centre; - AC; - PS
1.6 Si	74/100	C 16 SE	03/92->12/94	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + PS
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
1.7 D	44/60	17 DR	07/92->01/98	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
1.7 TD	50/68	X 17 DTL	11/94->01/98	Tensioner	SR-1050	OD: 59; W: 26; engine X 17 DTL (GM); Fitting Position: Lower
1.8 i	66/90	C 18 NZ	09/91->01/98	Tensioner	SR-1050	OD: 59; W: 26; engine X 17 DTL (GM); Fitting Position: Lower
1.8 i 16V	92/125	C 18 XE	06/93->01/98	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; 01/94->; Fitting Position: Centre
				Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; 01/94->; Fitting Position: Centre
1.8 i 16V	85/116	C 18 XEL;X 18 XE	07/94->01/98	Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower
				Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 i	85/115	C 20 NE	09/91->07/94	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; 01/94->; Fitting Position: Centre
2.0 i 16V	100/136	X 20 XEV	02/95->01/98	Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower
2.0 i 16V	110/150	C 20 XE	03/93->01/98	Deflection/Guide	SR-1051	OD: 52; W: 27; eng.# 14142839->; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1050	OD: 59; W: 26; eng.# 14142839->; Fitting Position: Lower
ASTRA F Hatchback [53_, 54_, 58_, 59_] 						
1.4	55/75	14 NV	09/91->09/93	Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
1.4	60/82	14 SE	09/92->01/98	Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
1.4 i	44/60	C 14 NZ	03/92->01/98	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; 01/93->; Fitting Position: Left; + PS
1.4 i 16V	66/90	X 14 XE	01/96->01/98	Deflection/Guide	SR-1107	OD: 52; W: 23; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
1.4 Si	60/82	C 14 SE	03/92->01/98	Tensioner	SR-1109	- holder; OD: 70; W: 25; ALT; Fitting Position: Centre; - AC; - PS
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + PS
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
1.6	55/75	16 LZ2;16 NZR	09/95->01/98	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left; engine C 14 SE; engine X 14 NZ; Fitting Position: Upper Left

	kW/HP	Engine code		Type		
1.6 i	52/71	X 16 SZ	05/93->07/96	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
1.6 i	55/75	C 16 NZ;X 16 SZR	09/91->01/98	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left; engine C 16 NZ; engine C 16 NZR; engine X 16 SZR; Fitting Position: Upper Left
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
1.6 i 16V	74/100	X 16 XEL	08/94->01/98	Deflection/Guide	SR-1107	OD: 52; W: 23; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + PS
1.6 Si	74/100	C 16 SE	03/92->12/94	Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
				Tensioner	SR-1109	- holder; OD: 70; W: 25; ALT; Fitting Position: Centre; - AC; - PS
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
1.7 D	44/60	17 DR	07/92->01/98	Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
				Tensioner	SR-1050	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
1.7 TD	50/68	X 17 DTL	11/94->01/98	Tensioner	SR-1050	OD: 59; W: 26; engine X 17 DTL (GM); Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; 01/94->; Fitting Position: Centre
				Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
1.8 i	66/90	C 18 NZ	09/91->01/98	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; 01/94->; Fitting Position: Centre
				Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower
1.8 i 16V	92/125	C 18 XE	06/93->08/94	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; 01/94->; Fitting Position: Centre
				Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower
1.8 i 16V	85/116	C 18 XEL;X 18 XE	09/94->01/98	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower
				Deflection/Guide	SR-1051	OD: 52; W: 27; eng.# 14142839->; Fitting Position: Upper Right
2.0 GSi 16V	110/150	C 20 XE	09/91->01/98	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1050	OD: 59; W: 26; eng.# 14142839->; Fitting Position: Lower
				Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
2.0 i	85/115	C 20 NE	09/91->01/98	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; 01/94->; Fitting Position: Centre
				Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 i 16V	100/136	X 20 XEV	02/95->01/98	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower
				Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
ASTRA F Van (55_) 						
1.4 i	44/60	C 14 NZ	10/91->01/99	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; 01/93->; Fitting Position: Left; + PS
1.6 i	52/71	X 16 SZ	02/93->07/96	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left; engine C 16 SE; engine X 16 SZ; engine X 16 SZR; Fitting Position: Upper Left
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
1.6 i	55/75	C 16 NZ	10/91->04/93	Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
1.6 i 16V	74/100	X 16 XEL	08/94->03/98	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left; engine C 16 NZ; engine C 16 NZR; Fitting Position: Upper Left
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; Fitting Position: Upper Right
1.7 D	44/60	17 DR	07/92->01/99	Tensioner	SR-1109	- holder; OD: 70; W: 25; ALT; Fitting Position: Centre; - AC; - PS
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + PS
1.7 TD	50/68	X 17 DTL	08/94->01/99	Tensioner	SR-1050	OD: 59; W: 26; eng.# 14363652->; engine 17 DR (GM); Fitting Position: Lower
				Tensioner	SR-1050	OD: 59; W: 26; engine X 17 DTL (GM); Fitting Position: Lower
ASTRA G Box (F70) 						
1.6	55/75	X 16 SZR	01/99->09/00	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left; ->eng.# 02 M25253; Fitting Position: Upper Left; eng.# 02 M25254->; Fitting Position: Upper Left
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
1.6	62/84	Z 16 SE	09/00->04/05	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left; ->eng.# 02 M25253; ->eng.# 20 U75998; Fitting Position: Upper Left; eng.# 02 M25254->; eng.# 20 U75999->; Fitting Position: Upper Left
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
1.7 DTI 16V	55/75	Y 17 DT	02/00->04/05	Deflection/Guide	SR-1401	OD: 76; W: 26; + AC
1.7 TD	50/68	X 17 DTL	01/99->04/05	Tensioner	SR-1483	- holder; ID: 17; OD: 70; W: 26
				Tensioner	SR-1050	OD: 59; W: 26; engine X 17 DTL (GM); Fitting Position: Lower
2.0 DI	60/82	X 20 DTL	01/99->04/05	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
ASTRA G Convertible (F67) 						
1.6	76/103	Z 16 XEP	01/03->10/05	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre

	kW/HP	Engine code		Type		
1.6 16V	74/101	Z 16 XE	03/01->10/05	Deflection/Guide	SR-1107	OD: 52; W: 23; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Right
				Deflection/Guide	SR-1397	OD: 52.2; W: 25.5; eng.# 02 HL5118-; eng.# 20041691-; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Upper Right; eng.# 02 MV7225-; eng.# 20 U75999-; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62.7; W: 23.5; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Left; eng.# 02 HL5118-; eng.# 20041691-; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Upper Left; eng.# 02 MV7225-; eng.# 20 U75999-; Fitting Position: Upper Left
				Tensioner	SR-1396	- holder; ID: 17; OD: 76.5; W: 22.5; ALT; Fitting Position: Centre
				Tensioner	SR-1106	ID: 8.2; OD: 59; W: 22; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Lower; eng.# 02 HL5118-; eng.# 20041691-; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Lower; eng.# 02 MV7225-; eng.# 20 U75999-; Fitting Position: Lower
1.8 16V	92/125	Z 18 XE	03/01->10/05	Deflection/Guide	SR-1397	OD: 52.2; W: 25.5; eng.# 02 HL5118-; eng.# 20041691-; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62.7; W: 23.5; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Left; eng.# 02 HL5118-; eng.# 20041691-; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8.2; OD: 59; W: 22; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Lower; eng.# 02 HL5118-; eng.# 20041691-; Fitting Position: Lower
				Tensioner	SR-1396	- holder; ID: 17; OD: 76.5; W: 22.5; ALT; Fitting Position: Centre
2.0 16V Turbo	147/200	Z 20 LET	11/02->10/05	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 OPC	141/192	Z 20 LET	03/02->10/05	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.2 16V	108/147	Z 22 SE	03/01->10/05	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; Fitting Position: Centre
2.2 DTI	92/125	Y 22 DTR	09/02->10/05	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90.5; W: 25; ALT; Fitting Position: Centre
ASTRA G Coupe (F07_) 						
1.6 16V	74/101	Z 16 XE	03/00->05/05	Deflection/Guide	SR-1108	OD: 62.7; W: 23.5; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Left; eng.# 02 HL5118-; eng.# 20041691-; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Upper Left; eng.# 02 MV7225-; eng.# 20 U75999-; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Right
				Deflection/Guide	SR-1397	OD: 52.2; W: 25.5; eng.# 02 HL5118-; eng.# 20041691-; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Upper Right; eng.# 02 MV7225-; eng.# 20 U75999-; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8.2; OD: 59; W: 22; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Lower; eng.# 02 HL5118-; eng.# 20041691-; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Lower; eng.# 02 MV7225-; eng.# 20 U75999-; Fitting Position: Lower
				Tensioner	SR-1396	- holder; ID: 17; OD: 76.5; W: 22.5; ALT; Fitting Position: Centre
1.6 16V	76/103	Z 16 XEP	03/00->05/05	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27.5
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8.2; OD: 66; W: 29
1.8 16V	85/116	X 18 XE1	03/00->10/00	Deflection/Guide	SR-1108	OD: 62.7; W: 23.5; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Left; eng.# 02 HL5118-; eng.# 20041691-; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Right
				Deflection/Guide	SR-1397	OD: 52.2; W: 25.5; eng.# 02 HL5118-; eng.# 20041691-; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8.2; OD: 59; W: 22; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Lower; eng.# 02 HL5118-; eng.# 20041691-; Fitting Position: Lower
				Tensioner	SR-1396	- holder; ID: 17; OD: 76.5; W: 22.5; ALT; Fitting Position: Centre
1.8 16V	92/125	Z 18 XE	09/00->05/05	Deflection/Guide	SR-1108	OD: 62.7; W: 23.5; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Left; eng.# 02 HL5118-; eng.# 20041691-; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Right
				Deflection/Guide	SR-1397	OD: 52.2; W: 25.5; eng.# 02 HL5118-; eng.# 20041691-; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8.2; OD: 59; W: 22; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Lower; eng.# 02 HL5118-; eng.# 20041691-; Fitting Position: Lower
				Tensioner	SR-1396	- holder; ID: 17; OD: 76.5; W: 22.5; ALT; Fitting Position: Centre
2.0 16V Turbo	141/192	Z 20 LET	08/01->05/05	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 16V Turbo	140/190	Z 20 LET	09/00->08/01	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 16V Turbo	147/200	Z 20 LET	11/02->05/05	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.2 16V	108/147	Z 22 SE	09/00->05/05	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; Fitting Position: Centre
2.2 DTI	92/125	Y 22 DTR	09/02->05/05	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90.5; W: 25; ALT; Fitting Position: Centre
ASTRA G Estate (F35_) 						
1.2 16V	48/65	X 12 XE	02/98->09/00	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.2 16V	55/75	Z 12 XE	09/00->07/04	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4	66/90	Z 14 XEP	10/04->12/09	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4 16V	66/90	X 14 XE; Z 14 XE	06/98->07/04	Deflection/Guide	SR-1107	OD: 52; W: 23; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62.7; W: 23.5; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Left; eng.# 02 HL5118-; eng.# 20041691-; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Upper Left; eng.# 02 MV7225-; eng.# 20 U75999-; Fitting Position: Upper Left
				Deflection/Guide	SR-1397	OD: 52.2; W: 25.5; eng.# 02 HL5118-; eng.# 20041691-; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Upper Right; eng.# 02 MV7225-; eng.# 20 U75999-; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8.2; OD: 59; W: 22; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Lower; eng.# 02 HL5118-; eng.# 20041691-; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Lower; eng.# 02 MV7225-; eng.# 20 U75999-; Fitting Position: Lower
				Tensioner	SR-1396	- holder; ID: 17; OD: 76.5; W: 22.5; ALT; Fitting Position: Centre

	kW/HP	Engine code		Type		
1.6	55/75	X 16 SZR	02/98->09/00	Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left; ->eng.# 02 M25253; Fitting Position: Upper Left; eng.# 02 M25254->; Fitting Position: Upper Left
1.6	62/84	Z 16 SE	09/00->07/04	Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left; ->eng.# 02 M25253; ->eng.# 20 U75998; Fitting Position: Upper Left; eng.# 02 M25254->; eng.# 20 U75999->; Fitting Position: Upper Left
1.6	76/103	Z 16 XEP	12/02->07/09	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
1.6 16V	74/101	X 16 XEL; Z 16 XE	02/98->07/04	Deflection/Guide	SR-1107	OD: 52; W: 23; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Left; eng.# 02 HL5118->; eng.# 20041691->; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Upper Left; eng.# 02 MV7225->; eng.# 20 U75999->; Fitting Position: Upper Left
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; eng.# 02 HL5118->; eng.# 20041691->; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Upper Right; eng.# 02 MV7225->; eng.# 20 U75999->; Fitting Position: Upper Right
1.6 16V	74/101	X 16 XEL; Z 16 XE	02/98->07/04	Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Lower; eng.# 02 HL5118->; eng.# 20041691->; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Lower; eng.# 02 MV7225->; eng.# 20 U75999->; Fitting Position: Lower
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
1.6 CNG	71/97	Z 16 YNG	03/03->07/04	Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; Fitting Position: Upper Right
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
1.7 CDTI	59/80	Z 17 DTL	04/03->07/09	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Z 17 DTL (ISUZU); Fitting Position: Right; + AC
				Tensioner	SR-1483	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 17 DTL (ISUZU); Fitting Position: Centre
1.7 DTI 16V	55/75	Y 17 DT	02/00->07/04	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Y 17 DT (ISUZU); Fitting Position: Right; + AC
				Tensioner	SR-1483	- holder; ID: 17; OD: 70; W: 26; ALT; engine Y 17 DT (ISUZU); Fitting Position: Centre
1.7 TD	50/68	X 17 DTL	02/98->08/00	Tensioner	SR-1050	OD: 59; W: 26; engine X 17 DTL (GM); Fitting Position: Lower
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Left; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Right
1.8 16V	85/116	X 18 XE1	02/98->09/00	Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Upper Right
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Lower; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Lower
1.8 16V	92/125	Z 18 XE	09/00->07/04	Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Upper Right
				Deflection/Guide	SR-1107	OD: 52; W: 23; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Left; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Upper Left
1.8 16V	92/125	Z 18 XE	09/00->07/04	Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Lower; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Lower
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower
2.0 16V	100/136	X 20 XEV	02/98->07/04	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.0 DI	60/82	X 20 DTL; Y 20 DTL	02/98->07/04	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.0 DTI 16V	74/101	X 20 DTH; Y 20 DTH	08/99->07/04	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.0 OPC	141/192	Z 20 LET	09/02->07/04	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 OPC	147/200	Z 20 LET	11/02->07/04	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.2 16V	108/147	Z 22 SE	03/01->07/04	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; Fitting Position: Centre
2.2 DTI	86/117	Y 22 DTR	09/02->07/04	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.2 DTI	92/125	Y 22 DTR	09/02->07/04	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
ASTRA G Hatchback (F48_, F08_) 						
1.2 16V	48/65	X 12 XE	02/98->09/00	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.2 16V	55/75	Z 12 XE	09/00->01/05	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4	66/90	Z 14 XEP	09/07->12/09	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Left; eng.# 02 HL5118->; eng.# 20041691->; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Upper Left; eng.# 02 MV7225->; eng.# 20 U75999->; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Right
1.4 16V	66/90	X 14 XE; Z 14 XE	02/98->01/05	Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; eng.# 02 HL5118->; eng.# 20041691->; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Upper Right; eng.# 02 MV7225->; eng.# 20 U75999->; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Lower; eng.# 02 HL5118->; eng.# 20041691->; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Lower; eng.# 02 MV7225->; eng.# 20 U75999->; Fitting Position: Lower
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
1.6	55/75	X 16 SZR	02/98->09/00	Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left; ->eng.# 02 M25253; Fitting Position: Upper Left; eng.# 02 M25254->; Fitting Position: Upper Left

	kW/HP	Engine code		Type		
1.6	62/84	Z 16 SE	09/00->01/05	Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left; ->eng.# 02 M25253; ->eng.# 20 U75998; Fitting Position: Upper Left; eng.# 02 M25254->; eng.# 20 U85999->; Fitting Position: Upper Left
1.6	76/103	Z 16 XEP	12/02->12/09	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
1.6 16V	74/101	X 16 XEL; Z 16 XE; C 16 SEL	02/98->01/05	Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; eng.# 02 HL5118->; eng.# 20041691->; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Upper Right; eng.# 02 MV7225->; eng.# 20 U75999->; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Left; eng.# 02 HL5118->; eng.# 20041691->; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Upper Left; eng.# 02 MV7225->; eng.# 20 U75999->; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Lower; eng.# 02 HL5118->; eng.# 20041691->; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Lower; eng.# 02 MV7225->; eng.# 20 U75999->; Fitting Position: Lower
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Z 17 DTL (ISUZU); Fitting Position: Right; + AC
1.7 CDTI	59/80	Z 17 DTL	04/03->12/09	Tensioner	SR-1483	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 17 DTL (ISUZU); Fitting Position: Centre
1.7 DTI 16V	55/75	Y 17 DT	02/00->01/05	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Y 17 DT (ISUZU); Fitting Position: Right; + AC
				Tensioner	SR-1483	- holder; ID: 17; OD: 70; W: 26; ALT; engine Y 17 DT (ISUZU); Fitting Position: Centre
1.7 TD	50/68	X 17 DTL	02/98->08/00	Tensioner	SR-1050	OD: 59; W: 26; engine X 17 DTL (GM); Fitting Position: Lower
1.8 16V	85/116	X 18 XE1	02/98->09/00	Deflection/Guide	SR-1107	OD: 52; W: 23; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Left; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Upper Left
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Upper Right
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
1.8 16V	92/125	Z 18 XE	09/00->01/05	Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Lower; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Lower
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Left; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Right
2.0 16V	100/136	X 20 XEV; C 20 SEL	02/98->01/05	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower
2.0 16V OPC	118/160	X 20 XER	11/99->09/02	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
2.0 DI	60/82	X 20 DTL; Y 20 DTL	02/98->01/05	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.0 DTI 16V	74/101	X 20 DTH; Y 20 DTH	08/99->01/05	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.0 OPC	141/192	Z 20 LET	09/02->01/05	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 OPC	147/200	Z 20 LET	11/02->01/05	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.2 16V	108/147	Z 22 SE	06/00->01/05	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
2.2 DTI	86/117	Y 22 DTR	09/02->01/05	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
2.2 DTI	92/125	Y 22 DTR	09/02->01/05	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
ASTRA G Saloon [F69] 						
1.2 16V	55/75	Z 12 XE	09/00->01/05	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.2 16V	48/65	X 12 XE	09/98->09/00	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4	66/90	Z 14 XEP	09/07->12/09	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Left; eng.# 02 HL5118->; eng.# 20041691->; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Upper Left; eng.# 02 MV7225->; eng.# 20 U75999->; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Right
1.4 16V	66/90	X 14 XE; Z 14 XE	09/98->01/05	Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; eng.# 02 HL5118->; eng.# 20041691->; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Upper Right; eng.# 02 MV7225->; eng.# 20 U75999->; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Lower; eng.# 02 HL5118->; eng.# 20041691->; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Lower; eng.# 02 MV7225->; eng.# 20 U75999->; Fitting Position: Lower
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
1.6	62/84	Z 16 SE	09/00->01/05	Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left; ->eng.# 02 M25253; ->eng.# 20 U75998; Fitting Position: Upper Left; eng.# 02 M25254->; eng.# 20 U75999->; Fitting Position: Upper Left
1.6	55/75	X 16 SZR	09/98->09/00	Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left; ->eng.# 02 M25253; ->eng.# 20 U75998; Fitting Position: Upper Left; eng.# 02 M25254->; eng.# 20 U75999->; Fitting Position: Upper Left
1.6	76/103	Z 16 XEP	12/02->12/09	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre



kW/HP







Engine code















Type






















1.6 16V	74/101	X 16 XEL;Z 16 XE	09/98->01/05	Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Left; eng.# 02 MV7225->; eng.# 20 U75999->; Fitting Position: Upper Left; eng.# 02 HL55118->; eng.# 20041691->; ->eng.# 02 MV7224; ->eng.# 20 U 75998; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Right
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; eng.# 02 MV7225->; eng.# 20 U75999->; Fitting Position: Upper Right; eng.# 02 HL55118->; eng.# 20041691->; ->eng.# 02 MV7224; ->eng.# 20 U 75998; Fitting Position: Upper Right
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Lower; eng.# 02 MV7225->; eng.# 20 U75999->; Fitting Position: Lower; eng.# 02 HL55118->; eng.# 20041691->; ->eng.# 02 MV7224; ->eng.# 20 U 75998; Fitting Position: Lower
1.7 CDTI	59/80	Z 17 DTL	04/03->12/09	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Z 17 DTL (ISUZU); Fitting Position: Right; + AC
				Tensioner	SR-1483	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 17 DTL (ISUZU); Fitting Position: Centre
1.7 DTI 16V	55/75	Y 17 DT	02/00->01/05	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Y 17 DT (ISUZU); Fitting Position: Right; + AC
1.7 TD	50/68	X 17 DTL	09/98->08/00	Tensioner	SR-1483	- holder; ID: 17; OD: 70; W: 26; ALT; engine Y 17 DT (ISUZU); Fitting Position: Centre
				Tensioner	SR-1050	OD: 59; W: 26; engine X 17 DTL (GM); Fitting Position: Lower
1.8 16V	92/125	Z 18 XE	06/00->01/05	Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Left; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Right
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Lower; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Lower
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
1.8 16V	85/116	X 18 XE1	09/98->09/00	Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Upper Right
				Deflection/Guide	SR-1107	OD: 52; W: 23; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Left; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Upper Left
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Lower; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Lower
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
2.0 16V	100/136	X 20 XEV	09/98->01/05	Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
2.0 DI	60/82	X 20 DTL;Y 20 DTL	09/98->01/05	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.0 DTI 16V	74/101	X 20 DTH;Y 20 DTH	08/99->01/05	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.2 16V	108/147	Z 22 SE	03/01->01/05	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
2.2 DTI	86/117	Y 22 DTR	09/02->01/05	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
2.2 DTI	92/125	Y 22 DTR	09/02->01/05	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
ASTRA GTC J						
1.4	74/101	A 14 XER	10/11->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4	88/120	A 14 NEL;B 14 NEL	10/11->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4	103/140	A 14 NET;B 14 NET	10/11->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.6	132/180	A 16 LET	10/11->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
1.8	103/140	A 18 XER	10/11->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
2.0	206/280	A 20 NFT;B 20 NFT	04/12->	Deflection/Guide	SR-1352	+ holder; OD: 70; thread size M8x1,25; W: 31; ALT; Fitting Position: Left
2.0 BiTurbo CDTI	143/194	A 20 DTR	10/12->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 CDTI	121/165	A 20 DTH	10/11->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
ASTRA H (L48)						
1.2	59/80	Z 12 XEP	08/05->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 12 XEP; Fitting Position: Centre
1.4	66/90	Z 14 XEP	03/04->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 14 XEL; engine Z 14 XEP; Fitting Position: Centre
1.4	55/75	Z 14 XEL	04/04->10/04	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 14 XEL; Fitting Position: Centre
1.4 LPG	66/90	Z 14 XEP	08/09->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 14 XEL; engine Z 14 XEP; Fitting Position: Centre
1.6	77/105	Z 16 XEP;Z 16 XE1	03/04->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine Z 16 XEP
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine Z 16 XEP
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine Z 16 XEP; Fitting Position: Centre
1.6	85/116	Z 16 XER;A 16 XER	12/06->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine Z 16 XER
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine Z 16 XER; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine Z 16 XER
1.6 Turbo	132/180	Z 16 LET	02/07->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine Z 16 LET
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine Z 16 LET; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine Z 16 LET








	kW/HP	Engine code		Type		
1.7 CDTI	81/110	A 17 DTJ;Z 17 DTJ	02/07->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; ALT; Fitting Position: Centre
1.7 CDTI	92/125	Z 17 DTR;A 17 DTR	02/07->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; ALT; Fitting Position: Centre
1.7 CDTI	59/80	Z 17 DTL	03/04->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Z 17 DTL (ISUZU); Fitting Position: Right; + AC
				Tensioner	SR-1483	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 17 DTL (ISUZU); Fitting Position: Centre
1.7 CDTI	74/100	Z 17 DTH	03/04->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Z 17 DTH (ISUZU); Fitting Position: Right; + AC
				Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; ALT; engine Z 17 DTH (ISUZU); Fitting Position: Centre
1.8	103/140	Z 18 XER;A 18 XER	01/06->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine A 18 XER; engine Z 18 XER
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine A 18 XER; engine Z 18 XER; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine A 18 XER; engine Z 18 XER
1.8	92/125	Z 18 XE	03/04->	Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
1.9 CDTI	88/120	Z 19 DT	06/04->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; engine Z 19 DT; Fitting Position: Right
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; --ch.72172468; --ch.75189052; --ch.78104400; engine Z 19 DT; Fitting Position: Centre
1.9 CDTI	110/150	Z 19 DTH	09/04->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; engine Z 19 DTH; Fitting Position: Right
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; --ch.72212298; --ch.75189052; --ch.78104400; engine Z 19 DTH; Fitting Position: Centre
1.9 CDTI	74/100	Z 19 DTL	09/05->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; engine Z 19 DTL; Fitting Position: Right
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; ch.72212299-->; ch.75189053-->; ch.78104401-->; ch.8B 000001-->; engine Z 19 DTL; Fitting Position: Centre
1.9 CDTI 16V	88/120	Z 19 DTJ	04/04->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; engine Z 19 DTJ; Fitting Position: Right
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; engine Z 19 DTJ; Fitting Position: Centre
2.0 Turbo	125/170	Z 20 LEL	03/04->	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 Turbo	177/240	Z 20 LEH	03/05->	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 Turbo	147/200	Z 20 LER	09/04->	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
ASTRA H Box (L70) 						
1.7 CDTI	81/110	A 17 DTJ;Z 17 DTJ	02/07->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; ALT; Fitting Position: Centre
1.7 CDTI	92/125	Z 17 DTR;A 17 DTR	02/07->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; ALT; Fitting Position: Centre
1.7 CDTI	74/101	Z 17 DTH	03/04->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Z 17 DTH (ISUZU); Fitting Position: Right; + AC
				Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; ALT; engine Z 17 DTH (ISUZU); Fitting Position: Centre
1.9 CDTI	110/150	Z 19 DTH	09/04->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; engine Z 19 DTH; Fitting Position: Right
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; ch.72212299-->; ch.75189053-->; ch.78104401-->; ch.8B 000001-->; engine Z 19 DTH; Fitting Position: Centre
1.9 CDTI	88/120	Z 19 DT	09/05->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; engine Z 19 DT; Fitting Position: Right
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; --ch.72212298; --ch.75189052; --ch.78104400; engine Z 19 DT; Fitting Position: Centre
1.9 CDTI 16V	88/120	Z 19 DTJ	08/04->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; engine Z 19 DTJ; Fitting Position: Right
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; engine Z 19 DTJ; Fitting Position: Centre
ASTRA H Estate (L35) 						
1.4	55/75	Z 14 XEL	08/04->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 14 XEL; engine Z 14 XEP; Fitting Position: Centre
1.4	66/90	Z 14 XEP	08/04->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 14 XEL; engine Z 14 XEP; Fitting Position: Centre
1.4 LPG	66/90	Z 14 XEP	08/09->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 14 XEL; engine Z 14 XEP; Fitting Position: Centre
1.6	77/105	Z 16 XEP;Z 16 XE1	08/04->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine Z 16 XEP
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine Z 16 XEP; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine Z 16 XEP
1.6	85/116	Z 16 XER;A 16 XER	12/06->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine Z 16 XER
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine Z 16 XER; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine Z 16 XER
1.6 LPG	85/116	Z 16 XER	08/09->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine Z 16 XER
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine Z 16 XER; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine Z 16 XER










	kW/HP	Engine code		Type		
1.6 Turbo	132/180	Z 16 LET	02/07->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine Z 16 LET
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine Z 16 LET
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine Z 16 LET; Fitting Position: Centre
1.7 CDTI	81/110	A 17 DTJ; Z 17 DTJ	02/07->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; ALT; Fitting Position: Centre
1.7 CDTI	92/125	Z 17 DTR; A 17 DTR	02/07->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; ALT; Fitting Position: Centre
1.7 CDTI	59/80	Z 17 DTL	08/04->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Z 17 DTL (ISUZU); Fitting Position: Right; + AC
				Tensioner	SR-1483	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 17 DTL (ISUZU); Fitting Position: Centre
1.7 CDTI	74/101	Z 17 DTH	08/04->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Z 17 DTH (ISUZU); Fitting Position: Right; + AC
				Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; ALT; engine Z 17 DTH (ISUZU); Fitting Position: Centre
1.8	92/125	Z 18 XE	08/04->	Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
1.8	103/140	Z 18 XER; A 18 XER	08/05->	Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine A 18 XER; engine Z 18 XER
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine A 18 XER; engine Z 18 XER
1.9 CDTI	110/150	Z 19 DTH	09/04->	Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine A 18 XER; engine Z 18 XER; Fitting Position: Centre
				Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; engine Z 19 DTH; Fitting Position: Right
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; --ch.72212298; --ch.75189052; --ch.78104400; engine Z 19 DTH; Fitting Position: Centre
1.9 CDTI	88/120	Z 19 DT	09/05->	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; ch.72212299->; ch.75189053->; ch.78104401->; ch.8B 000001->; engine Z 19 DTH; Fitting Position: Centre
				Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; engine Z 19 DT; Fitting Position: Right
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; ch.72172469->; ch.75189053->; ch.78104401->; ch.8B 000001->; engine Z 19 DT; Fitting Position: Centre
1.9 CDTI	74/100	Z 19 DTL	09/05->	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; --ch.72172468; --ch.75189052; --ch.78104400; engine Z 19 DT; Fitting Position: Centre
				Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; engine Z 19 DTL; Fitting Position: Right
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; ch.72207929->; ch.75189053->; ch.78104401->; ch.8B 000001->; engine Z 19 DTL; Fitting Position: Centre
1.9 CDTI 16V	88/120	Z 19 DTJ	08/04->	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; ch.72207930->; ch.75189053->; ch.78104401->; ch.8B 000001->; engine Z 19 DTJ; Fitting Position: Right
				Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; engine Z 19 DTJ; Fitting Position: Right
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; engine Z 19 DTJ; Fitting Position: Centre
2.0 Turbo	125/170	Z 20 LEL	08/04->	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 Turbo	147/200	Z 20 LER	09/04->	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
ASTRA H GTC (L08) 						
1.2	59/80	Z 12 XEP	08/05->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 12 XEP; Fitting Position: Centre
1.4	55/75	Z 14 XEL	03/05->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 14 XEL; Fitting Position: Centre
1.4	66/90	Z 14 XEP	03/05->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 14 XEL; engine Z 14 XEP; Fitting Position: Centre
1.6	77/105	Z 16 XEP; Z 16 XE1	03/05->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine Z 16 XEP
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine Z 16 XEP
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine Z 16 XEP; Fitting Position: Centre
1.6	85/116	Z 16 XER	12/06->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine Z 16 XER
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine Z 16 XER; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine Z 16 XER
1.6 Turbo	132/180	Z 16 LET	02/07->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine Z 16 LET
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine Z 16 LET; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine Z 16 LET
1.7 CDTi	74/101	Z 17 DTH	03/05->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Z 17 DTH (ISUZU); Fitting Position: Right; + AC
				Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; ALT; engine Z 17 DTH (ISUZU); Fitting Position: Centre
1.7 CDTI	81/110	A 17 DTJ	02/07->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; ALT; Fitting Position: Centre
1.7 CDTI	92/125	A 17 DTR	02/07->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; ALT; Fitting Position: Centre
1.7 CDTI	59/80	Z 17 DTL	03/05->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Z 17 DTL (ISUZU); Fitting Position: Right; + AC
				Tensioner	SR-1483	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 17 DTL (ISUZU); Fitting Position: Centre
1.8	103/140	Z 18 XER	01/06->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine A 18 XER; engine Z 18 XER
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine A 18 XER; engine Z 18 XER
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine A 18 XER; engine Z 18 XER; Fitting Position: Centre
1.8	92/125	Z 18 XE	03/05->	Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre












	kW/HP	Engine code		Type		
1.9 CDTi	110/150	Z 19 DTH	03/05->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; engine Z 19 DTH; Fitting Position: Right
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; ch.72212299->; ch.75189053->; ch.78104401->; ch.8B 000001->; engine Z 19 DTH; Fitting Position: Centre
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->ch.72212298; ->ch.75189052; ->ch.78104400; engine Z 19 DTH; Fitting Position: Centre
1.9 CDTi	74/101	Z 19 DTL	01/06->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; engine Z 19 DTL; Fitting Position: Right
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; ch.72207930->; ch.75189053->; ch.78104401->; ch.8B 000001->; engine Z 19 DTL; Fitting Position: Centre
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->ch.72207929; ->ch.75189052; ->ch.78104400; engine Z 19 DTL; Fitting Position: Centre
1.9 CDTi	88/120	Z 19 DT	09/05->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; engine Z 19 DT; Fitting Position: Right
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->ch.72172468; ->ch.75189052; ->ch.78104400; engine Z 19 DT; Fitting Position: Centre
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; ch.72172469->; ch.75189053->; ch.78104401->; ch.8B 000001->; engine Z 19 DT; Fitting Position: Centre
1.9 CDTi 16V	88/120	Z 19 DTJ	03/05->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; engine Z 19 DTJ; Fitting Position: Right
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; engine Z 19 DTJ; Fitting Position: Centre
2.0 Turbo	147/200	Z 20 LER	03/05->	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 Turbo	125/170	Z 20 LEL	03/05->	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 Turbo	177/240	Z 20 LEH	08/05->	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
ASTRA H Saloon (L69) 						
1.6	85/116	Z 16 XER	02/07->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine Z 16 XER
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine Z 16 XER; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine Z 16 XER
1.7 CDTi	81/110	Z 17 DTJ	02/07->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; ALT; Fitting Position: Centre
1.7 CDTi	92/125	Z 17 DTR; A 17 DTR	02/07->	Deflection/Guide	SR-1401	OD: 76; W: 26; engine A 17 DTR; engine Z 17 DTR; + AC
				Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; engine A 17 DTR; engine Z 17 DTR
1.8	103/140	Z 18 XER; A 18 XER	02/07->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine A 18 XER; engine Z 18 XER
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine A 18 XER; engine Z 18 XER
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine A 18 XER; engine Z 18 XER; Fitting Position: Centre
ASTRA H TwinTop (L67) 						
1.6	77/105	Z 16 XEP; Z 16 XE1	09/05->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
1.6	85/116	Z 16 XER	12/06->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine Z 16 XER
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine Z 16 XER; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine Z 16 XER
1.6 Turbo	132/180	Z 16 LET	02/07->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine Z 16 LET
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine Z 16 LET; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine Z 16 LET
1.8	92/125	Z 18 XE	09/05->	Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
1.8	103/140	Z 18 XER; A 18 XER	09/05->	Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine A 18 XER; engine Z 18 XER
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine A 18 XER; engine Z 18 XER
1.9 CDTi	110/150	Z 19 DTH	09/05->	Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine A 18 XER; engine Z 18 XER; Fitting Position: Centre
				Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; engine Z 19 DTH; Fitting Position: Right
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; ch.72212299->; ch.75189053->; ch.78104401->; ch.8B 000001->; engine Z 19 DTH; Fitting Position: Centre
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->ch.72212298; ->ch.75189052; ->ch.78104400; engine Z 19 DTH; Fitting Position: Centre
2.0 Turbo	125/170	Z 20 LEL	09/05->	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 Turbo	147/200	Z 20 LER	09/05->	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
ASTRA J 						
1.4	64/87	A 14 XEL	12/09->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4	74/100	A 14 XER	12/09->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4 LPG	103/140	A 14 NET	01/12->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4 Turbo	88/120	A 14 NEL; B 14 NEL	10/10->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4 Turbo	103/140	A 14 NET	12/09->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.6	85/115	A 16 XER; B 16 XER	12/09->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
1.6 Turbo	132/180	A 16 LET	12/09->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
2.0 BiTurbo CDTi	143/194	A 20 DTR	12/12->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre







	kW/HP	Engine code		Type		
2.0 CDTI	121/165	A 20 DTH	06/11->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; engine A 20 DTJ; engine Z 20 DTJ; Fitting Position: Centre
2.0 CDTI	118/160	A 20 DTH	12/09->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
ASTRA J Saloon 						
1.4	74/101	A 14 XER	06/12->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4 LPG	103/140	A 14 NET	07/14->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4 Turbo	103/140	A 14 NET;B 14 NET	06/12->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4 Turbo	88/120	A 14 NEL;B 14 NEL	06/12->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
1.6	85/116	A 16 XER;B 16 XER	06/12->	Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8.2; OD: 66; W: 29
				Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
1.6 Turbo	132/180	A 16 LET	06/12->	Tensioner	SR-1063	ID: 8.2; OD: 66; W: 29
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
ASTRA J Sports Tourer 						
1.4	74/101	A 14 XER	10/10->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4 LPG	103/140	A 14 NET	01/12->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4 Turbo	88/120	A 14 NEL;B 14 NEL	10/10->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4 Turbo	103/140	A 14 NET;B 14 NET	10/10->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
1.6	85/116	A 16 XER;B 16 XER	10/10->	Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8.2; OD: 66; W: 29
				Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
1.6 LPG	84/114	A 16 XER	10/12->	Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8.2; OD: 66; W: 29
				Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
1.6 Turbo	132/180	A 16 LET	10/10->	Tensioner	SR-1063	ID: 8.2; OD: 66; W: 29
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
2.0 BiTurbo CDTI	143/194	A 20 DTR	12/12->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 CDTI	121/165	A 20 DTH	08/11->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 CDTI	118/160	A 20 DTH	10/10->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; engine A 20 DTJ; engine Z 20 DTJ; Fitting Position: Centre
CALIBRA A [85_] 						
2.0 i	85/115	C 20 NE	06/90->07/97	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; 01/93->; Fitting Position: Centre
				Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
2.0 i 16V	100/136	X 20 XEV	02/94->07/97	Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1051	OD: 52; W: 27; eng.# 14142839->; Fitting Position: Upper Right
2.0 i 16V	110/150	C 20 XE	06/90->02/94	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; 01/93->; Fitting Position: Centre
				Tensioner	SR-1050	OD: 59; W: 26; eng.# 14142839->; Fitting Position: Lower
				Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
2.0 i 16V 4x4	100/136	X 20 XEV	02/94->07/97	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower
				Deflection/Guide	SR-1051	OD: 52; W: 27; eng.# 14142839->; Fitting Position: Upper Left; Fitting Position: Upper Right
2.0 i 16V 4x4	110/150	C 20 XE	06/90->02/94	Tensioner	SR-1050	OD: 59; W: 26; eng.# 14142839->; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; 01/93->; Fitting Position: Centre
2.0 i 4x4	85/115	C 20 NE	06/90->07/97	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; 01/93->; Fitting Position: Centre
				Deflection/Guide	SR-1051	OD: 52; W: 27; eng.# 14002935->; Fitting Position: Upper Right
2.0 i Turbo 4x4	150/204	C 20 LET	03/92->07/97	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; 01/93->; Fitting Position: Centre
				Tensioner	SR-1050	OD: 59; W: 26; eng.# 14002935->; Fitting Position: Lower
2.5 i V6	125/170	X 25 XE;C 25 XE	04/93->07/97	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76.5; W: 22; ALT; Fitting Position: Centre
CASCADA [W13] 						
1.4	88/120	A 14 NEL	03/13->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4 Turbo	103/140	A 14 NET	03/13->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 CDTI	121/165	A 20 DTH	03/13->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 CDTI	143/194	A 20 DTR	03/13->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
COMBO [71_] 						
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
1.2	33/45	X 12 SZ;C 12 NZ	07/94->10/01	Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1049	ID: 8.2; OD: 59; W: 19; Fitting Position: Upper Left
				Tensioner	SR-1049	ID: 8.2; OD: 59; W: 19; Fitting Position: Upper Left
1.4	44/60	C 14 NZ;X 14 SZ	07/94->10/01	Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
1.4	60/82	C 14 SE	07/94->10/01	Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1049	ID: 8.2; OD: 59; W: 19; Fitting Position: Upper Left











	kW/HP	Engine code		Type		
COMBO Box Body / Estate 						
1.4 16V	66/90	Z 14 XEP	08/05->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.6	64/87	Z 16 SE	10/01->	Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
1.6 CNG 16V	71/97	Z 16 YNG	04/05->	Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; Fitting Position: Upper Right
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
1.6 CNG 16V	69/94	Z 16 YNG	06/06->	Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
1.7 CDTI 16V	74/101	Z 17 DTH	12/04->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Z 17 DTH (ISUZU); Fitting Position: Right; + AC
				Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; ALT; engine Z 17 DTH (ISUZU); Fitting Position: Centre right
1.7 DI 16V	48/65	Y 17 DTL	10/01->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Y 17 DTL (ISUZU); Fitting Position: Right; + AC
				Tensioner	SR-1483	- holder; ID: 17; OD: 70; W: 26; ALT; engine Y 17 DTL (ISUZU); Fitting Position: Centre right
1.7 DTI 16V	55/75	Y 17 DT	10/01->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Y 17 DT (ISUZU); Fitting Position: Right; + AC
				Tensioner	SR-1483	- holder; ID: 17; OD: 70; W: 26; ALT; engine Y 17 DT (ISUZU); Fitting Position: Centre right
COMBO Box Body / Estate (X12) 						
1.4	70/95	A 14 FP	02/12->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4	88/120	A 14 FC	02/12->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4 CNG	88/120	A 14 FC	02/12->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.6 CDTI	66/90	A 16 FDL	02/12->	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right
1.6 CDTI	77/105	A 16 FDH	02/12->	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right
1.6 CDTI	74/101	A 16 FDH	02/12->	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right
2.0 CDTI	99/135	A 20 FD	02/12->	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right
COMBO Platform/Chassis 						
2.0 CDTI	99/135	A 20 FD	08/12->	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right
COMBO Tour 						
1.4	66/90	Z 14 XEP	10/04->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.6	64/87	Z 16 SE	10/01->	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
1.6 CNG	71/97	Z 16 YNG	04/05->	Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
1.6 CNG	69/94	Z 16 YNG	06/06->	Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
1.7 CDTI 16V	74/101	Z 17 DTH	12/04->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Z 17 DTH (ISUZU); Fitting Position: Right; + AC
				Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; ALT; engine Z 17 DTH (ISUZU); Fitting Position: Centre right
1.7 DI 16V	48/65	Y 17 DTL	10/01->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Y 17 DTL (ISUZU); Fitting Position: Right; + AC
				Tensioner	SR-1483	- holder; ID: 17; OD: 70; W: 26; ALT; engine Y 17 DTL (ISUZU); Fitting Position: Centre right
1.7 DTI 16V	55/75	Y 17 DT	10/01->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Y 17 DT (ISUZU); Fitting Position: Right; + AC
				Tensioner	SR-1483	- holder; ID: 17; OD: 70; W: 26; ALT; engine Y 17 DT (ISUZU); Fitting Position: Centre right
COMBO Tour (X12) 						
1.4	70/95	A 14 FP	02/12->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4	88/120	A 14 FC	02/12->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4 CNG	88/120	A 14 FC	02/12->	Tensioner	SR-1047	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.6 CDTI	66/90	A 16 FDL	02/12->	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right
1.6 CDTI	74/101	A 16 FDH	02/12->	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right
1.6 CDTI	77/105	A 16 FDH	02/12->	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right
2.0 CDTI	99/135	A 20 FD	02/12->	Deflection/Guide	SR-1070	OD: 65; W: 25,5; ALT; Fitting Position: Upper
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right
CORSA A Hatchback (93_, 94_, 98_, 99_) 						
1.2 i	33/45	C 12 NZ	09/89->03/93	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left; not for SE; not for CHE; Fitting Position: Upper Left





	kW/HP	Engine code		Type		
1.4 i	44/60	C 14 NZ	01/90->03/93	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; eng.# 1931738->; Fitting Position: Upper Left; not for SE; not for CHE; eng.# 02 J22350->; eng.# 1931738->; Fitting Position: Upper Left
1.4 S	53/72	14 NV	01/90->03/93	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; eng.# 19307806->; Fitting Position: Upper Left; not for SE; not for CHE; eng.# 02 J22350->; eng.# 19307806->; Fitting Position: Upper Left
1.4 Si	60/82	C 14 SE	09/91->03/93	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left; not for SE; not for CHE; Fitting Position: Upper Left
1.6 GSI	74/100	E 16 SE	05/88->03/92	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; Fitting Position: Upper Left; not for SE; not for CHE; eng.# 02 J22350->; Fitting Position: Upper Left
1.6 GSI	55/75	C 16 NZ	08/88->09/92	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; Fitting Position: Upper Left; not for SE; not for CHE; eng.# 02 J22350->; Fitting Position: Upper Left
1.6 GSI	72/98	C 16 SEI	09/89->03/93	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; engine C 16 SE; Fitting Position: Upper Left; not for SE; not for CHE
1.6 GSI CAT	74/101	C 16 SE	02/92->03/93	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; Fitting Position: Upper Left; not for SE; not for CHE; eng.# 02 J22350->; Fitting Position: Upper Left
CORSA A TR [91_, 92_, 96_, 97_] 						
1.2 i	33/45	C 12 NZ	09/89->03/93	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left; not for SE; not for CHE; Fitting Position: Upper Left
1.4 i	44/60	C 14 NZ	10/89->03/93	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; eng.# 1931738->; Fitting Position: Upper Left; not for SE; not for CHE; eng.# 02 J22350->; eng.# 1931738->; Fitting Position: Upper Left
1.4 S	53/72	14 NV	09/89->03/93	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; eng.# 19307806->; Fitting Position: Upper Left; not for SE; not for CHE; eng.# 02 J22350->; eng.# 19307806->; Fitting Position: Upper Left
CORSA B [73_, 78_, 79_] 						
1.0 i 12V	40/54	X 10 XE	11/96->09/00	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
1.2 i	33/45	X 12 SZ; C 12 NZ	03/93->09/00	Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
1.2 i	33/45	12 NZ	03/93->09/00	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
1.2 i 16V	48/65	X 12 XE	03/98->09/00	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
1.4 i	44/60	C 14 NZ; X 14 SZ	03/93->09/00	Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; Fitting Position: Upper Right
1.4 i 16V	63/86	C 14 SEL	08/97->09/00	Tensioner	SR-1109	- holder; OD: 70; W: 25; ALT; Fitting Position: Centre; - AC; - PS
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + PS; - AC; Fitting Position: Centre; + AC
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; Fitting Position: Upper Right
1.4 i 16V	66/90	X 14 XE	09/94->09/00	Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; ALT; Fitting Position: Centre; + PS; - AC; Fitting Position: Centre; + AC
				Tensioner	SR-1109	- holder; OD: 70; W: 25; ALT; Fitting Position: Centre; - AC; - PS
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; Fitting Position: Upper Right
1.4 i 16V	67/91	X 14 XE	09/94->09/00	Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; ALT; Fitting Position: Centre; + PS; - AC; Fitting Position: Centre; + AC
				Tensioner	SR-1109	- holder; OD: 70; W: 25; ALT; Fitting Position: Centre; - AC; - PS
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
1.4 Si	60/82	C 14 SE	03/93->09/00	Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1107	OD: 52; W: 23; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
1.6 GSI 16V	80/109	C 16 XE	03/93->09/00	Tensioner	SR-1109	- holder; OD: 70; W: 25; ALT; Fitting Position: Centre; - AC; - PS
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + PS; - AC; Fitting Position: Centre; + AC
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
				Deflection/Guide	SR-1107	OD: 52; W: 23; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
1.6 i 16V	74/100	C 16 SEL	08/97->09/00	Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; ALT; Fitting Position: Centre; + PS; - AC; Fitting Position: Centre; + AC
				Tensioner	SR-1109	- holder; OD: 70; W: 25; ALT; Fitting Position: Centre; - AC; - PS
				Deflection/Guide	SR-1107	OD: 52; W: 23; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
1.6 i 16V	78/106	X 16 XE	09/94->09/00	Tensioner	SR-1109	- holder; OD: 70; W: 25; ALT; Fitting Position: Centre; - AC; - PS
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; ALT; Fitting Position: Centre; + PS; - AC; Fitting Position: Centre; + AC
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
CORSA B Box [73_] 						
1.4 i	44/60	C 14 NZ; X 14 SZ	08/99->09/00	Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left






	kW/HP	Engine code		Type		
CORSA C (F08, F68) 						
1.0	44/60	Z 10 XEP	06/03->12/09	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.0	43/58	Z 10 XE	09/00->06/03	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.2	55/75	Z 12 XE	09/00->12/09	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.2 Twinport	59/80	Z 12 XEP	07/04->12/09	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4	66/90	Z 14 XE	09/00->12/09	Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; ->eng.# 02 MZ5253; ->eng.# 20 U75998; Fitting Position: Upper Left; eng.# 02 MZ5254->; eng.# 20 U75999->; Fitting Position: Upper Left
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; ->eng.# 02 MZ5253; ->eng.# 20 U75998; Fitting Position: Upper Right; eng.# 02 MZ5254->; eng.# 20 U75999->; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; ->eng.# 02 MZ5253; ->eng.# 20 U75998; Fitting Position: Lower; eng.# 02 MZ5254->; eng.# 20 U75999->; Fitting Position: Lower
1.4 Twinport	66/90	Z 14 XEP	06/03->12/09	Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
1.4 Twinport	66/90	Z 14 XEP	06/03->12/09	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Z 17 DTH (ISUZU); Fitting Position: Right; + AC
1.7 CDTI	74/100	Z 17 DTH	06/03->12/09	Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; ALT; engine Z 17 DTH (ISUZU); Fitting Position: Centre right
1.7 DI	48/65	Y 17 DTL	09/00->12/09	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Y 17 DTL (ISUZU); Fitting Position: Right; + AC
				Tensioner	SR-1483	- holder; ID: 17; OD: 70; W: 26; ALT; engine Y 17 DTL (ISUZU); Fitting Position: Centre right
1.7 DTI	55/75	Y 17 DT	09/00->12/09	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Y 17 DT (ISUZU); Fitting Position: Right; + AC
				Tensioner	SR-1483	- holder; ID: 17; OD: 70; W: 26; ALT; engine Y 17 DT (ISUZU); Fitting Position: Centre right
1.8	92/125	Z 18 XE	09/00->12/09	Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; Fitting Position: Upper Right
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
CORSA C Box (F08, W5L) 						
1.2	59/80	Z 12 XEP	07/05->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.2 16V	55/75	Z 12 XE	09/00->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.7 DI 16V	48/65	Y 17 DTL	09/00->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Y 17 DTL (ISUZU); Fitting Position: Right; + AC
				Tensioner	SR-1483	- holder; ID: 17; OD: 70; W: 26; ALT; engine Y 17 DTL (ISUZU); Fitting Position: Centre right
1.7 DTI 16V	55/75	Y 17 DT	09/00->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Y 17 DT (ISUZU); Fitting Position: Right; + AC
				Tensioner	SR-1483	- holder; ID: 17; OD: 70; W: 26; ALT; engine Y 17 DT (ISUZU); Fitting Position: Centre right
CORSA D 						
1.0	48/65	A 10 XEP	01/10->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.0	44/60	Z 10 XEP	07/06->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.2	51/69	A 12 XEL	06/10->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.2	63/86	A 12 XER	06/10->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.2	59/80	Z 12 XEP	07/06->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.2 LPG	61/83	A 12 XER	06/11->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.2 LPG	63/86	A 12 XER	08/11->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.2 LPG	59/80	Z 12 XEP	09/09->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4	74/100	A 14 XER	06/10->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4	66/90	Z 14 XEP	07/06->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4	88/120	A 14 NEL	07/12->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4	64/87	A 14 XEL	09/09->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4 LPG	66/90	Z 14 XEP	07/06->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4 LPG	64/87	A 14 XEL	09/09->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.6 Turbo	141/192	Z 16 LER;A 16 LER;B 16 LER	02/07->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine Z 16 LER
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine Z 16 LER
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
1.6 Turbo	110/150	Z 16 LEL;A 16 LEL	02/07->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
1.6 Turbo	155/211	A 16 LES;B 16 LES	06/11->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
1.7 CDTI	92/125	Z 17 DTR	07/06->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; ALT; Fitting Position: Centre
CORSA D Van 						
1.0	48/65	A 10 XEP	01/10->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 10 XEP; Fitting Position: Centre
1.0	44/60	A 10 XEP	07/06->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.2	51/69	A 12 XEL	06/10->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.2	63/86	A 12 XER	06/10->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.2	59/80	Z 12 XEP	07/09->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
CORSA E 						
1.2	51/69	B 12 XEL	09/14->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26
1.4	66/90	B 14 XEL	09/14->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26






	kW/HP	Engine code		Type		
1.4	55/75	B 14 XEJ	09/14->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26
1.4 LPG	66/90	B 14 XEL	03/15->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26
1.4 Turbo	110/150	B 14 NEH	03/15->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26
1.4 Turbo	74/101	B 14 NEJ	09/14->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26
1.6 Turbo	152/207	B 16 LES	03/15->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine B 16 LES
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine B 16 LES
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine B 16 LES
CORSA E Van 						
1.2	51/69	B 12 XEL	01/15->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26
1.4	66/90	B 14 XEL	09/14->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26
1.4	55/75	B 14 XEJ	09/14->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26
FRONTERA A [5_MWL4] 						
2.2 i [54MWL4]	100/136	X 22 XE	03/95->10/98	Deflection/Guide	SR-1051	OD: 52; W: 27; ->12/96; ->sch.TV 899999; Fitting Position: Upper Left; Fitting Position: Upper Right; 01/97-> -> ch.W 600001-> Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1050	OD: 59; W: 26; ->12/96; ->sch.TV 899999; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
FRONTERA A Sport [5_SUD2] 						
2.0 i [52SUD2, 55SUD2]	85/115	X 20 SE;C 20 NE	03/92->10/98	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine X 20 SE; Fitting Position: Centre
FRONTERA B [6B_] 						
2.2 DTI	88/120	Y 22 DTH	09/02->	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.2 DTI [6B_ZC, 6B_VF, 6B_66, 6B_76]	85/116	X 22 DTH;Y 22 DTH	10/98->09/02	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.2 i [6B_ZC, 6B_VF, 6B_66, 6B_76]	100/136	Y 22 SE;X 22 SE	10/98->	Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
GT Convertible 						
2.0	194/264	Z 20 NHH;LNF	06/07->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; Fitting Position: Centre
INSIGNIA 						
1.4	103/140	A 14 NET;B 14 NET	04/11->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4 LPG	103/140	A 14 NET	07/12->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.6	85/116	A 16 XER	07/08->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
1.6 Turbo	132/180	A 16 LET	07/08->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
1.8	103/140	A 18 XER	07/08->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
2.0 Biturbo CDTI	143/195	A 20 DTR	01/12->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 Biturbo CDTI	140/190	A 20 DTR	07/08->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 Biturbo CDTI 4x4	143/195	A 20 DTR	01/12->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 Biturbo CDTI 4x4	140/190	A 20 DTR	05/09->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 CDTI	88/120	A 20 DTE	03/12->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; engine A 20 DTC; engine A 20 DTL
2.0 CDTI	81/110	A 20 DTC;A 20 DTL	07/08->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 CDTI	96/131	A 20 DTJ;A 20 DT	07/08->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 CDTI	118/160	A 20 DTH	07/08->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 CDTI	103/140	A 20 DTE	07/13->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; engine A 20 DT; engine A 20 DTJ
2.0 CDTI	120/163	A 20 DTH	07/13->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; engine A 20 DTH
2.0 CDTI 4x4	118/160	A 20 DTH	06/10->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 CDTI 4x4	120/163	A 20 DTH	07/13->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; engine A 20 DTH
2.0 E85 Turbo	162/220	A 20 NHT	09/10->	Deflection/Guide	SR-1352	+ holder; OD: 70; thread size M8x1,25; W: 31; ALT; Fitting Position: Centre
2.0 Turbo	184/250	A 20 NHT	04/14->	Deflection/Guide	SR-1352	+ holder; OD: 70; thread size M8x1,25; W: 31; ALT; Fitting Position: Centre
2.0 Turbo	162/220	A 20 NHT	07/08->	Deflection/Guide	SR-1352	+ holder; OD: 70; thread size M8x1,25; W: 31; ALT; Fitting Position: Centre
2.0 Turbo 4x4	162/220	A 20 NHT	07/08->	Deflection/Guide	SR-1352	+ holder; OD: 70; thread size M8x1,25; W: 31; ALT; Fitting Position: Centre
2.0 Turbo 4x4	184/250	A 20 NFT	09/11->	Deflection/Guide	SR-1352	+ holder; OD: 70; thread size M8x1,25; W: 31; ALT; Fitting Position: Centre
2.8 V6 Turbo 4x4	191/260	A 28 NET	07/08->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
2.8 V6 Turbo OPC 4x4	239/325	A 28 NER	07/09->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
INSIGNIA Estate 						
1.4	103/140	A 14 NET	09/11->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4 LPG	103/140	A 14 NET	07/12->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.6	85/116	A 16 XER	07/08->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre






	kW/HP	Engine code		Type		
1.6 Turbo	132/180	A 16 LET	01/09->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
1.8	103/140	A 18 XER	07/08->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
2.0 Biturbo CDTI	143/195	A 20 DTR	01/12->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 Biturbo CDTI	140/190	A 20 DTR	07/08->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 Biturbo CDTI 4x4	143/195	A 20 DTR	01/12->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 Biturbo CDTI 4x4	140/190	A 20 DTR	07/08->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 CDTI	88/120	A 20 DTE	03/12->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; engine A 20 DTE
2.0 CDTI	81/110	A 20 DTC;A 20 DTL	07/08->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 CDTI	96/131	A 20 DTJ;A 20 DT	07/08->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 CDTI	118/160	A 20 DTH	07/08->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 CDTI	120/163	A 20 DTH	07/13->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; engine A 20 DTH
2.0 CDTI	103/140	A 20 DTE	07/13->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; engine A 20 DTE
2.0 CDTI 4x4	118/160	A 20 DTH	06/10->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 CDTI 4x4	120/163	A 20 DTH	07/13->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; engine A 20 DTH
2.0 E85 Turbo	162/220	A 20 NHT;A 20 NFT	09/10->	Deflection/Guide	SR-1352	+ holder; OD: 70; thread size M8x1,25; W: 31; ALT; Fitting Position: Centre
2.0 Turbo	184/250	A 20 NHT	04/14->	Deflection/Guide	SR-1352	+ holder; OD: 70; thread size M8x1,25; W: 31; ALT; Fitting Position: Centre
2.0 Turbo	162/220	A 20 NHT	07/08->	Deflection/Guide	SR-1352	+ holder; OD: 70; thread size M8x1,25; W: 31; ALT; Fitting Position: Centre
2.0 Turbo 4x4	162/220	A 20 NHT	07/08->	Deflection/Guide	SR-1352	+ holder; OD: 70; thread size M8x1,25; W: 31; ALT; Fitting Position: Centre
2.0 Turbo 4x4	184/250	A 20 NFT	09/11->	Deflection/Guide	SR-1352	+ holder; OD: 70; thread size M8x1,25; W: 31; ALT; Fitting Position: Centre
2.8 V6 Turbo 4x4	191/260	A 28 NET	10/08->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
2.8 V6 Turbo OPC 4x4	239/325	A 28 NER	07/09->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
INSIGNIA Saloon 						
1.4	103/140	A 14 NET;B 14 NET	04/11->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4 LPG	103/140	A 14 NET	07/12->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.6	85/116	A 16 XER	07/08->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
1.6 Turbo	132/180	A 16 LET	01/09->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
1.8	103/140	A 18 XER	07/08->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
2.0 Biturbo CDTI	143/195	A 20 DTR	01/12->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 Biturbo CDTI	140/190	A 20 DTR	07/08->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 Biturbo CDTI 4x4	143/195	A 20 DTR	01/12->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 Biturbo CDTI 4x4	140/190	A 20 DTR	07/08->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 CDTI	88/120	A 20 DTE	03/12->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; engine A 20 DTE
2.0 CDTI	81/110	A 20 DTC;A 20 DTL	07/08->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 CDTI	96/131	A 20 DTJ;A 20 DT	07/08->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 CDTI	118/160	A 20 DTH	07/08->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 CDTI	103/140	A 20 DTE	07/13->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; engine A 20 DTE
2.0 CDTI	120/163	A 20 DTH	07/13->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; engine A 20 DTH
2.0 CDTI 4x4	118/160	A 20 DTH	06/10->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 CDTI 4x4	120/163	A 20 DTH	07/13->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; engine A 20 DTH
2.0 Turbo	184/250	A 20 NHT	04/14->	Deflection/Guide	SR-1352	+ holder; OD: 70; thread size M8x1,25; W: 31; ALT; Fitting Position: Centre
2.0 Turbo	162/220	A 20 NHT	07/08->	Deflection/Guide	SR-1352	+ holder; OD: 70; thread size M8x1,25; W: 31; ALT; Fitting Position: Centre
2.0 Turbo 4x4	162/220	A 20 NHT	07/08->	Deflection/Guide	SR-1352	+ holder; OD: 70; thread size M8x1,25; W: 31; ALT; Fitting Position: Centre
2.0 Turbo 4x4	184/250	A 20 NFT	09/11->	Deflection/Guide	SR-1352	+ holder; OD: 70; thread size M8x1,25; W: 31; ALT; Fitting Position: Centre
2.0 Turbo E85	162/220	A 20 NHT;A 20 NFT	07/08->	Deflection/Guide	SR-1352	+ holder; OD: 70; thread size M8x1,25; W: 31; ALT; Fitting Position: Centre
2.8 V6 Turbo 4x4	191/260	A 28 NET	07/08->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
2.8 V6 Turbo OPC 4x4	239/325	A 28 NER	07/09->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
KADETT E [39_, 49_] 						
1.4 i	44/60	C 14 NZ	01/90->08/91	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; eng.# 19311738->; Fitting Position: Upper Left
1.4 S	55/75	14 NV	01/90->08/91	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; eng.# 19307806->; Fitting Position: Upper Left
1.6 i	55/75	E 16 NZ	09/86->08/91	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; Fitting Position: Upper Left; eng.# 02 J22350->; engine 16 SV; engine C 16 LZ; engine C 16 NZ; Fitting Position: Upper Left
1.6 i CAT	55/75	C 16 LZ;C 16 NZ	09/86->08/91	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; engine C 16 NZ; Fitting Position: Upper Left; engine C 16 LZ; Fitting Position: Upper Left
1.6 S	60/82	16 SV	09/86->08/91	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; Fitting Position: Upper Left
1.7 D	42/57	17 D	02/89->08/91	Tensioner	SR-1050	OD: 59; W: 26; eng.# 14363650->; engine 17 D; engine 17 D (ISUZU); engine 17 DR (ISUZU); engine 17 R; Fitting Position: Lower








	kW/HP	Engine code		Type		
KADETT E Box (37_, 47_) 						
1.4 i	44/60	C 14 NZ	01/90->08/91	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; eng.# 19311738->; Fitting Position: Upper Left
1.6 i	55/75	C 16 NZ	08/89->09/93	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; Fitting Position: Upper Left
1.7 D	42/57	17 D	08/88->09/92	Tensioner	SR-1050	OD: 59; W: 26; eng.# 14363650->; engine 17 D [GM]; engine 17 DR [GM]; Fitting Position: Lower
KADETT E Combo (38_, 48_) 						
1.4 i	44/60	C 14 NZ	08/91->07/94	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; eng.# 19311738->; Fitting Position: Upper Left
1.4 S	55/75	14 NV	07/89->08/91	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; eng.# 19307806->; Fitting Position: Upper Left
1.6	60/82	16 SV	09/86->12/91	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; Fitting Position: Upper Left
1.6 i	55/75	C 16 NZ	08/91->07/94	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; Fitting Position: Upper Left
1.7 D	42/57	17 D	01/89->07/94	Tensioner	SR-1050	OD: 59; W: 26; eng.# 14363650->; engine 17 D [GM]; engine 17 DR [GM]; Fitting Position: Lower
1.7 D	44/60	17 DR	07/92->07/94	Tensioner	SR-1050	OD: 59; W: 26; eng.# 14363650->; engine 17 D [GM]; engine 17 DR [GM]; Fitting Position: Lower
KADETT E Convertible (43B_) 						
1.4 i	44/60	C 14 NZ	01/90->08/91	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; eng.# 19311738->; Fitting Position: Upper Left
1.4 S	55/75	14 NV	08/90->02/93	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; eng.# 19307806->; Fitting Position: Upper Left
1.6 i	60/82	16 SV	07/89->02/93	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; Fitting Position: Upper Left
1.6 i	55/75	E 16 NZ	10/86->02/93	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; Fitting Position: Upper Left
1.6 i CAT	55/75	C 16 LZ;C 16 NZ	10/87->02/93	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; engine C 16 NZ; Fitting Position: Upper Left; engine C 16 LZ; Fitting Position: Upper Left
KADETT E Estate (35_, 36_, 45_, 46_) 						
1.4 i	44/60	C 14 NZ	01/90->08/91	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; eng.# 19311738->; Fitting Position: Upper Left
1.4 S	55/75	14 NV	01/90->08/91	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; eng.# 19307806->; Fitting Position: Upper Left
1.6	60/82	16 SV	09/86->08/91	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; Fitting Position: Upper Left
1.6 i	55/75	E 16 NZ	09/86->08/91	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; Fitting Position: Upper Left
1.6 i CAT	55/75	C 16 LZ;C 16 NZ	09/86->08/91	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; engine C 16 NZ; Fitting Position: Upper Left; engine C 16 LZ; Fitting Position: Upper Left
1.7 D	42/57	17 D	02/89->08/91	Tensioner	SR-1050	OD: 59; W: 26; eng.# 14363650->; engine 17 D [GM]; engine 17 DR [GM]; Fitting Position: Lower
KADETT E Hatchback (33_, 34_, 43_, 44_) 						
1.4 i	44/60	C 14 NZ	01/90->08/91	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; eng.# 19311738->; Fitting Position: Upper Left
1.4 S	55/75	14 NV	01/90->08/91	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; eng.# 19307806->; Fitting Position: Upper Left
1.6 i	55/75	E 16 NZ	09/86->08/91	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; Fitting Position: Upper Left
1.6 i CAT	55/75	C 16 LZ;C 16 NZ	09/86->08/91	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; engine C 16 NZ; Fitting Position: Upper Left; engine C 16 LZ; Fitting Position: Upper Left
1.6 S	60/82	16 SV	09/86->08/91	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; Fitting Position: Upper Left
1.7 D	42/57	17 D	02/89->08/91	Tensioner	SR-1050	OD: 59; W: 26; eng.# 14363650->; engine 17 D [GM]; engine 17 DR [GM]; Fitting Position: Lower
2.0 GSI 16V	110/150	20 XEJ	03/88->08/91	Deflection/Guide	SR-1051	OD: 52; W: 27; eng.# 14142839->; engine 20 XE; Fitting Position: Upper Right
				Tensioner	SR-1050	OD: 59; W: 26; eng.# 14142839->; engine 20 XE; Fitting Position: Lower
2.0 GSI 16V	115/156	20 XE	12/87->08/91	Deflection/Guide	SR-1051	OD: 52; W: 27; eng.# 14142839->; Fitting Position: Upper Right
				Tensioner	SR-1050	OD: 59; W: 26; eng.# 14142839->; Fitting Position: Lower
2.0 GSI 16V CAT	110/150	C 20 XE	03/88->08/91	Deflection/Guide	SR-1051	OD: 52; W: 27; eng.# 14142839->; Fitting Position: Upper Right
				Tensioner	SR-1050	OD: 59; W: 26; eng.# 14142839->; Fitting Position: Lower
MERIVA 						
1.4 16V Twinport	66/90	Z 14 XEP	07/04->05/10	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 14 XEP; Fitting Position: Centre
1.4 16V Twinport LPG	66/90	Z 14 XEP	07/04->05/10	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 14 XEP; Fitting Position: Centre
				Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
1.6	77/105	Z 16 XEP	01/06->05/10	Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
1.6	64/87	Z 16 SE	05/03->05/10	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; Fitting Position: Upper Right
1.6 16V	74/100	Z 16 XE	05/03->01/06	Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
				Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine Z 16 LET
1.6 Turbo	132/180	Z 16 LET	09/05->05/10	Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine Z 16 LET
				Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Z 17 DT [ISUZU]; engine Z 17 DTH [ISUZU]; Fitting Position: Centre right; + AC
1.7 CDTI	74/100	Z 17 DTH;Z 17 DT	09/03->05/10	Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; ALT; engine Z 17 DT [ISUZU]; engine Z 17 DTH [ISUZU]; Fitting Position: Centre
				Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Z 17 DTR [ISUZU]; Fitting Position: Centre right; + AC
1.7 CDTI	92/125	Z 17 DTR;A 17 DTR	09/06->05/10	Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; ALT; engine Z 17 DTR; Fitting Position: Centre
				Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine Y 17 DT [ISUZU]; Fitting Position: Centre right; + AC
1.7 DTI	55/75	Y 17 DT	09/03->05/10	Tensioner	SR-1483	- holder; ID: 17; OD: 70; W: 26; ALT; engine Y 17 DT [ISUZU]; Fitting Position: Centre










	kW/HP	Engine code		Type		
1.8	92/125	Z 18 XE	05/03->05/10	Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
MERIVA B 						
1.4	74/100	A 14 XER;B 14 XER	06/10->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4	88/120	A 14 NEL;B 14 NEL	06/10->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4	103/140	A 14 NET;B 14 NET	06/10->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4 LPG	88/120	A 14 NEL;B 14 NEL	06/11->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
MOKKA 						
1.4	103/140	A 14 NET;B 14 NET	04/13->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; engine A 14 NET; Fitting Position: Centre
1.4 4x4	103/140	A 14 NET;B 14 NET	06/12->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4 LPG	103/140	A 14 NET	04/13->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; engine A 14 NET; Fitting Position: Centre
1.6	85/116	A 16 XER;B 16 XER	06/12->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
1.8	103/140	A 18 XER	01/13->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine A 18 XER
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine A 18 XER
1.8 4x4	103/140	A 18 XER	01/13->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine A 18 XER
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine A 18 XER
MOVANO B Box 						
2.3 CDTI [RWD]	110/150	M9T 698;M9T 694;M9T 696	01/13->	Deflection/Guide	SR-1184	OD: 60; W: 30
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29
2.3 CDTI [RWD]	74/101	M9T 692;M9T 690	05/10->	Deflection/Guide	SR-1184	OD: 60; W: 30; engine M9T 690; engine M9T 692
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; engine M9T 690; engine M9T 692
2.3 CDTI [RWD]	92/125	M9T 696;M9T 690;M9T 686;M9T 876	05/10->	Deflection/Guide	SR-1184	OD: 60; W: 30; engine M9T 686; engine M9T 690; engine M9T 696
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; engine M9T 690; engine M9T 696
2.3 CDTI [RWD]	107/146	M9T 698;M9T 694;M9T 696	05/10->	Deflection/Guide	SR-1184	OD: 60; W: 30
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29
2.3 CDTI [RWD]	120/163	M9T 700	05/14->	Deflection/Guide	SR-1184	OD: 60; W: 30
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29
2.3 CDTI [RWD]	100/136	M9T 700	05/14->	Deflection/Guide	SR-1184	OD: 60; W: 30
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29
2.3 CDTI FWD	110/150	M9T 880	01/13->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9T 880
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 880
2.3 CDTI FWD	81/110	M9T 870	02/12->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9T 670; engine M9T 672; engine M9T 676
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 670; engine M9T 676
2.3 CDTI FWD	74/101	M9T 670;M9T 676;M9T 672	05/10->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9T 670; engine M9T 672; engine M9T 676
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 670; engine M9T 676
2.3 CDTI FWD	92/125	M9T 670;M9T 676;M9T 672;M9T 876	05/10->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9T 670; engine M9T 672; engine M9T 676
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 670; engine M9T 676
2.3 CDTI FWD	107/146	M9T 680;M9T 678	05/10->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9T 678; engine M9T 680
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 678; engine M9T 680
2.3 CDTI FWD	120/163	M9T 702	05/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9T 880
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 880
2.3 CDTI FWD	100/136	M9T 702	05/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9T 678; engine M9T 680
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 678; engine M9T 680
MOVANO B Bus 						
2.3 CDTI	110/150	M9T 880	01/13->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9T 880
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 880
2.3 CDTI	81/110	M9T 870	05/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9T 670; engine M9T 672; engine M9T 676
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 670; engine M9T 676
2.3 CDTI	100/136	M9T 702	05/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9T 678; engine M9T 680
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 678; engine M9T 680
2.3 CDTI	120/163	M9T 702	05/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9T 880
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 880
2.3 CDTI	74/101	M9T 670;M9T 676;M9T 672	12/10->	Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 670; engine M9T 676
2.3 CDTI	92/125	M9T 670;M9T 676;M9T 680;M9T 672;M9T 876	12/10->	Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 670; engine M9T 676; engine M9T 680
2.3 CDTI	107/146	M9T 680;M9T 678	12/10->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9T 678; engine M9T 680
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 678; engine M9T 680
MOVANO B Platform/Chassis 						
2.3 CDTI [RWD]	110/150	M9T 698;M9T 694;M9T 696	01/13->	Deflection/Guide	SR-1184	OD: 60; W: 30
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29
2.3 CDTI [RWD]	74/101	M9T 692;M9T 690	05/10->	Deflection/Guide	SR-1184	OD: 60; W: 30; engine M9T 690; engine M9T 692
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; engine M9T 690; engine M9T 692







	kW/HP	Engine code		Type		
2.3 CDTI [RWD]	92/125	M9T 698;M9T 692;M9T 696;M9T 876	05/10->	Deflection/Guide	SR-1184	OD: 60; W: 30
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29
2.3 CDTI [RWD]	107/146	M9T 698;M9T 694;M9T 696	05/10->	Deflection/Guide	SR-1184	OD: 60; W: 30
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29
2.3 CDTI [RWD]	100/136	M9T 700	05/14->	Deflection/Guide	SR-1184	OD: 60; W: 30
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29
2.3 CDTI FWD	110/150	M9T 880	01/13->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9T 880
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 880
2.3 CDTI FWD	74/101	M9T 670;M9T 676;M9T 672	05/10->	Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 670; engine M9T 676
2.3 CDTI FWD	92/125	M9T 670;M9T 676;M9T 680;M9T 672;M9T 876	05/10->	Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 670; engine M9T 676; engine M9T 680
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9T 678; engine M9T 680
2.3 CDTI FWD	107/146	M9T 680;M9T 678	05/10->	Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 678; engine M9T 680
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9T 670; engine M9T 672; engine M9T 676
2.3 CDTI FWD	81/110	M9T 870	05/14->	Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 670; engine M9T 676
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9T 678; engine M9T 680
2.3 CDTI FWD	100/136	M9T 702	05/14->	Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 678; engine M9T 680
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9T 880
2.3 CDTI FWD	120/163	M9T 702	05/14->	Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 880
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9T 880
MOVANO Box [F9] 						
1.9 DTI	60/82	F9Q 774;F9Q 772	10/01->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; eng.# C0 29794-; engine F9Q 772; engine F9Q 774; Fitting Position: Centre left; + AC
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->eng.# C0 29793; engine F9Q 772; engine F9Q 774; Fitting Position: Centre left; + AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 772; engine F9Q 774; Fitting Position: Centre right; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; engine F9Q 772; engine F9Q 774; Fitting Position: Centre; - AC
2.2 DTI	66/90	G9T 720;G9T 722;G9T 750	09/00->	Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9T 720; engine G9T 722; engine G9T 750
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; engine G9T 720; engine G9T 722; engine G9T 750; Fitting Position: Centre left
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9T 720; engine G9T 722; engine G9T 750; Fitting Position: Centre; - AC
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9T 720; engine G9T 722; engine G9T 750; Fitting Position: Centre; + AC; engine G9T 720; engine G9T 722; engine G9T 750; Fitting Position: Centre
2.5 CDTI	107/146	G9U 650;G9U 632	10/03->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; engine G9U 632; engine G9U 650; Fitting Position: Centre left; + AC; 09/10->; engine G9U 632; engine G9U 650; Fitting Position: Centre left
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ->09/10; engine G9U 632; engine G9U 650; Fitting Position: Centre left; + AC; ->09/10; engine G9U 632; engine G9U 650; Fitting Position: Centre left
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 632; engine G9U 650
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 632; engine G9U 650; Fitting Position: Centre; - AC
2.5 CDTI	88/120	G9U 650;G9U 632	10/03->	Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9U 632; engine G9U 650; Fitting Position: Centre; + AC; engine G9U 632; engine G9U 650; Fitting Position: Centre
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ->09/10; engine G9U 632; engine G9U 650; Fitting Position: Centre left; + AC; ->09/10; engine G9U 632; engine G9U 650; Fitting Position: Centre left
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 632; engine G9U 650
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; engine G9U 632; engine G9U 650; Fitting Position: Centre left; + AC; 09/10->; engine G9U 632; engine G9U 650; Fitting Position: Centre left
2.5 CDTI	74/101	G9U 650	10/03->	Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9U 632; engine G9U 650; Fitting Position: Centre; + AC; engine G9U 632; engine G9U 650; Fitting Position: Centre
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ->09/10; engine G9U 632; engine G9U 650; Fitting Position: Centre left; + AC; ->09/10; engine G9U 632; engine G9U 650; Fitting Position: Centre left
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 632; engine G9U 650
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 632; engine G9U 650; Fitting Position: Centre; - AC
2.5 D	59/80	S8U 770;S8U 772	01/99->09/00	Deflection/Guide	SR-1427	OD: 60; W: 26; ALT; ->eng.# 3053818; engine S8U 772; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine S8U 772; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; engine S8U 772; Fitting Position: Lower
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 720; engine G9U 724; engine G9U 750; engine G9U 754
2.5 DTi	73/99	G9U 754	10/03->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; engine G9U 750; Fitting Position: Centre right
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 750; Fitting Position: Centre; - AC
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9U 750; Fitting Position: Centre
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ALT; ->09/10; engine G9U 754; Fitting Position: Centre right; + AC; engine G9U 754; Fitting Position: Centre right; - AC; ->09/10; engine G9U 754; Fitting Position: Centre right; engine G9U 720; engine G9U 724; Fitting Position: Centre right
2.5 DTI	84/115	G9U 720;G9U 724;G9U 754	10/01->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; engine G9U 754; + AC; 09/10->; engine G9U 754
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 720; engine G9U 724; engine G9U 750; engine G9U 754
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 720; engine G9U 724; engine G9U 754; Fitting Position: Centre; - AC
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9U 720; engine G9U 724; engine G9U 754; Fitting Position: Centre; + AC; engine G9U 720; engine G9U 724; engine G9U 754; Fitting Position: Centre






	kW/HP	Engine code		Type		
2.8 DTI	84/114	S9W 702;S9W 700	01/99->10/01	Deflection/Guide	SR-1120	OD: 67; W: 34; engine S9W 700; engine S9W 702; Fitting Position: Upper; Fitting Position: Lower
				Deflection/Guide	SR-1427	OD: 60; W: 26; ALT; ->eng.# 3053818; engine S9W 700; engine S9W 702; Fitting Position: Lower
MOVANO Combi (J9) 						
1.9 DTI	60/82	F9Q 774;F9Q 772	10/01->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->eng.# C0 29793; engine F9Q 772; engine F9Q 774; Fitting Position: Centre left; + AC
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; eng.# C0 29794->; engine F9Q 772; engine F9Q 774; Fitting Position: Centre left; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; engine F9Q 772; engine F9Q 774; Fitting Position: Centre; - AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 772; engine F9Q 774; Fitting Position: Centre right; + AC
2.2 DTI	66/90	G9T 720;G9T 722;G9T 750	09/00->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; engine G9T 720; engine G9T 722; engine G9T 750; Fitting Position: Centre left
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9T 720; engine G9T 722; engine G9T 750
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9T 720; engine G9T 722; engine G9T 750; Fitting Position: Centre; + AC; engine G9T 720; engine G9T 722; engine G9T 750; Fitting Position: Centre
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9T 720; engine G9T 722; engine G9T 750; Fitting Position: Centre; - AC
2.5 CDTI	107/146	G9U 650;G9U 632	08/06->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; engine G9U 632; engine G9U 650; Fitting Position: Centre left; + AC; 09/10->; engine G9U 632; engine G9U 650; Fitting Position: Centre left
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ->09/10; engine G9U 632; engine G9U 650; Fitting Position: Centre left; + AC; ->09/10; engine G9U 632; engine G9U 650; Fitting Position: Centre left
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 632; engine G9U 650
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9U 632; engine G9U 650; Fitting Position: Centre; + AC; engine G9U 632; engine G9U 650; Fitting Position: Centre
2.5 CDTI	88/120	G9U 650;G9U 632	08/06->	Deflection/Guide	SR-1181	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 632; engine G9U 650; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 632; engine G9U 650
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ->09/10; engine G9U 632; engine G9U 650; Fitting Position: Centre left; + AC; ->09/10; engine G9U 632; engine G9U 650; Fitting Position: Centre left
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; engine G9U 632; engine G9U 650; Fitting Position: Centre left; + AC; 09/10->; engine G9U 632; engine G9U 650; Fitting Position: Centre left
2.5 CDTI	74/101	G9U 650	09/07->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ->09/10; engine G9U 632; engine G9U 650; Fitting Position: Centre left; + AC; ->09/10; engine G9U 632; engine G9U 650; Fitting Position: Centre left
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 632; engine G9U 650
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9U 632; engine G9U 650; Fitting Position: Centre
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 632; engine G9U 650; Fitting Position: Centre; - AC
2.5 CDTI	73/99	G9U 754	10/03->12/06	Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 632; engine G9U 650
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; engine G9U 630; + AC
				Deflection/Guide	SR-1184	OD: 60; W: 30; engine G9U 630; + AC
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 632; engine G9U 650; Fitting Position: Centre; - AC
2.5 D	59/80	S8U 770;S8U 772	07/98->09/00	Deflection/Guide	SR-1120	OD: 67; W: 34; engine S8U 772; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; engine S8U 772; Fitting Position: Lower
				Deflection/Guide	SR-1427	OD: 60; W: 26; ALT; ->eng.# 3053818; engine S8U 772; Fitting Position: Lower
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; engine G9U 754; + AC; 09/10->; engine G9U 754
2.5 DTI	84/115	G9U 720;G9U 724;G9U 754;G9U 750	10/01->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ALT; ->09/10; engine G9U 754; Fitting Position: Centre right; + AC; engine G9U 754; Fitting Position: Centre right; - AC; ->09/10; engine G9U 754; Fitting Position: Centre right; engine G9U 724; engine G9U 724; Fitting Position: Centre right
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 720; engine G9U 724; engine G9U 750; engine G9U 754
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 720; engine G9U 724; engine G9U 754; Fitting Position: Centre; - AC
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9U 720; engine G9U 724; engine G9U 754; Fitting Position: Centre; + AC; engine G9U 720; engine G9U 724; engine G9U 754; Fitting Position: Centre
2.8 DTI	84/114	S9W 702;S9W 700	07/98->10/01	Deflection/Guide	SR-1427	OD: 60; W: 26; ALT; ->eng.# 3053818; engine S9W 700; engine S9W 702; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine S9W 700; engine S9W 702; Fitting Position: Upper; Fitting Position: Lower
MOVANO Dumptruck (H9)						
2.2 DTI	66/90	G9T 720;G9T 722;G9T 750	09/00->	Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9T 720; engine G9T 722; engine G9T 750
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; engine G9T 720; engine G9T 722; engine G9T 750; Fitting Position: Centre left
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9T 720; engine G9T 722; engine G9T 750; Fitting Position: Centre; - AC
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9T 720; engine G9T 722; engine G9T 750; Fitting Position: Centre; + AC; engine G9T 720; engine G9T 722; engine G9T 750; Fitting Position: Centre
2.5 CDTI	74/101	G9U 650	08/06->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ->09/10; engine G9U 632; engine G9U 650; Fitting Position: Centre left; + AC; ->09/10; engine G9U 632; engine G9U 650; Fitting Position: Centre left
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 632; engine G9U 650
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; engine G9U 632; engine G9U 650; Fitting Position: Centre left; + AC; 09/10->; engine G9U 632; engine G9U 650; Fitting Position: Centre left
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 632; engine G9U 650; Fitting Position: Centre; - AC
2.5 CDTI	74/101	G9U 650	08/06->	Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9U 632; engine G9U 650; Fitting Position: Centre; + AC; engine G9U 632; engine G9U 650; Fitting Position: Centre
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9U 632; engine G9U 650; Fitting Position: Centre; + AC; engine G9U 632; engine G9U 650; Fitting Position: Centre







	kW/HP	Engine code		Type		
2.5 CDTI	88/120	G9U 650;G9U 632	08/06->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; engine G9U 632; engine G9U 650; Fitting Position: Centre left; + AC; 09/10->; engine G9U 632; engine G9U 650; Fitting Position: Centre left
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 632; engine G9U 650
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ->09/10; engine G9U 632; engine G9U 650; Fitting Position: Centre left; + AC; ->09/10; engine G9U 632; engine G9U 650; Fitting Position: Centre left
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; engine G9U 632; engine G9U 650; Fitting Position: Centre; + AC; engine G9U 632; engine G9U 650; Fitting Position: Centre
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 632; engine G9U 650; Fitting Position: Centre; - AC
2.5 CDTI	107/146	G9U 650;G9U 632	08/06->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ->09/10; engine G9U 632; engine G9U 650; Fitting Position: Centre left; + AC; ->09/10; engine G9U 632; engine G9U 650; Fitting Position: Centre left
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 632; engine G9U 650
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; engine G9U 632; engine G9U 650; Fitting Position: Centre left; + AC; 09/10->; engine G9U 632; engine G9U 650; Fitting Position: Centre left
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 632; engine G9U 650; Fitting Position: Centre; - AC
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; engine G9U 632; engine G9U 650; Fitting Position: Centre; + AC; engine G9U 632; engine G9U 650; Fitting Position: Centre
2.5 D	59/80	S8U 770;S8U 772	01/99->09/00	Deflection/Guide	SR-1119	OD: 64; W: 34; engine S8U 772; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine S8U 772; Fitting Position: Upper
				Deflection/Guide	SR-1427	OD: 60; W: 26; ALT; ->eng.# 3053818; engine S8U 772; Fitting Position: Lower
2.5 DTI	84/115	G9U 720;G9U 724;G9U 754;G9U 750	10/01->	Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 720; engine G9U 724; engine G9U 750; engine G9U 754
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ALT; ALT; ->09/10; engine G9U 754; Fitting Position: Centre right; + AC; engine G9U 754; Fitting Position: Centre right; - AC; ->09/10; engine G9U 754; Fitting Position: Centre right; engine G9U 720; engine G9U 724; Fitting Position: Centre right
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; engine G9U 754; + AC; 09/10->; engine G9U 754
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; engine G9U 720; engine G9U 724; engine G9U 754; Fitting Position: Centre; + AC; engine G9U 720; engine G9U 724; engine G9U 754; Fitting Position: Centre
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 720; engine G9U 724; engine G9U 754; Fitting Position: Centre; - AC
2.5 DTI	73/99	G9U 754	10/03->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; engine G9U 750; Fitting Position: Centre right
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 720; engine G9U 724; engine G9U 750; engine G9U 754
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 750; Fitting Position: Centre; - AC
2.8 DTI	84/114	S9W 702;S9W 700	01/99->10/01	Deflection/Guide	SR-1427	OD: 60; W: 26; ALT; ->eng.# 3053818; engine S9W 700; engine S9W 702; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine S9W 700; engine S9W 702; Fitting Position: Upper; Fitting Position: Lower
MOVANO Platform/Chassis [U9, E9] 						
2.2 DTI	66/90	G9T 720;G9T 722;G9T 750	09/00->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; engine G9T 720; engine G9T 722; engine G9T 750; Fitting Position: Centre left
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9T 720; engine G9T 722; engine G9T 750
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; engine G9T 720; engine G9T 722; engine G9T 750; Fitting Position: Centre; + AC; engine G9T 720; engine G9T 722; engine G9T 750; Fitting Position: Centre
2.5 CDTI	107/146	G9U 650;G9U 632	08/06->	Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9T 720; engine G9T 722; engine G9T 750; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ->09/10; engine G9U 632; engine G9U 650; Fitting Position: Centre left; + AC; ->09/10; engine G9U 632; engine G9U 650; Fitting Position: Centre left
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 632; engine G9U 650
2.5 CDTI	107/146	G9U 650;G9U 632	08/06->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; engine G9U 632; engine G9U 650; Fitting Position: Centre left; + AC; 09/10->; engine G9U 632; engine G9U 650; Fitting Position: Centre left
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; engine G9U 632; engine G9U 650; Fitting Position: Centre; + AC; engine G9U 632; engine G9U 650; Fitting Position: Centre
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 632; engine G9U 650; Fitting Position: Centre; - AC
2.5 CDTI	88/120	G9U 650;G9U 632	08/06->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ->09/10; engine G9U 632; engine G9U 650; Fitting Position: Centre left; + AC; ->09/10; engine G9U 632; engine G9U 650; Fitting Position: Centre left
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 632; engine G9U 650
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; engine G9U 632; engine G9U 650; Fitting Position: Centre left; + AC; 09/10->; engine G9U 632; engine G9U 650; Fitting Position: Centre left
2.5 CDTI	74/101	G9U 650	08/06->	Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; engine G9U 632; engine G9U 650; Fitting Position: Centre; + AC; engine G9U 632; engine G9U 650; Fitting Position: Centre
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 632; engine G9U 650; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ->09/10; engine G9U 632; engine G9U 650; Fitting Position: Centre left; + AC; ->09/10; engine G9U 632; engine G9U 650; Fitting Position: Centre left
2.5 D	59/80	S8U 770;S8U 772	07/98->09/00	Deflection/Guide	SR-1184	OD: 76; W: 30; engine G9U 632; engine G9U 650
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine S8U 772; Fitting Position: Upper
				Deflection/Guide	SR-1427	OD: 60; W: 26; ALT; ->eng.# 3053818; engine S8U 772; Fitting Position: Lower
2.5 DTi	73/99	G9U 754	10/03->	Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 720; engine G9U 724; engine G9U 750; engine G9U 754
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; engine G9U 750; Fitting Position: Centre right
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 750; Fitting Position: Centre; - AC
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9U 750; Fitting Position: Centre







	kW/HP	Engine code		Type		
2.5 DTI	84/115	G9U 720;G9U 724;G9U 754;G9U 750	10/01->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ALT; ->09/10; engine G9U 754; Fitting Position: Centre right; + AC; engine G9U 754; Fitting Position: Centre right; - AC; ->09/10; engine G9U 754; Fitting Position: Centre right; engine G9U 720; engine G9U 724; Fitting Position: Centre right
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 720; engine G9U 724; engine G9U 750; engine G9U 754
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; engine G9U 754; + AC; 09/10->; engine G9U 754
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; engine G9U 720; engine G9U 724; engine G9U 754; Fitting Position: Centre; + AC; engine G9U 720; engine G9U 724; engine G9U 754; Fitting Position: Centre
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 720; engine G9U 724; engine G9U 754; Fitting Position: Centre; - AC
2.8 DTI	84/114	S9W 702;S9W 700	07/98->10/01	Deflection/Guide	SR-1120	OD: 67; W: 34; engine S9W 700; engine S9W 702; Fitting Position: Upper; Fitting Position: Lower
				Deflection/Guide	SR-1427	OD: 60; W: 26; ALT; ->eng.# 3053818; engine S9W 700; engine S9W 702; Fitting Position: Lower
OMEGA B (25_, 26_, 27_) 						
2.0	85/116	X 20 SE	03/94->09/99	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0	85/115	20 SE	03/94->12/00	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 16V	100/136	X 20 XEV	03/94->09/99	Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 DTI 16V	74/101	X 20 DTH	09/97->09/00	Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.2 16V	106/144	Y 22 XE;Z 22 XE	09/99->07/03	Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.2 DTI 16V	88/120	Y 22 DTH	09/00->07/03	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.2 DTI 16V	81/110	Y 22 DTH	09/00->07/03	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.5 TD	96/130	25 DT;X 25 DT;X 25 TD	04/94->07/03	Tensioner	SR-1007	OD: 80; W: 21; ALT; ->eng.# 39998760; engine U 25 TD; engine X 25 TD; Fitting Position: Centre
2.5 V6	125/170	X 25 XE	03/94->09/00	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; Fitting Position: Centre
2.6 V6	132/180	Y 26 SE	09/00->07/03	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; engine Y 26 SE; Fitting Position: Centre
3.0 V6	155/211	X 30 XE	04/94->02/01	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; engine X 30 XE; Fitting Position: Centre
3.2 V6	160/218	Y 32 SE	02/01->07/03	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; engine Y 32 SE; Fitting Position: Centre
OMEGA B Estate (21_, 22_, 23_) 						
2.0	85/116	X 20 SE	03/94->09/99	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 16V	100/136	X 20 XEV	03/94->09/99	Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 DTI 16V	74/101	X 20 DTH	09/97->09/00	Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.2 16V	106/144	Y 22 XE;Z 22 XE	09/99->07/03	Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.2 DTI 16V	88/120	Y 22 DTH	09/00->07/03	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.2 DTI 16V	81/110	Y 22 DTH	09/00->07/03	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.5 TD	96/131	25 DT;X 25 DT;X 25 TD	04/94->07/01	Tensioner	SR-1007	OD: 80; W: 21; ALT; ->eng.# 39998760; engine U 25 TD; engine X 25 TD; Fitting Position: Centre
2.5 V6	125/170	X 25 XE	03/94->09/00	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; Fitting Position: Centre
2.6 V6	132/180	Y 26 SE	09/00->07/03	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; engine Y 26 SE; Fitting Position: Centre
3.0 V6	155/211	X 30 XE	04/94->02/01	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; engine X 30 XE; Fitting Position: Centre
3.2 V6	160/218	Y 32 SE	02/01->07/03	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; engine Y 32 SE; Fitting Position: Centre
SIGNUM 						
1.8	90/122	Z 18 XE	05/03->	Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
1.8	103/140	Z 18 XER	09/05->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
1.9 CDTI	88/120	Z 19 DT	04/04->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; eng.# 71111928->; Fitting Position: Left; - AC
1.9 CDTI	110/150	Z 19 DTH	04/04->	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ALT; ->eng.# 71111927; Fitting Position: Left; - AC; Fitting Position: Left; + AC
				Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre right
1.9 CDTI	74/100	Z 19 DT	08/05->	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ALT; ->eng.# 71111927; Fitting Position: Left; - AC; Fitting Position: Left; + AC
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; eng.# 71111928->; Fitting Position: Left; - AC
				Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; engine Z 19 DTL; Fitting Position: Centre right
2.0 DTI	74/100	Y 20 DTH	05/03->	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; eng.# 71111928->; engine Z 19 DTL; Fitting Position: Left; - AC
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->eng.# 71111927; engine Z 19 DTL; Fitting Position: Left; - AC; + AC
2.0 Turbo	129/175	Z 20 NET	05/03->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.2 direct	114/155	Z 22 YH	05/03->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; Fitting Position: Centre
2.2 direct	114/155	Z 22 YH	05/03->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; Fitting Position: Centre







	kW/HP	Engine code		Type		
2.2 DTI	92/125	Y 22 DTR	05/03->	Deflection/Guide Tensioner	SR-1155 SR-1339	OD: 108; W: 23; ALT; Fitting Position: Right - holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.2 DTI 16V	86/117	Y 22 DTR	05/03->06/08	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25
2.8 V6 Turbo	184/250	Z 28 NET	01/06->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
2.8 V6 Turbo	169/230	Z 28 NEL	09/05->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
3.2 V6	155/211	Z 32 SE	05/03->	Deflection/Guide Tensioner	SR-1155 SR-1067	OD: 108; W: 23; ALT; engine Z 32 SE; Fitting Position: Right - holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; engine Z 32 SE; Fitting Position: Centre
SINTRA 						
2.2 DTI	85/116	X 22 DTH	07/97->04/99	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.2 i 16V	104/141	X 22 XE	11/96->04/99	Deflection/Guide Tensioner	SR-1051 SR-1066	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right - holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
3.0 i 24V	148/201	X 30 XE	11/96->04/99	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; Fitting Position: Centre
SPEEDSTER 						
2.0 Turbo	147/200	Z 20 LET	04/03->	Deflection/Guide Tensioner	SR-1155 SR-1066	OD: 108; W: 23; ALT; engine Z 20 LET; Fitting Position: Right - holder; ID: 17; OD: 70; W: 26; ALT; engine Z 20 LET; Fitting Position: Centre
2.2	108/147	Z 22 SE	09/00->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; Fitting Position: Centre
TIGRA (95_) 						
1.4 16V	66/90	X 14 XE	07/94->12/00	Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + PS; - AC; Fitting Position: Centre; + AC
1.4 16V	63/86	X 14 XE	08/97->12/00	Tensioner	SR-1109	- holder; OD: 70; W: 25; ALT; Fitting Position: Centre; - AC; - PS
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; engine C 14 SEL; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; engine C 14 SEL; Fitting Position: Upper Right
1.4 16V	78/106	X 16 XE	07/94->08/98	Tensioner	SR-1109	- holder; OD: 70; W: 25; ALT; engine C 14 SEL; Fitting Position: Centre; - AC; - PS
				Deflection/Guide	SR-1107	OD: 52; W: 23; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
1.6 16V	74/100	C 16 SEL	08/97->08/98	Tensioner	SR-1106	- holder; ID: 17; OD: 70; W: 26; ALT; engine C 14 SEL; Fitting Position: Centre; + AC; + PS; - AC
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; engine C 14 SEL; Fitting Position: Lower
				Deflection/Guide	SR-1107	OD: 52; W: 23; Fitting Position: Upper Right
1.6 16V	74/100	C 16 SEL	08/97->08/98	Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + PS; - AC; Fitting Position: Centre; + AC
1.6 16V	74/100	C 16 SEL	08/97->08/98	Tensioner	SR-1109	- holder; OD: 70; W: 25; ALT; Fitting Position: Centre; - AC; - PS
				Deflection/Guide	SR-1107	OD: 52; W: 23; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
TIGRA TwinTop 						
1.4	66/90	Z 14 XEP	06/04->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 14 XEP; Fitting Position: Centre
1.8	92/125	Z 18 XE	06/04->	Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
1.8	92/125	Z 18 XE	06/04->	Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
VECTRA A (86_, 87_) 						
1.4 S	55/75	14 NV	09/88->06/92	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; eng.# 19307806->; Fitting Position: Upper Left
1.6	51/69	C 16 LZ2	08/92->07/93	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + PS
1.6	60/82	16 SV	09/88->05/93	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; eng.# 19307806->; Fitting Position: Upper Left; eng.# 02 J22350->; Fitting Position: Upper Left
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; ch.M1 169326-> ch.M5 178237->; engine 16 SV; engine C 16 NZ; engine E 16 NZ; Fitting Position: Centre; + PS
1.6 i	55/75	C 16 NZ;E 16 NZ;C 16 NZ2	09/88->11/95	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + PS
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; eng.# 19307806->; Fitting Position: Upper Left; eng.# 02 J22350->; Fitting Position: Upper Left
1.6 i	52/71	X 16 SZ	09/93->11/95	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; eng.# 19307806->; Fitting Position: Upper Left; eng.# 02 J22350->; Fitting Position: Upper Left
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + PS
1.6 i	55/75	16 LZ2;C 16 LZ2	09/93->11/95	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine C 16 LZ2; engine C 16 NZ2; Fitting Position: Centre; + PS
1.7 D	44/60	17 DR	07/92->11/95	Tensioner	SR-1050	OD: 59; W: 26; ch.14363651->; engine 17 DR (GM); Fitting Position: Lower
1.8 i CAT	66/90	C 18 NZ	03/90->11/95	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; - AC
2.0	74/100	C 20 NEF	09/88->09/89	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine C 20 NE; Fitting Position: Centre
2.0 i	85/115	20 NE	09/88->10/90	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine 20 NE; Fitting Position: Centre
2.0 i 16V	100/136	X 20 XEV	06/94->11/95	Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower







	kW/HP	Engine code		Type		
2.0 i 16V 4x4	100/136	X 20 XEV	06/94->11/95	Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 i 4x4	85/115	20 NE	01/89->10/90	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine 20 NE; Fitting Position: Centre
2.0 i 4x4 CAT	85/116	C 20 NE	01/89->11/95	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine C 20 NE; Fitting Position: Centre
2.0 i CAT	85/116	C 20 NE	09/88->11/95	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine C 20 NE; Fitting Position: Centre
2.0 i Turbo 4x4	150/204	C 20 LET	06/94->11/95	Deflection/Guide	SR-1051	OD: 52; W: 27; eng.# 14002935->; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1050	OD: 59; W: 26; eng.# 14002935->; Fitting Position: Lower
2.5 V6	125/170	C 25 XE	02/93->11/95	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; Fitting Position: Centre
2000 16V 4x4	110/150	20 XEJ	01/89->10/90	Deflection/Guide	SR-1051	OD: 52; W: 27; eng.# 14142839->; engine 20 XE; Fitting Position: Upper Right
				Tensioner	SR-1050	OD: 59; W: 26; eng.# 14142839->; engine 20 XE; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine 20 XE; Fitting Position: Centre; + AC
2000/GT 16V	110/150	20 XEJ	01/89->06/94	Deflection/Guide	SR-1051	OD: 52; W: 27; eng.# 14142839->; engine 20 XE; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine 20 XE; Fitting Position: Centre; + AC
				Tensioner	SR-1050	OD: 59; W: 26; eng.# 14142839->; engine 20 XE; Fitting Position: Lower
2000/GT 16V 4x4 CAT	110/150	C 20 XE	02/90->11/95	Deflection/Guide	SR-1051	OD: 52; W: 27; eng.# 14142839->; Fitting Position: Upper Right
				Tensioner	SR-1050	OD: 59; W: 26; eng.# 14142839->; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine C 20 XE; Fitting Position: Centre
2000/GT 16V CAT	110/150	C 20 XE	02/90->11/95	Deflection/Guide	SR-1051	OD: 52; W: 27; eng.# 14142839->; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine C 20 XE; Fitting Position: Centre
				Tensioner	SR-1050	OD: 59; W: 26; eng.# 14142839->; Fitting Position: Lower
VECTRA A Hatchback (88_89_) 						
1.4 S	55/75	14 NV	04/88->06/92	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; eng.# 19307806->; Fitting Position: Upper Left
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + PS
1.6 i	52/71	X 16 SZ	09/93->11/95	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; eng.# 19307806->; Fitting Position: Upper Left; eng.# 02 J22350->; Fitting Position: Upper Left
1.6 i	55/75	16 LZ2	09/93->11/95	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine C 16 LZ2; engine C 16 NZ2; Fitting Position: Centre; + PS
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; eng.# 19307806->; engine C 16 NZ; Fitting Position: Upper Left
1.6 i CAT	55/75	C 16 NZ; C 16 NZ2	09/88->11/95	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine C 16 LZ2; engine C 16 NZ2; Fitting Position: Centre; + PS
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; eng.# 02 J22350->; eng.# 19307806->; Fitting Position: Upper Left; eng.# 02 J22350->; Fitting Position: Upper Left
1.6 S	60/82	16 SV	09/88->05/93	Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; ch.M1 169326->; ch.M5 178237->; engine 16 SV; engine C 16 NZ; engine E 16 NZ; Fitting Position: Centre; + PS
				Tensioner	SR-1050	OD: 59; W: 26; engine 17 DR (GM); Fitting Position: Lower
1.7 D	44/60	17 DR	07/92->11/95	Tensioner	SR-1050	OD: 59; W: 26; engine 17 DR (GM); Fitting Position: Lower
1.8 i CAT	66/90	C 18 NZ	03/90->11/95	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; - AC
2.0	74/100	C 20 NEF	04/88->09/89	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine C 20 NE; Fitting Position: Centre
2.0 i	85/115	20 NE	09/88->10/90	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine 20 NE; Fitting Position: Centre
				Deflection/Guide	SR-1051	OD: 52; W: 27; eng.# 14142839->; engine 20 XE; Fitting Position: Upper Right
				Tensioner	SR-1050	OD: 59; W: 26; eng.# 14142839->; engine 20 XE; Fitting Position: Lower
2.0 i 16V	110/150	20 XEJ	02/89->10/90	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine 20 XE; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 i 16V	100/136	X 20 XEV	06/94->11/95	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower
				Deflection/Guide	SR-1051	OD: 52; W: 27; eng.# 14142839->; Fitting Position: Upper Right
2.0 i 16V CAT	110/150	C 20 XE	02/90->11/95	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine C 20 XE; Fitting Position: Centre
				Tensioner	SR-1050	OD: 59; W: 26; eng.# 14142839->; Fitting Position: Lower
				Deflection/Guide	SR-1051	OD: 52; W: 27; eng.# 14142839->; Fitting Position: Upper Right
2.0 i CAT	85/116	C 20 NE	09/88->11/95	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine C 20 NE; Fitting Position: Centre
2.5 V6	125/170	C 25 XE	02/93->11/95	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; Fitting Position: Centre
VECTRA B (36_) 						
1.6 i	55/75	X 16 SZR	10/95->04/02	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; - AC
1.6 i	55/75	16 LZ2	10/95->04/02	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.6 i 16V	74/100	X 16 XEL; Y 16 XE; Z 16 XE	10/95->04/02	Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left; ->eng.# 02 MZ5253; ->eng.# 20 U75998; Fitting Position: Upper Left; eng.# 02 MZ5254->; eng.# 20 U75999->; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; Fitting Position: Upper Right; ->eng.# 02 MZ5253; ->eng.# 20 U75998; Fitting Position: Upper Right; eng.# 02 MZ5254->; eng.# 20 U75999->; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower; ->eng.# 02 MZ5253; ->eng.# 20 U75998; Fitting Position: Lower; eng.# 02 MZ5254->; eng.# 20 U75999->; Fitting Position: Lower
Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre				







	kW/HP	Engine code		Type		
1.8 i 16V	92/125	Z 18 XE	09/00->04/02	Deflection/Guide	SR-1107	OD: 52; W: 23; engine Z 18 XE; engine Z 18 XEL; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; engine Z 18 XE; engine Z 18 XEL; Fitting Position: Upper Left
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; engine Z 18 XE; engine Z 18 XEL; Fitting Position: Lower
1.8 i 16V	85/115	X 18 XE1; Z 18 XEL	10/95->09/00	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 18 XE; engine Z 18 XEL; Fitting Position: Centre
				Deflection/Guide	SR-1107	OD: 52; W: 23; engine X 18 XE1; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; engine X 18 XE1; Fitting Position: Upper Left
				Deflection/Guide	SR-1051	OD: 52; W: 27; engine X 18 XE; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; engine X 18 XE1; Fitting Position: Lower
				Tensioner	SR-1050	OD: 59; W: 26; engine X 18 XE; Fitting Position: Lower
1.8 i 16V	85/115	X 18 XE	10/95->09/00	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower
2.0 DI 16V	60/82	X 20 DTL	11/96->04/02	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.0 DTI 16V	74/101	X 20 DTH; Y 20 DTH	06/97->04/02	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.0 i	82/112	20 NEJ	10/95->04/02	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 i 16V	100/136	X 20 XEV; C 20 SEL	10/95->09/00	Deflection/Guide	SR-1051	OD: 52; W: 27; engine C 20 SEL; engine X 20 XEV; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1050	OD: 59; W: 26; engine C 20 SEL; engine X 20 XEV; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.2 DTI 16V	88/120	Y 22 DTR	09/00->04/02	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.2 DTI 16V	92/125	Y 22 DTR	09/00->04/02	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.2 i 16V	108/147	Z 22 SE	09/00->04/02	Deflection/Guide	SR-1051	OD: 52; W: 27; engine C 22 SEL; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine C 22 SEL; Fitting Position: Centre
				Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; engine Z 22 SE; Fitting Position: Centre
2.5 i V6	125/170	X 25 XE	10/95->09/00	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; Fitting Position: Centre
2.6 i V6	125/170	Y 26 SE	09/00->04/02	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; Fitting Position: Centre
i 500 2.5	143/194	X 25 XE	05/98->09/00	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; Fitting Position: Upper Right
VECTRA B Estate [31.] 						
1.6 i	55/75	X 16 SZR	11/96->06/00	Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; - AC
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
1.6 i	55/75	16 LZ2	11/96->06/00	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.6 i 16V	74/100	X 16 XEL; Y 16 XE; Z 16 XE	11/96->07/02	Deflection/Guide	SR-1107	OD: 52; W: 23; Fitting Position: Upper Right; ->eng.# 02 MZ5253; ->eng.# 20 U75998; Fitting Position: Upper Right; eng.# 02 MZ5254->; eng.# 20 U75999->; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left; ->eng.# 02 MZ5253; ->eng.# 20 U75998; Fitting Position: Upper Left; eng.# 02 MZ5254->; eng.# 20 U75999->; Fitting Position: Upper Left
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.8 i 16V	92/125	Z 18 XE	09/00->07/03	Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower; ->eng.# 02 MZ5253; ->eng.# 20 U75998; Fitting Position: Lower; eng.# 02 MZ5254->; eng.# 20 U75999->; Fitting Position: Lower
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; engine Z 18 XE; engine Z 18 XEL; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; engine Z 18 XE; engine Z 18 XEL; Fitting Position: Upper Right
1.8 i 16V	85/115	X 18 XE1; Z 18 XEL	11/96->09/00	Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; engine Z 18 XE; engine Z 18 XEL; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine X 18 XE1; Fitting Position: Centre
				Tensioner	SR-1050	OD: 59; W: 26; engine X 18 XE; Fitting Position: Lower
				Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 DI 16V	60/82	X 20 DTL	11/96->06/00	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.0 DTI 16V	74/101	X 20 DTH; Y 20 DTH	06/97->07/03	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.0 i	82/112	20 NEJ	11/96->02/02	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 i 16V	100/136	X 20 XEV; C 20 SEL	11/96->09/00	Deflection/Guide	SR-1051	OD: 52; W: 27; engine C 20 SEL; engine X 20 XEV; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1050	OD: 59; W: 26; engine C 20 SEL; engine X 20 XEV; Fitting Position: Lower
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.2 DTI 16V	88/120	Y 22 DTR	09/00->04/02	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.2 DTI 16V	92/125	Y 22 DTR	09/00->07/03	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.2 i 16V	108/147	Z 22 SE	09/00->07/03	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; engine Z 22 SE; Fitting Position: Centre
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine C 22 SEL; Fitting Position: Centre
2.5 i V6	125/170	X 25 XE	11/96->09/00	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; Fitting Position: Centre








	kW/HP	Engine code		Type		
2.6 i V6	125/170	Y 26 SE	09/00->07/03	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; Fitting Position: Centre
i 500 2.5	143/194	X 25 XE	05/98->09/00	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; Fitting Position: Upper Right
VECTRA B Hatchback (38_) 						
1.6 i	55/75	X 16 SZR	10/95->07/03	Tensioner	SR-1056	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left; - AC
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre; + AC
1.6 i	55/75	16 LZ2	10/95->07/03	Tensioner	SR-1049	ID: 8,2; OD: 59; W: 19; Fitting Position: Upper Left
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.6 i 16V	74/101	X 16 XEL; Y 16 XE; Z 16 XE	10/95->07/02	Deflection/Guide	SR-1107	OD: 52; W: 23; Fitting Position: Upper Right; ->eng.# 02 MZ5253; ->eng.# 20 U75998; Fitting Position: Upper Right; eng.# 02 MZ5254->; eng.# 20 U75999->; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left; ->eng.# 02 MZ5253; ->eng.# 20 U75998; Fitting Position: Upper Left; eng.# 02 MZ5254->; eng.# 20 U75999->; Fitting Position: Upper Left
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.8 i 16V	92/125	Z 18 XE	09/00->07/03	Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower; ->eng.# 02 MZ5253; eng.# 20 U75999->; Fitting Position: Lower
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; engine Z 18 XE; engine Z 18 XEL; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; engine Z 18 XE; engine Z 18 XEL; Fitting Position: Upper Right
1.8 i 16V	85/116	X 18 XE1; Z 18 XEL	10/95->09/00	Tensioner	SR-1106	- holder; ID: 17; OD: 70; W: 26; ALT; engine Z 18 XE; engine Z 18 XEL; Fitting Position: Centre
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; engine Z 18 XE; engine Z 18 XEL; Fitting Position: Lower
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; engine X 18 XE1; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; engine X 18 XE1; Fitting Position: Upper Right
				Deflection/Guide	SR-1051	OD: 52; W: 27; engine X 18 XE; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1106	- holder; ID: 17; OD: 70; W: 26; ALT; engine X 18 XE1; Fitting Position: Centre
1.8 i 16V	85/116	X 18 XE	10/95->09/00	Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower
				Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 DI 16V	60/82	X 20 DTL	11/96->06/00	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.0 DTI 16V	74/101	X 20 DTH; Y 20 DTH	06/97->07/03	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.0 i	82/112	20 NEJ	10/95->02/02	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 i 16V	100/136	X 20 XEV; C 20 SEL	10/95->09/00	Deflection/Guide	SR-1051	OD: 52; W: 27; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1050	OD: 59; W: 26; Fitting Position: Lower
2.2 DTI 16V	88/120	Y 22 DTR	09/00->04/02	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.2 DTI 16V	92/125	Y 22 DTR	09/00->07/03	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.2 i 16V	108/147	Z 22 SE	09/00->07/03	Deflection/Guide	SR-1051	OD: 52; W: 27; engine C 22 SEL; Fitting Position: Upper Left; Fitting Position: Upper Right
				Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; engine Z 22 SE; Fitting Position: Centre
				Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; engine C 22 SEL; Fitting Position: Centre
2.5	144/196	X 25 XE	10/99->06/00	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; engine X 25 XE; Fitting Position: Centre
2.5 i V6	125/170	X 25 XE	10/95->09/00	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; Fitting Position: Centre
2.6 i V6	125/170	Y 26 SE	09/00->07/03	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; Fitting Position: Centre
VECTRA C 						
1.6	77/105	Z 16 XEP	01/06->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine Z 16 XEP; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
1.6 16V	74/100	Z 16 XE	06/04->	Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
1.8	103/140	Z 18 XER	01/06->	Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine Z 18 XER
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; Fitting Position: Upper Right
1.8	81/110	Z 18 XEL	04/02->	Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
1.8 16V	90/122	Z 18 XE	04/02->	Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; Fitting Position: Upper Right
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
1.9 CDTI	88/120	Z 19 DT	04/04->	Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
				Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; ch.71111928->; Fitting Position: Left
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->ch.71111927; Fitting Position: Left





	kW/HP	Engine code		Type		
1.9 CDTI	110/150	Z 19 DTH	04/04->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->ch.71111927; Fitting Position: Left
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; ch.71111928->; Fitting Position: Left
1.9 CDTI	74/100	Z 19 DT	10/05->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; engine Z 19 DTL; Fitting Position: Centre right
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; ch.71111928->; engine Z 19 DTL; Fitting Position: Left
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->ch.71111927; engine Z 19 DTL; Fitting Position: Left
2.0 16V Turbo	129/175	Z 20 NET	03/03->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; Fitting Position: Centre
2.0 DTI 16V	74/101	Y 20 DTH	04/02->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.2 16V	108/147	Z 22 SE	04/02->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; Fitting Position: Centre
2.2 direct	114/155	Z 22 YH	10/03->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; Fitting Position: Centre
2.2 DTI 16V	92/125	Y 22 DTR	04/02->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.2 DTI 16V	86/117	Y 22 DTR	04/02->12/04	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.8 V6 Turbo	169/230	Z 28 NEL	08/05->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
2.8 V6 Turbo	188/255	Z 28 NET	08/05->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
2.8 V6 Turbo	184/250	Z 28 NET	08/06->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
3.2 V6	155/211	Z 32 SE	08/02->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; Fitting Position: Centre
VECTRA C Estate 						
1.6	77/105	Z 16 XEP	01/06->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine Z 16 XEP; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
1.6 16V	74/100	Z 16 XE	06/04->	Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
1.8	103/140	Z 18 XER	01/06->	Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
1.8	90/122	Z 18 XE	10/03->	Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine Z 18 XER; Fitting Position: Centre
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
1.9 CDTI	88/120	Z 19 DT	04/04->	Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
				Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre right
1.9 CDTI	110/150	Z 19 DTH	04/04->	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; ch.71111928->; Fitting Position: Left
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->ch.71111927; Fitting Position: Left
				Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre right
1.9 CDTI	74/100	Z 19 DTL	10/05->	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->ch.71111927; Fitting Position: Left
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; ch.71111928->; Fitting Position: Left
				Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre right
2.0 DTI	74/100	Y 20 DTH	10/03->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.0 Turbo	129/175	Z 20 NET	10/03->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; Fitting Position: Centre
2.2 direct	114/155	Z 22 YH	10/03->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; Fitting Position: Centre
2.2 DTI	92/125	Y 22 DTR	10/03->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.2 DTI	86/117	Y 22 DTR	10/03->06/08	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.8 V6 Turbo	206/280	Z 28 NET	01/07->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
2.8 V6 Turbo	184/250	Z 28 NET	01/07->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
2.8 V6 Turbo	169/230	Z 28 NEL	08/05->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
2.8 V6 Turbo	188/255	Z 28 NET	08/05->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
3.2 V6	155/211	Z 32 SE	10/03->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; Fitting Position: Centre
VECTRA C GTS 						
1.6	77/105	Z 16 XEP	01/06->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine Z 16 XEP; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29

	kW/HP	Engine code		Type		
1.6	74/100	Z 16 XE	08/05->	Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
1.8	103/140	Z 18 XER	01/06->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine Z 18 XER
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine Z 18 XER
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine Z 18 XER; Fitting Position: Centre
1.8 16V	90/122	Z 18 XE	08/02->	Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
1.8 16V	81/110	Z 18 XEL	08/02->12/06	Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; Fitting Position: Upper Right
1.9 CDTI	88/120	Z 19 DT	04/04->	Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre right
1.9 CDTI	110/150	Z 19 DTH	04/04->	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->ch.71111927; Fitting Position: Left
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; ch.71111928->; Fitting Position: Left
				Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre right
1.9 CDTI	74/100	Z 19 DTL	10/05->	Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; ch.71111928->; Fitting Position: Left
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->ch.71111927; Fitting Position: Left
				Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; engine Z 19 DTL; Fitting Position: Centre right
2.0 16V Turbo	129/175	Z 20 NET	03/03->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; Fitting Position: Centre
2.0 DTI 16V	74/101	Y 20 DTH	08/02->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.2 16V	108/147	Z 22 SE	08/02->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; Fitting Position: Centre
2.2 direct	114/155	Z 22 YH	10/03->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; Fitting Position: Centre
2.2 DTI 16V	92/125	Y 22 DTR	08/02->	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.2 DTI 16V	86/117	Y 22 DTR	08/02->06/08	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.8 V6 Turbo	169/230	Z 28 NEL	08/05->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
2.8 V6 Turbo	188/255	Z 28 NET	08/05->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
2.8 V6 Turbo	184/250	Z 28 NET	08/06->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
2.8 V6 Turbo	206/280	Z 28 NET	08/06->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
3.2 V6	155/211	Z 32 SE	08/02->	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
VIVARO Box 						
1.6 CDTI	103/140	R9M 450	06/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; engine R9M 450; engine R9M 452; engine R9M 408; engine R9M 413
1.6 CDTI	66/90	R9M 408	06/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; engine R9M 408; engine R9M 413; engine R9M 450; engine R9M 452
1.6 CDTI	85/116	R9M 408;R9M 450	06/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; engine R9M 408; engine R9M 413; engine R9M 450; engine R9M 452
1.6 CDTI	88/120	R9M 450	06/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; engine R9M 408; engine R9M 413; engine R9M 450; engine R9M 452
VIVARO Box (F7) 						
1.9 DI	60/80	F9Q 762	08/01->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; 03/02->; Fitting Position: Right; + AC
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->03/02; Fitting Position: Right; + AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
1.9 DTI	74/101	F9Q 760	08/01->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->03/02; Fitting Position: Right; + AC
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; 03/02->; Fitting Position: Right; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
2.0 16V	88/120	F4R 720	08/01->	Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Right; + AC
2.0 CDTI	66/90	M9R 780;M9R 782;M9R 786;M9R 630	08/06->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; ALT; engine M9R 784; engine M9R 788; Fitting Position: Centre right; + AC; engine M9R 784; engine M9R 788; Fitting Position: Centre right; - AC; engine M9R 630; engine M9R 692; engine M9R 780; engine M9R 782; engine M9R 786; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 630; engine M9R 692; engine M9R 780; engine M9R 782; engine M9R 784; Fitting Position: Centre
2.0 CDTI	84/114	M9R 780;M9R 786;M9R 784;M9R 788;M9R 692	08/06->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; ALT; engine M9R 784; engine M9R 788; Fitting Position: Centre right; + AC; engine M9R 784; engine M9R 788; Fitting Position: Centre right; - AC; engine M9R 630; engine M9R 692; engine M9R 780; engine M9R 782; engine M9R 786; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 630; engine M9R 692; engine M9R 780; engine M9R 782; engine M9R 784; Fitting Position: Centre

	kW/HP	Engine code		Type		
2.0 ECOTEC	86/117	F4R 820	08/06->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Right; + AC
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre; + AC
2.5 CDTI	107/146	G9MB6;G9U 630	08/06->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; engine G9U 630; Fitting Position: Centre right; + AC; engine G9U 630; Fitting Position: Centre right
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 630; engine G9U 730
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; engine G9U 630; Fitting Position: Centre; + AC; engine G9U 630; Fitting Position: Centre
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 630; Fitting Position: Upper; - AC
2.5 CDTI	84/114	G9U 630	08/06->	Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 630; engine G9U 730
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; engine G9U 630; Fitting Position: Centre right; + AC; engine G9U 630; Fitting Position: Centre right
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 630; Fitting Position: Upper; - AC
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; engine G9U 630; Fitting Position: Centre; + AC; engine G9U 630; Fitting Position: Centre
2.5 DTI	99/135	G9U 730	05/03->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; engine G9U 730; Fitting Position: Centre right
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 730
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 730; Fitting Position: Centre; - AC
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; engine G9U 730; Fitting Position: Centre; + AC; engine G9U 730; Fitting Position: Centre; - AC
VIVARO Combi 						
1.6 CDTI	70/95	R9M 408	04/15->	Deflection/Guide	SR-1184	OD: 60; W: 30; engine R9M 408; engine R9M 413; engine R9M 450; engine R9M 452
1.6 CDTI	92/125	R9M 450	04/15->	Deflection/Guide	SR-1184	OD: 60; W: 30; engine R9M 408; engine R9M 413; engine R9M 450; engine R9M 452
1.6 CDTI	107/145	R9M 450	04/15->	Deflection/Guide	SR-1184	OD: 60; W: 30; engine R9M 408; engine R9M 413; engine R9M 450; engine R9M 452
1.6 CDTI	85/116	R9M 408;R9M 450	06/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; engine R9M 408; engine R9M 413; engine R9M 450; engine R9M 452
1.6 CDTI	66/90	R9M 408	06/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; engine R9M 408; engine R9M 413; engine R9M 450; engine R9M 452
1.6 CDTI	88/120	R9M 450	06/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; engine R9M 408; engine R9M 413; engine R9M 450; engine R9M 452
1.6 CDTI	103/140	R9M 450	06/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; engine R9M 408; engine R9M 413; engine R9M 450; engine R9M 452
VIVARO Combi [J7] 						
1.9 DI	60/80	F9Q 774;F9Q 762	08/01->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; 03/02->; Fitting Position: Right; + AC
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->03/02; Fitting Position: Right; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre; + AC
1.9 DTI	74/101	F9Q 760	08/01->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->03/02; Fitting Position: Right; + AC
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; 03/02->; Fitting Position: Right; + AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
2.0 16V	88/120	F4R 720	08/01->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
2.0 CDTI	66/90	M9R 780;M9R 782;M9R 786	08/06->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; ALT; engine M9R 784; engine M9R 788; Fitting Position: Centre right; + AC; engine M9R 784; engine M9R 788; Fitting Position: Centre right; - AC; engine M9R 630; engine M9R 692; engine M9R 780; engine M9R 782; engine M9R 786; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 630; engine M9R 692; engine M9R 780; engine M9R 782; engine M9R 786; Fitting Position: Centre
2.0 CDTI	84/114	M9R 780;M9R 786;M9R 784;M9R 788;M9R 630;M9R 692	08/06->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; ALT; engine M9R 784; engine M9R 788; Fitting Position: Centre right; + AC; engine M9R 784; engine M9R 788; Fitting Position: Centre right; - AC; engine M9R 630; engine M9R 692; engine M9R 780; engine M9R 782; engine M9R 786; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 630; engine M9R 692; engine M9R 780; engine M9R 782; engine M9R 786; Fitting Position: Centre
2.0 ECOTEC	86/117	F4R 820	08/06->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Right; + AC
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre; + AC
2.5 CDTI	107/146	G9U 630	08/06->	Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 630; engine G9U 730
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; engine G9U 630; Fitting Position: Centre right; + AC; engine G9U 630; Fitting Position: Centre right
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 630; Fitting Position: Upper; - AC
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; engine G9U 630; Fitting Position: Centre; + AC; engine G9U 630; Fitting Position: Centre
2.5 CDTI	84/114	G9U 630	08/06->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; Fitting Position: Centre right; + AC; Fitting Position: Centre right
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 630; engine G9U 730
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; Fitting Position: Centre; Fitting Position: Centre; + AC
2.5 DTI	99/135	G9U 730	05/03->	Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 730
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; engine G9U 730; Fitting Position: Centre right
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; engine G9U 730; Fitting Position: Centre; + AC; engine G9U 730; Fitting Position: Centre; - AC
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 730; Fitting Position: Centre; - AC

	kW/HP	Engine code		Type		
VIVARO Platform/Chassis (E7) 						
1.9 Di	60/82	F9Q 762	08/06->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre; + AC
1.9 DTI	74/101	F9Q 760	08/06->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre; + AC
2.0 16V	88/120	F4R 720	08/06->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre; + AC
2.0 CDTI	66/90	M9R 780;M9R 782;M9R 786;M9R 630	01/06->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; engine M9R 784; engine M9R 788; Fitting Position: Centre right; + AC; engine M9R 784; engine M9R 788; Fitting Position: Centre right; - AC; engine M9R 630; engine M9R 692; engine M9R 780; engine M9R 782; engine M9R 786; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 630; engine M9R 692; engine M9R 780; engine M9R 782; engine M9R 786; Fitting Position: Centre
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; engine M9R 784; engine M9R 788; Fitting Position: Centre right; + AC; engine M9R 784; engine M9R 788; Fitting Position: Centre right; - AC; engine M9R 630; engine M9R 692; engine M9R 780; engine M9R 782; engine M9R 786; Fitting Position: Centre right
2.0 CDTI	84/114	M9R 780;M9R 630	08/06->	Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 630; engine M9R 692; engine M9R 780; engine M9R 782; engine M9R 786; Fitting Position: Centre
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Right; + AC
2.0 ECOTEC	86/117	F4R 820	08/06->	Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 630; engine G9U 730
2.5 CDTI	84/114	G9U 630	08/06->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; Fitting Position: Centre right; + AC; Fitting Position: Centre right
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; Fitting Position: Centre; Fitting Position: Centre; + AC
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; Fitting Position: Upper; - AC
2.5 CDTI	107/146	G9U 630	08/06->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; engine G9U 630; Fitting Position: Centre right; + AC; engine G9U 630; Fitting Position: Centre right
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 630; engine G9U 730
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 630; Fitting Position: Upper; - AC
2.5 DTi	99/135	G9U 730	08/06->	Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; engine G9U 630; Fitting Position: Centre; + AC; engine G9U 630; Fitting Position: Centre
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 730
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; engine G9U 730; Fitting Position: Centre right
2.5 DTi	99/135	G9U 730	08/06->	Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 730; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; engine G9U 730; Fitting Position: Centre right
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; engine G9U 730; Fitting Position: Centre; + AC; engine G9U 730; Fitting Position: Centre; - AC
ZAFIRA A (F75_) 						
1.6 16V	74/101	X 16 XEL;Z 16 XE	04/99->06/05	Deflection/Guide	SR-1107	OD: 52; W: 23; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Left; eng.# 02 HL5118->; eng.# 20041691->; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Upper Left; eng.# 02 MV7225->; eng.# 20 U75999->; Fitting Position: Upper Left
				Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; eng.# 02 HL5118->; eng.# 20041691->; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Upper Right; eng.# 02 MV7225->; eng.# 20 U75999->; Fitting Position: Upper Right
1.6 CNG	71/97	Z 16 YNG	09/01->06/05	Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Lower; eng.# 02 HL5118->; eng.# 20041691->; ->eng.# 02 MV7224; ->eng.# 20 U75998; Fitting Position: Lower; eng.# 02 MV7225->; eng.# 20 U75999->; Fitting Position: Lower
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
1.8 16V	85/116	X 18 XE1	04/99->09/00	Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 52,2; W: 25,5; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Upper Right
				Deflection/Guide	SR-1107	OD: 62,7; W: 23,5; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Left; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Upper Left
1.8 16V	92/125	Z 18 XE	09/00->06/05	Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1107	OD: 52; W: 23; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Right
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Lower; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Lower
2.0 DI	63/86	X 20 DTL	07/99->06/00	Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Left; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Upper Left
				Deflection/Guide	SR-1107	OD: 52; W: 23; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Upper Right
2.0 DI	63/86	X 20 DTL	07/99->06/00	Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; ->eng.# 02 HL5117; ->eng.# 20041690; Fitting Position: Lower; eng.# 02 HL5118->; eng.# 20041691->; Fitting Position: Lower
				Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; engine X 20 DTL; engine Y 20 DTL; Fitting Position: Right
Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; engine X 20 DTL; engine Y 20 DTL; Fitting Position: Centre				

	kW/HP	Engine code		Type		
2.0 DI 16V	60/82	X 20 DTL	07/99->06/05	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; engine X 20 DTL; engine Y 20 DTL; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; engine X 20 DTL; engine Y 20 DTL; Fitting Position: Centre
2.0 DTI 16V	74/101	Y 20 DTH	09/00->06/05	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.0 OPC	141/192	Z 20 LET	09/01->06/05	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 OPC	147/200	Z 20 LET;Z 20 LER	11/02->06/05	Tensioner	SR-1066	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.2 16V	108/147	Z 22 SE	09/00->06/05	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT; Fitting Position: Centre
2.2 DTI 16V	86/117	Y 22 DTR	01/02->06/05	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.2 DTI 16V	92/125	Y 22 DTR	01/02->06/05	Deflection/Guide	SR-1155	OD: 108; W: 23; ALT; Fitting Position: Right
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
ZAFIRA B (A05) 						
1.6	85/115	Z 16 XER;A 16 XER	01/08->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine Z 16 XER
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine Z 16 XER
1.6	77/105	Z 16 XEP;Z 16 XE1	07/05->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine Z 16 XEP
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine Z 16 XEP; Fitting Position: Centre
1.6 CNG	69/94	Z 16 YNG	01/06->	Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; engine Z 16 YNG; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; engine Z 16 YNG; Fitting Position: Upper Left
1.6 CNG	69/94	Z 16 YNG	01/06->	Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; engine Z 16 YNG; Fitting Position: Lower
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Centre left
1.6 CNG Turbo	110/150	Z 16 XNT;A 16 XNT	02/09->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine Z 16 XNT
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine Z 16 XNT; Fitting Position: Centre
1.7 CDTI	81/110	A 17 DTJ;Z 17 DTJ	01/08->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine A 17 DTJ; engine Z 17 DTJ; Fitting Position: Centre; + AC
				Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; ALT; engine A 17 DTJ; engine Z 17 DTJ; Fitting Position: Centre right
1.7 CDTI	92/125	A 17 DTR	01/08->	Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine A 17 DTR; Fitting Position: Centre; + AC
				Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; ALT; engine A 17 DTR; Fitting Position: Centre right
1.8	88/120	A 18 XEL	06/13->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ->ch.C2
1.8	103/140	Z 18 XER;A 18 XER	07/05->	Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
				Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine A 18 XER; engine Z 18 XER
1.8	103/140	Z 18 XER;A 18 XER	07/05->	Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine A 18 XER; engine Z 18 XER
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine A 18 XER; engine Z 18 XER; Fitting Position: Centre
1.9 CDTI	110/150	Z 19 DTH	07/05->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; ch.72212299->; ch.7G 150346->; Fitting Position: Centre left
1.9 CDTI	110/150	Z 19 DTH	07/05->	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->ch.72212298; ->ch.7G 150345; Fitting Position: Centre left
				Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Upper
1.9 CDTI	74/100	Z 19 DTL	07/05->	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->ch.72207929; ->ch.7G 150345; Fitting Position: Centre left
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; ch.72207930->; ch.7G 150346->; Fitting Position: Centre left
1.9 CDTI	88/120	Z 19 DT	07/05->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT; ch.72172469->; ch.7G 150346->; Fitting Position: Centre left
1.9 CDTI	88/120	Z 19 DT	07/05->	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; ->ch.72172468; ->ch.7G 150345; Fitting Position: Centre left
				Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine A 18 XER; engine Z 18 XER
1.8	103/140	Z 18 XER;A 18 XER	07/05->	Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine A 18 XER; engine Z 18 XER; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine A 18 XER; engine Z 18 XER
ZAFIRA B Van 						
1.6 CNG Turbo	110/150	Z 16 XNT;A 16 XNT	02/09->	Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine Z 16 XNT
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine Z 16 XNT
1.7 CDTI	81/110	A 17 DTJ;Z 17 DTJ	01/08->	Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine Z 16 XNT; Fitting Position: Centre
				Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine A 17 DTJ; engine Z 17 DTJ; Fitting Position: Centre; + AC
1.7 CDTI	92/125	A 17 DTR	01/08->	Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; ALT; engine A 17 DTJ; engine Z 17 DTJ; Fitting Position: Centre right
				Deflection/Guide	SR-1401	OD: 76; W: 26; ALT; engine A 17 DTR; Fitting Position: Centre; + AC
1.7 CDTI	92/125	A 17 DTR	01/08->	Tensioner	SR-1402	- holder; OD: 70,2; W: 25,8; ALT; engine A 17 DTR; Fitting Position: Centre right
				Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5; engine A 18 XER; engine Z 18 XER
1.8	103/140	Z 18 XER;A 18 XER	07/05->	Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; engine A 18 XER; engine Z 18 XER; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29; engine A 18 XER; engine Z 18 XER
ZAFIRA TOURER C (P12) 						
1.4	88/120	A 14 NEL;B 14 NEL	10/11->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.4	103/140	A 14 NET;B 14 NET	10/11->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre

	kW/HP	Engine code		Type		
1.4 LPG	103/140	A 14 NET;B 14 NET	10/11->	Tensioner	SR-1001	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
1.6 CNG	110/150	A 16 XNT;B 16 XNT	10/11->	Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; ->12/11; Fitting Position: Centre
				Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
1.8	103/140	A 18 XER	10/11->	Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
				Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
1.8	88/120	A 18 XEL	10/11->	Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
				Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; ->12/11; Fitting Position: Centre
				Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
1.8	85/115	A 18 XEL	10/11->	Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; ->12/11; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
				Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
1.8 LPG	101/137	A 18 XER	10/11->	Tensioner	SR-1065	- holder; ID: 17; OD: 63; W: 22; ALT; Fitting Position: Centre
				Tensioner	SR-1063	ID: 8,2; OD: 66; W: 29
				Deflection/Guide	SR-1064	OD: 61; thread size M8x1,25; W: 27,5
2.0 BiTurbo CDTI	143/194	A 20 DTR	01/13->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 CDTi	118/160	A 20 DTH	10/11->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 CDTi	121/165	A 20 DTH	10/11->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 CDTi	96/130	A 20 DT;Z 20 DTJ;Y 20 DTJ	10/11->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 CDTi	81/110	A 20 DTL	10/11->	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre

PEUGEOT

1007 (KM_)






1.4	54/75	KFV (TU3JP)	04/05->	Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine TU3A; engine TU3JP; Fitting Position: Left; + AC
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; engine TU3A; engine TU3JP
1.4 16V	65/88	KFU (ET3J4)	10/05->	Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine ET3J4; Fitting Position: Left; + AC
1.4 HDi	50/68	8HX (DV4TD);8HZ (DV4TD)	04/05->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV4TD
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; ->03/07; engine DV4TD; Fitting Position: Left
1.6 16V	80/109	NFU (TU5JP4)	04/05->	Deflection/Guide	SR-1340	OD: 60; W: 30; engine TU5JP4; Fitting Position: Right
				Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine TU5JP4; Fitting Position: Left; + AC
1.6 HDi	80/109	9HZ (DV6TED4)	06/07->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6TED4; Fitting Position: Right







106 I (1A, 1C)






1.0	33/45	TU9;CDY (TU9M)	09/91->04/96	Tensioner	SR-1122	OD: 59; W: 22; engine TU9; engine TU9M
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Centre; + AC
1.0	37/50	CDZ (TU9M)	09/91->04/96	Tensioner	SR-1122	OD: 59; W: 22; engine TU9; engine TU9M
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Centre; + AC
1.1	44/60	HDZ (TU1M)	09/91->04/96	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1122	OD: 59; W: 22; engine TU1M
1.3	72/98	TU2J2	10/93->04/96	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1122	OD: 59; W: 22; engine TU2J2; engine TU2J2
1.4	51/69	K5A (TU3)	08/91->03/96	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1122	OD: 59; W: 22; engine TU3
1.4	55/75	KDX (TU3MC);KDY (TU3M)	09/91->04/96	Tensioner	SR-1122	OD: 59; W: 22; engine TU3M; engine TU3MC; num. of teeth 108; num. of teeth 101
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Centre; + AC
1.4	69/94	KFZ (TU3J2/Z)	09/91->04/96	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1122	OD: 59; W: 22; engine TU3J; num. of teeth 101
1.4 D	37/50	K9Y (TUD3Y)	09/92->04/96	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Centre; + AC
1.5 D	40/54	VJY (TUD5)	06/94->04/96	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right; engine TUD5; Fitting Position: Right
1.5 D	43/58	VJY (TUD5)	06/94->04/96	Deflection/Guide	SR-1125	OD: 60; W: 30; engine TUD5; Fitting Position: Right
1.6	76/103	NFY (TU5J2)	01/94->04/96	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1122	OD: 59; W: 22; engine TU5J2
1.6	65/88	NFZ (TU5JP)	06/93->04/96	Tensioner	SR-1122	OD: 59; W: 22;
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Centre; + AC







106 II (1)












1.0 i	37/50	CDZ (TU9M)	01/97->	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1122	OD: 59; W: 22; engine TU9M
1.0 i	33/45	CDY (TU9M)	05/96->	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1122	OD: 59; W: 22
1.1 i	40/54	HDY (TU1M)	01/97->	Tensioner	SR-1122	OD: 59; W: 22; engine TU1M+
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Left; + AC
1.1 i	44/60	HDZ (TU1M);HFZ (TU1JP)	05/96->	Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; eng.# 3762434->; engine TU1JP
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1122	OD: 59; W: 22; engine TU1M+; -eng.# 3762433; engine TU1JP






	kW/HP	Engine code		Type		
1.4 i	55/75	KFX (TU3JP);KFW (TU3JP)	05/96->	Tensioner	SR-1122	OD: 59; W: 22; ->eng.# 3666765; engine TU3JP; ->eng.# 3666765
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1139	ID: 8.2; OD: 60; W: 25; eng.# 3666766->; engine TU3JP
1.5 D	42/57	VJX (TUD5)	04/98->	Deflection/Guide	SR-1125	OD: 60; W: 30; engine TUD5; Fitting Position: Right
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Lower; + AC
1.5 D	40/55	VJY (TUD5)	05/96->	Deflection/Guide	SR-1125	OD: 60; W: 30; engine TUD5; Fitting Position: Right
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Lower; + AC
1.6 i	65/89	NFZ (TU5JP)	05/96->	Tensioner	SR-1122	OD: 59; W: 22; engine TU5JP
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; + AC
1.6 i	74/101	NFW (TU5J2);NFY (TU5J2)	05/96->	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Centre
				Tensioner	SR-1122	OD: 59; W: 22; engine TU5J2
1.6 S16	87/118	NFX (TU5J4)	05/96->	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Centre
107 						
1.4 HDi	40/54	8HT (DV4TD)	06/05->	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine DV4TD
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine DV4TD; Fitting Position: Left
2008 						
1.2 THP 110	81/110	HNZ (EB2DT)	01/15->	Deflection/Guide	SR-1324	OD: 60; W: 26.4; ALT; engine EB2DT; Fitting Position: Centre; - AC
1.2 VTi	60/82	HMZ (EB2F)	03/13->	Deflection/Guide	SR-1324	OD: 60; W: 26.4; ALT; engine EB2; Fitting Position: Left; - AC
1.6 VTi	88/120	5FS (EP6C)	03/13->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
205 I Convertible (741B, 20D) 						
1.1 CJ	44/60	HDZ (TU1M)	10/89->12/94	Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM
				Tensioner	SR-1122	OD: 59; W: 22; engine TU1M
1.4 CJ	44/60	150D (XY7);150G (XY7)	03/88->05/89	Tensioner	SR-1122	OD: 59; W: 22; engine TU3; num. of teeth 108; engine TU3-2; engine TU3M; engine TU3MC; num. of teeth 101; engine TU3; num. of teeth 101
1.4 CJ	49/67	K1D (TU3A)	03/89->12/94	Tensioner	SR-1122	OD: 59; W: 22; engine TU3-2; engine TU3M; engine TU3MC; num. of teeth 101; num. of teeth 108
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM
1.4 CJ	55/75	KDZ (TU3M);KDY (TU3M)	05/91->12/94	Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM
				Tensioner	SR-1122	OD: 59; W: 22; engine TU3-2; engine TU3M; engine TU3MC; num. of teeth 101; engine TU3-2; engine TU3M; num. of teeth 101; num. of teeth 108
1.4 CJ CAT	44/60	KAY (TU3CP)	01/89->09/93	Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM
				Tensioner	SR-1122	OD: 59; W: 22; num. of teeth 108
1.6 CJ	65/88	BDY (XU5M3Z)	08/92->12/94	Tensioner	SR-1122	OD: 59; W: 22; num. of teeth 114
1.9 CTI	75/102	DFZ (XU9J1)	10/87->12/94	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; num. of teeth 114
205 II (20A/C) 						
1.0	33/45	TU9	10/87->09/98	Tensioner	SR-1122	OD: 59; W: 22; engine TU9
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM
1.1	44/60	HDZ (TU1M)	07/89->09/98	Tensioner	SR-1122	OD: 59; W: 22
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM
1.1	40/54	H1B (TU1)	10/87->10/90	Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM
				Tensioner	SR-1122	OD: 59; W: 22
1.4	62/84	K2B (TU3S)	06/87->12/89	Tensioner	SR-1122	OD: 59; W: 22; num. of teeth 108
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM
1.4	55/75	KDZ (TU3M);KDY (TU3M);KFX (TU3JP)	07/88->09/98	Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM
				Tensioner	SR-1122	OD: 59; W: 22; engine TU3-2; engine TU3M; engine TU3MC; num. of teeth 101; engine TU3M; num. of teeth 108; engine TU3M; num. of teeth 101
1.4	55/75	KDZ (TU3M);KDX (TU3MC);KDY (TU3M);TU32	08/90->07/98	Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM
				Tensioner	SR-1122	OD: 59; W: 22; num. of teeth 108
1.4	49/67	K1D (TU3A)	10/87->10/90	Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM
				Tensioner	SR-1122	OD: 59; W: 22; num. of teeth 108
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM
1.4 CAT	44/60	KAY (TU3CP)	08/87->09/93	Tensioner	SR-1122	OD: 59; W: 22; engine TU3; num. of teeth 108; engine TU3-2; engine TU3M; engine TU3MC; num. of teeth 101; engine TU3; num. of teeth 101
1.6	53/72	B1E (XU51C)	10/87->09/98	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; num. of teeth 114; 02/92->; num. of teeth 114
1.6	55/75	B1A (XU51C);BAZ (XU5CP)	10/87->09/98	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; num. of teeth 114; 02/92->; num. of teeth 114
1.6 Aut.	65/88	BDY (XU5M3Z);BDY (XU5M2Z)	05/90->09/98	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; num. of teeth 114; 02/92->; num. of teeth 114
1.9 GTI	94/128	D6B (XU9JA)	10/87->09/98	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; num. of teeth 114
1.9 GTI	88/120	DKZ (XU9JAZ)	10/87->10/94	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; num. of teeth 114
1.9 GTI CAT	75/102	DFZ (XU9J1)	10/87->07/94	Tensioner	SR-1122	OD: 59; W: 22; 01/92->; num. of teeth 114







	kW/HP	Engine code		Type						
206 CC (2D) 										
1.6 16V	80/109	NFU (TU5JP4)	09/00->	Deflection/Guide	SR-1340	OD: 60; W: 30; eng # 1806405->; engine TU5JP4; Fitting Position: Right; DAM # 870181 ->; DAM # 870188 ->; eng # 1850062->; engine TU5JP4; Fitting Position: Right; DAM # 870177 ->; DAM # 08701YN ->; DAM # 891178 ->; engine TU5JP4G				
				Deflection/Guide	SR-1387	OD: 70; W: 27; ALT; engine TU5JP4; engine TU5JP4G; Fitting Position: Centre; + AC				
				Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU5JP4; engine TU5JP4G; Fitting Position: Centre; + AC				
				Tensioner	SR-1388	- holder; OD: 65; W: 27; ALT; engine TU5JP4; engine TU5JP4G; Fitting Position: Left; + AC				
				Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; engine TU5JP4; engine TU5JP4G; Fitting Position: Left; + AC				
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; engine TU5JP4; engine TU5JP4G; Fitting Position: Left; - AC				
1.6 HDi 110	80/109	9HZ (DV6TED4)	04/05->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; Fitting Position: Right				
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left				
2.0 S16	100/136	RFN (EW10J4)	09/00->	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; engine EW10J4; Fitting Position: Centre				
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; engine EW10J4; Fitting Position: Left				
206 Hatchback (2A/C) 										
1.1 i	44/60	HFZ (TU1JP);HFZ (TU1JP)	09/98->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; ALT; ALT; ALT; engine TU1JP; DR 5; Fitting Position: Centre; + AC; + PS; DAM # XXXXXUW; engine TU1JP; DR 3; DR 5; Fitting Position: Centre; + AC; + PS; DAM # XXXXX77; engine TU1JP; DR 5; Fitting Position: Centre; + AC; + PS; DAM # XXXXXYN; engine TU1JP; DR 3; DR 5; Fitting Position: Centre; + AC; + PS; DAM # XXXXX81; DAM # XXXXX83; DAM # XXXXX88; engine TU1JP; DR 3; DR 5; Fitting Position: Centre; + AC; + PS; DAM # XXXXX78				
				Deflection/Guide	SR-1387	OD: 70; W: 27; ALT; ALT; ALT; ALT; engine TU1JP; DR 5; Fitting Position: Centre; + AC; + PS; DAM # XXXXXUW; engine TU1JP; DR 3; DR 5; Fitting Position: Centre; + AC; + PS; DAM # XXXXX77; engine TU1JP; DR 5; Fitting Position: Centre; + AC; + PS; DAM # XXXXXYN; engine TU1JP; DR 3; DR 5; Fitting Position: Centre; + AC; + PS; DAM # XXXXX81; DAM # XXXXX83; DAM # XXXXX88; engine TU1JP; DR 3; DR 5; Fitting Position: Centre; + AC; + PS; DAM # XXXXX78				
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; eng # 3762434->; engine TU1JP				
				Tensioner	SR-1122	OD: 59; W: 22; ->eng # 3762433; engine TU1JP				
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; engine TU1JP; DR 3; DR 5; Fitting Position: Left; + AC; + PS; DAM # XXXXX78				
				Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; ALT; engine TU1JP; DR 3; DR 5; Fitting Position: Left; + AC; + PS; DAM # XXXXX77; engine TU1JP; DR 3; Fitting Position: Left; + AC; + PS; DAM # XXXXX81; DAM # XXXXX83; DAM # XXXXX88; engine TU1JP; DR 5; Fitting Position: Left; + AC; + PS; DAM # XXXXX78; DAM # XXXXX81; DAM # XXXXX83; DAM # XXXXX88				
				Tensioner	SR-1388	- holder; OD: 65; W: 27; ALT; ALT; ALT; engine TU1JP; DR 5; Fitting Position: Left; + AC; + PS; DAM # XXXXXUW; engine TU1JP; DR 3; DR 5; Fitting Position: Left; + AC; + PS; DAM # XXXXX77; engine TU1JP; DR 5; Fitting Position: Left; + AC; + PS; DAM # XXXXXYN; engine TU1JP; DR 3; DR 5; Fitting Position: Left; + AC; + PS; DAM # XXXXX78; DAM # XXXXX81; DAM # XXXXX83; DAM # XXXXX88				
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; engine TU1JP; Fitting Position: Left; + AC; - PS; engine TU1JP; Fitting Position: Left; - AC; - PS				
				1.4 16V	65/88	KFU (ET3J4)	10/03->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine ET3J4; Fitting Position: Centre
				1.4 HDi eco 70	50/68	8HX (DV4TD);8HZ (DV4TD)	09/01->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV4TD
Tensioner	SR-1509	- holder; ID: 17; OD: 55; W: 26; ALT; ALT; engine DV4TD; DR 3; Fitting Position: Left; engine DV4TD; DR 5; Fitting Position: Left								
1.4 i	55/75	KFX (TU3JP);KFW (TU3JP)	09/98->	Deflection/Guide	SR-1387	OD: 70; W: 27; ALT; engine TU3JP; DR 3; DR 5; Fitting Position: Centre; + AC; + PS; DAM # XXXXX78; DAM # XXXXX81; DAM # XXXXX83; DAM # XXXXX88; DAM # XXXXXYN; DAM # XXXXX77; DAM # XXXXXUW				
				Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU3JP; DR 3; DR 5; Fitting Position: Centre; + AC; + PS; DAM # XXXXX81; DAM # XXXXX83; DAM # XXXXX88; DAM # XXXXXYN; DAM # XXXXX78; DAM # XXXXX77; DAM # XXXXXUW				
				Tensioner	SR-1388	- holder; OD: 65; W: 27; ALT; engine TU3JP; DR 3; DR 5; Fitting Position: Left; + AC; + PS; DAM # XXXXX78; DAM # XXXXX81; DAM # XXXXX83; DAM # XXXXX88; DAM # XXXXXYN; DAM # XXXXX77; DAM # XXXXXUW				
				Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; engine TU3JP; DR 3; Fitting Position: Left; + AC; + PS; DAM # XXXXX81; DAM # XXXXX83; DAM # XXXXX88; DR 5; DAM # XXXXX78; DAM # XXXXX77; DAM # XXXXXUW				
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; engine TU3JP; DR 3; DR 5; Fitting Position: Left; + AC; + PS; DAM # XXXXX78				
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; eng # 3666766->; engine TU3JP; engine TU3JP; FLEX FUEL				
1.6 16V	80/109	NFU (TU5JP4)	12/00->	Tensioner	SR-1122	OD: 59; W: 22; ->eng # 3666765; engine TU3JP				
				Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; ALT; Fitting Position: Centre; + AC; + PS; DAM # 11368UW ->; Fitting Position: Centre; + AC; + PS; DAM # 959077 ->; DAM # 927678 ->; DAM # 927681 ->; DAM # 927683 ->; DAM # 927688 ->; DAM # 10458UW ->; -> DAM # 1117878; -> DAM # 11367UW; DAM # 10619YN ->				
				Deflection/Guide	SR-1387	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC; + PS; -> DAM # 927578; -> DAM # 927581; -> DAM # 927583; -> DAM # 927588; -> DAM # 10458UW; -> DAM # 10618YN; DAM # 958977 ->				
				Deflection/Guide	SR-1340	OD: 60; W: 30; eng # 1806405->; engine TU5JP4; Fitting Position: Right; DAM # 870181 ->; DAM # 870183 ->; DAM # 870188 ->; engine TU5JP4G; Fitting Position: Right; ->08/07; eng # 1850062->; engine TU5JP4; Fitting Position: Right; DAM # 870177 ->; DAM # 891178 ->				
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; Fitting Position: Left; + AC; + PS; DAM # 1117978 ->				
				Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; ->04/05; Fitting Position: Left; + AC; + PS; DAM # 959077 ->; DAM # 927678 ->; DAM # 927681 ->; DAM # 927683 ->; DAM # 927688 ->; DAM # 927688 ->; DAM # 10458UW ->; -> DAM # 1117878; -> DAM # 11367UW				
1.6 HDi 110	80/109	9HY (DV6TED4);9HZ (DV6TED4)	05/04->	Tensioner	SR-1388	- holder; OD: 65; W: 27; ALT; Fitting Position: Left; + AC; + PS; -> DAM # 927578; -> DAM # 927581; -> DAM # 927583; -> DAM # 927588; -> DAM # 10458UW; -> DAM # 10618YN; -> DAM # 958977				
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; Fitting Position: Left; + PS; - AC; Fitting Position: Left; + AC; - PS				
				Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; Fitting Position: Right				
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left				






	kW/HP	Engine code		Type		
1.6 i	65/89	NFZ (TU5JP)	09/98->12/00	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; Fitting Position: Centre; + AC; + PS; DAM # 11368UW ->
				Deflection/Guide	SR-1387	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC; + PS; -> DAM # 927578; -> DAM # 927581; -> DAM # 927583; -> DAM # 927588; -> DAM # 958977; -> DAM # 10458UW; -> DAM # 10618YN
				Tensioner	SR-1122	OD: 59; W: 22; engine TU5JP
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; Fitting Position: Upper; + AC; + PS; DAM # 1117978 ->
				Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; Fitting Position: Centre; + AC; + PS; DAM # 959077 ->; DAM # 927678 ->; DAM # 927681 ->; DAM # 927683 ->; DAM # 927688 ->
				Tensioner	SR-1388	- holder; OD: 65; W: 27; ALT; Fitting Position: Left; + AC; + PS; -> DAM # 927578; -> DAM # 927581; -> DAM # 927583; -> DAM # 927588; -> DAM # 958977; -> DAM # 10458UW; -> DAM # 10618YN
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; Fitting Position: Left; + PS; - AC; Fitting Position: Left; + AC; - PS
				Deflection/Guide	SR-1407	OD: 60; thread size M10x1,5; W: 26; ALT; 09/99->; Fitting Position: Centre; + PS; - AC
				Deflection/Guide	SR-1406	OD: 37; W: 27; ALT; ALT; ->09/99; QTY 2; + PS; - AC; 09/99->; Fitting Position: Lower; + PS; - AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW8; engine DW8B; Fitting Position: Right
1.9 D	51/69	WJZ (DW8);WJY (DW8B)	09/98->11/01	Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; 09/99->; Fitting Position: Upper; + PS; - AC
				Tensioner	SR-1409	OD: 60; W: 27; ALT; ->09/99; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC; + PS
				Deflection/Guide	SR-1125	OD: 60; W: 30; 10/00->; Fitting Position: Right; ->10/00; Fitting Position: Right
2.0 HDI 90	66/90	RHY (DW10TD)	12/99->	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Upper
2.0 RC	130/177	RFK (EW10J4S)	07/03->	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; ->12/04; Fitting Position: Centre
2.0 S16	99/135	RFR (DEW10J4)	04/99->10/00	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Upper
2.0 S16	100/136	RFN (EW10J4)	06/99->	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; ->12/04; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Upper
206 Saloon 						
1.4	55/75	KFW (TU3JP);KFW (TU3A)	03/07->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; ALT; ALT; Fitting Position: Lower; + AC; + PS; DAM # 959077 ->; Fitting Position: Lower; + AC; + PS; DAM # 927678 ->; DAM # 927681 ->; DAM # 927683 ->; DAM # 927688 ->; DAM # 10458UW ->; -> DAM # 1117878; -> DAM # 11367UW; Fitting Position: Lower; + AC; + PS; DAM # 10619YN ->; Fitting Position: Lower; + AC; + PS; DAM # 11368UW ->
				Deflection/Guide	SR-1387	OD: 70; W: 27; ALT; Fitting Position: Lower; + AC; + PS; -> DAM # 927578; -> DAM # 927581; -> DAM # 927583; -> DAM # 927588; -> DAM # 958977; -> DAM # 10458UW; -> DAM # 10618YN
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; Fitting Position: Upper; + AC; + PS; DAM # 1117978 ->
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; ALT; Fitting Position: Left; + PS; - AC; Fitting Position: Left; + AC; - PS
				Tensioner	SR-1122	OD: 59; W: 22; ->eng.# 3666765; engine TU3JP
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; eng.# 3666766->; engine TU3JP
				Tensioner	SR-1388	- holder; OD: 65; W: 27; ALT; Fitting Position: Upper; + AC; + PS; -> DAM # 927578; -> DAM # 927581; -> DAM # 927583; -> DAM # 927588; -> DAM # 958977; -> DAM # 10458UW; -> DAM # 10618YN
				Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV4TD
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; Fitting Position: Upper
				1.4 HDi eco 70	50/68	8HZ (DV4TD)
Deflection/Guide	SR-1387	OD: 70; W: 27; ALT; engine TU5JP4; Fitting Position: Centre; + AC; + PS; -> DAM # 927578; -> DAM # 927581; -> DAM # 927583; -> DAM # 927588; -> DAM # 10458UW; -> DAM # 10618YN				
Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; ALT; ALT; Fitting Position: Lower; + AC; + PS; DAM # 959077 ->; Fitting Position: Lower; + AC; + PS; DAM # 927678 ->; DAM # 927681 ->; DAM # 927683 ->; DAM # 927688 ->; DAM # 10458UW ->; -> DAM # 1117878; -> DAM # 11367UW; Fitting Position: Lower; + AC; + PS; DAM # 10619YN ->; Fitting Position: Lower; + AC; + PS; DAM # 11368UW ->				
1.6 16V	80/109	NFU (TU5JP4)	03/07->	Tensioner	SR-1388	- holder; OD: 65; W: 27; ALT; engine TU5JP4; Fitting Position: Left; + AC; + PS; -> DAM # 927578; -> DAM # 927581; -> DAM # 927583; -> DAM # 927588; -> DAM # 958977; -> DAM # 10458UW; -> DAM # 10618YN
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; ALT; Fitting Position: Left; + PS; - AC; Fitting Position: Left; + AC; - PS
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; Fitting Position: Upper; + AC; + PS; DAM # 1117978 ->
				Deflection/Guide	SR-1387	OD: 70; W: 27; ALT; ALT; Fitting Position: Lower; + AC; + PS; -> DAM # 927578; -> DAM # 927581; -> DAM # 927583; -> DAM # 927588; -> DAM # 10458UW; Fitting Position: Lower; + AC; + PS; -> DAM # 958977
1.1	44/60	HFX (TU1JP)	07/02->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; ALT; ALT; Fitting Position: Lower; + AC; + PS; DAM # 959077 ->; Fitting Position: Lower; + AC; + PS; DAM # 927678 ->; DAM # 927681 ->; DAM # 927683 ->; DAM # 927688 ->; DAM # 10458UW ->; -> DAM # 1117878; -> DAM # 11367UW; Fitting Position: Lower; + AC; + PS; DAM # 10619YN ->; Fitting Position: Lower; + AC; + PS; DAM # 11368UW ->
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; eng.# 3762434->
				Tensioner	SR-1122	OD: 59; W: 22; ->eng.# 3762433
				Tensioner	SR-1388	- holder; OD: 65; W: 27; ALT; ALT; Fitting Position: Upper; + AC; + PS; -> DAM # 927578; -> DAM # 927581; -> DAM # 927583; -> DAM # 927588; -> DAM # 10458UW; -> DAM # 10618YN; Fitting Position: Upper; + AC; + PS; -> DAM # 958977
				Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; ALT; ->04/05; Fitting Position: Upper; + AC; + PS; DAM # 959077 ->; ->04/05; Fitting Position: Upper; + AC; + PS; DAM # 927678 ->; DAM # 927681 ->; DAM # 927683 ->; DAM # 927688 ->; DAM # 927688 ->; DAM # 10458UW ->; -> DAM # 1117878; -> DAM # 11367UW
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; ALT; Fitting Position: Left; + PS; - AC; Fitting Position: Left; + AC; - PS
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; Fitting Position: Upper; + AC; + PS; DAM # 1117978 ->
				Deflection/Guide	SR-1387	OD: 70; W: 27; ALT; ALT; Fitting Position: Lower; + AC; + PS; -> DAM # 927578; -> DAM # 927581; -> DAM # 927583; -> DAM # 927588; -> DAM # 10458UW; Fitting Position: Lower; + AC; + PS; -> DAM # 958977
				Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; ALT; ALT; Fitting Position: Lower; + AC; + PS; DAM # 959077 ->; Fitting Position: Lower; + AC; + PS; DAM # 927678 ->; DAM # 927681 ->; DAM # 927683 ->; DAM # 927688 ->; DAM # 10458UW ->; -> DAM # 1117878; -> DAM # 11367UW; Fitting Position: Lower; + AC; + PS; DAM # 10619YN ->; Fitting Position: Lower; + AC; + PS; DAM # 11368UW ->







	kW/HP	Engine code		Type		
1.4	55/75	KFW (TU3JP);KFW (TU3A)	07/02->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; ALT; ALT; ALT; Fitting Position: Lower; + AC; + PS; DAM # 959077 ->; Fitting Position: Lower; + AC; + PS; DAM # 927678 ->; DAM # 927681 ->; DAM # 927683 ->; DAM # 927688 ->; DAM # 10458UW ->; ->; DAM # 11367UW; Fitting Position: Lower; + AC; + PS; DAM # 10619YN ->; Fitting Position: Lower; + AC; + PS; DAM # 11368UW ->
				Deflection/Guide	SR-1387	OD: 70; W: 27; ALT; Fitting Position: Lower; + AC; + PS; -> DAM # 927578; -> DAM # 927581; -> DAM # 927583; -> DAM # 927588; -> DAM # 958977; -> DAM # 10458UW; -> DAM # 10618YN
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; Fitting Position: Upper; + AC; + PS; DAM # 1117978 ->
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; ALT; Fitting Position: Left; + PS; - AC; Fitting Position: Left; + AC; - PS
				Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; ALT; ->04/05; Fitting Position: Upper; + AC; + PS; DAM # 927678 ->; DAM # 927681 ->; DAM # 927683 ->; DAM # 927688 ->; DAM # 927688 ->; DAM # 10458UW ->; -> DAM # 1117878; -> DAM # 11367UW
				Tensioner	SR-1388	- holder; OD: 65; W: 27; ALT; Fitting Position: Upper; + AC; + PS; -> DAM # 927578; -> DAM # 927581; -> DAM # 927583; -> DAM # 927588; -> DAM # 958977; -> DAM # 10458UW; -> DAM # 10618YN
				Tensioner	SR-1122	OD: 59; W: 22; ->eng.# 3666765; engine TU3JP; engine TU3AF
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; eng.# 3666766->; engine TU3JP; engine TUSA
1.4 16V	65/88	KFU (ET3J4)	10/03->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; Fitting Position: Lower
1.4 HDi	50/68	8HX (DV4TD)	07/02->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV4TD
				Tensioner	SR-1509	- holder; ID: 17; OD: 55; W: 26; ALT; ->09/05; Fitting Position: Upper
1.6 16V	80/109	NFU (TU5JP4)	07/02->	Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; 09/05->; Fitting Position: Upper
				Deflection/Guide	SR-1387	OD: 70; W: 27; ALT; ALT; Fitting Position: Lower; + AC; + PS; -> DAM # 927578; -> DAM # 927581; -> DAM # 927583; -> DAM # 927588; -> DAM # 10458UW; Fitting Position: Lower; + AC; + PS; -> DAM # 958977
				Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; ALT; ALT; ALT; Fitting Position: Lower; + AC; + PS; DAM # 959077 ->; Fitting Position: Lower; + AC; + PS; DAM # 927678 ->; DAM # 927681 ->; DAM # 927683 ->; DAM # 927688 ->; DAM # 10458UW ->; ->; DAM # 1117878; -> DAM # 11367UW; Fitting Position: Lower; + AC; + PS; DAM # 10619YN ->; Fitting Position: Lower; + AC; + PS; DAM # 11368UW ->
				Deflection/Guide	SR-1340	OD: 60; W: 30; eng.# 1806405->; engine TU5JP4; Fitting Position: Right; DAM # 870181 ->; DAM # 870183 ->; DAM # 870188 ->; engine TU5JP4; Fitting Position: Right; ->08/07; eng.# 1850062->; engine TU5JP4; Fitting Position: Right; DAM # 870177 ->; DAM # 08701YN ->; DAM # 891178 ->
				Tensioner	SR-1388	- holder; OD: 65; W: 27; ALT; ALT; Fitting Position: Upper; + AC; + PS; -> DAM # 927578; -> DAM # 927581; -> DAM # 927583; -> DAM # 927588; -> DAM # 10458UW; -> DAM # 10618YN; Fitting Position: Upper; + AC; + PS; -> DAM # 958977
				Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; ALT; ->04/05; Fitting Position: Upper; + AC; + PS; DAM # 959077 ->; ->04/05; Fitting Position: Upper; + AC; + PS; DAM # 927678 ->; DAM # 927681 ->; DAM # 927683 ->; DAM # 927688 ->; DAM # 927688 ->; DAM # 10458UW ->; -> DAM # 1117878; -> DAM # 11367UW
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; ALT; Fitting Position: Left; + PS; - AC; Fitting Position: Left; + AC; - PS
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; Fitting Position: Upper; + AC; + PS; DAM # 1117978 ->
1.6 HDi 110	80/109	9HZ (DV6TED4)	05/04->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6TED4; Fitting Position: Right
2.0 16V	100/136	RFN (EW10J4)	07/02->	Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
				Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; ->12/04; Fitting Position: Centre
2.0 HDi	66/90	RHV (DW10TD)	07/02->	Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
2.0 HDi	66/90	RHV (DW10TD)	07/02->	Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
206+ [T3E] 						
1.1	44/60	HFV (TU1JP);HFV (TU1A);TU1AE5	01/09->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU1A; engine TU1AE5; Fitting Position: Centre; + AC
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; engine TU1A; engine TU1AE5
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; engine TU1A; engine TU1AE5; Fitting Position: Left; - AC
1.4 HDi eco 70	50/68	8HX (DV4TD);8HZ (DV4TD)	01/09->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV4TD
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV4TD; Fitting Position: Left
1.4 i	55/75	KFV (TU3A);KFW (TU3A)	01/09->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU3A; engine TU3AE5; Fitting Position: Lower
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; engine TU3A; engine TU3AE5; Fitting Position: Left; - AC
1.4 i	54/73	KFT (TU3A)	09/10->	Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; engine TU3A; engine TU3AE5
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; engine TU3A; engine TU3AE5; Fitting Position: Left; - AC
1.6 16V	80/109	NFU (TU5JP4)	07/10->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; Fitting Position: Right
				Deflection/Guide	SR-1340	OD: 60; W: 30; engine TU5JP4; Fitting Position: Right
207 [WA_, WC_] 						
1.4	53/72	KFV (TU3A)	02/06->	Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; engine TU3A; engine TU3AE5
				Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine TU3A; engine TU3AE5; Fitting Position: Left; + AC
1.4	54/73	KFV (TU3A)	12/07->	Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; engine TU3A; engine TU3AE5
				Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine TU3A; engine TU3AE5; Fitting Position: Left; + AC
1.4 16V	65/88	KFU (ET3J4)	02/06->	Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine ET3J4; Fitting Position: Left; + AC
1.4 16V	70/95	EP3;8FS (EP3);EP3C	06/07->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.4 HDi	50/68	8HZ (DV4TD);8HR (DV4C)	02/06->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV4TD
1.6 16V	80/109	NFU (TU5JP4)	02/06->	Deflection/Guide	SR-1340	OD: 60; W: 30; engine TU5JP4; Fitting Position: Right
				Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine TU5JP4; Fitting Position: Left; + AC









	kW/HP	Engine code		Type		
1.6 16V RC	128/174	5FY (EP6DTS)	02/07->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 16V Turbo	110/150	5FX (EP6DT)	02/06->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 16V Turbo	115/156	5FR (EP6DT)	10/09->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 16V VTi	88/120	EP6;5FS (EP6C);5FW (EP6)	02/07->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 HDi	66/90	9HX (DV6ATED4);9HV (DV6TED4)	02/06->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6ATED4; Fitting Position: Right
1.6 HDi	80/109	9HY (DV6TED4);9HZ (DV6TED4)	02/06->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6ATED4; Fitting Position: Right
1.6 HDi	68/92	9HP (DV6DTEd)	11/09->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6ATED4B; Fitting Position: Right
207 CC (WD_) 						
1.6 16V	88/120	EP6;5FS (EP6C);5FW (EP6)	02/07->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 16V Turbo	110/150	5FX (EP6DT)	02/07->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 16V Turbo	115/156	EP6CDT;5FR (EP6DT)	10/09->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 HDi	80/109	9HZ (DV6TED4)	02/07->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6ATED4; Fitting Position: Right
207 Saloon 						
1.4	54/73	KFV (TU3A);KFT (TU3A)	12/07->	Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; engine TU3A; engine TU3AE5
				Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine TU3A; engine TU3AE5; Fitting Position: Left; + AC
207 SW (WK_) 						
1.4	54/74	KFV (TU3A)	06/07->	Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; engine TU3A; engine TU3AE5
				Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine TU3A; engine TU3AE5; Fitting Position: Left; + AC
1.4 16V	70/95	EP3;8FS (EP3);EP3C	06/07->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.4 16V	72/98	8FR (EP3)	11/09->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 16V	88/120	EP6;5FS (EP6C);5FW (EP6)	06/07->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 16V RC	128/174	5FY (EP6DTS)	02/07->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 HDi	66/90	9HX (DV6ATED4)	06/07->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6ATED4; Fitting Position: Right
1.6 HDi	80/109	9HZ (DV6ATED4)	06/07->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6ATED4; Fitting Position: Right
1.6 HDi	68/92	9HP (DV6DTEd)	11/09->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6ATED4B; Fitting Position: Right
208 						
1.0	50/68	ZMZ (EB0)	03/12->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine EB0; Fitting Position: Centre; - AC
1.2	60/82	HMZ (EB2F)	03/12->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine EB2; Fitting Position: Centre; - AC
1.4 VTi	70/95	8FS (EP3);EP3C	03/12->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6	115/156	EP6CDT;5FV (EP6DT)	03/12->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6	88/120	5FS (EP6C)	03/12->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP; engine EP6C - holder; ID: 17; OD: 65; W: 25; ALT; + AC; engine EP6C
1.6 GTi	147/200	5FU (EP6CDTX)	08/12->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
3008 						
1.6 HDi	80/109	9HZ (DV6TED4)	06/09->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6ATED4; Fitting Position: Right
1.6 THP	110/150	5FX (EP6DT)	06/09->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 THP	115/156	5FV (EP6DT)	06/09->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 VTi	88/120	EP6;5FS (EP6C);5FW (EP6)	06/09->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
301 						
1.2 VTi 72	53/72	HMY (EB2M)	11/12->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine EB2M; Fitting Position: Upper; - AC
1.2 VTi 82	60/82		12/14->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine EB2F; Fitting Position: Centre; - AC
1.6 VTi 115	85/115	NFP (EC5)	11/12->	Deflection/Guide Tensioner	SR-1340 SR-1341	OD: 60; W: 30; engine EC5; Fitting Position: Right - holder; ID: 17; OD: 65; W: 25; ALT; engine EC5; Fitting Position: Upper; + AC
306 (7B, N3, N5) 						
1.1	44/60	HDZ (TU1M)	06/94->05/01	Tensioner	SR-1122	OD: 59; W: 22; engine TU1M; engine TU1M+
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; PSP; engine TU1M; engine TU1M+; Fitting Position: Upper; Fitting Position: Right










	kW/HP	Engine code		Type		
1.4 SL	55/75	KDX (TU3MC);KFX (TU3JP);KFW (TU3JP)	06/94->05/01	Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; PSP; engine TU3MC; Fitting Position: Upper; Fitting Position: Right
				Tensioner	SR-1139	ID: 8.2; OD: 60; W: 25; eng.# 3666766->; engine TU3JP
				Tensioner	SR-1122	OD: 59; W: 22; ->eng.# 3666765; engine TU3JP; engine TU3MC; engine TU3JP; DEPOLLUTION CEE 2000; DEPOLLUTION CEE 95
1.6	72/98	NFT (TU5JP)	10/00->05/01	Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; PSP; Fitting Position: Centre; Fitting Position: Centre
				Tensioner	SR-1122	OD: 59; W: 22; engine TU5JP
1.6 SR	65/89	NFZ (TU5JP)	06/94->10/00	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; ALT; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1122	OD: 59; W: 22; engine TU5JP
1.8 16V	81/110	LFY (XU7JP4)	03/97->05/01	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right; DEPOLLUTION CEE 95; auto. TPA; Fitting Position: Right; DEPOLLUTION CEE 2000; auto. TPA
				Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90.5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ->06/98; Fitting Position: Centre; - AC
1.8 ST	74/101	LFZ (XU7JP)	06/94->05/01	Deflection/Guide	SR-1133	ID: 17; OD: 90.5; W: 25; ALT; Fitting Position: Upper; + AC; + PS
				Tensioner	SR-1122	OD: 59; W: 22
				Tensioner	SR-1132	- holder; ID: 17; OD: 90.5; W: 25; ALT; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ALT; Fitting Position: Centre; + AC; - PS; ->06/98; Fitting Position: Centre; + PS; - AC
1.9 D	55/75	DHV (XUD9BSD)	03/98->05/01	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC; + PS
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC; + PS
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Deflection/Guide	SR-1407	OD: 60; thread size M10x1.5; W: 26; ALT; 10/99->; engine DW8; engine DW8B; Fitting Position: Centre; + PS; - AC
1.9 D	51/69	WJZ (DW8);WJY (DW8B)	09/98->05/01	Deflection/Guide	SR-1406	OD: 37; W: 27; ALT; ALT; ->10/99; engine DW8; QTY 2; + PS; - AC; 10/99->; engine DW8; engine DW8B; Fitting Position: Lower; + PS; - AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine DW8; engine DW8B; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW8; engine DW8B; Fitting Position: Right; + AC; + PS
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; 10/99->; engine DW8; engine DW8B; Fitting Position: Upper; + PS; - AC
1.9 SLD	47/64	DJZ (XUD9Y)	06/94->05/01	Tensioner	SR-1130	OD: 60; W: 27; ALT; ->10/99; engine DW8; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; 06/95->; Fitting Position: Right; + AC; + PS
1.9 SLD	50/68	DJY (XUD9A)	06/94->05/01	Tensioner	SR-1129	OD: 70; W: 27; ALT; 06/95->; Fitting Position: Right; + AC; + PS
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; 06/95->; Fitting Position: Left; + AC; + PS
1.9 SRDT	66/90	DHY (XUD9TE)	06/94->05/01	Tensioner	SR-1129	OD: 70; W: 27; ALT; 06/95->; Fitting Position: Right; + AC; + PS
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; 06/95->; Fitting Position: Left; + AC; + PS
2.0	97/132	RFV (XU10J4R)	03/97->05/01	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90.5; W: 25; ALT; Fitting Position: Centre; + AC
2.0 HDI 90	66/90	RHY (DW10TD)	06/99->05/01	Deflection/Guide	SR-1125	OD: 60; W: 30; 04/00->; Fitting Position: Right; ->04/00; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25.5; ALT; Fitting Position: Left
2.0 S16	112/152	RFY (XU10J4Z)	06/94->05/01	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1133	ID: 17; OD: 90.5; W: 25; ALT; ->06/96; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1132	- holder; ID: 17; OD: 90.5; W: 25; ALT; ->06/96; Fitting Position: Centre; + AC; + PS
2.0 S16	110/150	RFT (XU10J4)	06/94->05/01	Tensioner	SR-1131	OD: 90; W: 25; ALT; ->06/96; Fitting Position: Centre; + PS; - AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90.5; W: 25; ALT; ->06/96; Fitting Position: Centre; + AC; + PS
				Deflection/Guide	SR-1133	ID: 17; OD: 90.5; W: 25; ALT; ->06/96; Fitting Position: Left; + AC; + PS
2.0 ST	89/121	RFX (XU10J2)	07/94->05/01	Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; 07/96->; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ALT; ->06/96; Fitting Position: Centre; + PS; - AC; Fitting Position: Centre; - AC; - PS
				Tensioner	SR-1132	- holder; ID: 17; OD: 90.5; W: 25; ALT; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1122	OD: 59; W: 22
306 Break (7E, N3, N5) 						
1.4	55/75	KFX (TU3JP);KFW (TU3JP)	03/97->04/02	Tensioner	SR-1122	OD: 59; W: 22; ->eng.# 3666765; engine TU3JP; engine TU3MC
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; PSP; engine TU3JP; Fitting Position: Centre
				Tensioner	SR-1139	ID: 8.2; OD: 60; W: 25; eng.# 3666766->; engine TU3JP
1.6	65/89	NFZ (TU5JP)	03/97->10/00	Tensioner	SR-1122	OD: 59; W: 22; engine TU5JP
1.6	72/98	NFT (TU5JP)	10/00->04/02	Tensioner	SR-1122	OD: 59; W: 22; engine TU5JP
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; PSP; Fitting Position: Centre; Fitting Position: Centre
1.8	74/101	LFZ (XU7JP)	03/97->04/02	Deflection/Guide	SR-1133	ID: 17; OD: 90.5; W: 25; ALT; MD Generation 2; Fitting Position: Left; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ->06/98; MD Generation 2; Fitting Position: Centre; - AC
				Tensioner	SR-1122	OD: 59; W: 22
				Tensioner	SR-1132	- holder; ID: 17; OD: 90.5; W: 25; ALT; MD Generation 2; Fitting Position: Centre; + AC








	kW/HP	Engine code		Type		
1.8 16V	81/110	LFY (XU7JP4)	03/97->04/02	Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; Fitting Position: Left; + AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right; DEPOLLUTION CEE 95; auto. TPA; Fitting Position: Right; DEPOLLUTION CEE 2000; auto. TPA
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ->06/98; Fitting Position: Centre; - AC
1.9 D	50/68	DJY (XUD9A)	03/97->04/02	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC; + PS
1.9 D	55/75	DHV (XUD9BSD)	03/98->04/02	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Left; + AC; + PS
1.9 D	51/69	WJZ (DW8);WJY (DW8B)	09/98->04/02	Deflection/Guide	SR-1406	OD: 37; W: 27; ALT; ALT; 10/99->; engine DW8; Fitting Position: Lower; + PS; - AC; ->10/99; engine DW8; QTY 2; + PS; - AC; 10/99->; engine DW8B; Fitting Position: Lower; + AC; + PS
				Deflection/Guide	SR-1407	OD: 60; thread size M10x1,5; W: 26; ALT; ALT; 10/99->; engine DW8; Fitting Position: Centre; + PS; - AC; 10/99->; engine DW8B; Fitting Position: Centre; + AC; + PS
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW8; Fitting Position: Right; + AC; + PS
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; 10/99->; engine DW8; Fitting Position: Upper; + PS; - AC; 10/99->; engine DW8B; Fitting Position: Upper; + AC; + PS
				Tensioner	SR-1409	OD: 60; W: 27; ALT; ->10/99; engine DW8; Fitting Position: Left; + PS; - AC
1.9 TD	66/90	DHY (XUD9TE)	02/97->04/02	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
2.0	97/132	RFV (XU10J4R)	03/97->04/02	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; Fitting Position: Left; + AC
2.0 HDI 90	66/90	RHY (DW10TD)	06/99->04/02	Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1122	OD: 59; W: 22
2.0 HDI 90	66/90	RHY (DW10TD)	06/99->04/02	Deflection/Guide	SR-1125	OD: 60; W: 30; 04/00->; Fitting Position: Right; ->04/00; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
2.0 HDI 90	66/90	RHY (DW10TD)	06/99->04/02	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
306 Convertible (7D, N3, N5) 						
1.6	65/89	NFZ (TU5JP)	04/96->10/00	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; ALT; Fitting Position: Centre; + AC; Fitting Position: Centre
				Tensioner	SR-1122	OD: 59; W: 22; engine TU5JP
1.6	72/98	NFT (TU5JP)	10/00->04/02	Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; PSP; Fitting Position: Centre; Fitting Position: Centre
				Tensioner	SR-1122	OD: 59; W: 22; engine TU5JP
1.8	74/101	LFZ (XU7JP)	03/94->04/02	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ALT; Fitting Position: Centre; + AC; - PS; ->06/98; Fitting Position: Centre; + PS; - AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1122	OD: 59; W: 22
1.8 16V	81/110	LFY (XU7JP4)	07/00->04/02	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right; DEPOLLUTION CEE 95; auto. TPA; Fitting Position: Right; DEPOLLUTION CEE 2000; auto. TPA
				Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; ->06/96; Fitting Position: Left; + AC; + PS
2.0	89/121	RFX (XU10J2)	03/94->04/02	Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; 07/96->; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1122	OD: 59; W: 22
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ALT; ->06/96; Fitting Position: Centre; + PS; - AC; Fitting Position: Centre; - AC; - PS
2.0 16V	97/132	RFV (XU10J4R)	03/97->04/02	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
306 Hatchback (7A, 7C, N3, N5) 						
1.1	44/60	HDZ (TU1M)	05/93->05/01	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; ALT; Fitting Position: Centre; + AC; Fitting Position: Centre; + PS
				Tensioner	SR-1122	OD: 59; W: 22; engine TU1M
1.4	55/75	KDX (TU3MC);KFX (TU3JP);KFW (TU3JP)	05/93->05/01	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; ALT; Fitting Position: Centre; + AC; Fitting Position: Centre; + PS
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; eng.# 3666766->; engine TU3JP
1.6	65/89	NFZ (TU5JP)	05/93->10/00	Tensioner	SR-1122	OD: 59; W: 22; engine TU5JP
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; PSP; Fitting Position: Centre; Fitting Position: Centre
1.6	72/98	NFT (TU5JP)	10/00->05/01	Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; Fitting Position: Centre; - PS
				Tensioner	SR-1122	OD: 59; W: 22; engine TU5JP
1.8	74/101	LFZ (XU7JP)	05/93->05/01	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1122	OD: 59; W: 22
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ALT; Fitting Position: Centre; + AC; - PS; ->06/98; Fitting Position: Centre; + PS; - AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC; + PS






	kW/HP	Engine code		Type		
1.8 16V	81/110	LFY (XU7JP4)	03/97->05/01	Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; Fitting Position: Left; + AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right; DEPOLLUTION CEE 95; auto. TPA; Fitting Position: Right; DEPOLLUTION CEE 2000; auto. TPA
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ->06/98; Fitting Position: Centre; - AC
1.8 D	44/60	A9A (XUD7)	04/93->05/99	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; 06/95->; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; 06/95->; Fitting Position: Right; + AC; + PS
1.8 D	43/58	A9A (XUD7)	05/93->05/01	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; 06/95->; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; 06/95->; Fitting Position: Right; + AC; + PS
1.9 D	55/75	DHV (XUD9BSD)	03/98->05/01	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC; + PS
1.9 D	47/64	DJZ (XUD9Y)	05/93->05/01	Tensioner	SR-1129	OD: 70; W: 27; ALT; 06/95->; Fitting Position: Right; + AC; + PS
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; 06/95->; Fitting Position: Left; + AC; + PS
1.9 D	50/68	DJY (XUD9A)	06/94->05/01	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; 06/95->; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; 06/95->; Fitting Position: Right; + AC; + PS
1.9 D	51/69	WJZ (DW8);WJY (DW8B)	09/98->05/01	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Deflection/Guide	SR-1406	OD: 37; W: 27; ALT; ALT; ->10/99; engine DW8; QTY 2; + PS; - AC; 10/99->; engine DW8; engine DW8B; Fitting Position: Lower; + PS; - AC
				Deflection/Guide	SR-1407	OD: 60; thread size M10x1,5; W: 26; ALT; 10/99->; engine DW8; engine DW8B; Fitting Position: Centre; + PS; - AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW8B; Fitting Position: Right; + AC; + PS
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine DW8B; Fitting Position: Left; + AC; + PS
1.9 DT	66/90	DHY (XUD9TE)	05/93->05/01	Tensioner	SR-1409	OD: 60; W: 27; ALT; ->10/99; engine DW8; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; 10/99->; engine DW8; engine DW8B; Fitting Position: Upper; + PS; - AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; 06/95->; Fitting Position: Left; + AC; + PS
2.0 16V	97/132	RFV (XU10J4R)	03/97->05/01	Deflection/Guide	SR-1125	OD: 70; W: 27; ALT; 06/95->; Fitting Position: Right; + AC; + PS
				Deflection/Guide	SR-1134	OD: 60; W: 30; Fitting Position: Right
2.0 HDI 90	66/90	RHY (DW10TD)	06/99->05/01	Deflection/Guide	SR-1125	OD: 60; W: 30; 04/00->; Fitting Position: Right; ->04/00; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
2.0 S16	120/163	RFS (XU10J4RS)	03/96->05/01	Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; Fitting Position: Left; + AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; ->04/00; Fitting Position: Right; man. TPA; 04/00->; Fitting Position: Right; auto. TPA
2.0 S16	112/152	RFY (XU10J4Z)	05/93->05/01	Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; ->06/96; + AC; + PS
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ->06/96; Fitting Position: Centre; + PS; - AC
2.0 S16	110/150	RFT (XU10J4)	06/94->05/01	Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; ->06/96; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ->06/96; Fitting Position: Centre; + PS; - AC
				Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; ->06/96; Fitting Position: Left; + AC; + PS
2.0 XSi	89/121	RFX (XU10J2)	05/93->05/01	Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; 07/96->; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ->06/96; Fitting Position: Centre; + PS; - AC; Fitting Position: Centre; - AC; - PS
				Tensioner	SR-1122	OD: 59; W: 22
307 (3A/C) 						
1.4	55/75	KFW (TU3JP)	08/00->	Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine TU3JP; Fitting Position: Left; + AC
				Tensioner	SR-1409	OD: 60; W: 27; ALT; engine TU3JP; QTY 2; + AC
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; eng.# 3666766->; engine TU3JP
				Tensioner	SR-1122	OD: 59; W: 22; ->eng.# 3666765; engine TU3JP
1.4 16V	65/88	KFU (ET3J4)	11/03->	Tensioner	SR-1409	OD: 60; W: 27; ALT; ->12/03; QTY 2; + AC
				Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; 12/03->; Fitting Position: Left; + AC
1.4 HDi	50/68	8HX (DV4TD);8HZ (DV4TD)	10/01->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV4TD
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine DV4TD; Fitting Position: Left
1.6 16V	80/109	NFV (TU5JP4)	08/00->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; MD Generation 2; Fitting Position: Centre; + AC; DAM # 11459UW ->
				Deflection/Guide	SR-1340	OD: 60; W: 30; eng.# 1806405->; Fitting Position: Right
				Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; ALT; MD Generation 2; Fitting Position: Left; + AC; DAM # 11187UW ->; -> DAM # 11985UW; MD Generation 2; Fitting Position: Left; + AC; DAM # 1036777 ->; DAM # 1036788 ->; DAM # 1036789 ->; DAM # 1036790 ->; 12/03->; MD Generation 1; Fitting Position: Left; + AC
1.6 HDi	66/90	9HX (DV6ATED4);9HV (DV6ATED4);9HV (DV6TED4)	04/05->	Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; ->05/11; MD Generation 2; Fitting Position: Upper; + AC; DAM # 11459UW ->
				Tensioner	SR-1409	OD: 60; W: 27; ALT; ->12/03; MD Generation 1; QTY 2; + AC
				Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6ATED4; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; ->09/05; Fitting Position: Left; + AC









	kW/HP	Engine code		Type		
1.6 HDi 110	80/109	9HY (DV6TED4);9HZ (DV6TED4)	02/04->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; ->10/05; Fitting Position: Left
2.0 16V	103/140	RFN (EW10J4);RFJ (EW10A)	03/05->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; ALT; Fitting Position: Left; DAM # 1036777 ->; DAM # 1036788 ->; DAM # 1036789 ->; ->09/07; Fitting Position: Left; DAM # 10367UW ->
				Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; ->11/04; Fitting Position: Centre
2.0 16V	100/136	RFN (EW10J4)	08/00->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; 11/04->; Fitting Position: Left
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; 04/01->; ->11/04; Fitting Position: Left
				Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10ATED; Fitting Position: Right
2.0 HDi 110	79/107	RHS (DW10ATED)	08/00->	Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
2.0 HDi 90	66/90	RHY (DW10TD)	08/00->	Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
307 Break (3E) 						
1.4 16V	65/88	KFU (ET3J4)	11/03->	Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; 12/03->; Fitting Position: Left; + AC
				Tensioner	SR-1409	OD: 60; W: 27; ALT; ->12/03; QTY 2; + AC
1.4 HDi	50/68	8HZ (DV4TD)	03/02->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV4TD
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine DV4TD; Fitting Position: Left
				Deflection/Guide	SR-1340	OD: 60; W: 30; eng.# 1806405->; Fitting Position: Right
1.6 16V	80/109	NFU (TU5JP4)	03/02->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; MD Generation 2; Fitting Position: Centre; + AC; DAM # 11459UW ->
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; ->05/11; MD Generation 2; Fitting Position: Upper; + AC; DAM # 11459UW ->
				Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; ALT; MD Generation 2; Fitting Position: Left; + AC; DAM # 11187UW ->; -> DAM # 11985UW; MD Generation 2; Fitting Position: Left; + AC; DAM # 1036777 ->; DAM # 1036788 ->; DAM # 1036789 ->; DAM # 1036789 ->; 12/03->; MD Generation 1; Fitting Position: Left; + AC
				Tensioner	SR-1409	OD: 60; W: 27; ALT; ->12/03; MD Generation 1; QTY 2; + AC
				Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6ATED4; Fitting Position: Right
1.6 HDi	66/90	9HV (DV6ATED4)	04/05->	Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; ->09/05; Fitting Position: Left; + AC
				Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; Fitting Position: Right
1.6 HDi 110	80/109	9HY (DV6TED4);9HZ (DV6TED4)	02/04->	Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; ->10/05; Fitting Position: Left
				Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; ->11/04; Fitting Position: Centre
2.0	100/136	RFN (EW10J4)	03/02->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; 11/04->; Fitting Position: Left
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; ->11/04; Fitting Position: Left
2.0 16V	103/140	RFJ (EW10A)	03/05->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; ALT; Fitting Position: Left; DAM # 1036777 ->; DAM # 1036788 ->; DAM # 1036789 ->; ->09/07; Fitting Position: Left; DAM # 10367UW ->
				Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10ATED; Fitting Position: Right
2.0 HDi 110	79/107	RHS (DW10ATED)	03/02->	Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
2.0 HDi 90	66/90	RHY (DW10TD)	03/02->	Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left
				Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; ->05/11; engine TU5JP4; Fitting Position: Centre; + AC; DAM # 11459UW ->
1.6 16V	80/110	NFU (TU5JP4)	02/05->	Deflection/Guide	SR-1340	OD: 60; W: 30; eng.# 1806405->; Fitting Position: Right
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; ->05/11; engine TU5JP4; Fitting Position: Left; + AC; DAM # 11459UW ->
				Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine TU5JP4; Fitting Position: Left; + AC; DAM # 11187UW ->; -> DAM # 11985UW; DAM # 1036777 ->; DAM # 1036788 ->; DAM # 1036789 ->; DAM # 1036789 ->; 12/03->; MD Generation 1; Fitting Position: Left; + AC
				Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine EW10A; Fitting Position: Left; DAM # 1036777 ->; DAM # 1036788 ->; DAM # 1036789 ->; ->09/07; DAM # 10367UW ->
				Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; engine EW10J4; Fitting Position: Centre
2.0 16V	100/136	RFN (EW10J4)	10/03->	Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; engine EW10J4; Fitting Position: Left
				Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; 11/04->; engine EW10J4; Fitting Position: Left
2.0 16V	130/177	RFK (EW10J4S)	10/03->	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; ->11/04; engine EW10J4S; Fitting Position: Centre
307 SW (3H) 						
1.4 16V	65/88	KFU (ET3J4)	11/03->	Tensioner	SR-1409	OD: 60; W: 27; ALT; ->12/03; engine ET3J4; QTY 2; + AC
				Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; 12/03->; engine ET3J4; Fitting Position: Left; + AC
1.4 HDi 70	50/68	8HZ (DV4TD)	03/02->01/05	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV4TD
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; engine DV4TD; Fitting Position: Left
				Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; MD Generation 2; Fitting Position: Centre; + AC; DAM # 11459UW ->
1.6 16V	80/109	NFU (TU5JP4)	03/02->	Deflection/Guide	SR-1340	OD: 60; W: 30; eng.# 1806405->; Fitting Position: Right
				Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; ALT; MD Generation 2; Fitting Position: Left; + AC; DAM # 11187UW ->; -> DAM # 11985UW; MD Generation 2; Fitting Position: Left; + AC; DAM # 1036777 ->; DAM # 1036788 ->; DAM # 1036789 ->; DAM # 1036789 ->; 12/03->; MD Generation 1; Fitting Position: Left; + AC
				Tensioner	SR-1409	OD: 60; W: 27; ALT; ->12/03; MD Generation 1; QTY 2; + AC
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; ->05/11; MD Generation 2; Fitting Position: Upper; + AC; DAM # 11459UW ->
				Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6TED4; Fitting Position: Right
1.6 HDi 110	80/109	9HY (DV6TED4);9HZ (DV6TED4)	02/04->	Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; ->10/05; engine DV6TED4; Fitting Position: Left; + AC; + DPF; ->03/07; - AC
				Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; ->11/04; Fitting Position: Centre
2.0 16V	100/136	RFN (EW10J4)	03/02->	Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; ->11/04; Fitting Position: Left
				Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; 11/04->; Fitting Position: Left


	kW/HP	Engine code		Type		
2.0 16V	103/140	RFN (EW10J4),RFJ (EW10A)	03/05->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; ->09/07; Fitting Position: Left; DAM # 10367UW ->; engine EW10A; DAM # 1036777 ->; DAM # 1036788 ->; DAM # 1036789 ->
2.0 HDI 110	79/107	RHS (DW10ATED)	03/02->	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10ATED; Fitting Position: Right
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; engine DW10ATED; Fitting Position: Left
2.0 HDI 90	66/90	RHY (DW10TD)	03/02->	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; engine DW10TD; Fitting Position: Left
308 (4A_, 4C_) 						
1.4 16V	70/95	EP3;8FS (EP3)	09/07->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.4 16V	72/98	8FR (EP3)	12/09->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 16V	128/174	5FY (EP6DTS)	03/08->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 16V	88/120	EP6;5FW (EP6)	09/07->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 16V	110/150	5FX (EP6DT)	09/07->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 16V	103/140	5FT (EP6DT)	09/07->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 16V	115/156	EP6CDT	10/09->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 BioFlex	80/109	NFU (TU5JP4)	04/08->	Deflection/Guide	SR-1340	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine TU5JP4; Fitting Position: Left; + AC
1.6 GTi	147/200	EP6CDTX	07/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
1.6 HDi	66/90		09/07->	Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 HDi	80/109	9HZ (DV6TED4)	09/07->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6TED4; engine DV6TED4B; Fitting Position: Right
1.6 HDi	80/109	9HZ (DV6TED4)	09/07->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6TED4; Fitting Position: Right
2.0 Bioflex	103/140	RFJ (EW10A)	01/08->01/12	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine EW10A; Fitting Position: Centre
308 CC 						
1.6 16V	110/150	5FX (EP6DT)	06/09->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 16V	88/120	EP6	06/09->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 16V	115/156	EP6CDT	06/09->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 16V	103/140	5FT (EP6DT)	06/09->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 THP	147/200	EP6CDTX	10/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
2.0 CWT	103/140	RFJ (EW10A)	07/09->11/14	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine EW10A; Fitting Position: Centre
308 II 						
1.2 Vti 72	60/82	HMZ (EB2F)	09/13->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine EB2; Fitting Position: Upper; - start-stop; - AC
1.6	115/156	5FV (EP6DT)	09/13->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP; engine EP6CDT
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC; engine EP6CDT
1.6 GT 205	151/205		06/14->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 GTi	200/272	5GN (EP6FDTR)	06/15->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 THP 125	92/125		09/13->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP; engine EP6CDT
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC; engine EP6CDT
1.6 THP 150	110/150		03/14->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 THP 163	120/163	5FV (EP6DT)	06/14->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 Vti	85/115		03/14->	Deflection/Guide	SR-1340	OD: 60; W: 30; engine EC5; Fitting Position: Right
				Tensioner	SR-1341	- holder; ID: 17; OD: 65; W: 25; ALT; engine EC5; Fitting Position: Upper; + AC
308 SW 						
1.4 16V	70/95	8FS (EP3)	09/07->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.4 16V	72/98	8FR (EP3)	12/09->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 16V	128/174	5FY (EP6DTS)	03/08->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 16V	88/120	EP6;5FW (EP6)	09/07->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 16V	110/150	5FX (EP6DT)	09/07->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC








	kW/HP	Engine code		Type		
1.6 16V	103/140	5FT (EP6DT)	09/07->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 16V	115/156	EP6CDT	10/09->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 Bioflex	82/112	NFU (TU5JP4)	03/09->	Deflection/Guide Tensioner	SR-1340 SR-1341	OD: 60; W: 30; engine TU5JP4; Fitting Position: Right - holder; ID: 17; OD: 65; W: 25; ALT; engine TU5JP4; Fitting Position: Left; + AC
1.6 HDi	66/90	9HX (DV6ATED4);9HV (DV6ATED4)	09/07->	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine DV6ATED4; engine DV6TED4B; Fitting Position: Right
1.6 HDi	80/109	9HZ (DV6TED4)	09/07->	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine DV6TED4; Fitting Position: Right
308 SW II 						
1.6 GT 205	151/205		06/14->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 THP 125	92/125		03/14->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 THP 150	110/150		03/14->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 THP 155	115/156	5FV (EP6DT)	03/14->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 THP 163	120/163		06/14->	Deflection/Guide Tensioner	SR-1037 SR-1038	OD: 75; W: 26; WP - holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 VTi	85/115		03/14->	Deflection/Guide Tensioner	SR-1340 SR-1341	OD: 60; W: 30; engine EC5; Fitting Position: Right - holder; ID: 17; OD: 65; W: 25; ALT; engine EC5; Fitting Position: Upper; + AC
309 I (10C, 10A) 						
1.4	49/67	K1D (TU3A)	03/89->07/89	Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; Fitting Position: Upper
1.4	55/75	KDZ (TU3M);KDY (TU3M)	03/89->07/89	Tensioner	SR-1122	OD: 59; W: 22; num. of teeth 108
1.4	62/84	K2B (TU3S)	03/89->07/89	Tensioner	SR-1123	OD: 59; W: 22; num. of teeth 108; engine TU3A; engine TU3S; num. of teeth 101
1.4	62/84	K2B (TU3S)	03/89->07/89	Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; Fitting Position: Upper
1.4	62/84	K2B (TU3S)	03/89->07/89	Tensioner	SR-1122	- holder; OD: 65; W: 27; ACCOM; Fitting Position: Upper
1.4	62/84	K2B (TU3S)	03/89->07/89	Tensioner	SR-1122	OD: 59; W: 22; num. of teeth 108; num. of teeth 101; engine TU3FM; num. of teeth 101
309 II (3C, 3A) 						
1.1	44/60	HDZ (TU1M)	08/90->12/93	Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM
1.4	55/75	KDZ (TU3M);KDY (TU3M)	07/89->12/93	Tensioner	SR-1122	OD: 59; W: 22
1.4	49/67	K1D (TU3A)	07/90->12/93	Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM
1.4	49/67	K1D (TU3A)	07/90->12/93	Tensioner	SR-1122	OD: 59; W: 22; num. of teeth 108; engine TU3FM; num. of teeth 101
1.4	49/67	K1D (TU3A)	07/90->12/93	Tensioner	SR-1122	- holder; OD: 65; W: 27; ACCOM
1.4	49/67	K1D (TU3A)	07/90->12/93	Tensioner	SR-1122	OD: 59; W: 22; num. of teeth 108; num. of teeth 101; engine TU3FM; num. of teeth 101
1.6	65/88	BDZ (XU5M);BDY (XU5M3Z);BDY (XU5M2Z)	07/89->12/93	Tensioner	SR-1122	OD: 59; W: 22; 02/92->
1.6	69/94	B2A (XU52C/K)	07/89->12/93	Tensioner	SR-1122	OD: 59; W: 22; 02/92->
1.6	68/92	B2A (XU52C/K)	07/89->12/93	Tensioner	SR-1122	OD: 59; W: 22; 02/92->
1.9	72/98	DFZ (XU9J1)	08/89->12/93	Tensioner	SR-1122	OD: 59; W: 22; 02/92->
1.9	80/109	DDZ (XU9M)	10/90->12/93	Tensioner	SR-1122	OD: 59; W: 22; 02/92->
1.9 GTI	88/120	DKZ (XU9JAZ)	07/89->12/93	Tensioner	SR-1122	OD: 59; W: 22; 02/92->
4007 (GP_) 						
2.0 4x4	108/147	4B11	11/10->	Deflection/Guide	SR-1041	OD: 70; W: 24.7; ALT; QTY 2
2.2 HDi	115/156	4HN (DW12MTED4);4HK (DW12MTED4)	02/07->	Tensioner	SR-1147	- holder; ID: 17; OD: 65; W: 25; ALT; engine DW12ME5; engine DW12MTED4; Fitting Position: Left
2.4 16V	125/170	SFZ (4B12-MMC);SFY (4B12-MMC)	01/08->	Deflection/Guide Tensioner	SR-1041 SR-1042	OD: 70; W: 24.7; ALT; QTY 2 + holder; OD: 65; W: 26; ALT; Fitting Position: Left
405 I (15B) 						
1.4	47/64	K5A (TU3)	01/87->07/92	Tensioner	SR-1122	OD: 59; W: 22; engine TU3; engine TU3A; num. of teeth 108; engine TU3F2; num. of teeth 101
1.6	69/94	B2A (XU52C/K)	01/87->12/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->
1.6	53/72	B1E (XU51C)	07/87->12/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->
1.6	65/88	BDZ (XU5M);BDY (XU5M2Z)	07/87->12/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->
1.6	66/90	BDZ (XU5M)	10/89->12/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->
1.9	90/122	D6A (XU9J2)	01/89->12/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->
1.9	70/95	D2C (XU92C)	07/87->12/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->
1.9	80/109	DDZ (XU9M)	07/88->12/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->
1.9	88/120	DKZ (XU9JAZ)	07/88->12/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->
1.9 4x4	80/109	DDZ (XU9M)	07/88->12/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->
1.9 Injection	77/105	DFZ (XU9J1)	07/87->12/92	Tensioner	SR-1122	OD: 59; W: 22; ch.70521463->; num. of teeth 114
405 I Break (15E) 						
1.4	47/64	K5A (TU3)	05/88->07/92	Tensioner	SR-1122	OD: 59; W: 22; engine TU3; engine TU3A; num. of teeth 108; engine TU3F2; num. of teeth 101
1.6	68/92	B2A (XU52C/K)	05/88->07/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->
1.6	53/72	B1E (XU51C)	10/88->08/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->










	kW/HP	Engine code		Type		
1.6	66/90	BDZ (XU5M)	10/88->08/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->
1.6	65/88	BDZ (XU5M);BDY (XU5M3Z);BDY (XU5M2Z)	10/88->08/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->
1.6	55/75	BAZ (XU5CP)	10/88->08/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->
1.9	72/98	DFZ (XU9J1)	05/88->07/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->
1.9	70/95	D2C (XU92C)	10/88->08/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->
1.9	88/120	DKZ (XU9JAZ)	10/88->08/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->
1.9	77/105	DFZ (XU9J1)	10/88->08/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->
1.9	80/109	DDZ (XU9M)	10/88->08/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->
1.9 4x4	80/109	DDZ (XU9M)	10/88->08/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->
1.9 All-wheel Drive	77/105	DFZ (XU9J1)	09/88->07/92	Tensioner	SR-1122	OD: 59; W: 22; 01/92->
405 II (4B) 						
1.4	55/75	KDX (TU3MC)	08/92->10/95	Tensioner	SR-1122	OD: 59; W: 22; engine TU3-2; engine TU3MC; num. of teeth 101
1.6	65/88	BDZ (XU5M);BFZ (XU5JP);BDY (XU5M3Z);BDY (XU5M2Z)	08/92->10/95	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; engine XU5JP; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1122	OD: 59; W: 22; engine XU52C; engine XU5JP; engine XU5M
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ALT; engine XU5JP; Fitting Position: Centre; + PS; - AC; engine XU5JP; Fitting Position: Centre; + AC; - PS
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; engine XU5JP; Fitting Position: Centre; + AC; - AC
1.8	74/101	LFZ (XU7JP)	08/92->10/95	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ALT; Fitting Position: Centre; + PS; - AC; Fitting Position: Centre; + AC; - PS
				Tensioner	SR-1122	OD: 59; W: 22
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC; + PS
2.0	89/121	RFX (XU10J2)	08/92->10/95	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1122	OD: 59; W: 22
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ALT; Fitting Position: Centre; + PS; - AC; Fitting Position: Centre; + AC; - PS
2.0 16V	110/150	RFT (XU10J4)	06/94->10/95	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ALT; Fitting Position: Centre; + PS; - AC; Fitting Position: Centre; + AC; - PS
				Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC; + PS
2.0 MI-16	112/152	RFY (XU10J4Z)	08/92->10/95	Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ALT; Fitting Position: Centre; + PS; - AC; Fitting Position: Centre; + AC; - PS
				Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Centre; + PS; - AC
2.0 T 16 X4	144/196	RGZ (XU10J4TE/Z)	08/92->10/95	Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Centre; + PS; - AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC; + PS
				Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ALT; Fitting Position: Centre; + PS; - AC; Fitting Position: Centre; + AC; - PS
2.0 X4	89/121	RFX (XU10J2)	08/92->10/95	Tensioner	SR-1131	OD: 90; W: 25; ALT; ALT; Fitting Position: Centre; + PS; - AC; Fitting Position: Centre; + AC; - PS
				Tensioner	SR-1122	OD: 59; W: 22
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC; + PS
				Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC; + PS
405 II Break (4E) 						
1.4	55/75	KDX (TU3MC)	08/92->10/96	Tensioner	SR-1122	OD: 59; W: 22; engine TU3-2; engine TU3MC; num. of teeth 101
1.6	65/88	BDZ (XU5M);BFZ (XU5JP);BDY (XU5M3Z);BDY (XU5M2Z)	08/92->10/96	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; engine XU5JP; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1122	OD: 59; W: 22; engine XU52C; engine XU5JP; engine XU5M
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; engine XU5JP; Fitting Position: Centre; + AC; - AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ALT; engine XU5JP; Fitting Position: Centre; + PS; - AC; engine XU5JP; Fitting Position: Centre; + AC; - PS
1.8	74/101	LFZ (XU7JP)	08/92->10/96	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ALT; Fitting Position: Centre; + PS; - AC; Fitting Position: Centre; + AC; - PS
				Tensioner	SR-1122	OD: 59; W: 22
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC; + PS
2.0	89/121	RFX (XU10J2)	08/92->10/96	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1122	OD: 59; W: 22
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ALT; Fitting Position: Centre; + PS; - AC; Fitting Position: Centre; + AC; - PS
2.0 4x4	89/121	RFX (XU10J2)	08/92->10/96	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ALT; Fitting Position: Centre; + PS; - AC; Fitting Position: Centre; + AC; - PS
				Tensioner	SR-1122	OD: 59; W: 22
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC; + PS
406 (8B) 						
1.6	65/88	BFZ (XU5JP)	11/95->05/04	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ->06/98; Fitting Position: Lower; - AC
				Tensioner	SR-1122	OD: 59; W: 22









	kW/HP	Engine code		Type		
1.8	66/90	LFX (XU7JB)	05/97->05/04	Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; ACC 90; Fitting Position: Left; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ->06/98; Fitting Position: Lower; - AC
				Tensioner	SR-1122	OD: 59; W: 22; engine XU7JB
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
1.8 16V	85/116	6FZ (EW7J4)	10/00->05/04	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
1.8 16V	81/110	LFY (XU7JP4)	11/95->10/00	Deflection/Guide	SR-1125	OD: 60; W: 30; ->01/00; Fitting Position: Right; DEPOLLUTION CEE 2000; man. TPA; 01/00->; Fitting Position: Right; DEPOLLUTION CEE 95; auto. TPA; 01/00->; Fitting Position: Right; DEPOLLUTION CEE 2000; auto. TPA
				Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; ACC 90; Fitting Position: Left; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ->06/98; Fitting Position: Lower; - AC
1.9 D	55/75	DHW (XUD9SD)	10/96->05/04	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
1.9 TD	66/90	DHX (XUD9TE)	01/96->05/04	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
1.9 TD	68/92	DHY (XUD9TE)	01/96->05/04	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
2.0 16V	99/135	RFR (DEW10J4)	01/99->08/00	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 16V	100/136	RFN (EW10J4)	08/00->06/04	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 16V	97/132	RFV (XU10J4R)	11/95->05/04	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right; man. TPA
				Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
2.0 16V HPi	103/140	RLZ (EW10D)	05/01->05/04	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 HDi 110	79/107	RHZ (DW10ATED);RHS (DW10ATED)	08/01->05/04	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10ATED; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
2.0 HDi 110	80/109	RHZ (DW10ATED)	06/98->08/01	Deflection/Guide	SR-1125	OD: 60; W: 30; 10/00->; Fitting Position: Right; ->10/00; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
2.0 HDi 90	66/90	RHY (DW10TD)	02/99->05/04	Deflection/Guide	SR-1125	OD: 60; W: 30; 10/00->; Fitting Position: Right; ->10/00; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
2.0 Turbo	108/147	RGX (XU10J2TE)	04/96->05/04	Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1122	OD: 59; W: 22
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
2.1 TD 12V	80/109	P8C (XUD11BTE)	01/96->05/04	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
2.2	116/158	3FZ (EW12J4)	07/00->05/04	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.2 HDi	98/133	4HX (DW12TED4/FAP)	03/00->05/04	Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
3.0 24V	140/190	XFZ (ES9J4)	10/96->05/04	Deflection/Guide	SR-1366	OD: 65; W: 26,6; ALT; Fitting Position: Centre
3.0 V6	152/207	XFZ (ES9J4S)	03/00->05/04	Deflection/Guide	SR-1366	OD: 65; W: 26,6; ALT; engine ES9J4S; Fitting Position: Centre
406 Break (8E/F) 						
1.8	66/90	LFX (XU7JB)	05/97->10/04	Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; ACC 90; Fitting Position: Left; + AC
				Tensioner	SR-1122	OD: 59; W: 22
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ->06/98; Fitting Position: Lower; - AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
1.8 16V	85/116	6FZ (EW7J4)	10/00->10/04	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
1.8 16V	81/110	LFY (XU7JP4)	10/96->10/00	Deflection/Guide	SR-1125	OD: 60; W: 30; 01/00->; Fitting Position: Right; DEPOLLUTION CEE 2000; auto. TPA; Fitting Position: Right; DEPOLLUTION CEE 95; auto. TPA; 01/00->; Fitting Position: Right; DEPOLLUTION CEE 2000; man. TPA
				Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; ACC 90; Fitting Position: Left; + AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
1.9 D	55/75	DHW (XUD9SD)	10/96->10/04	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
1.9 TD	66/90	DHX (XUD9TE)	10/96->10/04	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
2.0 16V	99/135	RFR (DEW10J4)	01/99->10/00	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 16V	100/136	RFN (EW10J4)	10/00->10/04	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left








	kW/HP	Engine code		Type		
2.0 16V	97/132	RFV (XU10J4R)	10/96->10/04	Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; Fitting Position: Left; + AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
2.0 16V HPI	103/140	RLZ (EW10D)	05/01->10/04	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 HDi 110	79/107	RHZ (DW10ATED);RHS (DW10ATED)	08/01->10/04	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10ATED; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
2.0 HDi 110	80/109	RHZ (DW10ATED)	02/99->04/04	Deflection/Guide	SR-1125	OD: 60; W: 30; 10/00->; Fitting Position: Right; ->10/00; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
2.0 HDi 90	66/90	RHY (DW10TD)	02/99->10/04	Deflection/Guide	SR-1125	OD: 60; W: 30; 10/00->; Fitting Position: Right; ->10/00; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
2.0 Turbo	108/147	RGX (XU10J2TE)	10/96->10/04	Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1122	OD: 59; W: 22
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
2.1 TD 12V	80/109	P8C (XUD11BTE)	10/96->10/04	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
2.2	116/158	3FZ (EW12J4)	07/00->10/04	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.2 HDI	98/133	4HX (DW12TED4/FAP)	03/00->10/04	Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
3.0 24V	140/190	XFZ (ES9J4)	10/96->10/04	Deflection/Guide	SR-1366	OD: 65; W: 26,6; ALT; Fitting Position: Centre
3.0 V6	152/207	XFZ (ES9J4S)	03/00->10/04	Deflection/Guide	SR-1366	OD: 65; W: 26,6; ALT; Fitting Position: Centre
406 Coupe (8C) 						
2.0 16V	99/135	RFR (DEW10J4)	01/99->10/00	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 16V	97/132	RFV (XU10J4R)	03/97->12/04	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right; man. TPA
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.0 16V	100/136	RFV (XU10J4R);RFN (EW10J4)	10/00->12/04	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.2	116/158	3FZ (EW12J4)	03/02->12/04	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.2 HDI	98/133	4HX (DW12TED4/FAP)	03/00->12/04	Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
3.0 V6	152/207	XFZ (ES9J4S)	03/00->12/04	Deflection/Guide	SR-1366	OD: 65; W: 26,6; ALT; Fitting Position: Right
3.0 V6 24V	140/190	XFZ (ES9J4)	03/97->12/04	Deflection/Guide	SR-1366	OD: 65; W: 26,6; ALT; Fitting Position: Right
407 (6D) 						
1.6 HDi 110	80/109	9HZ (DV6TED4)	05/04->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; ALT; 09/08->; Fitting Position: Left; + DPF; 06/09->; Fitting Position: Left
				Tensioner	SR-1509	- holder; ID: 17; OD: 55; W: 26; ALT; ALT; ->08/08; Fitting Position: Left; + DPF; ->06/09; Fitting Position: Left
1.8	85/116	6FZ (EW7J4)	05/04->	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
1.8 16V	92/125	6FY (EW7A)	09/05->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
2.0	100/136	RFN (EW10J4)	05/04->	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; ->11/04; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; ->11/04; Fitting Position: Left
				Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; 11/04->; Fitting Position: Left
2.0 16V	103/140	RFJ (EW10A)	09/05->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
2.0 Bioflex	103/140	RFJ (EW10A)	09/07->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
2.2	116/158	3FZ (EW12J4)	05/04->	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; ->11/04; Fitting Position: Centre
				Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; 11/04->; Fitting Position: Left
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; ->11/04; Fitting Position: Left
2.2 16V	120/163	3FY (EW12J4)	09/05->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
3.0	155/211	XFV (ES9A)	05/04->	Deflection/Guide	SR-1366	OD: 65; W: 26,6; ALT; ->05/04; Fitting Position: Centre
407 Coupe (6C) 						
2.2 16V	120/163	3FY (EW12J4)	10/05->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
407 SW (6E) 						
1.6 HDi 110	80/109	9HZ (DV6TED4)	05/04->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; ALT; 09/08->; Fitting Position: Left; + DPF; 06/09->; Fitting Position: Left
				Tensioner	SR-1509	- holder; ID: 17; OD: 55; W: 26; ALT; ALT; ->08/08; Fitting Position: Left; + DPF; ->06/09; Fitting Position: Left
1.8	85/116	6FZ (EW7J4)	05/04->	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; engine EW7J4; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; engine EW7J4; Fitting Position: Left
1.8 16V	92/125	6FY (EW7A)	09/05->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine EW7A; Fitting Position: Left













	kW/HP	Engine code		Type		
2.0	100/136	RFN (EW10J4)	05/04->	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; ->11/04; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; ->11/04; Fitting Position: Left
				Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; 11/04->; Fitting Position: Left
2.0 16V	103/140	RFJ (EW10A)	09/05->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
2.2	116/158	3FZ (EW12J4)	05/04->	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; ->11/04; Fitting Position: Centre
				Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; 11/04->; Fitting Position: Left
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; ->11/04; Fitting Position: Left
2.2 16V	120/163	3FY (EW12J4)	09/05->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
3.0	155/211	XFV (ES9A)	05/04->	Deflection/Guide	SR-1366	OD: 65; W: 26,6; ALT; ->05/04; Fitting Position: Centre
408 						
1.6 16V	80/109		02/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP; engine EP6CDT
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC; engine EP6CDT
5008 						
1.6	120/163	5GZ (EP6FDT)	02/12->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 16V	88/120	EP6,5FS (EP6C);5FW (EP6)	09/09->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 16V	115/156	EP6CDT	09/09->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 HDi	80/110	9HZ (DV6TED4)	09/09->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6TED4; Fitting Position: Right
1.6 THP 150	110/150		02/12->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
508 						
1.6 THP	115/156	EP6CDT	11/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 VTi	88/120	5FS (EP6C)	11/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
508 SW 						
1.6 THP	115/156	EP6CDT	11/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 VTi	88/120	5FS (EP6C)	11/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
605 (6B) 						
2.0	79/107		02/90->09/99	Tensioner	SR-1122	OD: 59; W: 22; 02/93->; engine XU10M
2.0	89/121	RFZ (XU10J2Z)	06/89->09/99	Tensioner	SR-1122	OD: 59; W: 22; 02/93->; engine XU10J2
2.0 16V	97/132	RFV (XU10J4R)	07/94->09/99	Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; 08/95->; Fitting Position: Left; + AC
				Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; ->08/95; Fitting Position: Left; + AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; ->05/95; Fitting Position: Centre; - AC
2.0 Turbo	108/147	RGX (XU10J2TE)	07/91->09/99	Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; 06/95->; Fitting Position: Left; + AC
				Tensioner	SR-1122	OD: 59; W: 22
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; 06/95->; Fitting Position: Centre; + AC
2.0 Turbo	104/141	RGY (XU10J2TE)	07/92->09/99	Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; 06/95->; Fitting Position: Left; + AC
				Tensioner	SR-1122	OD: 59; W: 22
2.1 D	60/82	P9A (XUD11A)	06/89->07/95	Deflection/Guide	SR-1128	OD: 60; W: 29; Fitting Position: Right
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; 04/95->; MD Generation 2; Fitting Position: Left; + AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; 06/95->; MD Generation 2; Fitting Position: Right; + AC
2.1 TD 12V	80/109	P8C (XUD11BTE)	08/94->09/99	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; 04/95->; Fitting Position: Left; + AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; 06/95->; Fitting Position: Right; + AC
2.1 Turbo Diesel	80/109	PHZ (XUD11ATE)	06/89->09/99	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; 04/95->; MD Generation 2; Fitting Position: Left; + AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; 06/95->; MD Generation 2; Fitting Position: Right; + AC
2.5 Turbo Diesel	95/129	THY (DK5ATE)	07/94->09/99	Tensioner	SR-1123	- holder; OD: 65; W: 27; ALT; Fitting Position: Right; + AC
3.0 V6	140/190	XFZ (ES9J4)	04/97->09/99	Deflection/Guide	SR-1366	OD: 65; W: 26,6; ALT; Fitting Position: Centre
607 (9D, 9U) 						
2.0	100/136	RFN (EW10J4)	02/00->	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.0 HDi	79/107	RHS (DW10ATED)	03/01->07/04	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
				Tensioner	SR-1129	OD: 70; W: 27; ALT; MD Generation 2; Fitting Position: Centre
2.0 HDi	80/109	RHZ (DW10ATED)	05/00->	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
				Tensioner	SR-1129	OD: 70; W: 27; ALT; MD Generation 2; Fitting Position: Centre








	kW/HP	Engine code		Type		
2.2 16V	116/158	3FZ (EW12J4)	02/00->	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; MD Generation 1; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; ALT; MD Generation 1; Fitting Position: Left; MD Generation 2; Fitting Position: Left; DEPOLLUTION 15-04
				Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; MD Generation 2; Fitting Position: Left; DEPOLLUTION EURO 4
2.2 16V	120/163	3FY (EW12J4)	09/05->	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; MD Generation 1; Fitting Position: Centre
				Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; MD Generation 2; Fitting Position: Left; DEPOLLUTION EURO 4
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; ALT; MD Generation 1; Fitting Position: Left; MD Generation 2; Fitting Position: Left; DEPOLLUTION 15-04
2.2 HDI	98/133	4HX (DW12TED4/FAP)	02/00->	Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
3.0 V6 24V	152/207	XFX (ES9J4S)	02/00->	Deflection/Guide	SR-1366	OD: 65; W: 26,6; ALT; Fitting Position: Centre
3.0 V6 24V	155/211	XFX (ES9J4S);XFX (ES9A)	03/04->	Deflection/Guide	SR-1366	OD: 65; W: 26,6; ALT; ->10/06; Fitting Position: Centre
806 [221] 						
1.8	73/99	LFW (XU7JP)	07/95->08/02	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; - AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1122	OD: 59; W: 22
1.9 TD	68/92	DHY (XUD9TE)	05/97->08/02	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
1.9 TD	66/90	DHX (XUD9TE)	07/95->08/02	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
2.0	89/121	RFU (XU10J2)	06/94->08/02	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; - AC
2.0 16V	97/132	RFV (XU10J4R)	05/98->09/00	Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; engine XU10J4R; Fitting Position: Left; + AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; engine XU10J4R; Fitting Position: Right
				Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; engine XU10J4R; Fitting Position: Centre; + AC
2.0 16V	100/136	RFN (EW10J4)	09/00->08/02	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; engine EW10J4; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; engine EW10J4; Fitting Position: Left
2.0 HDI	80/109	RHZ (DW10ATED)	08/99->08/02	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
2.0 HDI 16V	80/109	RHW (DW10ATED4)	08/99->08/02	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10ATED4; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
2.0 Turbo	108/147	RGX (XU10J2TE)	06/94->08/02	Deflection/Guide	SR-1133	ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Left; + AC
				Deflection/Guide	SR-1134	- holder; OD: 70; W: 25; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1122	OD: 59; W: 22; engine XU10J2TE
				Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; - AC
2.1 td 12V	80/109	P8C (XUD11BTE)	06/96->08/99	Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Left; + AC
2.1 td 12V	80/109	P8C (XUD11BTE)	06/96->08/99	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Right; + AC
				Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
807 [E] 						
2.0	100/136	RFN (EW10J4)	06/02->	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; Fitting Position: Centre
2.0 16V	103/140	RFJ (EW10A)	09/05->	Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
				Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
2.0 HDi	80/109	RHW (DW10ATED4)	04/04->05/06	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10ATED4; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW10ATED4; Fitting Position: Left
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW10ATED4; Fitting Position: Centre
2.0 HDi	79/107	RHW (DW10ATED4);RHT (DW10ATED4);RHM (DW10ATED4)	06/02->	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10ATED4; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW10ATED4; Fitting Position: Centre
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW10ATED4; Fitting Position: Left
2.2	116/158	3FZ (EW12J4)	06/02->	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Left
2.2 HDi	94/128	4HX (DW12TED4/FAP);4HW (DW12BTED4)	06/02->	Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Left
3.0 V6	150/204	XFX (ES9J4S)	06/02->	Deflection/Guide	SR-1366	OD: 65; W: 26,6; ALT; Fitting Position: Left
BIPPER [AA] 						
1.4	54/73	KFV (TU3A)	02/08->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU3A; engine TU3AE5; Fitting Position: Centre
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; engine TU3A; engine TU3AE5
1.4 HDi	50/68	8HS (DV4TED)	02/08->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV4TED
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV4TED; Fitting Position: Left

	kW/HP	Engine code		Type		
BIPPER Tepee 						
1.4	54/73	KFV (TU3A)	04/08->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU3A; engine TU3AE5; Fitting Position: Centre
				Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; engine TU3A; engine TU3AE5
1.4 HDi	50/68	8HS (DV4TED)	04/08->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV4TED
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV4TED; Fitting Position: Left
BOXER Box 						
2.2 HDi 100	74/101	4HV (P22DTE)	04/06->	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Left; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Centre; + AC
2.2 HDi 110	81/110	4HG (P22DTE)	03/11->	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1448	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Centre; + AC
2.2 HDi 120	88/120	4HU (P22DTE)	04/06->	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Right; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Centre; + AC
2.2 HDi 130	96/131	4HH (P22DTE)	03/11->	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Left; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Centre; + AC
2.2 HDi 150	110/150	4HJ (P22DTE)	03/11->	Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Centre; + AC
3.0 HDi 145	107/146		04/10->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Centre
3.0 HDi 160	116/156	F1CE0481D (F30DT)	04/06->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Centre
3.0 HDi 175	130/177	F1CE0481D (F30DT)	03/11->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Centre
BOXER Box (230L) 						
2.0 4x4	80/109		03/96->09/98	Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; + AC
2.0 HDI	62/84	RHV (DW10UTD)	08/01->04/02	Deflection/Guide	SR-1517	OD: 50; W: 26; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10TD; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Upper; - AC
2.0 i	80/109	RFW (XU10J2)	06/94->04/02	Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; + AC
2.5 D	63/86	T9A (DJ5)	03/94->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; ALT; + PS
				Tensioner	SR-1212	- holder; OD: 80; W: 26; WP
2.5 D 4x4	63/86	T9A (DJ5)	07/99->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; ALT; + PS
				Tensioner	SR-1212	- holder; OD: 80; W: 26; WP
2.5 TD	76/103	T8A (DJ5T)	03/94->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; ALT; + PS
				Tensioner	SR-1212	- holder; OD: 80; W: 26; WP; Fitting Position: Left
2.5 TDI	79/107	THX (DJ5TED)	01/97->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; ALT; + PS
2.5 TDI 4x4	79/107	THX (DJ5TED)	07/99->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; ALT; + PS
2.8 D	64/87	8140.63 (F28D)	01/99->02/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
				Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
2.8 HDi	93/126	8140.43S (F28DTCR)	10/00->11/01	Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
2.8 HDi	94/128	8140.43S (F28DTCR)	11/00->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
2.8 HDi 4x4	94/128	8140.43S (F28DTCR)	10/00->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
BOXER Box (244) 						
2.0	81/110	RFL (XU10J2U)	04/02->	Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; + AC
2.0 HDi	62/84	RHV (DW10UTD);RHV (DW10TD)	04/02->	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10TD; Fitting Position: Right
				Deflection/Guide	SR-1517	OD: 50; W: 26; ALT; ALT; 05/04->; Fitting Position: Lower; + AC; ->05/04; Fitting Position: Lower; - AC
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; Fitting Position: Upper; + AC; 05/04->; Fitting Position: Upper; - AC
2.2 HDi	74/101	4HY (DW12UTED)	04/02->	Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; ->05/04; Fitting Position: Upper; - AC
				Deflection/Guide	SR-1517	OD: 50; W: 26; ALT; ALT; ->05/04; Fitting Position: Lower; - AC; Fitting Position: Lower; + AC
2.8 HDi	94/128	8140.43S (F28DTCR)	04/02->	Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; Fitting Position: Upper; + AC; 05/04->; Fitting Position: Upper; - AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; ->05/04; Fitting Position: Upper; - AC
2.8 HDi	107/146	8140.43N	04/04->	Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
2.8 HDi 4x4	94/128	8140.43S (F28DTCR)	04/02->	Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
BOXER Bus 						
2.2 HDi 100	74/101	4HV (P22DTE)	04/06->	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Left; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Right; + AC
2.2 HDi 110	81/110	4HG (P22DTE)	03/11->	Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Centre; + AC

	kW/HP	Engine code		Type		
2.2 HDi 120	88/120		04/06->	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Right; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Centre; + AC
2.2 HDi 130	96/131	4HH (P22DTE)	03/11->	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Right; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Centre; + AC
2.2 HDi 150	110/150	4HJ (P22DTE)	03/11->	Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Centre; + AC
3.0 HDi 145	107/146		04/10->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Centre
3.0 HDi 160	116/156	F1CE0481D (F30DT)	04/06->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Centre
3.0 HDi 175	130/177	F1CE0481D (F30DT)	03/11->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Centre
BOXER Bus [230P] 						
2.0 i	80/109	RFW (XU10J2)	03/94->04/02	Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; + AC
2.0 i 4x4	80/109	RFW (XU10J2)	08/96->04/02	Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; + AC
2.5 D	63/86	T9A (DJ5)	08/94->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; ALT; + PS
				Tensioner	SR-1212	- holder; OD: 80; W: 26; WP
2.5 D 4x4	63/86	T9A (DJ5)	07/96->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; ALT; + PS
				Tensioner	SR-1212	- holder; OD: 80; W: 26; WP
2.5 TD	76/103	T8A (DJ5T)	07/94->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; ALT; + PS
				Tensioner	SR-1212	- holder; OD: 80; W: 26; WP; Fitting Position: Left
2.5 TD 4x4	76/103	T8A (DJ5T)	07/96->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; ALT; + PS
				Tensioner	SR-1212	- holder; OD: 80; W: 26; WP; Fitting Position: Left
2.5 TDI	79/107	THX (DJ5TED)	01/97->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; ALT; + PS
2.5 TDI 4x4	79/107	THX (DJ5TED)	01/97->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; ALT; + PS
2.8 D	64/87	8140.63 (F28D)	01/99->02/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
2.8 HDi	93/126	8140.43S (F28DTCR)	10/00->11/01	Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
2.8 HDI	94/128	8140.43S (F28DTCR)	11/00->04/02	Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
2.8 HDi 4x4	94/128	8140.43S (F28DTCR)	10/00->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
BOXER Bus [244, Z_] 						
2.0	81/110	RFL (XU10J2U)	04/02->	Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; + AC
2.0 HDi	62/84	RHV (DW10UTD);RHV (DW10TD)	04/02->	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10TD; Fitting Position: Right
				Deflection/Guide	SR-1517	OD: 50; W: 26; ALT; ALT; 05/04->; Fitting Position: Lower; + AC; ->05/04; Fitting Position: Lower; - AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; ->05/04; Fitting Position: Upper; - AC
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Upper; + AC; 05/04->; Fitting Position: Upper; - AC
2.2 HDi	74/101	4HY (DW12UTED)	04/02->	Deflection/Guide	SR-1517	OD: 50; W: 26; ALT; ALT; ->05/04; Fitting Position: Lower; - AC; Fitting Position: Lower; + AC
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Upper; + AC; 05/04->; Fitting Position: Upper; - AC
2.8 HDi	94/128	8140.43S (F28DTCR)	04/02->	Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
2.8 HDi	107/145	8140.43N	04/04->	Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
2.8 HDi 4x4	94/128	8140.43S (F28DTCR)	04/02->	Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
BOXER Platform/Chassis 						
2.2 HDi 100	74/101	4HV (P22DTE)	04/06->	Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Right; + AC
				Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Centre; + AC
2.2 HDi 110	81/110	4HG (P22DTE)	03/11->	Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Centre; + AC
2.2 HDi 120	88/120	4HU (P22DTE)	04/06->	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Left; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Centre; + AC
2.2 HDi 130	96/131	4HH (P22DTE)	03/11->	Deflection/Guide	SR-1449	+ holder; OD: 65; thread size M8x1,25; W: 22; ALT; Fitting Position: Left; + AC
				Deflection/Guide	SR-1435	ID: 8,2; OD: 65; W: 25; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Centre; + AC
2.2 HDi 150	110/150	4HJ (P22DTE)	03/11->	Tensioner	SR-1448	+ holder; OD: 65; W: 26; ALT; Fitting Position: Centre; + AC
3.0 HDi 145	107/146		04/10->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Centre
3.0 HDi 160	116/156	F1CE0481D (F30DT)	04/06->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Centre
3.0 HDi 175	130/177	F1CE0481D (F30DT)	03/11->	Tensioner	SR-1124	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Centre
BOXER Platform/Chassis [244] 						
2.0 HDi	62/84	RHV (DW10UTD);RHV (DW10TD)	04/02->	Deflection/Guide	SR-1517	OD: 50; W: 26; ALT; ALT; Fitting Position: Centre; + AC; ->05/04; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10TD; Fitting Position: Right
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Upper; + AC; 05/04->; Fitting Position: Upper; - AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; ->05/04; Fitting Position: Upper; - AC

	kW/HP	Engine code		Type		
2.2 HDi	74/101	4HY (DW12UTED)	04/02->	Deflection/Guide	SR-1517	OD: 50; W: 26; ALT; ALT; ->05/04; Fitting Position: Lower; - AC; Fitting Position: Lower; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25.5; ALT; ->05/04; Fitting Position: Upper; - AC
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; Fitting Position: Upper; + AC; 05/04->; Fitting Position: Upper; - AC
2.8 HDi	94/128	8140.43S (F28DTCR)	04/02->	Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
2.8 HDi	107/146	8140.43N	04/04->	Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
2.8 HDi 4x4	94/128	8140.43S (F28DTCR)	04/02->	Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
BOXER Platform/Chassis [ZCT_] 						
2.0 i	80/109	RFW (XU10J2)	06/94->04/02	Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; + AC
2.5 D	63/86	T9A (DJ5)	03/94->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; ALT; + PS
				Tensioner	SR-1212	- holder; OD: 80; W: 26; WP
2.5 D 4x4	63/86	T9A (DJ5)	07/99->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; ALT; + PS
				Tensioner	SR-1212	- holder; OD: 80; W: 26; WP
2.5 TD	76/103	T8A (DJ5T)	03/94->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; ALT; + PS
				Tensioner	SR-1212	- holder; OD: 80; W: 26; WP
2.5 TDI	79/107	THX (DJ5TED)	01/97->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; ALT; + PS
2.5 TDI 4x4	79/107	THX (DJ5TED)	07/99->04/02	Deflection/Guide	SR-1211	OD: 94; W: 26; ALT; + PS
2.8 D	64/87	8140.63 (F28D)	01/99->02/02	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
2.8 HDi	93/126	8140.43S (F28DTCR)	10/00->11/01	Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
2.8 HDI	94/128	8140.43S (F28DTCR)	11/00->04/02	Deflection/Guide	SR-1120	OD: 67; W: 34; engine Sofim 2800 HDI; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; engine Sofim 2800 HDI; Fitting Position: Lower
EXPERT [224] 						
1.6	58/79	222A2 (1580 SPI)	02/96->	Tensioner	SR-1127	OD: 57; W: 24; engine 1580SPI
				Deflection/Guide	SR-1133	ID: 17; OD: 90.5; W: 25; ALT; engine XU7JP; Fitting Position: Left; + AC
1.8	74/101	LFZ (XU7JP)	10/96->09/00	Tensioner	SR-1122	OD: 59; W: 22; engine XU7JP
				Tensioner	SR-1132	- holder; ID: 17; OD: 90.5; W: 25; ALT; engine XU7JP; Fitting Position: Centre; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; engine XU7JP; Fitting Position: Lower; - AC
1.9 D	51/70	D9B (XUD9AU)	02/96->	Tensioner	SR-1129	OD: 70; W: 27; ALT; engine XUD9; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine XUD9; Fitting Position: Right; + AC; + PS
1.9 TD	68/92	D8B (XUD9TE)	02/96->	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine XUD9TE; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine XUD9TE; Fitting Position: Right; + AC; + PS
1.9 TD	66/90	DHX (XUD9TE)	02/96->	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine XUD9TE; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine XUD9TE; Fitting Position: Right; + AC; + PS
2.0	100/136	RFN (EW10J4)	07/00->	Deflection/Guide	SR-1458	ID: 17; OD: 78.5; W: 25; ALT; engine EW10J4; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; engine EW10J4; Fitting Position: Left
2.0 HDi	69/94	RHZ (DW10BTED)	10/00->11/03	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10BTED W3; Fitting Position: Right; Fitting Position: Right; engine DW10BTED W4; engine DW10BTED+; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25.5; ALT; engine DW10BTED W3; engine DW10BTED W4; engine DW10BTED+; Fitting Position: Left
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW10BTED W3; engine DW10BTED W4; engine DW10BTED+; Fitting Position: Centre; + AC
2.0 HDI	80/109	RHZ (DW10ATED);RHZ (DW10BTED);RHZ (DW10CTED)	07/00->	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10ATED; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25.5; ALT; engine DW10ATED; Fitting Position: Left
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW10ATED; Fitting Position: Centre; + AC
2.0 HDI 16V	80/109	RHW (DW10ATED4)	07/00->	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10ATED4; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25.5; ALT; engine DW10ATED4; Fitting Position: Left
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW10ATED4; Fitting Position: Centre; + AC
EXPERT Box [222] 						
1.6	58/79	222A2 (1580 SPI)	02/96->	Tensioner	SR-1127	OD: 57; W: 24; engine 1580SPI
				Deflection/Guide	SR-1133	ID: 17; OD: 90.5; W: 25; ALT; engine XU7JP; Fitting Position: Left; + AC
1.8	74/101	LFZ (XU7JP)	10/96->09/00	Tensioner	SR-1132	- holder; ID: 17; OD: 90.5; W: 25; ALT; engine XU7JP; Fitting Position: Centre; + AC
				Tensioner	SR-1131	OD: 90; W: 25; ALT; engine XU7JP; Fitting Position: Lower; - AC
				Tensioner	SR-1122	OD: 59; W: 22; engine XU7JP
1.9 D	51/70	D9B (XUD9AU)	02/96->	Tensioner	SR-1129	OD: 70; W: 27; ALT; engine XUD9; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine XUD9; Fitting Position: Right; + AC; + PS

	kW/HP	Engine code		Type		
1.9 D 70	51/69	WJZ (DW8);WJY (DW8B)	12/98->	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW8; engine DW8B; Fitting Position: Right
				Deflection/Guide	SR-1406	OD: 37; W: 27; ALT; ALT; engine DW8B; Fitting Position: Lower; - AC; engine DW8; QTY 2; + PS; - AC; engine DW8; Fitting Position: Lower; + PS; - AC
				Deflection/Guide	SR-1407	OD: 60; thread size M10x1,5; W: 26; ALT; ALT; engine DW8B; Fitting Position: Centre; - AC; engine DW8; Fitting Position: Centre; + PS; - AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine DW8; Fitting Position: Left; + AC; + PS; engine DW8B; Fitting Position: Left; + AC
				Tensioner	SR-1409	OD: 60; W: 27; ALT; engine DW8; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; ALT; engine DW8; Fitting Position: Right; + AC; + PS; engine DW8B; Fitting Position: Right; + AC; engine DW8B; Fitting Position: Centre; + AC
1.9 TD	66/90	DHX (XUD9TE)	02/96->	Tensioner	SR-1129	OD: 70; W: 27; ALT; engine XUD9TE; Fitting Position: Right; + AC; + PS
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine XUD9TE; Fitting Position: Left; + AC; + PS
1.9 TD	68/92	D8B (XUD9TE)	02/96->	Tensioner	SR-1129	OD: 70; W: 27; ALT; engine XUD9TE; Fitting Position: Right; + AC; + PS
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine XUD9TE; Fitting Position: Left; + AC; + PS
2.0	100/136	RFN (EW10J4)	09/02->	Deflection/Guide	SR-1458	ID: 17; OD: 78,5; W: 25; ALT; engine EW10J4; Fitting Position: Centre
				Tensioner	SR-1457	- holder; ID: 17; OD: 65; W: 25; ALT; engine EW10J4; Fitting Position: Left
2.0 HDI	69/94	RHX (DW10BTED)	07/00->	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10BTED W3; Fitting Position: Right; Fitting Position: Right; engine DW10BTED W4; engine DW10BTED+; Fitting Position: Right
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW10BTED W3; engine DW10BTED W4; engine DW10BTED+; Fitting Position: Left
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW10BTED W3; engine DW10BTED W4; engine DW10BTED+; Fitting Position: Centre; + AC
2.0 HDI	80/109	RHZ (DW10ATED);RHZ (DW10BTED);RHZ (DW10CTED)	07/00->	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10ATED; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW10ATED; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW10ATED; Fitting Position: Left
2.0 HDI	80/109	RHW (DW10ATED4)	07/00->	Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10ATED4; Fitting Position: Right
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW10ATED4; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW10ATED4; Fitting Position: Left
EXPERT Box (VF3A_ , VF3U_ , VF3X_) 						
1.6 HDi 90 16V	66/90	9HU (DV6UTED4)	01/07->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6UTED4; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV6DU M; engine DV6UC; engine DV6UTED4; Fitting Position: Left
1.6 HDi 90 8V	66/90	9HM (DV6UC);9HH (DV6DUM)	01/07->	Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV6UC; Fitting Position: Left
2.0 16V	103/140	RFJ (EW10A);RFH (EW10A)	01/07->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine EW10A; Fitting Position: Left
EXPERT Platform/Chassis 						
1.6 HDi 90	66/90	9HU (DV6UTED4)	01/07->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6UTED4; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV6UC; engine DV6UTED4; Fitting Position: Left
EXPERT Platform/Chassis (223) 						
1.6	58/79	222A2 (1580 SPI)	02/96->	Tensioner	SR-1127	OD: 57; W: 24; engine 1580 SPI
1.9 D	51/70	D9B (XUD9AU)	02/96->	Tensioner	SR-1129	OD: 70; W: 27; ALT; engine XUD9; Fitting Position: Lower; + AC; + PS
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Right; + AC; + PS
1.9 TD	66/90	DHX (XUD9TE)	02/96->	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine XUD9TE; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine XUD9TE; Fitting Position: Right; + AC; + PS
1.9 TD	68/92	D8B (XUD9TE)	02/96->	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine XUD9TE; Fitting Position: Left; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine XUD9TE; Fitting Position: Right; + AC; + PS
EXPERT Tepee (VF3V_) 						
1.6 HDi 90 16V	66/90	9HU (DV6UTED4)	01/07->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6UTED4; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV6UTED4; Fitting Position: Left
1.6 HDi 90 8V	66/90	9HM (DV6UC);9HH (DV6DUM)	01/07->	Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV6DU; engine DV6UC; Fitting Position: Left
2.0 16V	103/140	RFJ (EW10A);RFH (EW10A)	01/07->	Tensioner	SR-1386	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine EW10A; Fitting Position: Left
J5 Box (290L) 						
2.5 D 4x4	54/73	CRD93 (U25/661)	10/90->03/94	Tensioner	SR-1127	OD: 57; W: 24; IP; engine CRD93; EXCEPT GRAND EXPORT
2.5 TD 4x4	70/95	CRD93LS (U25/673)	10/90->03/94	Tensioner	SR-1127	OD: 57; W: 24; IP; engine CRD93S; EXCEPT GRAND EXPORT
J5 Bus (280P) 						
2.5 D	54/73	CRD93 (U25/661)	09/81->09/90	Tensioner	SR-1127	OD: 57; W: 24; IP; engine CRD93; EXCEPT GRAND EXPORT
J5 Bus (290P) 						
2.5 D	54/73	CRD93 (U25/661)	10/90->02/94	Tensioner	SR-1127	OD: 57; W: 24; IP; engine CRD93; EXCEPT GRAND EXPORT
2.5 D 4x4	54/73	CRD93 (U25/661)	10/90->02/94	Tensioner	SR-1127	OD: 57; W: 24; IP; engine CRD93; EXCEPT GRAND EXPORT
2.5 TD	70/95	CRD93LS (U25/673)	10/90->02/94	Tensioner	SR-1127	OD: 57; W: 24; IP; engine CRD93S; EXCEPT GRAND EXPORT
2.5 TD 4x4	70/95	CRD93LS (U25/673)	10/90->02/94	Tensioner	SR-1127	OD: 57; W: 24; IP; engine CRD93S; EXCEPT GRAND EXPORT
J5 Platform/Chassis (280L) 						
2.5 D	54/73	CRD93 (U25/661)	09/81->09/90	Tensioner	SR-1127	OD: 57; W: 24; IP; engine CRD93; EXCEPT GRAND EXPORT

	kW/HP	Engine code		Type		
J5 Platform/Chassis (290L) 						
2.5 D	54/73	CRD93 (U25/661)	10/90->02/94	Tensioner	SR-1127	OD: 57; W: 24; IP; engine CRD93; EXCEPT GRAND EXPORT
2.5 D 4x4	54/73	CRD93 (U25/661)	10/90->02/94	Tensioner	SR-1127	OD: 57; W: 24; IP; engine CRD93; EXCEPT GRAND EXPORT
2.5 TD	70/95	CRD93LS (U25/673)	10/90->02/94	Tensioner	SR-1127	OD: 57; W: 24; IP; engine CRD93LS; EXCEPT GRAND EXPORT
2.5 TD 4x4	70/95	CRD93LS (U25/673)	10/90->02/94	Tensioner	SR-1127	OD: 57; W: 24; IP; engine CRD93LS; EXCEPT GRAND EXPORT
PARTNER Box 						
1.6	66/90	NFR (TU5JP4B)	04/08->	Deflection/Guide	SR-1340	OD: 60; W: 30; engine TU5JP4B; Fitting Position: Right
				Deflection/Guide	SR-1324	OD: 60; W: 26.4; ALT; engine TU5JP4B; Fitting Position: Centre
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; engine TU5JP4B; Fitting Position: Left
1.6	80/109	NFU (TU5JP4)	04/08->	Deflection/Guide	SR-1340	OD: 60; W: 30; engine TU5JP4; Fitting Position: Right
				Deflection/Guide	SR-1324	OD: 60; W: 26.4; ALT; engine TU5JP4; Fitting Position: Centre
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; engine TU5JP4; Fitting Position: Left
1.6	88/120	5FS (EP6C)	04/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6	72/98	5FK (EP6CB)	11/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 HDi	55/75	9HT (DV6BTED4);9HW (DV6BTED4)	04/08->	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine DV6BTED4; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25.5; ALT; engine DV6BTED4; Fitting Position: Left
1.6 HDi	80/109	9HZ (DV6TED4)	04/08->	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine DV6TED4; Fitting Position: Right
1.6 HDi 16V	66/90	9HX (DV6ATED4);9HS (DV6ATED4BU)	04/08->	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine DV6ATED4BU; Fitting Position: Right
1.6 HDi 90	68/92	9HP (DV6DTED)	04/10->	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine DV6AUTED4; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25.5; ALT; engine DV6AUTED4; Fitting Position: Left
PARTNER Box (5) 						
1.1	44/60	HDZ (TU1M)	06/96->	Deflection/Guide	SR-1324	OD: 60; W: 26.4; ALT; engine TU1JP; MD Generation 2; MD M59; Fitting Position: Centre; + AC
				Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; ->10/05; engine TU1JP; MD Generation 2; MD M59; Fitting Position: Left; + AC
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; engine TU1JP; MD Generation 2; MD M59; Fitting Position: Left; - AC
				Tensioner	SR-1139	ID: 8.2; OD: 60; W: 25; eng.# 3762434->; engine TU1JP
				Tensioner	SR-1122	OD: 59; W: 22; engine TU1M+; ->eng.# 3762433; engine TU1JP
1.4	55/75	KFX (TU3JP);TU32	06/96->	Deflection/Guide	SR-1324	OD: 60; W: 26.4; ALT; engine TU3JP; MD Generation 2; MD M59; Fitting Position: Centre; + AC; engine TU3A; Fitting Position: Centre; + AC
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; PSP; engine TU3-2; engine TU3JP; MD Generation 1; Fitting Position: Lower; engine TU3-2; engine TU3JP; MD Generation 1; Fitting Position: Lower
				Tensioner	SR-1122	OD: 59; W: 22; ->eng.# 3666765; engine TU3JP; engine TU3-2; eng.# 3666765->; engine TU3JP
				Tensioner	SR-1139	ID: 8.2; OD: 60; W: 25; eng.# 3666766->; engine TU3JP; engine TU3A
				Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; engine TU3JP; MD Generation 2; MD M59; Fitting Position: Left; - AC; engine TU3A; Fitting Position: Left; - AC
1.4 BiFuel	55/75	KFW (TU3JP)	04/03->	Deflection/Guide	SR-1324	OD: 60; W: 26.4; ALT; engine TU3JP; MD Generation 2; MD M59; Fitting Position: Centre; + AC
				Tensioner	SR-1139	ID: 8.2; OD: 60; W: 25; eng.# 3666766->; engine TU3JP
				Tensioner	SR-1122	OD: 59; W: 22; ->eng.# 3666765; engine TU3JP
				Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; ->10/05; engine TU3JP; MD Generation 2; MD M59; Fitting Position: Left; + AC; DAM # 09457FL->; DAM # 09457FV->; DAM # 11773UZ->
1.6	80/109	NFU (TU5JP4)	09/00->10/02	Deflection/Guide	SR-1340	OD: 60; W: 30; engine TU5JP4; MD Generation 1; MD M49; Fitting Position: Right; DAM # 1125477->
				Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; PSP; engine TU5JP4; MD M49; Fitting Position: Lower
1.6 HDi 75	55/75	9HW (DV6BTED4)	02/06->	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine DV6BTED4; Fitting Position: Right
1.6 HDi 90	66/90	9HX (DV6ATED4)	02/06->	Deflection/Guide	SR-1353	ID: 10.2; OD: 60; W: 30; engine DV6ATED4; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25.5; ALT; engine DV6ATED4; Fitting Position: Left
1.8 D	43/58	A9A (XUD7)	06/96->	Tensioner	SR-1129	OD: 70; W: 27; ALT; engine XUD7; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine XUD7; Fitting Position: Left; + AC; + PS
1.9 D	51/69	DJY (XUD9A)	06/96->	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine XUD9; Fitting Position: Right; + AC; + PS
				Tensioner	SR-1129	OD: 70; W: 27; ALT; engine XUD9; Fitting Position: Left; + AC; + PS



kW/HP

Engine code



Type



					Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW8; engine DW8B; Fitting Position: Right
					Deflection/Guide	SR-1407	OD: 60; thread size M10x1,5; W: 26; ALT; engine DW8B; MD M49; MD M59; Fitting Position: Centre; + PS; - AC; 11/99->; engine DW8; Fitting Position: Centre; + PS; - AC
					Deflection/Guide	SR-1406	OD: 37; W: 27; ALT; engine DW8B; MD M49; MD M59; Fitting Position: Lower; + PS; - AC; 11/99->; engine DW8; Fitting Position: Lower; + PS; - AC; ->11/99; engine DW6; QTY 2; + PS; - AC
					Tensioner	SR-1409	OD: 60; W: 27; ALT; ->11/99; engine DW8; Fitting Position: Left; + PS; - AC
					Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; engine DW8B; MD M49; MD M59; Fitting Position: Upper; + PS; - AC; 11/99->; engine DW8; Fitting Position: Upper; + PS; - AC
					Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; engine DW8; Fitting Position: Upper; + PS; - AC; 11/99->; engine DW8; MD Generation 1; MD M49; Fitting Position: Upper; + AC; + PS; DAM # 1189377 ->
1.9 D	51/69	WJZ (DW8);WJY (DW8B)	06/96->		Tensioner	SR-1129	OD: 70; W: 27; ALT; engine DW8B; MD Generation 2; MD M59; Fitting Position: Centre; + AC; engine DW8; Fitting Position: Left; + AC; + PS; for BD thickness 53 mm; DAM # 07910FV ->; DAM # 08028FL ->; engine DW8; Fitting Position: Left; + AC; + PS; DAM # 812077 ->; -> DAM # 937677; engine DW8; Fitting Position: Left; + AC; + PS; DAM # 937777 ->; engine DW8; Fitting Position: Left; + AC; + PS; ISR; DAM # 07910FV ->; DAM # 08028FL ->; engine DW8B; MD Generation 1; MD M49; Fitting Position: Left; + AC; + PS; DAM # 872977 ->; -> DAM # 1189277; engine DW8B; MD Generation 1; MD M49; Fitting Position: Left; + AC; + PS; for BD thickness 53 mm; DAM # 08729FL ->; DAM # 08729FV ->; engine DW8B; MD Generation 1; MD M49; Fitting Position: Left; + AC; + PS; ISR; DAM # 1189377 ->; engine DW8B; MD Generation 1; MD M49; Fitting Position: Left; + AC; + PS; ISR; DAM # 08729FL ->; DAM # 08729FV ->
					Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine DW8; Fitting Position: Right; + AC; + PS; for BD thickness 53 mm; DAM # 07910FV ->; DAM # 08028FL ->; engine DW8; Fitting Position: Right; + AC; + PS; DAM # 812077 ->; -> DAM # 937677; engine DW8B; MD Generation 1; MD M49; Fitting Position: Right; + AC; + PS; DAM # 872977 ->; -> DAM # 1189277; engine DW8B; MD Generation 1; MD M49; Fitting Position: Right; + AC; + PS; for BD thickness 53 mm; DAM # 08729FL ->; DAM # 08729FV ->
					Deflection/Guide	SR-1406	OD: 37; W: 27; ALT; Fitting Position: Lower; - AC
1.9 D 4x4	51/69	WJY (DW8B)	04/04->		Deflection/Guide	SR-1407	OD: 60; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; - AC
					Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
					Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Upper; - AC
					Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Left; + AC
2.0 HDi	66/90	RHY (DW10TD)	04/00->		Deflection/Guide	SR-1125	OD: 60; W: 30; 10/00->; Fitting Position: Right; ->10/00; Fitting Position: Right
					Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Upper
					Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
PARTNER Combispace (5F)							
1.1	44/60	HDZ (TU1M);HFZ (TU1JP)	06/96->		Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU1JP; MD Generation 2; MD M59; Fitting Position: Centre; + AC
					Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; PSP; engine TU1JP; engine TU1M; MD Generation 1; Fitting Position: Lower; engine TU1JP; engine TU1M; MD Generation 1; Fitting Position: Lower
					Tensioner	SR-1122	OD: 59; W: 22; engine TU1M+; ->eng.# 3762433; engine TU1JP
					Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; eng.# 3762434->; engine TU1JP
					Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; ->10/05; engine TU1JP; MD Generation 2; MD M59; Fitting Position: Left; + AC
					Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; engine TU1JP; MD Generation 2; MD M59; Fitting Position: Left; - AC
1.4	55/75	KFX (TU3JP);TU32;KFW (TU3JP)	06/96->		Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU3JP; MD Generation 2; MD M59; Fitting Position: Centre; + AC; engine TU3A; Fitting Position: Centre; + AC
					Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; ->10/05; engine TU3JP; MD Generation 2; MD M59; Fitting Position: Left; + AC; DAM # 09457FL ->; DAM # 09457FV ->; DAM # 11773UZ ->
					Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; engine TU3JP; MD Generation 2; MD M59; Fitting Position: Left; - AC; engine TU3A; Fitting Position: Left; - AC
					Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; eng.# 3666766->; engine TU3JP; engine TU3A
					Tensioner	SR-1122	OD: 59; W: 22; engine TU3-2; eng.# 3666765->; engine TU3JP
					Tensioner	SR-1123	- holder; OD: 65; W: 27; ACCOM; PSP; engine TU3-2; engine TU3JP; MD Generation 1; Fitting Position: Lower; engine TU3-2; engine TU3JP; MD Generation 1; Fitting Position: Lower
1.4	54/73	KFW (TU3JP)	11/02->10/06		Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU3A; Fitting Position: Centre; + AC
					Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; engine TU3A; Fitting Position: Left; - AC
					Tensioner	SR-1139	ID: 8,2; OD: 60; W: 25; engine TU3A
1.6 16V	80/109	NFU (TU5JP4)	07/01->		Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; MD M59; Fitting Position: Centre; + AC; DAM # 09457FL ->; DAM # 09457FV ->; DAM # 11773UZ ->
					Deflection/Guide	SR-1340	OD: 60; W: 30; eng.# 1806405->; MD M59; Fitting Position: Right
					Tensioner	SR-1323	- holder; OD: 70; W: 27; ALT; MD M59; Fitting Position: Left; - AC
					Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; MD M59; Fitting Position: Left; + AC; DAM # 1211077 ->
					Tensioner	SR-1325	+ holder; OD: 60; W: 26; ALT; ->01/05; MD M59; Fitting Position: Left; + AC; DAM # 09457FL ->; DAM # 09457FV ->; DAM # 11773UZ ->
1.6 HDi 75	55/75	9HW (DV6BTED4)	02/06->		Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6BTED4; Fitting Position: Right
					Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV6BTED4; Fitting Position: Left
1.6 HDi 90	66/90	9HX (DV6ATED4)	10/05->		Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6ATED4; Fitting Position: Right
					Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV6ATED4; Fitting Position: Left
1.8	66/90	LFX (XU7JB)	05/97->		Deflection/Guide	SR-1290	- holder; OD: 91; W: 25; ALT; Fitting Position: Left; + AC; not for ACC 120
					Tensioner	SR-1131	OD: 90; W: 25; ALT; Fitting Position: Lower; - AC; DAM # 07510FV ->; DAM # 08028FL ->
					Tensioner	SR-1132	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre; + AC
					Tensioner	SR-1122	OD: 59; W: 22
1.9 D	51/69	XUD9	05/96->12/98		Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine XUD9; Fitting Position: Right; + AC; + PS
					Tensioner	SR-1129	OD: 70; W: 27; ALT; engine XUD9; Fitting Position: Left; + AC; + PS
1.9 D	50/68	DJY (XUD9A)	06/96->		Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; engine XUD9; Fitting Position: Right; + AC; + PS
					Tensioner	SR-1129	OD: 70; W: 27; ALT; engine XUD9; Fitting Position: Left; + AC; + PS



kW/HP















Engine code






















Type















1.9 D	51/69	WJZ (DW8);WJY (DW8B)	12/98->	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Deflection/Guide	SR-1407	OD: 60; thread size M10x1,5; W: 26; ALT; engine DW8B; MD M49; MD M59; Fitting Position: Centre; + PS; - AC; 11/99->; engine DW8; Fitting Position: Centre; + PS; - AC
				Deflection/Guide	SR-1406	OD: 37; W: 27; ALT; ALT; engine DW8B; MD M49; MD M59; Fitting Position: Lower; + PS; - AC; 11/99->; engine DW8; Fitting Position: Lower; + PS; - AC; ->11/99; engine DW8; QTY 2; + PS; - AC
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; ALT; engine DW8; Fitting Position: Right; + AC; + PS; for BD thickness 53 mm; DAM # 07910FV ->; DAM # 08028FL ->; engine DW8; Fitting Position: Right; + AC; + PS; DAM # 812077 ->; -> DAM # 937677; engine DW8B; MD Generation 1; MD M49; Fitting Position: Right; + AC; + PS; DAM # 872977 ->; -> DAM # 1189277; engine DW8B; MD Generation 1; MD M49; Fitting Position: Right; + AC; + PS; for BD thickness 53 mm; DAM # 08729FL ->; DAM # 08729FV ->
				Tensioner	SR-1409	OD: 60; W: 27; ALT; ->11/99; engine DW8; Fitting Position: Left; + PS; - AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; ALT; 07/09->; engine DW8; Fitting Position: Upper; + AC; + PS; DAM # 937777 ->; 07/09->; engine DW8B; MD Generation 1; MD M49; Fitting Position: Upper; + AC; + PS; DAM # 1189377 ->
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; engine DW8B; MD M49; MD M59; Fitting Position: Upper; + PS; - AC; 11/99->; engine DW8; Fitting Position: Upper; + PS; - AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; ALT; ALT; ALT; ALT; engine DW8B; MD Generation 2; MD M59; Fitting Position: Centre; + AC; engine DW8; Fitting Position: Left; + AC; + PS; for BD thickness 53 mm; DAM # 07910FV ->; DAM # 08028FL ->; engine DW8; Fitting Position: Left; + AC; + PS; DAM # 812077 ->; -> DAM # 937677; engine DW8; Fitting Position: Left; + AC; + PS; DAM # 937777 ->; engine DW8; Fitting Position: Left; + AC; + PS; ISR; DAM # 07910FV ->; DAM # 08028FL ->; engine DW8B; MD Generation 1; MD M49; Fitting Position: Left; + AC; + PS; DAM # 872977 ->; -> DAM # 1189277; engine DW8B; MD Generation 1; MD M49; Fitting Position: Left; + AC; + PS; for BD thickness 53 mm; DAM # 08729FL ->; DAM # 08729FV ->; engine DW8B; MD Generation 1; MD M49; Fitting Position: Left; + AC; + PS; DAM # 1189377 ->; engine DW8B; MD Generation 1; MD M49; Fitting Position: Left; + AC; + PS; ISR; DAM # 08729FL ->; DAM # 08729FV ->
				Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Deflection/Guide	SR-1407	OD: 60; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; - AC
1.9 D 4x4	51/69	WJY (DW8B)	04/04->08/05	Deflection/Guide	SR-1406	OD: 37; W: 27; ALT; Fitting Position: Lower; - AC
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1408	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Upper; - AC
				Deflection/Guide	SR-1125	OD: 60; W: 30; 10/00->; Fitting Position: Right; ->10/00; Fitting Position: Right
2.0 HDI	66/90	RHY (DW10TD)	02/00->	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1125	OD: 60; W: 30; engine DW10TD; Fitting Position: Right
2.0 HDi 4x4	66/90	RHY (DW10TD)	04/04->08/05	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1125	OD: 60; W: 30; 10/00->; Fitting Position: Right; ->10/00; Fitting Position: Right
PARTNER Tepee						
1.6	66/90	NFR (TU5JP4B)	04/08->	Deflection/Guide	SR-1340	OD: 60; W: 30; engine TU5JP4B; Fitting Position: Right
				Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU5JP4B; Fitting Position: Centre
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; engine TU5JP4B; Fitting Position: Left
1.6	80/109	NFU (TU5JP4)	04/08->	Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; engine TU5JP4; Fitting Position: Centre
				Deflection/Guide	SR-1340	OD: 60; W: 30; engine TU5JP4; Fitting Position: Right
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; engine TU5JP4; Fitting Position: Left
1.6	88/120	5FS (EP6C)	04/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6	72/98	5FK (EP6CB)	08/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6	81/110	NFU (TU5JP4)	09/08->	Deflection/Guide	SR-1340	OD: 60; W: 30; Fitting Position: Right
				Deflection/Guide	SR-1324	OD: 60; W: 26,4; ALT; Fitting Position: Centre
				Tensioner	SR-1405	- holder; OD: 60; W: 25; ALT; Fitting Position: Upper
1.6 HDi	55/75	9HT (DV6BTED4);9HW (DV6BTED4);9HN (DV6ETED4)	04/08->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6BTED4; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV6BTED4; Fitting Position: Left
1.6 HDi	80/109	9HZ (DV6TED4)	04/08->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6TED4; Fitting Position: Right
1.6 HDi 16V	66/90	9HX (DV6ATED4);9HV (DV6TED4)	04/08->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6ATED4; Fitting Position: Right
				Tensioner	SR-1354	- holder; ID: 17; OD: 60; W: 25,5; ALT; engine DV6ATED4; Fitting Position: Left
1.6 HDi 90	68/92	9HP (DV6DTEd)	04/10->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine DV6TED4B; Fitting Position: Right
RCZ						
1.6 16V	115/156	EP6CDT	03/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 16V	147/200	EP6CDTX	06/10->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 THP 270	199/270	5FG (EP6CDTR)	06/13->	Deflection/Guide	SR-1037	OD: 75; W: 26; WP
				Tensioner	SR-1038	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
PORSCHE						
924						
2.0	92/125	XJ;XK	11/75->08/89	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.0 Carrera GT	154/209	M 31.50	06/80->10/86	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.0 Turbo	130/177	M 31.03	06/80->10/86	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.0 Turbo	125/170	M 31.01	11/78->06/80	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25







	kW/HP	Engine code		Type		
CAYENNE (92A) 						
3.0 S E-Hybrid	245/333	M 06.EC;MCG.FA;MCG.EA; MCG.E	06/10->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.0 S E-Hybrid	306/416	M 06.EC;MCG.FA;MCG.EA; MCG.E	10/14->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.6	220/300	M 55.02;MCE.YA	06/10->	Tensioner	SR-1375	- holder; ID: 17; num. of ribs: 7; OD: 69; W: 25,5; ALT
CAYENNE (9PA, 955) 						
3.2	184/250	M02.2Y	10/03->09/07	Deflection/Guide	SR-1374	OD: 60; thread size M10x1,5; W: 28; ALT
3.6	213/290	M 55.01	02/07->09/10	Deflection/Guide	SR-1374	OD: 60; thread size M10x1,5; W: 28; ALT
PANAMERA (970) 						
3.0 S E-Hybrid	245/333	MCG.FA;MCG.EA	03/11->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.0 S E-Hybrid	279/380	MCG.FA;MCG.EA	03/11->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
3.0 S E-Hybrid	306/416	MCG.FA;MCG.EA	07/13->	Tensioner	SR-1371	- holder; ID: 17; OD: 76; W: 26; ALT
RENAULT						
11 (B/C37_) 						
1.7 (B/C37D)	64/87	F2N 732;F2N 742	06/87->12/88	Deflection/Guide	SR-1115	OD: 50; W: 31; 02/88->; num. of teeth 125
				Tensioner	SR-1114	OD: 50; W: 31; 02/88->; num. of teeth 125
1.7 (B/C37E)	69/94	F3N 708	06/87->12/88	Deflection/Guide	SR-1115	OD: 50; W: 31; 02/88->; num. of teeth 125
				Tensioner	SR-1114	OD: 50; W: 31; 02/88->; num. of teeth 125
1.7 (B/C37F)	55/75	F3N 718	10/84->12/88	Deflection/Guide	SR-1115	OD: 50; W: 31; 02/88->; num. of teeth 125
				Tensioner	SR-1114	OD: 50; W: 31; 02/88->; num. of teeth 125
1.7 (B/C37L)	54/73	F2N 730	10/86->12/88	Deflection/Guide	SR-1115	OD: 50; W: 31; 02/88->; num. of teeth 125
				Tensioner	SR-1114	OD: 50; W: 31; 02/88->; num. of teeth 125
1.7 (B/C37N)	65/88	F2N 708;F2N 710;F2N 798	10/86->12/88	Deflection/Guide	SR-1115	OD: 50; W: 31; 02/88->; num. of teeth 125
				Tensioner	SR-1114	OD: 50; W: 31; 02/88->; num. of teeth 125
18 (134_) 						
2.1 Diesel	53/72	J8S 711	11/81->07/86	Deflection/Guide	SR-1116	OD: 60; W: 33
2.1 Diesel (1344)	49/67	852 710;J8S 711	11/81->07/86	Deflection/Guide	SR-1116	OD: 60; W: 33
2.1 TD	65/88	J8S 712	11/81->07/86	Deflection/Guide	SR-1116	OD: 60; W: 33; engine J8S 712
18 Variable (135_) 						
2.1 Diesel (1354)	49/67	852 710;J8S 711	11/80->07/86	Deflection/Guide	SR-1116	OD: 60; W: 33
19 I (B/C53_) 						
1.4	59/80	E6J 700;E6J 701	01/88->12/92	Tensioner	SR-1118	OD: 50; W: 22; engine E6J 700; engine E6J 701; engine E6J 706
1.7 (B/C53B)	54/73	F3N 740;F3N 741	09/88->04/92	Deflection/Guide	SR-1115	OD: 50; W: 31; engine F2N 720; engine F2N 721; engine F2N 722; engine F2N 724; engine F2N 726; engine F2N 727; engine F2N 728
				Tensioner	SR-1114	OD: 50; W: 31; engine F2N 720; engine F2N 721; engine F2N 722; engine F2N 724; engine F2N 726; engine F2N 727; engine F2N 728
1.7 (B/C53C)	66/90	F3N 742;F3N 743	09/88->04/92	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8 16V (B/C53D)	99/135	F7P 704	06/89->04/92	Deflection/Guide	SR-1117	OD: 50; W: 31; engine F7P 700; engine F7P 704
1.9 D (B/C534, B/C53J)	47/64	F8Q 706;F8Q 742	09/88->04/92	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
19 I Cabriolet (D53_) 						
1.7	55/75	F2N 724	07/91->04/92	Deflection/Guide	SR-1115	OD: 50; W: 31; engine F3N 742; engine F3N 743
				Tensioner	SR-1114	OD: 50; W: 31; engine F3N 742; engine F3N 743
1.7	70/95	F3N 742;F3N 743	07/91->04/92	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8 16V (D53D)	101/137	F7P 700;F7P 704	07/91->04/92	Deflection/Guide	SR-1117	OD: 50; W: 31
19 I Chamade (L53_) 						
1.7 (L533)	68/92	F2N 721;F2N 720	09/88->12/92	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.7 (L53B)	54/73	F3N 740;F3N 741	10/89->04/92	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.7 (L53C)	66/90	F3N 742;F3N 743	07/88->04/92	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.7 (L53F)	79/107	F3N 746	08/88->12/92	Deflection/Guide	SR-1115	OD: 50; W: 31; engine F3N 746
				Tensioner	SR-1114	OD: 50; W: 31; engine F3N 746
1.8 16V (L53D)	99/135	F7P 704	10/89->04/92	Deflection/Guide	SR-1117	OD: 50; W: 31
1.9 D (L534, L53J)	47/64	F8Q 706;F8Q 742	10/89->04/92	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.9 TD (L53K)	68/92	F8Q 740	09/90->04/92	Deflection/Guide	SR-1115	OD: 50; W: 31; engine F8Q 610; engine F8Q 740
				Tensioner	SR-1114	OD: 50; W: 31; engine F8Q 610; engine F8Q 740
19 II (B/C53_) 						
1.4	59/80	E6J 700;E7J 706	01/92->12/95	Tensioner	SR-1118	OD: 50; W: 22
1.4 (B/C535)	55/75	E7J 742	01/92->12/95	Tensioner	SR-1118	OD: 50; W: 22









	kW/HP	Engine code		Type		
1.7 (B/C53B)	54/73	F3N 740;F3N 741	04/92->12/95	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.7 (B/C53C)	66/90	F3N 743	04/92->12/95	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8 (5/353A)	66/90	F3P 706;F3P 760	04/92->12/95	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8 (5/353F, B/C538)	79/107	F3P 682;F3P 765	05/94->12/95	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8 (B/C538)	81/110	F3P 700	04/92->05/94	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8 (B/C53Y)	65/88	F3P 706;F3P 707;F3P 708;F3P 760	04/92->12/95	Deflection/Guide	SR-1115	OD: 50; W: 31; engine F3P 704; engine F3P 705; engine F3P 706; engine F3P 707; engine F3P 708; engine F3P 760
				Tensioner	SR-1114	OD: 50; W: 31; engine F3P 704; engine F3P 705; engine F3P 706; engine F3P 707; engine F3P 708; engine F3P 760
1.8 16V (B/C53D)	99/135	F7P 704	04/92->12/95	Deflection/Guide	SR-1117	OD: 50; W: 31
1.9 D (B/C53J)	47/64	F8Q 742	04/92->12/95	Deflection/Guide	SR-1115	OD: 50; W: 31; engine F8Q 742; engine F8Q 764
				Tensioner	SR-1114	OD: 50; W: 31; engine F8Q 742; engine F8Q 764
1.9 dT (B/C53T)	66/90	F8Q 744	04/92->12/95	Deflection/Guide	SR-1115	OD: 50; W: 31; engine F8Q 740; engine F8Q 744; engine F8Q 768
				Tensioner	SR-1114	OD: 50; W: 31; engine F8Q 740; engine F8Q 744; engine F8Q 768
19 II Box (S53_) 						
1.9 dT	68/92	F8Q 740	03/92->12/95	Deflection/Guide	SR-1115	OD: 50; W: 31; engine F8Q 744; engine F8Q 768
				Tensioner	SR-1114	OD: 50; W: 31; engine F8Q 744; engine F8Q 768
19 II Cabriolet (D53_, 853_) 						
1.7 (D53C)	66/90	F3N 742;F3N 743	04/92->09/93	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8 (853A)	66/90	F3P 706;F3P 760	09/93->06/96	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8 (D53V, 853F, D53C)	79/107	F3P 682;F3P 765;F3P 764	07/94->06/96	Deflection/Guide	SR-1115	OD: 50; W: 31; engine F3P 682; engine F3P 765
				Tensioner	SR-1114	OD: 50; W: 31; engine F3P 682; engine F3P 765
1.8 (D53Y)	65/88	F3P 705;F3P 706;F3P 707;F3P 708;F3P 760;F3P 704	04/92->06/96	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8 16V (D53D)	99/135	F7P 704	04/92->06/96	Deflection/Guide	SR-1117	OD: 50; W: 31; engine F7P 700; engine F7P 704
19 II Chamade (L53_) 						
1.4 (L535)	55/75	E7J 742	11/93->12/95	Tensioner	SR-1118	OD: 50; W: 22
1.7 (L533)	68/92	F2N 721;F2N 720	01/93->08/95	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.7 (L53B)	54/73	F3N 740;F3N 741	04/92->12/95	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.7 (L53C)	66/90	F3N 742;F3N 743	04/92->12/95	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8	79/107	F3P 700;F3P 706	05/92->11/95	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8	67/91	F3P 765	05/92->09/94	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8 (453A/F)	66/90	F3P 706;F3P 760	04/92->12/95	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8 (L538)	81/110	F3P 700	04/92->05/94	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8 (L53V, L538)	79/107	F3P 682	05/94->12/95	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8 (L53Y)	65/88	F3P 705;F3P 706;F3P 707;F3P 708;F3P 760;F3P 704	04/92->12/95	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8 16V (L53D)	99/135	F7P 704	04/92->12/95	Deflection/Guide	SR-1117	OD: 50; W: 31; engine F7P 700; engine F7P 704
1.9 D	68/92	F8Q 740;F8Q 744	05/92->11/95	Deflection/Guide	SR-1115	OD: 50; W: 31; engine F8Q 742; engine F8Q 764
				Tensioner	SR-1114	OD: 50; W: 31; engine F8Q 742; engine F8Q 764
1.9 D (L53J)	47/64	F8Q 742	04/92->12/95	Deflection/Guide	SR-1115	OD: 50; W: 31; engine F8Q 742; engine F8Q 764
				Tensioner	SR-1114	OD: 50; W: 31; engine F8Q 742; engine F8Q 764
1.9 dT (L53T)	66/90	F8Q 744	04/92->12/95	Deflection/Guide	SR-1115	OD: 50; W: 31; engine F8Q 744; engine F8Q 768
				Tensioner	SR-1114	OD: 50; W: 31; engine F8Q 744; engine F8Q 768
20 (127_) 						
2.1 Diesel (1276)	47/64	852	10/80->12/83	Deflection/Guide	SR-1116	OD: 60; W: 33
2.1 TD	63/86	J8S 702	01/82->12/83	Deflection/Guide	SR-1116	OD: 60; W: 33
21 (B48_) 						
1.7 (B48E)	66/90	F3N 722;F3N 723	09/89->06/94	Deflection/Guide	SR-1115	OD: 50; W: 31; engine F3N 723
				Tensioner	SR-1114	OD: 50; W: 31; engine F3N 723
1.7 (B48F)	54/73	F3N 726	09/89->10/92	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.9 D (B48H, B48I)	47/64	F8Q 710	09/89->01/94	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
2.1 D (B480)	51/69	J8S 784	04/92->06/94	Deflection/Guide	SR-1116	OD: 60; W: 33

	kW/HP	Engine code		Type		
2.1 D (B48V/B48O)	53/72	J8S 600;J8S 740	09/89->12/92	Deflection/Guide	SR-1116	OD: 60; W: 33
2.1 Turbo-D (B486, B488, B48V)	65/88	J8S 714;J8S 786;J8S 788	09/89->06/94	Deflection/Guide	SR-1116	OD: 60; W: 33
21 Estate (K48_) 						
1.7 (K/S481)	55/75	F2N 712	06/86->03/93	Deflection/Guide	SR-1115	OD: 50; W: 31; eng.# C028798->
				Tensioner	SR-1114	OD: 50; W: 31; eng.# C028798->
1.7 (K/S482)	65/88	F2N 710	10/86->12/88	Deflection/Guide	SR-1115	OD: 50; W: 31; eng.# C290919->
				Tensioner	SR-1114	OD: 50; W: 31; eng.# C290919->
1.7 (K48E)	69/94	F3N 722;F3N 723	06/86->12/89	Deflection/Guide	SR-1115	OD: 50; W: 31; 02/88->; eng.# C012127->; engine F3N 722
				Tensioner	SR-1114	OD: 50; W: 31; 02/88->; eng.# C012127->; engine F3N 722
1.7 (K48E)	66/90	F3N 722;F3N 723	10/89->12/93	Deflection/Guide	SR-1115	OD: 50; W: 31; engine F3N 723
				Tensioner	SR-1114	OD: 50; W: 31; engine F3N 723
1.7 (K48F) CAT	54/73	F3N 726	05/88->06/93	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.7 (K48M)	54/73	F2N 750	06/86->12/89	Deflection/Guide	SR-1115	OD: 50; W: 31; eng.# C0013023->
				Tensioner	SR-1114	OD: 50; W: 31; eng.# C0013023->
1.7 (K48N)	64/87	F2N 752	06/87->04/89	Deflection/Guide	SR-1115	OD: 50; W: 31; eng.# C000416->
				Tensioner	SR-1114	OD: 50; W: 31; eng.# C000416->
1.9 D	47/64	F8Q 710	03/86->08/94	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
2.1 D (K/S486)	48/65	J8S 704	10/86->09/90	Deflection/Guide	SR-1116	OD: 60; W: 33
2.1 D (K/S48V, K/S48O)	53/72	J8S 600;J8S 740	08/89->12/92	Deflection/Guide	SR-1116	OD: 60; W: 33
2.1 D (K480)	51/69	J8S 784	02/92->09/95	Deflection/Guide	SR-1116	OD: 60; W: 33
2.1 D 4x4 (K486)	48/65	J8S 704	10/88->05/92	Deflection/Guide	SR-1116	OD: 60; W: 33
2.1 Turbo-D (K48A, K48W, K487, K488)	65/88	J8S 714;J8S 786;J8S 788	10/86->11/93	Deflection/Guide	SR-1116	OD: 60; W: 33
21 Saloon (L48_) 						
1.7 (L481)	55/75	F2N 712	03/86->12/87	Deflection/Guide	SR-1115	OD: 50; W: 31; eng.# C028798->
				Tensioner	SR-1114	OD: 50; W: 31; eng.# C028798->
1.7 (L482)	65/88	F2N 710	03/86->03/93	Deflection/Guide	SR-1115	OD: 50; W: 31; eng.# C290919->
				Tensioner	SR-1114	OD: 50; W: 31; eng.# C290919->
1.7 (L48E)	69/94	F3N 722;F3N 723	03/86->02/94	Deflection/Guide	SR-1115	OD: 50; W: 31; 02/88->; eng.# C012127->; engine F3N 722
				Tensioner	SR-1114	OD: 50; W: 31; 02/88->; eng.# C012127->; engine F3N 722
1.7 (L48E)	66/90	F3N 722;F3N 723	09/89->02/94	Deflection/Guide	SR-1115	OD: 50; W: 31; engine F3N 723
				Tensioner	SR-1114	OD: 50; W: 31; engine F3N 723
1.7 (L48M, L48F)	54/73	F2N 750;F3N 726	07/86->02/94	Deflection/Guide	SR-1115	OD: 50; W: 31; engine F3N 726; eng.# C0013023->; engine F2N 750
				Tensioner	SR-1114	OD: 50; W: 31; engine F3N 726; eng.# C0013023->; engine F2N 750
1.7 (L48N)	64/87	F2N 752	06/87->04/89	Deflection/Guide	SR-1115	OD: 50; W: 31; eng.# C000416->
				Tensioner	SR-1114	OD: 50; W: 31; eng.# C000416->
1.9 D (L48H, L48I)	47/64	F8Q 710	08/89->10/93	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
2.1 D (L480)	51/69	J8S 784	10/92->06/94	Deflection/Guide	SR-1116	OD: 60; W: 33
2.1 D (L486)	48/65	J8S 704	03/86->12/89	Deflection/Guide	SR-1116	OD: 60; W: 33
2.1 D (L48V, L48O)	53/72	J8S 600;J8S 740	05/89->06/94	Deflection/Guide	SR-1116	OD: 60; W: 33
2.1 TD	50/68	J8S 704	04/86->06/89	Deflection/Guide	SR-1116	OD: 60; W: 33
2.1 Turbo-D (L48A, L48W, L487, L488)	65/88	J8S 714;J8S 786;J8S 788	03/86->06/94	Deflection/Guide	SR-1116	OD: 60; W: 33
25 (B29_) 						
2.1 Diesel (B296)	46/63	J8S 706	04/84->05/89	Deflection/Guide	SR-1116	OD: 60; W: 33
2.1 Diesel (B296)	51/69	J8S 736	06/89->12/92	Deflection/Guide	SR-1116	OD: 60; W: 33
2.1 Turbo-D FWD (B290, B29W)	63/86	J8S 708;J8S 738	04/84->12/92	Deflection/Guide	SR-1116	OD: 60; W: 33
30 (127_) 						
2.1 Turbo-D (1270)	63/86	J8S 702	02/82->03/86	Deflection/Guide	SR-1116	OD: 60; W: 33
9 (L42_) 						
1.7 (L426)	59/80	F2N 700;F2N 704	09/84->12/89	Deflection/Guide	SR-1115	OD: 50; W: 31; 02/88->; num. of teeth 125
				Tensioner	SR-1114	OD: 50; W: 31; 02/88->; num. of teeth 125
1.7 (L42E)	69/94	F3N 708	06/87->12/88	Deflection/Guide	SR-1115	OD: 50; W: 31; 02/88->; num. of teeth 125
				Tensioner	SR-1114	OD: 50; W: 31; 02/88->; num. of teeth 125
1.7 (L42F)	54/73	F3N 718	10/86->12/88	Deflection/Guide	SR-1115	OD: 50; W: 31; 02/88->; num. of teeth 125
				Tensioner	SR-1114	OD: 50; W: 31; 02/88->; num. of teeth 125
1.7 (L42L)	55/75	F2N 730	10/86->12/88	Deflection/Guide	SR-1115	OD: 50; W: 31; 02/88->; num. of teeth 125
				Tensioner	SR-1114	OD: 50; W: 31; 02/88->; num. of teeth 125
1.7 (L42N)	65/88	F2N 708;F2N 710;F2N 798	10/86->12/88	Deflection/Guide	SR-1115	OD: 50; W: 31; 02/88->; num. of teeth 125
				Tensioner	SR-1114	OD: 50; W: 31; 02/88->; num. of teeth 125
AVANTIME (DE0_) 						
2.0 16V Turbo (DE0U, DE0V)	120/163	F4R 760;F4R 761	11/01->05/03	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54.5; W: 32.5
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre










	kW/HP	Engine code		Type		
2.2 dCi (DE01)	110/150	G9T 712	05/02->05/03	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1180	OD: 76; W: 30
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; Fitting Position: Centre
3.0 V6 (DE04, DE0T)	152/207	L7X 720;L7X 721	09/01->05/03	Deflection/Guide	SR-1366	OD: 65; W: 26,6; ALT; engine L7X 721; engine L7X 722; Fitting Position: Centre right
CAPTUR 						
0.9 TCe 90	66/90		06/13->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine H4B 400
1.2 TCe 120	88/120	H5F 403	06/13->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine H5F 403
CLIO Grandtour (KR0/1) 						
1.4 16V	72/98	K4J 780	02/10->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K4J 780; Fitting Position: Right; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi	48/65	K9K 752	02/10->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; eng. output 65 HP; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre; eng. output 65 HP
1.5 dCi	55/75	K9K 770	08/10->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; eng. output 75 HP; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre; eng. output 75 HP
1.5 dCi	65/88	K9K 772;K9K 770	08/10->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K 770; Fitting Position: Right; eng. output 90 HP; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 770; Fitting Position: Centre; eng. output 90 HP
1.5 dCi (KR0F)	63/86	K9K 766	02/08->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; eng. output 85 HP; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre; eng. output 85 HP
1.5 dCi (KR0G)	50/68	K9K 768;K9K 714	02/08->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; eng. output 70 HP; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre; eng. output 70 HP
1.5 dCi (KR0H)	78/106	K9K 764;K9K 774	02/08->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; Fitting Position: Right; eng. output 105 HP; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre; eng. output 105 HP
1.5 dCi (KR1C, KR1N)	76/103	K9K 772	02/08->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre; eng. output 105 HP
1.6 16V (KR0B)	82/112	K4M 800;K4M 801	02/08->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K4M 800; engine K4M 801; engine K4M 804; Fitting Position: Right; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 800; engine K4M 801; engine K4M 804
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 800; engine K4M 801; engine K4M 804; Fitting Position: Centre
1.6 16V (KR10)	94/128	K4M 862	11/08->	Tensioner	SR-1004	ID: 8,2; OD: 66; W: 32; engine K4M 800; engine K4M 801; engine K4M 804
				Deflection/Guide	SR-1005	OD: 54; W: 32
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
CLIO Grandtour IV 						
0.9 TCe 90	66/90		01/13->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine H4B 400
1.2 TCe 120	88/120	H5F 403	03/13->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine H5F 403
1.5 dCi 75	55/75	K9K 612	01/13->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 830; engine K9K 838; + AC
1.5 dCi 90	66/90	K9K 608	01/13->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 830; engine K9K 838; + AC
CLIO I (B/C57_, 5/357_) 						
1.2 (5/357Y, 5/357K)	43/58	D7F 730	01/96->09/98	Tensioner	SR-1329	OD: 56; W: 24; PSP; Fitting Position: Centre
				Tensioner	SR-1118	OD: 50; W: 22
1.2 (5/357Y, 5/357K)	40/54	D7F 730	01/96->09/98	Tensioner	SR-1329	OD: 56; W: 24; PSP; Fitting Position: Centre
				Tensioner	SR-1118	OD: 50; W: 22
1.2 (B/C/S572)	44/60	E5F 710	05/90->03/96	Tensioner	SR-1118	OD: 50; W: 22; engine E5F 710
1.2 (B/C/S57A, B/C57S, 5/357F, 5/357J, 5/357L, 5/357R)	43/58	E7F 700;E7F 708 ;E7F 750	05/90->09/98	Tensioner	SR-1118	OD: 50; W: 22; engine E5F 710; engine E5F 716; engine E7F 700; engine E7F 704; engine E7F 708; engine E7F 750
1.2 (B/C57R)	40/54	E7F 706	01/91->06/96	Tensioner	SR-1118	OD: 50; W: 22
1.4	59/80	E7J 710 ;E7J 711	01/91->09/98	Tensioner	SR-1118	OD: 50; W: 22; engine E6J 712; engine E6J 713; engine E6J 718; engine E6J 760; engine E7J 601; engine E7J 710; engine E7J 711; engine E7J 716; engine E7J 757
1.4 (B57J, C57J)	55/75	E7J 756;E7J 757	01/91->09/98	Tensioner	SR-1118	OD: 50; W: 22
1.8	66/90	F3P 755	08/90->04/96	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8 (B/C578)	66/90	F3P 755 ;F3P 754	08/94->09/98	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8 (B/C57C, B/C57U)	65/88	F3P 710 ;F3P 714	01/91->09/98	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8 16V (C57D)	99/135	F7P 722	01/91->03/96	Deflection/Guide	SR-1117	OD: 50; W: 31; engine F7P 720; engine F7P 722
				Deflection/Guide	SR-1121	OD: 70; W: 28; ALT; engine F7P 720; engine F7P 722; Fitting Position: Centre
1.8 Rsi (B/C579)	80/109	F3P 712	01/93->08/95	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8 Rsi (B/C57H)	79/107	F3P 758	08/95->09/98	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.9 D (B/C/S576, B/C/S57L)	47/64	F8Q 730;F8Q 732	01/91->09/98	Deflection/Guide	SR-1117	OD: 50; W: 31; ->09/96; engine F8Q 676; engine F8Q 678; engine F8Q 714; engine F8Q 730; engine F8Q 732; num. of teeth 151; 09/96->
				Tensioner	SR-1114	OD: 50; W: 31; ->09/96; engine F8Q 676; engine F8Q 678; engine F8Q 714; engine F8Q 730; engine F8Q 732; num. of teeth 151; 09/96->
1.9 D	40/54	F8Q 678	01/97->09/98	Deflection/Guide	SR-1117	OD: 50; W: 31; engine F8Q 692; engine F8Q 696; num. of teeth 151
				Tensioner	SR-1114	OD: 50; W: 31; engine F8Q 692; engine F8Q 696; num. of teeth 151






	kW/HP	Engine code		Type		
Williams (B/C57M)	108/147	F7R 700	01/94->09/98	Deflection/Guide	SR-1121	OD: 70; W: 28; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1117	OD: 50; W: 31
CLIO II (BB0/1/2_, CB0/1/2_) 						
1.0	40/54	D7D 760	02/00->05/01	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; engine D4D 700; engine D4D 706; engine D4D 752; Fitting Position: Centre right; engine D4D 700; engine D4D 706; engine D4D 752; Fitting Position: Centre right
1.2	55/75		06/01->	Tensioner	SR-1329	OD: 56; W: 24; PSP; Fitting Position: Centre
1.2 (BB0A, BB0F, BB10, BB1K, BB28, BB2D, BB2H, CB0A...)	43/58	D7F 720;D7F 726;D7F 746;D7F 766;D7F 764	09/98->	Tensioner	SR-1329	OD: 56; W: 24; engine D7F 720; engine D7F 722; engine D7F 726; engine D7F 746; engine D7F 764; engine D7F 766; Fitting Position: Centre right
				Tensioner	SR-1118	OD: 50; W: 22; engine D7F 720; engine D7F 722; engine D7F 726; engine D7F 746; engine D7F 766; engine D7F 764; engine D7F 766
1.2 (BB0A, CB0A)	44/60	D7F 722	03/99->05/01	Tensioner	SR-1118	OD: 50; W: 22; engine D7F 722
				Tensioner	SR-1329	OD: 56; W: 24; PSP; Fitting Position: Centre
1.2 16V (BB05, BB0W, BB11, BB27, BB2T, BB2U, BB2V, CB05...)	55/75	D4F 712;D4F 714;D4F 722;D4F 706;D4F 728	06/01->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; engine D4F 706; engine D4F 712; Fitting Position: Centre
1.2 LPG	43/58	D7F 766;D7F 764	09/98->06/09	Tensioner	SR-1329	OD: 56; W: 24; engine D7F 764; engine D7F 766; Fitting Position: Centre right
				Tensioner	SR-1118	OD: 50; W: 22; engine D7F 764; engine D7F 766
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; engine E7J 634; engine E7J 635; engine K7J 700; Fitting Position: Right; - AC; - PS; Fitting Position: Upper; + AC; + PS
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine E7J 634; engine E7J 635; engine K7J 700; Fitting Position: Centre right; + AC
1.4 (B/CB0C)	55/75	E7J 780;E7J 634;K7J 700	09/98->05/05	Tensioner	SR-1214	OD: 55; W: 22; engine E7J 634; engine E7J 635; engine E7J 780; engine K7J 700
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine E7J 634; engine E7J 635; engine K7J 700; Fitting Position: Centre; - AC
				Tensioner	SR-1394	- holder; ID: 17; OD: 76; W: 18; PSP; engine E7J 780; Fitting Position: Centre; + AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine E7J 634; engine E7J 635; engine K7J 700; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4J 710; engine K4J 711; engine K4J 712; engine K4J 713
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K4J 710; engine K4J 711; engine K4J 712; engine K4J 713; Fitting Position: Centre right; + AC
1.4 16V (B/CB0L)	70/95	K4J 712;K4J 713	10/99->09/04	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; engine K4J 710; engine K4J 711
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K4J 710; engine K4J 711; engine K4J 712; engine K4J 713; Fitting Position: Centre; + AC
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine K4J 710; engine K4J 711; engine K4J 712; engine K4J 713; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4J 710; engine K4J 711; engine K4J 712; engine K4J 713
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K4J 712; engine K4J 713; Fitting Position: Centre right; + AC; -06/04; engine K4J 710; engine K4J 711; Fitting Position: Centre right; + AC
1.4 16V (B/CB0P)	72/98	K4J 712;K4J 713;K4J 711;K4J 710	08/00->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; -06/04; engine K4J 710; engine K4J 711; Fitting Position: Upper; + AC; Fitting Position: Right; - AC
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K4J 712; engine K4J 713; Fitting Position: Centre; + AC; -06/04; engine K4J 710; engine K4J 711; Fitting Position: Centre; + AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine K4J 710; engine K4J 711; engine K4J 712; engine K4J 713; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; Fitting Position: Right; - AC
1.5 dCi	74/100	K9K 712	01/04->	Tensioner	SR-1510	- holder; ID: 17; OD: 65; W: 26.5; ALT; -01/05; Fitting Position: Centre; + AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; 01/05->; Fitting Position: Centre; + AC
1.5 dCi	42/57	K9K 704	06/01->12/06	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; 09/05->; Fitting Position: Centre; - AC; 01/05->; Fitting Position: Centre; + AC
				Tensioner	SR-1510	- holder; ID: 17; OD: 65; W: 26.5; ALT; -01/05; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; Fitting Position: Right; - AC
1.5 dCi (B/C2J)	50/68	K9K 700;K9K 714	08/04->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26.5; ALT; ALT; Fitting Position: Centre; + AC; 09/05->; Fitting Position: Centre; - AC
1.5 dCi (B/CB03)	59/80	K9K 702	06/01->10/03	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; Fitting Position: Right; - AC
				Tensioner	SR-1510	- holder; ID: 17; OD: 65; W: 26.5; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; Fitting Position: Right; - AC
1.5 dCi (B/CB07)	48/65	K9K 700;K9K 704	06/01->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; Fitting Position: Right; - AC
				Tensioner	SR-1510	- holder; ID: 17; OD: 65; W: 26.5; ALT; ->01/05; Fitting Position: Centre; + AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 09/05->; Fitting Position: Centre; - AC; 01/05->; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; Fitting Position: Right; - AC
1.5 dCi (B/CB08)	60/82	K9K 702	06/01->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 09/05->; Fitting Position: Centre; - AC; 01/05->; Fitting Position: Centre; + AC
				Tensioner	SR-1510	- holder; ID: 17; OD: 65; W: 26.5; ALT; ->01/05; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; engine K9K 740; Fitting Position: Right; - AC
1.5 dCi (B/CB3M)	47/64	K9K 740	06/05->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K9K 740; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 740; Fitting Position: Centre
1.5 dCi (B/CB3N)	62/84	K9K 718	02/07->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre







	kW/HP	Engine code		Type		
1.6 (B/CB0D)	66/90	K7M 744;K7M 745	09/98->05/05	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K7M 746; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; engine K7M 746; Fitting Position: Right; - AC; - PS
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K7M 746; Fitting Position: Centre; + AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1394	- holder; ID: 17; OD: 76; W: 18; PSP; Fitting Position: Centre; + AC
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine K7M 746; Fitting Position: Centre; - AC
1.6 16V (BB01, BB0H, BB0T, BB14, BB1D, BB1R, BB2KL...)	79/107	K4M 748;K4M 708;K4M 740;K4M 744;K4M 745;K4M 742;K4M 743	09/98->	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 708; engine K4M 748
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K4M 708; engine K4M 748; Fitting Position: Centre right; + AC
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine K4M 708; engine K4M 748; Fitting Position: Centre; - AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
1.9 D (B/CB0E)	47/64	F8Q 630	09/98->05/05	Deflection/Guide	SR-1213	OD: 60; W: 31; engine F8Q 630; Fitting Position: Lower Left
				Deflection/Guide	SR-1117	OD: 50; W: 31; engine F8Q 630; Fitting Position: Right
				Pulley	SR-1395	ID: 29; num. of ribs: 6; OD: 93; W: 24.5; - AC
1.9 D (B/CB0J)	48/65	F8Q 630;F8Q 632	02/00->05/01	Tensioner	SR-1114	OD: 50; W: 31; engine F8Q 630; Fitting Position: Upper Left
				Deflection/Guide	SR-1213	OD: 60; W: 31; Fitting Position: Lower Left
				Deflection/Guide	SR-1117	OD: 50; W: 31; engine F8Q 630; Fitting Position: Right
1.9 dTi (B/CB0U)	59/80	F9Q 780	12/99->05/05	Pulley	SR-1395	ID: 29; num. of ribs: 6; OD: 93; W: 24.5; - AC
				Deflection/Guide	SR-1114	OD: 50; W: 31; engine F8Q 630; Fitting Position: Upper Left
				Deflection/Guide	SR-1213	OD: 60; W: 31; engine F9Q 780; engine F9Q 782; Fitting Position: Lower Left
2.0 16V Sport	132/179	F4R 738	01/04->	Pulley	SR-1395	ID: 29; num. of ribs: 6; OD: 93; W: 24.5; - AC
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54.5; W: 32.5; engine F4R 732; engine F4R 736; engine F4R 738; Fitting Position: Lower Right; + AC
2.0 16V Sport (CB0M)	124/169	F4R 730;F4R 736	02/00->	Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; engine F4R 730; Fitting Position: Lower Right; + AC
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54.5; W: 32.5; 04/01->; engine F4R 730; Fitting Position: Lower Left
				Deflection/Guide	SR-1005	OD: 54; W: 32; ->04/01; engine F4R 730; Fitting Position: Lower Left
3.0 V6 Sport (CB1A)	166/226	L7X 760	11/00->12/02	Deflection/Guide	SR-1366	OD: 65; W: 26.6; ALT; engine L7X 760; Fitting Position: Centre right
3.0 V6 Sport (CB1H, CB1U, CB2S)	187/254	L7X 762	12/02->	Deflection/Guide	SR-1366	OD: 65; W: 26.6; ALT; ->05/04; engine L7X 762; Fitting Position: Centre right
CLIO II Box (SB0/1/2_) 						
1.1 (SB0A, SB0F, SB1K, SB2D)	43/58	D7F 720;D7F 726;D7F 746	09/98->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; engine D7F 720; engine D7F 722; Fitting Position: Centre right
				Tensioner	SR-1118	OD: 50; W: 22; engine D7F 720; engine D7F 722
1.2 (SB0A, SB0F, SB10)	44/60	D7F 726;D7F 722;D7F 746	03/99->10/03	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; engine D7F 720; engine D7F 722; engine D7F 726; engine D7F 746; engine D7F 764; engine D7F 766; Fitting Position: Centre right
				Tensioner	SR-1118	OD: 50; W: 22; engine D7F 726; engine D7F 746
1.5 dCi	59/80	K9K 702	06/01->10/04	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; Fitting Position: Lower Left; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 710; engine K9K 714; engine K9K 740; Fitting Position: Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K9K 700; engine K9K 704; engine K9K 714; engine K9K 740; Fitting Position: Right; - AC
1.5 dCi	60/82	K9K 702;K9K 710;K9K 716	11/03->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 01/05->; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 710; engine K9K 714; engine K9K 716; engine K9K 740; Fitting Position: Centre; + AC; 09/05->; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 710; engine K9K 714; engine K9K 740; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K9K 700; engine K9K 704; engine K9K 714; engine K9K 740; Fitting Position: Right; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 710; engine K9K 714; engine K9K 740; Fitting Position: Right; - AC
1.5 dCi (SB07)	48/65	K9K 700;K9K 704	06/01->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 01/05->; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 710; engine K9K 714; engine K9K 716; engine K9K 740; Fitting Position: Centre; + AC; 09/05->; engine K9K 700; engine K9K 702; engine K9K 704; engine K9K 710; engine K9K 714; engine K9K 740; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1117	OD: 50; W: 31; engine F8Q 630; Fitting Position: Right
1.9 D (SB0E)	47/64	F8Q 630	09/98->	Deflection/Guide	SR-1213	OD: 60; W: 31; Fitting Position: Lower Left
				Deflection/Guide	SR-1395	ID: 29; num. of ribs: 6; OD: 93; W: 24.5; - AC
				Pulley	SR-1114	OD: 50; W: 31; engine F8Q 630; Fitting Position: Upper Left
				Tensioner	SR-1114	OD: 50; W: 31; engine F8Q 630; Fitting Position: Upper Left
1.9 D (SB0J)	48/65	F8Q 632	02/00->05/01	Deflection/Guide	SR-1213	OD: 60; W: 31; Fitting Position: Lower Left
				Deflection/Guide	SR-1117	OD: 50; W: 31; engine F8Q 630; Fitting Position: Right
				Pulley	SR-1395	ID: 29; num. of ribs: 6; OD: 93; W: 24.5; - AC
1.9 D (SB0U)	59/80	F9Q 780	02/00->05/01	Tensioner	SR-1114	OD: 50; W: 31; engine F8Q 630; Fitting Position: Upper Left
				Deflection/Guide	SR-1213	OD: 60; W: 31; engine F9Q 780; engine F9Q 782; Fitting Position: Lower Left
				Pulley	SR-1395	ID: 29; num. of ribs: 6; OD: 93; W: 24.5; - AC
CLIO III (BR0/1, CR0/1) 						
1.4 16V	72/98	K4J 780	06/05->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; Fitting Position: Lower Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; Fitting Position: Lower Right; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32
1.5 dCi	48/65	K9K 752	05/05->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Centre; + AC; 05/06->; Fitting Position: Centre; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; 09/05->; Fitting Position: Centre; eng. output 65 HP; - AC; + AC






	kW/HP	Engine code		Type		
1.5 dCi	47/64	K9K 752	06/05->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; engine K9K 752; Fitting Position: Lower Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K9K 752; Fitting Position: Lower Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; 09/05->; engine K9K 752; Fitting Position: Centre; - AC; + AC
1.5 dCi	55/75	K9K 770	08/10->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Lower Right; eng. output 75 HP; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre; eng. output 75 HP
1.5 dCi	65/88	K9K 770	08/10->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Lower Right; eng. output 90 HP; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre; eng. output 90 HP
1.5 dCi (BR0H, CR0H)	78/106	K9K 764;K9K 774	06/05->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; engine K9K 764; Fitting Position: Lower Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 764; Fitting Position: Centre; + AC; 09/05->; - AC
1.5 dCi (BR17, CR17)	63/86	K9K 766	06/05->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; engine K9K 766; Fitting Position: Lower Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K9K 766; Fitting Position: Lower Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 766; Fitting Position: Centre; + AC; 09/05->; - AC
1.5 dCi (BR1C, CR1C)	76/103	K9K 772	06/05->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 772; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; Fitting Position: Lower Right; eng. output 70 HP; - AC
1.5 dCi (C/BR0G, C/BR1G)	50/68	K9K 768;K9K 714	06/05->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; Fitting Position: Lower Right; eng. output 70 HP; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre; eng. output 70 HP; + AC; 09/05->; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32
1.6 16V (BR05, BR0B, BR0Y, BR15, BR1J, BR1M, BR1Y, CR0B...)	82/112	K4M 800;K4M 801	06/05->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K4M 800; engine K4M 801; Fitting Position: Lower Right; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; engine K4M 800; engine K4M 801; Fitting Position: Lower Right; - AC
				Tensioner	SR-1004	ID: 8.2; OD: 66; W: 32
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; engine K4M 800; engine K4M 801; Fitting Position: Centre; + AC; 05/06->; engine K4M 800; engine K4M 801; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; Fitting Position: Lower Right; - AC
1.6 16V (BR09, BR0T, CR09, CR0T)	65/88	K4M 804	06/05->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; Fitting Position: Lower Right; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32
				Tensioner	SR-1004	ID: 8.2; OD: 66; W: 32
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Centre; + AC; 05/06->; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32
1.6 16V GT (BR10, CR10)	94/128	K4M 862	06/09->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1004	ID: 8.2; OD: 66; W: 32
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54.5; W: 32.5
2.0 16V (BR0C, BR0K, CR0C, CR0K)	102/139	M4R 700;M4R 701	09/06->	Tensioner	SR-1014	- holder; ID: 17; OD: 70; W: 27; ALT; Fitting Position: Centre left
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54.5; W: 32.5
2.0 16V Sport	145/197	F4R 830	02/06->	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54.5; W: 32.5; engine F4R 832
2.0 16V Sport	148/200	F4R 830	09/08->	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 832; Fitting Position: Centre
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54.5; W: 32.5; engine F4R 832
CLIO IV 						
0.9 TCe 90	66/90		11/12->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine H4B 400
1.2 TCe 120	88/120	H5F 403	03/13->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine H5F 403
1.5 dCi 75	55/75	K9K 612	11/12->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 830; engine K9K 838; + AC
DUSTER 						
1.5 dCi	66/90	K9K 884	06/11->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 796; engine K9K 830
				Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1005	OD: 54; W: 32
1.6 16V (HSAT)	75/102	K4M 616	02/12->	Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54.5; W: 32.5; engine F4R 400; engine F4R 401; engine F4R 402; engine F4R 403; engine F4R 404; engine F4R 405; engine F4R 408
2.0	98/133	F4R 403;F4R 405	02/12->	Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; engine F4R 400; engine F4R 401; engine F4R 403; Fitting Position: Centre; - AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 400; engine F4R 401; engine F4R 402; engine F4R 403; engine F4R 404; engine F4R 405; engine F4R 408; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54.5; W: 32.5; engine F4R 400; engine F4R 401; engine F4R 402; engine F4R 403; engine F4R 404; engine F4R 405; engine F4R 408
2.0 4x4	99/135	F4R	02/12->	Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 400; engine F4R 401; engine F4R 402; engine F4R 403; engine F4R 404; engine F4R 405; engine F4R 408; Fitting Position: Centre; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; engine F4R 400; engine F4R 401; engine F4R 403; Fitting Position: Centre; - AC
ESPACE I [J11.] 						
2.1 TD [J/S115]	65/88	J8S 240;J8S 774;J8S 776	10/84->12/90	Deflection/Guide	SR-1116	OD: 60; W: 33
ESPACE II [J/S63.] 						
2.1 TD [J633, J634, J/S635, J/S63D]	65/88	J8S 610;J8S 772;J8S 776;J8S 778	01/91->10/96	Deflection/Guide	SR-1116	OD: 60; W: 33
2.1 TD [J63E]	66/90	J8S 612	11/94->10/96	Deflection/Guide	SR-1116	OD: 60; W: 33








	kW/HP	Engine code		Type		
ESPACE III (JE0_) 						
1.9 dTi (JE0M)	72/98	F9Q 722	02/99->10/02	Deflection/Guide	SR-1213	OD: 60; W: 31; ->10/00; Fitting Position: Lower Left
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1114	OD: 50; W: 31; ->10/00; Fitting Position: Upper Left
2.0	102/139	F4R 700;F4R 701	09/01->10/02	Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; ->03/01; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; Fitting Position: Lower Left
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right; + AC
2.0 (JE0A)	84/114	F3R 728;F3R 729;F3R 742;F3R 768;F3R 769	11/96->10/00	Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Deflection/Guide	SR-1115	OD: 50; W: 31; engine F3R 742; engine F3R 768; engine F3R 769; Fitting Position: Right
				Deflection/Guide	SR-1121	OD: 70; W: 28; ALT; Fitting Position: Centre; + AC
2.0 16V (JE0N, JE0L, JE02)	103/140	F4R 700;F4R 701	10/98->10/02	Tensioner	SR-1114	OD: 50; W: 31; engine F3R 742; engine F3R 768; engine F3R 769; Fitting Position: Upper Left
				Deflection/Guide	SR-1005	OD: 54; W: 32; 06/99->->04/01; Fitting Position: Lower Left
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; 04/01->-> Fitting Position: Lower Left
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre; + AC
2.2 dCi (JE0K)	95/130	G9T 710;G9T 642	10/00->10/02	Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1180	OD: 76; W: 30
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
2.2 dCi (JE0S)	85/115	G9T 710	07/00->10/02	Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1180	OD: 76; W: 30
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
3.0 V6 24V (JE0G, JE0R)	140/190	L7X 727	10/98->10/02	Deflection/Guide	SR-1366	OD: 65; W: 26,6; ALT; engine L7X 727; Fitting Position: Centre right
ESPACE IV (JK0/1_) 						
1.9 dCi (JK0U)	85/116	F9Q 820	04/03->02/05	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
1.9 dCi (JK0U, JK0G)	88/120	F9Q 680;F9Q 820;F9Q 826	11/02->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F9Q 820; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 820; Fitting Position: Centre
2.0 (JK09)	100/136	F4R 792	11/02->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; engine F4R 790; engine F4R 792
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4R 790; engine F4R 792; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 790; engine F4R 792; Fitting Position: Centre
2.0 (JK0A, JK1D, JK0N)	125/170	F4R 797;F4R 897;F4R 796;F4R 896	04/05->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4R 896; engine F4R 897; Fitting Position: Centre right
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; engine F4R 896; engine F4R 897
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 896; engine F4R 897; Fitting Position: Centre
2.0 dCi (JK01, JK02, JK1J, JK1K)	110/150	M9R 740;M9R 750;M9R 815	01/06->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9R 740; engine M9R 750; engine M9R 760; engine M9R 761; engine M9R 762; engine M9R 763; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 740; engine M9R 750; engine M9R 760; engine M9R 761; engine M9R 762; engine M9R 763; Fitting Position: Centre
2.0 dCi (JK02, JK03)	96/131	M9R 740;M9R 760;M9R 750;M9R 761;M9R 762;M9R 763	01/06->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9R 740; engine M9R 750; engine M9R 814; engine M9R 858; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 740; engine M9R 750; engine M9R 814; engine M9R 858; Fitting Position: Centre
2.0 dCi (JK03, JK04)	127/173	M9R 760;M9R 761;M9R 762;M9R 763;M9R 815	01/06->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9R 760; engine M9R 761; engine M9R 762; engine M9R 763; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 30; ALT; engine M9R 760; engine M9R 761; engine M9R 762; engine M9R 763; Fitting Position: Centre
2.0 Turbo (JK0A, JK0B, JK0N)	120/163	F4R 794;F4R 795;F4R 797;F4R 796	11/02->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4R 794; engine F4R 795; engine F4R 796; engine F4R 797; Fitting Position: Centre right
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; engine F4R 794; engine F4R 795; engine F4R 796; engine F4R 797
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 794; engine F4R 795; engine F4R 796; engine F4R 797; Fitting Position: Centre
2.2 dCi (JK07)	102/139	G9T 645	02/06->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1180	OD: 76; W: 30
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; Fitting Position: Centre
2.2 dCi (JK0H)	110/150	G9T 742;G9T 743	11/02->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1180	OD: 76; W: 30
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; Fitting Position: Centre
ESPACE V 						
1.6 dCi 130	96/130	R9M 409	06/15->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT
1.6 dCi 160	118/160	R9M 452	06/15->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT
FLUENCE (L30_) 						
1.5 dCi (L30A)	63/86	K9K 830	02/10->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 830; engine K9K 838; engine K9K 842; Fitting Position: Centre
1.5 dCi (L30B)	78/106	K9K 832	02/10->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi (L30D, L30L)	81/110	K9K 836;K9K 837	02/10->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi (L30S)	66/90	K9K 834	02/10->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.6 16V	82/111	K4M 838	02/10->	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 838; engine K4M 839; engine K4M 864
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 838; engine K4M 839; engine K4M 864
				Tensioner	SR-1004	ID: 8,2; OD: 66; W: 32; engine K4M 838; engine K4M 839






	kW/HP	Engine code		Type		
1.6 16V (L301, L30F, L30P, L30R)	81/110	K4M 838;K4M 839	02/10->	Tensioner	SR-1351	ID: 10;2, OD: 70; W: 37; ALT; engine H4M 720; engine H4M 721; Fitting Position: Centre right
2.0 16V (L30C, L30G, L30T, L30V)	103/140	M4R 714;M4R 751	02/10->	Tensioner	SR-1014	- holder; ID: 17; OD: 70; W: 27; ALT
FUEGO (136_) 						
2.1 TD	65/88	J8S 712	08/82->10/85	Deflection/Guide	SR-1116	OD: 60; W: 33
GRAND SCÉNIC II (JM0/1_) 						
1.5 dCi	76/103	K9K 734	06/06->11/08	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K9K 728; Fitting Position: Right; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; engine K9K 728; Fitting Position: Right; - AC
1.5 dCi (JM02, JM13)	74/101	K9K 728	04/04->	Tensioner	SR-1510	- holder; ID: 17; OD: 65; W: 26.5; ALT; ->01/05; engine K9K 728; Fitting Position: Centre; + AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 01/05->; engine K9K 728; Fitting Position: Centre; + AC; 09/05->; engine K9K 728; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; Fitting Position: Right; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32
1.6	83/113	K4M 761;K4M 782	04/04->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 04/05->; Fitting Position: Centre; + AC; 05/06->; Fitting Position: Centre; - AC
				Tensioner	SR-1004	ID: 8;2, OD: 66; W: 32
				Tensioner	SR-1510	- holder; ID: 17; OD: 65; W: 26.5; ALT; ->04/05; Fitting Position: Centre; + AC
1.9 dCi	85/116	F9Q 804;F9Q 812;F9Q 803	05/05->01/09	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 812; Fitting Position: Centre
1.9 dCi (JM0G, JM12, JM1G, JM2C)	88/120	F9Q 812	04/04->	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
1.9 dCi (JM14)	96/131	F9Q J 803;F9Q EE 804;F9Q 816;F9Q 818	05/05->	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 803; engine F9Q 804; engine F9Q 816; engine F9Q 818; Fitting Position: Centre
1.9 dCi (JM15)	81/110	F9Q E 804	05/05->	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 804; Fitting Position: Centre
2.0	99/135	F4R 770;F4R 771	04/04->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54.5; W: 32.5
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
2.0	120/163	F4R 776	04/04->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54.5; W: 32.5
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
2.0 dCi (JM1K)	110/150	M9R 700;M9R 721;M9R 722	09/05->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9R 700; engine M9R 721; engine M9R 722; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 700; engine M9R 721; engine M9R 722; Fitting Position: Centre
GRAND SCÉNIC III (JZ0/1_) 						
1.2 TCe	85/116	H5F 400	04/12->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Right
1.2 TCe (JZ16)	97/132	H5F 404	01/13->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Right
1.5 dCi	78/106	K9K 832	02/09->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi	81/110	K9K 836;K9K 837;K9K 636	04/09->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi	63/86	K9K 830	04/09->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi	70/95	K9K 846	11/10->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 858; engine K4M 866
1.6 16V (JZ0U)	81/109	K4M 858	02/09->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 858; engine K4M 866; Fitting Position: Centre
				Tensioner	SR-1004	ID: 8;2, OD: 66; W: 32; engine K4M 858; engine K4M 866
1.6 dCi (JZ00, JZ12)	96/130	R9M 402;R9M 404	04/11->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Centre right
1.9 dCi	96/131	F9Q 872;F9Q 870	02/09->	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 870; engine F9Q 872; Fitting Position: Centre
2.0 16V (JZ0G)	103/140	M4R 711	02/09->	Tensioner	SR-1014	- holder; ID: 17; OD: 70; W: 27; ALT; Fitting Position: Centre
2.0 dCi (JZ0L)	118/160	M9R 610	04/09->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9R 610; engine M9R 615; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 610; engine M9R 615; Fitting Position: Centre
2.0 dCi (JZ0Y)	110/150	M9R 615	02/09->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9R 610; engine M9R 615; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 610; engine M9R 615; Fitting Position: Centre
KADJAR 						
1.6 dCi 130	96/130	R9M 414	06/15->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Centre left
1.6 dCi 130 4x4	96/130	R9M 414	06/15->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Centre left
KANGOO (KC0/1_) 						
1.2 (KC0A, KC0K, KC0F, KC0I)	43/58	D7F 710;D7F 720;D7F 726;D7F 722;D7F 744;D7F 746	08/97->	Tensioner	SR-1118	OD: 50; W: 22; engine D7F 710; engine D7F 720; engine D7F 722; engine D7F 726; engine D7F 744; engine D7F 746; engine D7F 766
				Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; engine D7F 710; engine D7F 720; engine D7F 722; engine D7F 726; engine D7F 744; engine D7F 746; engine D7F 764; engine D7F 766; Fitting Position: Centre; engine D7F 710; engine D7F 720; engine D7F 722; engine D7F 726; engine D7F 744; engine D7F 746; engine D7F 764; engine D7F 766; Fitting Position: Centre; - AC
1.2 16V (KC05, KC06, KC03, KC0T, KC0W, KC1D)	55/75	D4F 712;D4F 714;D4F 716;D4F 730	06/01->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; engine D4D 700; engine D4D 720; engine D4F 712; Fitting Position: Centre right






	kW/HP	Engine code		Type		
1.4 (KC0C, KC0H, KC0B, KC0M)	55/75	E7J 780;E7J 634;E7J 635;K7J 700;K7J 701	08/97->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine E7J 634; engine E7J 635; engine K7J 700; engine K7J 701; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ALT; engine E7J 634; engine E7J 635; Fitting Position: Upper; + AC; - PS; engine E7J 634; engine E7J 635; engine K7J 700; engine K7J 701; Fitting Position: Right; - AC; - PS
				Tensioner	SR-1394	- holder; ID: 17; OD: 76; W: 18; ACCOM; engine E7J 780; Fitting Position: Centre; - PS
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine E7J 634; engine E7J 635; engine K7J 700; engine K7J 701; Fitting Position: Centre; + AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1214	OD: 55; W: 22; engine E7J 634; engine E7J 635; engine E7J 780; engine K7J 700; engine K7J 701; engine K7J 718
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine E7J 634; engine E7J 635; engine K7J 700; engine K7J 701; Fitting Position: Centre; - AC
1.5 dCi	45/61	K9K 700;K9K 702	04/05->06/10	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; engine K9K 716; Fitting Position: Lower Left; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K9K 716; Fitting Position: Lower Left; - AC; - PS
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 716; Fitting Position: Centre
1.5 dCi	50/68	K9K 714	06/05->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Centre; + AC; 09/05->; Fitting Position: Centre; - AC
1.5 dCi	62/84	K9K 718	06/05->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Centre; + AC; 09/05->; ->12/07; Fitting Position: Centre; - AC
1.5 dCi	42/57	K9K 704	07/03->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; Fitting Position: Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 09/05->; Fitting Position: Centre; - AC; 01/05->; Fitting Position: Centre; + AC
1.5 dCi (KC07)	48/65	K9K 700;K9K 704	12/01->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 09/05->; Fitting Position: Centre; - AC; 01/05->; Fitting Position: Centre; + AC
1.5 dCi (KC08, KC09)	60/82	K9K 702;K9K 710	07/02->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 09/05->; Fitting Position: Centre; - AC; 01/05->; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K4M 708; engine K4M 730; engine K4M 750; engine K4M 752; engine K4M 753; engine K4M 850; Fitting Position: Centre right; + AC
1.6 16V	70/95	K4M 752;K4M 750;K4M 753;K4M 706	06/01->	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 708; engine K4M 730; engine K4M 750; engine K4M 752; engine K4M 753; engine K4M 850
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine K4M 708; engine K4M 730; engine K4M 750; engine K4M 752; engine K4M 753; engine K4M 850; Fitting Position: Centre; - AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K4M 708; engine K4M 730; engine K4M 750; engine K4M 752; engine K4M 753; engine K4M 850; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1005	OD: 54; W: 32
1.6 16V 4x4 (KC0P, KC0S, KC0L)	70/95	K4M 752;K4M 750;K4M 753	10/01->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 732; engine K4M 754
1.6 16V bivalent	60/82	K4M 850	06/05->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K4M 732; engine K4M 754; Fitting Position: Centre right; + AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K4M 732; engine K4M 754; Fitting Position: Centre; + AC
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine K4M 732; engine K4M 754; Fitting Position: Centre; - AC
1.9 dCi 4x4 (KC0V)	59/80	F9Q 790;F9Q 782	10/01->	Pulley	SR-1395	ID: 29; num. of ribs: 6; OD: 93; W: 24.5; engine F9Q782; - AC
1.9 dTi (KC0U)	59/80	F9Q 780	02/00->	Deflection/Guide	SR-1213	OD: 60; W: 31; Fitting Position: Lower Left
				Pulley	SR-1395	ID: 29; num. of ribs: 6; OD: 93; W: 24.5; - AC
D 55 1.9 (KC0D)	40/54	F8Q 662	08/97->	Deflection/Guide	SR-1117	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
D 65 1.9 (KC0E, KC02, KC0J, KC0N)	47/64	F8Q 630;F8Q 632	08/97->	Deflection/Guide	SR-1117	OD: 50; W: 31
				Pulley	SR-1395	ID: 29; num. of ribs: 6; OD: 93; W: 24.5; - AC
				Tensioner	SR-1114	OD: 50; W: 31
KANGOO / GRAND KANGOO (KW0/1_) 						
1.2 TCe 115	84/115	H5F 400	07/13->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine H5F 400; Fitting Position: Left
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; engine K9K 804; engine K9K 806; Fitting Position: Right; - AC
1.5 dCi	78/106	K9K 804	02/08->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K 800; engine K9K 802; engine K9K 808; engine K9K 812; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 800; engine K9K 802; engine K9K 804; engine K9K 806; engine K9K 808; engine K9K 812; Fitting Position: Centre
1.5 dCi	55/75	K9K 802;K9K 608	11/12->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi	66/90	K9K 808	11/12->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi (KW0A)	50/68	K9K 714;K9K 800;K9K 840	02/08->	Deflection/Guide	SR-1162	OD: 75; W: 21; ALT; engine K9K 800; engine K9K 802; engine K9K 808; engine K9K 812; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; OD: 127; W: 22.5; ALT; engine K9K 804; engine K9K 806; engine K9K 802; engine K9K 804; engine K9K 806; engine K9K 808; engine K9K 812; Fitting Position: Centre






	kW/HP	Engine code		Type		
1.5 dCi (KW0B)	63/86	K9K 802	02/08->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; engine K9K 804; engine K9K 806; Fitting Position: Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K 800; engine K9K 802; engine K9K 808; engine K9K 812; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 800; engine K9K 802; engine K9K 804; engine K9K 806; engine K9K 808; engine K9K 812; Fitting Position: Centre
1.5 dCi (KW0C, KW0F)	76/103	K9K 804;K9K 806	02/08->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K 800; engine K9K 802; engine K9K 808; engine K9K 812; Fitting Position: Right; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; engine K9K 804; engine K9K 806; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 800; engine K9K 802; engine K9K 804; engine K9K 806; engine K9K 808; engine K9K 812; Fitting Position: Centre
1.5 dCi 110	80/110	K9K 804	09/10->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K 800; engine K9K 802; engine K9K 808; engine K9K 812; Fitting Position: Right; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; engine K9K 804; engine K9K 806; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 800; engine K9K 802; engine K9K 804; engine K9K 806; engine K9K 808; engine K9K 812; Fitting Position: Centre
1.6 (KW00, KW0Y)	64/87	K7M 750	02/08->	Tensioner	SR-1214	OD: 55; W: 22
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->04/09; engine K4M 831; Fitting Position: Right; - AC
1.6 16V Hi-Flex	78/106	K4M 834;K4M 850	02/08->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K4M 830; engine K4M 834; Fitting Position: Right; - AC; 04/09->; engine K4M 831; Fitting Position: Right; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 830; engine K4M 831; engine K4M 834
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 830; engine K4M 831; engine K4M 834; Fitting Position: Centre
1.6 16V (KW0D)	78/106	K4M 830;K4M 831	02/08->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K4M 830; engine K4M 834; Fitting Position: Right; - AC; 04/09->; engine K4M 831; Fitting Position: Right; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->04/09; engine K4M 831; Fitting Position: Right; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 830; engine K4M 831; engine K4M 834
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 830; engine K4M 831; engine K4M 834; Fitting Position: Centre
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->04/09; engine K4M 831; Fitting Position: Right; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 830; engine K4M 831; engine K4M 834
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 830; engine K4M 831; engine K4M 834; Fitting Position: Centre
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->04/09; engine K4M 831; Fitting Position: Right; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 830; engine K4M 831; engine K4M 834
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 830; engine K4M 831; engine K4M 834; Fitting Position: Centre
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->04/09; engine K4M 831; Fitting Position: Right; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 830; engine K4M 831; engine K4M 834
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 830; engine K4M 831; engine K4M 834; Fitting Position: Centre
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->04/09; engine K4M 831; Fitting Position: Right; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 830; engine K4M 831; engine K4M 834
KANGOO BE BOP (KW0/1_) 						
1.5 dCi	80/110	K9K 804	06/09->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; Fitting Position: Lower Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi (KW0F)	76/103	K9K 806	02/09->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; engine K9K 804; engine K9K 806; Fitting Position: Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K 800; engine K9K 802; engine K9K 808; engine K9K 812; Fitting Position: Right; - AC
1.5 dCi (KW0G)	66/90	K9K 808	06/09->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 808; Fitting Position: Centre
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K 800; engine K9K 802; engine K9K 808; engine K9K 812; Fitting Position: Right; - AC
1.5 dCi 75	55/75	K9K 802	09/10->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.6 (KW0D)	78/106	K4M 830	02/09->	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 830; engine K4M 831; engine K4M 834
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K4M 830; engine K4M 834; Fitting Position: Right; - AC; 04/09->; engine K4M 831; Fitting Position: Right; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->04/09; engine K4M 831; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 830; engine K4M 831; engine K4M 834; Fitting Position: Centre
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->04/09; engine K4M 831; Fitting Position: Right; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 830; engine K4M 831; engine K4M 834
KANGOO Express (FC0/1_) 						
1.2 (FC01, FC0A, FC0F)	43/58	D7F 710;D7F 720;D7F 726;D7F 722;D7F 744;D7F 746	08/97->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; engine D7F 710; engine D7F 720; engine D7F 722; engine D7F 726; engine D7F 744; engine D7F 746; engine D7F 764; engine D7F 766; Fitting Position: Centre; engine D7F 710; engine D7F 720; engine D7F 722; engine D7F 726; engine D7F 744; engine D7F 746; engine D7F 764; engine D7F 766; Fitting Position: Centre; - AC
				Tensioner	SR-1118	OD: 50; W: 22; engine D7F 710; engine D7F 720; engine D7F 722; engine D7F 726; engine D7F 744; engine D7F 746; engine D7F 764; engine D7F 766
1.2 (FC1A)	44/60	D7F 766;D7F 764	07/98->07/01	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; engine D7F 764; engine D7F 766; Fitting Position: Centre; - AC
				Tensioner	SR-1118	OD: 50; W: 22
1.2 16V (FC05)	55/75	D4F 712;D4F 714;D4F 730	10/01->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; engine D4F 712; engine D4F 730; Fitting Position: Centre; - PS
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ALT; engine E7J 634; engine E7J 635; Fitting Position: Uppier; - AC; - PS; engine E7J 634; engine E7J 635; engine K7J 700; engine K7J 701; Fitting Position: Right; - AC; - PS
1.4 (FC0C, FC0B, FC0H, FC0M)	55/75	E7J 780;E7J 634;E7J 635;K7J 701	08/97->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine E7J 634; engine E7J 635; engine K7J 700; engine K7J 701; Fitting Position: Centre right; + AC
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine E7J 634; engine E7J 635; engine K7J 700; engine K7J 701; Fitting Position: Centre; + AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1394	- holder; ID: 17; OD: 76; W: 18; ACCOM; engine E7J 780; Fitting Position: Centre; - PS
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine E7J 634; engine E7J 635; engine K7J 700; engine K7J 701; Fitting Position: Centre; - AC
				Tensioner	SR-1214	OD: 55; W: 22; engine E7J 634; engine E7J 635; engine E7J 780; engine K7J 700; engine K7J 701; engine K7J 718
1.5 dCi	45/61	K9K 716	10/05->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; Fitting Position: Right; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre; + AC
1.5 dCi (FC07, FC1R)	48/65	K9K 700;K9K 704;K9K 702	12/01->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K9K 700; engine K9K 704; Fitting Position: Right; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; engine K9K 700; engine K9K 704; Fitting Position: Right; - AC
1.5 dCi (FC08, FC09)	60/82	K9K 702;K9K 710	04/03->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 09/05->; Fitting Position: Centre; - AC; 01/05->; Fitting Position: Centre; + AC





	kW/HP	Engine code		Type		
1.5 dCi (FC1E)	50/68	K9K 714	06/05->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; Fitting Position: Right; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Centre; + AC; 09/05->; Fitting Position: Centre; - AC
1.5 dCi (FC1G)	62/84	K9K 718	06/05->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; engine K9K 716; engine K9K 718; Fitting Position: Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K9K 716; engine K9K 718; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 716; engine K9K 718; Fitting Position: Centre; + AC; 09/05->; - AC
1.5 dCi (FC1R)	42/57	K9K 704	12/02->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; Fitting Position: Right; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 09/05->; Fitting Position: Centre; - AC; 01/05->; Fitting Position: Centre; + AC
1.6 16V	70/95	K4M 752;K4M 706	10/01->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K4M 708; engine K4M 730; engine K4M 750; engine K4M 752; engine K4M 753; engine K4M 850; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 708; engine K4M 730; engine K4M 750; engine K4M 752; engine K4M 753; engine K4M 850
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine K4M 708; engine K4M 730; engine K4M 750; engine K4M 752; engine K4M 753; engine K4M 850; Fitting Position: Centre; - AC
1.6 16V	70/95	K4M 752;K4M 706	10/01->	Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K4M 708; engine K4M 730; engine K4M 750; engine K4M 752; engine K4M 753; engine K4M 850; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1005	OD: 54; W: 32
1.6 16V 4x4 (FC0L, FC0P, FC0S)	70/95	K4M 752;K4M 750;K4M 753	10/01->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; Fitting Position: Centre; - AC
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre; + AC
1.6 16V bivalent	60/82	K4M 850	06/05->	Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 732; engine K4M 754
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K4M 732; engine K4M 754; Fitting Position: Centre right; + AC
1.9 D (FC0J)	48/65	F8Q 632	09/99->06/03	Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine K4M 732; engine K4M 754; Fitting Position: Centre; - AC
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K4M 732; engine K4M 754; Fitting Position: Centre; + AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
1.9 dCi 4x4 (FC0V)	59/80	F9Q 790;F9Q 782	10/01->	Deflection/Guide	SR-1117	OD: 50; W: 31; Fitting Position: Right
				Deflection/Guide	SR-1213	OD: 60; W: 31; Fitting Position: Lower Left
				Pulley	SR-1395	ID: 29; num. of ribs: 6; OD: 93; W: 24.5; - AC
1.9 dTi (FC0U)	59/80	F9Q 780	02/00->	Tensioner	SR-1114	OD: 50; W: 31; Fitting Position: Upper Left
				Pulley	SR-1395	ID: 29; num. of ribs: 6; OD: 93; W: 24.5; - AC
				Deflection/Guide	SR-1213	OD: 60; W: 31; Fitting Position: Lower Left
D 55 1.9 (FC0D)	40/54	F8Q 662	08/97->	Deflection/Guide	SR-1117	OD: 50; W: 31; Fitting Position: Right
				Deflection/Guide	SR-1117	OD: 50; W: 31; Fitting Position: Right
				Tensioner	SR-1114	OD: 50; W: 31; Fitting Position: Upper Left
D 65 1.9 (FC0E, FC02, FC0J, FC0N)	47/64	F8Q 630;F8Q 632	08/97->	Deflection/Guide	SR-1213	OD: 60; W: 31; Fitting Position: Lower Left
				Pulley	SR-1395	ID: 29; num. of ribs: 6; OD: 93; W: 24.5; engine F8Q630; - AC
				Tensioner	SR-1114	OD: 50; W: 31; Fitting Position: Upper Left
KANGOO Express (FW0/1_) 						
1.2 TcE 115	84/115	H5F 400	07/13->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine H5F 400; Fitting Position: Left
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K 800; engine K9K 802; engine K9K 808; engine K9K 812; Fitting Position: Right; - AC
1.5 dCi	50/68	K9K 800	02/08->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; engine K9K 804; engine K9K 806; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 800; engine K9K 802; engine K9K 804; engine K9K 806; engine K9K 808; engine K9K 812; Fitting Position: Centre
1.5 dCi (FW0F)	76/103	K9K 806	02/08->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K 800; engine K9K 802; engine K9K 808; engine K9K 812; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 800; engine K9K 802; engine K9K 804; engine K9K 806; engine K9K 808; engine K9K 812; Fitting Position: Centre
1.5 dCi 110	80/110	K9K 804	09/10->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K 800; engine K9K 802; engine K9K 808; engine K9K 812; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; OD: 127; W: 22.5; ALT; engine K9K 804; engine K9K 806; Fitting Position: Right; - AC
1.5 dCi 110	81/110	K9K 636	09/13->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K 800; engine K9K 802; engine K9K 808; engine K9K 812; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 800; engine K9K 802; engine K9K 804; engine K9K 806; engine K9K 808; engine K9K 812; Fitting Position: Centre
1.5 dCi 75	55/75	K9K 808;K9K 608	09/10->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; engine K9K 804; engine K9K 806; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 800; engine K9K 802; engine K9K 804; engine K9K 806; engine K9K 808; engine K9K 812; Fitting Position: Centre
1.5 dCi 85 (FW0A, FW0B)	63/86	K9K 802;K9K 800	02/08->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K 800; engine K9K 802; engine K9K 808; engine K9K 812; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 800; engine K9K 802; engine K9K 804; engine K9K 806; engine K9K 808; engine K9K 812; Fitting Position: Centre







	kW/HP	Engine code		Type		
1.5 dCi 90 (FW0G)	66/90	K9K 808;K9K 608	06/09->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; engine K9K 804; engine K9K 806; Fitting Position: Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; engine K9K 800; engine K9K 802; engine K9K 808; engine K9K 812; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 800; engine K9K 802; engine K9K 804; engine K9K 806; engine K9K 808; engine K9K 812; Fitting Position: Centre
1.6	64/87	K7M 750	02/08->	Tensioner	SR-1214	OD: 55; W: 22; ->11/09
				Tensioner	SR-1215	ID: 8.2; OD: 73.5; W: 22; 11/09->
1.6 16V	78/106	K4M 830	02/08->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; ALT; engine K4M 830; engine K4M 834; Fitting Position: Right; - AC; 04/09->; engine K4M 831; Fitting Position: Right; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->04/09; engine K4M 831; Fitting Position: Right; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 830; engine K4M 831; engine K4M 834
1.6 16V LPG	72/98	K4M 834	02/08->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 830; engine K4M 831; engine K4M 834; Fitting Position: Centre
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; ALT; engine K4M 830; engine K4M 834; Fitting Position: Right; - AC; 04/09->; engine K4M 831; Fitting Position: Right; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 830; engine K4M 831; engine K4M 834
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->04/09; engine K4M 831; Fitting Position: Right; - AC
				Deflection/Guide	SR-1006	OD: 54; W: 32; engine K4M 830; engine K4M 831; engine K4M 834
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 830; engine K4M 831; engine K4M 834; Fitting Position: Centre
KOLEOS (HY_) 						
2.0 dCi (HY0K)	110/150	M9R 855;M9R 856;M9R 865;M9R 866;M9R 862	09/08->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; engine M9R 830; engine M9R 832; engine M9R 833; engine M9R 834; Fitting Position: Centre right; engine M9R 835; engine M9R 836; engine M9R 838; engine M9R 850; engine M9R 855; engine M9R 856; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 830; engine M9R 832; engine M9R 833; engine M9R 834; Fitting Position: Centre
2.0 dCi 4x4 (HY0B)	127/173	M9R 830	09/08->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; engine M9R 830; engine M9R 832; engine M9R 833; engine M9R 834; Fitting Position: Centre right; engine M9R 835; engine M9R 836; engine M9R 838; engine M9R 850; engine M9R 855; engine M9R 856; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 830; engine M9R 832; engine M9R 833; engine M9R 834; Fitting Position: Centre
2.0 dCi 4x4 (HY0K)	110/150	M9R 832;M9R 855;M9R 856;M9R 865;M9R 866;M9R 862	09/08->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; engine M9R 830; engine M9R 832; engine M9R 833; engine M9R 834; Fitting Position: Centre right; engine M9R 835; engine M9R 836; engine M9R 838; engine M9R 850; engine M9R 855; engine M9R 856; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 830; engine M9R 832; engine M9R 833; engine M9R 834; Fitting Position: Centre
LAGUNA Coupe (DT0/1) 						
1.5 dCi	81/110	K9K 846	03/12->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 846; Fitting Position: Centre
2.0 16V Turbo	125/170	F4Rt 811;F4R 811	09/08->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54.5; W: 32.5; engine F4R 811; engine F4R 813
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4R 811; engine F4R 813; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 811; engine F4R 813; Fitting Position: Centre
2.0 dCi	127/173	M9R 800;M9R 809;M9R 815	09/08->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; ALT; engine M9R 809; engine M9R 849; Fitting Position: Centre right; engine M9R 748; engine M9R 754; Fitting Position: Centre right; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; ALT; engine M9R 809; engine M9R 849; Fitting Position: Centre right; engine M9R 748; engine M9R 754; Fitting Position: Centre right; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre right
2.0 dCi (DT01, DT09, DT12, DT1D)	110/150	M9R 802;M9R 805;M9R 814	09/08->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; ALT; engine M9R 809; engine M9R 849; Fitting Position: Centre right; engine M9R 748; engine M9R 754; Fitting Position: Centre right; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre
2.0 dCi GT (DT11, DT1E, DT1N)	131/178	M9R 816;M9R 820	09/08->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; ALT; engine M9R 809; engine M9R 849; Fitting Position: Centre right; engine M9R 748; engine M9R 754; Fitting Position: Centre right; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre
2.0 GT	150/204	F4R 800	09/08->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4R 800; Fitting Position: Centre right
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54.5; W: 32.5; engine F4R 800
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 800; Fitting Position: Centre
3.0 dCi	177/241	V9X 891	01/12->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine V9X 891; Fitting Position: Outer
3.0 dCi (DT03)	173/235	V9X 891;V9X 791	09/08->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine V9X 891; Fitting Position: Outer
LAGUNA I (B56_ ,556_) 						
1.6 16V (B568, B561)	79/107	K4M 720;K4M 724	11/97->03/01	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 720
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K4M 720; Fitting Position: Centre right; + AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine K4M 720; Fitting Position: Centre; - AC
1.8	70/95	F3P 676	06/95->06/98	Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K4M 720; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1115	OD: 50; W: 31
				Deflection/Guide	SR-1121	OD: 70; W: 28; ALT; engine F3P 670; engine F3P 674; engine F3P 676; engine F3P 678; Fitting Position: Centre
				Tensioner	SR-1114	OD: 50; W: 31







	kW/HP	Engine code		Type		
1.8	69/94	F3P 674	06/95->02/01	Deflection/Guide	SR-1115	OD: 50; W: 31
				Deflection/Guide	SR-1121	OD: 70; W: 28; ALT; engine F3P 670; engine F3P 674; engine F3P 676; engine F3P 678; Fitting Position: Centre
				Tensioner	SR-1114	OD: 50; W: 31
1.8 (B56A/B)	66/90	F3P 720;F3P 724	11/93->03/01	Deflection/Guide	SR-1121	OD: 70; W: 28; ALT; engine F3P 724; Fitting Position: Centre
				Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8 (B56S/T/0)	66/90	F3P 670;F3P 678	08/95->03/01	Deflection/Guide	SR-1121	OD: 70; W: 28; ALT; engine F3P 670; engine F3P 674; engine F3P 676; engine F3P 678; Fitting Position: Centre
				Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8 (B56Z)	69/94	F3P 720;F3P 724	08/95->03/01	Deflection/Guide	SR-1115	OD: 50; W: 31
				Deflection/Guide	SR-1121	OD: 70; W: 28; ALT; engine F3P 724; Fitting Position: Centre
				Tensioner	SR-1114	OD: 50; W: 31
1.8 16V (B563, B564)	88/120	F4P 760;F4P 770	04/98->03/01	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; Fitting Position: Lower Left; Ø 17 mm
				Deflection/Guide	SR-1005	OD: 54; W: 32; Fitting Position: Lower Left; Ø 10,22 mm
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
1.9 dCi (B56W)	79/107	F9Q 718	09/99->03/01	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; engine F9Q 710; engine F9Q 716; engine F9Q 717; Fitting Position: Centre right; + AC
1.9 dTi (B56J)	72/98	F9Q 710;F9Q 716;F9Q 717	10/97->03/01	Deflection/Guide	SR-1213	OD: 60; W: 31; engine F9Q 717; Fitting Position: Lower Left; ->10/00; engine F9Q 710; Fitting Position: Lower Left; engine F9Q 716; Fitting Position: Lower Left
				Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; engine F9Q 710; engine F9Q 716; engine F9Q 717; Fitting Position: Centre; + AC
				Tensioner	SR-1114	OD: 50; W: 31; ->10/00; engine F9Q 710; Fitting Position: Upper Left; engine F9Q 716; Fitting Position: Upper Left; ->10/00; engine F9Q 710; engine F9Q 716
				Deflection/Guide	SR-1121	OD: 70; W: 28; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1115	OD: 50; W: 31; engine F3R 611; engine F3R 768; engine F3R 769; Fitting Position: Right; engine F3R 611; engine F3R 722; engine F3R 723; engine F3R 728; engine F3R 729; engine F3R 768; engine F3R 769
2.0	80/109	F3R 611	03/99->03/01	Tensioner	SR-1114	OD: 50; W: 31; engine F3R 611; engine F3R 768; engine F3R 769; Fitting Position: Upper Left; engine F3R 611; engine F3R 722; engine F3R 723; engine F3R 728; engine F3R 729; engine F3R 768; engine F3R 769
				Deflection/Guide	SR-1146	OD: 53; W: 27; engine N7Q 700; Fitting Position: Right; ->12/97; engine N7Q 704; Fitting Position: Right; 01/98->; engine N7Q 704; Fitting Position: Upper Right
2.0	103/140	N7Q 700;N7Q 704	06/95->02/01	Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; 01/98->; engine N7Q 704; Fitting Position: Lower Left
				Deflection/Guide	SR-1121	OD: 70; W: 28; ALT; Fitting Position: Centre
2.0	84/114	F3R 722;F3R 768	06/95->02/01	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre
2.0 (556A)	102/139	F4R 780	09/99->02/01	Deflection/Guide	SR-1005	OD: 54; W: 32; Fitting Position: Lower Left
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
2.0 (B56C/H/N)	83/113	F3R 722;F3R 723	11/93->03/01	Deflection/Guide	SR-1115	OD: 50; W: 31
				Deflection/Guide	SR-1121	OD: 70; W: 28; ALT; Fitting Position: Centre
				Tensioner	SR-1114	OD: 50; W: 31
2.0 16V (556A/B)	103/140	F4R 780	09/99->03/01	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1005	OD: 54; W: 32; Fitting Position: Lower Left
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
2.0 16V (B56D/M)	102/139	N7Q 700;N7Q 704	06/95->03/01	Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1146	OD: 53; W: 27; engine N7Q 700; Fitting Position: Right; ->12/97; engine N7Q 704; Fitting Position: Right; 01/98->; engine N7Q 704; Fitting Position: Upper Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; 01/98->; engine N7Q 704; Fitting Position: Lower Left
3.0 24V (B56V)	140/190	L7X 700;L7X 701	03/97->03/01	Deflection/Guide	SR-1366	OD: 65; W: 26,6; ALT; engine L7X 700; engine L7X 701; Fitting Position: Centre right
LAGUNA I Grandtour (K56_) 						
1.6 16V (K568)	79/107	K4M 720;K4M 724	11/97->03/01	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 720
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K4M 720; Fitting Position: Centre right; + AC
				Tensioner	SR-1189	OD: 70; W: 25,7; ALT; engine K4M 720; Fitting Position: Centre; - AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
1.8 (K56S/T/0)	66/90	F3P 670;F3P 678	09/95->03/01	Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K4M 720; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1121	OD: 70; W: 28; ALT; engine F3P 670; engine F3P 674; engine F3P 676; engine F3P 678; Fitting Position: Centre
				Deflection/Guide	SR-1115	OD: 50; W: 31; engine F3P 674; engine F3P 676; Fitting Position: Right
1.8 (K56Z)	69/94	F3P 720;F3P 724	09/95->03/01	Tensioner	SR-1114	OD: 50; W: 31; engine F3P 674; engine F3P 676; Fitting Position: Upper Left
				Deflection/Guide	SR-1121	OD: 70; W: 28; ALT; engine F3P 724; Fitting Position: Centre
				Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31








	kW/HP	Engine code		Type		
1.8 16V (K563, K564)	88/120	F4P 760	04/98->03/01	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; Fitting Position: Lower Left; Ø 17 mm
				Deflection/Guide	SR-1005	OD: 54; W: 32; Fitting Position: Lower Left; Ø 10,22 mm
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
1.9 dCi (K56W)	79/107	F9Q 718	09/99->03/01	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
1.9 dTi (K56J)	72/98	F9Q 710;F9Q 716;F9Q 717	10/97->03/01	Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; engine F9Q 710; engine F9Q 716; engine F9Q 717; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1213	OD: 60; W: 31; engine F9Q 717; Fitting Position: Lower Left; ->10/00; engine F9Q 710; Fitting Position: Lower Left; engine F9Q 716; Fitting Position: Lower Left
				Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; engine F9Q 710; engine F9Q 716; engine F9Q 717; Fitting Position: Centre; + AC
2.0	84/114	F3R 728;F3R 768	10/98->01/01	Tensioner	SR-1114	OD: 50; W: 31; ->10/00; engine F9Q 710; Fitting Position: Upper Left; engine F9Q 716; Fitting Position: Upper Left; ->10/00; engine F9Q 710; engine F9Q 716
				Deflection/Guide	SR-1115	OD: 50; W: 31
				Deflection/Guide	SR-1121	OD: 70; W: 28; ALT; Fitting Position: Centre
2.0 (K56C/H)	83/113	F3R 722;F3R 723	09/95->03/01	Tensioner	SR-1114	OD: 50; W: 31
				Deflection/Guide	SR-1115	OD: 50; W: 31
				Deflection/Guide	SR-1121	OD: 70; W: 28; ALT; Fitting Position: Centre
2.0 16V (A56A/B)	103/140	F4R 780	09/99->03/01	Tensioner	SR-1114	OD: 50; W: 31
				Deflection/Guide	SR-1005	OD: 54; W: 32; Fitting Position: Lower Left
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre
2.0 16V (K56D/M)	102/139	N7Q 700;N7Q 704	09/95->03/01	Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1146	OD: 53; W: 27; engine N7Q 700; Fitting Position: Right; ->12/97; engine N7Q 704; Fitting Position: Right; 01/98->; engine N7Q 704; Fitting Position: Upper Right
3.0 24V (K56V)	140/190	L7X 700;L7X 701	03/97->03/01	Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; 01/98->; engine N7Q 704; Fitting Position: Lower Left
LAGUNA II (BG0/1) 						
1.6 16V (BG0A, BG0L)	79/107	K4M 710;K4M 714	03/01->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K4M 710; engine K4M 714; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 710; engine K4M 714
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K4M 710; engine K4M 714; Fitting Position: Centre; + AC
				Tensioner	SR-1189	OD: 70; W: 25,7; ALT; engine K4M 710; engine K4M 714; Fitting Position: Centre; - AC
1.6 16V (BG1G, BG1H)	82/112	K4M 716	02/05->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K4M 716; Fitting Position: Centre right
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 716
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K4M 716; Fitting Position: Centre
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
1.8 16V (BG04, BG0B, BG0C, BG0V)	86/117	F4P 770;F4P 774	03/01->	Tensioner	SR-1004	ID: 8,2; OD: 66; W: 32; engine K4M 716
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; engine F4P 770
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4P 770; Fitting Position: Centre right
1.8 16V (BG06, BG0J, BG0M)	85/116	F4P 770;F4P 773;F4P 771;F4P 774;F4P 775	03/01->	Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4P 770; Fitting Position: Centre
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4P 770; engine F4P 771; engine F4P 772; engine F4P 774; engine F4P 775; Fitting Position: Centre right
				Deflection/Guide	SR-1005	OD: 54; W: 32; ->03/01; engine F4P 770; engine F4P 771; engine F4P 772
1.8 16V (BG0B, BG0C, BG0J, BG0M, BG0V)	89/121	F4P 770;F4P 772	03/01->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; engine F4P 770; engine F4P 771; engine F4P 772; engine F4P 774; engine F4P 775
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4P 770; engine F4P 771; engine F4P 772; engine F4P 774; engine F4P 775; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4P 770; engine F4P 771; engine F4P 772; engine F4P 774; engine F4P 775; Fitting Position: Centre
1.8 16V (BG0B, BG0M)	88/120	F4P 770;F4P 773	03/01->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; engine F4P 770; engine F4P 771; engine F4P 772; engine F4P 774; engine F4P 775
				Deflection/Guide	SR-1005	OD: 54; W: 32; ->03/01; engine F4P 770; engine F4P 771; engine F4P 772
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4P 770; engine F4P 771; engine F4P 772; engine F4P 774; engine F4P 775; Fitting Position: Centre right
1.9 dCi	79/107	F9Q 718;F9Q 754	03/01->	Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4P 770; engine F4P 771; engine F4P 772; engine F4P 774; engine F4P 775; Fitting Position: Centre
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F9Q 650; engine F9Q 670; Fitting Position: Centre right
1.9 dCi (BG05)	68/92	F9Q 664	03/04->	Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 650; engine F9Q 670; Fitting Position: Centre
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F9Q 662; Fitting Position: Centre right
1.9 dCi (BG08, BG0G)	88/120	F9Q 750;F9Q 650;F9Q 670;F9Q 674	03/01->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; 03/02->; engine F9Q 750; Fitting Position: Centre right
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->03/02; engine F9Q 750; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 750; Fitting Position: Centre








	kW/HP	Engine code		Type		
1.9 dCi (BG0E)	77/105	F9Q 752	06/01->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; 03/02->; engine F9Q 752; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->03/02; engine F9Q 752; Fitting Position: Centre right; + AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 752; Fitting Position: Centre; + AC
1.9 dCi (BG0R)	74/100	F9Q 754	10/01->	Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; engine F9Q 752; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->03/02; engine F9Q 754
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; 03/02->; engine F9Q 754
1.9 dCi (BG1A, BG1V)	96/130	F9Q 758;F9Q 759	05/05->	Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 758; engine F9Q 759; Fitting Position: Centre
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F9Q 758; engine F9Q 759; Fitting Position: Centre right
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
1.9 dCi (BG1A, BG1W)	81/110	F9Q 758;F9Q 674	01/05->	Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
2.0 16V	125/170	F4R 786;F4R 787;F4R 784	01/05->	Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
2.0 16V	150/204	F4R 886;F4R 887	01/05->	Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
2.0 16V	98/133	F4R 714	08/02->	Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 712; engine F4R 713; engine F4R 714; engine F4R 715; Fitting Position: Centre right
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4R 712; engine F4R 713; engine F4R 714; engine F4R 715; Fitting Position: Centre right
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4R 712; engine F4R 713; engine F4R 714; engine F4R 715; Fitting Position: Centre right
2.0 16V (BG00, BG0K, BG0P, BG0W)	99/135	F4R 712;F4R 713;F4R 714;F4R 715	08/02->	Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 712; engine F4R 713; engine F4R 714; engine F4R 715; Fitting Position: Centre
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
2.0 16V IDE (BG0N)	103/140	F5R 700;F5R 701	04/01->	Deflection/Guide	SR-1005	OD: 54; W: 32; ->04/01
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
2.0 16V Turbo (BG0S, BG0Z, BG1L, BG1M)	120/163	F4R 764;F4R 765;F4R 786;F4R 787	01/03->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; engine F4R 764; engine F4R 765; engine F4R 786; engine F4R 787
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4R 764; engine F4R 765; engine F4R 786; engine F4R 787; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 764; engine F4R 765; engine F4R 786; engine F4R 787; Fitting Position: Centre
2.0 dCi (BG14, BG1S)	127/173	M9R 760	01/06->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9R 760; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 760; Fitting Position: Centre
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9R 760; Fitting Position: Centre right
2.0 dCi (BG1T)	110/150	M9R 740	08/05->	Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 740; Fitting Position: Centre
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9T 600; engine G9T 605
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; engine G9T 600; engine G9T 605; Fitting Position: Centre right
2.2 dCi	102/140	G9T 600;G9T 605;G9T 706;G9T 707	05/05->	Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9T 600; engine G9T 605; Fitting Position: Centre
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; engine G9T 702; engine G9T 703; engine G9T 706; engine G9T 707; Fitting Position: Centre right
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9T 702; engine G9T 703; engine G9T 706; engine G9T 707
2.2 dCi (BG0F)	110/150	G9T 702;G9T 700	10/01->	Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9T 702; engine G9T 703; engine G9T 706; engine G9T 707; Fitting Position: Centre
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9T 702; engine G9T 703; engine G9T 706; engine G9T 707
				Deflection/Guide	SR-1366	OD: 65; W: 26,6; ALT; ->05/04; engine L7X 731; engine L7X 733; Fitting Position: Centre right
LAGUNA II Grandtour (KG0/1_) 						
1.6 16V	82/112	K4M 716	02/05->	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 716
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K4M 716; Fitting Position: Centre right
				Tensioner	SR-1004	ID: 8,2; OD: 66; W: 32; engine K4M 716
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K4M 716; Fitting Position: Centre
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
1.6 16V (KG0A, KG0L)	79/107	K4M 710;K4M 714	03/01->	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 710; engine K4M 714
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K4M 710; engine K4M 714; Fitting Position: Centre right; + AC
				Tensioner	SR-1189	OD: 70; W: 25,7; ALT; engine K4M 710; engine K4M 714; Fitting Position: Centre; - AC
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K4M 710; engine K4M 714; Fitting Position: Centre; + AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
1.8 16V	89/121	F4P 770;F4P 774	03/01->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; engine F4P 770; engine F4P 771; engine F4P 772; engine F4P 774; engine F4P 775
				Deflection/Guide	SR-1005	OD: 54; W: 32; ->03/01; engine F4P 770; engine F4P 771; engine F4P 772
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4P 770; engine F4P 771; engine F4P 772; engine F4P 774; engine F4P 775; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4P 770; engine F4P 771; engine F4P 772; engine F4P 774; engine F4P 775; Fitting Position: Centre
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; engine F4P 770; engine F4P 771; engine F4P 772; engine F4P 774; engine F4P 775
1.8 16V	86/117	F4P 770	03/01->	Deflection/Guide	SR-1005	OD: 54; W: 32; ->03/01; engine F4P 770; engine F4P 771; engine F4P 772
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4P 770; engine F4P 771; engine F4P 772; engine F4P 774; engine F4P 775; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4P 770; engine F4P 771; engine F4P 772; engine F4P 774; engine F4P 775; Fitting Position: Centre






	kW/HP	Engine code		Type		
1.8 16V (KG0B, KG0M)	88/120	F4P 770;F4P 773	03/01->	Deflection/Guide	SR-1005	OD: 54; W: 32; ->03/01; engine F4P 770; engine F4P 771; engine F4P 772
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4P 770; engine F4P 771; engine F4P 772; engine F4P 774; engine F4P 775; Fitting Position: Centre right
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; engine F4P 770; engine F4P 771; engine F4P 772; engine F4P 774; engine F4P 775
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4P 770; engine F4P 771; engine F4P 772; engine F4P 774; engine F4P 775; Fitting Position: Centre
1.8 16V (KG0J)	85/116	F4P 770;F4P 771;F4P 774;F4P 775	03/01->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; engine F4P 770; engine F4P 771; engine F4P 772; engine F4P 774; engine F4P 775
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4P 770; engine F4P 771; engine F4P 772; engine F4P 774; engine F4P 775; Fitting Position: Centre right
				Deflection/Guide	SR-1005	OD: 54; W: 32; ->03/01; engine F4P 770; engine F4P 771; engine F4P 772
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4P 770; engine F4P 771; engine F4P 772; engine F4P 774; engine F4P 775; Fitting Position: Centre
1.9 dCi	79/107	F9Q 718;F9Q 754	03/01->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F9Q 650; engine F9Q 670; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 650; engine F9Q 670; Fitting Position: Centre
1.9 dCi	66/90	F9Q 664	08/03->09/07	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F9Q 662; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 662; Fitting Position: Centre
1.9 dCi	92/125	F9Q 750	09/05->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30
1.9 dCi (KG05)	68/92	F9Q 664	03/04->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F9Q 662; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 662; Fitting Position: Centre
1.9 dCi (KG0E)	77/105	F9Q 752	06/01->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; 03/02->; engine F9Q 752; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->03/02; engine F9Q 752; Fitting Position: Centre right; + AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 752; Fitting Position: Centre; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; engine F9Q 752; Fitting Position: Centre; - AC
1.9 dCi (KG0E, KG0R)	74/100	F9Q 752	10/01->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->03/02; engine F9Q 754
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; 03/02->; engine F9Q 754
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 754
1.9 dCi (KG0G)	88/120	F9Q 750;F9Q 670;F9Q 674	03/01->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->03/02; engine F9Q 750; Fitting Position: Centre right
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; 03/02->; engine F9Q 750; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 750; Fitting Position: Centre
1.9 dCi (KG12)	85/116	F9Q 758;F9Q 759	08/05->09/07	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
1.9 dCi (KG1A, KG1W)	81/110	F9Q 758;F9Q 674	01/05->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
1.9 dCi (KG1V)	96/130	F9Q 758;F9Q 759	05/05->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F9Q 758; engine F9Q 759; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 758; engine F9Q 759; Fitting Position: Centre
2.0 16V	125/170	F4R 786;F4R 787;F4R 784	01/05->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
2.0 16V	150/204	F4R 886;F4R 887	01/05->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
				Tensioner	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
2.0 16V	98/133	F4R 714;F4R 715	10/04->09/07	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4R 712; engine F4R 713; engine F4R 714; engine F4R 715; Fitting Position: Centre right
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 712; engine F4R 713; engine F4R 714; engine F4R 715; Fitting Position: Centre
2.0 16V (KG00, KG0K, KG0W)	99/135	F4R 712;F4R 713;F4R 714;F4R 715	08/02->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4R 712; engine F4R 713; engine F4R 714; engine F4R 715; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 712; engine F4R 713; engine F4R 714; engine F4R 715; Fitting Position: Centre
2.0 16V IDE (KG0N)	103/140	F5R 700;F5R 701	04/01->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Deflection/Guide	SR-1005	OD: 54; W: 32; ->04/01
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
2.0 16V Turbo (KG0S, KG0Z, KG1L, KG1M)	120/163	F4R 764;F4R 765;F4R 786;F4R 787	01/03->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4R 764; engine F4R 765; engine F4R 786; engine F4R 787; Fitting Position: Centre right
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; engine F4R 764; engine F4R 765; engine F4R 786; engine F4R 787
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 764; engine F4R 765; engine F4R 786; engine F4R 787; Fitting Position: Centre
2.0 dCi (KG1S)	127/173	M9R 760	01/06->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9R 760; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 760; Fitting Position: Centre
2.0 dCi (KG1T)	110/150	M9R 740	08/05->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9R 740; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 740; Fitting Position: Centre
2.2 dCi	102/140	G9T 600;G9T 706;G9T 707	05/05->	Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9T 600; engine G9T 605
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; engine G9T 600; engine G9T 605; Fitting Position: Centre right
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9T 600; engine G9T 605; Fitting Position: Centre







	kW/HP	Engine code		Type		
2.2 dCi (KG0F)	110/150	G9T 702	10/01->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; engine G9T 702; engine G9T 703; engine G9T 706; engine G9T 707; Fitting Position: Centre right
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9T 702; engine G9T 703; engine G9T 706; engine G9T 707
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9T 702; engine G9T 703; engine G9T 706; engine G9T 707; Fitting Position: Centre
3.0 V6 24V (KG0D)	152/207	L7X 731	03/01->	Deflection/Guide	SR-1366	OD: 65; W: 26.6; ALT; ->05/04; engine L7X 731; engine L7X 733; Fitting Position: Centre right
LAGUNA III (BT0/1) 						
1.5 dCi (BT00, BT0A, BT0T, BT1J)	81/110	K9K 780	10/07->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 780; engine K9K 782; Fitting Position: Centre
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->10/09; Fitting Position: Centre right
				Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; 10/09->; Fitting Position: Centre right
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 824
1.6 16V (BT04, BT0D, BT0U)	81/110	K4M 824	10/07->	Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; 10/09->; Fitting Position: Centre
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; ->10/09; Fitting Position: Centre
				Tensioner	SR-1004	ID: 8.2; OD: 66; W: 32; engine K4M 824
2.0 16V (BT05, BT0F, BT0W)	103/140	M4R 704	10/07->	Tensioner	SR-1014	- holder; ID: 17; OD: 70; W: 27; ALT; engine M4R 704; engine M4R 726; Fitting Position: Centre
2.0 16V Hi-Flex (BT1H)	103/140	M4R 726	10/07->	Tensioner	SR-1014	- holder; ID: 17; OD: 70; W: 27; ALT; Fitting Position: Centre
2.0 16V Turbo	125/170	F4R 811	10/07->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4R 811; engine F4R 813; Fitting Position: Centre right
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54.5; W: 32.5; engine F4R 811; engine F4R 813
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 811; engine F4R 813; Fitting Position: Centre
2.0 dCi (BT01, BT09, BT12, BT1S)	110/150	M9R 802;M9R 805;M9R 814	10/07->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; ALT; engine M9R 809; engine M9R 849; Fitting Position: Centre right; engine M9R 748; engine M9R 754; Fitting Position: Centre right; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; ALT; engine M9R 809; engine M9R 849; Fitting Position: Centre right; engine M9R 748; engine M9R 754; Fitting Position: Centre right; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre right
2.0 dCi (BT08, BT0K, BT0J, BT14, BT1A, BT1D)	96/131	M9R 802;M9R 742;M9R 744	10/07->	Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; ALT; engine M9R 809; engine M9R 849; Fitting Position: Centre right; engine M9R 748; engine M9R 754; Fitting Position: Centre right; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre
2.0 dCi (BT0M, BT0N, BT19)	127/173	M9R 800;M9R 809;M9R 815	01/08->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; ALT; engine M9R 809; engine M9R 849; Fitting Position: Centre right; engine M9R 748; engine M9R 754; Fitting Position: Centre right; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; ALT; engine M9R 809; engine M9R 849; Fitting Position: Centre right; engine M9R 748; engine M9R 754; Fitting Position: Centre right; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre right
2.0 dCi GT (BT1E, BT1N)	131/178	M9R 816	03/08->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; ALT; engine M9R 809; engine M9R 849; Fitting Position: Centre right; engine M9R 748; engine M9R 754; Fitting Position: Centre right; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54.5; W: 32.5; engine F4R 800
2.0 GT	150/204	F4R 800	03/08->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4R 800; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 800; Fitting Position: Centre
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine V9X 891; Fitting Position: Outer
LAGUNA III Grandtour (KT0/1) 						
1.5 dCi (KT0A)	81/110	K9K 780	10/07->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 780; engine K9K 782; Fitting Position: Centre
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 824
				Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; 10/09->; Fitting Position: Centre right
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->10/09; Fitting Position: Centre right
1.6 16V (KT0D)	81/110	K4M 824	10/07->	Tensioner	SR-1004	ID: 8.2; OD: 66; W: 32; engine K4M 824
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; ->10/09; Fitting Position: Centre
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; 10/09->; Fitting Position: Centre
2.0 16V (KT0F, KT0W)	103/140	M4R 704	10/07->	Tensioner	SR-1014	- holder; ID: 17; OD: 70; W: 27; ALT; engine M4R 704; engine M4R 726; Fitting Position: Centre
2.0 16V Hi-Flex (KT1H)	103/140	M4R 704;M4R 726	10/07->	Tensioner	SR-1014	- holder; ID: 17; OD: 70; W: 27; ALT; Fitting Position: Centre
2.0 16V Turbo	125/170	F4R 811	10/07->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54.5; W: 32.5; engine F4R 811; engine F4R 813
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4R 811; engine F4R 813; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 811; engine F4R 813; Fitting Position: Centre








	kW/HP	Engine code		Type		
2.0 dCi (KT01, KT08, KT0K, KT0J, KT1A, KT1D)	96/131	M9R 802;M9R 742;M9R 744	10/07->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; ALT; engine M9R 809; engine M9R 849; Fitting Position: Centre right; engine M9R 748; engine M9R 754; Fitting Position: Centre right; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre
2.0 dCi (KT01, KT09, KT12, KT1S)	110/150	M9R 802;M9R 805;M9R 814	10/07->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; ALT; engine M9R 809; engine M9R 849; Fitting Position: Centre right; engine M9R 748; engine M9R 754; Fitting Position: Centre right; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre
2.0 dCi (KT0M, KT0N, KT19)	127/173	M9R 800;M9R 809;M9R 815	01/08->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; ALT; engine M9R 809; engine M9R 849; Fitting Position: Centre right; engine M9R 748; engine M9R 754; Fitting Position: Centre right; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre
2.0 dCi GT (KT11, KT1E, KT1N)	131/178	M9R 816;M9R 820	03/08->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; ALT; engine M9R 809; engine M9R 849; Fitting Position: Centre right; engine M9R 748; engine M9R 754; Fitting Position: Centre right; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 742; engine M9R 744; engine M9R 800; engine M9R 802; engine M9R 805; engine M9R 814; engine M9R 815; engine M9R 816; engine M9R 820; engine M9R 828; engine M9R 845; engine M9R 854; engine M9R 857; engine M9R 858; Fitting Position: Centre
2.0 GT	150/204	F4R 800	03/08->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54.5; W: 32.5; engine F4R 800
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4R 800; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 800; Fitting Position: Centre
3.0 dCi (KT03, KT13)	173/235	V9X 891;V9X 791	09/08->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine V9X 891; Fitting Position: Outer
LATITUDE (L70_) 						
1.5 dCi (L70R)	81/110	K9K 782	07/10->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 782; Fitting Position: Centre
2.0 16V (L70B)	103/140	M4R 746	02/11->	Tensioner	SR-1014	- holder; ID: 17; OD: 70; W: 27; ALT; engine M4R 730; engine M4R 731; engine M4R 733; engine M4R 735; engine M4R 746
2.0 dCi	130/177		02/11->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9R 756
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9R 804; engine M9R 817; engine M9R 824; engine M9R 839; engine M9R 844; engine M9R 846
2.0 dCi 150 (L70H)	110/150	M9R 824;M9R 846	02/11->	Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 804; engine M9R 817; engine M9R 824; engine M9R 839; engine M9R 844; engine M9R 846
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9R 804; engine M9R 817; engine M9R 824; engine M9R 839; engine M9R 844; engine M9R 846
2.0 dCi 175 (L70Y)	127/173	M9R 804;M9R 817;M9R 844	05/11->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9R 804; engine M9R 817; engine M9R 824; engine M9R 839; engine M9R 844; engine M9R 846
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 804; engine M9R 817; engine M9R 824; engine M9R 839; engine M9R 844; engine M9R 846
3.0 dCi 240 (L70G)	177/241	V9X 891	02/11->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Outer
LOGAN EXPRESS 						
1.5 dCi	50/68	K9K 792	04/07->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; engine K9K 790; engine K9K 792; engine K9K 794; engine K9K 796; Fitting Position: Right; - AC; - PS
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K9K 790; engine K9K 792; engine K9K 794; engine K9K 796; Fitting Position: Right; - AC; - PS
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 790; engine K9K 792; engine K9K 794; engine K9K 796; Fitting Position: Centre
1.6	64/87	K7M 710	04/07->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K7M 718; engine K7M 732; Fitting Position: Centre right; + AC; + PS
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K7M 718; engine K7M 732; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1215	ID: 8.2; OD: 73.5; W: 22; 11/09->; engine K7M 710; engine K7M 714; engine K7M 718; 07/10->; engine K7M 732
				Tensioner	SR-1214	OD: 55; W: 22; ->11/09; engine K7M 710; engine K7M 714; engine K7M 718; ->07/10; engine K7M 732
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine K7M 710; engine K7M 714; engine K7M 718; engine K7M 732; Fitting Position: Centre; + AC; + PS
1.4	55/75	K7J 710	09/04->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K7J 710; engine K7J 714; Fitting Position: Centre right; + AC; + PS
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K7J 710; engine K7J 714; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1215	ID: 8.2; OD: 73.5; W: 22; 11/09->; engine K7J 710
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine K7J 710; engine K7J 714; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1214	OD: 55; W: 22; ->11/09; engine K7J 710; engine K7J 714
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
1.5 dCi	63/86	K9K 796	02/08->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC; - PS
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi	50/68	K9K 792	04/07->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; engine K9K 790; engine K9K 792; engine K9K 794; engine K9K 796; Fitting Position: Right; - AC; - PS
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 790; engine K9K 792; engine K9K 794; engine K9K 796; Fitting Position: Centre
1.5 dCi	48/65	K9K 700;K9K 790;K9K 794	06/11->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; engine K9K 790; engine K9K 794

	kW/HP	Engine code		Type		
1.6	77/105	K4M 690	04/07->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K4M 690; engine K4M 698; Fitting Position: Right; - AC; - PS
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; engine K4M 690; engine K4M 698; Fitting Position: Right; - AC; - PS
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K4M 690; engine K4M 698; Fitting Position: Centre right; + AC; + PS
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 690; engine K4M 694; engine K4M 697; engine K4M 698
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K4M 690; engine K4M 694; engine K4M 697; engine K4M 698; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 690; engine K4M 694; engine K4M 697; engine K4M 698; Fitting Position: Centre; - AC; engine K4M 690; engine K4M 698; Fitting Position: Centre; + AC; - PS
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
1.6	64/87	K7M 710	09/04->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K7M 718; engine K7M 732; Fitting Position: Centre right; + AC; + PS
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1215	ID: 8.2; OD: 73.5; W: 22; 11/09->; engine K7M 710; engine K7M 714; engine K7M 718; 07/10->; engine K7M 732
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine K7M 710; engine K7M 714; engine K7M 718; engine K7M 732; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1214	OD: 55; W: 22; ->11/09; engine K7M 710; engine K7M 714; engine K7M 718; ->07/10; engine K7M 732
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K7M 718; engine K7M 732; Fitting Position: Centre; + AC; + PS
				LOGAN I Estate (KS) 		
1.4	55/75	K7J 710	10/07->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K7J 710; engine K7J 714; Fitting Position: Centre right; + AC; + PS
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine K7J 710; engine K7J 714; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1214	OD: 55; W: 22; ->11/09; engine K7J 710
				Tensioner	SR-1215	ID: 8.2; OD: 73.5; W: 22; 11/09->; engine K7J 710
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
1.5 dCi	63/86	K9K 796	02/08->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC; - PS
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi	50/68	K9K 792	04/07->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K9K 790; engine K9K 792; engine K9K 794; engine K9K 796; Fitting Position: Right; - AC; - PS
1.5 dCi	48/65	K9K 790;K9K 794	06/11->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 790; engine K9K 792; engine K9K 794; engine K9K 796; Fitting Position: Centre
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; engine K9K 790; engine K9K 794
1.5 dCi	66/90		06/11->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; engine K9K 790; engine K9K 794
1.6	64/87	K7M 710	04/07->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K7M 718; engine K7M 732; Fitting Position: Centre right; + AC; + PS
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine K7M 710; engine K7M 714; engine K7M 718; engine K7M 732; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1215	ID: 8.2; OD: 73.5; W: 22; 11/09->; engine K7M 710; engine K7M 718
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K7M 718; engine K7M 732; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
1.6	77/105	K4M 697	04/07->	Tensioner	SR-1214	OD: 55; W: 22; ->11/09; engine K7M 710; engine K7M 718
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K4M 690; engine K4M 698; Fitting Position: Centre right; + AC; + PS
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 690; engine K4M 696; engine K4M 697
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; engine K4M 690; engine K4M 698; Fitting Position: Right; - AC; - PS
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K4M 690; engine K4M 698; Fitting Position: Right; - AC; - PS
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 690; engine K4M 694; engine K4M 697; engine K4M 698; Fitting Position: Centre; - AC; engine K4M 690; engine K4M 698; Fitting Position: Centre; + AC; - PS
Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K4M 690; engine K4M 698; Fitting Position: Centre; + AC; + PS				
LOGAN II 						
1.2	55/75	D4F 732	11/13->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; engine D4F 732; engine D4F 734; Fitting Position: Centre; engine D4F 732; engine D4F 734; Fitting Position: Centre
1.6	60/82	K7M 812	04/14->	Deflection/Guide	SR-1005	OD: 54; W: 32
				Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; engine K4M 842; + AC
1.6	75/102	K4M 842	04/14->	Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; engine K4M 842; + AC
				Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; engine K4M 842; + AC
				Deflection/Guide	SR-1005	OD: 54; W: 32
Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; engine K4M 842; + AC				
MASTER I Box (T) 						
2.4 D	50/68	S8U 731	07/80->06/83	Deflection/Guide	SR-1120	OD: 67; W: 34; engine S8U 731; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; engine S8U 731; Fitting Position: Lower
2.4 D	52/71	S8U 730	07/83->08/86	Deflection/Guide	SR-1119	OD: 64; W: 34; engine S8U 731; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine S8U 731; Fitting Position: Upper
2.4 D	53/72	S8U 730	09/86->12/92	Deflection/Guide	SR-1119	OD: 64; W: 34; engine S8U 731; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine S8U 731; Fitting Position: Upper

	kW/HP	Engine code		Type		
28-35 2,5 D	55/75	8140.67.2510;S8U 742	08/89->07/98	Deflection/Guide	SR-1119	OD: 64; W: 34; ->09/90; ->eng.# 1307401; engine Sofim-8140.61.2300; num. of teeth 152; Fitting Position: Lower; + TTP; 10/90->; ->09/97; eng.# 1307402->; engine S8U 742; engine S8U 750; engine S8U 752; engine S8U 730; engine S8U 748; engine S8U 758; engine S8U 770; engine S8U 772; engine S8U 780; engine S8U 782; + RTP; 10/90->; engine S8U 742; engine S8U 750; engine S8U 752; + RTP
				Deflection/Guide	SR-1120	OD: 67; W: 34; ->09/90; ->eng.# 1307401; engine Sofim-8140.61.2300; num. of teeth 152; Fitting Position: Upper; + TTP; 10/90->; ->09/97; eng.# 1307402->; engine S8U 742; engine S8U 750; engine S8U 752; engine S8U 730; engine S8U 748; engine S8U 758; engine S8U 770; engine S8U 772; engine S8U 780; engine S8U 782; + RTP; 10/90->; engine S8U 742; engine S8U 750; engine S8U 752; + RTP
28-35 2,5 TD	72/98	8140.27.2580;S9U 702	08/89->07/98	Deflection/Guide	SR-1120	OD: 67; W: 34; engine S9U 700; num. of teeth 153; Fitting Position: Upper; Fitting Position: Lower; + TTP
28-35 2.1 D	44/60	J8S 330	08/80->07/98	Deflection/Guide	SR-1116	OD: 60; W: 33
28-35 2.4 D	52/71	8140.61.2300;S8U 731	08/80->08/89	Deflection/Guide	SR-1120	OD: 67; W: 34; engine S8U 731; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; engine S8U 731; Fitting Position: Lower
35 2,5 TD	69/94	8140.27.2500;8140.27.2510;S9U 740;S9U 714	08/89->07/98	Deflection/Guide	SR-1120	OD: 67; W: 34; engine S9U 700; num. of teeth 153; Fitting Position: Upper; Fitting Position: Lower; + TTP; engine S9U 702; engine S9U 704; engine S9U 714; engine S9U 740; num. of teeth 153; Fitting Position: Upper; Fitting Position: Lower; + RTP
MASTER I Bus (T_) 						
2.1 D	44/60	J8S 330	11/89->04/95	Deflection/Guide	SR-1116	OD: 60; W: 33
2.4 D	53/72	S8U 731	09/86->10/89	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
28-35 2,5 TD	72/98	8140.27.2580;S9U 702	08/89->07/98	Deflection/Guide	SR-1120	OD: 67; W: 34; engine S9U 700; num. of teeth 153; Fitting Position: Upper; Fitting Position: Lower; + TTP; engine S9U 702; engine S9U 704; engine S9U 714; engine S9U 740; num. of teeth 153; Fitting Position: Upper; Fitting Position: Lower; + RTP
28-35 2.1 D	44/60	J8S 330	08/80->07/98	Deflection/Guide	SR-1116	OD: 60; W: 33
28-35 2.4 D	52/71	8140.61.2300;S8U 731	08/80->08/89	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
28-35 2.5 D	55/75	8140.67.2510;S8U 742	08/89->07/98	Deflection/Guide	SR-1119	OD: 64; W: 34; ->09/90; engine S8U 742; engine S8U 750; engine S8U 752; num. of teeth 152; Fitting Position: Lower; + TTP; engine S8U 730; engine S8U 748; engine S8U 758; engine S8U 770; engine S8U 772; engine S8U 780; engine S8U 782; num. of teeth 152; Fitting Position: Lower; + RTP; 10/90->; engine S8U 742; engine S8U 750; engine S8U 752; num. of teeth 152; Fitting Position: Lower; + RTP; engine S8U 730; num. of teeth 152; Fitting Position: Lower; + TTP
				Deflection/Guide	SR-1120	OD: 67; W: 34; ->09/90; engine S8U 742; engine S8U 750; engine S8U 752; num. of teeth 152; Fitting Position: Upper; + TTP; engine S8U 730; engine S8U 748; engine S8U 758; engine S8U 770; engine S8U 772; engine S8U 780; engine S8U 782; num. of teeth 152; Fitting Position: Upper; + RTP; 10/90->; engine S8U 742; engine S8U 750; engine S8U 752; num. of teeth 152; Fitting Position: Upper; + RTP; engine S8U 730; num. of teeth 152; Fitting Position: Upper; + TTP
35 2,5 TD	69/94	8140.27.2500;8140.27.2510;S9U 714	08/89->07/98	Deflection/Guide	SR-1120	OD: 67; W: 34; engine S9U 700; num. of teeth 153; Fitting Position: Upper; Fitting Position: Lower; + TTP; engine S9U 702; engine S9U 704; engine S9U 714; engine S9U 740; num. of teeth 153; Fitting Position: Upper; Fitting Position: Lower; + RTP
MASTER I Platform/Chassis (P_) 						
2.5 DT	70/95	S9U 740	08/93->02/98	Deflection/Guide	SR-1120	OD: 67; W: 34; engine S9U 700; num. of teeth 153; Fitting Position: Upper; Fitting Position: Lower; + TTP; engine S9U 702; engine S9U 704; engine S9U 714; engine S9U 740; num. of teeth 153; Fitting Position: Upper; Fitting Position: Lower; + RTP
2.5 DT	69/94	S9U 702	11/89->10/93	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper; Fitting Position: Lower
28-35 2.5 D	52/71	8140.61.2300;S8U 731	09/80->07/98	Deflection/Guide	SR-1119	OD: 64; W: 34; ->09/90; engine S8U 742; engine S8U 750; engine S8U 752; num. of teeth 152; Fitting Position: Lower; + TTP; engine S8U 730; num. of teeth 152; Fitting Position: Lower; + RTP; engine S8U 748; engine S8U 758; engine S8U 770; engine S8U 772; engine S8U 780; engine S8U 782; num. of teeth 152; Fitting Position: Lower; + RTP; 10/90->; engine S8U 742; engine S8U 750; engine S8U 752; num. of teeth 152; Fitting Position: Lower; + TTP
				Deflection/Guide	SR-1120	OD: 67; W: 34; ->09/90; engine S8U 742; engine S8U 750; engine S8U 752; num. of teeth 152; Fitting Position: Upper; + TTP; engine S8U 730; num. of teeth 152; Fitting Position: Upper; + RTP; engine S8U 730; num. of teeth 152; Fitting Position: Upper; + TTP
35 2,5 TD	69/94	8140.27.2500;8140.27.2510;S9U 714	08/89->07/98	Deflection/Guide	SR-1120	OD: 67; W: 34; engine S9U 700; num. of teeth 153; Fitting Position: Upper; Fitting Position: Lower; + TTP; engine S9U 702; engine S9U 704; engine S9U 714; engine S9U 740; num. of teeth 153; Fitting Position: Upper; Fitting Position: Lower; + RTP
MASTER II Box (FD) 						
1.9 dCi 80	60/82	F9Q 772;F9Q 774	11/01->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->03/02; engine F9Q 772; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; 03/02->; engine F9Q 772; engine F9Q 774; Fitting Position: Centre right; + AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 772; engine F9Q 774; Fitting Position: Centre; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; engine F9Q 772; engine F9Q 774; Fitting Position: Centre; - AC
1.9 dTi	59/80	F9Q 770	09/00->	Deflection/Guide	SR-1213	OD: 60; W: 31; engine F9Q 770; Fitting Position: Lower Left
2.2 dCi 90	66/90	G9T 720;G9T 722;G9T 750	09/00->	Deflection/Guide	SR-1180	ID: 17; OD: 60; W: 31; ALT; ALT; ALT; engine G9T 720; engine G9T 722; Fitting Position: Centre right; engine G9T 750; Fitting Position: Centre right; + AC; engine G9T 750; Fitting Position: Centre right; - AC; ->11/04; engine G9T 750; Fitting Position: Centre right; - AC
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9T 720; engine G9T 722; engine G9T 750
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9T 720; engine G9T 722; engine G9T 750; Fitting Position: Centre; - AC
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9T 720; engine G9T 722; engine G9T 750; Fitting Position: Centre; + AC
2.5 D	59/80	S8U 770	07/98->01/01	Deflection/Guide	SR-1427	OD: 60; W: 26; ALT; ->03/00; engine S8U 770; engine S8U 772; Fitting Position: Upper
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine S8U 770; engine S8U 772; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; engine S8U 770; engine S8U 772; Fitting Position: Lower
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
2.5 dCi	84/114	G9U 750	01/04->	Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 754
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; Fitting Position: Centre
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; 09/10->; engine G9U 754; + AC; 09/10->; engine G9U 754
2.5 dCi	74/101	G9U 754;G9U 650	08/06->	Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 754
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ALT; ->09/10; engine G9U 754; Fitting Position: Centre right; + AC; engine G9U 754; Fitting Position: Centre right; - AC; ->09/10; engine G9U 754; Fitting Position: Centre right
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 754; Fitting Position: Centre; - AC
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; engine G9U 754; Fitting Position: Centre; + AC; engine G9U 754; Fitting Position: Centre

	kW/HP	Engine code		Type		
2.5 dCi	88/120	G9U 650	08/06->	Deflection/Guide	SR-1180	OD: 76; W: 30
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ->09/10; Fitting Position: Centre right; ->09/10; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; Fitting Position: Centre right; 09/10->; Fitting Position: Centre right; + AC
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; Fitting Position: Upper; - AC
2.5 dCi	107/146	G9U 632	08/06->	Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; Fitting Position: Centre left; + AC; Fitting Position: Centre left
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; Fitting Position: Centre right; 09/10->; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ->09/10; Fitting Position: Centre right; ->09/10; Fitting Position: Centre right; + AC
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; Fitting Position: Upper; - AC
2.5 dCi 100 (FD0U, FD0V)	73/99	G9U 754	10/03->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ->09/10; engine G9U 754; Fitting Position: Centre right; + AC; engine G9U 754; Fitting Position: Centre right; - AC; ->09/10; engine G9U 754; Fitting Position: Centre right
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; engine G9U 754; + AC; 09/10->; engine G9U 754
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 754
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; engine G9U 754; Fitting Position: Centre; + AC; engine G9U 754; Fitting Position: Centre
2.5 dCi 120	84/115	G9U 720;G9U 754;G9U 750;G9U 724	10/01->	Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 754; Fitting Position: Centre; - AC
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 754; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 720; engine G9U 724; engine G9U 750; engine G9U 754
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; engine G9U 720; engine G9U 724; Fitting Position: Centre right
2.8 dTi	84/114	S9W 702	07/98->10/01	Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; engine G9U 720; engine G9U 724; Fitting Position: Centre; + AC; engine G9U 720; engine G9U 724; Fitting Position: Centre
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine S9W 700; engine S9W 702; Fitting Position: Upper; Fitting Position: Lower
MASTER II Bus [JD] 						
1.9 dCi 80	60/82	F9Q 772;F9Q 774	11/01->	Deflection/Guide	SR-1120	OD: 67; W: 34; engine S9W 700; engine S9W 702; Fitting Position: Upper; Fitting Position: Lower
				Deflection/Guide	SR-1427	OD: 60; W: 26; ALT; ->03/00; engine S9W 700; engine S9W 702; Fitting Position: Upper
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 772; engine F9Q 774; Fitting Position: Centre; + AC
1.9 dTi	59/80	F9Q 770	09/00->	Deflection/Guide	SR-1213	OD: 60; W: 31; engine F9Q 770; Fitting Position: Lower Left
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9T 720; engine G9T 722; engine G9T 750
2.2 dCi 90	66/90	G9T 720;G9T 722;G9T 750	09/00->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ALT; engine G9T 720; engine G9T 722; Fitting Position: Centre right; engine G9T 750; Fitting Position: Centre right; + AC; engine G9T 750; Fitting Position: Centre right; - AC; ->11/04; engine G9T 750; Fitting Position: Centre right; - AC
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9T 720; engine G9T 722; engine G9T 750; Fitting Position: Centre; - AC
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; engine G9T 720; engine G9T 722; engine G9T 750; Fitting Position: Centre; + AC; engine G9T 720; engine G9T 722; engine G9T 750; Fitting Position: Centre; - AC
2.5 D	59/80	S8U 770	07/98->01/01	Deflection/Guide	SR-1427	OD: 60; W: 26; ALT; ->03/00; engine S8U 770; engine S8U 772; Fitting Position: Upper
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine S8U 770; engine S8U 772; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; engine S8U 770; engine S8U 772; Fitting Position: Lower
2.5 dCi	84/114	G9U 750	01/04->	Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 754
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre; - AC
2.5 dCi	74/101	G9U 754	08/06->	Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 754
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ->09/10; engine G9U 754; Fitting Position: Centre right; + AC; engine G9U 754; Fitting Position: Centre right; - AC; ->09/10; engine G9U 754; Fitting Position: Centre right
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; engine G9U 754; + AC; 09/10->; engine G9U 754
2.5 dCi	88/120	G9U 650	08/06->	Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9U 754; Fitting Position: Centre; + AC
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 754; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; Fitting Position: Centre right; 09/10->; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1180	OD: 76; W: 30
2.5 dCi	107/146	G9U 632	08/06->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ->09/10; Fitting Position: Centre right; ->09/10; Fitting Position: Centre right; + AC
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; Fitting Position: Centre left; + AC; Fitting Position: Centre left
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ->09/10; Fitting Position: Centre right; ->09/10; Fitting Position: Centre right; + AC
2.5 dCi	107/146	G9U 632	08/06->	Deflection/Guide	SR-1180	OD: 76; W: 30
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; Fitting Position: Centre right; 09/10->; Fitting Position: Centre right; + AC
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; Fitting Position: Centre left; + AC; Fitting Position: Centre left
Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; Fitting Position: Upper; - AC				

	kW/HP	Engine code		Type		
2.5 dCi 100 (JDCV)	73/99	G9U 754	10/03->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ALT; -->09/10; engine G9U 754; Fitting Position: Centre right; + AC; engine G9U 754; Fitting Position: Centre right; - AC; -->09/10; engine G9U 754; Fitting Position: Centre right
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 754
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; engine G9U 754; + AC; 09/10->; engine G9U 754
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; engine G9U 754; Fitting Position: Centre; + AC; engine G9U 754; Fitting Position: Centre
2.5 dCi 120	84/115	G9U 720;G9U 754;G9U 750	10/01->	Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 754; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; engine G9U 720; engine G9U 724; Fitting Position: Centre right
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 720; engine G9U 724; engine G9U 750; engine G9U 754
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; engine G9U 720; engine G9U 724; Fitting Position: Centre; + AC; engine G9U 720; engine G9U 724; Fitting Position: Centre
2.8 dTi	84/114	S9W 702	07/98->10/01	Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 720; engine G9U 724; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1427	OD: 60; W: 26; ALT; -->03/00; engine S9W 700; engine S9W 702; Fitting Position: Upper
MASTER II Platform/Chassis (ED/HD/UD) 						
2.2 dCi 90	66/90	G9T 720;G9T 722;G9T 750	09/00->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ALT; ALT; engine G9T 720; engine G9T 722; Fitting Position: Centre right; engine G9T 750; Fitting Position: Centre right; + AC; engine G9T 750; Fitting Position: Centre right; - AC; -->11/04; engine G9T 750; Fitting Position: Centre right; - AC
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9T 720; engine G9T 722; engine G9T 750
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9T 720; engine G9T 722; engine G9T 750; Fitting Position: Centre; + AC
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9T 720; engine G9T 722; engine G9T 750; Fitting Position: Centre; - AC
2.5 D	59/80	S8U 770	07/98->01/01	Deflection/Guide	SR-1119	OD: 64; W: 34; engine S8U 770; engine S8U 772; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine S8U 770; engine S8U 772; Fitting Position: Upper
				Deflection/Guide	SR-1427	OD: 60; W: 26; ALT; -->03/00; engine S8U 770; engine S8U 772; Fitting Position: Upper
2.5 dCi	84/114	G9U 750	01/04->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 754
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; Fitting Position: Centre
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre; - AC
2.5 dCi	74/101	G9U 754;G9U 650	08/06->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; engine G9U 754; + AC; 09/10->; engine G9U 754
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 754
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ALT; -->09/10; engine G9U 754; Fitting Position: Centre right; + AC; engine G9U 754; Fitting Position: Centre right; - AC; -->09/10; engine G9U 754; Fitting Position: Centre right
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 754; Fitting Position: Centre; - AC
2.5 dCi	88/120	G9U 650	08/06->	Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9U 754; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1180	OD: 76; W: 30
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; -->09/10; Fitting Position: Centre right; -->09/10; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; Fitting Position: Centre right; 09/10->; Fitting Position: Centre right; + AC
2.5 dCi	107/146	G9U 632	08/06->	Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; Fitting Position: Centre left; + AC; Fitting Position: Centre left
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; Fitting Position: Centre right; 09/10->; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; -->09/10; Fitting Position: Centre right; -->09/10; Fitting Position: Centre right; + AC
2.5 dCi 100 (ED4V, ED8V)	73/99	G9U 754	10/03->	Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 754; Fitting Position: Centre; - AC
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; engine G9U 754; Fitting Position: Centre; + AC; engine G9U 754; Fitting Position: Centre
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9U 720; engine G9U 724; engine G9U 750; engine G9U 754
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; engine G9U 720; engine G9U 724; Fitting Position: Centre right
2.5 dCi 120	84/115	G9U 720;G9U 754;G9U 750;G9U 724	10/01->	Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; engine G9U 720; engine G9U 724; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1427	OD: 60; W: 26; ALT; -->03/00; engine S9W 700; engine S9W 702; Fitting Position: Upper
				Deflection/Guide	SR-1120	OD: 67; W: 34; engine S9W 700; engine S9W 702; Fitting Position: Upper; Fitting Position: Lower
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ALT; -->09/10; engine G9U 754; Fitting Position: Centre right; + AC; engine G9U 754; Fitting Position: Centre right; - AC; -->09/10; engine G9U 754; Fitting Position: Centre right
MASTER III Box (FV) 						
2.3 dCi	120/163	M9T 700;M9T 702	07/14->	Deflection/Guide	SR-1184	OD: 60; W: 30
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29
2.3 dCi	100/136	M9T 700;M9T 702	07/14->	Deflection/Guide	SR-1184	OD: 60; W: 30
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29
2.3 dCi	81/110	M9T 870	09/14->	Deflection/Guide	SR-1184	OD: 60; W: 30
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29

	kW/HP	Engine code		Type		
2.3 dCi [RWD]	110/150	M9T 880;M9T 898	03/13->	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30 - holder; ID: 17; OD: 65; W: 29
2.3 dCi [RWD] [FV0B, FV0C, FV0D]	74/101	M9T 690;M9T 692;M9T 870;M9T 890	02/10->	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30; engine M9T 690; engine M9T 692 - holder; ID: 17; OD: 65; W: 29; engine M9T 690; engine M9T 692
2.3 dCi [RWD] [FV0C, FV0D, FV0H, FV0J]	92/125	M9T 690;M9T 692;M9T 698;M9T 696;M9T 686;M9T 870;M9T 890;M9T 896	02/10->	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30 - holder; ID: 17; OD: 65; W: 29; engine M9T 690; engine M9T 692; engine M9T 696; engine M9T 698
2.3 dCi [RWD] [FV0E, FV0F, FV0J]	107/146	M9T 694;M9T 698;M9T 896	02/10->	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30 - holder; ID: 17; OD: 65; W: 29
2.3 dCi FWD	110/150	M9T 880;M9T 898	03/13->	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30; ALT; engine M9T 880 - holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 880
2.3 dCi FWD	100/136	M9T 702	07/14->	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30 - holder; ID: 17; OD: 65; W: 29
2.3 dCi FWD	120/163	M9T 702	07/14->	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30 - holder; ID: 17; OD: 65; W: 29
2.3 dCi FWD [FV0A, FV0B, FV0G, FV0K]	74/101	M9T 676;M9T 670;M9T 672;M9T 870;M9T 890	02/10->	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30; ALT; engine M9T 670; engine M9T 672; engine M9T 676 - holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 670; engine M9T 676
2.3 dCi FWD [FV0C, FV0D]	92/125	M9T 676;M9T 670;M9T 698;M9T 672;M9T 870;M9T 890;M9T 896	02/10->	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30; ALT; engine M9T 670; engine M9T 672; engine M9T 676 - holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 670; engine M9T 676
2.3 dCi FWD [FV0E, FV0F, FV0H, FV0J]	107/146	M9T 694;M9T 698;M9T 680;M9T 696;M9T 678;M9T 896	02/10->	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30 - holder; ID: 17; OD: 65; W: 29
MASTER III Bus [JV] 						
2.3 dCi 100 FWD [JV0A, JV0B]	74/101	M9T 676;M9T 670;M9T 672;M9T 870	02/11->	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30; ALT; engine M9T 670; engine M9T 672; engine M9T 676 - holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 670; engine M9T 676
2.3 dCi 125 FWD [JV0C, JV0D, JV0H]	92/125	M9T 676;M9T 670;M9T 672;M9T 870	02/11->	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30; ALT; engine M9T 670; engine M9T 672; engine M9T 676 - holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 670; engine M9T 676
2.3 dCi 150	110/150	M9T 880	10/12->	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30; ALT; engine M9T 880 - holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 880
2.3 dCi FWD [JV0F, JV0H]	107/146	M9T 680	02/11->	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30; ALT; engine M9T 678; engine M9T 680 - holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 678; engine M9T 680
MASTER III Platform/Chassis (EV, HV, UV) 						
2.3 dCi	81/110	M9T 870	09/14->	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30 - holder; ID: 17; OD: 65; W: 29
2.3 dCi [RWD]	110/150	M9T 880;M9T 898	03/13->	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30 - holder; ID: 17; OD: 65; W: 29
2.3 dCi [RWD] [HV0C, HV0D, UV0C, UV0D, UV0H, UV0J]	92/125	M9T 690;M9T 692;M9T 698;M9T 686;M9T 870;M9T 890	02/10->	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30 - holder; ID: 17; OD: 65; W: 29; engine M9T 690; engine M9T 692
2.3 dCi [RWD] [UV0C, UV0D, HV0C, HV0D]	74/101	M9T 690;M9T 692;M9T 698;M9T 870;M9T 890	02/10->	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30; engine M9T 690; engine M9T 692 - holder; ID: 17; OD: 65; W: 29; engine M9T 690; engine M9T 692
2.3 dCi [RWD] [UV0F, UV0E]	107/146	M9T 694;M9T 698;M9T 696;M9T 896	02/10->	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30 - holder; ID: 17; OD: 65; W: 29
2.3 dCi FWD	110/150	M9T 880;M9T 898	03/13->	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30; ALT; engine M9T 880 - holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 880
2.3 dCi FWD [EV0A, EV0B, HV0A, HV0B, HV0G, UV0A, UV0B, UV0G]	74/101	M9T 676;M9T 670;M9T 672;M9T 870;M9T 890	02/10->	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30; ALT; engine M9T 670; engine M9T 672; engine M9T 676 - holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 670; engine M9T 676
2.3 dCi FWD [EV0C, EV0D, EV0J, HV0C, HV0D, HV0H, HV0J...]	92/125	M9T 676;M9T 670;M9T 698;M9T 696;M9T 672;M9T 870;M9T 890;M9T 896	02/10->	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30; ALT; engine M9T 670; engine M9T 672; engine M9T 676 - holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 670; engine M9T 676
2.3 dCi FWD [EV0E, EV0F, HV0E, HV0F, UV0E, UV0F]	107/146	M9T 698;M9T 680;M9T 678;M9T 896	02/10->	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30; ALT; engine M9T 678; engine M9T 680 - holder; ID: 17; OD: 65; W: 29; ALT; engine M9T 678; engine M9T 680
MEGANE CC [EZ0/1] 						
1.2 Tce [EZ16]	97/132	H5F 404	01/13->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine H5F 400; engine H5F 404; Fitting Position: Right
1.5 dCi [EZ09, EZ1G, EZ0D]	81/110	K9K 837	06/10->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 836; engine K9K 837; eng. output 110 HP
1.6 16V [EZ0U, EZ1U]	81/110	K4M 858	06/10->	Deflection/Guide Tensioner Tensioner	SR-1005 SR-1006 SR-1004	OD: 54; W: 32; engine K4M 858; engine K4M 866 - holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 858; engine K4M 866 ID: 8.2; OD: 66; W: 32; engine K4M 858; engine K4M 866
1.6 dCi [EZ00]	96/130	R9M 402	04/11->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Centre right
1.9 dCi [EZ0J, EZ1S]	96/131	F9Q 870	06/10->	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 870; engine F9Q 872
2.0 CVT [EZ0G, EZ1E, EZ1P]	103/140	M4R 711;M4R 713	06/10->	Tensioner	SR-1014	- holder; ID: 17; OD: 70; W: 27; ALT; engine M4R 711; engine M4R 713
2.0 dCi [EZ0L]	118/160	M9R 610	06/10->	Deflection/Guide Tensioner	SR-1184 SR-1247	OD: 60; W: 30; ALT - holder; ID: 17; OD: 65; W: 29; ALT
2.0 Tce [EZ1T]	132/180	F4R 870;F4R 872	06/10->	Deflection/Guide Tensioner	SR-1002 SR-1003	ID: 17; num. of ribs: 6; OD: 54.5; W: 32.5 - holder; ID: 17; OD: 65; W: 30; ALT



kW/HP

Engine code



Type



MEGANE I (BA0/1_)

1.4 16V (BA0D, BA1H, BA0W, BA10)	70/95	K4J 750;K4J 714	03/99->08/03	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1005	OD: 54; W: 32
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; Fitting Position: Centre; - AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
1.4 e (BA0E, BA0V)	55/75	E7J 764;E7J 626	01/96->08/03	Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine E7J 626; Fitting Position: Centre right; + AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1214	OD: 55; W: 22; engine E7J 626
1.4 Eco (BA0T)	52/71	E7J 624	01/96->03/99	Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine E7J 626; Fitting Position: Centre; - AC
				Tensioner	SR-1118	OD: 50; W: 22; engine E7J 624; engine E7J 764
1.6 16V (BA11, BA04, BA0B, BA1J)	79/107	K4M 700;K4M 701;K4M 708;K4M 704	03/99->08/03	Deflection/Guide	SR-1188	OD: 54; W: 32; engine K4M 700; engine K4M 701; engine K4M 704; engine K4M 706; engine K4M 708; engine K4M 709; engine K4M 712
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K4M 700; engine K4M 701; engine K4M 704; engine K4M 706; engine K4M 708; engine K4M 709; engine K4M 712; Fitting Position: Centre right; + AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine K4M 700; engine K4M 701; engine K4M 704; engine K4M 706; engine K4M 708; engine K4M 709; engine K4M 712; Fitting Position: Centre; - AC
1.6 e (BA0F, BA0S)	66/90	K7M 702;K7M 703;K7M 790	01/96->03/99	Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K4M 700; engine K4M 701; engine K4M 704; engine K4M 706; engine K4M 708; engine K4M 709; engine K4M 712; Fitting Position: Centre; + AC
				Tensioner	SR-1118	OD: 50; W: 22
1.6 i (BA0L)	55/75	K7M 720	01/96->03/99	Tensioner	SR-1214	OD: 55; W: 22; engine K7M 704; engine K7M 720
1.8 16V (BA06, BA12, BA1A, BA1M, BA1R)	85/115	F4P 720;F4P 722	01/01->08/03	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54.5; W: 32.5; 04/01->; Fitting Position: Lower Left
				Deflection/Guide	SR-1005	OD: 54; W: 32; ->04/01; Fitting Position: Lower Left
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
1.9 D Eco (B/SA0U, BA0A)	47/64	F8Q 620;F8Q 624	01/96->08/03	Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1115	OD: 50; W: 31; ->09/96; engine F8Q 620; num. of teeth 153; engine F8Q 622; engine F8Q 624; Fitting Position: Right; 09/96->
				Deflection/Guide	SR-1213	OD: 60; W: 31; engine F8Q 622; engine F8Q 624; Fitting Position: Lower Left
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; engine F8Q 620; engine F8Q 622; engine F8Q 624; Fitting Position: Lower; + AC
1.9 dCi (BA05, BA1F)	75/102	F9Q 732;F9Q 733	02/01->08/03	Tensioner	SR-1114	OD: 50; W: 31; ->09/96; engine F8Q 620; num. of teeth 153; engine F8Q 622; engine F8Q 624; Fitting Position: Upper Left; 09/96->
				Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; 09/96->; engine F8Q 620; Fitting Position: Centre; + AC; ->03/01; engine F8Q 622; engine F8Q 624
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; engine F9Q 731; engine F9Q 732; engine F9Q 736; engine F9Q 744; + AC
				Deflection/Guide	SR-1213	OD: 60; W: 31; Fitting Position: Lower Left
1.9 dT (B/SA0K, B/SA0Y)	66/90	F8Q 784;F8Q 786	01/96->08/03	Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; ->03/01; engine F9Q 731; engine F9Q 732; engine F9Q 736; engine F9Q 744; + AC
				Tensioner	SR-1114	OD: 50; W: 31; Fitting Position: Upper Left
				Deflection/Guide	SR-1213	OD: 60; W: 31; engine F8Q 786; num. of teeth 153; Fitting Position: Lower Left
				Deflection/Guide	SR-1115	OD: 50; W: 31; engine F8Q 786; num. of teeth 153; Fitting Position: Right; 09/96->; engine F8Q 784; num. of teeth 153; engine F8Q 786; ->09/96; engine F8Q 784
1.9 dTi (BA08, BA0N)	72/98	F9Q 730;F9Q 734;F9Q 731;F9Q 736	03/97->02/01	Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; Fitting Position: Lower; + AC
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1114	OD: 50; W: 31; engine F9Q 730; ->10/00; engine F9Q 736; ->10/00; engine F9Q 736; Fitting Position: Upper Left
1.9 dTi (BA1U)	59/80	F9Q 744	02/01->08/03	Deflection/Guide	SR-1213	OD: 60; W: 31; engine F9Q 731; engine F9Q 744; Fitting Position: Lower Left
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; Fitting Position: Lower Right; + AC
				Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; ->03/01; Fitting Position: Centre right; + AC
1.9 TDI	69/94	F8Q 784	09/96->08/03	Deflection/Guide	SR-1115	OD: 50; W: 31
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1114	OD: 50; W: 31
2.0 16V (BA0H)	108/147	F7R 710;F7R 714	07/96->08/03	Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Upper; + AC
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; engine F7R 710; engine F7R 714; Fitting Position: Lower Right; + AC
				Deflection/Guide	SR-1117	OD: 50; W: 31; engine F7R 710; engine F7R 714; engine F7R 714; Fitting Position: Right
2.0 i	80/109	F3R 750;F3R 751	03/99->08/03	Deflection/Guide	SR-1213	OD: 60; W: 31; engine F7R 714; Fitting Position: Lower Left
				Deflection/Guide	SR-1115	OD: 50; W: 31
				Deflection/Guide	SR-1121	OD: 70; W: 28; ALT; Fitting Position: Centre; + AC
2.0 i (BA0G)	84/114	F3R 750;F3R 751	01/96->08/03	Tensioner	SR-1114	OD: 50; W: 31
				Deflection/Guide	SR-1121	OD: 70; W: 28; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1115	OD: 50; W: 31; engine F3R 750; engine F3R 751; engine F3R 791; engine F3R 796; engine F3R 797; engine F3R 798
				Tensioner	SR-1114	OD: 50; W: 31; engine F3R 750; engine F3R 751; engine F3R 791; engine F3R 796; engine F3R 797; engine F3R 798



kW/HP

Engine code



Type













MEGANE I Cabriolet (EA0/1_)






1.4 16V (EA0D, EA1H, EA0W, EA10)	70/95	K4J 750;K4J 714	03/99->08/03	Deflection/Guide	SR-1005	OD: 54; W: 32
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; Fitting Position: Centre; - AC
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre; + AC
1.6 16V (EA0B, EA04, EA11)	79/107	K4M 700;K4M 701;K4M 708	03/99->08/03	Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 700; engine K4M 701; engine K4M 708; engine K4M 709
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K4M 700; engine K4M 701; engine K4M 708; engine K4M 709; Fitting Position: Centre right; + AC
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine K4M 700; engine K4M 701; engine K4M 708; engine K4M 709; Fitting Position: Centre; - AC
1.6 e (EA0F)	66/90	K7M 702;K7M 703	10/96->03/99	Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K4M 700; engine K4M 701; engine K4M 708; engine K4M 709; Fitting Position: Centre; + AC
				Tensioner	SR-1118	OD: 50; W: 22
2.0 (EA0G)	84/114	F3R 750;F3R 798	04/97->08/03	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
2.0 16V	102/139	F4R 770;F4R 746	01/02->08/03	Deflection/Guide	SR-1117	OD: 50; W: 31; engine F7R 710; engine F7R 714; engine F7R 714; Fitting Position: Right
				Deflection/Guide	SR-1213	OD: 60; W: 31; engine F7R 714; Fitting Position: Lower Left
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
2.0 16V (EA0H)	108/147	F7R 710;F7R 714	10/96->11/99	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54.5; W: 32.5; engine F4R 746; Fitting Position: Lower Left
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
2.0 16V IDE (EA03, EA0P, EA14)	103/140	F5R 740;F4R 746	11/99->08/03	Deflection/Guide	SR-1117	OD: 50; W: 31; engine F7R 710; engine F7R 714; engine F7R 714; Fitting Position: Right
				Deflection/Guide	SR-1213	OD: 60; W: 31; engine F7R 714; Fitting Position: Lower Left
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
2.0 i (EA0G)	80/109	F3R 791;F3R 796	03/99->08/03	Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1115	OD: 50; W: 31; engine F3R 791; engine F3R 796; engine F3R 797; engine F3R 798; Fitting Position: Right; engine F3R 751
				Deflection/Guide	SR-1121	OD: 70; W: 28; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1114	OD: 50; W: 31; engine F3R 791; engine F3R 796; engine F3R 797; engine F3R 798; Fitting Position: Upper Left; engine F3R 751







MEGANE I Classic (LA0/1_)






1.4 (LA0E, LA0V)	55/75	E7J 764;E7J 626	09/96->08/03	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine E7J 626; Fitting Position: Centre right; + AC
				Tensioner	SR-1118	OD: 50; W: 22; engine E7J 764
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine E7J 626; Fitting Position: Centre; + AC
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine E7J 626; Fitting Position: Centre; - AC
				Tensioner	SR-1214	OD: 55; W: 22; engine E7J 626
1.4 16V (LA0D, LA1H, LA0W, LA10)	70/95	K4J 750;K4J 714	03/99->08/03	Deflection/Guide	SR-1005	OD: 54; W: 32
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
1.6 16V (La04, LA11, LA0B, LA1C, LA1J)	79/107	K4M 700;K4M 701;K4M 708	03/99->08/03	Tensioner	SR-1189	OD: 70; W: 25.7; ALT; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K4M 700; engine K4M 701; engine K4M 706; engine K4M 708; engine K4M 709; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 700; engine K4M 701; engine K4M 706; engine K4M 708; engine K4M 709
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
1.6 e (LA0F, LA0S)	66/90	K7M 702;K7M 703;K7M 790	09/96->03/99	Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K4M 700; engine K4M 701; engine K4M 706; engine K4M 708; engine K4M 709; Fitting Position: Centre; + AC
				Tensioner	SR-1118	OD: 50; W: 22
1.6 i (LA0L)	55/75	K7M 720	09/96->03/99	Tensioner	SR-1214	OD: 55; W: 22
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54.5; W: 32.5; 04/01->; Fitting Position: Lower Left
				Deflection/Guide	SR-1005	OD: 54; W: 32; ->04/01; Fitting Position: Lower Left
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right
1.8 16V (LA06, LA12, LA1A, LA1M, LA1R)	85/115	F4P 720;F4P 722	01/01->08/03	Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1213	OD: 60; W: 31; engine F8Q 622; engine F8Q 624; num. of teeth 153; Fitting Position: Lower Left
				Deflection/Guide	SR-1115	OD: 50; W: 31; engine F8Q 620; num. of teeth 153; engine F8Q 622; engine F8Q 624; Fitting Position: Right
1.9 D (LA0A, LA0U)	47/64	F8Q 620;F8Q 624	09/96->08/03	Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; engine F8Q 620; engine F8Q 622; engine F8Q 624; Fitting Position: Lower; + AC
				Tensioner	SR-1114	OD: 50; W: 31; engine F8Q 620; num. of teeth 153; engine F8Q 622; engine F8Q 624; Fitting Position: Upper Left
				Tensioner	SR-1118	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; ALT; ->03/01; engine F8Q 622; Fitting Position: Centre; + AC; engine F8Q 624; Fitting Position: Centre; + AC; engine F8Q 620; Fitting Position: Centre; + AC
				Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; ALT; ALT; ->03/01; engine F8Q 622; Fitting Position: Centre; + AC; engine F8Q 624; Fitting Position: Centre; + AC; engine F8Q 620; Fitting Position: Centre; + AC





	kW/HP	Engine code		Type		
1.9 dCi (LA05, LA1F)	75/102	F9Q 732;F9Q 733;F9Q 738	02/01->08/03	Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; engine F9Q 731; engine F9Q 732; engine F9Q 736; engine F9Q 744; + AC
				Deflection/Guide	SR-1213	OD: 60; W: 31; Fitting Position: Lower Left
				Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; ->03/01; engine F9Q 731; engine F9Q 732; engine F9Q 736; engine F9Q 744; + AC
				Tensioner	SR-1114	OD: 50; W: 31; Fitting Position: Upper Left
1.9 dT (LA0K, LA0Y)	66/90	F8Q 784;F8Q 786	09/96->08/03	Deflection/Guide	SR-1213	OD: 60; W: 31; engine F8Q 786; num. of teeth 153; Fitting Position: Lower Left
				Deflection/Guide	SR-1115	OD: 50; W: 31; engine F8Q 786; num. of teeth 153; Fitting Position: Right; engine F8Q 786; num. of teeth 153; engine F8Q 784; num. of teeth 153
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1114	OD: 50; W: 31; engine F8Q 786; num. of teeth 153; Fitting Position: Upper Left; engine F8Q 786; num. of teeth 153; engine F8Q 784; num. of teeth 153
1.9 dTi (LA08, LA0N)	72/98	F9Q 730;F9Q 734;F9Q 731;F9Q 736	03/97->02/01	Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; Fitting Position: Lower; + AC
				Deflection/Guide	SR-1213	OD: 60; W: 31; ->10/00; engine F9Q 736; Fitting Position: Lower Left
				Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1114	OD: 50; W: 31; engine F9Q 730; ->10/00; engine F9Q 736; ->10/00; engine F9Q 736; Fitting Position: Upper Left
1.9 dTi (LA1U)	59/80	F9Q 744	02/01->08/03	Deflection/Guide	SR-1213	OD: 60; W: 31; engine F9Q 731; engine F9Q 744; Fitting Position: Lower Left
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; Fitting Position: Lower Right; + AC
				Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; ->03/01; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1115	OD: 50; W: 31
1.9 TDI	69/94	F8Q 784	09/96->08/03	Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; Fitting Position: Lower; + AC
				Tensioner	SR-1114	OD: 50; W: 31
				Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Upper; + AC
				Deflection/Guide	SR-1115	OD: 50; W: 31; engine F3R 750; engine F3R 751; engine F3R 752; engine F3R 791; engine F3R 796; engine F3R 797; engine F3R 798
2.0 i (LA07, LA0G)	84/114	F3R 750;F3R 791;F3R 796;F3R 751;F3R 797;F3R 798;F3R 752	09/96->08/03	Deflection/Guide	SR-1121	OD: 70; W: 28; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1114	OD: 50; W: 31; engine F3R 750; engine F3R 751; engine F3R 752; engine F3R 791; engine F3R 796; engine F3R 797; engine F3R 798
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine F4R 740; engine F4R 741; engine F4R 746; engine F4R 747; Fitting Position: Centre right
				Deflection/Guide	SR-1121	OD: 70; W: 28; ALT; engine F3R 752; Fitting Position: Centre; + AC
2.0 i (LA0G)	80/109	F3R 750;F3R 791;F3R 796;F3R 751;F3R 797;F3R 798;F3R 752	03/99->08/03	Deflection/Guide	SR-1115	OD: 50; W: 31; engine F3R 752
				Deflection/Guide	SR-1005	OD: 54; W: 32; 06/99-> ->04/01; engine F4R 740; engine F4R 741; Fitting Position: Lower Left; engine F4R 747
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; 04/01-> engine F4R 740; engine F4R 741; engine F4R 747; Fitting Position: Lower Left
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
MEGANE I Coach (DA0/1_)	70/95	K4J 750;K4J 714	03/99->08/03	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine F4R 740; engine F4R 741; engine F4R 746; engine F4R 747; Fitting Position: Centre
				Tensioner	SR-1186	OD: 50; W: 31; engine F3R 752
				Deflection/Guide	SR-1005	OD: 54; W: 32
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right; + AC
1.4 16V (DA0D, DA1H, DA0W, DA10)	70/95	K4J 750;K4J 714	03/99->08/03	Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1189	OD: 70; W: 25,7; ALT; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K4M 700; engine K4M 701; engine K4M 708; engine K4M 709; Fitting Position: Centre right; + AC
1.6 16V (DA0B, DA04, DA11)	79/107	K4M 700;K4M 701;K4M 708	03/99->08/03	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 700; engine K4M 701; engine K4M 708; engine K4M 709
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K4M 700; engine K4M 701; engine K4M 708; engine K4M 709; Fitting Position: Centre; + AC
				Tensioner	SR-1189	OD: 70; W: 25,7; ALT; engine K4M 700; engine K4M 701; engine K4M 704; engine K4M 706; engine K4M 708; engine K4M 709; engine K4M 712; engine K4M 776; Fitting Position: Centre; - AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
1.6 e (DA0F)	66/90	K7M 702;K7M 703	03/96->03/99	Tensioner	SR-1118	OD: 50; W: 22
1.9 dCi (DA05, DA1F)	75/102	F9Q 732;F9Q 733	02/01->08/03	Deflection/Guide	SR-1213	OD: 60; W: 31; Fitting Position: Lower Left
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; + AC
				Tensioner	SR-1114	OD: 50; W: 31; Fitting Position: Upper Left
				Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; ->03/01; + AC
1.9 dTi (DA0N)	72/98	F9Q 734;F9Q 731;F9Q 736	03/97->02/01	Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; Fitting Position: Lower; + AC
				Deflection/Guide	SR-1213	OD: 60; W: 31; engine F9Q 731; Fitting Position: Lower Left; ->10/00; engine F9Q 736; Fitting Position: Lower Left
				Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1114	OD: 50; W: 31; ->10/00; engine F9Q 736; ->10/00; engine F9Q 736; Fitting Position: Upper Left
2.0 16V	102/139	F4R 746	01/02->08/03	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; engine F4R 746; Fitting Position: Lower Left
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right
2.0 16V (DA0H)	108/147	F7R 710;F7R 714	03/96->11/99	Deflection/Guide	SR-1117	OD: 50; W: 31; engine F7R 710; engine F7R 714; engine F7R 714; Fitting Position: Right
				Deflection/Guide	SR-1213	OD: 60; W: 31; engine F7R 714; Fitting Position: Lower Left
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; Fitting Position: Lower; + AC
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre
2.0 16V IDE (DA03, DA0P, DA14)	103/140	F5R 740	11/99->08/03	Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26







	kW/HP	Engine code		Type		
2.0 i	80/109	F3R 791;F3R 796	03/99->08/03	Deflection/Guide	SR-1115	OD: 50; W: 31
				Deflection/Guide	SR-1121	OD: 70; W: 28; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1114	OD: 50; W: 31
2.0 i (DA0G)	84/114	F3R 750;F3R 751;F3R 798	03/96->08/03	Deflection/Guide	SR-1121	OD: 70; W: 28; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
MEGANE I Grandtour (KA0/1_) 						
1.4 16V (KA0D, KA1H, KA0W, KA10)	70/95	K4J 750;K4J 714	03/99->08/03	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1005	OD: 54; W: 32
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1189	OD: 70; W: 25,7; ALT; Fitting Position: Centre; - AC
1.4 e (KA0V)	55/75	E7J 626	03/99->08/03	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1214	OD: 55; W: 22
				Tensioner	SR-1189	OD: 70; W: 25,7; ALT; Fitting Position: Centre; - AC
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
1.6 16V (KA0B, KA04, KA11)	79/107	K4M 700;K4M 701;K4M 708;K4M 704	03/99->08/03	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 700; engine K4M 701; engine K4M 704; engine K4M 706; engine K4M 708; engine K4M 709; engine K4M 712
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K4M 700; engine K4M 701; engine K4M 704; engine K4M 708; engine K4M 709; engine K4M 712; Fitting Position: Centre right; + AC
				Tensioner	SR-1189	OD: 70; W: 25,7; ALT; engine K4M 700; engine K4M 701; engine K4M 704; engine K4M 708; engine K4M 709; engine K4M 712; Fitting Position: Centre; - AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K4M 700; engine K4M 701; engine K4M 704; engine K4M 708; engine K4M 709; engine K4M 712; Fitting Position: Centre; + AC
1.6 e (KA0F)	66/90	K7M 702;K7M 703	03/99->08/03	Tensioner	SR-1118	OD: 50; W: 22
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine F4P 720; engine F4P 722; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; ->04/01; Fitting Position: Lower Left
1.8 16V (KA0S, KA12, KA1A, KA1M, KA1R)	85/115	F4P 720;F4P 722	01/01->08/03	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; 04/01-> ; Fitting Position: Lower Left
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine F4P 720; engine F4P 722; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; Fitting Position: Lower Right; + AC
				Deflection/Guide	SR-1115	OD: 50; W: 31; num. of teeth 153; Fitting Position: Right
1.9 D (KA0J, KA0R)	47/64	F8Q 790;F8Q 622	04/99->08/03	Deflection/Guide	SR-1213	OD: 60; W: 31; num. of teeth 153; Fitting Position: Lower Left
				Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; ->03/01; Fitting Position: Centre right; + AC
				Tensioner	SR-1114	OD: 50; W: 31; num. of teeth 153; Fitting Position: Upper Left
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; + AC
				Deflection/Guide	SR-1213	OD: 60; W: 31; Fitting Position: Lower Left
1.9 dCi (KA05, KA1F)	75/102	F9Q 732;F9Q 733;F9Q 738	02/01->08/03	Tensioner	SR-1114	OD: 50; W: 31; Fitting Position: Upper Left
				Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; ->03/01; + AC
				Deflection/Guide	SR-1213	OD: 60; W: 31; engine F9Q 731; Fitting Position: Lower Left; ->10/00; engine F9Q 736; Fitting Position: Lower Left
1.9 dTi (KA0N)	72/98	F9Q 731;F9Q 736	03/99->02/01	Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; Fitting Position: Lower Right; + AC
				Tensioner	SR-1114	OD: 50; W: 31; ->10/00; engine F9Q 736; ->10/00; engine F9Q 736; Fitting Position: Upper Left
				Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right; + AC
1.9 dTi (KA1U)	59/80	F9Q 744	02/01->08/03	Deflection/Guide	SR-1213	OD: 60; W: 31; engine F9Q 744; Fitting Position: Lower Left
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; Fitting Position: Lower Right; + AC
				Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; ->03/01; Fitting Position: Centre right; + AC
MEGANE II (BM0/1_, CM0/1_) 						
1.4 16V	60/82	K4J 732	10/03->02/08	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; engine K4J 732; Fitting Position: Right; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4J 732
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 04/05-> ; engine K4J 732; Fitting Position: Centre; + AC; 05/06-> ; engine K4J 732; Fitting Position: Centre; - AC
1.4 16V (BM0B, CM0B)	72/98	K4J 730;K4J 740	11/02->02/08	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07-> ; engine K4J 740; Fitting Position: Right; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ALT; engine K4J 730; Fitting Position: Right; - AC; ->12/07; engine K4J 740; Fitting Position: Right; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4J 730; engine K4J 740
1.5 dCi	76/103	K9K 734	01/07->02/08	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 04/05-> ; engine K4J 730; Fitting Position: Centre; + AC; 05/06-> ; engine K4J 730; engine K4J 740; Fitting Position: Centre; - AC; engine K4J 740; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ->12/07; engine K9K 728; engine K9K 729; Fitting Position: Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07-> ; engine K9K 728; engine K9K 729; Fitting Position: Right; - AC
1.5 dCi	63/86	K9K 724	05/05->02/08	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 728; engine K9K 729; Fitting Position: Centre
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ->12/07; Fitting Position: Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07-> ; Fitting Position: Right; - AC
1.5 dCi	78/106	K9K 732;K9K 734	05/05->06/08	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; engine K9K 732; engine K9K 734; Fitting Position: Centre; + AC; 09/05-> ; engine K9K 732; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; engine K9K 732; Fitting Position: Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07-> ; Fitting Position: Right; - AC








	kW/HP	Engine code		Type		
1.5 dCi	74/101	K9K 728;K9K 729	10/03->03/06	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; engine K9K 728; engine K9K 729; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 01/05-> engine K9K 728; engine K9K 729; Fitting Position: Centre; + AC; 09/05-> engine K9K 728; engine K9K 729; Fitting Position: Centre; - AC
1.5 dCi (BM0F, CM0F)	60/82	K9K 722	11/02->02/08	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; Fitting Position: Right; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ->12/07; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 09/05->; Fitting Position: Centre; - AC; 01/05->; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1005	OD: 54; W: 32
1.6	77/105	K4M 788	06/05->02/08	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K4M 812; engine K4M 813; Fitting Position: Right; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; engine K4M 760; engine K4M 761; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Centre; + AC; 05/06->; engine K4M 760; engine K4M 761; engine K4M 812; engine K4M 813; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 812; engine K4M 813
1.6 16V	82/112	K4M 760;K4M 812;K4M 813	01/06->06/08	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K4M 812; engine K4M 813; Fitting Position: Right; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ->12/07; engine K4M 812; engine K4M 813; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 812; engine K4M 813; Fitting Position: Centre
				Tensioner	SR-1004	ID: 8,2; OD: 66; W: 32; engine K4M 812; engine K4M 813
1.6 16V (BM0C, CM0C)	83/113	K4M 760	11/02->02/08	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 760; engine K4M 761; engine K4M 812; engine K4M 813; engine K4M 764
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ALT; ->12/07; engine K4M 812; engine K4M 813; Fitting Position: Right; - AC; engine K4M 760; engine K4M 761; Fitting Position: Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K4M 812; engine K4M 813; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 04/05->; engine K4M 760; engine K4M 761; engine K4M 764; engine K4M 812; engine K4M 813; Fitting Position: Centre; + AC; 05/06->; engine K4M 760; engine K4M 761; engine K4M 812; engine K4M 813; Fitting Position: Centre; - AC
1.6 Flex-Fuel	77/105	K4M 788	01/07->02/08	Tensioner	SR-1004	ID: 8,2; OD: 66; W: 32; engine K4M 760; engine K4M 761; engine K4M 812; engine K4M 813
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; engine K4M 856; Fitting Position: Right; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 856
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 856; Fitting Position: Centre
1.9 dCi	68/92	F9Q 808	03/04->08/06	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 808; Fitting Position: Centre
1.9 dCi	96/131	F9Q 804;F9Q 803;F9Q 816;F9Q 818	05/05->12/09	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
1.9 dCi	81/110	F9Q 804;F9Q 818	05/05->02/08	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 816; engine F9Q 818; Fitting Position: Centre
1.9 dCi	66/90	F9Q 808	11/02->12/05	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 808; Fitting Position: Centre
1.9 dCi	85/115	F9Q 804;F9Q 816;F9Q 818	11/02->02/08	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 804; engine F9Q 816; engine F9Q 818; Fitting Position: Centre
1.9 dCi (BM0G, CM0G)	88/120	F9Q 800	11/02->02/08	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 800; Fitting Position: Centre
2.0	169/230	F4R 774	08/06->02/08	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; engine F4R 774; engine F4R 776
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 770; engine F4R 771; engine F4R 774; engine F4R 776; Fitting Position: Centre
2.0 16V (BM0U, CM0U)	99/135	F4R 770	11/02->02/08	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; engine F4R 770; engine F4R 771
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 770; engine F4R 771; Fitting Position: Centre
2.0 16V Turbo	120/163	F4R 776	05/04->02/08	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; engine F4R 774; engine F4R 776; Fitting Position: Centre
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 774; engine F4R 776; Fitting Position: Centre
2.0 dCi	127/173	M9R 724	01/07->02/08	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9R 724; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 724; Fitting Position: Centre
2.0 dCi (BM1K, CM1K)	110/150	M9R 700;M9R 722	09/05->02/08	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9R 700; engine M9R 721; engine M9R 722; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 700; engine M9R 721; engine M9R 722; Fitting Position: Centre
2.0 Renault Sport	165/224	F4R 774;F4Rt 774	05/04->10/09	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; engine F4R 774; engine F4R 776
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 774; engine F4R 776; Fitting Position: Centre
MEGANE II Coupé-Cabriolet (EM0/1_) 						
1.5 dCi (EM16)	76/103	K9K 734	01/07->06/09	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K9K 728; engine K9K 729; Fitting Position: Right; + AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ->12/07; engine K9K 728; engine K9K 729; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 728; engine K9K 729; Fitting Position: Centre
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; engine K9K 732; Fitting Position: Right; - AC
1.5 dCi (EM1E)	78/106	K9K 732	03/06->06/08	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1005	OD: 54; W: 32
1.6	83/113	K4M 760;K4M 761	09/03->03/09	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 04/05->; Fitting Position: Centre; + AC; 05/06->; Fitting Position: Centre; - AC
				Tensioner	SR-1004	ID: 8,2; OD: 66; W: 32
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; Fitting Position: Right; - AC
1.6 16V	82/112	K4M 760;K4M 761;K4M 812;K4M 813	01/06->06/08	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 760; engine K4M 761; engine K4M 812; engine K4M 813
				Tensioner	SR-1004	ID: 8,2; OD: 66; W: 32; engine K4M 760; engine K4M 761; engine K4M 812; engine K4M 813
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
				1.9 dCi	96/131	F9Q 804;F9Q 803






	kW/HP	Engine code		Type		
1.9 dCi	81/110	F9Q 804;F9Q 816;F9Q 818	05/05->03/09	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
1.9 dCi	88/120	F9Q 800	09/03->03/09	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 800; Fitting Position: Centre
1.9 dCi	85/115	F9Q 804;F9Q 816;F9Q 818	09/03->03/09	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 804; engine F9Q 816; engine F9Q 818; Fitting Position: Centre
2.0	99/135	F4R 770;F4R 771	09/03->12/09	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; engine F4R 770; engine F4R 771
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 770; engine F4R 771; Fitting Position: Centre
2.0 16V Turbo	120/163	F4R 776	05/04->03/09	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
2.0 dCi	110/150	M9R 700;M9R 722	09/05->03/09	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9R 700; engine M9R 721; engine M9R 722; engine M9R 724; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 700; engine M9R 721; engine M9R 722; engine M9R 724; Fitting Position: Centre
MEGANE II Estate (KM0/1_) 						
1.4	72/98	K4J 730;K4J 740	08/03->07/09	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4J 730; engine K4J 740
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K4J 740; Fitting Position: Right; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ALT; engine K4J 730; Fitting Position: Right; - AC; ->12/07; engine K4J 740; Fitting Position: Right; - AC
1.5 dCi	74/101	K9K 728;K9K 729	02/04->03/06	Deflection/Guide	SR-1162	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 04/05->; engine K4J 730; Fitting Position: Centre; + AC; 05/06->; engine K4J 730; engine K4J 740; Fitting Position: Centre; - AC; engine K4J 740; Fitting Position: Centre; + AC
				Tensioner	SR-1006	- holder; OD: 127; W: 22,5; ALT; engine K9K 728; engine K9K 729; Fitting Position: Right; - AC
1.5 dCi	63/86	K9K 724	05/05->07/09	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ->12/07; Fitting Position: Right; - AC
				Tensioner	SR-1006	OD: 75; W: 21; ALT; 12/07->; Fitting Position: Right; - AC
1.5 dCi	60/82	K9K 722	08/03->05/06	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 09/05->; Fitting Position: Centre; - AC; 01/05->; Fitting Position: Centre; + AC
1.5 dCi (KM13)	76/103	K9K 728	01/07->07/09	Deflection/Guide	SR-1162	OD: 75; W: 21; ALT; 12/07->; engine K9K 728; engine K9K 729; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; OD: 127; W: 22,5; ALT; ->12/07; engine K9K 728; engine K9K 729; Fitting Position: Right; - AC
1.5 dCi (KM16, KM1E)	78/106	K9K 732;K9K 734	05/05->06/08	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; engine K9K 732; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Centre; + AC; 09/05->; engine K9K 732; Fitting Position: Centre; - AC
1.6	83/113	K4M 760;K4M 761	08/03->07/09	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; engine K4M 760; engine K4M 761; Fitting Position: Right; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 760; engine K4M 761; engine K4M 812; engine K4M 813
				Tensioner	SR-1004	OD: 75; W: 21; ALT; 12/07->; engine K4M 812; engine K4M 813; Fitting Position: Right; - AC
1.6 16V	82/112	K4M 760;K4M 761;K4M 812;K4M 813	01/06->08/09	Tensioner	SR-1004	ID: 8,2; OD: 66; W: 32; engine K4M 760; engine K4M 761; engine K4M 812; engine K4M 813
				Deflection/Guide	SR-1162	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 04/05->; engine K4M 760; engine K4M 761; engine K4M 761; engine K4M 761; engine K4M 812; engine K4M 812; engine K4M 813; Fitting Position: Centre; + AC; 05/06->; engine K4M 760; engine K4M 761; engine K4M 812; engine K4M 813; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 812; engine K4M 813
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K4M 812; engine K4M 813; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 812; engine K4M 813; Fitting Position: Centre
1.6 16V Hi-Flex	77/105	K4M 856	02/08->07/09	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 856
				Tensioner	SR-1006	- holder; OD: 127; W: 22,5; ALT; engine K4M 856; Fitting Position: Right; - AC
1.9 dCi	68/92	F9Q 808	03/04->02/07	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 808; Fitting Position: Centre
1.9 dCi	66/90	F9Q 808	04/04->12/05	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 808; Fitting Position: Centre
1.9 dCi	85/115	F9Q 818	05/05->07/09	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 816; engine F9Q 818; Fitting Position: Centre
1.9 dCi	96/131	F9Q 804;F9Q 803	05/05->07/09	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
1.9 dCi	81/110	F9Q 804;F9Q 818	05/05->07/09	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 816; engine F9Q 818; Fitting Position: Centre
1.9 dCi	88/120	F9Q 800	08/03->07/09	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 800; Fitting Position: Centre
2.0	99/135	F4R 770;F4R 771	08/03->07/09	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; engine F4R 770; engine F4R 771
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 770; engine F4R 771; Fitting Position: Centre
2.0 dCi	110/150	M9R 700;M9R 722	09/05->07/09	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9R 700; engine M9R 721; engine M9R 722; engine M9R 724; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 700; engine M9R 721; engine M9R 722; engine M9R 724; Fitting Position: Centre
MEGANE II Saloon (LM0/1_) 						
1.4	60/82	K4J 732	09/03->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; engine K4J 732; Fitting Position: Right; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4J 732
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 04/05->; engine K4J 732; Fitting Position: Centre; + AC; 05/06->; engine K4J 732; Fitting Position: Centre; - AC





	kW/HP	Engine code		Type		
1.4	72/98	K4J 730;K4J 740	09/03->	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4J 730; engine K4J 740
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; engine K4J 730; Fitting Position: Right; - AC; ->12/07; engine K4J 740; Fitting Position: Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K4J 740; Fitting Position: Right; - AC
1.5 dCi	76/103	K9K 734	01/07->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 04/05->; engine K4J 730; Fitting Position: Centre; + AC; 05/06->; engine K4J 730; engine K4J 740; Fitting Position: Centre; - AC; engine K4J 740; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K9K 728; engine K9K 729; Fitting Position: Right; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; engine K9K 728; engine K9K 729; Fitting Position: Right; - AC
1.5 dCi	74/101	K9K 728;K9K 729	02/04->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 728; engine K9K 729; Fitting Position: Centre
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; engine K9K 728; engine K9K 729; Fitting Position: Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K9K 728; engine K9K 729; Fitting Position: Right; - AC
1.5 dCi	63/86	K9K 724	05/05->	Tensioner	SR-1006	- holder; OD: 127; W: 22.5; ALT; ->12/07; Fitting Position: Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; Fitting Position: Right; - AC
				Deflection/Guide	SR-1162	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Centre; + AC; 09/05->; Fitting Position: Centre; - AC
1.5 dCi	78/106	K9K 732	05/05->	Tensioner	SR-1006	- holder; OD: 127; W: 22.5; ALT; engine K9K 732; Fitting Position: Right; - AC
				Deflection/Guide	SR-1162	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; engine K9K 732; engine K9K 734; Fitting Position: Centre; + AC; 09/05->; engine K9K 732; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; Fitting Position: Right; - AC
1.5 dCi	60/82	K9K 722	09/03->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; Fitting Position: Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K4M 812; engine K4M 813; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 09/05->; Fitting Position: Centre; - AC; 01/05->; Fitting Position: Centre; + AC
1.6	77/105	K4M 762	05/05->	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 680; engine K4M 762; engine K4M 768
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ALT; ->12/07; engine K4M 812; engine K4M 813; Fitting Position: Right; - AC; engine K4M 760; engine K4M 761; Fitting Position: Right; - AC
1.6	83/113	K4M 760;K4M 761	09/03->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K4M 812; engine K4M 813; Fitting Position: Right; - AC
				Deflection/Guide	SR-1162	OD: 75; W: 21; ALT; 12/07->; engine K4M 812; engine K4M 813; Fitting Position: Right; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 760; engine K4M 761; engine K4M 812; engine K4M 813
1.6	82/112	K4M 812;K4M 813	01/06->	Tensioner	SR-1004	ID: 8.2; OD: 66; W: 32; engine K4M 760; engine K4M 761; engine K4M 812; engine K4M 813
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 04/05->; engine K4M 760; engine K4M 761; engine K4M 766; engine K4M 812; engine K4M 813; Fitting Position: Centre; + AC; 05/06->; engine K4M 760; engine K4M 761; engine K4M 812; engine K4M 813; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; engine K4M 812; engine K4M 813; Fitting Position: Right; - AC
1.6 16V	82/112	K4M 812;K4M 813	01/06->	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 812; engine K4M 813
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K4M 812; engine K4M 813; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 812; engine K4M 813; Fitting Position: Centre
1.9 dCi	68/92	F9Q 808	03/04->	Tensioner	SR-1003	ID: 8.2; OD: 66; W: 32; engine K4M 812; engine K4M 813
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 808; Fitting Position: Centre
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 808; Fitting Position: Centre
1.9 dCi	96/131	F9Q 804;F9Q 803	05/05->	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 808; Fitting Position: Centre
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 800; Fitting Position: Centre
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 800; Fitting Position: Centre
1.9 dCi (LM0G, LM1G, LM2C)	88/120	F9Q 800	09/03->12/05	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 800; Fitting Position: Centre
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 816; engine F9Q 818; Fitting Position: Centre
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 816; engine F9Q 818; Fitting Position: Centre
1.9 dCi (LM14, LM1D)	81/110	F9Q 804;F9Q 803;F9Q 816;F9Q 818	05/05->	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 816; engine F9Q 818; Fitting Position: Centre
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54.5; W: 32.5; engine F4R 770; engine F4R 771
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 770; engine F4R 771; Fitting Position: Centre
MEGANE III Coupe (DZ0/1_) 						
1.2 TCe	85/116	H5F 400	03/12->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine H5F 400; engine H5F 404; Fitting Position: Right
1.2 TCe (DZ16)	97/132	H5F 404	01/13->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Right
1.5 dCi	70/95	K9K 846	07/14->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 830; Fitting Position: Centre; eng. output 85 HP
1.5 dCi (DZ09, DZ0D, DZ1F, DZ1G)	81/110	K9K J 836;K9K 846;K9K 837;K9K 636	02/09->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 836; engine K9K 837; engine K9K 846; Fitting Position: Centre; eng. output 110 HP
1.5 dCi (DZ0A)	63/86	K9K 830	11/08->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 830; Fitting Position: Centre; eng. output 85 HP
1.5 dCi (DZ0B)	78/106	K9K 832	02/09->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 832; Fitting Position: Centre; eng. output 105 HP
1.5 dCi (DZ0C, DZ1A)	66/90	K9K H 834	11/08->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 834; Fitting Position: Centre; eng. output 90 HP
1.6 16V (DZ0H)	74/101	K4M 848	11/08->	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 848
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 848; Fitting Position: Centre
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 858; engine K4M 866
1.6 16V (DZ0U, DZ1B, DZ1H)	81/110	K4M 858	11/08->	Tensioner	SR-1004	ID: 8.2; OD: 66; W: 32; engine K4M 858; engine K4M 866
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 858; engine K4M 866
1.6 16V Bifuel (DZ03, DZ1Y)	81/110	K4M 866	11/08->	Tensioner	SR-1004	ID: 8.2; OD: 66; W: 32; engine K4M 858; engine K4M 866
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 858; engine K4M 866; Fitting Position: Centre
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Centre right
1.6 dCi (DZ00)	96/130	R9M 402	04/11->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Centre right
1.9 dCi (DZ0N, DZ0J, DZ1J, DZ1K)	96/131	F9Q 872;F9Q 870	11/08->	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre

	kW/HP	Engine code		Type		
2.0 CVT (DZ0G, DZ1E)	103/140	M4R 711	05/09->	Tensioner	SR-1014	- holder; ID: 17; OD: 70; W: 27; ALT; engine M4R 711; engine M4R 713; Fitting Position: Centre
2.0 dCi	120/163	M9R 610	07/12->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Centre
2.0 dCi (DZ0L)	118/160	M9R 610	04/09->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Centre
2.0 dCi (DZ0Y)	110/150	M9R 615	04/09->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Centre
2.0 R.S.	201/273	F4R 874	07/14->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
2.0 R.S.	195/265	F4R 874	11/08->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
2.0 TCe	140/190	F4R 872	06/12->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 870; engine F4R 872
2.0 TCe (DZ0K)	132/180	F4R 870	11/08->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 870; engine F4R 872
2.0 TCe (DZ1N)	184/250	F4R 874	05/09->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT
2.0 TCe 220	162/220	F4R 874	11/13->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT
MEGANE III Grandtour (KZ0/1) 						
1.2 TCe	85/116	H5F 400	03/12->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine H5F 400; engine H5F 404; Fitting Position: Right
1.2 TCe (KZ16)	97/132	H5F 404	01/13->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Right
1.5 dCi	63/86	K9K 830	03/09->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26
1.5 dCi	70/95	K9K 846	11/13->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26
1.5 dCi (KZ09, KZ0D, KZ1G, KZ1M, KZ1W)	81/110	K9K 836;K9K 846;K9K 837;K9K 636	02/09->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre; eng. output 110 HP
1.5 dCi (KZ0C, KZ1A)	66/90	K9K 834	05/09->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 834; Fitting Position: Centre; eng. output 90 HP
1.5 dCi (KZ1M, KZ1W)	78/106	K9K 836;K9K 846	02/09->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 832; Fitting Position: Centre; eng. output 105 HP
1.6 16V (KZ0H)	74/101	K4M 848	05/09->	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 848
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 848; Fitting Position: Centre
1.6 16V (KZ0U, KZ1B, KZ1U)	81/110	K4M 858	05/09->	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 858; engine K4M 866
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 858; engine K4M 866; Fitting Position: Centre
				Tensioner	SR-1004	ID: 8,2; OD: 66; W: 32; engine K4M 858; engine K4M 866
1.6 16V Bifuel (KZ03)	81/110	K4M 866	11/08->	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 858; engine K4M 866
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 858; engine K4M 866; Fitting Position: Centre
				Tensioner	SR-1004	ID: 8,2; OD: 66; W: 32; engine K4M 858; engine K4M 866
1.6 dCi (KZ00, KZ12)	96/130	R9M 402;R9M 404	04/11->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Centre right
1.9 dCi (KZ0J, KZ0N, KZ1S)	96/131	F9Q 872;F9Q 870	05/09->	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
2.0 CVT (KZ0G, KZ1P)	103/140	M4R 711;M4R F 713	05/09->	Tensioner	SR-1014	- holder; ID: 17; OD: 70; W: 27; ALT; engine M4R 711; engine M4R 713; Fitting Position: Centre
2.0 dCi	120/163	M9R 610	07/12->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Centre
2.0 dCi (KZ0L)	118/160	M9R 610	04/09->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Centre
2.0 dCi (KZ0Y)	110/150	M9R 615	10/10->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Centre
2.0 TCe	162/220	F4R 874	09/12->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 870; engine F4R 872
2.0 TCe	140/190	F4R 872	09/12->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 870; engine F4R 872
2.0 TCe (KZ0K, KZ1T)	132/180	F4R 870;F4R 872	11/08->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT
MEGANE III Hatchback (BZ0_) 						
1.2 TCe	85/116	H5F 400	03/12->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine H5F 400; engine H5F 404; Fitting Position: Right
1.2 TCe (BZ16)	97/132	H5F 404	01/13->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Right
1.5 dCi	78/106	K9K G 832	02/09->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 832; Fitting Position: Centre; eng. output 105 HP
1.5 dCi	70/95	K9K 846	11/13->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26
1.5 dCi	63/86	K9K 830	12/09->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre; eng. output 85 HP
1.5 dCi (BZ09, BZ0D)	81/110	K9K 836;K9K 846;K9K 837;K9K 636;K9K 656;K9K 657	02/09->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 836; engine K9K 837; engine K9K 846; Fitting Position: Centre; eng. output 110 HP
1.5 dCi (BZ0C)	66/90	K9K H 834	11/08->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 834; Fitting Position: Centre; eng. output 90 HP
1.6 16V	82/111	K4M 866;K4M 858	11/08->	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 858; engine K4M 866
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 858; engine K4M 866; Fitting Position: Centre
				Tensioner	SR-1004	ID: 8,2; OD: 66; W: 32; engine K4M 858; engine K4M 866
1.6 16V (BZ0H)	74/101	K4M 848	11/08->	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 848
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 848; Fitting Position: Centre

	kW/HP	Engine code		Type		
1.6 16V (BZ1B, BZ1H)	81/110	K4M 858	11/08->	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 858; engine K4M 866
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 858; engine K4M 866; Fitting Position: Centre
				Tensioner	SR-1004	ID: 8,2; OD: 66; W: 32; engine K4M 858; engine K4M 866
1.6 16V Bifuel (BZ03)	81/110	K4M 866	11/08->	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 858; engine K4M 866
				Tensioner	SR-1004	ID: 8,2; OD: 66; W: 32; engine K4M 858; engine K4M 866
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 858; engine K4M 866; Fitting Position: Centre
1.6 dCi (BZ00, BZ12)	96/130	R9M 402;R9M 404	04/11->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Centre right
1.9 dCi (BZ0N, BZ0J)	96/131	F9Q 872;F9Q 870	11/08->	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
2.0 CVT (BZ0G, BZ1P)	103/140	M4R 711;M4R 713	02/09->	Tensioner	SR-1014	- holder; ID: 17; OD: 70; W: 27; ALT; Fitting Position: Centre
2.0 dCi	120/163	M9R 610	07/12->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Centre
2.0 dCi (BZ0L)	118/160	M9R 610	04/09->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Centre
2.0 dCi (BZ0Y)	110/150	M9R 615	10/10->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; Fitting Position: Centre
2.0 TCe	140/190	F4R 872	06/12->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 870; engine F4R 872
2.0 TCe (BZ0K)	132/180	F4R 870	11/08->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 870; engine F4R 872
2.0 TCe 220	162/220	F4R 874	11/13->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT
MEGANE Scenic [JA0/1] 						
1.4 i (JA0E)	55/75	E7J 764	01/97->09/99	Tensioner	SR-1118	OD: 50; W: 22
1.6 16V (JA0B, JA04, JA11)	79/107	K4M 700;K4M 701;K4M 708;K4M 704	04/98->10/99	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1005	OD: 54; W: 32
				Tensioner	SR-1189	OD: 70; W: 25,7; ALT; Fitting Position: Centre; - AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
1.6 e (JA0F)	66/90	K7M 702;K7M 703	10/96->10/99	Tensioner	SR-1118	OD: 50; W: 22
1.6 i (JA0L)	55/75	K7M 720	01/97->09/99	Tensioner	SR-1214	OD: 55; W: 22
1.9 D (JA0J)	47/64	F8Q 790	03/97->09/99	Deflection/Guide	SR-1115	OD: 50; W: 31; engine F8Q 788; engine F8Q 790; num. of teeth 153; engine F8Q 788; engine F8Q 790; num. of teeth 153; Fitting Position: Right
				Deflection/Guide	SR-1213	OD: 60; W: 31; engine F8Q 788; engine F8Q 790; num. of teeth 153; Fitting Position: Lower Left
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; engine F8Q 788; engine F8Q 790; Fitting Position: Lower; + AC
				Tensioner	SR-1114	OD: 50; W: 31; engine F8Q 788; engine F8Q 790; num. of teeth 153; engine F8Q 788; engine F8Q 790; num. of teeth 153; Fitting Position: Upper Left
				Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; engine F8Q 788; engine F8Q 790; Fitting Position: Centre; + AC
1.9 dT (JA0K, JA0Y)	66/90	F8Q 784;F8Q 786	01/97->09/99	Deflection/Guide	SR-1115	OD: 50; W: 31; engine F8Q 786; num. of teeth 153; Fitting Position: Right; engine F8Q 786; num. of teeth 153; engine F8Q 784; num. of teeth 153
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; engine F8Q 784; engine F8Q 786; Fitting Position: Lower; + AC
				Deflection/Guide	SR-1213	OD: 60; W: 31; engine F8Q 786; num. of teeth 153; Fitting Position: Lower Left
				Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; engine F8Q 784; engine F8Q 786; Fitting Position: Centre; + AC
				Tensioner	SR-1114	OD: 50; W: 31; engine F8Q 786; num. of teeth 153; Fitting Position: Upper Left; engine F8Q 786; num. of teeth 153; engine F8Q 784; num. of teeth 153
1.9 dTi (JA0N)	72/98	F9Q 730;F9Q 734	04/97->09/99	Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; engine F9Q 731; engine F9Q 734; engine F9Q 736; Fitting Position: Lower; + AC
				Deflection/Guide	SR-1213	OD: 60; W: 31; engine F9Q 731; Fitting Position: Lower Left; engine F9Q 736; Fitting Position: Lower Left
				Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; engine F9Q 731; engine F9Q 734; engine F9Q 736; Fitting Position: Centre; + AC
				Tensioner	SR-1114	OD: 50; W: 31; engine F9Q 734; engine F9Q 736; engine F9Q 736; Fitting Position: Upper Left
2.0 i (JA0G)	84/114	F3R 750;F3R 751	01/97->09/99	Deflection/Guide	SR-1115	OD: 50; W: 31
				Deflection/Guide	SR-1121	OD: 70; W: 28; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1114	OD: 50; W: 31
2.0 i (JA0G)	80/109	F3R 796	01/99->09/99	Deflection/Guide	SR-1115	OD: 50; W: 31; engine F3R 791; engine F3R 796; engine F3R 797; engine F3R 798; Fitting Position: Right
				Deflection/Guide	SR-1121	OD: 70; W: 28; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1114	OD: 50; W: 31; engine F3R 791; engine F3R 796; engine F3R 797; engine F3R 798; Fitting Position: Upper Left
MODUS / GRAND MODUS (F/JP0) 						
1.4 (JP01, JP0J)	72/98	K4J 770;K4J 780	12/04->	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4J 770; engine K4J 780
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; -> 12/07; engine K4J 770; engine K4J 780; Fitting Position: Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K4J 780; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; 04/05->; engine K4J 770; engine K4J 780; Fitting Position: Centre; + AC; 03/06->; - AC
1.5 dCi (FP0D, JP0D)	60/82	K9K 750	09/04->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; -> 12/07; Fitting Position: Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 09/05->; Fitting Position: Centre; - AC; 01/05->; Fitting Position: Centre; + AC
1.5 dCi (FP0E, JP0E)	48/65	K9K 752	12/04->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; -> 12/07; engine K9K 750; engine K9K 752; Fitting Position: Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K9K 750; engine K9K 752; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; 01/05->; engine K9K 750; engine K9K 752; Fitting Position: Centre; + AC; 09/05->; - AC

	kW/HP	Engine code		Type		
1.5 dCi (FP0F, JP0F)	63/86	K9K 766;K9K 760	12/04->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; Fitting Position: Right; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Centre; + AC; 09/05->; Fitting Position: Centre; - AC
1.5 dCi (FP0G, JP0G)	50/68	K9K 768;K9K 762	12/04->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; Fitting Position: Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Centre; + AC; 09/05->; Fitting Position: Centre; - AC
1.5 dCi (JP02)	76/103	K9K 772	05/07->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K9K 772; Fitting Position: Centre; + AC
1.5 dCi (JP0G, JP0H)	78/106	K9K 764	05/05->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Centre; + AC; 09/05->; Fitting Position: Centre; - AC
1.5 dCi 75	55/75	K9K 770	10/10->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC
1.5 dCi 90	65/88	K9K 750	10/10->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC
1.6 (JP03, JP0B, JP0U, JP0Y, JP1G)	82/112	K4M 800;K4M 801;K4M 790;K4M 791	12/04->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K4M 794; engine K4M 800; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; engine K4M 790; engine K4M 791; engine K4M 794; engine K4M 800; engine K4M 801; Fitting Position: Right; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 790; engine K4M 791; engine K4M 794; engine K4M 800; engine K4M 801
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 04/05->; engine K4M 790; engine K4M 791; engine K4M 794; engine K4M 800; engine K4M 801; Fitting Position: Centre; + AC; 05/06->; engine K4M 790; engine K4M 791; engine K4M 794; engine K4M 800; engine K4M 801; Fitting Position: Centre; - AC
				Tensioner	SR-1004	ID: 8.2; OD: 66; W: 32; engine K4M 790; engine K4M 791; engine K4M 794; engine K4M 800; engine K4M 801
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 790; engine K4M 791; engine K4M 794; engine K4M 800; engine K4M 801
1.6 (JP0L, JP0V)	65/88	K4M 794	12/04->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; engine K4M 790; engine K4M 791; engine K4M 794; engine K4M 800; engine K4M 801; Fitting Position: Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K4M 794; engine K4M 800; - AC
				Tensioner	SR-1004	ID: 8.2; OD: 66; W: 32; engine K4M 790; engine K4M 791; engine K4M 794; engine K4M 800; engine K4M 801
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 04/05->; engine K4M 790; engine K4M 791; engine K4M 794; engine K4M 800; engine K4M 801; Fitting Position: Centre; + AC; 05/06->; engine K4M 790; engine K4M 791; engine K4M 794; engine K4M 800; engine K4M 801; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1213	OD: 60; W: 31; engine F8Q 648; engine F8Q 680; engine F8Q 682; engine F8Q 684; num. of teeth 151; Fitting Position: Lower Left
				Deflection/Guide	SR-1117	OD: 50; W: 31; ->08/96; engine F8Q 640; engine F8Q 646; engine F8Q 776; num. of teeth 151; engine F8Q 722; engine F8Q 724; engine F8Q 774; num. of teeth 151; 09/96->; engine F8Q 640; engine F8Q 644; engine F8Q 646; engine F8Q 648; engine F8Q 680; engine F8Q 682; engine F8Q 684; engine F8Q 776; num. of teeth 151; engine F8Q 648; engine F8Q 680; engine F8Q 682; engine F8Q 684; num. of teeth 151; Fitting Position: Right
1.9 D (F40R)	40/54	F8Q 640;F8Q 682	09/94->03/98	Tensioner	SR-1114	OD: 50; W: 31; ->08/96; engine F8Q 640; engine F8Q 646; engine F8Q 776; num. of teeth 151; engine F8Q 722; engine F8Q 724; engine F8Q 774; num. of teeth 151; 09/96->; engine F8Q 640; engine F8Q 644; engine F8Q 646; engine F8Q 648; engine F8Q 680; engine F8Q 682; engine F8Q 684; engine F8Q 776; num. of teeth 151; engine F8Q 648; engine F8Q 680; engine F8Q 682; engine F8Q 684; num. of teeth 151; Fitting Position: Upper Left
				Deflection/Guide	SR-1166	OD: 53; W: 27; ->12/97; Fitting Position: Right; 01/98->; Fitting Position: Upper Right
RAPID Box (F40_, G40_) 						
1.4 (F40D)	58/79	E7J 728	01/94->03/98	Tensioner	SR-1118	OD: 50; W: 22; engine E6J 734; engine E6J 738; engine E7J 728
1.4 (F40U, F40V)	55/75	E7J 720;E7J 724;E7J 773;E7J 726	09/91->03/98	Tensioner	SR-1118	OD: 50; W: 22
1.6 D (F404)	40/55	F8M 720;F8M 730;F8M 736;F8M 760	03/86->08/98	Deflection/Guide	SR-1115	OD: 50; W: 31; 02/88->; engine F8M 720; engine F8M 730; engine F8M 736; engine F8M 760; + RTP
				Tensioner	SR-1114	OD: 50; W: 31; 02/88->; engine F8M 720; engine F8M 730; engine F8M 736; engine F8M 760; + RTP
1.9 D (F40R)	40/54	F8Q 640;F8Q 682	09/94->03/98	Deflection/Guide	SR-1213	OD: 60; W: 31; engine F8Q 648; engine F8Q 680; engine F8Q 682; engine F8Q 684; num. of teeth 151; Fitting Position: Lower Left
				Deflection/Guide	SR-1117	OD: 50; W: 31; ->08/96; engine F8Q 640; engine F8Q 646; engine F8Q 776; num. of teeth 151; engine F8Q 722; engine F8Q 724; engine F8Q 774; num. of teeth 151; 09/96->; engine F8Q 640; engine F8Q 644; engine F8Q 646; engine F8Q 648; engine F8Q 680; engine F8Q 682; engine F8Q 684; engine F8Q 776; num. of teeth 151; engine F8Q 648; engine F8Q 680; engine F8Q 682; engine F8Q 684; num. of teeth 151; Fitting Position: Right
				Tensioner	SR-1114	OD: 50; W: 31; ->08/96; engine F8Q 640; engine F8Q 646; engine F8Q 776; num. of teeth 151; engine F8Q 722; engine F8Q 724; engine F8Q 774; num. of teeth 151; 09/96->; engine F8Q 640; engine F8Q 644; engine F8Q 646; engine F8Q 648; engine F8Q 680; engine F8Q 682; engine F8Q 684; engine F8Q 776; num. of teeth 151; engine F8Q 648; engine F8Q 680; engine F8Q 682; engine F8Q 684; num. of teeth 151; Fitting Position: Upper Left
SAFRANE II (B54_) 						
2.0 16V (B54L)	100/136	N7Q 710;N7Q 711	07/96->12/00	Deflection/Guide	SR-1146	OD: 53; W: 27; ->12/97; Fitting Position: Right; 01/98->; Fitting Position: Upper Right
				Tensioner	SR-1301	ID: 8.2; OD: 59; W: 27; 01/98->; Fitting Position: Lower Left
2.5 20V (B54F)	121/165	N7U 700;N7U 701	07/96->12/00	Deflection/Guide	SR-1146	OD: 53; W: 27; ->12/97; Fitting Position: Right; 01/98->; Fitting Position: Upper Right
				Tensioner	SR-1301	ID: 8.2; OD: 59; W: 27; 01/98->; Fitting Position: Lower Left
2.9 24V (B54N)	140/190	L7X 713	03/99->12/00	Deflection/Guide	SR-1366	OD: 65; W: 26.6; ALT; engine L7X 713; Fitting Position: Centre right
SANDERO/STEPWAY I 						
1.4	55/75	K7J 710	02/09->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7J 710; Fitting Position: Centre right; + AC; + PS
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7J 710; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; ->09/09; engine K7J 710; Fitting Position: Centre; + PS; - AC
				Tensioner	SR-1214	OD: 55; W: 22; ->11/09; engine K7J 710
				Tensioner	SR-1215	ID: 8.2; OD: 73.5; W: 22; 11/09->; engine K7J 710
1.6	64/87	K7M 710	02/09->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7M 710; Fitting Position: Centre right; + AC; + PS
				Tensioner	SR-1215	ID: 8.2; OD: 73.5; W: 22; 11/09->; engine K7M 710; engine K7M 714; engine K7M 718
				Tensioner	SR-1214	OD: 55; W: 22; ->11/09; engine K7M 710; engine K7M 714; engine K7M 718
Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26				
Tensioner	SR-1189	OD: 70; W: 25.7; ALT; ->09/09; engine K7M 710; Fitting Position: Centre; + PS; - AC				
Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7M 710; Fitting Position: Centre; + AC; + PS				

	kW/HP	Engine code		Type		
1.6	62/84	K7M 718	11/10->	Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1215	ID: 8,2; OD: 73,5; W: 22; engine K7M 710; engine K7M 714; engine K7M 718
				Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1189	OD: 70; W: 25,7; ALT; Fitting Position: Centre; - AC
1.6	75/102	K7M 710	12/07->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7M 710; Fitting Position: Centre right; + AC; + PS
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7M 710; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1189	OD: 70; W: 25,7; ALT; ->09/09; engine K7M 710; Fitting Position: Centre; + PS; - AC
1.6	76/103	K4M 690	12/07->	Tensioner	SR-1215	ID: 8,2; OD: 73,5; W: 22; 11/09->; engine K7M 710; engine K7M 714; engine K7M 718
				Tensioner	SR-1214	OD: 55; W: 22; ->11/09; engine K7M 710; engine K7M 714; engine K7M 718
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; ->09/09; engine K7M 710; Fitting Position: Centre; + AC; + PS
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
SCÉNIC I [JA0/1] 						
1.4 16V [JA0D, JA1H, Ja0W, JA10]	70/95	K4J 750;K4J 714	09/99->08/03	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1005	OD: 54; W: 32
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
1.6	79/107	K4M 700;K4M 706	09/99->09/03	Tensioner	SR-1189	OD: 70; W: 25,7; ALT; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre; + AC
1.8 16V [JA12, JA1R, JA1M, JA1A]	85/115	F4P 720;F4P 722	01/01->08/03	Tensioner	SR-1189	OD: 70; W: 25,7; ALT; Fitting Position: Centre; - AC
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; 04/01->; Fitting Position: Lower Left
				Deflection/Guide	SR-1005	OD: 54; W: 32; ->04/01; Fitting Position: Lower Left
1.8 4x4	85/116	F4P 722	07/00->04/01	Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; 04/01->; Fitting Position: Lower Left
				Deflection/Guide	SR-1005	OD: 54; W: 32; Fitting Position: Lower Left
1.9 dCi [JA05, JA1F]	75/102	F9Q 732;F9Q 733	09/99->08/03	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1213	OD: 60; W: 31; engine F9Q 732; engine F9Q 740; engine F9Q 748; Fitting Position: Lower Left
				Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; ->03/01; + AC
				Tensioner	SR-1114	OD: 50; W: 31; engine F9Q 732; engine F9Q 740; engine F9Q 748; Fitting Position: Upper Left
1.9 dCi RX4	75/102	F9Q 740	11/00->08/03	Deflection/Guide	SR-1213	OD: 60; W: 31; engine F9Q 740; engine F9Q 748; Fitting Position: Lower Left
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; engine F9Q 740; engine F9Q 748; + AC
				Tensioner	SR-1114	OD: 50; W: 31; engine F9Q 740; engine F9Q 748; Fitting Position: Upper Left; engine F9Q 740; engine F9Q 748
				Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; ->03/01; engine F9Q 740; engine F9Q 748; + AC
1.9 dCi RX4	74/101	F9Q 732;F9Q 748;F9Q 796	12/02->08/03	Deflection/Guide	SR-1213	OD: 60; W: 31; engine F9Q 740; engine F9Q 748; Fitting Position: Lower Left
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; + AC
				Tensioner	SR-1114	OD: 50; W: 31; engine F9Q 740; engine F9Q 748; Fitting Position: Upper Left; engine F9Q 740; engine F9Q 748
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; + AC
1.9 dTi [JA0N]	72/98	F9Q 734;F9Q 731;F9Q 736	09/99->08/03	Deflection/Guide	SR-1213	OD: 60; W: 31; engine F9Q 731; Fitting Position: Lower Left; ->10/00; engine F9Q 736; Fitting Position: Lower Left
				Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; 03/01->; engine F9Q 731; engine F9Q 734; + AC; ->03/01
				Tensioner	SR-1114	OD: 50; W: 31; ->10/00; engine F9Q 736; ->10/00; engine F9Q 736; Fitting Position: Upper Left
				Deflection/Guide	SR-1213	OD: 60; W: 31; Fitting Position: Lower Left
1.9 dTi [JA1U]	59/80	F9Q 744	02/01->08/03	Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; Fitting Position: Lower Right; + AC
				Deflection/Guide	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; ->03/01; Fitting Position: Centre right; + AC
				Tensioner	SR-1005	OD: 54; W: 32; ->04/01; engine F4R 746; engine F4R 747; Fitting Position: Lower Left
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre
2.0 16V	103/140	F4R 744;F4R 740;F4R 741;F4R 747	09/99->08/03	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; 04/01->; engine F4R 746; engine F4R 747; Fitting Position: Lower Left
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1186	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre









	kW/HP	Engine code		Type		
2.0 16V (JA1B, JA1D)	102/139	F4R 740;F4R 741;F4R 746	07/00->08/03	Deflection/Guide	SR-1005	OD: 54; W: 32; ->04/01; Fitting Position: Lower Left
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; 04/01->; Fitting Position: Lower Left
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; 04/01->; Fitting Position: Lower Left
2.0 16V RX4	102/139	F4R 744;F4R 746	06/00->08/03	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine F4R 744; Fitting Position: Centre
				Deflection/Guide	SR-1005	OD: 54; W: 32; ->04/01; Fitting Position: Lower Left
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine F4R 744; Fitting Position: Centre right
				Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4J 730; engine K4J 740
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ALT; engine K4J 730; Fitting Position: Right; - AC; ->12/07; engine K4J 740; Fitting Position: Right; - AC










SCÉNIC II (JM0/1_)







1.4 (JM0B, JM0H, JM1A)	72/98	K4J 730;K4J 770;K4J 740	06/03->	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4J 730; engine K4J 740
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ALT; engine K4J 730; Fitting Position: Right; - AC; ->12/07; engine K4J 740; Fitting Position: Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K4J 740; Fitting Position: Right; - AC
1.5 dCi (JM02, JM13)	74/101	K9K 728;K9K 729	11/03->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 04/05->; engine K4J 730; Fitting Position: Centre; + AC; 05/06->; engine K4J 730; engine K4J 740; Fitting Position: Centre; - AC; engine K4J 740; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K9K 728; Fitting Position: Right; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ->12/07; engine K9K 728; Fitting Position: Right; - AC
1.5 dCi (JM0F)	60/82	K9K 722	06/03->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 01/05->; engine K9K 728; Fitting Position: Centre; + AC; 09/05->; engine K9K 728; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ->12/07; Fitting Position: Right; - AC
1.5 dCi (JM16)	76/103	K9K 734	01/07->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; 09/05->; Fitting Position: Centre; - AC; 01/05->; Fitting Position: Centre; + AC
1.5 dCi (JM1E)	78/106	K9K 732	05/05->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Centre; + AC; 09/05->; Fitting Position: Centre; - AC
1.5 dCi (JM1F)	63/86	K9K 724	05/05->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; ->12/07; Fitting Position: Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; Fitting Position: Right; - AC
1.6 (JM0C, JM0J, JM1B)	83/113	K4M 761;K4M 782	06/03->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Centre; + AC; 09/05->; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; engine K4M 761; engine K4M 782; Fitting Position: Right; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 761; engine K4M 766; engine K4M 782
1.6 16V (JM1R)	82/112	K4M 706;K4M 812;K4M 813;K4M 766	10/05->	Tensioner	SR-1004	ID: 8,2; OD: 66; W: 32; engine K4M 761; engine K4M 766; engine K4M 782
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 812; engine K4M 813
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22,5; ALT; engine K4M 812; engine K4M 813; Fitting Position: Right; - AC
1.9 D	85/116	F9Q J 803;F9Q 812	06/06->	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 812; Fitting Position: Centre
1.9 dCi (JM0G, JM12, JM1G, JM2C)	88/120	F9Q 812	06/03->	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
1.9 dCi (JM14)	96/131	F9Q J 803;F9Q 804;F9Q 816;F9Q 818	05/05->	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
1.9 dCi (JM15)	81/110	F9Q 804	05/05->	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 804; Fitting Position: Centre
2.0 (JM05, JM0U, JM1N, JM1U, JM2V)	99/135	F4R 770;F4R 771	06/03->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
2.0 16V Turbo (JM0W)	120/163	F4R 776	05/04->	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
2.0 dCi (JM1K)	110/150	M9R 700;M9R 721;M9R 722	09/05->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9R 700; engine M9R 721; engine M9R 722; engine M9R 724; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 700; engine M9R 721; engine M9R 722; engine M9R 724; Fitting Position: Centre











SCÉNIC III (JZ0/1_)




1.2 TCe	85/116	H5F 400	04/12->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Right
1.2 TCe (JZ16)	97/132	H5F 404	01/13->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Right
1.5 dCi	78/106	K9K 832	02/09->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi	81/110	K9K 836;K9K 837;K9K 636;K9K 656;K9K 657	04/09->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi	63/86	K9K 830	04/09->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi	70/95	K9K 846	11/10->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.6 16V (JZ0U)	81/110	K4M 858	02/09->	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 858; engine K4M 866
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 858; engine K4M 866; Fitting Position: Centre
				Tensioner	SR-1004	ID: 8,2; OD: 66; W: 32; engine K4M 858; engine K4M 866
1.6 dCi (JZ00, JZ12)	96/130	R9M 402;R9M 404	04/11->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Centre right













	kW/HP	Engine code		Type		
1.6 E85 (JZ03)	81/110	K4M 866	02/09->	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 858; engine K4M 866
				Tensioner	SR-1004	ID: 8.2; OD: 66; W: 32; engine K4M 858; engine K4M 866
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; engine K4M 858; engine K4M 866; Fitting Position: Centre
1.9 dCi	96/131	F9Q 872;F9Q 870	02/09->	Tensioner	SR-1003	- holder; ID: 17; OD: 65; W: 30; ALT; engine F9Q 870; engine F9Q 872; Fitting Position: Centre
2.0 16V (JZ0G, JZ1E)	103/140	M4R 711;M4R 710	02/09->	Tensioner	SR-1014	- holder; ID: 17; OD: 70; W: 27; ALT; Fitting Position: Centre
2.0 dCi (JZ0L)	118/160	M9R 610	04/09->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9R 610; engine M9R 615; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 610; engine M9R 615; Fitting Position: Centre
2.0 dCi (JZ0Y)	110/150	M9R 615	02/09->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9R 610; engine M9R 615; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 610; engine M9R 615; Fitting Position: Centre
SPORT SPIDER (EF0_) 						
2.0 16V	110/150	F7R 710	03/95->10/99	Deflection/Guide	SR-1213	OD: 60; W: 31; engine F7R 720; Fitting Position: Lower Left
				Deflection/Guide	SR-1117	OD: 50; W: 31; engine F7R 720; Fitting Position: Right; engine F7R 710; engine F7R 712; engine F7R 720
SUPER 5 (B/C40_) 						
1.6 D (B/C/404)	40/55	F8M 720;F8M 730	08/85->12/96	Deflection/Guide	SR-1115	OD: 50; W: 31; 03/88->; eng.# C216376->; engine F8M 720; 03/88->; eng.# C093597->; engine F8M 730
				Tensioner	SR-1114	OD: 50; W: 31; 03/88->; eng.# C216376->; engine F8M 720; 03/88->; eng.# C093597->; engine F8M 730
1.7 (B/C408)	54/73	F3N 716 ;F3N 717	10/86->03/95	Deflection/Guide	SR-1115	OD: 50; W: 31; 02/88->
				Tensioner	SR-1114	OD: 50; W: 31; 02/88->
1.7 (B/C40K, B/C40G)	64/87	F2N 740;F2N 742	06/87->03/95	Deflection/Guide	SR-1115	OD: 50; W: 31; 02/88->
				Tensioner	SR-1114	OD: 50; W: 31; 02/88->
1.7 i (C409)	69/94	F3N 702;F3N 722	10/86->08/91	Deflection/Guide	SR-1115	OD: 50; W: 31; 02/88->; engine F3N 702
				Tensioner	SR-1114	OD: 50; W: 31; 02/88->; engine F3N 702
SYMBOL II (LU1/2_) 						
1.2 16V (LU2V)	55/75	D4F 728	09/08->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; Fitting Position: Centre; Fitting Position: Centre; - AC
1.5 dCi	62/85	K9K 718	09/08->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi	47/64	K9K 740	09/08->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.6 16V	77/105	K4M 743	09/08->	Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4M 744; engine K4M 745
				Deflection/Guide	SR-1217	OD: 60; W: 25; ALT; 10/09->; engine K4M 744; engine K4M 745; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->10/09; engine K4M 744; engine K4M 745; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; engine K4M 744; engine K4M 745; Fitting Position: Right; - AC
				Tensioner	SR-1216	- holder; ID: 17; OD: 60; W: 25; ALT; 10/09->; engine K4M 744; engine K4M 745; Fitting Position: Centre; + AC
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine K4M 744; engine K4M 745; Fitting Position: Centre; - AC
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; ->10/09; engine K4M 744; engine K4M 745; Fitting Position: Centre; + AC
Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26				
THALIA I (LB0/1/2_) 						
1.2 16V	55/75	D4F 712;D4F 706	04/02->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; PSP; engine D4F 722; Fitting Position: Centre; engine D4F 706; engine D4F 712; engine D4F 728
				Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; engine K7J 700; Fitting Position: Right; - AC; - PS
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K7J 700; Fitting Position: Centre right; + AC
1.4	55/75	K7J 700	08/00->	Tensioner	SR-1187	- holder; ID: 17; OD: 60; W: 26
				Tensioner	SR-1214	OD: 55; W: 22; engine K7J 700
				Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine K7J 700; Fitting Position: Centre; - AC
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K7J 700; Fitting Position: Centre; + AC
1.4 16V	72/98	K4J 712	08/00->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K4J 712; engine K4J 713; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; engine K4J 712; engine K4J 713
				Tensioner	SR-1186	- holder; ID: 17; OD: 60; W: 26; ALT; engine K4J 712; engine K4J 713; Fitting Position: Centre; + AC
1.5 dCi	50/68	K9K 700;K9K 714	02/03->	Tensioner	SR-1189	OD: 70; W: 25.7; ALT; engine K4J 712; engine K4J 713; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1163	- holder; ID: 17; OD: 60; W: 26
				Deflection/Guide	SR-1162	OD: 75; W: 21; ALT; 12/07->; engine K9K 700; engine K9K 706; Fitting Position: Right; - AC
1.5 dCi	48/65	K9K 700	04/02->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; engine K9K 700; engine K9K 706; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 01/05->; engine K9K 700; engine K9K 706; Fitting Position: Centre; + AC; 09/05->; engine K9K 700; engine K9K 706; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K9K 700; engine K9K 704; Fitting Position: Right; - AC
1.5 dCi	48/65	K9K 700	04/02->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; engine K9K 700; engine K9K 704; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 01/05->; engine K9K 700; engine K9K 704; Fitting Position: Centre; + AC; 09/05->; engine K9K 700; engine K9K 704; Fitting Position: Centre; - AC
				Tensioner	SR-1510	- holder; ID: 17; OD: 65; W: 26.5; ALT; ->01/05; engine K9K 700; engine K9K 706; Fitting Position: Centre; + AC
1.5 dCi	60/82	K9K 702	06/01->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; engine K9K 700; engine K9K 706; Fitting Position: Right; - AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; engine K9K 700; engine K9K 706; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; ALT; 01/05->; engine K9K 700; engine K9K 706; Fitting Position: Centre; + AC; 09/05->; engine K9K 700; engine K9K 706; Fitting Position: Centre; - AC
1.5 dCi	47/64	K9K 740	06/05->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre















	kW/HP	Engine code		Type		
1.9 D	48/65	F8Q 630	02/98->05/01	Deflection/Guide	SR-1213	OD: 60; W: 31; Fitting Position: Lower Left
				Deflection/Guide	SR-1117	OD: 50; W: 31; Fitting Position: Right
				Pulley	SR-1395	ID: 29; num. of ribs: 6; OD: 93; W: 24.5; - AC
				Tensioner	SR-1114	OD: 50; W: 31; Fitting Position: Upper Left
TRAFIC Box (T1, T3, T4) 						
1.7	50/68	F1N 724	06/86->04/89	Deflection/Guide	SR-1115	OD: 50; W: 31; 02/88->
				Tensioner	SR-1114	OD: 50; W: 31; 02/88->
2.1 D	43/58	852 750	09/80->04/89	Deflection/Guide	SR-1116	OD: 60; W: 33
2.1 D 4x4	43/58	852 750	11/86->04/89	Deflection/Guide	SR-1116	OD: 60; W: 33
TRAFIC Box (TXX) 						
1.7	50/68	F1N 720	08/92->08/94	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.9 D	44/60	F8Q 606	06/97->03/01	Deflection/Guide	SR-1115	OD: 50; W: 31; engine F8Q 600; engine F8Q 606; Fitting Position: Right
				Tensioner	SR-1114	OD: 50; W: 31; engine F8Q 600; engine F8Q 606; Fitting Position: Upper Left
2.1 D	43/58	852 750	05/89->06/94	Deflection/Guide	SR-1116	OD: 60; W: 33
2.1 D	47/64	J8S 620;J8S 758	06/94->10/97	Deflection/Guide	SR-1116	OD: 60; W: 33
2.5 D	55/75	8140.67.2500;8140.67.2580;S8U 750;S8U 752;S8U 758;8140.67.2550	05/89->03/01	Deflection/Guide	SR-1120	OD: 67; W: 34; 09/90->; engine S8U 750; engine S8U 752; engine S8U 758; Fitting Position: Upper; ->09/90; engine S8U 750; engine S8U 752; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; 09/90->; engine S8U 750; engine S8U 752; engine S8U 758; Fitting Position: Lower; ->09/90; engine S8U 750; engine S8U 752; Fitting Position: Lower
TRAFIC Bus (T5, T6, T7) 						
1.7	50/68	F1N 724	06/86->04/89	Deflection/Guide	SR-1115	OD: 50; W: 31; 02/88->
				Tensioner	SR-1114	OD: 50; W: 31; 02/88->
2.1 D	43/58	852 750	03/80->04/89	Deflection/Guide	SR-1116	OD: 60; W: 33
TRAFIC Bus (TXW) 						
1.7	50/68	F1N 724	08/92->08/94	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.9 D	44/60	F8Q 606	06/97->03/01	Deflection/Guide	SR-1115	OD: 50; W: 31; engine F8Q 600; engine F8Q 606
				Tensioner	SR-1114	OD: 50; W: 31; engine F8Q 600; engine F8Q 606
2.1 D	43/58	852 720;852 750	05/89->06/94	Deflection/Guide	SR-1116	OD: 60; W: 33
2.1 D	47/64	J8S 620;J8S 758	06/94->10/97	Deflection/Guide	SR-1116	OD: 60; W: 33
2.5 D	55/75	8140.67.2500;8140.67.2580;S8U 750;S8U 752;S8U 758;8140.67.2550	05/89->03/01	Deflection/Guide	SR-1119	OD: 64; W: 34; 09/90->; engine S8U 750; engine S8U 752; engine S8U 758; Fitting Position: Lower; ->09/90; engine S8U 750; engine S8U 752; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; 09/90->; engine S8U 750; engine S8U 752; engine S8U 758; Fitting Position: Upper; ->09/90; engine S8U 750; engine S8U 752; Fitting Position: Upper
2.5 D 4x4	55/75	8140.67.2500;8140.67.2580;S8U 750;S8U 752;S8U 758;8140.67.2550	08/89->03/01	Deflection/Guide	SR-1119	OD: 64; W: 34; 09/90->; engine S8U 750; engine S8U 752; engine S8U 758; Fitting Position: Lower; ->09/90; engine S8U 750; engine S8U 752; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; 09/90->; engine S8U 750; engine S8U 752; engine S8U 758; Fitting Position: Upper; ->09/90; engine S8U 750; engine S8U 752; Fitting Position: Upper
TRAFIC II Box (FL) 						
1.9 dCi 100 (FL0C)	74/101	F9Q 760	03/01->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ALT; ->03/02; Fitting Position: Centre right; + AC; ->03/02; Fitting Position: Centre right; - AC
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; ALT; 03/02->; Fitting Position: Centre right; + AC; 03/02->; Fitting Position: Centre right; - AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; Fitting Position: Centre; + AC; Fitting Position: Centre; - AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
1.9 dCi 80 (FL0B)	60/82	F9Q 760;F9Q 762	03/01->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; 03/02->; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->03/02; Fitting Position: Centre right; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
2.0 (FL0A)	88/120	F4R 720;F4R 722	03/01->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54.5; W: 32.5; 04/01->; engine F4R 720
				Deflection/Guide	SR-1005	OD: 54; W: 32; ->04/01; engine F4R 720
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4R 720; Fitting Position: Centre right; + AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 720; Fitting Position: Centre; + AC
2.0 16V	86/117	F4R 820	08/06->	Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54.5; W: 32.5
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right; + AC
2.0 dCi 115 (FL01, FL0U)	84/114	M9R 780;M9R 782;M9R 786;M9R 692	08/06->	Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 720; Fitting Position: Centre; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; engine F4R 720; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; engine M9R 784; engine M9R 788; Fitting Position: Centre right; engine M9R 784; engine M9R 788; Fitting Position: Centre right; - AC; engine M9R 630; engine M9R 780; engine M9R 782; engine M9R 786; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 630; engine M9R 780; engine M9R 782; engine M9R 786; Fitting Position: Centre
2.0 dCi 90 (FL0H)	66/90	M9R 780;M9R 782;M9R 630	08/06->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; engine M9R 784; engine M9R 788; Fitting Position: Centre right; engine M9R 784; engine M9R 788; Fitting Position: Centre right; - AC; engine M9R 630; engine M9R 780; engine M9R 782; engine M9R 786; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 630; engine M9R 780; engine M9R 782; engine M9R 786; Fitting Position: Centre








	kW/HP	Engine code		Type		
2.5 dCi 135 (FL0D)	99/135	G9U 730	05/03->	Deflection/Guide	SR-1180	OD: 76; W: 30
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; Fitting Position: Centre
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre
2.5 dCi 145 (FL0J)	107/146	G9U 630	08/06->	Deflection/Guide	SR-1180	OD: 76; W: 30
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ->09/10; Fitting Position: Centre right; + AC; ->09/10; Fitting Position: Centre right; - AC
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; Fitting Position: Centre right; + AC; 09/10->; Fitting Position: Centre right; - AC
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; Fitting Position: Upper; - AC
Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; Fitting Position: Centre; Fitting Position: Centre; + AC				
TRAFIC II Bus (JL) 						
1.9 dCi 100 (JL0C)	74/101	F9Q 760	03/01->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ALT; ->03/02; Fitting Position: Centre right; + AC; ->03/02; Fitting Position: Centre right; - AC
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; ALT; 03/02->; Fitting Position: Centre right; + AC; 03/02->; Fitting Position: Centre right; - AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; Fitting Position: Centre; + AC; Fitting Position: Centre; - AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
1.9 dCi 80 (JL0B)	60/82	F9Q 762	03/01->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; 03/02->; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->03/02; Fitting Position: Centre right; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre; + AC
2.0 (JL0A)	88/120	F4R 720;F4R 722	03/01->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; engine F4R 720; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1005	OD: 54; W: 32; ->04/01; engine F4R 720
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; 04/01->; engine F4R 720
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; engine F4R 720; Fitting Position: Centre; - AC
2.0 16V	86/117	F4R 820	08/06->	Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 720; Fitting Position: Centre; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right; + AC
2.0 dCi 115 (JL0H)	84/114	M9R 780;M9R 782;M9R 786;M9R 692;M9R 630	08/06->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; engine M9R 784; engine M9R 788; Fitting Position: Centre right; - AC; engine M9R 630; engine M9R 780; engine M9R 782; engine M9R 784; engine M9R 786; engine M9R 788; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 630; engine M9R 780; engine M9R 782; engine M9R 786; Fitting Position: Centre
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; engine M9R 784; engine M9R 788; Fitting Position: Centre right; engine M9R 784; engine M9R 788; Fitting Position: Centre right; - AC; engine M9R 630; engine M9R 780; engine M9R 782; engine M9R 786; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 630; engine M9R 780; engine M9R 782; engine M9R 786; Fitting Position: Centre
2.0 dCi 90 (JL0H)	66/90	M9R 782	08/06->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; engine M9R 784; engine M9R 788; Fitting Position: Centre right; engine M9R 784; engine M9R 788; Fitting Position: Centre right; - AC; engine M9R 630; engine M9R 780; engine M9R 782; engine M9R 786; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 630; engine M9R 780; engine M9R 782; engine M9R 786; Fitting Position: Centre
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; 09/10->; Fitting Position: Centre right
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ->09/10; Fitting Position: Centre right
2.5 dCi 115	84/114	G9U 630	02/08->	Deflection/Guide	SR-1180	OD: 76; W: 30
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; Fitting Position: Upper
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
2.5 dCi 135 (JL0D)	99/135	G9U 730	05/03->	Deflection/Guide	SR-1180	OD: 76; W: 30
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; Fitting Position: Centre
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ->09/10; Fitting Position: Centre right; + AC; ->09/10; Fitting Position: Centre right; - AC
2.5 dCi 145 (JL0J)	107/146	G9U 630	08/06->	Deflection/Guide	SR-1180	OD: 76; W: 30
				Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; Fitting Position: Centre right; + AC; 09/10->; Fitting Position: Centre right; - AC
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; Fitting Position: Upper
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; Fitting Position: Centre
TRAFIC II Platform/Chassis (EL) 						
1.9 dCi 100 (EL0C)	74/101	F9Q 760	03/01->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; ALT; 03/02->; Fitting Position: Centre right; + AC; 03/02->; Fitting Position: Centre right; - AC
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ALT; ->03/02; Fitting Position: Centre right; + AC; ->03/02; Fitting Position: Centre right; - AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; ALT; Fitting Position: Centre; + AC; Fitting Position: Centre; - AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
1.9 dCi 80 (EL0B)	60/82	F9Q 762	03/01->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->03/02; Fitting Position: Centre right; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; 03/02->; Fitting Position: Centre right; + AC
2.0 (EL0A)	88/120	F4R 720	03/01->	Deflection/Guide	SR-1005	OD: 54; W: 32; ->04/01; engine F4R 720
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5; 04/01->; engine F4R 720
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; engine F4R 720; Fitting Position: Centre; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; engine F4R 720; Fitting Position: Centre; - AC









	kW/HP	Engine code		Type		
2.0 dCi 115 (EL0H)	84/114	M9R 780;M9R 782;M9R 786	08/06->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; engine M9R 784; engine M9R 788; Fitting Position: Centre right; - AC; engine M9R 630; engine M9R 780; engine M9R 782; engine M9R 784; engine M9R 786; engine M9R 788; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 630; engine M9R 780; engine M9R 782; engine M9R 786; Fitting Position: Centre
2.0 dCi 90 (EL0H)	66/90	M9R 780;M9R 782	08/06->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; engine M9R 784; engine M9R 788; Fitting Position: Centre right; - AC; engine M9R 630; engine M9R 780; engine M9R 782; engine M9R 784; engine M9R 786; engine M9R 788; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 630; engine M9R 780; engine M9R 782; engine M9R 786; Fitting Position: Centre
2.5 dCi 135 (EL0D)	99/135	G9U 730	03/01->	Deflection/Guide	SR-1180	OD: 76; W: 30
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; Fitting Position: Centre
2.5 dCi 145 (EL0J)	107/146	G9U 630	08/06->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; ALT; 09/10->; Fitting Position: Centre right; + AC; 09/10->; Fitting Position: Centre right; - AC
				Deflection/Guide	SR-1180	OD: 76; W: 30
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; ALT; ->09/10; Fitting Position: Centre right; + AC; ->09/10; Fitting Position: Centre right; - AC
				Tensioner	SR-1183	- holder; ID: 17; OD: 60; W: 31; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; ALT; Fitting Position: Centre; Fitting Position: Centre; + AC
TRAFIC III Box 						
1.6 dCi 115	85/116	R9M 408	05/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; engine R9M 450; engine R9M 452; engine R9M 408; engine R9M 413
1.6 dCi 120	88/120	R9M 450	05/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; engine R9M 450; engine R9M 452; engine R9M 408; engine R9M 413
1.6 dCi 140	103/140	R9M 450	05/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; engine R9M 450; engine R9M 452; engine R9M 408; engine R9M 413
1.6 dCi 90	66/90	R9M 408	05/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; engine R9M 450; engine R9M 452; engine R9M 408; engine R9M 413
TRAFIC III Bus 						
1.6 dCi 115	85/116	R9M 408	05/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; engine R9M 450; engine R9M 452; engine R9M 408; engine R9M 413
1.6 dCi 120	88/120	R9M 450	05/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; engine R9M 450; engine R9M 452; engine R9M 408; engine R9M 413
1.6 dCi 140	103/140	R9M 450	05/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; engine R9M 450; engine R9M 452; engine R9M 408; engine R9M 413
1.6 dCi 90	66/90	R9M 408	05/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; engine R9M 450; engine R9M 452; engine R9M 408; engine R9M 413
TRAFIC Platform/Chassis (P6) 						
1.7	50/68	F1N 722	06/86->04/89	Deflection/Guide	SR-1115	OD: 50; W: 31; 02/88->
				Tensioner	SR-1114	OD: 50; W: 31; 02/88->
2.1 D	43/58	852 720	03/80->04/89	Deflection/Guide	SR-1116	OD: 60; W: 33
2.5 D	51/69	S8U 720;S8U 722;8140.61.240	03/80->04/89	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
TRAFIC Platform/Chassis (PXX) 						
1.7	50/68	F1N 722	05/89->08/94	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
2.1 D [RWD]	43/58	852 720	05/89->06/94	Deflection/Guide	SR-1116	OD: 60; W: 33
2.1 D [RWD]	47/64	J8S 620;J8S 758	06/94->10/97	Deflection/Guide	SR-1116	OD: 60; W: 33
2.5 D	51/69	S8U 720;S8U 722;8140.61.240	05/89->03/01	Deflection/Guide	SR-1119	OD: 64; W: 34; 09/90->; engine S8U 750; engine S8U 752; engine S8U 758; Fitting Position: Lower; ->09/90; engine S8U 750; engine S8U 752; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; 09/90->; engine S8U 750; engine S8U 752; engine S8U 758; Fitting Position: Upper; ->09/90; engine S8U 750; engine S8U 752; Fitting Position: Upper
2.5 D	58/79	S8U 758	09/94->04/98	Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
2.5 D 4x4	58/79	S8U 758	09/94->01/99	Deflection/Guide	SR-1119	OD: 64; W: 34; Fitting Position: Lower
				Deflection/Guide	SR-1120	OD: 67; W: 34; Fitting Position: Upper
TWINGO I [C06_] 						
1.2 [C066, C068]	43/58	D7F 700;D7F 701;D7F 702;D7F 703;D7F 704	05/96->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; engine D7F 700; engine D7F 701; engine D7F 702; engine D7F 703; engine D7F 704; engine D7F 706; engine D7F 708; Fitting Position: Centre
				Tensioner	SR-1118	OD: 50; W: 22; engine D7F 700; engine D7F 701; engine D7F 702; engine D7F 703; engine D7F 704; engine D7F 706; engine D7F 708
1.2 [C067]	40/54	D7F 700;D7F 701	05/96->	Tensioner	SR-1118	OD: 50; W: 22
				Tensioner	SR-1329	OD: 56; W: 24; ACCOM; Fitting Position: Centre
1.2 16V [C060]	44/60	D4F 708	08/04->06/07	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; Fitting Position: Centre
1.2 16V [C06C, C06D, C06K]	55/75	D4F 702	01/01->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; engine D4F 702; Fitting Position: Centre
1.2 LPG	44/60	D7F 702;D7F 708	10/03->	Tensioner	SR-1329	OD: 56; W: 24; ACCOM; Fitting Position: Centre
				Tensioner	SR-1118	OD: 50; W: 22
TWINGO II [CN0_] 						
1.2 [CN0D]	43/58	D7F 800	03/07->	Tensioner	SR-1118	OD: 50; W: 22
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; 12/07->; Fitting Position: Right; - AC
1.5 dCi [CN0E]	47/64	K9K 740	03/07->	Deflection/Guide	SR-1162	- holder; OD: 127; W: 22.5; ALT; ->12/07; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi [CN0U]	62/84	K9K 718	04/08->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; - AC
1.5 dCi 75	55/75	K9K 820	10/10->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
1.5 dCi 90	63/86	K9K 820	10/10->	Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre









	kW/HP	Engine code		Type		
1.6 RS (CN0N, CN0R, CN0S)	98/133	K4M 854	05/08->	Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC
				Deflection/Guide	SR-1005	OD: 54; W: 32
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1004	ID: 8,2; OD: 66; W: 32
TWINGO III 						
0.9 TCe 90	66/90	H4B 401	09/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Centre right
1.0 SCe 70	52/71	H4D 400	09/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; Fitting Position: Centre right
VEL SATIS (BJ0_) 						
2.0 16 V Turbo	125/170	F4R 766;F4R 767	04/04->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; Fitting Position: Centre
2.0 16V Turbo (BJ0K)	120/163	F4R 762;F4R 763	06/02->	Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
2.0 dCi (BJ03)	110/150	M9R 760	08/05->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9R 760; engine M9R 762; engine M9R 763; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 760; engine M9R 762; engine M9R 763; Fitting Position: Centre
2.0 dCi (BJ03, BJ0B)	127/173	M9R 760;M9R 762;M9R 763	01/06->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT; engine M9R 760; engine M9R 762; engine M9R 763; Fitting Position: Centre right
				Tensioner	SR-1247	- holder; ID: 17; OD: 65; W: 29; ALT; engine M9R 760; engine M9R 762; engine M9R 763; Fitting Position: Centre
2.0 Turbo	108/147	F4R 867	04/05->	Deflection/Guide	SR-1002	ID: 17; num. of ribs: 6; OD: 54,5; W: 32,5
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; ->03/09; Fitting Position: Centre right
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; ->03/09; Fitting Position: Centre
2.2 dCi	83/113	G9T 600	12/04->	Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9T 600; engine G9T 606; engine G9T 607; engine G9T 702; engine G9T 703
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; engine G9T 600; engine G9T 606; engine G9T 702; engine G9T 703; Fitting Position: Centre right
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9T 600; engine G9T 606; engine G9T 702; engine G9T 703; Fitting Position: Centre
2.2 dCi (BJ0E, BJ0F)	110/150	G9T 702;G9T 703	06/02->	Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9T 600; engine G9T 606; engine G9T 607; engine G9T 702; engine G9T 703
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; engine G9T 600; engine G9T 606; engine G9T 702; engine G9T 703; Fitting Position: Centre right
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9T 600; engine G9T 606; engine G9T 702; engine G9T 703; Fitting Position: Centre
2.2 dCi (BJ0E, BJ0F, BJ0G, BJ0H)	102/140	G9T 702;G9T 600;G9T 700;G9T 606;G9T 607	09/04->	Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; engine G9T 600; engine G9T 606; engine G9T 607; engine G9T 702; engine G9T 703; Fitting Position: Centre right
				Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9T 600; engine G9T 606; engine G9T 607; engine G9T 702; engine G9T 703
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9T 600; engine G9T 606; engine G9T 607; engine G9T 702; engine G9T 703; Fitting Position: Centre
2.2 dCi (BJ0H)	85/116	G9T 600	04/04->	Deflection/Guide	SR-1180	OD: 76; W: 30; engine G9T 600; engine G9T 606; engine G9T 607; engine G9T 702; engine G9T 703
				Deflection/Guide	SR-1181	ID: 17; OD: 60; W: 31; ALT; engine G9T 600; engine G9T 606; engine G9T 607; engine G9T 702; engine G9T 703; Fitting Position: Centre right
				Tensioner	SR-1182	- holder; OD: 60; W: 31; ALT; engine G9T 600; engine G9T 606; engine G9T 607; engine G9T 702; engine G9T 703; Fitting Position: Centre
WIND (E4M_) 						
1.6 (E4MB, E4MC)	98/133	K4M 854	07/10->	Deflection/Guide	SR-1005	OD: 54; W: 32
				Deflection/Guide	SR-1163	OD: 75; W: 21; ALT; Fitting Position: Right; - AC
				Tensioner	SR-1006	- holder; ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1004	ID: 8,2; OD: 66; W: 32
ROVER						
100 / METRO (XP) 						
115 D	42/57	TUD 5	12/94->12/98	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
200 (RF) 						
211	44/60	11 K2D	01/98->03/00	Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14,5; PSP; Fitting Position: Centre left
				Tensioner	SR-1153	OD: 70; W: 20; PSP; Operating Mode: Manual
214 i	55/75	14 K2F	11/95->03/00	Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14,5; PSP; Fitting Position: Centre left
				Tensioner	SR-1153	OD: 70; W: 20; PSP; Operating Mode: Manual
214 Si	76/103	14 K4F	11/95->03/00	Tensioner	SR-1153	OD: 70; W: 20; PSP; Operating Mode: Manual
				Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14,5; PSP; Fitting Position: Centre left
216 Si	82/112	16 K4F	11/95->03/00	Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14,5; PSP; Fitting Position: Centre left
				Tensioner	SR-1153	OD: 70; W: 20; PSP; Operating Mode: Manual
218 K Vi	107/146	18 K4K	11/95->03/00	Tensioner	SR-1153	OD: 70; W: 20; PSP; Operating Mode: Manual
				Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14,5; PSP; Fitting Position: Centre left
218 Si	88/120	18 K4F	08/99->03/00	Tensioner	SR-1153	OD: 70; W: 20; ALT; + PS; man. TPA
200 Coupe (XW) 						
216	90/122	D 16 A8	10/92->06/99	Tensioner	SR-1154	OD: 57; W: 26; camshaft DOHC
200 Hatchback (XW) 						
214	55/75	14 K2A;14 K2D	09/93->10/95	Tensioner	SR-1153	OD: 70; W: 20; PSP
214 GSi/Si	70/95	14 K4C	01/90->10/95	Tensioner	SR-1153	OD: 70; W: 20; PSP
214 GSi/Si	76/103	14 K4F	12/92->10/95	Tensioner	SR-1153	OD: 70; W: 20; PSP
214 Si/Gsi	66/90	14 K4C;14 K4D	10/89->10/95	Tensioner	SR-1153	OD: 70; W: 20; PSP






	kW/HP	Engine code		Type		
216 GSi	82/112	D 16 Z2	10/89->10/95	Tensioner	SR-1154	OD: 57; W: 26; camshaft 50HC/OHC; camshaft DOHC
216 GTi	90/122	D 16 A8	09/90->10/95	Tensioner	SR-1154	OD: 57; W: 26; camshaft DOHC
25 (RF) 						
1.1 16V	55/75	11 K4F	01/04->05/05	Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14.5; PSP; Fitting Position: Centre left
				Tensioner	SR-1153	OD: 70; W: 20; PSP; Operating Mode: Manual
1.4 16V	62/84	14 K4M	10/99->05/05	Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14.5; PSP; Fitting Position: Centre left
				Tensioner	SR-1153	OD: 70; W: 20; PSP; Operating Mode: Manual
1.4 16V	76/103	14 K4F	10/99->05/05	Tensioner	SR-1153	OD: 70; W: 20; PSP; Operating Mode: Manual
				Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14.5; PSP; Fitting Position: Centre left
1.6 16V	80/109	16 K4F	10/99->05/05	Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14.5; PSP; Fitting Position: Centre left
				Tensioner	SR-1153	OD: 70; W: 20; PSP; Operating Mode: Manual
1.8 16V	107/146	18 K4K	02/00->05/05	Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14.5; PSP; Fitting Position: Centre left
				Tensioner	SR-1153	OD: 70; W: 20; PSP; Operating Mode: Manual
1.8 16V	85/116	18 K4F	10/99->05/05	Tensioner	SR-1153	OD: 70; W: 20; PSP; Operating Mode: Manual
				Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14.5; PSP; Fitting Position: Centre left
400 (RT) 						
414	55/75	14 K2F	03/96->12/99	Tensioner	SR-1153	OD: 70; W: 20; ALT; + PS; man. TPA
414 Si	76/103	14 K4F	05/95->03/00	Tensioner	SR-1153	OD: 70; W: 20; PSP; Operating Mode: Manual
				Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14.5; PSP; Fitting Position: Centre
416 Si	82/112	16 K4F	05/95->03/00	Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14.5; PSP; Fitting Position: Centre
				Tensioner	SR-1153	OD: 70; W: 20; PSP; Operating Mode: Manual
416 Si	83/113	D 16 Y2	05/95->03/00	Tensioner	SR-1153	OD: 70; W: 20; PSP
				Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14.5; PSP; engine 16K4F; Fitting Position: Centre left
400 (XW) 						
414 GSi/Si	66/90	14 K4C;14 K4D	04/90->04/95	Tensioner	SR-1153	OD: 70; W: 20; PSP
414 GSi/Si CAT	76/103	14 K4F	01/93->04/95	Tensioner	SR-1153	OD: 70; W: 20; PSP
416 GSi	82/112	D 16 Z2	04/90->04/95	Tensioner	SR-1154	OD: 57; W: 26; camshaft 50HC/OHC; camshaft DOHC
416 GTi	90/122	D 16 A8	04/90->04/95	Tensioner	SR-1154	OD: 57; W: 26; camshaft DOHC
400 Hatchback (RT) 						
414	55/75	14 K2F	03/96->12/97	Tensioner	SR-1153	OD: 70; W: 20; PSP; Operating Mode: Manual
414 Si	76/103	14 K4F	05/95->03/00	Tensioner	SR-1153	OD: 70; W: 20; PSP; Operating Mode: Manual
				Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14.5; PSP; Fitting Position: Centre
416 Si	82/112	16 K4F	05/95->03/00	Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14.5; PSP; Fitting Position: Centre
				Tensioner	SR-1153	OD: 70; W: 20; PSP; Operating Mode: Manual
416 Si	83/113	D 16 Y2	06/95->03/00	Tensioner	SR-1153	OD: 70; W: 20; PSP
				Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14.5; PSP; engine 16 K4F; Fitting Position: Centre left
416 Si	85/116	D16B2	06/95->03/00	Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69.5; W: 20.5; ALT
400 Tourer (XW) 						
1.6 i	90/122	D 16 A8	05/94->11/98	Tensioner	SR-1154	OD: 57; W: 26; ->12/95; camshaft 50HC/OHC; camshaft DOHC
1.8 i	107/146	18 K4K	06/96->11/98	Tensioner	SR-1153	OD: 70; W: 20; PSP
45 (RT) 						
1.4	76/103	14 K4F	02/00->05/05	Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14.5; PSP; Fitting Position: Centre left
				Tensioner	SR-1153	OD: 70; W: 20; PSP; Operating Mode: Manual
1.6	80/109	16 K4F	02/00->05/05	Tensioner	SR-1153	OD: 70; W: 20; PSP; Operating Mode: Manual
				Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14.5; PSP; Fitting Position: Centre left
1.8	86/117	18 K4F	02/00->05/05	Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14.5; PSP; Fitting Position: Centre left
				Tensioner	SR-1153	OD: 70; W: 20; PSP; Operating Mode: Manual
2.0 V6	110/150	20 K4F	02/00->05/05	Tensioner	SR-1332	- holder; OD: 96; W: 26; PSP; ch.YD471064->
45 Saloon (RT) 						
1.4	76/103	14 K4F	02/00->05/05	Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14.5; PSP; Fitting Position: Centre left
				Tensioner	SR-1153	OD: 70; W: 20; PSP; Operating Mode: Manual
1.6	80/109	16 K4F	02/00->05/05	Tensioner	SR-1153	OD: 70; W: 20; PSP; Operating Mode: Manual
				Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14.5; PSP; Fitting Position: Centre left
1.8	86/117	18 K4F	02/00->05/05	Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14.5; PSP; Fitting Position: Centre left
				Tensioner	SR-1153	OD: 70; W: 20; PSP; Operating Mode: Manual
2.0 V6	110/150	20 K4F	02/00->05/05	Tensioner	SR-1332	- holder; OD: 96; W: 26; PSP; ch.YD471064->
600 (RH) 						
618 i/Si	85/115	F 18 A3	03/96->02/99	Tensioner	SR-1225	OD: 70; W: 19; bal. shaft
				Tensioner	SR-1226	OD: 62; W: 27; CS
620 i	85/115	F 20 Z2	08/93->06/96	Tensioner	SR-1226	OD: 62; W: 27; CS
				Tensioner	SR-1225	OD: 70; W: 19; bal. shaft
620 Si	96/131	F 20 Z1	08/93->02/99	Tensioner	SR-1225	OD: 70; W: 19; bal. shaft
				Tensioner	SR-1226	OD: 62; W: 27; CS
623 Si	116/158	H 23 A3	08/93->02/99	Tensioner	SR-1226	OD: 62; W: 27; CS
				Tensioner	SR-1225	OD: 70; W: 19; bal. shaft

	kW/HP	Engine code		Type		
75 (RJ) 						
1.8	88/120	K 1.8	02/99->05/05	Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14,5; PSP; engine 18 K4F; Fitting Position: Right
				Tensioner	SR-1392	- holder; ID: 17; OD: 70; W: 22; ALT; engine 18 K4F; Fitting Position: Centre; + AC
1.8 Turbo	110/150	18 K4G	05/03->05/05	Tensioner	SR-1392	- holder; ID: 17; OD: 70; W: 22; ALT; engine 18 K4FT; Fitting Position: Centre; + AC
				Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14,5; PSP; engine 18 K4FT; Fitting Position: Right
2.0 CDT	85/115	M 47 R	02/99->05/05	Deflection/Guide	SR-1399	OD: 70; W: 23; ALT; Fitting Position: Front
2.0 CDTi	96/131	204D2	02/03->05/05	Deflection/Guide	SR-1399	OD: 70; W: 23; ALT; Fitting Position: Front
2.0 V6	110/150	20 K4F	02/99->05/05	Tensioner	SR-1332	- holder; OD: 96; W: 26; PSP
2.5 V6	129/175	KV 6	02/99->10/01	Tensioner	SR-1332	- holder; OD: 96; W: 26; PSP
2.5 V6	130/177	25 K4F	10/01->05/05	Tensioner	SR-1332	- holder; OD: 96; W: 26; PSP
75 Tourer (RJ) 						
1.8	88/120	K 1.8	08/01->05/05	Tensioner	SR-1392	- holder; ID: 17; OD: 70; W: 22; ALT; engine 18 K4F; Fitting Position: Centre; + AC
				Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14,5; PSP; engine 18 K4F; Fitting Position: Right
1.8 Turbo	110/150	18 K4G	05/03->05/05	Tensioner	SR-1392	- holder; ID: 17; OD: 70; W: 22; ALT; engine 18 K4FT; Fitting Position: Centre; + AC
				Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14,5; PSP; engine 18 K4FT; Fitting Position: Right
2.0 CDT	85/115	M 47 R	08/01->05/05	Deflection/Guide	SR-1399	OD: 70; W: 23; ALT; Fitting Position: Front
2.0 CDTi	96/131	204D2	02/03->05/05	Deflection/Guide	SR-1399	OD: 70; W: 23; ALT; Fitting Position: Front
2.0 V6	110/150	20 K4F	08/01->05/05	Tensioner	SR-1332	- holder; OD: 96; W: 26; PSP
2.5 V6	130/177	KV 6	08/01->05/05	Tensioner	SR-1332	- holder; OD: 96; W: 26; PSP
800 (XS) 						
825 Si Lux (RS)	129/175	25 K4F	04/96->02/99	Tensioner	SR-1332	- holder; OD: 96; W: 26; PSP; ch.230967->
800 Coupe 						
825 Si (RS)	129/175	25 K4F	04/96->02/99	Tensioner	SR-1332	- holder; OD: 96; W: 26; PSP; ch.230967->
CABRIOLET (XW) 						
214 1.4	66/90	14 K4C;14 K4D	01/92->11/99	Tensioner	SR-1153	OD: 70; W: 20; PSP
214 1.4	70/95	14 K4C	04/90->09/92	Tensioner	SR-1153	OD: 70; W: 20; PSP
214 1.4i 16V	76/103	14 K4F	01/93->11/99	Tensioner	SR-1153	OD: 70; W: 20; PSP
216 1.6i	90/122	D 16 A8	01/92->11/99	Tensioner	SR-1154	OD: 57; W: 26; ->07/96
216 1.6i 16V	82/111	16 K4F	01/96->11/99	Tensioner	SR-1153	OD: 70; W: 20; PSP
COUPE 						
1.6 16 V	82/111	16 K4F	03/96->11/99	Tensioner	SR-1153	OD: 70; W: 20; PSP
				Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14,5; PSP; engine 16 K4F; Fitting Position: Centre left
1.8 16 V	107/145	18 K4K	03/96->11/99	Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14,5; PSP; engine 18 K4K (WC); Fitting Position: Centre left
				Tensioner	SR-1153	OD: 70; W: 20; PSP
STREETWISE 						
1.4	76/103	14 K4F	08/03->05/05	Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14,5; PSP; Fitting Position: Centre left
				Tensioner	SR-1153	OD: 70; W: 20; PSP
1.4	62/84	14 K4M	08/03->05/05	Tensioner	SR-1270	- holder; ID: 17; OD: 76; W: 14,5; PSP; Fitting Position: Centre left
				Tensioner	SR-1153	OD: 70; W: 20; PSP; Operating Mode: Manual
SAAB						
900 II 						
2.0 -16 Turbo	136/185	B204L	07/93->02/98	Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; eng.# V088653->; + AC
				Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; ->eng.# V088652; Fitting Position: Upper Left
2.0 i	96/131	B204i	08/94->02/98	Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; ->eng.# V088652; Fitting Position: Upper Left
				Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; eng.# V088653->; + AC
2.3 -16	110/150	B234i	07/93->02/98	Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; eng.# V088653->; + AC
				Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; ->eng.# V088652; Fitting Position: Upper Left
2.5 -24 V6	125/170	B258i	07/93->02/98	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT
900 II Convertible 						
2.0 -16 Turbo	136/185	B204L	12/93->02/98	Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; ->eng.# V088652; Fitting Position: Upper Left
				Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; eng.# V088653->; + AC
2.0 i	96/131	B204i	12/93->02/98	Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; eng.# V088653->; + AC
				Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; ->eng.# V088652; Fitting Position: Upper Left
2.3 -16	110/150	B234i	12/93->02/98	Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; ->eng.# V088652; Fitting Position: Upper Left
				Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; eng.# V088653->; + AC
2.5 -24 V6	125/170	B258i	12/93->02/98	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT
900 II Coupe 						
2.0 -16 Turbo	136/185	B204L	12/93->02/98	Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; eng.# V088653->; + AC
				Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; ->eng.# V088652; Fitting Position: Upper Left
2.0 i	96/131	B204i	08/94->02/98	Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; ->eng.# V088652; Fitting Position: Upper Left
				Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; eng.# V088653->; + AC

	kW/HP	Engine code		Type		
2.0 i	98/133	B206I	12/93->07/94	Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; ->eng.# V088652; Fitting Position: Upper Left
				Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; eng.# V088653->; + AC
2.3 -16	110/150	B234I	12/93->02/98	Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; ->eng.# V088652; Fitting Position: Upper Left
				Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; eng.# V088653->; + AC
2.5 -24 V6	125/170	B258I	12/93->02/98	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT
9000 						
2.0 -16 CD	96/131	B202I;B204I	09/93->12/98	Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; Fitting Position: Left
				Deflection/Guide	SR-1150	OD: 80; W: 25; ALT; Fitting Position: Centre
2.0 -16 CD	110/150	B202S;B204E;B204S	09/93->12/98	Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; Fitting Position: Left
				Deflection/Guide	SR-1150	OD: 80; W: 25; ALT; Fitting Position: Centre
2.0 -16 Turbo CD	136/185	B202L	09/89->12/98	Deflection/Guide	SR-1150	OD: 80; W: 25; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; Fitting Position: Left
2.0 -16 Turbo CD	108/147	B202S;B204E	09/92->12/98	Deflection/Guide	SR-1150	OD: 80; W: 25; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; Fitting Position: Left
2.3 -16 CD	107/146	B234I	08/89->12/98	Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; Fitting Position: Left
				Deflection/Guide	SR-1150	OD: 80; W: 25; ALT; Fitting Position: Centre
2.3 -16 CD Turbo	147/200	B234L	07/90->12/98	Deflection/Guide	SR-1150	OD: 80; W: 25; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; Fitting Position: Left
2.3 -16 CDE	108/147	B234I	09/93->12/98	Deflection/Guide	SR-1150	OD: 80; W: 25; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; Fitting Position: Left
2.3 -16 CDE Eco-Power	125/170	B234E	09/93->12/98	Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; Fitting Position: Left
				Deflection/Guide	SR-1150	OD: 80; W: 25; ALT; Fitting Position: Centre
9000 Hatchback 						
2.0 -16 CS	94/128	B202I	01/89->12/98	Deflection/Guide	SR-1150	OD: 80; W: 25; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; Fitting Position: Left
2.0 -16 CS	96/131	B204I	09/93->12/98	Deflection/Guide	SR-1150	OD: 80; W: 25; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; Fitting Position: Left
2.0 -16 ND Turbo	110/150	B202S;B204E;B204S	09/93->12/98	Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; Fitting Position: Left
				Deflection/Guide	SR-1150	OD: 80; W: 25; ALT; Fitting Position: Lower
2.0 -16 Turbo CS	136/185	B202L	09/88->12/98	Deflection/Guide	SR-1150	OD: 80; W: 25; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; Fitting Position: Left
2.3 -16 Aero CS	162/220	B234R	02/93->12/98	Deflection/Guide	SR-1150	OD: 80; W: 25; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; Fitting Position: Left
2.3 -16 Aero CS	165/224	B234R	02/93->12/98	Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; Fitting Position: Left
				Deflection/Guide	SR-1150	OD: 80; W: 25; ALT; Fitting Position: Lower
2.3 -16 CS	107/146	B234I	09/89->12/98	Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; Fitting Position: Left
				Deflection/Guide	SR-1150	OD: 80; W: 25; ALT; Fitting Position: Lower
2.3 -16 CSE	108/147	B234I	09/93->12/98	Deflection/Guide	SR-1150	OD: 80; W: 25; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; Fitting Position: Left
2.3 -16 CSE Eco Power	125/170	B234E	09/93->12/98	Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; Fitting Position: Left
				Deflection/Guide	SR-1150	OD: 80; W: 25; ALT; Fitting Position: Lower
2.3 -16 Turbo	143/195	B234L	09/90->12/98	Deflection/Guide	SR-1150	OD: 80; W: 25; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; Fitting Position: Left
2.3 -16 Turbo CSE	147/200	B234L	09/93->12/98	Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; Fitting Position: Left
				Deflection/Guide	SR-1150	OD: 80; W: 25; ALT; Fitting Position: Lower
9-3 (YS3D) 						
2.0 i	96/131	B204I	02/98->09/02	Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; ->ch.X2028400; ->ch.X7022778; - AC
				Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT
				Tensioner	SR-1385	- holder; ID: 17; OD: 90,5; W: 25; 04/98->; ->12/00
2.0 SE Turbo	147/200	B204R	02/98->09/02	Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT
				Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; ->ch.X2028400; ->ch.X7022778; - AC
				Tensioner	SR-1385	- holder; ID: 17; OD: 90,5; W: 25; 04/98->; ->08/02
2.0 Turbo	110/150	B205E	01/01->09/02	Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; ->ch.X2028400; ->ch.X7022778; - AC
				Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT
				Tensioner	SR-1385	- holder; ID: 17; OD: 90,5; W: 25; ->08/02
2.0 Turbo	136/185	B204L;B205E;B205L	02/98->09/02	Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; ->ch.X2028400; ->ch.X7022778; - AC
				Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT
				Tensioner	SR-1385	- holder; ID: 17; OD: 90,5; W: 25; 04/98->; ->08/02
2.0 Turbo	113/154	B204E	10/98->09/02	Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; ->ch.X2028400; ->ch.X7022778; - AC
				Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT
				Tensioner	SR-1385	- holder; ID: 17; OD: 90,5; W: 25; ->08/02
2.0 Turbo	151/205	B205R	10/99->09/02	Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; ->ch.X2028400; ->ch.X7022778; - AC
				Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT
				Tensioner	SR-1385	- holder; ID: 17; OD: 90,5; W: 25; ->08/02
2.2 TiD	85/115	X 22 DTH;D223L	02/98->11/00	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; + AC
2.2 TiD	92/125	D223L	11/00->09/02	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; + AC
2.3 i	110/150	B234I	02/98->09/02	Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; ->ch.X2028400; ->ch.X7022778; - AC
				Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT
2.3 Turbo	165/224	B235R	10/98->09/02	Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT
				Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; ->ch.X2028400; ->ch.X7022778; - AC

		kW/HP	Engine code		Type		
9-3 [YS3F] 							
1,8t		110/150	B207E	09/02->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT
1,8t BioPower		129/175	B207L	05/09->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT
1,8 i		90/122	Z 18 XE	01/04->	Deflection/Guide	SR-1397	num. of ribs: 6; OD: 65; Fitting Position: Upper Right
					Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
					Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT
					Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
1,9 TiD		88/120	Z 19 DT	09/04->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Left
					Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT
1,9 TiD		110/150	Z 19 DTH	09/04->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Left
					Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT
1,9 TTiD		118/160	A 19 DTR	12/07->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Left
					Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT
1,9 TTiD		96/130	A 19 DTR	12/07->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Left
					Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT
1,9 TTiD		132/180	Z 19 DTR;A 19 DTR	12/07->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Left
					Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT
2,0 t		177/241	B207R	05/09->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT
2,0 t		154/210	B207R	09/02->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT
2,0 t		129/175	B207L	09/02->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT
2,2 TiD		92/125	D223L	09/02->	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT
2,8 Turbo V6		169/230	LP9	03/05->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
2,8 Turbo V6		184/250	LP9	03/05->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
2,8 Turbo V6		188/256	B284L	12/07->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
2,8 Turbo V6 XWD		206/280	B284R	05/08->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
9-3 Cabriolet [YS3D] 							
2,0 i		96/131	B204I	02/98->08/03	Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT
					Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; - AC
					Tensioner	SR-1385	- holder; ID: 17; OD: 90,5; W: 25; 04/98->; ->12/00
2,0 SE Turbo		147/200	B204R	02/98->08/03	Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT
					Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; - AC
					Tensioner	SR-1385	- holder; ID: 17; OD: 90,5; W: 25; 04/98->; ->05/03
2,0 Turbo		110/150	B205E	01/01->08/03	Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT
					Tensioner	SR-1385	- holder; ID: 17; OD: 90,5; W: 25; ->05/03
					Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; - AC
2,0 Turbo		136/185	B204L;B205E;B205L	02/98->08/03	Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT
					Tensioner	SR-1385	- holder; ID: 17; OD: 90,5; W: 25; 04/98->; ->05/03
					Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT
2,0 Turbo		113/154	B204E	10/98->08/03	Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; - AC
					Tensioner	SR-1385	- holder; ID: 17; OD: 90,5; W: 25; ->08/02
					Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT
2,0 Turbo		151/205	B205R	10/99->08/03	Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; - AC
					Tensioner	SR-1385	- holder; ID: 17; OD: 90,5; W: 25; ->05/03
					Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT
2,3 i		110/150	B234I	02/98->08/03	Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT
					Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; - AC
					Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; - AC
2,3 Turbo		165/224	B235R	10/99->08/03	Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; - AC
					Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT
9-3 Convertible [YS3F] 							
1,8t		110/150	B207E	08/03->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT
1,9 TiD		110/150	Z 19 DTH	01/06->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Left
					Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT
1,9 TTiD		118/160	A 19 DTR	12/07->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Left
					Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT
1,9 TTiD		96/130	A 19 DTR	12/07->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Left
					Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT
1,9 TTiD		132/180	Z 19 DTR;A 19 DTR	12/07->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Left
					Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT
2,0 t		129/175	B207L	08/03->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT
2,0 t		154/210	B207R	08/03->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT
2,8 Turbo V6		169/230	LP9	02/06->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
2,8 Turbo V6		184/250	LP9	02/06->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
2,8 Turbo V6		203/276	B284R	02/09->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
2,8 Turbo V6		206/280	B284R	02/09->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
2,8 Turbo V6		188/256	B284L	12/07->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT

	kW/HP	Engine code		Type		
9-3 Estate (YS3F) 						
1.8 i	90/122	Z 18 XE	03/05->	Deflection/Guide	SR-1397	OD: 52,2; W: 25,5; Fitting Position: Upper Right
				Deflection/Guide	SR-1108	OD: 62,7; W: 23,5; Fitting Position: Upper Left
				Tensioner	SR-1396	- holder; ID: 17; OD: 76,5; W: 22,5; ALT; Fitting Position: Left
				Tensioner	SR-1106	ID: 8,2; OD: 59; W: 22; Fitting Position: Lower
1.8t 2.0	110/150	B207E	03/05->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT
1.9 TiD	88/120	Z 19 DT	03/05->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Left
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT
1.9 TiD	110/150	Z 19 DTH	03/05->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Left
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT
1.9 TtiD	96/130	A 19 DTR	12/07->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Left
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT
1.9 TtiD	118/160	A 19 DTR	12/07->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Left
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT
1.9 TtiD	132/180	Z 19 DTR	12/07->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Left
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT
2.0 t	147/200	B207M	02/09->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; CS
2.0 t	110/150	B207E	03/05->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; CS
2.0 t	129/175	B207L	03/05->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; CS
2.0 t	154/209	B207R	03/05->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT
2.8 Turbo V6	169/230	LP9	03/05->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
2.8 Turbo V6	184/250	LP9	03/05->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
2.8 Turbo V6	188/256	B284L	12/07->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
2.8 Turbo V6 XWD	206/280	B284R	05/08->	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT
9-3X 						
1.9 TtiD	132/180	Z 19 DTR;A 19 DTR	02/09->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Left
				Tensioner	SR-1126	- holder; ID: 17; OD: 65; W: 26; ALT
2.0 t BioPower XWD	154/209	B207R	02/09->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT
2.0 t XWD	154/209	B207R	02/09->	Tensioner	SR-1361	- holder; ID: 17; OD: 83; W: 23; ALT
9-5 (YS3E) 						
1.9 TiD	110/150	Z 19 DTH	01/06->12/09	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre left
				Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT; 01/99-> ch.X3022044->; Fitting Position: Upper Left
2.0 t	110/150	B205E	09/97->12/09	Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; --12/04; --ch.43505871; Fitting Position: Centre
				Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; --12/98; --ch.X3022043; Fitting Position: Upper Left
				Tensioner	SR-1385	- holder; ID: 17; OD: 90,5; W: 25; --02/07
2.2 TiD	88/120	D223L	03/02->12/09	Deflection/Guide	SR-1420	+ holder; OD: 90; thread size M10x1,5; W: 29; ALT; Fitting Position: Right
				Tensioner	SR-1421	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left
				Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT; Fitting Position: Centre
2.3 t	136/185	B235E	01/01->12/09	Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; --12/04; --ch.43505871; Fitting Position: Centre
				Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT
2.3 t	125/170	B235E	09/97->12/09	Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; --12/98; --ch.X3022043; Fitting Position: Upper Left
				Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; --12/04; --ch.43505871; Fitting Position: Centre
2.3 Turbo	162/220	B235L	07/03->12/09	Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT; 01/99-> ch.X3022044->; Fitting Position: Upper Left
				Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; --12/04; --ch.43505871; Fitting Position: Centre
2.3 Turbo	184/250	B235R	09/01->12/09	Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; --12/04; --ch.43505871; Fitting Position: Centre
				Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT; ch.X3022044->; Fitting Position: Upper Left
2.3 Turbo	169/230	B235R	10/99->09/01	Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; --ch.43505871; Fitting Position: Centre
				Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT; ch.X3022044->; Fitting Position: Upper Left
2.3 Turbo	191/260	B235R	11/05->12/09	Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1385	- holder; ID: 17; OD: 90,5; W: 25; --07/09
3.0 V6t	147/200	B308E	01/98->12/09	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT
9-5 (YS3G) 						
2.0 t BioPower	162/220	A 20 NFT	05/10->01/12	Deflection/Guide	SR-1352	+ holder; OD: 70; thread size M8x1,25; W: 31; ALT
2.0 t BioPower XWD	162/220	A 20 NHT	05/10->01/12	Deflection/Guide	SR-1352	+ holder; OD: 70; thread size M8x1,25; W: 31; ALT
2.0 TiD	118/160	A 20 DTH	05/10->01/12	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 TtiD	140/190	A 20 DTR	05/10->01/12	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 TtiD XWD	140/190	A 20 DTR	05/10->01/12	Tensioner	SR-1017	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 Turbo	162/220	A 20 NHT	05/10->01/12	Deflection/Guide	SR-1352	+ holder; OD: 70; thread size M8x1,25; W: 31; ALT
2.0 Turbo XWD	162/220	A 20 NHT	05/10->01/12	Deflection/Guide	SR-1352	+ holder; OD: 70; thread size M8x1,25; W: 31; ALT
2.8 Turbo V6 XWD	221/301	A 28 NER	05/10->01/12	Tensioner	SR-1072	- holder; ID: 17; OD: 70; W: 31; ALT

	kW/HP	Engine code		Type		
9-5 Estate (YS3E) 						
1.9 TiD	110/150	Z 19 DTH	01/06->12/09	Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre left
				Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT; 01/99->; ch.X3022044->; Fitting Position: Upper Left; + AC
2.0 t	110/150	B205E	10/98->12/09	Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; ->12/04; ->ch.43505871; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; ->12/98; ->ch.X3022043; Fitting Position: Upper Left; + AC
				Tensioner	SR-1385	- holder; ID: 17; OD: 90,5; W: 25; ->02/07
				Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; ->12/98; ->ch.X3022043; Fitting Position: Upper Left; + AC
2.0 t	141/192	B204R	10/98->12/09	Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT; 01/99->; ch.X3022044->; Fitting Position: Upper Left; + AC
				Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; ->12/04; ->ch.43505871; + AC
				Tensioner	SR-1385	- holder; ID: 17; OD: 90,5; W: 25; ->08/01
2.2 TiD	88/120	D223L	03/02->12/09	Tensioner	SR-1339	- holder; ID: 17; OD: 90,5; W: 25; ALT
				Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT; ch.X3022044->; Fitting Position: Upper Left; + AC
2.3 t	136/185	B235E	01/01->12/09	Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; ->12/04; ->ch.43505871; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1221	OD: 65; W: 23; ALT; ->12/98; ->ch.X3022043; Fitting Position: Upper Left; + AC
2.3 t	125/170	B235E	10/98->12/09	Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; ->12/04; ->ch.43505871; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT; 01/99->; ch.X3022044->; Fitting Position: Upper Left; + AC
2.3 t BioPower	154/210	B235R	11/06->12/09	Tensioner	SR-1385	- holder; ID: 17; OD: 90,5; W: 25
2.3 Turbo	191/260	B235R	01/06->12/09	Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT; Fitting Position: Upper Left; + AC
				Tensioner	SR-1385	- holder; ID: 17; OD: 90,5; W: 25; ->07/09
2.3 Turbo	162/220	B235L	07/03->12/09	Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT; ch.X3022044->; Fitting Position: Upper Left; + AC
				Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; ->12/04; ->ch.43505871; Fitting Position: Centre; + AC
2.3 Turbo	184/250	B235R	09/01->12/09	Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; ->12/04; ->ch.43505871; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT; ch.X3022044->; Fitting Position: Upper Left; + AC
2.3 Turbo	169/230	B235R	10/99->09/01	Deflection/Guide	SR-1151	OD: 80; thread size M8x1,25; W: 24,5; ALT; ->ch.43505871; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1384	num. of ribs: 6; OD: 62; thread size M10x1,5; W: 23; ALT; ch.X3022044->; Fitting Position: Upper Left; + AC
3.0 V6t	147/200	B308E	10/98->12/09	Tensioner	SR-1067	- holder; ID: 17; num. of ribs: 6; OD: 76,5; W: 22; ALT; Fitting Position: Upper Left

9-7X 

4.2	213/290	LL8	12/05->	Deflection/Guide	SR-1372	ID: 17; OD: 76; W: 33,5; ALT; ->07/12
-----	---------	-----	---------	------------------	---------	---------------------------------------

SEAT

ALHAMBRA (710, 711) 

				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
1.4 TSI	110/150	CAVA;CNWB;CTHA	06/10->	Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI	85/115	CFFE	05/11->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1024	OD: 40; W: 29; 11/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 11/10->; Fitting Position: Upper
2.0 TDI	103/140	CFFB	06/10->	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 11/10->; Fitting Position: Upper
2.0 TDI	125/170	CFGB	06/10->	Deflection/Guide	SR-1024	OD: 40; W: 29; 11/10->; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 11/10->; Fitting Position: Upper
2.0 TDI	100/136	CFFA	06/10->05/11	Deflection/Guide	SR-1024	OD: 40; W: 29; 11/10->; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	130/177	CFGC	11/12->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI 4Drive	103/140	CFFB	05/11->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TSI	147/200	CCZA	11/10->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT



kW/HP

Engine code



Type
















ALHAMBRA (7V8, 7V9)







1.8 T 20V	110/150	AWC;AJH	10/97->03/10	Deflection/Guide	SR-1264	OD: 29; W: 27; ->12/00; engine AJH; Fitting Position: Centre left; 01/01->; engine AWC
				Deflection/Guide	SR-1263	OD: 29; W: 27; ->12/00; engine AJH; Fitting Position: Centre; 01/01->; engine AWC
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; engine AJH; engine AWC; Fitting Position: Upper
				Tensioner	SR-1326	OD: 72; W: 25; ->12/00; engine AJH; Fitting Position: Upper Left
1.9 TDI	66/90	1Z;AHU;ANU	04/96->03/10	Deflection/Guide	SR-1023	OD: 40; W: 36; 01/03->; engine ANU; Fitting Position: Lower Left
				Deflection/Guide	SR-1096	OD: 29; W: 29; ->12/00; engine 1Z; engine AHU; Fitting Position: Upper
				Deflection/Guide	SR-1266	OD: 28; W: 34; 01/01->; ->12/02; engine ANU; Fitting Position: Lower Left
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; engine 1Z; engine AHU; Fitting Position: Rear
1.9 TDI	110/150	BTB	05/05->05/07	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; ->12/00; engine 1Z; engine AHU; Fitting Position: Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; 01/01->; engine ANU; Fitting Position: Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI	85/115	AUY;BVK	06/00->03/10	Deflection/Guide	SR-1023	OD: 40; W: 36; 01/03->; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
1.9 TDI	81/110	AFN;AVG	08/96->06/00	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI	96/131	ASZ	11/02->11/08	Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/03->; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29; 01/01->; engine ATM
1.9 TDI 4motion	85/115	AUY;BVK	06/00->03/10	Deflection/Guide	SR-1023	OD: 40; W: 36; 01/03->; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29; 01/01->; engine ATM
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; engine ATM; Fitting Position: Centre
2.0 i	85/115	ADY;ATM	04/96->03/10	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; engine ADY; Fitting Position: Rear
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25; ->12/00; engine ADY
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT







ALTEA (5P1)

1.2 TSI	77/105	CBZB	04/10->	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4 16V	63/86	BXW;CGGB	05/06->	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
1.4 TSI	92/125	CAXC	11/07->	Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
				Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
1.6	75/102	BGU;BSE;BSF;CCSA;C MXA	03/04->	Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; - AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Upper Left; + AC
1.6 LPG	75/102	CHGA	09/09->	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.6 TDI	77/105	CAYC	10/09->	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.6 TDI	66/90	CAYB	11/10->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
1.8 TFSI	118/160	BYT;BZB;CDAA	01/07->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
1.9 TDI	77/105	BKC;BJB;BLS;BXE	04/04->	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
2.0 FSI	110/150	BLR;BLY;BVY;BVZ	05/04->03/09	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
2.0 TDI	100/136	AZV	03/04->05/09	Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; ->ch.5P-7-000 000; Fitting Position: Right
2.0 TDI	125/170	BMN;CEGA	03/06->	Deflection/Guide	SR-1023	OD: 40; W: 36; ->ch.5P-7-000 000; Fitting Position: Lower Left; ch.5P-7-000 001->; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Upper
2.0 TDI	125/170	BMN;CEGA	03/06->	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Upper







	kW/HP	Engine code		Type		
2.0 TDI	103/140	BMM	11/05->	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; ->ch.5P-5-165 000; Fitting Position: Upper
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; ch.5P-4-000 001->; Fitting Position: Upper
2.0 TDI 16V	103/140	BKD;CFHC	03/04->	Deflection/Guide	SR-1330	OD: 80; W: 34; ->ch.5P-7-000 000; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->ch.5P-7-000 000; Fitting Position: Lower Left; ch.5P-7-000 001->; Fitting Position: Lower Left
2.0 TFSI	147/200	BWA	04/06->05/09	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
ALTEA XL (5P5, 5P8) 						
1.2 TSI	77/105	CBZB	04/10->	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4 16V	63/86	BXW;CGGB	10/06->	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
1.4 TSI	92/125	CAXC	11/07->	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Upper Left; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; - AC
1.6	75/102	BSE;BSF;CCSA;CMXA	10/06->	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.6 LPG	75/102	CHGA	09/09->	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.6 TDI	77/105	CAYC	10/09->	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
1.6 TDI	66/90	CAYB	11/10->	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
1.8 TFSI	118/160	BYT;BZB;CDA	01/07->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
1.9 TDI	77/105	BKC;BLS;BXE	10/06->	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 FSI	110/150	BVY;BVZ	10/06->03/09	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0 TDI	125/170	BMN;CEGA	06/07->	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Upper
2.0 TDI	103/140	BMM	10/06->	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 TDI 16V	103/140	BKD;CFHC	10/06->	Deflection/Guide	SR-1023	OD: 40; W: 36; ->ch.5P-7-000 000; Fitting Position: Lower Left; ch.5P-7-000 001->; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; ->ch.5P-7-000 000; Fitting Position: Right
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Upper
2.0 TDI 16V 4x4	103/140	CFHC	10/10->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI 4x4	125/170	BMN;CEGA;CFJA	06/07->	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Upper
2.0 TDI 4x4	103/140	BMM	06/07->	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 TFSI 4x4	155/211	CCZB	05/09->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
2.0 TFSI 4x4	147/200	BWA	06/07->05/09	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
AROSA (6H) 						
1.0	37/50	AER;ANV;ALD;ALL;AUC	05/97->06/04	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS
1.0	37/50	AHT	10/98->01/01	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS
1.4	44/60	AEX;AKV;APQ;ANW;AK K;AUD	05/97->06/04	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS
1.4 16V	74/100	AFK;AQQ;AUB	01/00->06/04	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; engine AFK; engine AQQ; engine AUB; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; engine AFK; engine AQQ; engine AUB; Fitting Position: Lower Left
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS
1.4 TDI	55/75	AMF	01/00->06/04	Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/03; ->ch.6H-2-023 000; eng.# 11495->; Fitting Position: Lower Left; ->eng.# 11494; ->eng.# 6H-2-023 000
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/04->; ch.6H-3 000 002->; Fitting Position: Lower Left; ch.6H-2-023 001->; ->ch.6H-3 000 001
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.7 SDI	44/60	AKU	08/97->06/04	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
CORDOBA (6K1, 6K2) 						
1.0 i	37/50	AER	09/96->06/99	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS






	kW/HP	Engine code		Type		
1.4 i	44/60	ABD;AEX;AKV;APQ	06/94->06/99	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; engine ABD; Fitting Position: Upper; + PS
1.4 i 16V	74/101	AFH	09/96->06/99	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS
1.6 i	55/75	ABU;AEE;ALM	02/93->06/99	Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; engine ABU; + PS; - AC
1.6 i	55/75	1F	05/94->06/99	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6 i	74/101	AFT;AKL	07/96->10/99	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25; ->12/96
1.8 i	66/90	ABS;ADZ;ACC	02/93->06/99	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 i 16V	95/129	ADL	10/93->08/96	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 D	47/64	1Y	01/96->08/96	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 378365->
				Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5; ->eng.# 378364
1.9 D	50/68	1Y	02/93->08/96	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5; ->eng.# 378364
1.9 SDI	47/64	AEY	08/96->06/99	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 TD	55/75	AAZ	02/93->08/96	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 552765->
1.9 TD	55/75	AAZ	02/93->08/96	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5; ->eng.# 552765
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 TDI	81/110	AFN	03/97->06/99	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 TDI	66/90	1Z;AHU	08/96->06/99	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 552765->
1.9 TDI	66/90	1Z;AHU	08/96->06/99	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
2.0 i	85/115	2E;AGG	02/93->06/99	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.0 i 16V	110/150	ABF	08/96->06/99	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
CORDOBA (6K2) 						
1.0	37/50	ANV;ALD;AUC	06/99->10/02	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS
1.4	44/60	ANW;AKK;AUD	06/99->10/02	Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC
1.4 16V	74/100	AQQ;AUB	02/00->10/02	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC
1.4 16V	74/100	AQQ;AUB	02/00->10/02	Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
1.4 16V	55/75	APE;AUA	05/00->10/02	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
1.4 16V	55/75	APE;AUA	05/00->10/02	Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC
1.6	55/75	ALM	06/99->10/02	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC
				Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
1.6	74/101	AEH;AKL;APF;AUR	06/99->10/02	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.8 T 20V Cupra	115/156	AQX;AYP	07/00->10/02	Deflection/Guide	SR-1264	OD: 29; W: 27; engine AQX; engine AYP; Fitting Position: Centre left
				Deflection/Guide	SR-1263	OD: 29; W: 27; engine AQX; engine AYP; Fitting Position: Centre
1.9 SDI	50/68	AQM;AGP	06/99->10/02	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right; + AC
1.9 TDI	66/90	AHU;ALH;AGR	06/99->10/02	Deflection/Guide	SR-1022	OD: 29; W: 29; ->eng.# 4131; engine AQM; Fitting Position: Lower Left; ->eng.# 229902; engine AGP; Fitting Position: Lower Left; eng.# 4132->; engine AQM; Fitting Position: Upper; eng.# 229903->; engine AGP; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine AGR; engine ALH; Fitting Position: Upper
1.9 TDI	66/90	AHU;ALH;AGR	06/99->10/02	Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
1.9 TDI	81/110	ASV;ASK	06/99->10/02	Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; engine ASV; Fitting Position: Right; + AC
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine ASV; Fitting Position: Upper
1.9 TDI	81/110	ASV;ASK	06/99->10/02	Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; engine ASV; Fitting Position: Upper
CORDOBA (6L2) 						
1.2	47/64	AZQ;BME	10/02->06/06	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
1.2 12V	51/70	BXV	05/06->11/09	Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
				Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left







	kW/HP	Engine code		Type		
1.4 16V	63/86	BXW	05/06->11/09	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
1.4 16V	55/75	BBY;BKY	09/02->12/07	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
1.4 16V	74/100	AUB;BBZ	10/02->11/09	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; -->12/05; engine BBZ; engine BKY; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; -->12/05; engine BBZ; engine BKY; Fitting Position: Lower Left
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
1.4 TDI	51/70	BNM	05/05->11/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.4 TDI	59/80	BMS;BNV	06/05->11/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine BMS; Fitting Position: Upper; + AC
1.4 TDI	55/75	AMF	10/02->12/05	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.6	74/101	BAH	04/03->11/09	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; + AC
1.6 16V	77/105	BTS	11/06->11/09	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
1.9 SDI	47/64	ASY	09/02->11/09	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left; + AC
1.9 TDI	74/100	ATD;AXR;BMT	09/02->11/09	Deflection/Guide	SR-1023	OD: 40; W: 36; engine ATD; engine AXR; engine BMT; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine ATD; engine AXR; engine BMT; Fitting Position: Upper; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.9 TDI	96/131	ASZ;BLT	10/02->11/09	Deflection/Guide	SR-1023	OD: 40; W: 36; engine ASZ; engine BLT; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
2.0	85/115	AZL;BBX	09/02->11/09	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
CORDOBA Vario (6K5) 						
1.4 i	44/60	AEX;AKV;APQ	09/96->06/99	Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC
1.6 i	55/75	1F	05/97->06/99	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.6 i	74/101	AFT	09/96->06/99	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6 i	55/75	AEE;ALM	09/96->06/99	Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; + AC; + PS
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; + PS; - AC
1.9 SDI	47/64	AEY	09/96->06/99	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 TDI	81/110	AFN	07/97->06/99	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
1.9 TDI	66/90	1Z;AHU	08/96->06/99	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
CORDOBA Vario (6K5) 						
1.4	44/60	ANW;AKK;AUD	06/99->12/02	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC
				Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
1.4 16V	55/75	APE;AUA	06/99->12/02	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; engine APE; engine AQQ; engine AUA; engine AUB; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; engine APE; engine AQQ; engine AUA; engine AUB; Fitting Position: Lower Left
				Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
1.6	55/75	ABU;ALM	06/99->12/02	Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC
1.6	74/101	AEH;AKL;APF;AUR	06/99->12/02	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.9 SDI	50/68	AQM;AGP	06/99->12/02	Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right; + AC
				Deflection/Guide	SR-1022	OD: 29; W: 29; --eng # 4131; engine AQM; Fitting Position: Lower Left; --eng # 229902; engine AGP; Fitting Position: Lower Left; eng. # 4132--; engine AQM; Fitting Position: Upper; eng. # 229903--; engine AGP; Fitting Position: Upper






	kW/HP	Engine code		Type		
1.9 TDI	66/90	ALH;AGR	06/99->12/02	Deflection/Guide	SR-1022	OD: 29; W: 29; engine AGR; engine ALH; Fitting Position: Upper
				Deflection/Guide	SR-1308	ID: 8.2; OD: 65; W: 26.5; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
1.9 TDI	81/110	ASV;ASK	06/99->12/02	Deflection/Guide	SR-1308	ID: 8.2; OD: 65; W: 26.5; ALT; engine ASV; Fitting Position: Right; + AC
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine ASV; Fitting Position: Upper
				Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; engine ASV; Fitting Position: Upper
EXEO (3R2) 						
1.6	75/102	ALZ	03/09->09/10	Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5
				Tensioner	SR-1248	ID: 8.2; OD: 72; W: 29
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
1.8 T	110/150	CFMA	12/08->05/10	Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Tensioner	SR-1261	ID: 8.2; OD: 69; W: 28.5; Fitting Position: Upper Left
1.8 TSI	118/160	CDHB	05/10->	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
1.8 TSI	88/120	CDHA	09/10->	Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
2.0 TDI	125/170	CAHA;CGLB	02/09->	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	105/143	CAGA;CJCA	12/08->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
2.0 TDI	88/120	CAGC;CJCC	12/08->	Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TFSI	147/200	BWE	03/09->	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5; ->07/11
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
2.0 TFSI	155/211	CDND	05/10->	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
EXEO ST (3R5) 						
1.6	75/102	ALZ	06/09->09/10	Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Tensioner	SR-1248	ID: 8.2; OD: 72; W: 29; engine ALZ
1.8 T	110/150	CFMA	06/09->05/10	Deflection/Guide	SR-1502	OD: 90; thread size M8x1,25; W: 24,5
				Tensioner	SR-1262	- holder; OD: 28,5; W: 27; engine CFMA; Fitting Position: Lower Left
				Tensioner	SR-1261	ID: 8.2; OD: 69; W: 28.5; engine CFMA; Fitting Position: Upper Left
1.8 TSI	118/160	CDHB	05/10->	Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
1.8 TSI	88/120	CDHA	09/10->	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
2.0 TDI	105/143	CAGA;CJCA	05/09->	Deflection/Guide	SR-1330	OD: 80; W: 34; engine CAGA; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CAGA; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CAGA; Fitting Position: Upper
2.0 TDI	125/170	CAHA;CGLB	05/09->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CAHA; Fitting Position: Lower Left
2.0 TDI	88/120	CDHA	09/10->	Deflection/Guide	SR-1330	OD: 80; W: 34; engine CAHA; Fitting Position: Right
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CAHA; Fitting Position: Upper
2.0 TDI	125/170	CAHA;CGLB	05/09->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CAHA; Fitting Position: Lower Left








	kW/HP	Engine code		Type		
2.0 TDI	88/120	CAGC;CJCC	07/09->	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CAGB; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CAGB; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CAGB; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TFSI	155/211	CDND	05/10->	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT; Fitting Position: Lower
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TFSI	147/200	BWE	06/09->	Deflection/Guide	SR-1264	OD: 29; W: 27; engine BWE; Fitting Position: Lower Left
				Tensioner	SR-1501	- holder; OD: 76; W: 28; ALT; Fitting Position: Upper
IBIZA II (6K1) 						
1.0 i	37/50	AER	09/96->08/99	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS
1.4 i	44/60	ABD;AEX;AKV;APQ	09/93->08/99	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; engine ABD; engine AEX; engine AKV; engine APQ; Fitting Position: Upper; + PS; - AC
				Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; engine ABD; engine AEX; engine AKV; engine APQ; Fitting Position: Upper; + AC; + PS
1.4 i 16V	74/101	AFH	06/97->08/99	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; engine AFH; Fitting Position: Upper; + PS; - AC
				Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; engine AFH; Fitting Position: Upper; + AC; + PS
1.6 i	55/75	ABU;AEE;ALM	03/93->08/99	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25; engine 1F
				Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
1.6 i	74/101	AFT	04/96->08/99	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.6 i	55/75	1F	09/94->06/99	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.8 i	66/90	ABS;ADZ;ACC	03/93->08/99	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 i 16V	95/129	ADL	11/93->08/96	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5; ->eng.# 378364
1.9 D	47/64	1Y;AEY	04/93->08/96	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 378365->
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 D	50/68	1Y	10/94->08/96	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5; ->eng.# 378364
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 378365->
1.9 SDI	47/64	AEY	08/96->08/99	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Deflection/Guide	SR-1096	OD: 29; W: 29; engine AEY; Fitting Position: Upper
1.9 TD	55/75	AAZ	03/93->08/96	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; engine AEY; Fitting Position: Left
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 TDI	81/110	AFN	02/97->08/99	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
1.9 TDI	66/90	1Z;AHU	08/96->08/99	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
2.0 i	85/115	2E;AGG	03/93->08/99	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
2.0 i 16V	110/150	ABF	08/96->08/99	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
IBIZA III (6K1) 						
1.4	44/60	ANW;AKK;AUD	08/99->02/02	Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC
1.4 16V	55/75	APE;AUA	05/00->02/02	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
1.4 16V	74/100	AQQ;AUB	08/99->02/02	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC
				Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
1.6	74/101	AEH;AKL;APF;AUR	08/99->02/02	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
1.8 T 20V Cupra	115/156	AQX;AYP	07/00->02/02	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC
				Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
1.8 T 20V Cupra	115/156	AQX;AYP	07/00->02/02	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.8 T 20V Cupra	115/156	AQX;AYP	07/00->02/02	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Centre left
				Deflection/Guide	SR-1263	OD: 29; W: 27; Fitting Position: Centre
1.8 T 20V Cupra	115/156	AQX;AYP	07/00->02/02	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29








	kW/HP	Engine code		Type		
1.9 SDI	50/68	AQM;AGP	08/99->02/02	Deflection/Guide	SR-1022	OD: 29; W: 29; ->eng.# 4131; engine AQM; Fitting Position: Lower Left; ->eng.# 229902; engine AGP; Fitting Position: Lower Left; eng.# 4132->; engine AQM; Fitting Position: Upper; eng.# 229903->; engine AGP; Fitting Position: Upper
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right; + AC
1.9 TDI	66/90	ALH;AGR	08/99->02/02	Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right; + AC
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine AGR; engine ALH; Fitting Position: Upper
1.9 TDI	81/110	ASV;ASK	08/99->02/02	Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; engine ASV; Fitting Position: Right; + AC
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine ASV; Fitting Position: Upper
				Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; engine ASV; Fitting Position: Upper
IBIZA IV (6L1) 						
1.2	47/64	AZQ;BME	02/02->06/06	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
1.2	44/60	BBM	06/07->05/08	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
1.2 12V	51/70	BXV	05/06->11/09	Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
1.4 16V	74/100	AUB;BBZ	02/02->11/09	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; + AC
1.4 16V	55/75	BBY;BKY	02/02->12/07	Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
				Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; engine BBY; engine BKY; Fitting Position: Lower Right
1.4 16V	63/86	BXW	05/06->11/09	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
1.4 TDI	55/75	AMF	05/02->12/05	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.4 TDI	51/70	BNM	05/05->11/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.4 TDI	59/80	BMS;BNV	06/05->11/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.6	74/101	BAH	02/03->11/09	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine BMS; Fitting Position: Upper; + AC
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; + AC
1.6 16V	77/105	BTS	11/06->11/09	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
1.8 T Cupra R	132/180	BBU;BLZ	01/04->02/08	Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1264	OD: 29; W: 27
1.8 T FR	110/150	BJX;BKV	12/03->05/08	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1264	OD: 29; W: 27
1.9 SDI	47/64	ASY	02/02->12/05	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.9 TDI	74/100	ATD;AXR;BMT	02/02->11/09	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left; + AC
				Deflection/Guide	SR-1023	OD: 40; W: 36; ch.6L-3-000 001->; Fitting Position: Lower Left; -ch.6L-3-000 000; Fitting Position: Lower Left
1.9 TDI	96/131	ASZ;BLT	02/02->11/09	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
1.9 TDI	96/131	ASZ;BLT	02/02->11/09	Deflection/Guide	SR-1023	OD: 40; W: 36; ch.6L-3-000 001->; Fitting Position: Lower Left; -ch.6L-3-000 000; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
1.9 TDI Cupra R	118/160	BPX;BUK	03/04->02/08	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
2.0	85/116	AZL;BBX	04/02->11/09	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29; engine AZL; engine BBX
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
IBIZA V (6J5, 6P1) 						
1.2	51/70	BZG;CGPA;CJLB	03/08->	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
1.2	44/60	CGPB	07/09->	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CFWA; Fitting Position: Lower Left
1.2 TDI	55/75	CFWA	05/10->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFWA; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
1.2 TSI	63/86	CBZA	08/12->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1138	OD: 76; W: 26; ALT
1.2 TSI	77/105	CBZB	09/10->	Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT
				Deflection/Guide	SR-1138	OD: 76; W: 26; ALT
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT







	kW/HP	Engine code		Type		
1.4	63/85	BXW;CGGB	03/08->	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
1.4 TDI	59/80	BMS	07/08->06/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
1.4 TSI	110/150	CAVF;CNUB;CTJB;CTH F	06/09->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; - AC
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; + AC
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
1.6	77/105	BTS	05/08->	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
1.6 LPG	60/81	CNKA	05/11->	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
1.6 TDI	66/90	CAYB	05/09->	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 11/10->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 11/10->; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1024	OD: 40; W: 29; 11/10->; Fitting Position: Lower Left
1.6 TDI	77/105	CAYC;CLNA	05/09->	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 11/10->; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
1.9 TDI	77/105	BLS	03/08->06/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
1.9 TDI	66/90	BXJ	07/08->06/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
2.0 TDI	105/143	CFHD	01/10->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
IBIZA V SPORTCOUPE [6J1, 6P5] 						
1.2	51/70	BZG;CGPA;CJLB	07/08->	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
1.2	44/60	CGPB	07/09->	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT
1.2 TDI	55/75	CFWA	05/10->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFWA; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CFWA; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.2 TSI	77/105	CBZB	09/10->	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT
1.4	63/85	BXW;CGGB	07/08->	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
1.4 TDI	59/80	BMS	07/08->06/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.4 TSI	110/150	CAVF;CNUB;CTJB;CTH F	06/09->	Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; + AC
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; - AC
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; - AC
1.4 TSI Cupra	132/180	CAVE;CTHE;CTJC	06/09->	Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; + AC
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
				Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
1.6	77/105	BTS	07/08->	Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
				Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
1.6 LPG	60/81	CNKA	05/11->	Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC





	kW/HP	Engine code		Type					
1.6 TDI	66/90	CAYB	05/09->	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left			
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 11/10->; Fitting Position: Upper			
				Deflection/Guide	SR-1024	OD: 40; W: 29; 11/10->; Fitting Position: Lower Left			
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC			
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24			
1.6 TDI	77/105	CAYC;CLNA	05/09->	Deflection/Guide	SR-1024	OD: 40; W: 29; 11/10->; Fitting Position: Lower Left			
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left			
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 11/10->; Fitting Position: Upper			
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC			
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24			
1.9 TDI	66/90	BXJ	07/08->06/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left			
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24			
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC			
1.9 TDI	77/105	BLS	07/08->06/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left			
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC			
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24			
2.0 TDI	105/143	CFHD	01/10->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper			
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left			
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24			
2.0 TDI	105/143	CFHD	01/10->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC			
				IBIZA V ST (6J8, 6P8) 					
				1.2	44/60	CGPB	05/10->	Deflection/Guide	SR-1048
1.2	51/70	BZG;CGPA;CJLB	05/10->	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT			
1.2 TDI	55/75	CFWA	04/10->	Deflection/Guide	SR-1023	OD: 40; W: 36; engine CFWA; Fitting Position: Lower Left			
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFWA; Fitting Position: Upper			
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24			
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC			
1.2 TSI	77/105	CBZB	09/10->	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT			
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT			
1.2 TSI	63/86	CBZA	09/12->	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT			
1.4	63/85	CGGB	03/10->	Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT			
				Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right			
1.4 TSI	110/150	CAVF;CNUB;CTJB;CTH F	02/12->	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC			
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left			
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; + AC			
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM			
1.6 TDI	66/90	CAYB	03/10->	Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; - AC			
				Deflection/Guide	SR-1024	OD: 40; W: 29; 11/10->; Fitting Position: Lower Left			
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 11/10->; Fitting Position: Upper			
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left			
1.6 TDI	77/105	CAYC;CLNA	03/10->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC			
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left			
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 11/10->; Fitting Position: Upper			
				Deflection/Guide	SR-1024	OD: 40; W: 29; 11/10->; Fitting Position: Lower Left			
1.6 TDI	77/105	CAYC;CLNA	03/10->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24			
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left			
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 11/10->; Fitting Position: Upper			
				Deflection/Guide	SR-1024	OD: 40; W: 29; 11/10->; Fitting Position: Lower Left			
INCA (6K9) 									
1.4 16V	55/75	AUA	04/00->06/03	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right			
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left			
				Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS			
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC			
1.4 i	44/60	AEX;AKV;APQ;AUD	11/95->06/03	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC			
				Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS			
1.6 i	55/75	AEE;ALM	06/97->09/00	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC			
				Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS			
1.6 i	55/75	1F	11/95->05/98	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25			
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front			
1.7 D	42/57	AHB	09/96->06/03	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper			
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left			
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front			
1.9 D	47/64	1Y	11/95->06/03	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front			
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30			

	kW/HP	Engine code		Type		
1.9 SDI	47/64	1Y;AEY;AYQ	11/95->06/03	Deflection/Guide	SR-1096	OD: 29; W: 29; ->09/00; engine AEY; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; 09/00->; engine AYQ; Fitting Position: Upper
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; 09/00->; engine AYQ; + AC
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; ->09/00; engine AYQ; Fitting Position: Front
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; ->09/00; engine AEY; Fitting Position: Left
1.9 TDI	66/90	ALH	09/96->06/03	Deflection/Guide	SR-1022	OD: 29; W: 29; engine ALH; Fitting Position: Upper
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; engine ALH; Fitting Position: Right
				Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; engine ALH; Fitting Position: Upper
LEON (1M1) 						
1.4 16V	55/75	APE;AHW;AXP;AUA;BCA	11/99->06/06	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; CS; engine APE; engine AXP; engine BCA; Fitting Position: Lower Right; -eng.# 160000; engine AHW; Fitting Position: Lower Right; eng.# 160001->; engine AHW; Fitting Position: Lower Right
				Deflection/Guide	SR-1370	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; CS; engine APE; engine AXP; engine BCA; Fitting Position: Lower Left; -eng.# 160000; engine AHW; Fitting Position: Lower Left; eng.# 160001->; engine AHW; Fitting Position: Lower Left
1.6	75/102	BGU;BFQ	10/05->06/06	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.6	74/100	AEH;AKL;APF	11/99->06/06	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.6 16 V	77/105	ATN;AUS;AZD;BCB	09/00->06/06	Deflection/Guide	SR-1370	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; engine AUS; engine AZD; engine BCB; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1369	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
1.8 20V	92/125	AGN;APG	11/99->06/06	Deflection/Guide	SR-1263	OD: 29; W: 27; ->ch.1M-YB088 000; ->ch.1M-YR016 500; Fitting Position: Centre; ch.1M-YB088 001->; ch.1M-YR016 501->; Fitting Position: Centre
				Deflection/Guide	SR-1264	OD: 29; W: 27; ->ch.1M-YB088 000; ->ch.1M-YR016 500; Fitting Position: Centre left; ch.1M-YB088 001->; ch.1M-YR016 501->; Fitting Position: Centre left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1326	OD: 72; W: 25; ->ch.1M-YB088 000; ->ch.1M-YR016 500; Fitting Position: Upper Left
1.8 20V T	132/180	APP;AUQ	11/99->06/06	Deflection/Guide	SR-1263	OD: 29; W: 27; ->ch.1M-YB088 000; ->ch.1M-YR016 500; Fitting Position: Centre; ch.1M-YB088 001->; ch.1M-YR016 501->; Fitting Position: Centre
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1326	OD: 72; W: 25; ->ch.1M-YB088 000; ->ch.1M-YR016 500; Fitting Position: Upper Left
				Deflection/Guide	SR-1263	OD: 29; W: 27; ->ch.1M-YB088 000; ->ch.1M-YR016 500; Fitting Position: Centre; ch.1M-YB088 001->; ch.1M-YR016 501->; Fitting Position: Centre
1.8 20V T 4	132/180	ARY;AJQ	11/99->06/06	Deflection/Guide	SR-1264	OD: 29; W: 27; ->ch.1M-YB088 000; ->ch.1M-YR016 500; Fitting Position: Centre left; ch.1M-YB088 001->; ch.1M-YR016 501->; Fitting Position: Centre left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1326	OD: 72; W: 25; ->ch.1M-YB088 000; ->ch.1M-YR016 500; Fitting Position: Upper Left
				Deflection/Guide	SR-1263	OD: 29; W: 27; Fitting Position: Centre
1.8 T Cupra R	154/209	AMK	02/02->06/06	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Centre left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1263	OD: 29; W: 27; Fitting Position: Centre
1.8 T Cupra R	165/225	BAM	07/03->06/06	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Centre left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right; + AC
1.9 SDI	50/68	AQM	11/99->06/06	Deflection/Guide	SR-1022	OD: 29; W: 29; eng.# 30000->; Fitting Position: Upper; ->eng.# 29999; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.9 TDI	96/130	ASZ	05/03->06/06	Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->ch.1M-2R120 000; Fitting Position: Lower Left
1.9 TDI	110/150	ARL	09/00->06/06	Deflection/Guide	SR-1023	OD: 40; W: 36; ch.1M-2R120 001->; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI	74/100	AXR	10/05->06/06	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI	66/90	ALH;AGR	11/99->06/06	Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine AGR; engine ALH; Fitting Position: Upper
1.9 TDI	81/110	AHF;ASV	11/99->06/06	Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine AHF; engine ASV; Fitting Position: Upper
1.9 TDI	81/110	AHF;ASV	11/99->06/06	Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right
				Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI Syncro	110/150	ARL	05/02->06/06	Deflection/Guide	SR-1266	OD: 28; W: 34; ->ch.1M-2R120 000; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ch.1M-2R120 001->; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left

	kW/HP	Engine code		Type		
LEON (1P1) 						
1.2 TSI	77/105	CBZB	02/10->12/12	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4 16V	63/86	BXW;CGGB	06/06->12/12	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
1.6	75/102	BSE;BSF;CCSA;CMXA	07/05->12/12	Tensioner	SR-1248	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
				Tensioner	SR-1249	ID: 8,2; OD: 72; W: 29
1.6 LPG	75/102	CHGA	12/09->12/12	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.6 TDI	77/105	CAYC	02/10->12/12	Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
1.6 TDI	77/105	CAYC	02/10->12/12	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
1.6 TDI	66/90	CAYB	11/10->12/12	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
1.6 TDI	66/90	CAYB	11/10->12/12	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
1.6 TDI	66/90	CAYB	11/10->12/12	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
1.8 TSI	118/160	BZB;CDAA	06/07->12/12	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
1.9 TDI	77/105	BKC;BLS;BXE	07/05->12/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 Cupra R	195/265	CDLA	09/09->12/12	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
2.0 FSI	110/150	BLR;BLY;BVY;BVZ	07/05->05/10	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0 TDI	125/170	BMN;CEGA;CFJA	05/06->12/12	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Upper
2.0 TDI	100/136	AZV	07/05->05/10	Deflection/Guide	SR-1023	OD: 40; W: 36; ->ch.1P-7-000 000; engine AZV; Fitting Position: Lower Left; ch.1P-7-000 001->
				Deflection/Guide	SR-1330	OD: 80; W: 34; ->ch.1P-7-000 000; engine AZV; Fitting Position: Right
2.0 TDI	103/140	BMM	10/05->10/10	Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
2.0 TDI	103/140	BMM	10/05->10/10	Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->ch.1P-7-000 000; Fitting Position: Lower Left; ch.1P-7-000 001->
2.0 TDI 16V	103/140	BKD;CFHC;CLCB	07/05->12/12	Deflection/Guide	SR-1330	OD: 80; W: 34; ->ch.1P-7-000 000; Fitting Position: Right
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Upper
2.0 TFSI	147/200	BWA	05/05->03/09	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
2.0 TFSI	155/211	CCZB	06/09->12/12	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
2.0 TFSI	136/185	BWA1	09/05->05/06	Deflection/Guide	SR-1264	OD: 29; W: 27; engine BWA; Fitting Position: Lower Left
2.0 TFSI	177/240	BWJ;CDLD	11/06->05/11	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
LEON (5F1) 						
1.6 TDI	81/110	CRKB;CXXB;DBKA	09/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
1.6 TDI	77/105	CLHA	11/12->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
1.6 TDI	66/90	CLHB	11/12->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	105/143	CRVC	05/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	81/110	CRVA	05/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI	135/184	CUPA;CUNA	09/12->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CUPA; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CUPA; Fitting Position: Lower Left
2.0 TDI	110/150	CKFC;CRMB	10/12->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CKFC; engine CRMB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CKFC; engine CRMB; Fitting Position: Upper
LEON SC (5F5) 						
1.6 TDI	66/90	CLHB	02/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
1.6 TDI	77/105	CLHA	02/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
1.6 TDI	81/110	CRKB;CXXB;DBKA	09/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	81/110	CRVA	02/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI	110/150	CKFC;CRMB	02/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	135/184	CUPA;CUNA	03/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left

	kW/HP	Engine code		Type		
2.0 TDI	105/143	CRVC	05/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
LEON ST (5F8) 						
1.6 TDI	81/110	CRKB;CXXB;DBKA	09/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
1.6 TDI	77/105	CLHA	10/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
1.6 TDI	66/90	CLHB	11/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
1.6 TDI 4Drive	77/105	CLHA	04/14->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	135/184	CUPA;CUNA	08/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI	110/150	CKFC;CRMB;CRLB;CRBC	10/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI	105/143	CRVC	10/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	81/110	CRVA	11/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI 4Drive	110/150	CRMB;CRLB;CRBC	04/14->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
TOLEDO I (1L) 						
1.6 i	55/75	1F	01/93->03/99	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; ch.1L-ZD 304 851->; Fitting Position: Front
1.6 i	54/73	1F;EZ;ABN	05/91->03/99	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; ch.1L-ZD 304 851->; Fitting Position: Front
1.6 i	52/71	1F	05/91->12/93	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; ch.1L-ZD 304 851->; Fitting Position: Front
1.6 i	74/101	AFT	11/96->03/99	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.8 i	65/88	RP	05/91->12/96	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.8 i	66/90	ABS;ADZ;ACC	11/93->12/96	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5; 01/97->; ->eng.# 705902; ->12/96
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; 01/97->; eng.# 705903->
1.9 D	50/68	1Y	05/91->03/99	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5; 01/97->; ->eng.# 705902; ->12/96
1.9 D	47/64	1Y	12/95->03/99	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; 01/97->; eng.# 705903->
1.9 TD	55/75	AAZ	05/91->03/99	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; 01/97->; eng.# 634079->
1.9 TDI	66/90	1Z;AHU	08/95->03/99	Deflection/Guide	SR-1096	OD: 29; W: 29; 01/97->; ->eng.# 289575; engine 1Z; Fitting Position: Upper; 01/97->; eng.# 289576->; engine 1Z; Fitting Position: Upper; 01/97->; eng.# 136386->; engine AHU; Fitting Position: Upper; 01/97->; ->eng.# 136385; engine AHU; Fitting Position: Upper; ->12/96; Fitting Position: Upper
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 TDI	81/110	AFN	11/96->03/99	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; 01/97->; eng.# 289576->; engine 1Z; Fitting Position: Left; eng.# 136386->; engine AHU
				Deflection/Guide	SR-1096	OD: 29; W: 29; ->eng.# 136733; Fitting Position: Upper; eng.# 136734->
1.9 TDI	81/110	AFN	11/96->03/99	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 136734->; Fitting Position: Left
2.0 i	85/115	2E;AGG	05/91->03/99	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
2.0 i 16V	110/150	ABF	11/93->03/99	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
TOLEDO II (1M2) 						
1.4 16V	55/75	APE;AHW;AXP;AUA;BCA	01/00->05/02	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; CS; CS; ->eng.# 160000; engine AHW; Fitting Position: Lower Right; eng.# 160001->; engine AHW; Fitting Position: Lower Right; engine APE; engine AXP; Fitting Position: Lower Right
				Deflection/Guide	SR-1370	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1369	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
1.6	74/100	AEH;AKL;APF	10/98->07/04	Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; CS; CS; ->eng.# 160000; engine AHW; Fitting Position: Lower Left; eng.# 160001->; engine AHW; Fitting Position: Lower Left; engine APE; engine AXP; Fitting Position: Lower Left
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.6	74/100	AEH;AKL;APF	10/98->07/04	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; engine AUS; engine AZD; engine BCB; Fitting Position: Lower Right
1.6 16V	77/105	AUS;AZD;BCB	06/00->05/06	Deflection/Guide	SR-1370	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; engine AUS; engine AZD; engine BCB; Fitting Position: Lower Left
				Tensioner	SR-1369	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; - AC

	kW/HP	Engine code		Type		
1.8 20V	92/125	AGN;APG	10/98->07/04	Deflection/Guide	SR-1264	OD: 29; W: 27; ->ch.1M-YB088 000; ->ch.1M-YR016 500; Fitting Position: Centre left; ch.1M-YB088 001->; ch.1M-YR016 501->; Fitting Position: Centre left
				Deflection/Guide	SR-1263	OD: 29; W: 27; ->ch.1M-YB088 000; ->ch.1M-YR016 500; Fitting Position: Centre; ch.1M-YB088 001->; ch.1M-YR016 501->; Fitting Position: Centre
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1326	OD: 72; W: 25; ->ch.1M-YB088 000; ->ch.1M-YR016 500; Fitting Position: Upper Left
1.8 20VT	132/180	APP;AUQ	09/00->07/04	Deflection/Guide	SR-1264	OD: 29; W: 27; ->ch.1M-YB088 000; ->ch.1M-YR016 500; engine AJQ; engine APP; engine ARY; engine AUQ; Fitting Position: Centre left; ch.1M-YB088 001->; ch.1M-YR016 501->
				Deflection/Guide	SR-1263	OD: 29; W: 27; ->ch.1M-YB088 000; ->ch.1M-YR016 500; engine AJQ; engine APP; engine ARY; engine AUQ; Fitting Position: Centre; ch.1M-YB088 001->; ch.1M-YR016 501->
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1326	OD: 72; W: 25; ->ch.1M-YB088 000; ->ch.1M-YR016 500; engine AJQ; engine APP; engine ARY; engine AUQ; Fitting Position: Upper Left
1.9 TDI	66/90	ALH;AGR	03/99->07/04	Deflection/Guide	SR-1308	ID: 8.2; OD: 65; W: 26.5; ALT; Fitting Position: Right
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine AGR; engine ALH; Fitting Position: Upper
1.9 TDI	96/130	ASZ	05/03->05/06	Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.9 TDI	110/150	ARL	10/00->07/04	Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ch.1M-2R120 001->; Fitting Position: Lower Left
1.9 TDI	81/110	AHF;ASV	10/98->07/04	Deflection/Guide	SR-1266	OD: 28; W: 34; ->ch.1M-2R120 001; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine AHF; engine ASV; Fitting Position: Upper
1.9 TDI	81/110	AHF;ASV	10/98->07/04	Deflection/Guide	SR-1308	ID: 8.2; OD: 65; W: 26.5; ALT; Fitting Position: Right
				Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
TOLEDO III (5P2) 						
1.4 16V	63/86	BXW	05/06->05/09	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1.5; W: 25.5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1.25; W: 24; CS; Fitting Position: Lower Left
1.6	75/102	BGU;BSE;BSF;CCSA	10/04->05/09	Tensioner	SR-1248	ID: 8.2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.8 TFSI	118/160	BYT;BZB;CDA	01/07->05/09	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23.5; ALT
1.9 TDI	77/105	BKC;BJB;BLS;BXE	10/04->05/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; ->ch.5P-5-165 000; Fitting Position: Upper
2.0 FSI	110/150	BLR;BLY;BVY;BVZ	10/04->05/09	Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; ch.5P-6-000 001->; Fitting Position: Upper
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
2.0 TDI	125/170	BMN;CEGA	01/06->05/09	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
2.0 TDI	100/136	AZV	09/04->05/09	Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; ->ch.5P-5-165 000; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; ->ch.5P-7-032 500; engine AZV; Fitting Position: Right
2.0 TDI	103/140	BMM	11/05->05/09	Deflection/Guide	SR-1023	OD: 40; W: 36; ->ch.5P-7-032 500; engine AZV; Fitting Position: Lower Left; ch.5P-7-032 501->
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Upper
2.0 TDI	103/140	BMM	11/05->05/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Upper; ->ch.5P-5-165 000; Fitting Position: Upper
2.0 TDI 16V	103/140	BKD	04/04->05/09	Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; ch.5P-6-000 001->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->ch.5P-7-032 500; Fitting Position: Lower Left; ch.5P-7-032 501->
2.0 TFSI	147/200	BWA	11/05->05/09	Deflection/Guide	SR-1330	OD: 80; W: 34; ->ch.5P-7-032 500; Fitting Position: Right
2.0 TFSI	147/200	BWA	11/05->05/09	Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Upper
2.0 TFSI	147/200	BWA	11/05->05/09	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
TOLEDO IV (KG3) 						
1.2	55/75	CGPC	07/12->	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1.5; W: 24; ALT; engine CGPC; + AC
1.2 TSI	63/86	CBZA	07/12->	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; engine CBZA
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; engine CBZA; + AC
1.2 TSI	77/105	CBZB	07/12->	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; engine CBZB
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; engine CBZB; + AC
1.4 TSI	90/122	CAXA	07/12->	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1.5; W: 26; ALT; engine CAXA; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; engine CAXA; + AC
1.4 TSI	90/122	CAXA	07/12->	Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; engine CAXA; - AC
				Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1.5; W: 26; ALT; ->09/13; + AC
1.6	77/105	CFNA	07/13->	Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; ->09/13; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; ->09/13; - AC
1.6 TDI	66/90	CAYB	06/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
1.6 TDI	66/90	CAYB	06/13->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC

	kW/HP	Engine code		Type		
1.6 TDI	77/105	CAYC;CLNA	07/12->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CAYC; engine CLNA; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CAYC; engine CLNA; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CAYC; engine CLNA; + AC







SKODA








FABIA











1.2	51/70	BZG;CEVA;CGPA;CHTA	01/07->12/14	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
1.2	44/60	BBM;CHFA	12/06->12/14	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
1.2 TDI	55/75	CFWA	05/10->12/14	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.2 TSI	77/105	CBZB	03/10->12/14	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
				Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.2 TSI	63/86	CBZA	03/10->12/14	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4	63/86	BXW;CGGB	01/07->12/14	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; engine BXW; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; engine BXW; Fitting Position: Lower Left
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
1.4 TDI	59/80	BNV;BMS	01/07->03/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.4 TDI	51/70	BNM	02/07->03/10	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine BMS; Fitting Position: Upper; + AC
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.4 TSI RS	132/180	CAVE;CTHE	05/10->12/14	Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre right; + AC
1.6	77/105	BTS;CFNA	04/07->12/14	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
1.6 TDI	66/90	CAYB	03/10->12/14	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.6 TDI	77/105	CAYC	03/10->12/14	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
1.6 TDI	55/75	CAYA	04/10->12/14	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
1.9 TDI	77/105	BLS;BSW	04/07->03/10	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine BLS; Fitting Position: Upper






FABIA (6Y2)






1.0	37/50	ARV;AQV	12/99->08/02	Tensioner	SR-1482	- holder; OD: 70; W: 24; ALT
1.2	47/64	AZQ;BME	01/03->03/08	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
1.2	40/54	AWY;BMD	08/02->03/08	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
1.4	44/60	AZE;AZF	08/00->08/02	Tensioner	SR-1482	- holder; OD: 70; W: 24; ALT
1.4	50/68	ATZ;AME;AQW	08/99->05/03	Tensioner	SR-1482	- holder; OD: 70; W: 24; ALT
				Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; ->06/06; Fitting Position: Lower Right; 06/06->; Fitting Position: Lower Right
1.4 16V	74/100	AUB;BBZ	12/99->03/08	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; ->06/06; Fitting Position: Lower Left; 06/06->; Fitting Position: Lower Left
1.4 16V	55/75	AUA;BBY;BKY	12/99->03/08	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; ->06/06; Fitting Position: Lower Right; 06/06->; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; ->06/06; Fitting Position: Lower Left; 06/06->; Fitting Position: Lower Left
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC

	kW/HP	Engine code		Type		
1.4 TDI	55/75	AMF	04/03->03/08	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.4 TDI	51/70	BNM	10/05->03/08	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.4 TDI	59/80	BNV	10/05->03/08	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.9 SDI	47/64	ASY	12/99->03/08	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.9 TDI	74/100	ATD;AXR	01/00->03/08	Deflection/Guide	SR-1023	OD: 40; W: 36; engine AXR; Fitting Position: Lower Left; 08/03-> ch.6Y-43893 313->; engine ATD; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->08/03; ->ch.6Y-43893 312; engine ATD; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.9 TDI RS	96/130	ASZ;BLT	06/03->03/08	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0	85/116	AZL	12/99->03/08	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29; engine AZL
FABIA Combi 						
1.2	51/70	BZG;CEVA;CGPA;CHTA	10/07->12/14	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
1.2	44/60	BBM;CHFA	10/07->11/14	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
1.2 TDI	55/75	CFWA	05/10->12/14	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
1.2 TSI	77/105	CBZB	03/10->12/14	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
1.2 TSI	63/86	CBZA	03/10->12/14	Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
1.4	63/86	BXW;CGGB	10/07->12/14	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; engine BXW; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; engine BXW; Fitting Position: Lower Left
1.4 TDI	51/70	BNM	10/07->03/10	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.4 TDI	59/80	BNV;BMS	10/07->03/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine BMS; Fitting Position: Upper; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.4 TSI RS	132/180	CAVE;CTHE	05/10->12/14	Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
1.6	77/105	BTS;CFNA	10/07->12/14	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
1.6 TDI	66/90	CAYB	03/10->12/14	Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
1.6 TDI	77/105	CAYC	03/10->12/14	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.6 TDI	55/75	CAYA	04/10->12/14	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
1.9 TDI	77/105	BLS;BSW	10/07->03/10	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine BLS; Fitting Position: Upper
FABIA Combi (6Y5) 						
1.2	47/64	AZQ;BME	01/03->12/07	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
1.2	40/54	AWY;BMD	07/01->12/07	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
1.4	50/68	ATZ;AME;AQW	04/00->05/03	Tensioner	SR-1482	- holder; OD: 70; W: 24; ALT
1.4	44/60	AZE;AZF	04/00->03/03	Tensioner	SR-1482	- holder; OD: 70; W: 24; ALT

	kW/HP	Engine code		Type		
1.4 16V	74/100	AUB;BBZ	04/00->12/07	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS: ->06/06; Fitting Position: Lower Right; 06/06->; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS: ->06/06; Fitting Position: Lower Left; 06/06->; Fitting Position: Lower Left
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; + AC
1.4 16V	59/80	BUD	04/06->12/07	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS: ->06/06; Fitting Position: Lower Right; 06/06->; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS: ->06/06; Fitting Position: Lower Left; 06/06->; Fitting Position: Lower Left
1.4 16V	55/75	AUA;BBY;BKY	05/00->12/07	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS: ->06/06; Fitting Position: Lower Right; 06/06->; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS: ->06/06; Fitting Position: Lower Left; 06/06->; Fitting Position: Lower Left
1.4 TDI	55/75	AMF	04/03->12/07	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.4 TDI	51/70	BNM	10/05->12/07	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.4 TDI	59/80	BNV	10/05->12/07	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.9 SDI	47/64	ASY	04/00->12/07	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left; + AC
1.9 TDI	74/100	ATD;AXR	04/00->12/07	Deflection/Guide	SR-1023	OD: 40; W: 36; engine AXR; Fitting Position: Lower Left; 08/03->; ch.6Y-43893 313->; engine ATD; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->08/03; ->ch.6Y-43893 312; engine ATD; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
2.0	85/116	AZL	04/00->12/07	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
FABIA Praktik 						
1.2	47/64	AZQ;BME	01/03->12/07	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
1.2	40/54	AWY;BMD	07/01->12/07	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
1.4	50/68	ATZ;AME;AQW	07/01->05/03	Tensioner	SR-1482	- holder; OD: 70; W: 24; ALT
1.4 TDI	51/70	BNM	10/05->12/07	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.9 SDI	47/64	ASY	07/01->12/07	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left; + AC
FABIA Saloon (6Y3) 						
1.2	47/64	AZQ;BME	01/03->12/07	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
1.2	40/54	AWY;BMD	07/01->12/07	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
1.4	44/60	AZE;AZF	04/00->08/02	Tensioner	SR-1482	- holder; OD: 70; W: 24; ALT
1.4	50/68	ATZ;AME;AQW	07/01->05/03	Tensioner	SR-1482	- holder; OD: 70; W: 24; ALT
1.4 16V	59/80	BUD	04/06->12/07	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS: ->06/06; Fitting Position: Lower Right; 06/06->; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS: ->06/06; Fitting Position: Lower Left; 06/06->; Fitting Position: Lower Left
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
1.4 16V	55/75	AUA;BBY;BKY	10/99->12/07	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS: ->06/06; Fitting Position: Lower Right; 06/06->; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS: ->06/06; Fitting Position: Lower Left; 06/06->; Fitting Position: Lower Left
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
1.4 16V	74/100	AUB;BBZ	12/99->12/07	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS: ->06/06; Fitting Position: Lower Right; 06/06->; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS: ->06/06; Fitting Position: Lower Left; 06/06->; Fitting Position: Lower Left
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
1.4 TDI	55/75	AMF	04/03->12/07	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.4 TDI	51/70	BNM	10/05->12/07	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.4 TDI	59/80	BNV	10/05->12/07	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.9 SDI	47/64	ASY	11/99->12/07	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left; + AC
1.9 TDI	74/100	ATD;AXR	01/00->12/07	Deflection/Guide	SR-1266	OD: 28; W: 34; ->08/03; ->ch.6Y-43893 312; engine ATD; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine AXR; Fitting Position: Lower Left; 08/03->; ch.6Y-43893 313->; engine ATD; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0	85/116	AZL	12/99->12/07	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
FELICIA I (6U1) 						
1.3	40/54	135B;AMG	10/94->03/98	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; engine AMG; engine AMH; engine AMJ; Fitting Position: Upper
1.3	50/68	136B;AMH	10/94->03/98	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; engine AMG; engine AMH; engine AMJ; Fitting Position: Upper
1.3	43/58	135 L;AMJ	10/94->03/98	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; engine AMG; engine AMH; engine AMJ; Fitting Position: Upper

	kW/HP	Engine code		Type		
1.6 LX	55/75	EA111;AEE	08/95->03/98	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; ALT; + AC; + PS; + PS; - AC; + AC; - PS
FELICIA I Estate (6U5) 						
1.3	43/58	135 L;AMJ	08/95->03/98	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; engine AMG; engine AMH; engine AMJ; Fitting Position: Upper
1.3 LX	40/54	135B;AMG	08/95->03/98	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; engine AMG; engine AMH; engine AMJ; Fitting Position: Upper
1.3 LXI	50/68	136B;AMH	08/95->03/98	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; engine AMG; engine AMH; engine AMJ; Fitting Position: Upper
1.6 GLX	55/75	AEE	08/95->03/98	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; ALT; + AC; + PS; + PS; - AC; + AC; - PS
FELICIA I Fun (797) 						
1.6	55/75	AEE	06/97->04/02	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; ALT; + AC; + PS; + PS; - AC; + AC; - PS
FELICIA II (6U1) 						
1.3	40/54	AMG	01/98->06/01	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; engine AMG; engine AMH; engine AMJ; Fitting Position: Upper
1.3	50/68	AMH	01/98->06/01	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; engine AMG; engine AMH; engine AMJ; Fitting Position: Upper
1.3	43/58	AMJ	01/98->06/01	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; engine AMG; engine AMH; engine AMJ; Fitting Position: Upper
1.6	55/75	AEE	01/98->06/01	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; ALT; + AC; + PS; + PS; - AC; + AC; - PS
FELICIA II Estate (6U5) 						
1.3	50/68	AMH	01/98->06/01	Deflection/Guide	SR-1009	OD: 70; W: 25; ALT; engine AMG; engine AMH; engine AMJ; Fitting Position: Upper
1.6	55/75	AEE	01/98->06/01	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; ALT; + AC; + PS; + PS; - AC; + AC; - PS
OCTAVIA (1U2) 						
1.4 16V	55/75	AXP;BCA	09/00->12/10	Deflection/Guide	SR-1370	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; ->06/06; Fitting Position: Lower Right; 06/06->; Fitting Position: Lower Right
				Tensioner	SR-1369	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
1.6	74/101	AEH;AKL	02/97->12/07	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.6	55/75	AEE	09/96->09/04	Deflection/Guide	SR-1370	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1369	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
1.6	75/102	AVU;BFQ	11/00->12/10	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.8	92/125	AGN	09/96->07/00	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1263	OD: 29; W: 27; ->ch.1U-Y-390 000; Fitting Position: Centre; ch.1U-Y-390 001->; Fitting Position: Centre
1.8 T	110/150	AGU;ARZ;ARX;AUM	08/97->12/10	Deflection/Guide	SR-1263	OD: 29; W: 27; ->ch.1U-Y-390 000; engine AGU; engine ARZ; Fitting Position: Centre; ch.1U-Y-390 001->; engine AGU; engine ARZ; Fitting Position: Centre; 08/00->; engine ARX; engine AUM; Fitting Position: Centre
				Deflection/Guide	SR-1264	OD: 29; W: 27; 08/00->; engine ARX; engine AUM; Fitting Position: Centre left; ch.1U-Y-390 001->; engine AGU; engine ARZ; Fitting Position: Centre left; ->ch.1U-Y-390 000; engine AGU; engine ARZ; Fitting Position: Centre left
				Tensioner	SR-1326	OD: 72; W: 25; ->ch.1U-Y-390 000; engine AGU; engine ARZ; Fitting Position: Upper Left
1.8 T 4x4	110/150	ARX	05/01->05/06	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1263	OD: 29; W: 27; engine ARX; engine AUM; Fitting Position: Centre
1.9 SDI	50/68	AQM;AGP	06/97->12/03	Deflection/Guide	SR-1264	OD: 29; W: 27; engine ARX; engine AUM; Fitting Position: Centre left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->12/00; ->eng.# 399999; engine AGP; Fitting Position: Lower Left; 08/00->; engine AQM; Fitting Position: Upper; ->12/00; eng.# 400000->; engine AGP; Fitting Position: Upper
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right
1.9 TDI	81/110	ASV;AHF	08/97->01/06	Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->eng.# 6065; engine AHF; Fitting Position: Lower Left; eng.# 6066->; engine AHF; Fitting Position: Upper; engine ASV; Fitting Position: Upper
1.9 TDI	96/130	ASZ	09/02->09/04	Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.9 TDI	66/90	ALH;AGR	09/96->03/10	Deflection/Guide	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->eng.# 44441; engine AGR; Fitting Position: Lower Left; eng.# 44442->; engine AGR; Fitting Position: Upper; 08/00->; engine ALH; Fitting Position: Upper
1.9 TDI	74/100	AXR	10/05->12/10	Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; ch.1U-W-033 908->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
2.0	85/116	AQY;APK;AZH;AEG;AZJ	04/99->05/07	Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
RS 1.8 T	132/180	AUQ	05/01->01/06	Deflection/Guide	SR-1248	ID: 8,2; OD: 72; W: 29
				Deflection/Guide	SR-1263	OD: 29; W: 27; Fitting Position: Centre
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Centre left
OCTAVIA (1Z3) 	77/105	CBZB	02/10->06/13	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
1.2 TSI	77/105	CBZB	02/10->06/13	Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC

	kW/HP	Engine code		Type		
1.4	55/75	BCA	05/04->05/06	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
1.4	59/80	BUD;CGGA	06/04->04/13	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
1.4 TSI	90/122	CAXA	11/08->06/13	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
1.6	75/102	BGU;BSE;BSF;CCSA;C MXA	06/04->06/13	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29; engine BGU; engine BSE; engine BSF
				Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
1.6 FSI	85/115	BLF	02/04->10/08	Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.6 LPG	75/102	CHGA	08/09->11/12	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.6 MultiFuel	75/102	CCSA;CMXA	01/08->06/13	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1024	OD: 40; W: 29; 11/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
1.6 TDI	77/105	CAYC	06/09->04/13	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 11/10->; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; 09/09->; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.8 TSI	112/152	CDAB	03/09->06/13	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
1.8 TSI	118/160	BZB;CDAA	06/07->04/13	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
1.9 TDI	77/105	BKC;BJB;BLS;BXE	06/04->12/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; engine BLS; engine BXE; Fitting Position: Left; 05/05->; engine BJB; engine BKC; Fitting Position: Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; ->05/05; engine BJB; engine BKC; Fitting Position: Left
2.0 FSI	110/150	BLY;BLR;BVY;BVZ	11/04->10/08	Deflection/Guide	SR-1264	OD: 29; W: 27; engine BLR; engine BLX; engine BLY; engine BVX; engine BVY; Fitting Position: Lower Left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0 RS	147/200	BWA;CCZA	10/05->02/13	Deflection/Guide	SR-1264	OD: 29; W: 27; engine BWA; Fitting Position: Lower Left
2.0 TDI	100/136	AZV	02/04->05/10	Deflection/Guide	SR-1023	OD: 40; W: 36; ->ch.1Z-62272 755; ->ch.1Z-68089 110; ->ch.1Z-6A151 621; Fitting Position: Lower Left; ch.1Z-62272 756->; ch.1Z-68089 111->; ch.1Z-6A151 622->; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; ->ch.1Z-62272 755; ->ch.1Z-68089 110; ->ch.1Z-6A151 621; Fitting Position: Right
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
2.0 TDI	81/110	CFHF;CLCA	03/10->06/13	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	103/140	BMM	11/05->05/10	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left
2.0 TDI	103/140	BKD;CFHC;CLCB	02/04->04/13	Deflection/Guide	SR-1330	OD: 80; W: 34; ->ch.1Z-62272 755; ->ch.1Z-68089 110; ->ch.1Z-6A151 621; engine BKD; Fitting Position: Right
				Deflection/Guide	SR-1024	OD: 40; W: 29; 10/10->; engine CFHC; engine CLCB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; 10/10->; engine CFHC; engine CLCB; Fitting Position: Upper; ->10/10; engine CFHC; engine CLCB; Fitting Position: Upper
2.0 TDI 16V	103/140	BKD;CFHC;CLCB	02/04->04/13	Deflection/Guide	SR-1023	OD: 40; W: 36; ch.1Z-62272 756->; ch.1Z-68089 111->; ch.1Z-6A151 622->; engine BKD; Fitting Position: Lower Left; ->ch.1Z-62272 755; ->ch.1Z-68089 110; ->ch.1Z-6A151 621; engine BKD; Fitting Position: Lower Left; ->10/10; engine CFHC; engine CLCB; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; engine BKD; Fitting Position: Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CFHC; engine CLCB; Fitting Position: Upper
2.0 TDI RS	125/170	BMN;CEGA	04/06->02/13	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CEGA; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine BMN; Fitting Position: Lower Left; engine CEGA; Fitting Position: Lower Left
2.0 TDI RS	125/170	BMN;CEGA	04/06->02/13	Deflection/Guide	SR-1266	OD: 28; W: 34; engine CEGA; Fitting Position: Upper
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; engine BMN; Fitting Position: Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CEGA; Fitting Position: Upper
OCTAVIA (5E3) 	1.6 TDI	CLHA	11/12->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CLHA; engine CLHB; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CLHA; engine CLHB; Fitting Position: Lower Left
1.6 TDI	66/90	CLHB	11/12->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CLHA; engine CLHB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CLHA; engine CLHB; Fitting Position: Upper
1.6 TDI 4x4	77/105	CLHA	09/14->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CLHA; engine CLHB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CLHA; engine CLHB; Fitting Position: Upper

	kW/HP	Engine code		Type		
2.0 TDI	110/150	CKFC;CRMB	11/12->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFKB; engine CFKC; engine CUPA; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CFKB; engine CFKC; engine CUPA; Fitting Position: Lower Left
2.0 TDI	105/143	CRVC;CKFB	11/12->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CFKB; engine CFKC; engine CUPA; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFKB; engine CFKC; engine CUPA; Fitting Position: Upper
2.0 TDI 4x4	135/184	CUPA;CUNA	09/14->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI RS	135/184	CUPA;CUNA	05/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
OCTAVIA Combi (1U5) 						
1.4 16V	55/75	AXP;BCA	08/00->12/10	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS: ->06/06; Fitting Position: Lower Right; 06/06->; Fitting Position: Lower Right
				Deflection/Guide	SR-1370	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS: ->06/06; Fitting Position: Lower Left; 06/06->; Fitting Position: Lower Left
				Tensioner	SR-1369	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
1.6	74/101	AEH;AKL	07/98->12/07	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.6	55/75	AEE	07/98->09/04	Deflection/Guide	SR-1370	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1369	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
1.6	75/102	AVU;BFQ	09/00->12/10	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.8 20V	92/125	AGN	07/98->07/00	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1326	OD: 72; W: 25; ->ch.1U-Y-390 000; Fitting Position: Upper Left
1.8 T	110/150	AGU;ARZ;ARX;AUM	07/98->12/10	Deflection/Guide	SR-1263	OD: 29; W: 27; ->ch.1U-Y-390 000; engine AGU; engine ARZ; Fitting Position: Centre; ch.1U-Y-390 001-> engine ARZ; engine ARZ; Fitting Position: Centre; 08/00->; engine ARX; engine AUM; Fitting Position: Centre
				Deflection/Guide	SR-1264	OD: 29; W: 27; 08/00->; engine ARX; engine AUM; Fitting Position: Centre left; ch.1U-Y-390 001-> engine AGU; engine ARZ; Fitting Position: Centre left; ->ch.1U-Y-390 000; engine AGU; engine ARZ; Fitting Position: Centre left
				Tensioner	SR-1326	OD: 72; W: 25; ->ch.1U-Y-390 000; engine AGU; engine ARZ; Fitting Position: Upper Left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.8 T 4x4	110/150	ARX	05/01->05/06	Deflection/Guide	SR-1263	OD: 29; W: 27; Fitting Position: Centre
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Centre left
1.9 SDI	50/68	AQM;AGP	07/98->12/03	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1022	OD: 29; W: 27; ->12/00; ->eng.# 399999; engine AGP; Fitting Position: Lower Left; 08/00->; engine AGM; Fitting Position: Upper; ->12/00; eng.# 400000->; engine AGP; Fitting Position: Upper
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right
				Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; ch.1U-W-033 908->; Fitting Position: Upper
1.9 TDI	66/90	ALH;AGR	07/98->03/10	Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->eng.# 44441; engine AGR; Fitting Position: Lower Left; eng.# 44442->; engine AGR; Fitting Position: Upper; 08/00->; engine ALH; Fitting Position: Upper
1.9 TDI	81/110	ASV;AHF	07/98->01/06	Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; ch.1U-W-033 908->; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->eng.# 6065; engine AHF; Fitting Position: Lower Left; eng.# 6066->; engine AHF; Fitting Position: Upper; engine ASV; Fitting Position: Upper
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right
1.9 TDI	74/100	AXR	08/00->12/10	Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine AXR; Fitting Position: Lower Left; eng.# 211246->; engine ATD; Fitting Position: Lower Left
1.9 TDI	96/130	ASZ	09/02->09/04	Deflection/Guide	SR-1266	OD: 28; W: 34; ->eng.# 211245; engine ATD; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI 4x4	74/100	ATD	09/00->01/06	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI 4x4	66/90	AGR	11/99->02/06	Deflection/Guide	SR-1022	OD: 29; W: 29; ->eng.# 44441; Fitting Position: Lower Left; eng.# 44442->; Fitting Position: Upper
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right
2.0	85/116	AQY;APK;AZH;AEG;AZJ	04/99->05/07	Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
2.0 4x4	88/120	ATF	01/00->12/10	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
2.0 4x4	85/116	AZH;AZJ	08/00->09/04	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
RS 1.8 T	132/180	AUQ	08/02->01/06	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Centre left
				Deflection/Guide	SR-1263	OD: 29; W: 27; Fitting Position: Centre
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre



kW/HP

Engine code














Type



OCTAVIA Combi (1Z5)

1.2 TSI	77/105	CBZB	02/10->04/13	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4	55/75	BCA	05/04->05/06	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
1.4	59/80	BUD;CGGA	05/06->06/13	Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
				Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
1.4	90/122	CAXA	11/08->06/13	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
1.4 TSI	90/122	CAXA	11/08->06/13	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
1.6	75/102	BGU;BSE;BSF;CCSA;C MXA	09/04->06/13	Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.6 FSI	85/115	BLF	02/04->10/08	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
1.6 LPG	75/102	CHGA	08/09->11/12	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29; engine BGU; engine BSE; engine BSF
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.6 MultiFuel	75/102	CCSA;CMXA	01/08->06/13	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.6 TDI	77/105	CAYC	06/09->04/13	Deflection/Guide	SR-1024	OD: 40; W: 29; 11/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
1.6 TDI	77/105	CAYC	06/09->04/13	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 11/10->; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.6 TDI 4x4	77/105	CAYC	06/09->02/13	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; 09/09->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
1.6 TDI 4x4	77/105	CAYC	06/09->02/13	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 11/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 11/10->; Fitting Position: Lower Left
1.8 TSI	112/152	CDAB	03/09->06/13	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; 09/09->; Fitting Position: Upper
1.8 TSI	118/160	BZB;CDAA	06/07->04/13	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
1.8 TSI 4x4	112/152	CDAB	03/09->02/13	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
1.8 TSI 4x4	118/160	CDAA	11/08->02/13	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
1.9 TDI	77/105	BKC;BJB;BLS;BXE	09/04->12/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1331	- holder; ID: 17; OD: 65; W: 23,5; ALT
1.9 TDI	77/105	BKC;BJB;BLS;BXE	09/04->12/10	Tensioner	SR-1331	- holder; ID: 17; OD: 65; W: 23,5; ALT
				Tensioner	SR-1224	+ holder; OD: 70; W: 26; ALT; ->05/05; engine BJB; engine BKC; Fitting Position: Left
1.9 TDI 4x4	77/105	BKC;BLS;BXE	11/04->12/10	Deflection/Guide	SR-1023	OD: 40; W: 36; engine BLS; engine BXE; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; engine BLS; engine BXE; Fitting Position: Left; 05/05->; engine BJB; engine BKC; Fitting Position: Left
1.9 TDI 4x4	77/105	BKC;BLS;BXE	11/04->12/10	Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; ->05/05; engine BJB; engine BKC; Fitting Position: Left
				Deflection/Guide	SR-1264	OD: 29; W: 27; engine BLR; engine BLX; engine BLY; Fitting Position: Lower Left
2.0 FSI	110/150	BLY;BLR;BVY;BVZ	11/04->10/08	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0 FSI 4x4	110/150	BLX;BVX	11/04->10/08	Deflection/Guide	SR-1264	OD: 29; W: 27; engine BLR; engine BLX; engine BLY; Fitting Position: Lower Left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0 RS	147/200	BWA;CCZA	10/05->02/13	Deflection/Guide	SR-1264	OD: 29; W: 27; engine BWA; Fitting Position: Lower Left
2.0 TDI	81/110	CFHF;CLCA	03/10->06/13	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI	103/140	BMM	11/05->05/10	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI	103/140	BMM	11/05->05/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left
2.0 TDI 16V	103/140	BKD;CFHC;CLCB	02/04->05/13	Deflection/Guide	SR-1330	OD: 80; W: 34; ->ch.12-62272 755; ->ch.12-68089 110; ->ch.12-6A151 621; engine BKD; Fitting Position: Right
				Deflection/Guide	SR-1024	OD: 40; W: 29; 10/10->; engine CFHC; engine CLCB; Fitting Position: Lower Left
2.0 TDI 16V	103/140	BKD;CFHC;CLCB	02/04->05/13	Deflection/Guide	SR-1022	OD: 29; W: 29; 10/10->; engine CFHC; engine CLCB; Fitting Position: Upper; ->10/10; engine CFHC; engine CLCB; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ch.12-62272 755->; ch.12-68089 111->; ch.12-6A151 622->; engine BKD; Fitting Position: Lower Left; ->ch.12-62272 755; ->ch.12-68089 110; ->ch.12-6A151 621; engine BKD; Fitting Position: Lower Left; ->10/10; engine CFHC; engine CLCB; Fitting Position: Lower Left
2.0 TDI 16V	103/140	BKD;CFHC;CLCB	02/04->05/13	Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; engine BKD; Fitting Position: Left
2.0 TDI 16V	103/140	BKD;CFHC;CLCB	02/04->05/13	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CFHC; engine CLCB; Fitting Position: Upper
2.0 TDI 16V	103/140	BKD;CFHC;CLCB	02/04->05/13	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24

	kW/HP	Engine code		Type		
2.0 TDI 16V	100/136	AZV	02/04->05/10	Deflection/Guide	SR-1023	OD: 40; W: 36; ->ch.12-62272 755; ->ch.12-68089 110; ->ch.12-6A151 621; Fitting Position: Lower Left; ch.12-62272 756->; ch.12-68089 111->; ch.12-6A151 622->; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; ->ch.12-62272 755; ->ch.12-68089 110; ->ch.12-6A151 621; Fitting Position: Right
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
2.0 TDI 16V 4x4	103/140	CFHC	05/10->02/13	Deflection/Guide	SR-1022	OD: 29; W: 29; 10/10->; Fitting Position: Upper; ->10/10
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->10/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 10/10->; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI 4x4	81/110	CFHF	05/11->02/13	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI 4x4	103/140	BMM	07/06->05/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Left
2.0 TDI RS	125/170	BMN;CEGA	04/06->02/13	Deflection/Guide	SR-1330	OD: 80; W: 34; engine CEGA; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CEGA; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine BMN; Fitting Position: Lower Left; engine CEGA; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; engine BMN; Fitting Position: Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CEGA; Fitting Position: Upper
Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24				
OCTAVIA Combi [5E5] 						
1.6 TDI	77/105	CLHA	11/12->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CLHA; engine CLHB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CLHA; engine CLHB; Fitting Position: Upper
1.6 TDI	66/90	CLHB	11/12->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CLHA; engine CLHB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CLHA; engine CLHB; Fitting Position: Upper
1.6 TDI 4x4	77/105	CLHA	11/12->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CLHA; engine CLHB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CLHA; engine CLHB; Fitting Position: Upper
2.0 TDI	110/150	CKFC;CRMB	11/12->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFKB; engine CFKC; engine CUPA; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CFKB; engine CFKC; engine CUPA; Fitting Position: Lower Left
2.0 TDI	105/143	CRVC;CKFB	11/12->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CFKB; engine CFKC; engine CUPA; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFKB; engine CFKC; engine CUPA; Fitting Position: Upper
2.0 TDI 4x4	110/150	CKFC	11/12->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFKB; engine CFKC; engine CUPA; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CFKB; engine CFKC; engine CUPA; Fitting Position: Lower Left
2.0 TDI RS	135/184	CUPA;CUNA	05/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
RAPID [NH3] 						
1.2	55/75	CGPC	07/12->	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; ACCOM; + AC
1.2 TSI	63/86	CBZA	07/12->	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.2 TSI	77/105	CBZB	07/12->	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4 TSI	90/122	CAXA	07/12->	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; ACCOM; ->06/13; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; ->05/13; - AC
1.6	77/105	CFNA	07/12->	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; ACCOM; ->08/13; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; ACCOM; + AC
1.6 TDI	77/105	CAYC;CLNA	07/12->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
1.6 TDI	66/90	CAYB	08/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
RAPID Spaceback [NH1] 						
1.2 TSI	63/86	CBZA	07/12->	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.2 TSI	77/105	CBZB	07/12->	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4 TSI	90/122	CAXA	07/12->	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; ACCOM; ->06/13; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; ACCOM; + AC
Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; ->05/13; - AC				







	kW/HP	Engine code		Type		
1.6	77/105	CFNA	07/12->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.6 TDI	77/105	CAYC;CLNA	07/12->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT
1.6 TDI	66/90	CAYB	08/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24







ROOMSTER [5J]





1.2	51/70	BZG;CGPA	01/07->05/15	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
1.2	47/64	BME	05/06->01/07	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
1.2 TDI	55/75	CFWA	03/10->05/15	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 11/10->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 11/10->; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.2 TSI	77/105	CBZB	03/10->05/15	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
1.2 TSI	63/86	CBZA	03/10->05/15	Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
1.4	63/86	BXW;CGGB	09/06->05/15	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; Fitting Position: Lower Left
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
1.4 TDI	51/70	BNM	07/06->03/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine BMS; engine BNV; Fitting Position: Lower Left
1.4 TDI	59/80	BNV;BMS	09/06->03/10	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine BMS; Fitting Position: Upper; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
1.6	77/105	BTS;CFNA	09/06->05/15	Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 11/10->; Fitting Position: Upper
1.6 TDI	66/90	CAYB	03/10->05/15	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 11/10->; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1024	OD: 40; W: 29; 11/10->; Fitting Position: Lower Left
1.6 TDI	77/105	CAYC	03/10->05/15	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 11/10->; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.9 TDI	74/101	AXR	03/06->05/06	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine BLS; engine BSW; Fitting Position: Lower Left
1.9 TDI	77/105	BLS;BSW	09/06->03/10	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24

ROOMSTER Praktik [5J]

1.2	51/70	BZG;CGPA	03/07->05/15	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
1.2 TDI	55/75	CFWA	03/10->05/15	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 11/10->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 11/10->; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.2 TSI	63/86	CBZA	03/10->05/15	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4	63/86	BXW;CGGB	03/07->05/15	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left

	kW/HP	Engine code		Type		
1.4 TDI	59/80	BNV;BMS	03/07->03/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine BMS; Fitting Position: Upper; + AC
1.4 TDI	51/70	BNM	03/07->03/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 11/10->; Fitting Position: Lower Left
1.6 TDI	66/90	CAYB	03/10->05/15	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 11/10->; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
SUPERB (3T4) 						
1.4 TSI	92/125	CAXC	07/08->05/15	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Upper Left
1.6 TDI	77/105	CAYC	09/10->05/15	Deflection/Guide	SR-1024	OD: 40; W: 29; 11/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 11/10->; Fitting Position: Upper
1.8 TSI	118/160	BZB;CDAA	03/08->05/15	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
1.8 TSI	112/152	CDAB	03/09->05/15	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
1.8 TSI 4x4	112/152	CDAB	03/09->05/15	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
1.8 TSI 4x4	118/160	CDAA	11/08->05/15	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
1.9 TDI	77/105	BLS;BXE	03/08->11/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 TDI	103/140	BMP	03/08->05/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 TDI	125/170	CBBB;CFGB	07/08->05/15	Deflection/Guide	SR-1023	OD: 40; W: 36; engine CBBB; Fitting Position: Lower Left; engine CFGB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFGB; Fitting Position: Upper
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBBB; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBBB; Fitting Position: Right
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI 16V	103/140	BKD;CFFB;CLJA	01/09->05/15	Deflection/Guide	SR-1023	OD: 40; W: 36; engine CFFB; engine CLJA; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFFB; engine CLJA; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CFFB; engine CLJA; Fitting Position: Upper
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; engine BKD; Fitting Position: Upper
2.0 TDI 16V 4x4	103/140	CFFB	11/10->05/15	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFFB; engine CLJA; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CFFB; engine CLJA; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CFFB; engine CLJA; Fitting Position: Upper
2.0 TDI 4x4	125/170	CBBB;CFGB	09/08->05/15	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBBB; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBBB; Fitting Position: Right
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFGB; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CBBB; Fitting Position: Lower Left; engine CFGB; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TSI	147/200	CCZA	05/10->05/15	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
SUPERB (3U4) 						
1.8 T	110/150	AWT	12/01->03/08	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; Fitting Position: Upper Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
1.9 TDI	85/115	BPZ	01/07->03/08	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; Fitting Position: Upper
1.9 TDI	74/101	AVB	08/02->10/05	Deflection/Guide	SR-1266	OD: 28; W: 34; ->ch.3U-29015 228; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ch.3U-29015 229->; Fitting Position: Lower Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.9 TDI	77/105	BSV	10/05->05/07	Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; Fitting Position: Upper
1.9 TDI	96/130	AWX;AVF	12/01->03/08	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ch.3U-29015 229->; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->ch.3U-29015 228; Fitting Position: Lower Left
				Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left

	kW/HP	Engine code		Type		
2.0	85/115	AZM	12/01->03/08	Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
2.0 TDI	103/140	BSS	10/05->03/08	Deflection/Guide	SR-1023	OD: 40; W: 36; engine BSS; engine BWW; Fitting Position: Lower Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
2.5 TDI	120/163	BDG	06/03->03/08	Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
2.5 TDI	114/155	AYM	12/01->08/03	Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1362	OD: 72; W: 34; CS; Fitting Position: Left
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
2.8 V6	142/193	AMX	12/01->03/08	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
SUPERB Estate (3T5) 	92/125	CAXC	10/09->05/15	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
1.6 TDI	77/105	CAYC	09/10->05/15	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 11/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 11/10->; Fitting Position: Lower Left
1.8 TSI	112/152	CDAB	10/09->05/15	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
1.8 TSI	118/160	CDA A	10/09->05/15	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
1.8 TSI 4x4	112/152	CDAB	10/09->05/15	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
1.8 TSI 4x4	118/160	CDA A	10/09->05/15	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
1.9 TDI	77/105	BLS;BXE	10/09->11/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 TDI	125/170	CBBB;CFGB	10/09->05/15	Deflection/Guide	SR-1023	OD: 40; W: 36; engine CBBB; Fitting Position: Lower Left; engine CFGB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFGB; Fitting Position: Upper
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBBB; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBBB; Fitting Position: Right
2.0 TDI	103/140	BMP	10/09->03/10	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI 16V	103/140	BKD;CFFB;CLJA	10/09->05/15	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFFB; engine CLJA; Fitting Position: Upper
2.0 TDI 16V 4x4	103/140	CFFB	11/10->05/15	Deflection/Guide	SR-1023	OD: 40; W: 36; engine CFFB; engine CLJA; Fitting Position: Lower Left; engine BKD; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; engine BKD; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CFFB; engine CLJA; Fitting Position: Upper
2.0 TDI 4x4	125/170	CBBB;CFGB	10/09->05/15	Deflection/Guide	SR-1023	OD: 40; W: 36; engine CFFB; engine CLJA; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFFB; engine CLJA; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CFFB; engine CLJA; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TSI	147/200	CCZA	05/10->05/15	Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBBB; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBBB; Fitting Position: Upper
YETI (5L) 	77/105	CBZB	09/09->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFGB; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CFFB; engine CLJA; Fitting Position: Upper
1.4 TSI	90/122	CAXA	06/10->	Deflection/Guide	SR-1018	OD: 40; W: 36; engine CFFB; engine CLJA; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.6 TDI	77/105	CAYC	11/10->	Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; - AC
1.8 TSI 4x4	118/160	CDA A	05/09->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
1.8 TSI 4x4	118/160	CDA A	05/09->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT

	kW/HP	Engine code		Type		
1.8 TSI 4x4	112/152	CDAB	11/09->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23.5; ALT
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 11/10->; Fitting Position: Upper
2.0 TDI	81/110	CFHA;CLCA	11/09->	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 11/10->; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	103/140	CFHC	11/11->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CBDB; Fitting Position: Lower Left; ->11/10; engine CFHC; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 11/10->; engine CFHC; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; engine CFHC; Fitting Position: Upper; 11/10->
2.0 TDI 4x4	103/140	CBDB;CFHC;CLCB	05/09->	Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBDB; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBDB; Fitting Position: Right
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Deflection/Guide	SR-1024	OD: 40; W: 29; 11/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
2.0 TDI 4x4	81/110	CFHF	11/09->	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 11/10->; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; engine CFJA; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; 11/10->; engine CFJA; Fitting Position: Upper; ->11/10
2.0 TDI 4x4	125/170	CEGA;CFJA	11/09->	Deflection/Guide	SR-1024	OD: 40; W: 29; 11/10->; engine CFJA; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24

SMART

FORFOUR Hatchback [453]

0.9 [453.044]	66/90	M 281.910	11/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT
1.0 [453.041]	45/60	M 281.920	11/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT
1.0 [453.042]	52/71	M 281.920	07/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT

FORTWO Coupe [453]

0.9 [453.344]	66/90	M 281.910	09/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT
1.0 [453.341]	45/60	M 281.920	11/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT
1.0 [453.342]	52/71	M 281.920	07/14->	Deflection/Guide	SR-1184	OD: 60; W: 30; ALT

SSANGYONG

ACTYON I

2.0 Xdi	100/136	D20DT	07/07->	Deflection/Guide	SR-1206	OD: 70; W: 26; - AC
				Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT; ->06/13
2.0 Xdi	104/141	D20DT	11/05->	Deflection/Guide	SR-1206	OD: 70; W: 26; - AC
				Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT; ->06/13
2.3	110/150	G23D	11/06->	Tensioner	SR-1040	OD: 110; W: 28.5; ALT
200 Xdi 4WD	100/136	D20DT	07/07->	Deflection/Guide	SR-1206	OD: 70; W: 26; - AC
				Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT; ->06/13
200 Xdi 4WD	104/141	D20DT	10/06->	Deflection/Guide	SR-1206	OD: 70; W: 26; - AC
				Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT; ->06/13

ACTYON II













2.0 XDi	110/150	D20DTF	08/12->	Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT
2.0 XDi	129/175	D20DTR	08/12->	Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT
2.0 XDi 4x4	129/175	D20DTF	03/13->	Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT
2.0 XDi 4x4	110/150	D20DTF	08/12->	Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT











ACTYON SPORTS I [QJ]





2.0 Xdi	104/141	D20DT	04/07->	Deflection/Guide	SR-1206	OD: 70; W: 26; - AC
				Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT; ->06/13
2.0 Xdi	114/155	D20DTR	09/11->	Deflection/Guide	SR-1206	OD: 70; W: 26; - AC
				Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT; 10/12->; MD Actyon Sports
2.0 Xdi 4WD	104/141	D20DT	04/07->	Deflection/Guide	SR-1206	OD: 70; W: 26; - AC
				Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT; ->06/13
2.0 Xdi 4WD	114/155	D20DTR	09/11->	Deflection/Guide	SR-1206	OD: 70; W: 26; - AC
				Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT; 10/12->; MD Actyon Sports

ACTYON SPORTS II

2.0 Xdi	114/155	D20DTR	10/12->	Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT; MD Actyon Sports
---------	---------	--------	---------	-----------	---------	--

	kW/HP	Engine code		Type		
2.0 Xdi 4WD	114/155	D20DTR	10/12->	Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT; MD Actyon Sports
ISTANA Box 						
2.9 D	70/95	OM 602.940	10/92->05/95	Deflection/Guide	SR-1044	OD: 64; W: 21,8
				Tensioner	SR-1035	OD: 42; W: 29; ALT
ISTANA Box 						
2.9 D	90/122	OM 602.980	06/95->	Deflection/Guide	SR-1044	OD: 64; W: 21,8
				Tensioner	SR-1035	OD: 42; W: 29
ISTANA Bus 						
2.9 TD	70/95	OM 602.940	10/92->05/95	Deflection/Guide	SR-1044	OD: 64; W: 21,8
				Tensioner	SR-1035	OD: 42; W: 29; ALT
ISTANA Bus 						
2.9 D	90/122	OM 602.980	06/95->	Deflection/Guide	SR-1044	OD: 64; W: 21,8
				Tensioner	SR-1035	OD: 42; W: 29
KORANDO 						
2.0 e-XDi	110/150	D20DTF	02/12->	Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT
2.0 e-XDi	129/175	D20DTF	11/10->	Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT; MD Korando C
2.0 e-XDi 4WD	110/150	D20DTF	02/12->	Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT
KORANDO (KJ) 						
2.0	94/128	E20	05/97->	Tensioner	SR-1040	OD: 110; W: 28,5
2.3	110/150	M 161.970	01/02->	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
2.3	105/143		01/99->	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
2.3	103/140	M 111.970	05/97->	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
2.3 D (KJ)	58/79	OM 601.940	12/96->	Deflection/Guide	SR-1044	OD: 64; W: 21,8
				Tensioner	SR-1039	+ holder
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
2.3 TDiC 4x4	74/101		07/98->	Deflection/Guide	SR-1044	OD: 64; W: 21,8; engine MB - OM 661
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1039	+ holder
2.9 D (KJ)	72/98	MB-OM 662	12/96->	Deflection/Guide	SR-1044	OD: 64; W: 21,8
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1039	+ holder
2.9 TD	88/120		04/98->	Deflection/Guide	SR-1044	OD: 64; W: 21,8; engine MB - OM 662
				Tensioner	SR-1039	+ holder
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
3.2	156/212	M 104.995	01/99->	Tensioner	SR-1045	OD: 80; W: 31; ALT; eng.# 34380->
				Tensioner	SR-1043	OD: 92; W: 31; ALT; ->eng.# 34379
3.2	162/220	M 104.992	06/97->	Tensioner	SR-1045	OD: 80; W: 31; ALT; eng.# 5603->; eng.# 102821->
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 4357->; ->eng.# 5602; eng.# 72237->; ->eng.# 102820
3.2 (KJ)	154/209	M 104.995	12/96->	Tensioner	SR-1045	OD: 80; W: 31; ALT; eng.# 34380->
				Tensioner	SR-1043	OD: 92; W: 31; ALT; ->eng.# 34379
KORANDO Cabrio (KJ) 						
2.3	110/150	M 161.970	01/02->	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
2.3	105/143		02/99->	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
2.3	103/140		11/97->	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
2.9 D	72/98	MB-OM 662	11/97->	Deflection/Guide	SR-1044	OD: 64; W: 21,8
				Tensioner	SR-1039	+ holder
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
2.9 TD	88/120		04/98->	Deflection/Guide	SR-1044	OD: 64; W: 21,8; engine MB - OM 662
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1039	+ holder
3.2	156/212	M 104.995	01/99->	Tensioner	SR-1043	OD: 92; W: 31; ALT; ->eng.# 34379
				Tensioner	SR-1045	OD: 80; W: 31; ALT; eng.# 34380->
3.2	162/220	M 104.992	06/97->	Tensioner	SR-1045	OD: 80; W: 31; ALT; eng.# 5603->; eng.# 102821->
				Tensioner	SR-1043	OD: 92; W: 31; ALT; eng.# 4357->; ->eng.# 5602; eng.# 72237->; ->eng.# 102820
KYRON 						
2.0 Xdi	100/136	D20DT	01/10->	Deflection/Guide	SR-1206	OD: 70; W: 26; - AC
				Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT
2.0 Xdi	104/141	D20DT	05/05->	Deflection/Guide	SR-1206	OD: 70; W: 26; - AC
				Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT; 09/05->
2.0 Xdi 4x4	100/136	D20DT	01/10->	Deflection/Guide	SR-1206	OD: 70; W: 26; - AC
				Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT
2.0 Xdi 4x4	104/141	D20DT	05/05->	Deflection/Guide	SR-1206	OD: 70; W: 26; - AC
				Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT; 09/05->
2.3	110/150	M 161.970	01/10->	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
2.7 Xdi	120/163	D27DT	03/06->	Deflection/Guide	SR-1206	OD: 70; W: 26; - AC
2.7 Xdi	121/165	D27DT	05/05->	Deflection/Guide	SR-1206	OD: 70; W: 26; - AC
				Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT; ->08/05

	kW/HP	Engine code		Type		
MUSSO (FJ) 						
2.0	93/126	E20	10/96->	Tensioner	SR-1040	OD: 110; W: 28,5
2.3	110/150		04/03->	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
2.3	103/140	M 111.970	10/96->	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
2.3 D	58/79	OM 661.940	03/93->04/97	Deflection/Guide	SR-1044	OD: 64; W: 21,8
				Tensioner	SR-1039	+ holder
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
2.3 D	59/80	OM 601.940;MB-OM 661	10/95->	Deflection/Guide	SR-1044	OD: 64; W: 21,8
				Tensioner	SR-1039	+ holder
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
2.9 D	73/99	MB-OM 662	03/96->	Deflection/Guide	SR-1044	OD: 64; W: 21,8
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1039	+ holder
2.9 TD	88/120		04/98->	Deflection/Guide	SR-1044	OD: 64; W: 21,8; engine MB - OM 662
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1039	+ holder
2.9 TD	108/147		04/98->	Deflection/Guide	SR-1044	OD: 64; W: 21,8; engine MB - OM 662
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1039	+ holder
MUSSO SPORTS 						
2.9 D 4x4	88/120		08/04->	Tensioner	SR-1039	+ holder
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
REXTON (GAB_) 						
2.7 D 4x4	137/186	D27DTP	05/06->	Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT; ->08/09
2.7 Xdi	121/165	D27DT	03/05->08/06	Deflection/Guide	SR-1206	OD: 70; W: 26; - AC
				Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT
2.7 Xdi	120/163	D27DT	08/04->	Deflection/Guide	SR-1206	OD: 70; W: 26; - AC
				Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT; 09/06-> ->08/09
2.7 Xdi 4x4	118/160	D27DT	03/11->	Deflection/Guide	SR-1206	OD: 70; W: 26; - AC
2.7 Xdi Turbo 4x4	132/180	D27DTP	03/11->	Deflection/Guide	SR-1206	OD: 70; W: 26; - AC
2.9 TD	88/120		04/02->	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT; + AC; + PS
				Tensioner	SR-1039	+ holder
REXTON W 						
2.0 Xdi	114/155	D20DTR	07/12->	Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT; 01/13-> ; MD Rexton W
2.0 Xdi All-wheel Drive	114/155	D20DTR	07/12->	Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT; MD Rexton W
2.7 Xdi All-wheel Drive	121/165	D27DT	07/12->	Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT; 02/14-> ->07/14; MD Rexton
2.7 Xdi All-wheel Drive	137/186		10/12->	Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT; 02/14-> ->07/14; MD Rexton; MD Rexton W
RODIUS 						
2.7 Xdi	121/165	D27DT	05/05->	Deflection/Guide	SR-1206	OD: 70; W: 26; - AC
				Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT; ->12/12
2.7 Xdi	120/163	D27DT	05/05->	Deflection/Guide	SR-1206	OD: 70; W: 26; - AC
				Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT; ->12/12
2.7 Xdi 4WD	121/165	D27DT	05/05->	Deflection/Guide	SR-1206	OD: 70; W: 26; - AC
				Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT; ->12/12
2.7 Xdi 4WD	120/163	D27DT	05/05->	Deflection/Guide	SR-1206	OD: 70; W: 26; - AC
				Tensioner	SR-1347	+ holder; OD: 70; W: 26; ALT; ->12/12
SUBARU						
FORESTER (SF) 						
2.0 AWD	92/125	EJ20	06/98->09/02	Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->05/02; engine EJ202; Fitting Position: Lower Right
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; engine EJ202
				Deflection/Guide	SR-1245	ID: 10,2; OD: 60; W: 34; ->05/02; engine EJ202; Fitting Position: Lower Left
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->05/02; engine EJ202; Fitting Position: Upper Left
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->05/02; engine EJ202
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD S10
2.0 AWD	90/122	EJ20	08/97->09/02	Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->05/98; engine EJ20J; Fitting Position: Lower Right; 06/98-> ->05/02; engine EJ202
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->05/02; engine EJ202; engine EJ20J
				Deflection/Guide	SR-1245	ID: 10,2; OD: 60; W: 34; 06/98-> ->05/02; engine EJ202; Fitting Position: Lower Left
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->05/98; engine EJ20J; Fitting Position: Upper Left; Fitting Position: Lower Left; 06/98-> ->05/02; engine EJ202
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->05/98; engine EJ20J; 06/98-> ->05/02; engine EJ202
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD S10






	kW/HP	Engine code		Type		
2.0 S Turbo AWD	130/177	EJ205	04/01->09/02	Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->05/02
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->05/02; Fitting Position: Lower Right
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->05/02; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1431	OD: 31; W: 34; ->05/02; Fitting Position: Upper Right
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69.5; W: 20.5; ACCOM; MD S10
2.0 S Turbo AWD	125/170	EJ20	06/98->04/01	Tensioner	SR-1243	- holder; OD: 60; W: 34; ->05/02
				Deflection/Guide	SR-1431	OD: 31; W: 34; engine EJ205; Fitting Position: Upper Right
				Deflection/Guide	SR-1238	OD: 60; W: 35; engine EJ205; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; engine EJ205
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; engine EJ205; Fitting Position: Lower Right
Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69.5; W: 20.5; ACCOM; MD S10				
Tensioner	SR-1243	- holder; OD: 60; W: 34; engine EJ205				







FORESTER (SG) 

2.0 AWD	92/125	EJ20	09/02->	Deflection/Guide	SR-1245	ID: 10.2; OD: 60; W: 34; ->05/05; engine EJ201; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->05/05; engine EJ201; Fitting Position: Lower Right
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->05/05; engine EJ201
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->05/05; engine EJ201; Fitting Position: Upper Left
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->05/05; engine EJ201
2.0 S Turbo AWD	130/177	EJ20	09/02->	Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69.5; W: 20.5; ACCOM; MD S11
				Deflection/Guide	SR-1238	OD: 60; W: 35; 07/04->; ->05/05; engine EJ205; Fitting Position: Upper Left; Fitting Position: Lower Left; ->06/04
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->05/05; engine EJ205
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; 07/04->; ->05/05; engine EJ205; Fitting Position: Lower Right; ->06/04
				Deflection/Guide	SR-1470	OD: 31; W: 34; 07/04->; ->05/05; engine EJ205; Fitting Position: Upper Right; ->06/04
2.0 X AWD	116/158	EJ204	09/05->	Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69.5; W: 20.5; ACCOM; engine EJ201; MD S11
				Tensioner	SR-1243	- holder; OD: 60; W: 34; 07/04->; ->05/05; engine EJ205; ->06/04
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->11/07; MT; Fitting Position: Lower Right; not for EU; AT; 12/07->; ->11/10
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->11/07; MT; Fitting Position: Upper Left; Fitting Position: Lower Left; not for EU; AT; 12/07->; ->11/10
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->11/07
2.5 AWD	155/211	EJ25	12/03->	Deflection/Guide	SR-1470	OD: 31; W: 34; ->11/07; MT; Fitting Position: Upper Right; not for EU; AT; 12/07->; ->11/10
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69.5; W: 20.5; ACCOM; engine EJ201; MD S11
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->11/07; MT; not for EU; AT; 12/07->; ->11/10
				Deflection/Guide	SR-1245	ID: 10.2; OD: 60; W: 34; ->03/05; engine EJ251; Fitting Position: Lower Left; ->11/07; engine EJ253; 03/05->
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->03/05; engine EJ251; Fitting Position: Lower Right; ->11/07; engine EJ253; 03/05->
2.5 XT AWD	169/230	EJ255	09/05->	Deflection/Guide	SR-1238	OD: 60; W: 35; ->03/05; engine EJ251; Fitting Position: Upper Left; ->11/07; engine EJ253; 03/05->
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->11/07; engine EJ251; engine EJ253
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->03/05; engine EJ251; ->11/07; engine EJ253; 03/05->
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69.5; W: 20.5; ACCOM
				Deflection/Guide	SR-1470	OD: 31; W: 34; ->11/07; Fitting Position: Upper Right

FORESTER (SH) 

2.0 AWD	110/150	EJ20	01/08->	Deflection/Guide	SR-1238	OD: 60; W: 35; ->11/10; engine EJ204; MT; Fitting Position: Upper Left; Fitting Position: Lower Left; AT
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->11/10; engine EJ204; MT; Fitting Position: Lower Right; AT
				Deflection/Guide	SR-1470	OD: 31; W: 34; ->11/10; engine EJ204; MT; Fitting Position: Upper Right; AT
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->11/10; engine EJ204; MT; AT
				Tensioner	SR-1417	- holder; ID: 17; OD: 80; W: 31; prod. date 201008 ->
2.0 AWD	110/150	FB20	01/10->	Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26; prod. date 201008 ->
				Tensioner	SR-1417	- holder; ID: 17; OD: 80; W: 31; prod. date 201008 ->
2.0 D AWD	108/147	EE20Z	09/08->	Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26; prod. date 201008 ->
				Tensioner	SR-1417	- holder; ID: 17; OD: 80; W: 31; prod. date 201008 ->
2.5 AWD	126/171	EJ25	01/09->	Deflection/Guide	SR-1245	ID: 10.2; OD: 60; W: 34; ->11/10; engine EJ253; Fitting Position: Lower Left; camshaft SOHC/OHC
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->11/10; engine EJ253; Fitting Position: Lower Right; camshaft SOHC/OHC
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->11/10; engine EJ253; Fitting Position: Upper Left; camshaft SOHC/OHC
				Tensioner	SR-1417	- holder; ID: 17; OD: 80; W: 31; prod. date 201008 ->
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->11/10; engine EJ253; camshaft SOHC/OHC
Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26; prod. date 201008 ->				

	kW/HP	Engine code		Type		
IMPREZA Coupe (GFC) 						
1.6	66/90	EJ16E	12/96->12/00	Deflection/Guide	SR-1238	OD: 60; W: 35; ->06/98; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->06/98; Fitting Position: Lower Right
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD G10
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->06/98
1.6 AWD	66/90	EJ161	12/96->12/00	Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->06/98; engine EJ16E; Fitting Position: Lower Right
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->06/98; engine EJ16E; Fitting Position: Upper Left; Fitting Position: Lower Left
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->06/98; engine EJ16E
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD G10
2.0 AWD	85/115	EJ20	12/95->12/00	Deflection/Guide	SR-1238	OD: 60; W: 35; 10/96->->06/98; engine EJ20E; Fitting Position: Upper Left; Fitting Position: Lower Left; ->09/96; engine EJ20E; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; engine EJ20E
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; 10/96->->06/98; engine EJ20E; Fitting Position: Lower Right; ->09/96; engine EJ20E; Fitting Position: Lower Right
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD G10
2.0 Turbo AWD	155/211	EJ20G	12/96->12/00	Deflection/Guide	SR-1238	OD: 60; W: 35; ->06/98; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->06/98; Fitting Position: Lower Right
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD G10
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->06/98
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; Fitting Position: Lower Right
				Deflection/Guide	SR-1245	ID: 10,2; OD: 60; W: 34; Fitting Position: Lower Left
1.6 i	70/95	EJ161	06/98->12/00	Deflection/Guide	SR-1238	OD: 60; W: 35; Fitting Position: Upper Left
				Tensioner	SR-1243	- holder; OD: 60; W: 34
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD G10
				Deflection/Guide	SR-1238	OD: 60; W: 35; Fitting Position: Upper Left
1.6 i AWD	70/95	EJ161	06/98->12/00	Deflection/Guide	SR-1245	ID: 10,2; OD: 60; W: 34; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; Fitting Position: Lower Right
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD G10
1.6 i AWD	66/90	EJ16	08/92->12/00	Tensioner	SR-1243	- holder; OD: 60; W: 34
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->09/96; engine EJ16E; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->09/96; engine EJ16E; Fitting Position: Lower Right
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; 04/95->->MD G10
1.8 i AWD	76/103	EJ18	08/92->12/00	Deflection/Guide	SR-1245	ID: 10,2; OD: 60; W: 34; 06/98->-> engine EJ181; Fitting Position: Lower Left
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->01/97; engine EJ18E; Fitting Position: Upper Left; Fitting Position: Lower Left; 06/98->-> engine EJ181; Fitting Position: Upper Left; 02/97->->06/98; engine EJ18E; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; engine EJ181; engine EJ18E
				Tensioner	SR-1243	- holder; OD: 60; W: 34; 06/98->-> engine EJ181; 02/97->->06/98; engine EJ18E
2.0 i 16V AWD	92/125	EJ20;EJ20E	06/98->12/00	Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; 04/95->->
				Deflection/Guide	SR-1238	OD: 60; W: 35; engine EJ20E; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; engine EJ20E; Fitting Position: Lower Right
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; engine EJ20E
2.0 i AWD	85/116	EJ20	12/95->12/00	Deflection/Guide	SR-1431	OD: 31; W: 34; engine EJ20E; Fitting Position: Upper Right
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; 10/96->->06/98; engine EJ20E; Fitting Position: Lower Right; ->09/96; engine EJ20E; Fitting Position: Lower Right
				Deflection/Guide	SR-1238	OD: 60; W: 35; 10/96->->06/98; engine EJ20E; Fitting Position: Upper Left; Fitting Position: Lower Left; ->09/96; engine EJ20E; Fitting Position: Upper Left; Fitting Position: Lower Left
				Tensioner	SR-1243	- holder; OD: 60; W: 34; 10/96->->06/98; engine EJ20E
2.0 i Turbo AWD	155/211	EJ20 (Turbo)	03/94->12/00	Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD G10
				Deflection/Guide	SR-1238	OD: 60; W: 35; 10/96->->06/98; engine EJ20G; Fitting Position: Upper Left; Fitting Position: Lower Left; ->09/96; engine EJ20G; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; engine EJ20G
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; 10/96->->06/98; engine EJ20G; Fitting Position: Lower Right; ->09/96; engine EJ20G; Fitting Position: Lower Right
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; 04/95->->MD G10
				Tensioner	SR-1243	- holder; OD: 60; W: 34; 10/96->->06/98; engine EJ20G

	kW/HP	Engine code		Type		
2.0 Turbo GT AWD	160/218	EJ205	06/98->12/00	Deflection/Guide	SR-1431	OD: 31; W: 34; Fitting Position: Upper Right
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; Fitting Position: Lower Right
				Deflection/Guide	SR-1238	OD: 60; W: 35; Fitting Position: Upper Left; Fitting Position: Lower Left
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD G10
				Tensioner	SR-1243	- holder; OD: 60; W: 34
IMPREZA Estate (GG) 						
1.5 AWD	77/105	EL15	05/06->	Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->06/07; engine EL154
				Deflection/Guide	SR-1470	OD: 31; W: 34; ->06/07; engine EL154; Fitting Position: Upper Right
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->06/07; engine EL154; Fitting Position: Lower Right
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->06/07; engine EL154; Fitting Position: Upper Left; Fitting Position: Lower Left
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->06/07; engine EL154
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD G11; ->06/07
1.6 AWD	70/95	EJ16	12/00->	Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->06/07; engine EJ161
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->06/07; engine EJ161; Fitting Position: Lower Right
				Deflection/Guide	SR-1245	ID: 10,2; OD: 60; W: 34; ->06/07; engine EJ161; Fitting Position: Lower Left
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->06/07; engine EJ161; Fitting Position: Upper Left
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->06/07; engine EJ161
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD G11
2.0 AWD	92/125	EJ20	12/00->	Deflection/Guide	SR-1238	OD: 60; W: 35; ->06/07; engine EJ201; Fitting Position: Upper Left; ->06/07; engine EJ201; Fitting Position: Upper Left; Inl./Outl. 1; ->06/07; engine EJ201; Fitting Position: Upper Left; Inl./Outl. 2
				Deflection/Guide	SR-1245	ID: 10,2; OD: 60; W: 34; ->06/07; engine EJ201; Fitting Position: Lower Left; ->06/07; engine EJ201; Fitting Position: Lower Left; Inl./Outl. 1; ->06/07; engine EJ201; Fitting Position: Lower Left; Inl./Outl. 2
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->06/07; engine EJ201; Fitting Position: Lower Right; ->06/07; engine EJ201; Fitting Position: Lower Right; Inl./Outl. 1; ->06/07; engine EJ201; Fitting Position: Lower Right; Inl./Outl. 2
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->06/07; engine EJ201
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD G11
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->06/07; engine EJ201; ->06/07; engine EJ201; Inl./Outl. 1; ->06/07; engine EJ201; Inl./Outl. 2
2.0 i R AWD	118/160	EJ20;EJ204	09/05->06/07	Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; engine EJ204
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; engine EJ204; AT; Fitting Position: Lower Right; + oil cooler; - oil cooler; MT; not for EU
				Deflection/Guide	SR-1238	OD: 60; W: 35; engine EJ204; AT; Fitting Position: Upper Left; Fitting Position: Lower Left; + oil cooler; - oil cooler; MT; not for EU
				Deflection/Guide	SR-1470	OD: 31; W: 34; engine EJ204; AT; Fitting Position: Upper Right; + oil cooler; - oil cooler; MT; not for EU
				Tensioner	SR-1243	- holder; OD: 60; W: 34; engine EJ204; AT; + oil cooler; - oil cooler; MT; not for EU
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD G11
2.0 Turbo AWD	160/218	EJ205	12/00->	Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->07/05
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; 09/02->; ->08/03; Fitting Position: Lower Right; 08/03->; ->07/05; Fitting Position: Lower Right; ->08/02; Fitting Position: Lower Right
				Deflection/Guide	SR-1431	OD: 31; W: 34; ->08/02; Fitting Position: Upper Right
				Deflection/Guide	SR-1238	OD: 60; W: 35; 09/02->; ->08/03; Fitting Position: Upper Left; Fitting Position: Lower Left; 08/03->; ->07/05; Fitting Position: Upper Left; Fitting Position: Lower Left; 08/02; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1470	OD: 31; W: 34; 09/02->; ->08/03; Fitting Position: Upper Right; 08/03->; ->07/05; Fitting Position: Upper Right
				Tensioner	SR-1243	- holder; OD: 60; W: 34; 09/02->; ->08/03; 08/03->; ->07/05; ->08/02
2.0 WRX Turbo AWD	165/225	EJ205	12/02->	Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->07/05
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; 08/03->; ->07/05; Fitting Position: Lower Right; ->08/03; Fitting Position: Lower Right; ->07/05; Fitting Position: Lower Right
				Deflection/Guide	SR-1238	OD: 60; W: 35; 08/03->; ->07/05; Fitting Position: Upper Left; Fitting Position: Lower Left; ->08/03; Fitting Position: Upper Left; Fitting Position: Lower Left; ->07/05; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1470	OD: 31; W: 34; 08/03->; ->07/05; Fitting Position: Upper Right; ->08/03; Fitting Position: Upper Right; ->07/05; Fitting Position: Upper Right
				Tensioner	SR-1243	- holder; OD: 60; W: 34; 08/03->; ->07/05; ->08/03; ->07/05
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD G11
2.5 WRX AWD	169/230	EJ255	09/05->	Deflection/Guide	SR-1470	OD: 31; W: 34; ->06/07; Fitting Position: Upper Right
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->06/07; Fitting Position: Lower Right
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->06/07; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->06/07
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->06/07
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD G11; ->06/07
IMPREZA Hatchback 						
2.5 WRX AWD	169/230	EJ255	09/05->12/07	Deflection/Guide	SR-1470	OD: 31; W: 34; ->06/07; Fitting Position: Upper Right
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->06/07
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->06/07; Fitting Position: Lower Right
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->06/07; Fitting Position: Upper Left; Fitting Position: Lower Left
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->06/07
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD G11; ->06/07



kW/HP

Engine code








Type










IMPREZA Hatchback (GR, GH, G3)





Model	kW/HP	Engine code	Year	Type	Part Number	Description
1.5 AWD	79/107	EL15	02/08->	Deflection/Guide	SR-1238	OD: 60; W: 35; ->09/11; engine EL154; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1470	OD: 31; W: 34; ->09/11; engine EL154; Fitting Position: Upper Right
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->09/11; engine EL154; Fitting Position: Lower Right
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->09/11; engine EL154
1.5 F	79/107	EL15	02/08->	Deflection/Guide	SR-1470	OD: 31; W: 34; ->09/11; engine EL154; Fitting Position: Upper Right
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->09/11; engine EL154; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->09/11; engine EL154; Fitting Position: Lower Right
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->09/11; engine EL154
2.0 R AWD	110/150	EJ204	01/08->	Deflection/Guide	SR-1470	OD: 31; W: 34; ->09/11; Fitting Position: Upper Right; Inl./Outl. 1; not for EU; AT; Inl./Outl. 2
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->09/11; Fitting Position: Lower Right; Inl./Outl. 1; not for EU; AT; Inl./Outl. 2
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->09/11; Fitting Position: Upper Left; Fitting Position: Lower Left; Inl./Outl. 1; not for EU; AT; Inl./Outl. 2
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->09/11; Inl./Outl. 1; not for EU; AT; Inl./Outl. 2
2.5 WRX STI AWD	221/301	EJ257	01/08->	Deflection/Guide	SR-1238	OD: 60; W: 35; ->01/14; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->01/14; Fitting Position: Lower Right
				Deflection/Guide	SR-1470	OD: 31; W: 34; ->01/14; Fitting Position: Upper Right
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->01/14





IMPREZA Saloon (GC)

Model	kW/HP	Engine code	Year	Type	Part Number	Description
1.6 i	70/95	EJ161	06/98->12/00	Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; Fitting Position: Lower Right
				Deflection/Guide	SR-1245	ID: 10,2; OD: 60; W: 34; Fitting Position: Lower Left
				Deflection/Guide	SR-1238	OD: 60; W: 35; Fitting Position: Upper Left
				Tensioner	SR-1243	- holder; OD: 60; W: 34
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD G10
1.6 i	66/90	EJ16	08/92->12/00	Deflection/Guide	SR-1238	OD: 60; W: 35; ->09/96; engine EJ16E; Fitting Position: Upper Left; Fitting Position: Lower Left; 10/96->->06/98; engine EJ16E; Fitting Position: Lower Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->09/96; engine EJ16E; Fitting Position: Lower Right; 10/96->->06/98; engine EJ16E; Fitting Position: Lower Right
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; 04/95->-> MD G10
				Tensioner	SR-1243	- holder; OD: 60; W: 34; 10/96->->06/98; engine EJ16E
1.6 i AWD	70/95	EJ161	06/98->12/00	Deflection/Guide	SR-1245	ID: 10,2; OD: 60; W: 34; Fitting Position: Lower Left
				Deflection/Guide	SR-1238	OD: 60; W: 35; Fitting Position: Upper Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; Fitting Position: Lower Right
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD G10
				Tensioner	SR-1243	- holder; OD: 60; W: 34
1.6 i AWD	66/90	EJ16	08/92->12/00	Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->09/96; engine EJ16E; Fitting Position: Lower Right; 10/96->->06/98; engine EJ16E; Fitting Position: Lower Right
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->09/96; engine EJ16E; Fitting Position: Upper Left; Fitting Position: Lower Left; 10/96->->06/98; engine EJ16E; Fitting Position: Upper Left; Fitting Position: Lower Left
				Tensioner	SR-1243	- holder; OD: 60; W: 34; 10/96->->06/98; engine EJ16E
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; 04/95->-> MD G10
1.8 i AWD	76/103	EJ18;EJ18E	08/92->12/00	Deflection/Guide	SR-1238	OD: 60; W: 35; ->01/97; engine EJ18E; Fitting Position: Upper Left; Fitting Position: Lower Left; 06/98->-> engine EJ181; Fitting Position: Upper Left; 02/97->->06/98; engine EJ18E; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; engine EJ181; engine EJ18E
				Deflection/Guide	SR-1245	ID: 10,2; OD: 60; W: 34; 06/98->-> engine EJ181; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->01/97; engine EJ18E; Fitting Position: Lower Right; 06/98->-> engine EJ181; Fitting Position: Lower Right; 02/97->->06/98; engine EJ18E; Fitting Position: Lower Right
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; 04/95->->
				Tensioner	SR-1243	- holder; OD: 60; W: 34; 06/98->-> engine EJ181; 02/97->->06/98; engine EJ18E
2.0 i AWD	92/125	EJ20	06/98->12/00	Deflection/Guide	SR-1238	OD: 60; W: 35; engine EJ201; Fitting Position: Upper Left
				Deflection/Guide	SR-1245	ID: 10,2; OD: 60; W: 34; engine EJ201; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; engine EJ201; Fitting Position: Lower Right
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; engine EJ201
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD G10
				Tensioner	SR-1243	- holder; OD: 60; W: 34; engine EJ201
2.0 i AWD	85/115	EJ20	10/95->12/00	Deflection/Guide	SR-1238	OD: 60; W: 35; 10/96->->06/98; engine EJ20E; Fitting Position: Upper Left; Fitting Position: Lower Left; ->09/96; engine EJ20E; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; engine EJ20E
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; 10/96->->06/98; engine EJ20E; Fitting Position: Lower Right; ->09/96; engine EJ20E; Fitting Position: Lower Right
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD G10
Tensioner	SR-1243	- holder; OD: 60; W: 34; 10/96->->06/98; engine EJ20E				

	kW/HP	Engine code		Type					
2.0 Turbo GT AWD	155/211	EJ20 (Turbo)	03/94->12/00	Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; 10/96->->06/98; engine EJ20G; Fitting Position: Lower Right; ->09/96; engine EJ20G; Fitting Position: Lower Right			
				Deflection/Guide	SR-1238	OD: 60; W: 35; 10/96->->06/98; engine EJ20G; Fitting Position: Upper Left; Fitting Position: Lower Left; ->09/96; engine EJ20G; Fitting Position: Upper Left; Fitting Position: Lower Left			
				Tensioner	SR-1243	- holder; OD: 60; W: 34; 10/96->->06/98; engine EJ20G			
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69.5; W: 20.5; ACCOM; 04/95->-> MD G10			
2.0 Turbo GT AWD	160/218	EJ205	06/98->12/00	Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM			
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; Fitting Position: Lower Right			
				Deflection/Guide	SR-1238	OD: 60; W: 35; Fitting Position: Upper Left; Fitting Position: Lower Left			
				Deflection/Guide	SR-1431	OD: 31; W: 34; Fitting Position: Upper Right			
				Tensioner	SR-1243	- holder; OD: 60; W: 34			
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69.5; W: 20.5; ACCOM; MD G10			
				IMPREZA Saloon [GD] 					
				1.5 AWD	77/105	EL15	05/06->	Deflection/Guide	SR-1238
Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->06/07; engine EL154							
Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->06/07; engine EL154; Fitting Position: Lower Right							
Deflection/Guide	SR-1470	OD: 31; W: 34; ->06/07; engine EL154; Fitting Position: Upper Right							
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->06/07; engine EL154			
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69.5; W: 20.5; ACCOM; MD G11; ->06/07			
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->06/07; engine EJ161; Fitting Position: Upper Left			
				Deflection/Guide	SR-1245	ID: 10.2; OD: 60; W: 34; ->06/07; engine EJ161; Fitting Position: Lower Left			
1.6 AWD	70/95	EJ16	12/00->	Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->06/07; engine EJ161; Fitting Position: Lower Right			
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->06/07; engine EJ161			
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69.5; W: 20.5; ACCOM; MD G11			
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->06/07; engine EJ161			
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->06/07; engine EJ201			
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->06/07; engine EJ201; Fitting Position: Lower Right; ->06/07; engine EJ201; Fitting Position: Lower Right; Inl./Outl. 1; ->06/07; engine EJ201; Fitting Position: Lower Right; Inl./Outl. 2			
				Deflection/Guide	SR-1245	ID: 10.2; OD: 60; W: 34; ->06/07; engine EJ201; Fitting Position: Lower Left; Inl./Outl. 1; ->06/07; engine EJ201; Fitting Position: Lower Left; Inl./Outl. 2			
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->06/07; engine EJ201; Fitting Position: Upper Left; ->06/07; engine EJ201; Fitting Position: Upper Left; Inl./Outl. 1; ->06/07; engine EJ201; Fitting Position: Upper Left; Inl./Outl. 2			
2.0 i AWD	92/125	EJ20	12/00->	Tensioner	SR-1243	- holder; OD: 60; W: 34; ->06/07; engine EJ201; ->06/07; engine EJ201; Inl./Outl. 1; ->06/07; engine EJ201; Inl./Outl. 2			
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69.5; W: 20.5; ACCOM; MD G11			
				Deflection/Guide	SR-1470	OD: 31; W: 34; ->06/07; AT; Fitting Position: Upper Right; + oil cooler; - oil cooler; MT; not for EU			
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->06/07; AT; Fitting Position: Lower Right; + oil cooler; - oil cooler; MT; not for EU			
2.0 i R AWD	118/160	EJ204	09/05->	Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->06/07			
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->06/07; AT; Fitting Position: Upper Left; Fitting Position: Lower Left; + oil cooler; - oil cooler; MT; not for EU			
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69.5; W: 20.5; ACCOM; MD G11			
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->06/07; AT; + oil cooler; - oil cooler; MT; not for EU			
				Deflection/Guide	SR-1470	OD: 31; W: 34; 09/02->->08/03; Fitting Position: Upper Right; 08/03->->07/05; Fitting Position: Upper Right			
				Deflection/Guide	SR-1431	OD: 31; W: 34; ->08/02; Fitting Position: Upper Right			
				Deflection/Guide	SR-1238	OD: 60; W: 35; 09/02->->08/03; Fitting Position: Upper Left; Fitting Position: Lower Left; 08/03->->07/05; Fitting Position: Upper Left; Fitting Position: Lower Left; ->08/02; Fitting Position: Upper Left; Fitting Position: Lower Left			
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->07/05			
2.0 WRX STi AWD	195/265	EJ207	11/01->	Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; 09/02->->08/03; Fitting Position: Lower Right; 08/03->->07/05; Fitting Position: Lower Right; ->08/02; Fitting Position: Lower Right			
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69.5; W: 20.5; ACCOM; MD G11			
				Tensioner	SR-1243	- holder; OD: 60; W: 34; 09/02->->08/03; 08/03->->07/05; ->08/02			
				Deflection/Guide	SR-1238	OD: 60; W: 35; 09/02->->08/03; Fitting Position: Upper Left; Fitting Position: Lower Left; 08/03->->07/05; Fitting Position: Upper Left; Fitting Position: Lower Left; ->08/02; Fitting Position: Upper Left; Fitting Position: Lower Left			
				Deflection/Guide	SR-1431	OD: 31; W: 34; ->08/02; Fitting Position: Upper Right			
				Deflection/Guide	SR-1470	OD: 31; W: 34; 09/02->->08/03; Fitting Position: Upper Right; 08/03->->07/05; Fitting Position: Upper Right			
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; 09/02->->08/03; Fitting Position: Lower Right; 08/03->->07/05; Fitting Position: Lower Right; ->08/02; Fitting Position: Lower Right			
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->07/05			
2.0 WRX Turbo AWD	160/218	EJ205	12/00->	Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69.5; W: 20.5; ACCOM; MD G11			
				Tensioner	SR-1243	- holder; OD: 60; W: 34; 09/02->->08/03; 08/03->->07/05; ->08/02			
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; 08/03->->07/05; Fitting Position: Lower Right; ->08/03; Fitting Position: Lower Right			
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->07/05			
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; 08/03->->07/05; Fitting Position: Lower Right; ->08/03; Fitting Position: Lower Right			
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->07/05			
				Deflection/Guide	SR-1238	OD: 60; W: 35; 08/03->->07/05; Fitting Position: Upper Left; Fitting Position: Lower Left; ->08/03; Fitting Position: Upper Left; Fitting Position: Lower Left			
				Deflection/Guide	SR-1470	OD: 31; W: 34; 08/03->->07/05; Fitting Position: Upper Right; ->08/03; Fitting Position: Upper Right			
2.0 WRX Turbo AWD	165/225	EJ205	12/02->	Tensioner	SR-1243	- holder; OD: 60; W: 34; 08/03->->07/05; ->08/03			
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69.5; W: 20.5; ACCOM; MD G11			

	kW/HP	Engine code		Type		
2.5 i WRX AWD	169/230	EJ255	09/05->	Deflection/Guide	SR-1238	OD: 60; W: 35; ->06/07; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->06/07; Fitting Position: Lower Right
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->06/07
				Deflection/Guide	SR-1470	OD: 31; W: 34; ->06/07; Fitting Position: Upper Right
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->06/07
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD G11; ->06/07
2.5 WRX STi AWD	206/280	EJ257	09/05->	Deflection/Guide	SR-1470	OD: 31; W: 34; ->06/07; Fitting Position: Upper Right
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->06/07
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->06/07; Fitting Position: Lower Right
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->06/07; Fitting Position: Upper Left; Fitting Position: Lower Left
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD G11; ->06/07
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->06/07
JUSTY III (G3X) 						
1.3 AWD	69/94	M13A	09/03->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM
1.5 AWD	73/99	M15A	09/03->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM
LEGACY I (BC) 						
1800	76/103	EJ18 SPI	01/89->12/93	Deflection/Guide	SR-1238	OD: 60; W: 35; 05/89->; engine EJ18E; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; 05/89->; engine EJ18E; Fitting Position: Lower Right
1800 4WD	76/103	EJ18 SPI	01/89->09/91	Deflection/Guide	SR-1238	OD: 60; W: 35; 05/89->; engine EJ18E; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; 05/89->; engine EJ18E; Fitting Position: Lower Right
2000 4WD	85/116	EJ20 EMPI	08/91->07/94	Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; engine EJ20E; Fitting Position: Lower Right
				Deflection/Guide	SR-1238	OD: 60; W: 35; engine EJ20E; Fitting Position: Upper Left; Fitting Position: Lower Left
2000 Turbo 4WD	147/200	EJ20-GN	05/92->07/94	Deflection/Guide	SR-1238	OD: 60; W: 35; ->11/93; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->11/93; Fitting Position: Lower Right
2200 4WD	100/136	EJ22 EMPI	01/89->07/94	Deflection/Guide	SR-1238	OD: 60; W: 35; engine EJ22E; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; engine EJ22E; Fitting Position: Lower Right
LEGACY I Estate (BC, BJJ) 						
1800	76/103	EJ18 SPI	01/89->07/94	Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; 05/89->; engine EJ18E; Fitting Position: Lower Right
				Deflection/Guide	SR-1238	OD: 60; W: 35; 05/89->; engine EJ18E; Fitting Position: Upper Left; Fitting Position: Lower Left
1800 4WD	76/103	EJ18 SPI	01/89->07/94	Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; 05/89->; engine EJ18E; Fitting Position: Lower Right
				Deflection/Guide	SR-1238	OD: 60; W: 35; 05/89->; engine EJ18E; Fitting Position: Upper Left; Fitting Position: Lower Left
2000	85/116	EJ20 EMPI	09/91->12/93	Deflection/Guide	SR-1238	OD: 60; W: 35; engine EJ20E; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; engine EJ20E; Fitting Position: Lower Right
2000 4WD	85/116	EJ20 EMPI	09/91->07/94	Deflection/Guide	SR-1238	OD: 60; W: 35; engine EJ20E; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; engine EJ20E; Fitting Position: Lower Right
2000 Turbo Super 4WD	147/200	EJ20-GN	05/92->07/94	Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->11/93; Fitting Position: Lower Right
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->11/93; Fitting Position: Upper Left; Fitting Position: Lower Left
2200 Super 4WD	100/136	EJ22 EMPI	01/89->07/94	Deflection/Guide	SR-1238	OD: 60; W: 35; engine EJ22E; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; engine EJ22E; Fitting Position: Lower Right
LEGACY II (BD, BG) 						
2.0 i	85/116	EJ20E	09/94->03/99	Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->11/98
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->01/97; Fitting Position: Upper Left; Fitting Position: Lower Left; 02/97->; ->11/98
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->01/97; Fitting Position: Lower Right; 02/97->; ->11/98
				Tensioner	SR-1243	- holder; OD: 60; W: 34; 02/97->; ->11/98
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD B11
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->01/97; engine EJ20E; Fitting Position: Lower Right; 02/97->; ->11/98; engine EJ20E; Fitting Position: Lower Right
2.0 i 4WD	85/116	EJ20	09/94->03/99	Deflection/Guide	SR-1238	OD: 60; W: 35; ->01/97; engine EJ20E; Fitting Position: Upper Left; Fitting Position: Lower Left; 02/97->; ->11/98; engine EJ20E; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->11/98; engine EJ20E
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD B11
				Tensioner	SR-1243	- holder; OD: 60; W: 34; 02/97->; ->11/98; engine EJ20E
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->05/97; engine EJ22E
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->01/97; engine EJ22E; Fitting Position: Lower Right; 02/97->; ->05/97; engine EJ22E; Fitting Position: Lower Right
2.2 i 4WD	96/131	EJ22 EMPI	06/96->03/99	Deflection/Guide	SR-1238	OD: 60; W: 35; ->01/97; engine EJ22E; Fitting Position: Upper Left; Fitting Position: Lower Left; 02/97->; ->05/97; engine EJ22E; Fitting Position: Upper Left; Fitting Position: Lower Left
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; engine EJ22E
				Tensioner	SR-1243	- holder; OD: 60; W: 34; 02/97->; ->05/97; engine EJ22E

	kW/HP	Engine code		Type		
2.2 i 4WD	94/128	EJ22 EMPI	09/94->03/99	Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->05/97; engine EJ22E
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->01/97; engine EJ22E; Fitting Position: Upper Left; Fitting Position: Lower Left; 02/97->; ->05/97; engine EJ22E; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->01/97; engine EJ22E; Fitting Position: Lower Right; 02/97->; ->05/97; engine EJ22E; Fitting Position: Lower Right
				Tensioner	SR-1243	- holder; OD: 60; W: 34; 02/97->; ->05/97; engine EJ22E
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; engine EJ22E; 04/95->
2.5 i 4WD	110/150	EJ25D	06/96->03/99	Deflection/Guide	SR-1238	OD: 60; W: 35; ->11/98; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->11/98; Fitting Position: Lower Right
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->01/97
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->11/98
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM
LEGACY II Estate (BD, BG) 						
2.0 i	85/116	EJ20 EMPI	09/94->11/98	Deflection/Guide	SR-1238	OD: 60; W: 35; ->01/97; engine EJ20E; Fitting Position: Upper Left; Fitting Position: Lower Left; 02/97->; engine EJ20E; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->01/97; engine EJ20E; Fitting Position: Lower Right; 02/97->; engine EJ20E; Fitting Position: Lower Right
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; engine EJ20E
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD B11
				Tensioner	SR-1243	- holder; OD: 60; W: 34; 02/97->; engine EJ20E
2.0 i 4WD	85/116	EJ20	09/94->11/98	Deflection/Guide	SR-1239	ID: 17; OD: 70; W: 18; ACCOM; engine EJ20E
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->01/97; engine EJ20E; Fitting Position: Lower Right; 02/97->; engine EJ20E; Fitting Position: Lower Right
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->01/97; engine EJ20E; Fitting Position: Upper Left; Fitting Position: Lower Left; 02/97->; engine EJ20E; Fitting Position: Upper Left; Fitting Position: Lower Left
				Tensioner	SR-1243	- holder; OD: 60; W: 34; 02/97->; engine EJ20E
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD B11
2.2 i 4WD	94/128	EJ22 EMPI	02/94->12/98	Deflection/Guide	SR-1238	OD: 60; W: 35; ->01/97; engine EJ22E; Fitting Position: Upper Left; Fitting Position: Lower Left; 02/97->; ->05/97; engine EJ22E; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->01/97; engine EJ22E; Fitting Position: Lower Right; 02/97->; ->05/97; engine EJ22E; Fitting Position: Lower Right
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->05/97; engine EJ22E
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; engine EJ22E; 04/95->
				Tensioner	SR-1243	- holder; OD: 60; W: 34; 02/97->; ->05/97; engine EJ22E
2.2 i 4WD	96/131	EJ22 EMPI	06/96->11/98	Deflection/Guide	SR-1238	OD: 60; W: 35; ->01/97; engine EJ22E; Fitting Position: Upper Left; Fitting Position: Lower Left; 02/97->; ->05/97; engine EJ22E; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->01/97; engine EJ22E; Fitting Position: Lower Right; 02/97->; ->05/97; engine EJ22E; Fitting Position: Lower Right
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; engine EJ22E
				Tensioner	SR-1243	- holder; OD: 60; W: 34; 02/97->; ->05/97; engine EJ22E
				Deflection/Guide	SR-1238	OD: 60; W: 35; 10/96->; Fitting Position: Upper Left; Fitting Position: Lower Left; ->09/96; Fitting Position: Upper Left; Fitting Position: Lower Left
2.5 i 4WD	110/150	EJ25D	06/96->11/98	Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; 10/96->; Fitting Position: Lower Right; ->09/96; Fitting Position: Lower Right
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->01/97
				Tensioner	SR-1243	- holder; OD: 60; W: 34; 10/96->
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM
				LEGACY III (BE, BH) 		
2.0 AWD	92/125	EJ20	04/99->08/03	Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->06/03; engine EJ201
				Deflection/Guide	SR-1245	ID: 10,2; OD: 60; W: 34; ->06/03; engine EJ201; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->06/03; engine EJ201; Fitting Position: Lower Right
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->06/03; engine EJ201; Fitting Position: Upper Left
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->06/03; engine EJ201
2.5 AWD	115/156	EJ25	10/98->08/03	Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD B12
				Deflection/Guide	SR-1245	ID: 10,2; OD: 60; W: 34; ->06/03; engine EJ251; Fitting Position: Lower Left
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->06/03; engine EJ251; Fitting Position: Upper Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->06/03; engine EJ251; Fitting Position: Lower Right
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->06/03; engine EJ251
2.0 AWD	92/125	EJ20	12/98->08/03	Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD B12
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->06/03; engine EJ251
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->06/03; engine EJ201; Fitting Position: Lower Right
				Deflection/Guide	SR-1245	ID: 10,2; OD: 60; W: 34; ->06/03; engine EJ201; Fitting Position: Lower Left
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->06/03; engine EJ201
LEGACY III Estate (BE, BH) 						
2.0 AWD	92/125	EJ20	12/98->08/03	Deflection/Guide	SR-1238	OD: 60; W: 35; ->06/03; engine EJ201; Fitting Position: Upper Left
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->06/03; engine EJ201
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD B12
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->06/03; engine EJ201; Fitting Position: Lower Right
				Deflection/Guide	SR-1245	ID: 10,2; OD: 60; W: 34; ->06/03; engine EJ201; Fitting Position: Lower Left










	kW/HP	Engine code		Type		
2.5 AWD	115/156	EJ25	12/98->08/03	Deflection/Guide	SR-1238	OD: 60; W: 35; ->06/03; engine EJ251; Fitting Position: Upper Left
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->06/03; engine EJ251
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->06/03; engine EJ251; Fitting Position: Lower Right
				Deflection/Guide	SR-1245	ID: 10,2; OD: 60; W: 34; ->06/03; engine EJ251; Fitting Position: Lower Left
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD B12
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->06/03; engine EJ251

LEGACY IV (BL, BP) 

2.0 AWD	101/138	EJ20	09/03->	Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->06/05; engine EJ202; Fitting Position: Lower Right; ->06/05; engine EJ202; Fitting Position: Lower Right; Inl./Outl. 1; ->06/05; engine EJ202; Fitting Position: Lower Right; Inl./Outl. 2
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->06/05; engine EJ202
				Deflection/Guide	SR-1245	ID: 10,2; OD: 60; W: 34; ->06/05; engine EJ202; Fitting Position: Lower Left; ->06/05; engine EJ202; Fitting Position: Lower Left; Inl./Outl. 1; ->06/05; engine EJ202; Fitting Position: Lower Left; Inl./Outl. 2
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->06/05; engine EJ202; Fitting Position: Upper Left; ->06/05; engine EJ202; Fitting Position: Upper Left; Inl./Outl. 1; ->06/05; engine EJ202; Fitting Position: Upper Left; Inl./Outl. 2
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->06/05; engine EJ202; ->06/05; engine EJ202; Inl./Outl. 1; ->06/05; engine EJ202; Inl./Outl. 2
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD B13
2.0 R AWD	110/150	EJ204	09/07->	Deflection/Guide	SR-1238	OD: 60; W: 35; ->05/09; MT; Fitting Position: Upper Left; Fitting Position: Lower Left; not for EU; ->05/09; AT; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->05/09
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->05/09; MT; Fitting Position: Lower Right; not for EU; ->05/09; AT; Fitting Position: Lower Right
				Deflection/Guide	SR-1470	OD: 31; W: 34; ->05/09; MT; Fitting Position: Upper Right; not for EU; ->05/09; AT; Fitting Position: Upper Right
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->05/09; MT; not for EU; ->05/09; AT
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD B13
2.5 AWD	121/165	EJ25	09/03->	Deflection/Guide	SR-1245	ID: 10,2; OD: 60; W: 34; ->05/09; engine EJ253; Fitting Position: Lower Left; ->05/09; engine EJ253; Fitting Position: Lower Left; Inl./Outl. 1; ->05/09; engine EJ253; Fitting Position: Lower Left; Inl./Outl. 2
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->05/09; engine EJ253; Fitting Position: Upper Left; ->05/09; engine EJ253; Fitting Position: Upper Left; Inl./Outl. 1; ->05/09; engine EJ253; Fitting Position: Upper Left; Inl./Outl. 2
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->05/09; engine EJ253; Fitting Position: Lower Right; ->05/09; engine EJ253; Fitting Position: Lower Right; Inl./Outl. 1; ->05/09; engine EJ253; Fitting Position: Lower Right; Inl./Outl. 2
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->05/09; engine EJ253
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD B13
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->05/09; engine EJ253; ->05/09; engine EJ253; Inl./Outl. 1; ->05/09; engine EJ253; Inl./Outl. 2
2.5 i AWD	127/173	EJ25	09/07->	Deflection/Guide	SR-1238	OD: 60; W: 35; ->05/09; engine EJ253; Fitting Position: Upper Left; ->05/09; engine EJ253; Fitting Position: Upper Left; Inl./Outl. 1; ->05/09; engine EJ253; Fitting Position: Upper Left; Inl./Outl. 2
				Deflection/Guide	SR-1245	ID: 10,2; OD: 60; W: 34; ->05/09; engine EJ253; Fitting Position: Lower Left; ->05/09; engine EJ253; Fitting Position: Lower Left; Inl./Outl. 1; ->05/09; engine EJ253; Fitting Position: Lower Left; Inl./Outl. 2
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->05/09; engine EJ253
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->05/09; engine EJ253; Fitting Position: Lower Right; ->05/09; engine EJ253; Fitting Position: Lower Right; Inl./Outl. 1; ->05/09; engine EJ253; Fitting Position: Lower Right; Inl./Outl. 2
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD B13
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->05/09; engine EJ253; ->05/09; engine EJ253; Inl./Outl. 1; ->05/09; engine EJ253; Inl./Outl. 2

LEGACY IV Estate (BL, BP, B13_) 

2.0 AWD	121/165	EJ20	06/05->	Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->06/06; engine EJ204; MT; Fitting Position: Lower Right; + oil cooler; ->05/09; engine EJ204; AT; Fitting Position: Lower Right; - oil cooler; ->05/09; engine EJ204; Fitting Position: Lower Right; not for EU
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->05/09; engine EJ204
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->06/06; engine EJ204; MT; Fitting Position: Upper Left; Fitting Position: Lower Left; + oil cooler; ->05/09; engine EJ204; AT; Fitting Position: Upper Left; Fitting Position: Lower Left; - oil cooler; ->05/09; engine EJ204; Fitting Position: Upper Left; Fitting Position: Lower Left; not for EU
				Deflection/Guide	SR-1470	OD: 31; W: 34; ->06/06; engine EJ204; MT; Fitting Position: Upper Right; + oil cooler; ->05/09; engine EJ204; AT; Fitting Position: Upper Right; - oil cooler; ->05/09; engine EJ204; Fitting Position: Upper Right; not for EU
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD B13
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->06/06; engine EJ204; MT; + oil cooler; ->05/09; engine EJ204; AT; - oil cooler; ->05/09; engine EJ204; not for EU
2.0 AWD	101/138	EJ20	09/03->	Deflection/Guide	SR-1238	OD: 60; W: 35; ->06/05; engine EJ202; Fitting Position: Upper Left; ->06/05; engine EJ202; Fitting Position: Upper Left; Inl./Outl. 1; ->06/05; engine EJ202; Fitting Position: Upper Left; Inl./Outl. 2
				Deflection/Guide	SR-1245	ID: 10,2; OD: 60; W: 34; ->06/05; engine EJ202; Fitting Position: Lower Left; ->06/05; engine EJ202; Fitting Position: Lower Left; Inl./Outl. 1; ->06/05; engine EJ202; Fitting Position: Lower Left; Inl./Outl. 2
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->06/05; engine EJ202
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->06/05; engine EJ202; Fitting Position: Lower Right; ->06/05; engine EJ202; Fitting Position: Lower Right; Inl./Outl. 1; ->06/05; engine EJ202; Fitting Position: Lower Right; Inl./Outl. 2
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69,5; W: 20,5; ACCOM; MD B13
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->06/05; engine EJ202; ->06/05; engine EJ202; Inl./Outl. 1; ->06/05; engine EJ202; Inl./Outl. 2

	kW/HP	Engine code		Type		
2.0 R AWD	110/150	EJ204	09/07->	Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->05/09
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->05/09; MT; Fitting Position: Upper Left; Fitting Position: Lower Left; not for EU; ->05/09; AT; Fitting Position: Upper Left; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->05/09; MT; Fitting Position: Lower Right; not for EU; ->05/09; AT; Fitting Position: Lower Right
				Deflection/Guide	SR-1470	OD: 31; W: 34; ->05/09; MT; Fitting Position: Upper Right; not for EU; ->05/09; AT; Fitting Position: Upper Right
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69.5; W: 20.5; ACCOM; MD B13
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->05/09; MT; not for EU; ->05/09; AT
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->05/09; engine EJ253; Fitting Position: Lower Right; ->05/09; engine EJ253; Fitting Position: Lower Right; Inl./Outl. 1; ->05/09; engine EJ253; Fitting Position: Lower Right; Inl./Outl. 2
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->05/09; engine EJ253
				Deflection/Guide	SR-1245	ID: 10.2; OD: 60; W: 34; ->05/09; engine EJ253; Fitting Position: Lower Left; ->05/09; engine EJ253; Fitting Position: Lower Left; Inl./Outl. 1; ->05/09; engine EJ253; Fitting Position: Lower Left; Inl./Outl. 2
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->05/09; engine EJ253; Fitting Position: Upper Left; ->05/09; engine EJ253; Fitting Position: Upper Left; Inl./Outl. 1; ->05/09; engine EJ253; Fitting Position: Upper Left; Inl./Outl. 2
2.5 AWD	121/165	EJ25	09/03->	Tensioner	SR-1243	- holder; OD: 60; W: 34; ->05/09; engine EJ253; ->05/09; engine EJ253; Inl./Outl. 1; ->05/09; engine EJ253; Inl./Outl. 2
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69.5; W: 20.5; ACCOM; MD B13
				Deflection/Guide	SR-1245	ID: 10.2; OD: 60; W: 34; ->05/09; engine EJ253; Fitting Position: Lower Left; ->05/09; engine EJ253; Fitting Position: Lower Left; Inl./Outl. 1; ->05/09; engine EJ253; Fitting Position: Lower Left; Inl./Outl. 2
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->05/09; engine EJ253; Fitting Position: Upper Left; ->05/09; engine EJ253; Fitting Position: Upper Left; Inl./Outl. 1; ->05/09; engine EJ253; Fitting Position: Upper Left; Inl./Outl. 2
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->05/09; engine EJ253; Fitting Position: Lower Right; ->05/09; engine EJ253; Fitting Position: Lower Right; Inl./Outl. 1; ->05/09; engine EJ253; Fitting Position: Lower Right; Inl./Outl. 2
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->05/09; engine EJ253
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->05/09; engine EJ253; ->05/09; engine EJ253; Inl./Outl. 1; ->05/09; engine EJ253; Inl./Outl. 2
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69.5; W: 20.5; ACCOM; MD B13
				Deflection/Guide	SR-1245	ID: 10.2; OD: 60; W: 34; ->05/09; engine EJ253; Fitting Position: Lower Left; ->05/09; engine EJ253; Fitting Position: Lower Left; Inl./Outl. 1; ->05/09; engine EJ253; Fitting Position: Lower Left; Inl./Outl. 2
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->05/09; engine EJ253; Fitting Position: Upper Left; ->05/09; engine EJ253; Fitting Position: Upper Left; Inl./Outl. 1; ->05/09; engine EJ253; Fitting Position: Upper Left; Inl./Outl. 2
2.5 i AWD	127/173	EJ25	01/08->	Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->05/09; engine EJ253; Fitting Position: Lower Right; ->05/09; engine EJ253; Fitting Position: Lower Right; Inl./Outl. 1; ->05/09; engine EJ253; Fitting Position: Lower Right; Inl./Outl. 2
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->05/09; engine EJ253
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->05/09; engine EJ253; ->05/09; engine EJ253; Inl./Outl. 1; ->05/09; engine EJ253; Inl./Outl. 2
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69.5; W: 20.5; ACCOM; MD B13
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->11/98; Fitting Position: Lower Right
LEGACY OUTBACK (BG) 						
2.5	110/150	EJ25D	01/96->12/99	Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->11/98; Fitting Position: Lower Right
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->11/98
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->11/98; Fitting Position: Upper Left; Fitting Position: Lower Left
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->11/98
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69.5; W: 20.5; ACCOM
LEGACY V (BM, BR) 						
2.0 i AWD	110/150	EJ204	09/09->	Deflection/Guide	SR-1238	OD: 60; W: 35; Fitting Position: Upper Left; Fitting Position: Lower Left; Fitting Position: Upper Left; Fitting Position: Lower Left; not for EU
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; Fitting Position: Lower Right; Fitting Position: Lower Right; not for EU
				Deflection/Guide	SR-1470	OD: 31; W: 34; Fitting Position: Upper Right; Fitting Position: Upper Right; not for EU
				Tensioner	SR-1243	- holder; OD: 60; W: 34; not for EU
2.5 i AWD	123/167	EJ253	09/09->	Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; Fitting Position: Lower Right
				Deflection/Guide	SR-1245	ID: 10.2; OD: 60; W: 34; Fitting Position: Lower Left
				Deflection/Guide	SR-1238	OD: 60; W: 35; Fitting Position: Upper Left
				Tensioner	SR-1243	- holder; OD: 60; W: 34
LEGACY V Estate (BM, BR) 						
2.0 i AWD	110/150	FB20;EJ204	09/09->	Deflection/Guide	SR-1470	OD: 31; W: 34; Fitting Position: Upper Right
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; Fitting Position: Lower Right
				Deflection/Guide	SR-1238	OD: 60; W: 35; Fitting Position: Upper Left; Fitting Position: Lower Left
				Tensioner	SR-1243	- holder; OD: 60; W: 34
2.5 i AWD	123/167	EJ253	09/09->	Deflection/Guide	SR-1238	OD: 60; W: 35; Fitting Position: Upper Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; Fitting Position: Lower Right
				Deflection/Guide	SR-1245	ID: 10.2; OD: 60; W: 34; Fitting Position: Lower Left
				Tensioner	SR-1243	- holder; OD: 60; W: 34
OUTBACK (BE, BH) 						
2.5 AWD	115/156	EJ25	10/00->08/03	Deflection/Guide	SR-1245	ID: 10.2; OD: 60; W: 34; ->06/03; engine EJ251; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->06/03; engine EJ251; Fitting Position: Lower Right
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->06/03; engine EJ251
				Deflection/Guide	SR-1238	OD: 60; W: 35; ->06/03; engine EJ251; Fitting Position: Upper Left
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->06/03; engine EJ251
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69.5; W: 20.5; ACCOM
OUTBACK (BL, BP) 						
2.5 AWD	121/165	EJ25D	11/03->09/09	Deflection/Guide	SR-1238	OD: 60; W: 35; ->05/09; engine EJ252; Fitting Position: Upper Left; Inl./Outl. 1; Inl./Outl. 2
				Deflection/Guide	SR-1245	ID: 10.2; OD: 60; W: 34; ->05/09; engine EJ252; Fitting Position: Lower Left; Inl./Outl. 1; Inl./Outl. 2
				Deflection/Guide	SR-1244	ID: 17; OD: 70; W: 18; ACCOM; ->05/09; engine EJ252
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; ->05/09; engine EJ252; Fitting Position: Lower Right; Inl./Outl. 1; Inl./Outl. 2
				Tensioner	SR-1235	ID: 17; num. of ribs: 4; OD: 69.5; W: 20.5; ACCOM
				Tensioner	SR-1243	- holder; OD: 60; W: 34; ->05/09; engine EJ252; Inl./Outl. 1; Inl./Outl. 2



kW/HP

Engine code



Type



OUTBACK (BM, BR)

2.5 i AWD	123/167	EJ253	09/09->	Deflection/Guide	SR-1245	ID: 10,2; OD: 60; W: 34; Fitting Position: Lower Left
				Deflection/Guide	SR-1239	num. of ribs: 24; OD: 60; W: 35; Fitting Position: Lower Right
				Deflection/Guide	SR-1238	OD: 60; W: 35; Fitting Position: Upper Left
				Tensioner	SR-1243	- holder; OD: 60; W: 34

SUZUKI

ALTO (HA11)

1.0	39/53	G10BB	09/94->09/98	Tensioner	SR-1246	OD: 51; W: 28; MD SH410
-----	-------	-------	--------------	-----------	---------	-------------------------

BALENO (EG)

1.3	52/71	G13BA	09/96->05/02	Tensioner	SR-1246	OD: 51; W: 28
1.3 i 16V	63/85	G13BB	07/95->05/02	Tensioner	SR-1246	OD: 51; W: 28
1.6 i 16V	72/98	G16B	07/95->05/02	Tensioner	SR-1246	OD: 51; W: 28
1.6 i 16V 4x4	72/98	G16B	07/95->05/02	Tensioner	SR-1246	OD: 51; W: 28
1.9 TD	55/75	DHW (XUD9SD);DHW (XUD9BSD)	04/98->05/02	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Lower

BALENO Estate (EG)

1.3 16V	63/86	G13BB	03/97->05/02	Tensioner	SR-1246	OD: 51; W: 28
1.6 i 16V	72/98	G16B	08/96->05/02	Tensioner	SR-1246	OD: 51; W: 28
1.6 i 16V	73/99	G16B	08/96->05/02	Tensioner	SR-1246	OD: 51; W: 28
1.6 i 16V 4x4	72/98	G16B	08/96->05/02	Tensioner	SR-1246	OD: 51; W: 28
1.6 i 16V 4x4	73/99	G16B	08/96->05/02	Tensioner	SR-1246	OD: 51; W: 28
1.9 TD	55/75	DHW (XUD9SD);DHW (XUD9BSD)	04/98->05/02	Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Lower

BALENO Hatchback (EG)

1.3	52/71	G13BA	09/96->05/02	Tensioner	SR-1246	OD: 51; W: 28
1.3 i 16V	63/85	G13BB	07/95->05/02	Tensioner	SR-1246	OD: 51; W: 28; engine G13BB
1.6 i 16V	72/98	G16B	07/95->05/02	Tensioner	SR-1246	OD: 51; W: 28
1.6 i 16V 4x4	72/98	G16B	07/95->05/02	Tensioner	SR-1246	OD: 51; W: 28
1.9 TD	55/75	DHW (XUD9SD)	04/98->05/02	Tensioner	SR-1129	OD: 70; W: 27; ALT; Fitting Position: Lower
				Tensioner	SR-1130	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Upper

CAPPUCINO (EA)

0.7 IEA11)	47/64	F6A	02/92->08/95	Tensioner	SR-1036	OD: 42; W: 28
------------	-------	-----	--------------	-----------	---------	---------------

CARRY Box (FD)

1.3	58/79	G13BB	03/99->	Tensioner	SR-1246	OD: 51; W: 28
1.3 16 V	58/79	G13BB	03/00->	Tensioner	SR-1246	OD: 51; W: 28

GRAND VITARA I (FT)

1.6 4x4	69/94	G16B	03/98->07/03	Tensioner	SR-1246	OD: 51; W: 28
2.0 4x4	94/128	J20A	03/98->07/03	Deflection/Guide	SR-1456	OD: 85; W: 20; ALT; - AC
				Tensioner	SR-1455	- holder; ID: 17; OD: 90; W: 22; ALT; - AC
2.0 HDI 110	80/109	RHZ	07/01->09/05	Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; PSP
2.0 HDI 110 16V	80/109	RHW	07/01->09/05	Tensioner	SR-1424	- holder; ID: 17; OD: 70; W: 25,5; PSP
2.0 TD	64/87	RF	03/98->07/03	Tensioner	SR-1205	OD: 58; W: 31; MD SQ420WD; MD SQ420WD-2
2.5 V6 24V (FT)	106/144	H 25 A	04/98->07/03	Tensioner	SR-1450	OD: 88; W: 19; PSP; engine H25A
2.5 V6 24V 4x4	116/158	H 25 A	04/01->07/03	Tensioner	SR-1450	OD: 88; W: 19; PSP; engine H25A
2.7 4x4	135/184	H 27 A	04/03->07/03	Tensioner	SR-1450	OD: 88; W: 19; PSP; engine H27A
2.7 4x4	127/173	H 27 A	09/01->07/03	Tensioner	SR-1450	OD: 88; W: 19; PSP; engine H27A

GRAND VITARA II (JT)














1.6	78/106	M16A	10/05->	Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26
1.6 All-wheel Drive	78/106	M16A	04/05->	Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26
				Tensioner	SR-1507	OD: 88; W: 19; PSP
1.9 DDiS	95/129	F9QB	10/05->02/15	Deflection/Guide	SR-1541	OD: 60; W: 34; ALT; ch.JS3TD44VA4600001->; + AC
				Deflection/Guide	SR-1456	OD: 85; W: 20; ALT
2.0 All-wheel Drive	103/140	J20A	10/05->02/15	Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26
				Tensioner	SR-1455	- holder; ID: 17; OD: 90; W: 22; ALT
2.4 All-wheel Drive	124/169	J24B	01/09->	Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26
2.4 All-wheel Drive	122/166	J24B	01/09->	Deflection/Guide	SR-1562	OD: 70,2; W: 24,7

















IGNIS (FH)












1.3	61/83	M13A	10/00->09/03	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM
1.3 4WD	61/83	M13A	10/00->09/03	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM

IGNIS II

1.3	69/94	M13A	09/03->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM
1.3 4x4	69/94	M13A	09/03->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM

	kW/HP	Engine code		Type		
1.3 DDiS	51/70	Z13DT	09/03->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM; RHD
				Tensioner	SR-1013	- holder; ID: 17; OD: 65; W: 25; ALT
1.5	73/99	M15A	09/03->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM
1.5 4x4	73/99	M15A	09/03->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM
1.5 Sport	80/109	M15A	12/03->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM
JIMNY (FJ) 						
1.3 16V	60/82	M13A	02/01->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM; - PS
				Tensioner	SR-1507	OD: 88; W: 19; PSP; - AC
1.3 16V	59/80	G13BB	09/98->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM; PSP
				Tensioner	SR-1246	OD: 51; W: 28
1.3 16V 4WD	60/82	M13A	02/01->	Tensioner	SR-1507	OD: 88; W: 19; PSP; - AC
				Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM; - PS
1.3 16V 4WD	59/80	G13BB	09/98->	Tensioner	SR-1246	OD: 51; W: 28
				Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM; PSP
1.3 16V 4x4	63/86	M13A	08/05->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM; - PS
				Tensioner	SR-1507	OD: 88; W: 19; PSP; - AC
1.5 DDiS 4WD	48/65	K9K 700	12/03->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K9K
1.5 DDiS 4x4	63/86	K9K 266	08/05->	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; engine K9K
KIZASHI (FR) 						
2.4	131/178	J24B	10/10->	Deflection/Guide	SR-1562	OD: 70,2; W: 24,7; Fitting Position: Lower
				Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26
2.4 4x4	131/178	J24B	10/10->	Deflection/Guide	SR-1562	OD: 70,2; W: 24,7; Fitting Position: Lower
				Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26
LIANA (ER) 						
1.3	66/90	M13A	03/02->	Tensioner	SR-1507	OD: 88; W: 19; PSP
1.4 DDiS	66/90	8HY	04/04->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; Fitting Position: Right
1.6	79/107	M16A	01/05->	Tensioner	SR-1507	OD: 88; W: 19; PSP
1.6	76/103	M16A	03/02->	Tensioner	SR-1507	OD: 88; W: 19; PSP
1.6 4WD	79/107	M16A	01/05->12/07	Tensioner	SR-1507	OD: 88; W: 19; PSP
1.6 4WD	76/103	M16A	03/02->	Tensioner	SR-1507	OD: 88; W: 19; PSP
1.6 4WD	78/106	M16A	04/02->	Tensioner	SR-1507	OD: 88; W: 19; PSP
1.6 i	78/106	M16A	04/02->	Tensioner	SR-1507	OD: 88; W: 19; PSP
LIANA Estate (ER) 						
1.3	66/90	M13A	07/01->12/07	Tensioner	SR-1507	OD: 88; W: 19; PSP
1.4 DDiS	66/90	8HY	04/04->12/07	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; Fitting Position: Right
1.6	79/107	M16A	01/05->12/07	Tensioner	SR-1507	OD: 88; W: 19; PSP
1.6	76/103	M16A	07/01->12/07	Tensioner	SR-1507	OD: 88; W: 19; PSP
1.6 4WD	79/107	M16A	01/05->12/07	Tensioner	SR-1507	OD: 88; W: 19; PSP
1.6 4WD	78/106	M16A	04/02->12/07	Tensioner	SR-1507	OD: 88; W: 19; PSP
1.6 4WD	76/103	M16A	07/01->12/07	Tensioner	SR-1507	OD: 88; W: 19; PSP
1.6 i	78/106	M16A	04/02->12/07	Tensioner	SR-1507	OD: 88; W: 19; PSP
SAMURAI (SJ) 						
1.3 [SJ 413]	47/64	G13A	11/88->12/04	Tensioner	SR-1246	OD: 51; W: 28; ->12/95; engine G13BA; MD SJ413-8; MD SV413-9
1.3 All-wheel Drive [SJ 413]	51/70	G13BA	11/88->12/04	Tensioner	SR-1246	OD: 51; W: 28; ->12/95; MD SJ413-8; MD SJ413-9
				Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM; ->12/95; MD SJ413-8; MD SJ413-9
1.3 All-wheel Drive [SJ 413]	44/60	G13A	11/88->12/04	Tensioner	SR-1246	OD: 51; W: 28; ->12/95; engine G13BA; MD SJ413-8; MD SV413-9
SPLASH 						
1.3 CDTI	55/75	D13A;Z 13 DTJ	01/08->	Tensioner	SR-1013	- holder; ID: 17; OD: 65; W: 25; ALT; engine D13A; engine Z13DTJ; - AC
SWIFT II Hatchback (EA, MA) 						
1.3 [SF413, AB35]	50/68	G13A	03/89->05/01	Tensioner	SR-1246	OD: 51; W: 28; engine G13BA; made in HU
1.3 [SF413, AB35]	52/71	G13A	03/89->12/91	Tensioner	SR-1246	OD: 51; W: 28; engine G13BA; made in HU
1.3 4WD [SF413, AA35]	50/68	G13A	03/89->05/01	Tensioner	SR-1246	OD: 51; W: 28; engine G13BA; made in HU
1.3 4WD [SF413, AF35]	52/71	G13A	10/89->12/91	Tensioner	SR-1246	OD: 51; W: 28; engine G13BA; made in HU
SWIFT II Saloon (AH, AJ) 						
1.3 [SF413, AH35]	52/71	G13A	03/89->12/91	Tensioner	SR-1246	OD: 51; W: 28; engine G13BA; made in HU
1.3 [SF413, AH35, MA]	50/68	G13A	03/89->05/01	Tensioner	SR-1246	OD: 51; W: 28; engine G13BA; made in HU
1.6 [SF416, AH14]	70/95	G16B	11/89->12/91	Tensioner	SR-1246	OD: 51; W: 28
1.6 4WD [SF416, AJ14]	70/95	G16B	11/89->12/91	Tensioner	SR-1246	OD: 51; W: 28
1.6 i [SF416, AH14]	68/92	G16B	01/90->05/01	Tensioner	SR-1246	OD: 51; W: 28
1.6 i 4WD [SF416, AJ14]	68/92	G16B	01/90->05/01	Tensioner	SR-1246	OD: 51; W: 28
SWIFT III (MZ, EZ) 						
1.3	68/92	M13A	02/05->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM
1.3 4x4	66/90	M13A	01/06->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM
1.3 DDiS	51/69	Z13DT	08/05->	Tensioner	SR-1013	- holder; ID: 17; OD: 65; W: 25; ALT; - AC

	kW/HP	Engine code		Type		
1.3 DDiS	55/75	D13A;Z 13 DTJ	08/05->	Tensioner	SR-1013	- holder; ID: 17; OD: 65; W: 25; ALT; engine D13A; engine Z13DTJ; - AC
1.5	75/102	M15A	02/05->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM
1.6	92/125	M16A	05/06->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM
SWIFT IV (FZ, NZ) 						
1.3 DDiS	55/75	D13A	10/10->	Tensioner	SR-1013	- holder; ID: 17; OD: 65; W: 25; ALT
SX4 (EY, GY) 						
1.5	73/99	M15A	06/06->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ALT; + AC
1.5 WT	82/112	M15A	07/10->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ALT; + AC
1.6 DDiS	66/90	9HX	04/07->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; Fitting Position: Right
1.6 WT	79/107	M16A	06/06->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ALT; + AC
1.6 WT	88/120	M16A	07/09->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ALT; + AC
1.6 WT 4x4	79/107	M16A	06/06->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ALT; + AC
1.6 WT 4x4	82/112	M16A	07/09->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ALT; + AC
1.6 WT 4x4	88/120	M16A	07/09->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ALT; + AC
1.9 DDiS	88/120	D19AA	06/06->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT
1.9 DDiS 4x4	88/120	D19AA	06/06->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT
2.0 DDiS	99/135	D20AA	07/09->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT
2.0 DDiS 4x4	99/135	D20AA	07/09->	Deflection/Guide	SR-1105	num. of ribs: 6; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1069	- holder; ID: 17; OD: 65; W: 25; ALT
SX4 Saloon (GY) 						
1.6	88/120	M16A	10/07->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ALT; + AC
1.6	79/107	M16A	10/07->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ALT; + AC
VITARA (ET, TA) 						
1.6 i 16V All-wheel Drive (ET, TA02)	71/97	G16B	07/90->03/98	Tensioner	SR-1246	OD: 51; W: 28
2.0 TD All-wheel Drive (ET)	52/71	RF	12/94->03/98	Tensioner	SR-1205	OD: 58; W: 31
2.0 TD Intercooler All-wheel Drive (ET)	64/87	RF	12/95->03/98	Tensioner	SR-1205	OD: 58; W: 31
VITARA Cabrio (ET, TA) 						
1.6 i 16V	71/97	G16B	07/90->03/99	Tensioner	SR-1246	OD: 51; W: 28
WAGON R+ (EM) 						
1.0 (MA61)	48/65	K10A	02/98->05/00	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM; MD RB310
				Tensioner	SR-1246	OD: 51; W: 28; MD RB310
WAGON R+ (MM) 						
1.3	56/76	G13BB	05/00->12/04	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM
				Tensioner	SR-1246	OD: 51; W: 28
1.3	69/94	M13A	09/03->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM
1.3 4WD	69/94	M13A	09/03->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM
1.3 4WD	56/76	G13BB	10/01->	Tensioner	SR-1055	ID: 12,1; num. of ribs: 4; OD: 58; W: 19; ACCOM
				Tensioner	SR-1246	OD: 51; W: 28
1.3 DDiS	51/70	Z13DT	09/03->	Tensioner	SR-1013	- holder; ID: 17; OD: 65; W: 25; ALT
X-90 (EL) 						
1.6 i 16V	71/97	G16B	09/95->12/97	Tensioner	SR-1246	OD: 51; W: 28
1.6 i 16V 4x4	71/97	G16B	09/95->12/97	Tensioner	SR-1246	OD: 51; W: 28
TOYOTA						
4 RUNNER (KZN18_, VZN18_, RZN18_) 						
3.0 Turbo-D	92/125	1KZ-T	11/95->11/02	Tensioner	SR-1061	+ holder; OD: 62; W: 29; 06/00->; engine 1KZ-T; engine 1KZ-TE; MD KZN185; Fitting Position: Upper
				Tensioner	SR-1062	OD: 26; ->05/00; engine 1KZ-T; engine 1KZ-TE; MD KZN185; Fitting Position: Lower; 06/00->
4 RUNNER (RN10_, VZN13_, VZN10_, RN13_) 						
3.0 Turbo-D (KZN 130)	92/125	1KZ-T	10/93->03/96	Tensioner	SR-1062	OD: 26; ->11/95; MD KZN130; Fitting Position: Lower
4 RUNNER (UZN21_, KZN21_, GRN21_) 						
4.0 4WD	183/249	1GR-FE	11/02->07/09	Tensioner	SR-1060	- holder; ID: 17; OD: 70; W: 33,5; ALT
4.7	194/264	2UZ-FE	09/06->07/09	Tensioner	SR-1198	ID: 17; OD: 90,5; W: 29; ALT
4.7	175/238	2UZ-FE	11/02->12/06	Tensioner	SR-1198	ID: 17; OD: 90,5; W: 29; ALT
4.7 4WD	194/264	2UZ-FE	09/06->07/09	Tensioner	SR-1198	ID: 17; OD: 90,5; W: 29; ALT
4.7 4WD	175/238	2UZ-FE	11/02->12/06	Tensioner	SR-1198	ID: 17; OD: 90,5; W: 29; ALT
ALPHARD / VELLFIRE (GGH2_, ANH2_, ATH2_) 						
3.5	206/280	2GR-FE	04/08->12/14	Tensioner	SR-1059	- holder; OD: 70; W: 33
3.5	202/275	2GR-FE	04/08->12/14	Tensioner	SR-1059	- holder; OD: 70; W: 33
3.5 4WD	206/280	2GR-FE	04/08->12/14	Tensioner	SR-1059	- holder; OD: 70; W: 33

	kW/HP	Engine code		Type		
AURIS (NRE15_, ZZE15_, ADE15_, ZRE15_, NDE15_) 						
1.4 WTi	71/97	4ZZ-FE	03/07->09/12	Deflection/Guide	SR-1463	OD: 85; W: 28.8; ALT; ->12/08; MD ZZE150
				Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; ->12/08; MD ZZE150
2.0 D-4D	93/126	1AD-FTV	03/07->09/12	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; MD ADE150; Fitting Position: Left
2.2 D	130/177	2AD-FHV	03/07->09/12	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; MD ADE157; Fitting Position: Left
AURIS (ZWE18_, NZE18_, ZRE18_) 						
2.0 D-4D (ADE186_)	91/124	1AD-FTV	10/12->	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; MD ADE186; Fitting Position: Left
AURIS TOURING SPORTS (ADE18_, ZWE18_, ZRE18_) 						
2.0 D-4D (ADE186_)	91/124	1AD-FTV	07/13->	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; MD ADE186; Fitting Position: Left
AVALON Saloon (GSX3_) 						
3.5 WTi	206/280	2GR-FE	01/05->	Tensioner	SR-1059	- holder; OD: 70; W: 33
AVENSIS (T22_) 						
1.6 (AT220_)	74/101	4A-FE	09/97->10/00	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19.5; ACCOM; 10/97->; ->07/00; engine 4A-FE; MD AT220
				Tensioner	SR-1199	OD: 57; W: 25; 10/97->; ->07/00; engine 4A-FE; MD AT220
1.6 (AT220_)	81/110	4A-FE	09/97->10/00	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19.5; ACCOM; 10/97->; ->07/00; engine 4A-FE; MD AT220
				Tensioner	SR-1199	OD: 57; W: 25; 10/97->; ->07/00; engine 4A-FE; MD AT220
1.6 WT-i	81/110	3ZZ-FE	10/00->02/03	Tensioner	SR-1414	OD: 70; W: 26; ALT
				Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; engine 3ZZ-FE; MD ZTZ220
1.8 (AT221_)	81/110	7A-FE	09/97->10/00	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19.5; ACCOM; 10/97->; ->07/00; engine 7A-FE; MD AT221
				Tensioner	SR-1199	OD: 57; W: 25; 10/97->; ->07/00; engine 7A-FE; MD AT221
1.8 WT-i	95/129	1ZZ-FE	10/00->02/03	Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; engine 1ZZ-FE; MD ZTZ221
				Tensioner	SR-1414	OD: 70; W: 26; ALT
2.0 (ST220_)	94/128	3S-FE	09/97->10/00	Deflection/Guide	SR-1190	OD: 58; W: 29; engine 3S-FE; MD ST220
				Tensioner	SR-1191	OD: 58; W: 29; engine 3S-FE; MD ST220
2.0 D-4D (CDT220_)	81/110	1CD-FTV	10/99->02/03	Deflection/Guide	SR-1276	OD: 90; W: 21
2.0 TD (CT220_)	66/90	2C-TE	09/97->02/03	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28.5; ->07/00; engine 2C-T; engine 2C-TE; MD CT220
				Tensioner	SR-1178	OD: 62; W: 26; ->07/00; engine 2C-T; engine 2C-TE; MD CT220
2.0 WT-i	110/150	1AZ-FSE	10/00->02/03	Deflection/Guide	SR-1495	+ holder; OD: 70; thread size M10x1,5; W: 32; ALT; engine 1AZ-FSE; MD AZT220; + PS
				Tensioner	SR-1494	- holder; ID: 17; OD: 70; W: 32; ALT; engine 1AZ-FSE; MD AZT220; + PS
AVENSIS (T25_) 						
1.6 WT-i	81/110	3ZZ-FE	04/03->11/08	Deflection/Guide	SR-1463	OD: 85; W: 28.8; ALT; MD ZTZ250; + EPS
				Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; MD ZTZ250; + EPS
				Tensioner	SR-1414	OD: 70; W: 26; ALT
1.8	95/129	1ZZ-FE	04/03->11/08	Deflection/Guide	SR-1463	OD: 85; W: 28.8; ALT; MD ZTZ251; + EPS
				Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; MD ZTZ251; + EPS
				Tensioner	SR-1414	OD: 70; W: 26; ALT
2.0	108/147	1AZ-FSE	04/03->11/08	Deflection/Guide	SR-1495	+ holder; OD: 70; thread size M10x1,5; W: 32; ALT; MD AZT250; + AC; + PS
				Tensioner	SR-1494	- holder; ID: 17; OD: 70; W: 32; ALT; MD AZT250; + AC; + PS
2.0 D-4D	93/126	1AD-FTV	03/06->11/08	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; 04/06->; MD ADT250; + AC; + PS
2.0 D-4D	85/116	1CD-FTV	04/03->11/08	Deflection/Guide	SR-1505	- holder; ID: 17; OD: 90; W: 24.5; ALT; ->04/06; MD CDT250
2.2 D-4D	110/150	2AD-FTV	10/05->11/08	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; MD ADT251; + AC; + PS
2.2 D-CAT	130/177	2AD-FHV	07/05->11/08	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; MD ADT251; + AC; + PS
2.4	125/170	2AZ-FSE	09/03->11/08	Deflection/Guide	SR-1495	+ holder; OD: 70; thread size M10x1,5; W: 32; ALT; MD AZT251; + AC; + PS
				Tensioner	SR-1494	- holder; ID: 17; OD: 70; W: 32; ALT; MD AZT251; + AC; + PS
2.4	120/163	2AZ-FSE	10/03->11/08	Deflection/Guide	SR-1495	+ holder; OD: 70; thread size M10x1,5; W: 32; ALT; MD AZT251; + AC; + PS
				Tensioner	SR-1494	- holder; ID: 17; OD: 70; W: 32; ALT; MD AZT251; + AC; + PS
AVENSIS Estate (T25) 						
1.6 WT-i	81/110	3ZZ-FE	04/03->11/08	Deflection/Guide	SR-1463	OD: 85; W: 28.8; ALT; MD ZTZ250; + EPS
				Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; MD ZTZ250; + EPS
				Tensioner	SR-1414	OD: 70; W: 26; ALT
1.8	95/129	1ZZ-FE	04/03->11/08	Deflection/Guide	SR-1463	OD: 85; W: 28.8; ALT; MD ZTZ251; + EPS
				Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; MD ZTZ251; + EPS
				Tensioner	SR-1414	OD: 70; W: 26; ALT
2.0	108/147	1AZ-FSE	04/03->11/08	Deflection/Guide	SR-1495	+ holder; OD: 70; thread size M10x1,5; W: 32; ALT; MD AZT250; + AC; + PS
				Tensioner	SR-1494	- holder; ID: 17; OD: 70; W: 32; ALT; MD AZT250; + AC; + PS
2.0 D-4D	93/126	1AD-FTV	03/06->11/08	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; 04/06->; MD ADT250; + AC; + PS
2.0 D-4D	85/116	1CD-FTV	04/03->11/08	Deflection/Guide	SR-1505	- holder; ID: 17; OD: 90; W: 24.5; ALT; ->04/06; MD CDT250
2.2 D-4D	110/150	2AD-FTV	10/05->11/08	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; MD ADT251; + AC; + PS
2.2 D-CAT	130/177	2AD-FHV	07/05->11/08	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; MD ADT251; + AC; + PS
2.4	125/170	2AZ-FSE	09/03->11/08	Deflection/Guide	SR-1495	+ holder; OD: 70; thread size M10x1,5; W: 32; ALT; MD AZT251; + AC; + PS
				Tensioner	SR-1494	- holder; ID: 17; OD: 70; W: 32; ALT; MD AZT251; + AC; + PS
2.4	120/163	2AZ-FSE	10/03->11/08	Deflection/Guide	SR-1495	+ holder; OD: 70; thread size M10x1,5; W: 32; ALT; MD AZT251; + AC; + PS
				Tensioner	SR-1494	- holder; ID: 17; OD: 70; W: 32; ALT; MD AZT251; + AC; + PS



kW/HP

Engine code



Type



AVENSIS Estate (ZRT27, ADT27)

2.0 D-4D	93/126	1AD-FTV	02/09->	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; MD ADT270; Fitting Position: Left
2.0 D-4D	91/124	1AD-FTV	11/11->	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; MD ADT270; Fitting Position: Left
2.2 D-4D	110/150	2AD-FHV;2AD-FTV	02/09->	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; MD ADT271; Fitting Position: Left
2.2 D-4D	130/177	2AD-FHV	02/09->	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; MD ADT271; Fitting Position: Left

AVENSIS Liftback [_T22_]

1.6 (AT220_)	74/101	4A-FE	09/97->10/00	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; 10/97->; ->07/00; MD AT220
				Tensioner	SR-1199	OD: 57; W: 25; 10/97->; ->07/00; MD AT220
1.6 (AT220_)	81/110	4A-FE	09/97->10/00	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; 10/97->; ->07/00; MD AT220
				Tensioner	SR-1199	OD: 57; W: 25; 10/97->; ->07/00; MD AT220
1.6 WT-i	81/110	3ZZ-FE	10/00->02/03	Tensioner	SR-1414	OD: 70; W: 26; ALT
				Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; MD ZZT220
1.8 (AT221_)	81/110	7A-FE	09/97->10/00	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; 10/97->; ->07/00; MD AT221
				Tensioner	SR-1199	OD: 57; W: 25; 10/97->; ->07/00; MD AT221
1.8 WT-i	95/129	1ZZ-FE	10/00->02/03	Tensioner	SR-1414	OD: 70; W: 26; ALT
				Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; MD ZZT221
2.0 (ST220_)	94/128	3S-FE	09/97->10/00	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST220
				Tensioner	SR-1191	OD: 58; W: 29; MD ST220
2.0 D-4D (CDT220_)	81/110	1CD-FTV	10/99->02/03	Deflection/Guide	SR-1276	OD: 90; W: 21
				Tensioner	SR-1179	ID: 12; OD: 63; W: 28,5; ->07/00; MD CT220
2.0 TD (CT220_)	66/90	2C-TE	09/97->02/03	Deflection/Guide	SR-1179	OD: 62; W: 26; ->07/00; MD CT220
				Tensioner	SR-1178	OD: 62; W: 26; ->07/00; MD CT220
2.0 WT-i	110/150	1AZ-FSE	10/00->02/03	Deflection/Guide	SR-1495	+ holder; OD: 70; thread size M10x1,5; W: 32; ALT; MD AZT220; + PS
				Tensioner	SR-1494	- holder; ID: 17; OD: 70; W: 32; ALT; MD AZT220; + PS

AVENSIS Saloon (T25)



















1.6 WT-i	81/110	3ZZ-FE	04/03->11/08	Deflection/Guide	SR-1463	OD: 85; W: 28,8; ALT; MD ZZT250; + EPS
				Tensioner	SR-1414	OD: 70; W: 26; ALT
				Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; MD ZZT250; + EPS
1.8	95/129	1ZZ-FE	04/03->11/08	Deflection/Guide	SR-1463	OD: 85; W: 28,8; ALT; MD ZZT251; + EPS
				Tensioner	SR-1414	OD: 70; W: 26; ALT
				Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; MD ZZT251; + EPS
2.0	108/147	1AZ-FSE	04/03->11/08	Deflection/Guide	SR-1495	+ holder; OD: 70; thread size M10x1,5; W: 32; ALT; MD AZT250; + AC; + PS
				Tensioner	SR-1494	- holder; ID: 17; OD: 70; W: 32; ALT; MD AZT250; + AC; + PS
2.0 D-4D	93/126	1AD-FTV	03/06->11/08	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; MD ADT250; + AC; + PS
2.0 D-4D	85/116	1CD-FTV	04/03->11/08	Deflection/Guide	SR-1505	- holder; ID: 17; OD: 90; W: 24,5; ALT; ->04/06; MD CDT250
2.2 D-4D	110/150	2AD-FTV	10/05->11/08	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; MD ADT251; + AC; + PS
2.2 D-CAT	130/177	2AD-FHV	07/05->11/08	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; MD ADT251; + AC; + PS
2.4	125/170	2AZ-FSE	09/03->11/08	Deflection/Guide	SR-1495	+ holder; OD: 70; thread size M10x1,5; W: 32; ALT; MD AZT251; + AC; + PS
				Tensioner	SR-1494	- holder; ID: 17; OD: 70; W: 32; ALT; MD AZT251; + AC; + PS
2.4	120/163	2AZ-FSE	10/03->11/08	Deflection/Guide	SR-1495	+ holder; OD: 70; thread size M10x1,5; W: 32; ALT; MD AZT251; + AC; + PS
				Tensioner	SR-1494	- holder; ID: 17; OD: 70; W: 32; ALT; MD AZT251; + AC; + PS










AVENSIS Saloon (ZRT27, ADT27)












2.0 D-4D	93/126	1AD-FTV	11/08->	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; MD ADT270; Fitting Position: Left
2.0 D-4D	91/124	1AD-FTV	11/11->	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; MD ADT270; Fitting Position: Left
2.2 D-4D	110/150	2AD-FHV;2AD-FTV	11/08->	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; MD ADT271; Fitting Position: Left
2.2 D-4D	130/177	2AD-FHV	11/08->	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; MD ADT271; Fitting Position: Left


















AVENSIS Station Wagon [_T22_]











1.6 (AT220_)	74/101	4A-FE	09/97->10/00	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; 10/97->; ->07/00; MD AT220
				Tensioner	SR-1199	OD: 57; W: 25; 10/97->; ->07/00; MD AT220
1.6 (AT220_)	81/110	4A-FE	09/97->10/00	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; 10/97->; ->07/00; MD AT220
				Tensioner	SR-1199	OD: 57; W: 25; 10/97->; ->07/00; MD AT220
1.6 WT-i	81/110	3ZZ-FE	10/00->02/03	Tensioner	SR-1414	OD: 70; W: 26; ALT
				Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; MD ZZT220
1.8 (AT221_)	81/110	7A-FE	09/97->10/00	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; 10/97->; ->07/00; MD AT221
				Tensioner	SR-1199	OD: 57; W: 25; 10/97->; ->07/00; MD AT221
1.8 WT-i	95/129	1ZZ-FE	10/00->02/03	Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; MD ZZT221
				Tensioner	SR-1414	OD: 70; W: 26; ALT
2.0 (ST220_)	94/128	3S-FE	09/97->10/00	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST220
				Tensioner	SR-1191	OD: 58; W: 29; MD ST220
2.0 D-4D (CDT220_)	81/110	1CD-FTV	10/99->02/03	Deflection/Guide	SR-1276	OD: 90; W: 21
				Tensioner	SR-1179	ID: 12; OD: 63; W: 28,5; ->07/00; MD CT220
2.0 TD (CT220_)	66/90	2C-TE	09/97->02/03	Deflection/Guide	SR-1179	OD: 62; W: 26; ->07/00; MD CT220
				Tensioner	SR-1178	OD: 62; W: 26; ->07/00; MD CT220
2.0 WT-i	110/150	1AZ-FSE	10/00->02/03	Deflection/Guide	SR-1495	+ holder; OD: 70; thread size M10x1,5; W: 32; ALT; MD AZT220; + PS
				Tensioner	SR-1494	- holder; ID: 17; OD: 70; W: 32; ALT; MD AZT220; + PS













	kW/HP	Engine code		Type		
AVENSIS VERSO [_CLM2_, _ACM2_] 						
2.0 D-4D	85/116	1CD-FTV	08/01->08/05	Deflection/Guide	SR-1505	- holder; ID: 17; OD: 90; W: 24,5; ALT; ->07/05; engine 1CD-FTV; MD CLM20
2.0 WVT-i	110/150	1AZ-FE	08/01->11/09	Deflection/Guide	SR-1495	+ holder; OD: 70; thread size M10x1,5; W: 32; ALT; engine 1AZ-FE; MD ACM20; + PS
				Tensioner	SR-1494	- holder; ID: 17; OD: 70; W: 32; ALT; engine 1AZ-FE; MD ACM20; + PS
AYGO (WNB1_, KGB1_) 						
1.4 HDi (WNB10)	40/54	2WZ-TV	07/05->08/10	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; MD WNB10
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; MD WNB10
				Tensioner	SR-1540	- holder; ID: 17; OD: 65; W: 25; MT
BREVIS (JCG1_) 						
2.5 4WD	147/200	1JZ-FSE	10/99->09/02	Tensioner	SR-1471	- holder; OD: 96; W: 29,5; 04/01->
CAMRY [_CV1_, _XV1_, _V1_] 						
2.2 (SXV10)	100/136	5S-FE	06/91->08/96	Deflection/Guide	SR-1190	OD: 58; W: 29; MD SXV10
				Tensioner	SR-1191	OD: 58; W: 29; MD SXV10
3.0 (VCV10)	138/188	3VZ-FE	06/91->08/96	Deflection/Guide	SR-1194	OD: 62; W: 37; MD VCV10
CAMRY [_CV2_, _XV2_] 						
2.2	93/126	5S-FE	11/00->11/01	Deflection/Guide	SR-1190	OD: 58; W: 29; ->09/01; MD SXV20
				Tensioner	SR-1191	OD: 58; W: 29; ->09/01; MD SXV20
2.2 (SXV20_)	96/131	5S-FE	08/96->11/01	Deflection/Guide	SR-1190	OD: 58; W: 29; ->09/01; MD SXV20
				Tensioner	SR-1191	OD: 58; W: 29; ->09/01; MD SXV20
3.0 24V (MCV20_)	140/190	1MZ-FE	08/96->11/01	Deflection/Guide	SR-1194	OD: 62; W: 37; ->09/01; MD MCV20
3.0 V6	135/184	1MZ-FE	08/96->11/01	Deflection/Guide	SR-1194	OD: 62; W: 37; ->09/01; MD MCV20
CAMRY [_V2_] 						
1.8 i (SV20_)	66/90	1S-L	10/86->08/88	Deflection/Guide	SR-1190	OD: 58; W: 29
2.0 (SV21_, SV25_)	94/128	3S-FE	11/86->05/91	Deflection/Guide	SR-1190	OD: 58; W: 29; MD SV2#
				Tensioner	SR-1191	OD: 58; W: 29; MD SV2#
2.0 Gli 16V (SV21_, SV25_)	89/121	3S-FE	11/86->05/91	Deflection/Guide	SR-1190	OD: 58; W: 29; MD SV2#
				Tensioner	SR-1191	OD: 58; W: 29; MD SV2#
2.0 Turbo-D (CV20_)	62/84	2C-T	11/86->05/91	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; MD CV20
				Tensioner	SR-1178	OD: 62; W: 26; MD CV20
2.0 Turbo-D (CV20_)	63/86	2C-T	11/88->05/91	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; MD CV20
				Tensioner	SR-1178	OD: 62; W: 26; MD CV20
CAMRY (MCV3_, ACV3_, _XV3_) 						
2.4 WVT-i	112/152	2AZ-FE	11/01->11/06	Deflection/Guide	SR-1495	+ holder; OD: 70; thread size M10x1,5; W: 32; ALT; ->01/06; MD ACV30
				Tensioner	SR-1494	- holder; ID: 17; OD: 70; W: 32; ALT; ->01/06; MD ACV30
3.0 V6	137/186	1MZ-FE	11/01->11/06	Deflection/Guide	SR-1194	OD: 62; W: 37; ->01/06; MD MCV30
				Tensioner	SR-1516	+ holder; OD: 62; W: 36; ->01/06; MD MCV30; ->01/06; MD MCV30; Fitting Position: Upper
CAMRY Liftback [_V1_] 						
1.8	66/90	1S-L	02/83->10/86	Deflection/Guide	SR-1190	OD: 58; W: 29
1.8 Turbo-D	54/73	1C-TL	10/84->01/88	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; ->10/86; MD CV10
				Tensioner	SR-1178	OD: 62; W: 26; ->10/86; MD CV10
2.0	73/99	2S-ELC	04/86->01/88	Deflection/Guide	SR-1190	OD: 58; W: 29; ->07/86; MD SV11
CAMRY Saloon [_V1_] 						
1.8	66/90	1S-L	02/83->10/86	Deflection/Guide	SR-1190	OD: 58; W: 29
1.8 Turbo-D	54/73	1C-TL	11/83->01/88	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; ->10/86; MD CV10
				Tensioner	SR-1178	OD: 62; W: 26; ->10/86; MD CV10
2.0	73/99	2S-ELC;2S-E	04/86->01/88	Deflection/Guide	SR-1190	OD: 58; W: 29; ->07/86; MD SV11
2.0 GLI	79/107	2S-EL	03/83->10/86	Deflection/Guide	SR-1190	OD: 58; W: 29; ->07/86; MD SV11
CAMRY Saloon [_XV4_] 						
2.4 WTi	116/158	2AZ-FE	01/06->09/11	Tensioner	SR-1552	- holder; ID: 17; OD: 70; W: 33; ALT; MD ACV40; + AC; + PS
2.4 WTi	123/167	2AZ-FE	01/06->09/11	Tensioner	SR-1552	- holder; ID: 17; OD: 70; W: 33; ALT; MD ACV40; + AC; + PS
3.5	204/277	2GR-FE	01/08->09/11	Deflection/Guide	SR-1058	OD: 70; W: 32; ALT; MD GSV40; Fitting Position: Left; Fitting Position: Right; QTY 2; + AC; + PS
				Tensioner	SR-1152	+ holder; OD: 70; W: 33,5; ALT; MD GSV40; + AC; + PS
CAMRY Saloon (AVV5_, XV5_) 						
3.5	204/277	2GR-FE	09/11->	Deflection/Guide	SR-1058	OD: 70; W: 32; ALT; MD GSV50
				Tensioner	SR-1152	+ holder; OD: 70; W: 33,5; ALT; MD GSV50
CAMRY SOLARA Convertible (MCV3_, ACV3_) 						
2.4	117/159	2AZ-FE	02/04->11/08	Deflection/Guide	SR-1495	+ holder; OD: 70; thread size M10x1,5; W: 32; ALT; ->01/06; MD ACV30
				Tensioner	SR-1494	- holder; ID: 17; OD: 70; W: 32; ALT; ->01/06; MD ACV30
CAMRY SOLARA Coupe (MCV3_, ACV3_) 						
2.4	117/159	2AZ-FE	07/03->07/08	Deflection/Guide	SR-1495	+ holder; OD: 70; thread size M10x1,5; W: 32; ALT; ->01/06; MD ACV30
				Tensioner	SR-1494	- holder; ID: 17; OD: 70; W: 32; ALT; ->01/06; MD ACV30
CAMRY Station Wagon [_V2_] 						
1.8 (SV20_)	66/90	1S	11/86->08/88	Deflection/Guide	SR-1190	OD: 58; W: 29














	kW/HP	Engine code		Type		
2.0 (SV21_)	94/128	3S-FE	11/86->05/91	Deflection/Guide	SR-1190	OD: 58; W: 29; MD SV2#
				Tensioner	SR-1191	OD: 58; W: 29; MD SV2#
2.0 GLi 16V (SV21_)	89/121	3S-FE	11/86->05/91	Deflection/Guide	SR-1190	OD: 58; W: 29; MD SV2#
				Tensioner	SR-1191	OD: 58; W: 29; MD SV2#
2.0 Turbo-D (CV20_)	62/84	2C-T	11/86->05/91	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28.5; MD CV20
				Tensioner	SR-1178	OD: 62; W: 26; MD CV20
2.0 Turbo-D (CV20_)	63/86	2C-T	11/88->05/91	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28.5; MD CV20
				Tensioner	SR-1178	OD: 62; W: 26; MD CV20
CAMRY Station Wagon [_XV1_, _CV1_, _V10] 						
2.2 (SXV10)	100/136	5S-FE	03/92->07/96	Deflection/Guide	SR-1190	OD: 58; W: 29; MD SXV10
				Tensioner	SR-1191	OD: 58; W: 29; MD SXV10
3.0 (VCV10)	138/188	3VZ-FE	03/92->07/96	Deflection/Guide	SR-1194	OD: 62; W: 37; MD VCV10
CARINA (TA4L, TA6_L) 						
1.8 D	48/65	1C	04/82->09/83	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28.5; MD CA60
				Tensioner	SR-1178	OD: 62; W: 26; MD CA60
CARINA E [_T19_] 						
1.6 (AT190)	73/99	4A-FE	12/93->09/97	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19.5; ACCOM; ->01/96; MD AT190
				Tensioner	SR-1199	OD: 57; W: 25; ->01/96; MD AT190
1.6 (AT190)	85/116	4A-FE	12/93->09/97	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19.5; ACCOM; ->01/96; MD AT190
				Tensioner	SR-1199	OD: 57; W: 25; ->01/96; MD AT190
1.6 16V	78/106	4A-FE	10/95->09/97	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19.5; ACCOM; ->01/96; MD AT190
				Tensioner	SR-1199	OD: 57; W: 25; ->01/96; MD AT190
1.6 GLi (AT190)	79/107	4A-FE	04/92->09/97	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19.5; ACCOM; ->01/96; MD AT190
				Tensioner	SR-1199	OD: 57; W: 25; ->01/96; MD AT190
1.8 (AT191)	79/107	7A-FE	01/95->09/97	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19.5; ALT; MD AT191
				Tensioner	SR-1199	OD: 57; W: 25; MD AT191
2.0 D (CT190)	54/73	2C	04/92->01/96	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28.5; MD CT190
				Deflection/Guide	SR-1276	OD: 90; W: 21; 12/94->
				Tensioner	SR-1178	OD: 62; W: 26; MD CT190
2.0 GLi (ST191)	98/133	3S-FE	04/92->09/97	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST191
				Tensioner	SR-1191	OD: 58; W: 29; MD ST191
2.0 GTi (ST191)	116/158	3S-GE	04/92->02/94	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST191
2.0 GTi 16V (ST191_)	129/175	3S-GE	03/94->09/97	Deflection/Guide	SR-1190	OD: 58; W: 29; ->01/96; MD ST191
2.0 i (ST191)	93/126	3S-FE	12/93->09/97	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST191
				Tensioner	SR-1191	OD: 58; W: 29; MD ST191
2.0 TD (CT190)	61/83	2C-T	01/96->09/97	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28.5; MD CT190
				Deflection/Guide	SR-1276	OD: 90; W: 21
				Tensioner	SR-1178	OD: 62; W: 26; MD CT190
CARINA E Saloon [_T19_] 						
1.6 (AT190)	79/107	4A-FE	01/93->09/97	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19.5; ACCOM; ->01/96; MD AT190
				Tensioner	SR-1199	OD: 57; W: 25; ->01/96; MD AT190
1.6 (AT190)	73/99	4A-FE	01/95->09/97	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19.5; ACCOM; ->01/96; MD AT190
				Tensioner	SR-1199	OD: 57; W: 25; ->01/96; MD AT190
1.6 (AT190)	78/106	4A-FE	10/95->09/97	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19.5; ACCOM; ->01/96; MD AT190
				Tensioner	SR-1199	OD: 57; W: 25; ->01/96; MD AT190
1.6 16V (AT190_)	85/116	4A-FE	12/94->09/97	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19.5; ACCOM; ->01/96; MD AT190
				Tensioner	SR-1199	OD: 57; W: 25; ->01/96; MD AT190
1.8 i 16V (AT191)	79/107	7A-FE	01/95->09/97	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19.5; ACCOM; MD AT191
				Tensioner	SR-1199	OD: 57; W: 25; MD AT191
2.0 (ST191)	98/133	3S-FE	01/93->09/97	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST191
				Tensioner	SR-1191	OD: 58; W: 29; MD ST191
2.0 D (CT190)	54/73	2C	08/92->01/96	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28.5; MD CT190
				Deflection/Guide	SR-1276	OD: 90; W: 21; 12/94->
				Tensioner	SR-1178	OD: 62; W: 26; MD CT190
2.0 GTi (ST191_)	116/158	3S-GE	04/92->02/94	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST191
2.0 GTi 16V (ST191_)	129/175	3S-GE	03/94->09/97	Deflection/Guide	SR-1190	OD: 58; W: 29; ->01/96; MD ST191
2.0 i (ST191)	93/126	3S-FE	12/92->09/97	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST191
				Tensioner	SR-1191	OD: 58; W: 29; MD ST191
2.0 TD (CT190_)	61/83	2C-T	01/96->09/97	Deflection/Guide	SR-1276	OD: 90; W: 21
				Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28.5; MD CT190
				Tensioner	SR-1178	OD: 62; W: 26; MD CT190
CARINA E Sportswagon [_T19_] 						
1.6 GLi (AT190_)	79/107	4A-FE	01/93->09/97	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19.5; ACCOM; ->01/96; MD AT190
				Tensioner	SR-1199	OD: 57; W: 25; ->01/96; MD AT190
1.6 i (AT190_)	73/99	4A-FE	02/95->09/97	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19.5; ACCOM; ->01/96; MD AT190
				Tensioner	SR-1199	OD: 57; W: 25; ->01/96; MD AT190















	kW/HP	Engine code		Type		
1.8 i (AT191_)	79/107	7A-FE	02/95->09/97	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; MD AT191
				Tensioner	SR-1199	OD: 57; W: 25; MD AT191
2.0 D (CT190_)	54/73	2C	01/93->01/96	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; MD CT190
				Tensioner	SR-1178	OD: 62; W: 26; MD CT190
2.0 GLI (ST191_)	98/133	3S-FE	01/93->09/97	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST191
				Tensioner	SR-1191	OD: 58; W: 29; MD ST191
2.0 i (ST191_)	93/126	3S-FE	05/95->09/97	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST191
				Tensioner	SR-1191	OD: 58; W: 29; MD ST191
2.0 TD (CT190_)	61/83	2C-T	01/96->09/97	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; MD CT190
				Tensioner	SR-1178	OD: 62; W: 26; MD CT190
CARINA II (T15) 						
1.6 (AT151)	55/75	4A-LC	10/83->11/87	Tensioner	SR-1177	OD: 52; W: 23; MD AT151
1.6 (AT151)	62/84	4A-L	10/83->11/87	Tensioner	SR-1177	OD: 52; W: 23; MD AT151
1.6 (AT151)	63/86	4A-L	10/86->11/87	Tensioner	SR-1177	OD: 52; W: 23; MD AT151
1.8 GLI (ST150)	74/101	1S-L	10/83->11/87	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST150
2.0 D	50/68	2C-L	02/84->05/88	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; MD CT150
				Tensioner	SR-1178	OD: 62; W: 26; MD CT150
2.0 D (CT150)	51/69	2C-L	12/85->11/87	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; MD CT150
				Tensioner	SR-1178	OD: 62; W: 26; MD CT150
CARINA II (T17) 						
1.6 (AT171)	66/90	4A-F	12/87->11/89	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; MD AT171
				Tensioner	SR-1177	OD: 52; W: 23; MD AT171
1.6 (AT171)	75/102	4A-FE	12/87->03/92	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; MD AT171
				Tensioner	SR-1177	OD: 52; W: 23; MD AT171
1.6 (AT171)	72/98	4A-FE	12/87->03/92	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; MD AT171
				Tensioner	SR-1177	OD: 52; W: 23; MD AT171
2.0 GLI (ST171)	89/121	3S-FE	12/87->03/92	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST171
				Tensioner	SR-1191	OD: 58; W: 29; MD ST171
CARINA II Saloon (T15) 						
1.6 (AT151)	55/75	4A-LC	10/83->11/87	Tensioner	SR-1177	OD: 52; W: 23; MD AT151
1.6 (AT151)	62/84	4A-L	10/83->11/87	Tensioner	SR-1177	OD: 52; W: 23; MD AT151
1.8 GLI (ST150)	74/101	1S-EL	10/83->11/87	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST150
2.0 D	50/68	2C-L	02/84->05/88	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; MD CT150
				Tensioner	SR-1178	OD: 62; W: 26; MD CT150
CARINA II Saloon (T17) 						
1.6 (AT171)	66/90	4A-F	12/87->08/90	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; MD AT171
				Tensioner	SR-1177	OD: 52; W: 23; MD AT171
1.6 (AT171)	75/102	4A-FE	12/87->03/92	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; MD AT171
				Tensioner	SR-1177	OD: 52; W: 23; MD AT171
1.6 (AT171)	72/98	4A-FE	12/87->03/92	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; MD AT171
				Tensioner	SR-1177	OD: 52; W: 23; MD AT171
2.0 D	54/73	2C	03/88->06/92	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; MD CT170
				Tensioner	SR-1178	OD: 62; W: 26; MD CT170
2.0 GLI (ST171)	89/121	3S-FE	12/87->03/92	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST171
				Tensioner	SR-1191	OD: 58; W: 29; MD ST171
CARINA II Station Wagon (T17) 						
1.6 (AT171)	66/90	4A-F	12/87->12/89	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; MD AT171
				Tensioner	SR-1177	OD: 52; W: 23; MD AT171
1.6 (AT171)	75/102	4A-FE	12/87->03/92	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; MD AT171
				Tensioner	SR-1177	OD: 52; W: 23; MD AT171
1.6 (AT171)	72/98	4A-FE	12/87->03/92	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; MD AT171
				Tensioner	SR-1177	OD: 52; W: 23; MD AT171
2.0	89/121	3S-FE	12/87->04/92	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST171
				Tensioner	SR-1191	OD: 58; W: 29; MD ST171
2.0 D (CT170)	54/73	2C-L	12/87->01/92	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; engine 2C; MD CT170
				Tensioner	SR-1178	OD: 62; W: 26; engine 2C; MD CT170
CARINA Station Wagon (TA4K, TA6K) 						
1.8 D	48/65	1C	04/82->09/83	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; MD CA60
				Tensioner	SR-1178	OD: 62; W: 26; MD CA60
CELICA (AT16, ST16) 						
1.6	63/86	4A-L	04/86->08/89	Tensioner	SR-1177	OD: 52; W: 23; MD AT160
1.6 GT 16V	91/124	4A-GEL	04/86->08/89	Tensioner	SR-1177	OD: 52; W: 23; MD AT160
2.0	110/150	3S-GEL	01/87->08/89	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST162










	kW/HP	Engine code		Type		
CELICA [ST20_, AT20_] 						
1.8 i 16V (AT200/ST)	85/116	7A-FE	11/93->11/99	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; MD AT200
				Tensioner	SR-1199	OD: 57; W: 25; MD AT200
2.0 i 16V	125/170	3S-GE	04/96->11/99	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST202
2.0 i 16V (ST202/GT)	129/175	3S-GE	11/93->11/99	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST202
2.0 i Turbo 4WD (ST205)	178/242	3S-GTE	02/94->11/99	Deflection/Guide	SR-1190	OD: 58; W: 29; ->06/96; MD ST205
CELICA [ZZT23_] 						
1.8 16V TS (ZZT231_)	141/192	2ZZ-GE	08/99->09/05	Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26; 12/04->
				Tensioner	SR-1414	OD: 70; W: 26; ALT
1.8 16V VT-i (ZZT230_)	105/143	1ZZ-FE	08/99->07/05	Tensioner	SR-1414	OD: 70; W: 26; ALT
				Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; MD ZZT230
CELICA Convertible [AT18_, ST18_] 						
2.0 GTi (ST182)	115/156	3S-GE	10/89->11/93	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST18#
CELICA Convertible [AT20_, ST20_] 						
2.0 i 16V	125/170	3S-GE	11/93->08/99	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST202
CELICA Convertible [ST16_, AT16_] 						
2.0 GT (ST162)	103/140	3S-GELC	08/85->08/89	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST162; engine 3S-FE; MD ST162
				Tensioner	SR-1191	OD: 58; W: 29; engine 3S-FE; MD ST162
2.0 GT (ST162)	110/150	3S-GEL	10/86->08/89	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST162; engine 3S-FE; MD ST162
				Tensioner	SR-1191	OD: 58; W: 29; engine 3S-FE; MD ST162
CELICA Coupe [AT18_, ST18_] 						
1.6 STi (AT180)	77/105	4A-FE	10/89->11/93	Tensioner	SR-1177	OD: 52; W: 23; MD AT180
2.0 GTi (ST182)	115/156	3S-GE	10/89->11/93	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST18#
2.0 Turbo 4WD (ST185)	150/204	3S-GTE	10/89->11/93	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST18#
2.0 Turbo 4WD (ST185)	153/208	3S-GTE	10/89->11/93	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST18#
CELICA Coupe [ST16_, AT16_] 						
2.0 Turbo 4WD	136/185	3S-GTE	03/88->08/89	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST165
CELICA Hatchback [ST16_, AT16_] 						
1.6	63/86	4A-L	04/86->08/89	Tensioner	SR-1177	OD: 52; W: 23; MD AT160
1.6 GT	85/116	4A-GELC	08/87->08/89	Tensioner	SR-1177	OD: 52; W: 23; MD AT160
1.6 GT 16V	91/124	4A-GEL	09/85->08/89	Tensioner	SR-1177	OD: 52; W: 23; MD AT160
2.0 GT	110/150	3S-GEL	08/85->08/89	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST162
2.0 GT	103/140	3S-GELC	09/85->08/89	Deflection/Guide	SR-1190	OD: 58; W: 29; MD ST162
CELSIOR [UCF3_] 						
4.3 WTi	208/283	3UZ-FE	09/00->08/06	Tensioner	SR-1198	ID: 17; OD: 90,5; W: 29; ALT
CHASER [_X9_] 						
2.5 (JZX90, JZX93)	132/180	1JZ-GE	10/92->08/96	Tensioner	SR-1471	- holder; OD: 96; W: 29,5; 11/92->; AT
COROLLA [_E10_] 						
1.3 XLI (EE101_)	55/75	4E-FE	09/95->04/97	Deflection/Guide	SR-1200	OD: 50; W: 27; MD EE10#
1.3 XLI 16V (EE101)	65/88	4E-FE	07/92->09/95	Deflection/Guide	SR-1200	OD: 50; W: 27; MD EE10#
1.6 Si (AE101_)	84/114	4A-FE	09/95->04/97	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; MD AE101
				Tensioner	SR-1199	OD: 57; W: 25; MD AE101
2.0 D (CE100_)	53/72	2C	07/92->04/97	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; MD CE100
				Deflection/Guide	SR-1276	OD: 90; W: 21; 06/93->
				Tensioner	SR-1178	OD: 62; W: 26; MD CE100
COROLLA [_E11_] 						
1.4 (EE111_)	63/86	4E-FE	04/97->02/00	Deflection/Guide	SR-1200	OD: 50; W: 27; ->11/99
1.4 16V (ZZE111_)	71/97	4ZZ-FE	02/00->11/01	Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; MD ZZE11#
1.6 16V (ZZE112_)	81/110	3ZZ-FE	02/00->11/01	Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; MD ZZE11#
				Tensioner	SR-1414	OD: 70; W: 26; ALT
1.6 Aut. (AE111_)	79/107	4A-FE	04/97->02/00	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; ->11/99; MD AE111
				Tensioner	SR-1199	OD: 57; W: 25; ->11/99; MD AE111
1.9 D (WZE110_)	51/69	1WZ	02/00->11/01	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; ->10/99; MD CE110
2.0 D (CE110_)	53/72	2C-E	04/97->02/00	Deflection/Guide	SR-1276	OD: 90; W: 21
				Tensioner	SR-1178	OD: 62; W: 26; ->10/99; MD CE110
COROLLA [_E8_] 						
1.3 (AE80)	51/69	2A-L	06/83->10/84	Tensioner	SR-1177	OD: 52; W: 23; MD AE8#
1.6	54/73	4A-LC	12/85->05/88	Tensioner	SR-1177	OD: 52; W: 23
1.6 (AE82)	62/84	4A-L	06/83->08/87	Tensioner	SR-1177	OD: 52; W: 23; MD AE82
1.6 (AE82)	53/72	4A-LC	08/85->08/87	Tensioner	SR-1177	OD: 52; W: 23; MD AE82
1.8 D	43/58	1C	06/83->05/88	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; ->08/85; engine 1C-L; engine 1C-LC; MD CE80
				Tensioner	SR-1178	OD: 62; W: 26; ->08/85; engine 1C-L; engine 1C-LC; MD CE80



	kW/HP	Engine code		Type		
1.8 D	47/64	1C-L	06/83->06/89	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; ->08/85; engine 1C-L; engine 1C-LC; MD CE80
				Tensioner	SR-1178	OD: 62; W: 26; ->08/85; engine 1C-L; engine 1C-LC; MD CE80
COROLLA [E9_] 						
1.6 (AE92)	66/90	4A-F	08/87->12/89	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM
				Tensioner	SR-1177	OD: 52; W: 23; engine 4A-FE; MD AE9#
1.6 i	77/105	4A-FE	11/89->06/93	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; ->06/92
				Tensioner	SR-1177	OD: 52; W: 23; ->06/92; engine 4A-FE; MD AE9#
1.6 i 4WD	77/105	4A-FE	10/87->08/90	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM
				Tensioner	SR-1177	OD: 52; W: 23; engine 4A-FE; MD AE9#
1.8 D	47/64	1C	07/87->06/93	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; ->06/92; MD CE90
				Tensioner	SR-1178	OD: 62; W: 26; ->06/92; MD CE90
1.8 D	49/67	1C	11/89->06/93	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; ->06/92; MD CE90
				Tensioner	SR-1178	OD: 62; W: 26; ->06/92; MD CE90
COROLLA [CDE12_, ZZE12_, NDE12_, ZDE12_] 						
1.4 WT-i	71/97	4ZZ-FE	01/02->12/06	Deflection/Guide	SR-1463	OD: 85; W: 28,8; ALT; MD ZZE120
				Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; MD ZZE120
1.6 WT-i	81/110	3ZZ-FE	01/02->12/06	Deflection/Guide	SR-1463	OD: 85; W: 28,8; ALT; MD ZZE121
				Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; ALT; MD ZZE121; + AC; + PS; TH
				Tensioner	SR-1414	OD: 70; W: 26; ALT
1.8 WTL-i TS	141/192	2ZZ-GE	01/02->02/07	Tensioner	SR-1414	OD: 70; W: 26; ALT
				Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26; 12/04->
1.8 WTL-i TS	165/224	2ZZ-GE	02/05->02/07	Tensioner	SR-1414	OD: 70; W: 26; ALT
				Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26
1.8 WTL-i TS	160/218	2ZZ-GE	10/05->12/06	Tensioner	SR-1414	OD: 70; W: 26; ALT
				Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26
2.0 D-4D	66/90	1CD-FTV	01/02->12/06	Deflection/Guide	SR-1505	- holder; ID: 17; OD: 90; W: 24,5; ALT; MD CDE120
2.0 D-4D [CDE120R_, CDE120L_]	81/110	1CD-FTV	01/02->12/06	Deflection/Guide	SR-1505	- holder; ID: 17; OD: 90; W: 24,5; ALT; MD CDE120
2.0 D-4D [CDE120R_, CDE120L_]	85/116	1CD-FTV	05/03->02/07	Deflection/Guide	SR-1505	- holder; ID: 17; OD: 90; W: 24,5; ALT; MD CDE120
COROLLA Compact [E10_] 						
1.3 XLI [EE101_]	55/75	4E-FE	09/95->04/97	Deflection/Guide	SR-1200	OD: 50; W: 27; MD EE10#
1.3 XLI 16V [EE101]	65/88	4E-FE	07/92->09/95	Deflection/Guide	SR-1200	OD: 50; W: 27; MD EE10#
1.6 Si [AE101_]	84/114	4A-FE	07/92->04/97	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; MD AE101
				Tensioner	SR-1199	OD: 57; W: 25; MD AE101
1.8 GT [AE102_]	86/117	7A-FE	11/92->05/95	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; MD AE10#
				Tensioner	SR-1199	OD: 57; W: 25; MD AE10#
2.0 D [CE100_]	53/72	2C	07/92->04/97	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; MD CE100
				Deflection/Guide	SR-1276	OD: 90; W: 21; 06/93->
				Tensioner	SR-1178	OD: 62; W: 26; MD CE100
COROLLA Compact [E11_] 						
1.4 [EE111_]	63/86	4E-FE	04/97->02/00	Deflection/Guide	SR-1200	OD: 50; W: 27; ->11/99
1.4 [ZZE111_]	71/97	4ZZ-FE	02/00->01/02	Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; MD ZZE11#
1.6 [AE111_]	81/110	4A-FE	04/97->02/00	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; ->11/99; MD AE111
				Tensioner	SR-1199	OD: 57; W: 25; ->11/99; MD AE111
1.6 [ZZE112_]	81/110	3ZZ-FE	02/00->01/02	Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; MD ZZE11#
				Tensioner	SR-1414	OD: 70; W: 26; ALT
1.6 Aut. [AE111_]	79/107	4A-FE	04/97->02/00	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; ->11/99; MD AE111
				Tensioner	SR-1199	OD: 57; W: 25; ->11/99; MD AE111
1.9 D [WZE110_]	51/69	1WZ	02/00->01/02	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
2.0 D [CE110_]	53/72	2C-E	04/97->02/00	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; ->10/99; MD CE110
				Deflection/Guide	SR-1276	OD: 90; W: 21
				Tensioner	SR-1178	OD: 62; W: 26; ->10/99; MD CE110
COROLLA Compact [E9_] 						
1.6 (AE92)	66/90	4A-F	08/87->04/92	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM
				Tensioner	SR-1177	OD: 52; W: 23; engine 4A-FE; MD AE9#
1.6 i (AE92)	77/105	4A-FE	08/89->04/92	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM
				Tensioner	SR-1177	OD: 52; W: 23; engine 4A-FE; MD AE9#
1.8 D (CE90)	47/64	1C	08/87->04/92	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; MD CE90
				Tensioner	SR-1178	OD: 62; W: 26; MD CE90
1.8 D (CE90)	49/67	1C	08/89->04/92	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; MD CE90
				Tensioner	SR-1178	OD: 62; W: 26; MD CE90
COROLLA Estate [E12J_, E12T_] 						
1.4 WT-i	71/97	4ZZ-FE	01/02->02/07	Deflection/Guide	SR-1463	OD: 85; W: 28,8; ALT; MD ZZE120
				Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; MD ZZE120
1.6 WT-i	81/110	3ZZ-FE	01/02->02/07	Deflection/Guide	SR-1463	OD: 85; W: 28,8; ALT; MD ZZE121
				Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; ALT; MD ZZE121; + AC; + PS; TH
				Tensioner	SR-1414	OD: 70; W: 26; ALT


















	kW/HP	Engine code		Type		
2.0 D-4D	66/90	1CD-FTV	01/02->02/07	Deflection/Guide	SR-1505	- holder; ID: 17; OD: 90; W: 24,5; ALT; MD CDE120
2.0 D-4D	85/116	1CD-FTV	04/04->02/07	Deflection/Guide	SR-1505	- holder; ID: 17; OD: 90; W: 24,5; ALT; MD CDE120
COROLLA FX Compact [E8B] 						
1.8 D	43/58	1C	01/85->05/88	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; ->08/85; MD CE80
				Tensioner	SR-1178	OD: 62; W: 26; ->08/85; MD CE80
COROLLA Liftback [E10] 						
1.3 XLI [EE101_]	65/88	4E-FE	07/92->04/97	Deflection/Guide	SR-1200	OD: 50; W: 27; MD EE10#
1.6 GLI [AE101_]	84/114	4A-FE	07/92->04/97	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; MD AE101
				Tensioner	SR-1199	OD: 57; W: 25; MD AE101
1.8 GT [AE102_]	86/117	7A-FE	11/92->05/95	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; MD AE10#
				Tensioner	SR-1199	OD: 57; W: 25; MD AE10#
2.0 D [CE100_]	53/72	2C	07/92->04/97	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; MD CE100
				Deflection/Guide	SR-1276	OD: 90; W: 21; 06/93->
				Tensioner	SR-1178	OD: 62; W: 26; MD CE100
COROLLA Liftback [E11] 						
1.4 [EE111_]	63/86	4E-FE	04/97->02/00	Deflection/Guide	SR-1200	OD: 50; W: 27; ->11/99
1.4 [ZZE111_]	71/97	4ZZ-FE	02/00->01/02	Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; MD ZZE11#
1.6 [AE111_]	81/110	4A-FE	04/97->02/00	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; ->11/99; MD AE111
				Tensioner	SR-1199	OD: 57; W: 25; ->11/99; MD AE111
1.6 [ZZE112_]	81/110	3ZZ-FE	02/00->01/02	Tensioner	SR-1414	OD: 70; W: 26; ALT
				Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; MD ZZE11#
1.6 Aut. [AE111_]	79/107	4A-FE	04/97->02/00	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; ->11/99; MD AE111
				Tensioner	SR-1199	OD: 57; W: 25; ->11/99; MD AE111
1.9 D [WZE110_]	51/69	1WZ	02/00->01/02	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
2.0 D [CE110]	53/72	2C-E	04/97->02/00	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; ->10/99; MD CE110
				Deflection/Guide	SR-1276	OD: 90; W: 21
				Tensioner	SR-1178	OD: 62; W: 26; ->10/99; MD CE110
COROLLA Liftback [E8] 						
1.3 [AE80]	51/69	2A-L	06/83->09/84	Tensioner	SR-1177	OD: 52; W: 23; MD AE8#
1.6	63/86	4A-L	07/85->05/88	Tensioner	SR-1177	OD: 52; W: 23; MD AE71; MD AE82; MD AE86
1.6 [AE82]	62/84	4A-L	06/83->08/87	Tensioner	SR-1177	OD: 52; W: 23; MD AE82
1.6 [AE82]	54/73	4A-LC	08/85->08/87	Tensioner	SR-1177	OD: 52; W: 23; MD AE82
1.8 D	43/58	1C	06/83->05/88	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; ->08/85; engine 1C-L; engine 1C-LC; MD CE80
				Tensioner	SR-1178	OD: 62; W: 26; ->08/85; engine 1C-L; engine 1C-LC; MD CE80
1.8 D [CE80]	47/64	1C-L	06/83->08/87	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; ->08/85; engine 1C-L; engine 1C-LC; MD CE80
				Tensioner	SR-1178	OD: 62; W: 26; ->08/85; engine 1C-L; engine 1C-LC; MD CE80
COROLLA Liftback [E9] 						
1.6 [AE92]	66/90	4A-F	08/87->04/92	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM
				Tensioner	SR-1177	OD: 52; W: 23; engine 4A-FE; MD AE9#
1.6 [AE92]	77/105	4A-FE	08/89->04/92	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM
				Tensioner	SR-1177	OD: 52; W: 23; MD AE9#
1.8 D [CE90]	47/64	1C	08/87->04/92	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; MD CE90
				Tensioner	SR-1178	OD: 62; W: 26; MD CE90
1.8 D [CE90]	49/67	1C	08/89->04/92	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; MD CE90
				Tensioner	SR-1178	OD: 62; W: 26; MD CE90
COROLLA Saloon [E12J, E12T] 						
1.4 WT-i	71/97	4ZZ-FE	08/02->07/07	Deflection/Guide	SR-1463	OD: 85; W: 28,8; ALT; ->02/07; MD ZZE120
				Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; ->02/07; MD ZZE120
				Deflection/Guide	SR-1463	OD: 85; W: 28,8; ALT; ->02/07; MD ZZE121
1.6 WT-i	81/110	3ZZ-FE	08/02->07/07	Tensioner	SR-1414	OD: 70; W: 26; ALT
				Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; ALT; + AC; + PS; TH; ->02/07; MD ZZE121
2.0 D-4D	85/116	1CD-FTV	06/04->07/07	Deflection/Guide	SR-1505	- holder; ID: 17; OD: 90; W: 24,5; ALT; ->02/07; MD CDE120
2.0 D-4D	66/90	1CD-FTV	08/02->07/07	Deflection/Guide	SR-1505	- holder; ID: 17; OD: 90; W: 24,5; ALT; ->02/07; MD CDE120
COROLLA Saloon [E15] 						
1.4 WT-i	71/97	4ZZ-FE	01/07->	Deflection/Guide	SR-1463	OD: 85; W: 28,8; ALT; ->02/09; MD ZZE150
				Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; ->02/09; MD ZZE150
2.0 D-4D	93/126	1AD-FTV	01/07->	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; ->06/13; MD ADE150; Fitting Position: Left
COROLLA Station Wagon [E9] 						
1.6 [AE92]	66/90	4A-F	02/88->05/92	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; engine 4A-F; engine 4A-FE
				Tensioner	SR-1177	OD: 52; W: 23; engine 4A-F; engine 4A-FE; MD AE9#
1.6 [AE92]	70/95	4A-F	12/87->04/92	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; engine 4A-F; engine 4A-FE
				Tensioner	SR-1177	OD: 52; W: 23; engine 4A-F; engine 4A-FE; MD AE9#
1.6 XLI	77/105	4A-FE	11/89->06/92	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; engine 4A-F; engine 4A-FE
				Tensioner	SR-1177	OD: 52; W: 23; engine 4A-F; engine 4A-FE; MD AE9#




















	kW/HP	Engine code		Type		
1.6 XLI 4WD [AE95]	77/105	4A-FE	08/88->06/92	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; engine 4A-F; engine 4A-FE
				Tensioner	SR-1177	OD: 52; W: 23; engine 4A-F; engine 4A-FE; MD AE9#
1.8 D [CE90]	49/67	1C	08/89->06/92	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; engine 1C; MD CE90
				Tensioner	SR-1178	OD: 62; W: 26; engine 1C; MD CE90
1.8 D [CE90]	47/64	1C	12/87->06/92	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; engine 1C; MD CE90
				Tensioner	SR-1178	OD: 62; W: 26; engine 1C; MD CE90
COROLLA Verso [ZDE12_, CDE12_] 						
1.6 WT-i	81/110	3ZZ-FE	01/02->05/04	Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; engine 3ZZ-FE; + AC; + PS; TH; ->01/04; MD ZZE121
				Tensioner	SR-1414	OD: 70; W: 26; ALT
1.8 WT-i	99/135	1ZZ-FE	01/02->05/04	Tensioner	SR-1414	OD: 70; W: 26; ALT
				Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; ->01/04; engine 1ZZ-FE; MD ZZE122
2.0 D-4D	66/90	1CD-FTV	01/02->05/04	Deflection/Guide	SR-1505	- holder; ID: 17; OD: 90; W: 24,5; ALT; ->01/04; engine 1CD-FTV; MD CDE120
COROLLA Verso [ZER_, ZZE12_, R1_] 						
1.6	81/110	3ZZ-FE	04/04->03/09	Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; ->02/09; MD ZNR10
				Tensioner	SR-1414	OD: 70; W: 26; ALT
				Tensioner	SR-1414	OD: 70; W: 26; ALT
1.8	95/129	1ZZ-FE	04/04->03/09	Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; ->02/09; MD ZNR11
2.0 D-4D	85/116	1CD-FTV	04/04->03/09	Deflection/Guide	SR-1505	- holder; ID: 17; OD: 90; W: 24,5; ALT; ->08/05; MD CUR10
2.2 D-4D	130/177	2AD-FHV	10/05->03/09	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; ->02/09; MD AUR10
2.2 D-4D	100/136	2AD-FTV	10/05->03/09	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; ->02/09; MD AUR10
COROLLA Wagon [_E11_] 						
1.4 [EE111_]	63/86	4E-FE	04/97->02/00	Deflection/Guide	SR-1200	OD: 50; W: 27; ->11/99
1.4 16V [ZZE111_]	71/97	4ZZ-FE	02/00->10/01	Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; MD ZZE11#
1.6 [AE111_]	81/110	4A-FE	04/97->02/00	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; ->11/99; MD AE111
				Tensioner	SR-1199	OD: 57; W: 25; ->11/99; MD AE111
1.6 16V [ZZE112_]	81/110	3ZZ-FE	02/00->10/01	Tensioner	SR-1414	OD: 70; W: 26; ALT
				Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; MD ZZE11#
1.6 Aut. [AE111_]	79/107	4A-FE	04/97->02/00	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; ->11/99; MD AE111
				Tensioner	SR-1199	OD: 57; W: 25; ->11/99; MD AE111
1.8 4WD [AE115_]	81/110	7A-FE	04/97->10/01	Tensioner	SR-1199	OD: 57; W: 25; ->07/01; MD AE115
1.9 D [WZE110_]	51/69	1WZ	02/00->10/01	Deflection/Guide	SR-1125	OD: 60; W: 30; Fitting Position: Right
				Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; ->10/99; MD CE110
2.0 D [CE110_]	53/72	2C-E	04/97->02/00	Deflection/Guide	SR-1276	OD: 90; W: 21
				Tensioner	SR-1178	OD: 62; W: 26; ->10/99; MD CE110
2.0 D-4D	66/90	1CD-FTV	09/00->10/01	Deflection/Guide	SR-1276	OD: 90; W: 21
COROLLA Wagon [_E10_] 						
1.3 XLI [EE101_]	55/75	4E-FE	09/95->04/97	Deflection/Guide	SR-1200	OD: 50; W: 27; MD EE10#
1.3 XLI 16V [EE101_]	65/88	4E-FE	07/92->09/95	Deflection/Guide	SR-1200	OD: 50; W: 27; MD EE10#
1.6 Si [AE101_]	84/114	4A-FE	07/92->04/97	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; MD AE101
				Tensioner	SR-1199	OD: 57; W: 25; MD AE101
1.8 16V 4WD [AE103_]	81/110	7A-FE	09/95->04/97	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; MD AE10#
				Tensioner	SR-1199	OD: 57; W: 25; MD AE10#
				Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; MD CE100
2.0 D [CE100_]	53/72	2C	07/92->04/97	Deflection/Guide	SR-1276	OD: 90; W: 21
				Tensioner	SR-1178	OD: 62; W: 26; MD CE100
CRESSIDA Saloon [_X6_] 						
2.0 GLI	80/109	1G-E	11/82->12/84	Deflection/Guide	SR-1190	OD: 58; W: 29; 08/84->; MD GX6#
2.2 D [LX60]	49/67	L	09/80->07/84	Tensioner	SR-1195	OD: 60; W: 33; ->05/82; MD LX60; 06/82->
CROWN Saloon [_S1_] 						
2.2 D [LS110_]	53/72	L	04/80->07/83	Tensioner	SR-1195	OD: 60; W: 33; ->05/82; MD LS110; 06/82->; ->03/83
CROWN Saloon [CRS_, JZS_, GRS18_, UZS_] 						
3.0	170/231	3GR-FE	09/04->02/08	Tensioner	SR-1059	- holder; OD: 70; W: 33; 11/04->; AT
DYNA Bus [LY1_, _H8_] 						
2.4 D	61/83	2L	08/87->07/01	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5; 09/88->; ->02/91; MD LH80; 03/91->; MD LH80; MD LY100
				Tensioner	SR-1195	OD: 60; W: 33; ->08/88; MD LH80
				Tensioner	SR-1110	OD: 62; W: 35; 09/88->; ->02/91; MD LH80; 03/91->; MD LH80; MD LY100
DYNA Platform/Chassis [KD_, LY_, TRY2_, KDY2_, XZU4_, XZU3_] 						
2.5 D4d	75/102	2KD-FTV	08/01->	Deflection/Guide	SR-1442	+ holder; OD: 75; W: 32,3
				Deflection/Guide	SR-1441	- holder; OD: 75; W: 32,3; ALT; ->10/06; MD KDY220; MD KDY230; MD KDY250; MD KDY260
3.0 D4d	106/144	1KD-FTV	09/06->	Deflection/Guide	SR-1441	- holder; OD: 75; W: 32,3; ALT; MD KDY221; MD KDY231; MD KDY251; MD KDY261
				Deflection/Guide	SR-1442	+ holder; OD: 75; W: 32,3
3.0 D4d	80/109	1KD-FTV	09/06->	Deflection/Guide	SR-1442	+ holder; OD: 75; W: 32,3
				Deflection/Guide	SR-1441	- holder; OD: 75; W: 32,3; ALT; MD KDY221; MD KDY231; MD KDY251; MD KDY261

















	kW/HP	Engine code		Type		
3.0 D4d	100/136	1KD-FTV	10/09->	Deflection/Guide	SR-1441	- holder; OD: 75; W: 32,3; ALT; MD KDY221; MD KDY231; MD KDY251; MD KDY261
DYNA Platform/Chassis (LH8_) 						
2.4 D	61/83	2L	08/87->04/95	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5; 09/88-> ->02/91; MD LH80; 03/91-> MD LH80
				Tensioner	SR-1110	OD: 62; W: 35; 09/88-> ->02/91; MD LH80; 03/91-> MD LH80
				Tensioner	SR-1195	OD: 60; W: 33; ->08/88; MD LH80
FJ CRUISER (GSJ1_) 						
4.0 i V6	203/276	1GR-FE	01/11->	Tensioner	SR-1060	- holder; ID: 17; OD: 70; W: 33,5; ALT
				Tensioner	SR-1059	- holder; OD: 70; W: 33
4.0 i V6	200/272	1GR-FE	12/10->	Tensioner	SR-1059	- holder; OD: 70; W: 33
				Tensioner	SR-1060	- holder; ID: 17; OD: 70; W: 33,5; ALT
4.0 i V6 4WD	193/262	1GR-FE	12/10->	Tensioner	SR-1060	- holder; ID: 17; OD: 70; W: 33,5; ALT
				Tensioner	SR-1059	- holder; OD: 70; W: 33
4.0 WTi	178/242	1GR-FE	01/06->12/11	Tensioner	SR-1060	- holder; ID: 17; OD: 70; W: 33,5; ALT
				Tensioner	SR-1059	- holder; OD: 70; W: 33; 08/09-> AT
4.0 WTi 4WD	178/242	1GR-FE	01/06->12/11	Tensioner	SR-1060	- holder; ID: 17; OD: 70; W: 33,5; ALT
				Tensioner	SR-1059	- holder; OD: 70; W: 33; 08/09->
FORTUNER (TGN6_, KUN6_, GGN6_, TGN5_, LAN5_, KUN5_, GGN5_) 						
2.5 D-4D 4WD	75/102	2KD-FTV	01/09->05/15	Deflection/Guide	SR-1441	- holder; OD: 75; W: 32,3; ALT; MD KUN50; MD KUN60
				Deflection/Guide	SR-1442	+ holder; OD: 75; W: 32,3
				Tensioner	SR-1062	OD: 26; MD KUN50; MD KUN60
				Tensioner	SR-1061	+ holder; OD: 62; W: 29; MD KUN50; MD KUN60; Fitting Position: Upper Left; MD KUN50; MD KUN60
2.5 D-4D 4WD	106/144	2KD-FTV	01/09->05/15	Deflection/Guide	SR-1442	+ holder; OD: 75; W: 32,3
				Deflection/Guide	SR-1441	- holder; OD: 75; W: 32,3; ALT; MD KUN50; MD KUN60
				Tensioner	SR-1061	+ holder; OD: 62; W: 29; MD KUN50; MD KUN60; Fitting Position: Upper Left; MD KUN50; MD KUN60
				Tensioner	SR-1062	OD: 26; MD KUN50; MD KUN60
3.0 D	125/170	1KD-FTV	08/09->05/15	Deflection/Guide	SR-1441	- holder; OD: 75; W: 32,3; ALT; MD KUN51; MD KUN61
				Deflection/Guide	SR-1442	+ holder; OD: 75; W: 32,3
				Tensioner	SR-1061	+ holder; OD: 62; W: 29; MD KUN51; MD KUN61; MD KUN51; MD KUN61; Fitting Position: Upper Left
				Tensioner	SR-1062	OD: 26; MD KUN51; MD KUN61
3.0 D 4WD	120/163	1KD-FTV	06/04->05/15	Deflection/Guide	SR-1442	+ holder; OD: 75; W: 32,3
				Deflection/Guide	SR-1441	- holder; OD: 75; W: 32,3; ALT; 01/05-> MD KUN51; MD KUN61
				Tensioner	SR-1061	+ holder; OD: 62; W: 29; 01/05-> MD KUN51; MD KUN61; Fitting Position: Upper Left
				Tensioner	SR-1062	OD: 26; 01/05-> MD KUN51; MD KUN61
3.0 D 4WD	125/170	1KD-FTV	08/09->05/15	Deflection/Guide	SR-1442	+ holder; OD: 75; W: 32,3
				Tensioner	SR-1062	OD: 26; MD KUN51; MD KUN61
				Tensioner	SR-1061	+ holder; OD: 62; W: 29; MD KUN51; MD KUN61; MD KUN51; MD KUN61; Fitting Position: Upper Left
4.0 WTi 4WD	175/238	1GR-FE	01/10->05/15	Deflection/Guide	SR-1058	OD: 70; W: 32; ALT; MD GGN50; MD GGN60; Fitting Position: Upper; Fitting Position: Lower; QTY 2
				Tensioner	SR-1060	- holder; ID: 17; OD: 70; W: 33,5; ALT
HARRIER (MCU3_, MHU3_, ACU3_, GSU3_) 						
3.5 WTi 4WD	206/280	2GR-FE	04/05->12/08	Tensioner	SR-1059	- holder; OD: 70; W: 33; 01/06->
HIACE / COMMUTER V (TRH2_, KDH2_) 						
3.0 D	100/136	1KD-FTV	01/05->	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5; engine 5L-E; MD LH20#; MD LH212; MD LH222; not for EU
				Tensioner	SR-1110	OD: 62; W: 35; engine 5L-E; MD LH20#; MD LH212; MD LH222; not for EU
HIACE I Box (RH1_, LH3_, RH3_, RH2_, LH2_, LH1_) 						
2.2 D (LH20-30)	46/63	L	01/79->03/83	Tensioner	SR-1195	OD: 60; W: 33; ->10/81; MD LH20-30
HIACE II Box (LH5_, YH7_, LH7_, LH6_, YH6_, YH5_) 						
2.2 D	49/67	L	03/83->11/89	Tensioner	SR-1195	OD: 60; W: 33; ->08/87; MD LH50; MD LH60
HIACE II Wagon (LH7_, LH5_, LH6_, YH7_, YH6_, YH5_) 						
2.2 D (H5G)	49/67	L	03/83->11/89	Tensioner	SR-1195	OD: 60; W: 33; ->08/87; MD LH50; MD LH60
HIACE III Box (YH7_, LH6_, LH7_, LH5_, YH5_, YH6_) 						
2.4 D	55/75	2L	02/90->08/95	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5; ->02/91; MD LH102; MD LH112; MD LH114; 03/91-> MD LH102; MD LH112; MD LH114
				Tensioner	SR-1110	OD: 62; W: 35; ->02/91; MD LH102; MD LH112; MD LH114; 03/91-> MD LH102; MD LH112; MD LH114
2.4 D 4WD	55/75	2L	08/89->08/95	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5; ->02/91; MD LH102; MD LH112; MD LH114; 03/91-> MD LH102; MD LH112; MD LH114
				Tensioner	SR-1110	OD: 62; W: 35; ->02/91; MD LH102; MD LH112; MD LH114; 03/91-> MD LH102; MD LH112; MD LH114
HIACE III Wagon (LH1_, RZH1_) 						
2.4 D	57/78	2L	08/89->08/95	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5; MD LH102; MD LH112; MD LH114
				Tensioner	SR-1110	OD: 62; W: 35; MD LH102; MD LH112; MD LH114
2.4 D (LH102)	55/75	2L	08/89->08/95	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5; ->02/91; MD LH102; MD LH112; MD LH114; 03/91-> MD LH102; MD LH112; MD LH114
				Tensioner	SR-1110	OD: 62; W: 35; ->02/91; MD LH102; MD LH112; MD LH114; 03/91-> MD LH102; MD LH112; MD LH114








	kW/HP	Engine code		Type		
2.4 D 4WD	55/75	2L	08/89->08/95	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5; --02/91; MD LH102; MD LH112; MD LH114; 03/91->; MD LH102; MD LH112; MD LH114
				Tensioner	SR-1110	OD: 62; W: 35; --02/91; MD LH102; MD LH112; MD LH114; 03/91->; MD LH102; MD LH112; MD LH114
HIACE IV Box (LXH1_, RZH1_, LH1_) 						
2.4 D (LXH12_, LXH22_)	58/79	2L	08/95->08/06	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5; --08/01; MD LXH12; MD LXH22
				Tensioner	SR-1110	OD: 62; W: 35; --08/01; MD LXH12; MD LXH22
2.4 TD (LXH12_, LXH22_)	66/90	2L-T	08/95->08/06	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5; --08/01; MD LXH1#; MD LXH2#
				Tensioner	SR-1110	OD: 62; W: 35; --08/01; MD LXH1#; MD LXH2#
2.4 TD 4WD (LXH18_, LXH28_)	66/90	2L-T	08/95->08/06	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5; --08/01; MD LXH1#; MD LXH2#
				Tensioner	SR-1110	OD: 62; W: 35; --08/01; MD LXH1#; MD LXH2#
2.5 D-4D	86/117	2KD-FTV	09/06->	Tensioner	SR-1062	OD: 26; -->11/11; MD KLH1#; MD KLH2#
				Tensioner	SR-1061	+ holder; OD: 62; W: 29; -->11/11; MD KLH1#; MD KLH2#; -->11/11; MD KLH1#; MD KLH2#; Fitting Position: Upper Left
2.5 D-4D	70/95	2KD-FTV	09/06->	Tensioner	SR-1062	OD: 26; -->11/11; MD KLH1#; MD KLH2#
				Tensioner	SR-1061	+ holder; OD: 62; W: 29; -->11/11; MD KLH1#; MD KLH2#; -->11/11; MD KLH1#; MD KLH2#; Fitting Position: Upper Left
2.5 D-4D	65/88	2KD-FTV	11/01->08/06	Deflection/Guide	SR-1442	+ holder; OD: 75; W: 32,3
				Deflection/Guide	SR-1441	- holder; OD: 75; W: 32,3; ALT; MD KLH1#; MD KLH2#
2.5 D-4D	75/102	2KD-FTV	11/01->08/06	Tensioner	SR-1061	+ holder; OD: 62; W: 29; MD KLH1#; MD KLH2#; MD KLH1#; MD KLH2#; Fitting Position: Upper Left
				Tensioner	SR-1062	OD: 26; MD KLH1#; MD KLH2#
2.5 D-4D 4WD	86/117	2KD-FTV	09/06->	Deflection/Guide	SR-1442	+ holder; OD: 75; W: 32,3
				Deflection/Guide	SR-1441	- holder; OD: 75; W: 32,3; ALT; MD KLH1#; MD KLH2#
2.5 D-4D 4WD	75/102	2KD-FTV	11/01->08/06	Tensioner	SR-1061	+ holder; OD: 62; W: 29; MD KLH1#; MD KLH2#; MD KLH1#; MD KLH2#; Fitting Position: Upper Left
				Tensioner	SR-1062	OD: 26; MD KLH1#; MD KLH2#
2.5 D-4D 4WD	86/117	2KD-FTV	09/06->	Deflection/Guide	SR-1442	+ holder; OD: 75; W: 32,3
				Deflection/Guide	SR-1441	- holder; OD: 75; W: 32,3; ALT; MD KLH1#; MD KLH2#
2.5 D-4D 4WD	75/102	2KD-FTV	11/01->08/06	Tensioner	SR-1061	+ holder; OD: 62; W: 29; MD KLH1#; MD KLH2#; MD KLH1#; MD KLH2#; Fitting Position: Upper Left
				Tensioner	SR-1062	OD: 26; MD KLH1#; MD KLH2#
HIACE IV Bus (LH1_) 						
2.4 D	55/75	2L	07/99->08/06	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5; --08/01; MD LXH12; MD LXH22
				Tensioner	SR-1110	OD: 62; W: 35; --08/01; MD LXH12; MD LXH22
2.4 D	58/79	2L	08/95->08/06	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5; --08/01; MD LXH12; MD LXH22
				Tensioner	SR-1110	OD: 62; W: 35; --08/01; MD LXH12; MD LXH22
2.4 TD (LXH12_, LXH22_)	66/90	2L-T	08/95->08/06	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5; --08/01; MD LXH1#; MD LXH2#
				Tensioner	SR-1110	OD: 62; W: 35; --08/01; MD LXH1#; MD LXH2#
2.4 TD 4WD (H18/28)	66/90	2L-T	08/95->08/06	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5; --08/01; MD LXH1#; MD LXH2#
				Tensioner	SR-1110	OD: 62; W: 35; --08/01; MD LXH1#; MD LXH2#
2.5 D-4D	70/95	2KD-FTV	08/06->	Tensioner	SR-1061	+ holder; OD: 62; W: 29; -->11/11; MD KLH1#; MD KLH2#; -->11/11; MD KLH1#; MD KLH2#; Fitting Position: Upper Left
				Tensioner	SR-1062	OD: 26; -->11/11; MD KLH1#; MD KLH2#
2.5 D-4D	86/117	2KD-FTV	08/06->	Tensioner	SR-1062	OD: 26; -->11/11; MD KLH1#; MD KLH2#
				Tensioner	SR-1061	+ holder; OD: 62; W: 29; -->11/11; MD KLH1#; MD KLH2#; -->11/11; MD KLH1#; MD KLH2#; Fitting Position: Upper Left
2.5 D-4D	65/88	2KD-FTV	11/01->08/06	Deflection/Guide	SR-1442	+ holder; OD: 75; W: 32,3
				Deflection/Guide	SR-1441	- holder; OD: 75; W: 32,3; ALT; MD KLH1#; MD KLH2#
2.5 D-4D	75/102	2KD-FTV	11/01->08/06	Tensioner	SR-1061	+ holder; OD: 62; W: 29; MD KLH1#; MD KLH2#; MD KLH1#; MD KLH2#; Fitting Position: Upper Left
				Tensioner	SR-1062	OD: 26; MD KLH1#; MD KLH2#
2.5 D-4D 4WD	86/117	2KD-FTV	10/06->	Tensioner	SR-1062	OD: 26; -->11/11; MD KLH1#; MD KLH2#
				Tensioner	SR-1061	+ holder; OD: 62; W: 29; -->11/11; MD KLH1#; MD KLH2#; -->11/11; MD KLH1#; MD KLH2#; Fitting Position: Upper Left
2.5 D-4D 4WD	75/102	2KD-FTV	11/01->08/06	Deflection/Guide	SR-1442	+ holder; OD: 75; W: 32,3
				Deflection/Guide	SR-1441	- holder; OD: 75; W: 32,3; ALT; MD KLH1#; MD KLH2#
2.5 D-4D 4WD	86/117	2KD-FTV	11/01->08/06	Tensioner	SR-1061	+ holder; OD: 62; W: 29; MD KLH1#; MD KLH2#; MD KLH1#; MD KLH2#; Fitting Position: Upper Left
				Tensioner	SR-1062	OD: 26; MD KLH1#; MD KLH2#
HIACE IV Platform/Chassis (LXH1_, RCH1_, KLH1_) 						
2.4 D	55/75	2L	07/99->08/06	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5; --08/01; MD LXH12; MD LXH22
				Tensioner	SR-1110	OD: 62; W: 35; --08/01; MD LXH12; MD LXH22
2.4 D	61/83	2L	08/95->08/06	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5; --08/01; MD LXH12; MD LXH22
				Tensioner	SR-1110	OD: 62; W: 35; --08/01; MD LXH12; MD LXH22
HIGHLANDER (MCU2_, ACU2_) 						
3.3	171/233	3MZ-FE	10/03->05/07	Deflection/Guide	SR-1194	OD: 62; W: 37; MD MCU28
				Tensioner	SR-1516	+ holder; OD: 62; W: 36; MD MCU28; MD MCU28; Fitting Position: Upper
HIGHLANDER (MHU4_, GSU4_, ASU4_) 						
3.5	201/273	2GR-FE	05/07->	Deflection/Guide	SR-1058	OD: 70; W: 32; ALT; -->12/13; MD GSU4#
				Tensioner	SR-1152	+ holder; OD: 70; W: 33,5; ALT; -->12/13; MD GSU4#
				Tensioner	SR-1059	- holder; OD: 70; W: 33

	kW/HP	Engine code		Type		
3.5 4WD	201/273	2GR-FE	05/07->	Deflection/Guide	SR-1058	OD: 70; W: 32; ALT; ->12/13; MD GSU4#
				Tensioner	SR-1059	- holder; OD: 70; W: 33
				Tensioner	SR-1152	+ holder; OD: 70; W: 33,5; ALT; ->12/13; MD GSU4#
HILUX II Pickup (LN8_, RN5_, LN6_, YN6_, YN5_, LN5_, RN6_) 						
2.4 D	59/80	2L	01/92->07/05	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5; 08/97->; ->08/01; MD LN145; MD LN150
				Tensioner	SR-1110	OD: 62; W: 35; 08/97->; ->08/01; MD LN145; MD LN150
2.4 D	58/79	2L	03/95->07/05	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5; 08/97->; ->08/01; MD LN145; MD LN150
				Tensioner	SR-1110	OD: 62; W: 35; 08/97->; ->08/01; MD LN145; MD LN150
2.4 D	61/83	2L	08/88->07/05	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5; 08/97->; ->08/01; MD LN145; MD LN150
				Tensioner	SR-1110	OD: 62; W: 35; 08/97->; ->08/01; MD LN145; MD LN150
2.4 D (LN150, LN145)	55/75	2L	07/98->01/02	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5; ->08/01; MD LN145; MD LN150
				Tensioner	SR-1110	OD: 62; W: 35; ->08/01; MD LN145; MD LN150
2.4 D 4WD	58/79	2L	01/94->07/05	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5; 08/97->; ->08/01; MD LN145; MD LN150
				Tensioner	SR-1110	OD: 62; W: 35; 08/97->; ->08/01; MD LN145; MD LN150
2.4 D 4WD	61/83	2L	08/88->07/05	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5; 08/97->; ->08/01; MD LN145; MD LN150
				Tensioner	SR-1110	OD: 62; W: 35; 08/97->; ->08/01; MD LN145; MD LN150
2.4 TD 4WD	66/90	2L-T	08/98->01/02	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5; ->08/01; MD LN145; MD LN150
				Tensioner	SR-1110	OD: 62; W: 35; ->08/01; MD LN145; MD LN150
2.5 D-4D	65/88	2KD-FTV	11/01->07/05	Deflection/Guide	SR-1441	- holder; OD: 75; W: 32,3; ALT; MD KDN145; MD KDN150; MD KDN165; MD KDN170; MD KDN190
				Deflection/Guide	SR-1442	+ holder; OD: 75; W: 32,3
				Tensioner	SR-1062	OD: 26; MD KDN145; MD KDN150; MD KDN165; MD KDN170; MD KDN190
2.5 D-4D 4WD	75/102	2KD-FTV	11/01->07/05	Tensioner	SR-1061	+ holder; OD: 62; W: 29; MD KDN145; MD KDN150; MD KDN165; MD KDN170; MD KDN190; MD KDN145; MD KDN150; MD KDN165; MD KDN170; MD KDN190; Fitting Position: Upper Left
				Deflection/Guide	SR-1442	+ holder; OD: 75; W: 32,3
				Deflection/Guide	SR-1441	- holder; OD: 75; W: 32,3; ALT; MD KDN145; MD KDN150; MD KDN165; MD KDN170; MD KDN190
2.5 D-4D 4WD	75/102	2KD-FTV	11/01->07/05	Tensioner	SR-1061	+ holder; OD: 62; W: 29; MD KDN145; MD KDN150; MD KDN165; MD KDN170; MD KDN190; MD KDN145; MD KDN150; MD KDN165; MD KDN170; MD KDN190; Fitting Position: Upper Left
				Tensioner	SR-1062	OD: 26; MD KDN145; MD KDN150; MD KDN165; MD KDN170; MD KDN190
				Tensioner	SR-1062	OD: 26; MD KDN145; MD KDN150; MD KDN165; MD KDN170; MD KDN190
HILUX III Pickup (KUN_, TGN_, LAN_, GGN_) 						
2.5 D 4WD	75/102	2KD-FTV	08/05->	Deflection/Guide	SR-1442	+ holder; OD: 75; W: 32,3
				Deflection/Guide	SR-1441	- holder; OD: 75; W: 32,3; ALT; MD KUN10; MD KUN15; MD KUN25; MD KUN35
				Tensioner	SR-1062	OD: 26; MD KUN10; MD KUN15; MD KUN25; MD KUN35
				Tensioner	SR-1061	+ holder; OD: 62; W: 29; MD KUN10; MD KUN15; MD KUN25; MD KUN35; Fitting Position: Upper Left; MD KUN10; MD KUN15; MD KUN25; MD KUN35
2.5 D-4D	75/102	2KD-FTV	07/05->	Deflection/Guide	SR-1442	+ holder; OD: 75; W: 32,3
				Deflection/Guide	SR-1441	- holder; OD: 75; W: 32,3; ALT; MD KUN10; MD KUN15; MD KUN25; MD KUN35
				Tensioner	SR-1062	OD: 26; MD KUN10; MD KUN15; MD KUN25; MD KUN35
				Tensioner	SR-1061	+ holder; OD: 62; W: 29; MD KUN10; MD KUN15; MD KUN25; MD KUN35; Fitting Position: Upper Left; MD KUN10; MD KUN15; MD KUN25; MD KUN35
2.5 D-4D	88/120	2KD-FTV	12/07->	Deflection/Guide	SR-1442	+ holder; OD: 75; W: 32,3
				Deflection/Guide	SR-1441	- holder; OD: 75; W: 32,3; ALT; MD KUN10; MD KUN15; MD KUN25; MD KUN35
				Tensioner	SR-1061	+ holder; OD: 62; W: 29; MD KUN10; MD KUN15; MD KUN25; MD KUN35; Fitting Position: Upper Left; MD KUN10; MD KUN15; MD KUN25; MD KUN35
				Tensioner	SR-1062	OD: 26; MD KUN10; MD KUN15; MD KUN25; MD KUN35
2.5 D-4D 4WD	88/120	2KD-FTV	12/07->	Deflection/Guide	SR-1442	+ holder; OD: 75; W: 32,3
				Deflection/Guide	SR-1441	- holder; OD: 75; W: 32,3; ALT; MD KUN10; MD KUN15; MD KUN25; MD KUN35
				Tensioner	SR-1061	+ holder; OD: 62; W: 29; MD KUN10; MD KUN15; MD KUN25; MD KUN35; Fitting Position: Upper Left; MD KUN10; MD KUN15; MD KUN25; MD KUN35
				Tensioner	SR-1062	OD: 26; MD KUN10; MD KUN15; MD KUN25; MD KUN35
2.5 D-4D 4WD	106/144	2KD-FTV	12/07->	Deflection/Guide	SR-1442	+ holder; OD: 75; W: 32,3
				Deflection/Guide	SR-1441	- holder; OD: 75; W: 32,3; ALT; MD KUN10; MD KUN15; MD KUN25; MD KUN35
				Tensioner	SR-1061	+ holder; OD: 62; W: 29; MD KUN10; MD KUN15; MD KUN25; MD KUN35; Fitting Position: Upper Left; MD KUN10; MD KUN15; MD KUN25; MD KUN35
				Tensioner	SR-1062	OD: 26; MD KUN10; MD KUN15; MD KUN25; MD KUN35
3.0 D (KUN16)	126/171	1KD-FTV	10/06->	Deflection/Guide	SR-1441	- holder; OD: 75; W: 32,3; ALT; MD KUN16; MD KUN26; MD KUN36
				Deflection/Guide	SR-1442	+ holder; OD: 75; W: 32,3
				Tensioner	SR-1061	+ holder; OD: 62; W: 29; MD KUN16; MD KUN26; MD KUN36; MD KUN16; MD KUN26; MD KUN36; Fitting Position: Upper Left
				Tensioner	SR-1062	OD: 26; MD KUN16; MD KUN26; MD KUN36
3.0 D-4D 4WD	126/171	1KD-FTV	12/07->	Deflection/Guide	SR-1442	+ holder; OD: 75; W: 32,3
				Deflection/Guide	SR-1441	- holder; OD: 75; W: 32,3; ALT; MD KUN16; MD KUN26; MD KUN36
				Tensioner	SR-1062	OD: 26; MD KUN16; MD KUN26; MD KUN36
				Tensioner	SR-1061	+ holder; OD: 62; W: 29; MD KUN16; MD KUN26; MD KUN36; MD KUN16; MD KUN26; MD KUN36; Fitting Position: Upper Left
LAND CRUISER (LJ12_, KZJ12_, TRJ12_, KDJ12_, GRJ12_) 						
3.0 D-4D (KDJ120, KDJ125)	122/166	1KD-FTV	08/04->07/09	Tensioner	SR-1062	OD: 26; MD KDJ12#
				Tensioner	SR-1061	+ holder; OD: 62; W: 29; MD KDJ12#; Fitting Position: Upper Left; MD KDJ12#
3.0 D-4D (KDJ120, KDJ125)	127/173	1KD-FTV	09/02->07/09	Tensioner	SR-1061	+ holder; OD: 62; W: 29; MD KDJ12#; Fitting Position: Upper Left; MD KDJ12#
				Tensioner	SR-1062	OD: 26; MD KDJ12#

	kW/HP	Engine code		Type		
3.0 D-4D (KDJ120, KDJ150, KDJ125)	120/163	1KD-FTV	01/03->07/09	Tensioner	SR-1062	OD: 26; MD KDJ12#
				Tensioner	SR-1061	+ holder; OD: 62; W: 29; MD KDJ12#; Fitting Position: Upper Left; MD KDJ12#
4.0 (GRJ12, GRJ125)	183/249	1GR-FE	01/03->07/09	Deflection/Guide	SR-1058	OD: 70; W: 32; ALT; MD GRJ12#; Fitting Position: Upper; Fitting Position: Lower; QTY 2; + PS
				Tensioner	SR-1060	- holder; ID: 17; OD: 70; W: 33.5; ALT
LAND CRUISER (PZJ7_, KZJ7_, HZJ7_, BJ7_, LJ7_, RJ7_) 						
2.4 D (LJ70_)	53/72	2L	11/84->10/85	Tensioner	SR-1195	OD: 60; W: 33; MD LJ7#
2.4 TD (LJ70)	66/90	2L-T	01/90->05/93	Deflection/Guide	SR-1111	ID: 12; OD: 8.5; W: 35.5; ->02/91; MD LJ7#; 03/91->; MD LJ7#
				Tensioner	SR-1110	OD: 62; W: 35; ->02/91; MD LJ7#; 03/91->; MD LJ7#
2.4 TD (LJ70_, LJ73_)	63/86	2L-T	10/85->05/90	Tensioner	SR-1195	OD: 60; W: 33; ->01/90; MD LJ7#
3.0 TD (KZJ70_, KZJ73_, KZJ77_)	92/125	1KZ-T	05/93->05/96	Tensioner	SR-1062	OD: 26; MD KZJ7#; Fitting Position: Lower
LAND CRUISER 100 (FZJ1_, UZJ1_) 						
4.2 TD (HDJ100_)	150/204	1HD-FTE	01/98->08/07	Tensioner	SR-1410	OD: 80; thread size M10x1.25; W: 20
				Deflection/Guide	SR-1197	OD: 66; W: 38; MD UZJ100
				Deflection/Guide	SR-1314	OD: 70; W: 22.5; ALT; MD UZJ100; + AC; + PS
4.7 (UZJ100)	175/238	2UZ-FE	02/02->08/07	Tensioner	SR-1315	OD: 62; W: 37.5; MD UZJ100; MD UZJ100; Fitting Position: Upper
				Tensioner	SR-1198	ID: 17; OD: 90.5; W: 29; ALT
				Deflection/Guide	SR-1314	OD: 70; W: 22.5; ALT; MD UZJ100; + AC; + PS
4.7 (UZJ100_)	173/235	2UZ-FE	01/98->08/07	Deflection/Guide	SR-1197	OD: 66; W: 38; MD UZJ100
				Tensioner	SR-1315	OD: 62; W: 37.5; MD UZJ100; MD UZJ100; Fitting Position: Upper
				Tensioner	SR-1198	ID: 17; OD: 90.5; W: 29; ALT
LAND CRUISER 200 (VDJ2_, UZJ2_) 						
4.7 V8 (UZJ200)	212/288	2UZ-FE	01/08->	Deflection/Guide	SR-1197	OD: 66; W: 38; ->01/12; MD UZJ200
				Deflection/Guide	SR-1314	OD: 70; W: 22.5; ALT; ->01/12; MD UZJ200
				Tensioner	SR-1315	OD: 62; W: 37.5; ->01/12; MD UZJ200; Fitting Position: Upper; ->01/12; MD UZJ200
LAND CRUISER 90 (_J9_) 						
3.0 D-4D (KDJ90, KDJ95, KDJ 125)	120/163	1KD-FTV	10/00->	Tensioner	SR-1061	+ holder; OD: 62; W: 29; ->09/02; MD KDJ90; MD KDJ95; Fitting Position: Upper Left; ->09/02
				Tensioner	SR-1062	OD: 26; ->09/02; MD KDJ90; MD KDJ95
3.0 TD (KZJ90_, KZJ95_)	92/125	1KZ-TE	04/96->	Tensioner	SR-1062	OD: 26; ->05/00; MD KZJ90; MD KZJ95; Fitting Position: Lower; 06/00->; ->09/02
				Tensioner	SR-1061	+ holder; OD: 62; W: 29; 06/00->; ->09/02; MD KZJ90; MD KZJ95; Fitting Position: Upper
LAND CRUISER Hardtop (_J7_) 						
2.4 TD (LJ77)	66/90	2L-T	07/90->05/96	Deflection/Guide	SR-1111	ID: 12; OD: 8.5; W: 35.5; ->02/91; MD LJ7#; 03/91->; ->01/95; MD LJ7#
				Tensioner	SR-1110	OD: 62; W: 35; ->02/91; MD LJ7#; 03/91->; ->01/95; MD LJ7#
LAND CRUISER PRADO (KDJ15_, GRJ15_) 						
3.0 D-4D	140/190	1KD-FTV	01/10->	Tensioner	SR-1061	+ holder; OD: 62; W: 29; MD KDJ15#; MD KDJ15#; Fitting Position: Upper Left
				Tensioner	SR-1062	OD: 26; MD KDJ15#
3.0 D-4D	127/173	1KD-FTV	03/10->	Tensioner	SR-1062	OD: 26; MD KDJ15#
				Tensioner	SR-1061	+ holder; OD: 62; W: 29; MD KDJ15#; MD KDJ15#; Fitting Position: Upper Left
4.0 V6 VVT-i	207/282	1GR-FE	01/10->	Deflection/Guide	SR-1058	OD: 70; W: 32; ALT; MD GRJ150; Fitting Position: Upper; Fitting Position: Lower; QTY 2
				Tensioner	SR-1059	- holder; OD: 70; W: 33
				Tensioner	SR-1060	- holder; ID: 17; OD: 70; W: 33.5; ALT
MARK X I (GRX12_) 						
3.0 WTi	183/249	3GR-FSE	05/04->09/09	Tensioner	SR-1059	- holder; OD: 70; W: 33; 11/04->; AT
MARK X II (GRX13_) 						
2.5	149/203	4GR-FSE	10/09->	Tensioner	SR-1059	- holder; OD: 70; W: 33; AT
MATRIX (ZZE13_) 						
1.8	130/177	2ZZ-GE	09/02->12/06	Tensioner	SR-1328	- holder; ID: 17; OD: 70; W: 26; 12/04->; ->07/06; MT
1.8 WTi 4WD	91/124	1ZZ-FE	09/01->02/04	Tensioner	SR-1414	OD: 70; W: 26; ALT
MR 2 II (SW2_) 						
2.0 16V	129/175	3S-GE	12/89->05/00	Deflection/Guide	SR-1190	OD: 58; W: 29; ->11/93; MD SW20; 12/93->; ->08/99; MD SW20
2.0 16V	125/170	3S-GE	12/89->05/00	Deflection/Guide	SR-1190	OD: 58; W: 29; ->11/93; MD SW20; 12/93->; ->08/99; MD SW20
2.0 16V (SW20)	115/156	3S-GE	12/89->05/00	Deflection/Guide	SR-1190	OD: 58; W: 29; ->11/93; MD SW20; 12/93->; ->08/99; MD SW20
MR 2 III (ZZW3_) 						
1.8 16V VT-i (ZZW30)	103/140	1ZZ-FE	10/99->06/07	Deflection/Guide	SR-1463	OD: 85; W: 28.8; ALT; 12/99->; ->09/05; MD ZZW30
				Tensioner	SR-1414	OD: 70; W: 26; ALT
				Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; 12/99->; ->09/05; MD ZZW30
PASEO Convertible (EL54) 						
1.5	66/90	5E-FE	10/96->01/98	Deflection/Guide	SR-1200	OD: 50; W: 27; MD EL54
1.5	81/110	5E-FE	10/97->01/98	Deflection/Guide	SR-1200	OD: 50; W: 27; MD EL54
PASEO Coupe (EL44_) 						
1.5	74/101	5E-FE	04/91->08/95	Deflection/Guide	SR-1200	OD: 50; W: 27; MD EL44
1.5	85/116	5E-FE	06/88->07/95	Deflection/Guide	SR-1200	OD: 50; W: 27; 04/91->; MD EL44

	kW/HP	Engine code		Type		
PASEO Coupe (EL54) 						
1.5	81/110	5E-FE	08/95->06/99	Deflection/Guide	SR-1200	OD: 50; W: 27; MD EL54
1.5	85/116	5E-FE	08/95->07/99	Deflection/Guide	SR-1200	OD: 50; W: 27; MD EL54
1.5 16V	66/90	5E-FE	08/95->07/99	Deflection/Guide	SR-1200	OD: 50; W: 27; MD EL54
PICNIC (XM10) 						
2.0	90/122	3S-FE	01/01->12/01	Deflection/Guide	SR-1190	OD: 58; W: 29; ->05/01; MD SXM10
				Tensioner	SR-1191	OD: 58; W: 29; ->05/01; MD SXM10
2.0 16V (SXM10_)	94/128	3S-FE	05/96->12/01	Deflection/Guide	SR-1190	OD: 58; W: 29; ->05/01; MD SXM10
				Tensioner	SR-1191	OD: 58; W: 29; ->05/01; MD SXM10
2.2 D (CMX10_)	66/90	3C-TE	08/97->12/01	Deflection/Guide	SR-1179	ID: 12; OD: 63; W: 28,5; ->05/01; MD CXM10
				Tensioner	SR-1178	OD: 62; W: 26; ->05/01; MD CXM10
PREVIA (MCR3_ , ACR3_ , CLR3_) 						
2.0 D-4D	85/116	1CD-FTV	03/01->01/06	Deflection/Guide	SR-1505	- holder; ID: 17; OD: 90; W: 24,5; ALT; MD CLR30
2.4	115/156	2AZ-FE	08/00->01/06	Deflection/Guide	SR-1495	+ holder; OD: 70; thread size M10x1,5; W: 32; ALT; MD ACR30
				Tensioner	SR-1494	- holder; ID: 17; OD: 70; W: 32; ALT; MD ACR30
PROGRES (JCG1_) 						
2.5	147/200	1JZ-FSE	05/98->05/07	Tensioner	SR-1471	- holder; OD: 96; W: 29,5; 04/01->
RAV 4 I (SXA1_) 						
2.0 4WD	95/129	3S-FE	06/94->06/00	Deflection/Guide	SR-1190	OD: 58; W: 29
				Tensioner	SR-1191	OD: 58; W: 29
RAV 4 I Cabrio (SXA1_) 						
2.0 16V 4WD	94/129	3S-FE	12/97->06/00	Deflection/Guide	SR-1190	OD: 58; W: 29
				Tensioner	SR-1191	OD: 58; W: 29
RAV 4 II (CLA2_ , XA2_ , ZCA2_ , ACA2_) 						
1.8 WTi	92/125	1ZZ-FE	08/00->11/05	Tensioner	SR-1414	OD: 70; W: 26; ALT
				Tensioner	SR-1462	+ holder; OD: 70; W: 26; ALT; MD ZCA2#
2.0 D-4D 4WD	85/116	1CD-FTV	09/01->11/05	Deflection/Guide	SR-1505	- holder; ID: 17; OD: 90; W: 24,5; ALT; MD CLA2#
2.0 WTi 4WD	110/150	1AZ-FE	06/00->11/05	Deflection/Guide	SR-1495	+ holder; OD: 70; thread size M10x1,5; W: 32; ALT; MD ACA2#
				Tensioner	SR-1494	- holder; ID: 17; OD: 70; W: 32; ALT; MD ACA2#
RAV 4 III (ACA3_ , ACE_ , ALA3_ , GSA3_ , ZSA3_) 						
2.0 WTi 4WD	112/152	1AZ-FE	03/06->	Deflection/Guide	SR-1495	+ holder; OD: 70; thread size M10x1,5; W: 32; ALT; ->12/12; MD ACA30
				Tensioner	SR-1494	- holder; ID: 17; OD: 70; W: 32; ALT; ->12/12; MD ACA30
2.2 D-4D	110/150	2AD-FHV;2AD-FTV	12/08->	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; ->12/12; MD ALA3#; Fitting Position: Left
2.2 D-4D 4WD	100/136	2AD-FTV	03/06->	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; ->12/12; MD ALA3#; Fitting Position: Left
2.2 D-4D 4WD	110/150	2AD-FHV;2AD-FTV	12/08->	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; ->12/12; MD ALA3#; Fitting Position: Left
2.2 D-CAT 4WD	130/177	2AD-FHV	03/06->	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; ->12/12; MD ALA3#; Fitting Position: Left
2.4 WTi	125/170	2AZ-FE	11/05->	Tensioner	SR-1552	- holder; ID: 17; OD: 70; W: 33; ALT; ->12/12; MD ACA3#; + AC
RAV 4 IV (WWA4_ , AVA4_ , ZSA4_ , ALA4_) 						
2.0 D4-D	91/124	1AD-FTV	12/12->	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; ->10/15; MD ALA4#; Fitting Position: Left
2.0 D4-D 4WD	91/124	1AD-FTV	11/13->	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; ->10/15; MD ALA4#; Fitting Position: Left
2.2 D4-D 4WD	110/150	2AD-FHV;2AD-FTV	12/12->	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; MD ALA4#; Fitting Position: Left
SEQUOIA (UCK45_ , UCK35_) 						
4.7	175/238	2UZ-FE	05/00->11/07	Tensioner	SR-1198	ID: 17; OD: 90,5; W: 29; ALT
4.7 4WD	175/238	2UZ-FE	05/00->11/07	Tensioner	SR-1198	ID: 17; OD: 90,5; W: 29; ALT
SEQUOIA (UCK6_ , UPK6_ , USK6_) 						
4.7	206/280	2UZ-FE	11/07->	Tensioner	SR-1198	ID: 17; OD: 90,5; W: 29; ALT
4.7 4WD	206/280	2UZ-FE	11/07->	Tensioner	SR-1198	ID: 17; OD: 90,5; W: 29; ALT
SIENNA (ASL3_ , GSL3_) 						
3.5 WTi 4WD	198/269	2GR-FE	02/10->	Tensioner	SR-1059	- holder; OD: 70; W: 33
STARLET (P7_) 						
1.0 (EP70L)	40/54	1E-L	10/84->12/89	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; MD EP70
1.3 (EP71L)	55/75	2E-LC	10/84->12/89	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; MD EP71
1.5 D (NP70L)	40/54	1N	12/86->12/89	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; MD NP70
STARLET (P8_) 						
1.0 (EP80_)	40/54	1E	12/89->12/92	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; MD EP80
1.3 12V (EP81) CAT	55/75	2E-E	12/89->03/96	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; MD EP81
1.3 12V (EP81_)	55/75	2E;2E-E	12/89->12/92	Deflection/Guide	SR-1176	+ holder; num. of ribs: 4; OD: 70; thread size M8x1,25; W: 19,5; ACCOM; MD EP81
STARLET (EP91) 						
1.3	55/75	4E-FE	04/96->03/99	Deflection/Guide	SR-1200	OD: 50; W: 27; MD EP91

	kW/HP	Engine code		Type		
TERCEL (L1_, L2_) 						
1.3 (AL20, AL11)	48/65	2A	03/79->01/88	Tensioner	SR-1177	OD: 52; W: 23; ->05/86; MD AL2#
1.45 (AL21)	52/71	3A-C	08/83->05/85	Tensioner	SR-1177	OD: 52; W: 23; MD AL2#
TERCEL (AL2_) 						
1.5 4WD	52/71	3A	10/82->01/88	Tensioner	SR-1177	OD: 52; W: 23; MD AL2#
1.5 4WD (AL25)	50/68	3A-C	05/86->01/88	Tensioner	SR-1177	OD: 52; W: 23; MD AL2#
TUNDRA Pickup (K5_) 						
4.0	176/239	1GR-FE	01/07->12/11	Tensioner	SR-1060	- holder; ID: 17; OD: 70; W: 33.5; ALT
4.0 4WD	176/239	1GR-FE	01/07->12/11	Tensioner	SR-1060	- holder; ID: 17; OD: 70; W: 33.5; ALT
4.7	206/280	2UZ-FE	01/07->12/09	Tensioner	SR-1198	ID: 17; OD: 90.5; W: 29; ALT
4.7 4WD	206/280	2UZ-FE	01/07->12/09	Tensioner	SR-1198	ID: 17; OD: 90.5; W: 29; ALT
VENZA (GGV1_, AGV1_) 						
3.5	200/272	2GR-FE	11/08->	Tensioner	SR-1059	- holder; OD: 70; W: 33; AT
3.5 4WD	200/272	2GR-FE	11/08->	Tensioner	SR-1059	- holder; OD: 70; W: 33; AT
VEROSSA (JZX11_, GX11_) 						
2.5 WTi	147/200	1JZ-FSE	10/00->11/03	Tensioner	SR-1471	- holder; OD: 96; W: 29.5; AT
2.5 WTi	206/280	1JZ-GTE	10/00->11/03	Tensioner	SR-1471	- holder; OD: 96; W: 29.5
VERSO (AUR2_, ZGR2_) 						
2.0 D-4D	93/126	1AD-FTV	04/09->	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; MD AUR20; Fitting Position: Left
2.0 D-4D	91/124	1AD-FTV	11/12->	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; MD AUR20; Fitting Position: Left
2.2 D-4D	110/150	2AD-FHV	04/09->	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; MD AUR21; Fitting Position: Left
2.2 D-CAT	130/177	2AD-FHV	04/09->	Deflection/Guide	SR-1149	OD: 70; thread size M8x1,25; W: 28; ALT; MD AUR21; Fitting Position: Left
WISH MPV (ZNE1_, ANE1_) 						
1.8 Hi	97/132	1ZZ-FE	04/03->03/09	Tensioner	SR-1414	OD: 70; W: 26; ALT
YARIS (SCP1_, NLP1_, NCP1_) 						
1.0 16V	48/65	1SZ-FE	03/03->09/05	Deflection/Guide	SR-1438	OD: 80; W: 22.6; ALT; MD SCP10; Fitting Position: Upper; + AC; + EPS; made in FR
1.0 16V	50/68	1SZ-FE	04/99->09/05	Deflection/Guide	SR-1438	OD: 80; W: 22.6; ALT; -> 12/02; MD SCP10; Fitting Position: Upper; + AC; + start-stop; - PS; made in JP; 01/01->; + EPS; made in FR
1.3	64/87	2SZ-FE	04/02->09/05	Deflection/Guide	SR-1438	OD: 80; W: 22.6; ALT; MD SCP12; Fitting Position: Upper; + AC; + EPS; made in FR
YARIS (SCP9_, NSP9_, KSP9_, NCP9_, ZSP9_) 						
1.3 WT-i	64/87	2NZ-FE;2SZ-FE	08/05->	Deflection/Guide	SR-1438	OD: 80; W: 22.6; ALT; ->11/08; MD SCP90; Fitting Position: Upper
UAZ						
PATRIOT 						
2.7	94/128	ZMZ-409.10	07/04->	Tensioner	SR-1430	OD: 80; W: 30; ALT; - PS
2.7	82/112	ZMZ- 409210	07/04->	Tensioner	SR-1430	OD: 80; W: 30; ALT; - PS
VOLVO						
240 (P242, P244) 						
2.0	76/103	B 200 K	08/84->07/85	Tensioner	SR-1145	OD: 47; W: 31
2.0	71/97	B 19 A;B 19 K	09/78->08/83	Tensioner	SR-1145	OD: 47; W: 31
2.1	90/122	B 21 E	08/74->07/80	Tensioner	SR-1145	OD: 47; W: 31
2.1	74/100	B 21 A	08/75->07/80	Tensioner	SR-1145	OD: 47; W: 31
2.1	79/107	B 21 A	08/80->07/84	Tensioner	SR-1145	OD: 47; W: 31
2.1 Turbo	114/155	B 21 ET	08/80->07/84	Tensioner	SR-1145	OD: 47; W: 31
2.3	103/140	B 23 E	08/78->07/80	Tensioner	SR-1145	OD: 47; W: 31
2.3	82/112	B 23 A	08/80->07/84	Tensioner	SR-1145	OD: 47; W: 31
2.3	100/136	B 23 E	08/80->07/83	Tensioner	SR-1145	OD: 47; W: 31
2.3	96/131	B 230 E	08/83->07/85	Tensioner	SR-1145	OD: 47; W: 31
2.3	81/110	B 230 A	08/84->07/86	Tensioner	SR-1145	OD: 47; W: 31; engine B 230 F
2.3	98/133	B 23 E	08/84-> 12/89	Tensioner	SR-1145	OD: 47; W: 31
2.3	83/113	B 230 F	08/86->07/87	Tensioner	SR-1145	OD: 47; W: 31
2.3 i CAT	85/115	B 230 F	08/86->07/93	Tensioner	SR-1145	OD: 47; W: 31; ->12/92; engine B 230 FD; 01/93->
2.4 Diesel	60/82	D 24	08/78->07/85	Deflection/Guide	SR-1087	OD: 75; W: 28
2.4 Diesel	58/79	D 24	08/87->08/93	Deflection/Guide	SR-1087	OD: 75; W: 28
240 Kombi (P245) 						
2.0	60/82	B 20 A	08/74->07/75	Tensioner	SR-1145	OD: 47; W: 31
2.0	66/90	B 19 A	08/76->01/82	Tensioner	SR-1145	OD: 47; W: 31; 01/79->
2.0	71/97	B 19 A;B 19 K	08/80-> 12/84	Tensioner	SR-1145	OD: 47; W: 31
2.0	76/103	B 200 K	08/84->07/85	Tensioner	SR-1145	OD: 47; W: 31
2.1	90/122	B 21 E	08/74->07/79	Tensioner	SR-1145	OD: 47; W: 31

	kW/HP	Engine code		Type		
2.1	71/97	B 21 A	08/74->07/75	Tensioner	SR-1145	OD: 47; W: 31
2.1	74/100	B 21 A	08/75->07/80	Tensioner	SR-1145	OD: 47; W: 31
2.1	80/109	B 21 F	08/80->07/84	Tensioner	SR-1145	OD: 47; W: 31
2.1	79/107	B 21 A	08/80->07/84	Tensioner	SR-1145	OD: 47; W: 31
2.1 Turbo	114/155	B 21 ET	08/80->07/85	Tensioner	SR-1145	OD: 47; W: 31
2.3	100/136	B 23 E	01/83->12/84	Tensioner	SR-1145	OD: 47; W: 31
2.3	82/112	B 23 A	08/80->07/84	Tensioner	SR-1145	OD: 47; W: 31
2.3	81/110	B 230 A	08/84->07/86	Tensioner	SR-1145	OD: 47; W: 31
2.3	96/131	B 230 E	08/84->07/85	Tensioner	SR-1145	OD: 47; W: 31
2.3	98/133	B 23 E	08/84->12/88	Tensioner	SR-1145	OD: 47; W: 31
2.3	83/113	B 230 F	08/86->07/87	Tensioner	SR-1145	OD: 47; W: 31
2.3 CAT	100/136	B 230 F	08/91->07/92	Tensioner	SR-1145	OD: 47; W: 31
2.3 i CAT	85/115	B 230 F	08/86->07/93	Tensioner	SR-1145	OD: 47; W: 31; ->12/92; 01/93->
2.4 Diesel	60/82	D 24	04/79->08/93	Deflection/Guide	SR-1087	OD: 75; W: 28
340-360 [343, 345] 						
1.6 Diesel	40/54	D 16	08/84->07/91	Deflection/Guide	SR-1115	OD: 50; W: 31; eng.# 32768->
				Tensioner	SR-1114	OD: 50; W: 31; eng.# 32768->
1.7	59/80	B 17 2 K	08/85->07/91	Deflection/Guide	SR-1115	OD: 50; W: 31; eng.# 51892->
				Tensioner	SR-1114	OD: 50; W: 31; eng.# 51892->
2.0	70/95	B 19 A;B 200 K	08/80->07/83	Tensioner	SR-1145	OD: 47; W: 31
2.0	65/88	B 19 A	08/80->07/84	Tensioner	SR-1145	OD: 47; W: 31
2.0	83/113	B 19 E	08/82->07/84	Tensioner	SR-1145	OD: 47; W: 31
2.0	85/115	B 19 E	08/82->07/84	Tensioner	SR-1145	OD: 47; W: 31
2.0	68/92	B 19 A	08/83->07/84	Tensioner	SR-1145	OD: 47; W: 31
2.0	77/105	B 200 K	08/84->07/87	Tensioner	SR-1145	OD: 47; W: 31
2.0	87/118	B 200 E	08/84->07/86	Tensioner	SR-1145	OD: 47; W: 31
2.0	82/112	B 200 E;B 200 F	08/86->07/88	Tensioner	SR-1145	OD: 47; W: 31
2.0	81/110	B 200 F	08/87->07/88	Tensioner	SR-1145	OD: 47; W: 31
2.0	80/109	B 200 F	08/88->07/89	Tensioner	SR-1145	OD: 47; W: 31
340-360 Saloon [344] 						
1.6 Diesel	40/54	D 16	08/84->07/91	Deflection/Guide	SR-1115	OD: 50; W: 31; eng.# 32768->
				Tensioner	SR-1114	OD: 50; W: 31; eng.# 32768->
1.7	59/80	B 17 2 K	08/85->07/91	Deflection/Guide	SR-1115	OD: 50; W: 31; eng.# 51892->
				Tensioner	SR-1114	OD: 50; W: 31; eng.# 51892->
2.0	66/90	B 19 A	08/82->07/84	Tensioner	SR-1145	OD: 47; W: 31
2.0	68/92	B 19 A	08/83->07/84	Tensioner	SR-1145	OD: 47; W: 31
2.0	83/113	B 19 E	08/83->07/84	Tensioner	SR-1145	OD: 47; W: 31
2.0	75/102	B 200 K	08/84->07/90	Tensioner	SR-1145	OD: 47; W: 31
2.0	85/115	B 200 E	08/84->07/86	Tensioner	SR-1145	OD: 47; W: 31
2.0	77/105	B 200 K	08/84->07/87	Tensioner	SR-1145	OD: 47; W: 31
2.0	87/118	B 200 E	08/84->07/86	Tensioner	SR-1145	OD: 47; W: 31
2.0	82/112	B 200 EA	08/86->07/88	Tensioner	SR-1145	OD: 47; W: 31
2.0	81/110	B 200 EA	08/87->07/88	Tensioner	SR-1145	OD: 47; W: 31
440 K [445] 						
1.6	61/83	B 16 F	09/88->12/96	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.7	70/95	B 18 F	08/88->07/89	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.7	75/102	B 18 FP	08/89->12/96	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.7	64/87	B 18 KP	09/88->12/96	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.7 Turbo	90/122	B 18 FT	01/91->12/96	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.7 Turbo	88/120	B 18 FT	08/88->07/96	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8	66/90	B 18 U	08/91->07/96	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8	66/90	B 18 U	09/95->12/96	Deflection/Guide	SR-1115	OD: 50; W: 31; engine B 18 KPD
				Tensioner	SR-1114	OD: 50; W: 31; engine B 18 KPD
1.9 Turbo-Diesel	66/90	D 19 T	07/94->12/96	Deflection/Guide	SR-1115	OD: 50; W: 31; engine D 19 T
				Tensioner	SR-1114	OD: 50; W: 31; engine D 19 T
2.0	81/110	B 20 F	08/92->07/95	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
2.0	80/109	B 20 F	08/93->07/96	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31



kW/HP

Engine code



Type



460 L (464)

1.6	61/83	B 16 F	07/92->07/96	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.7	75/102	B 18 EP	08/89->07/92	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.7	64/87	B 18 KP	09/88->07/96	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.7 Turbo	90/122	B 18 FT	01/91->07/96	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.7 Turbo	88/120	B 18 FT	08/89->07/96	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.8	66/90	B 18 U	08/91->07/96	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
1.9 Turbo-Diesel	66/90	D 19 T	07/94->07/96	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
2.0	81/110	B 20 F	08/92->07/95	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31
2.0	80/109	B 20 F	08/93->07/96	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31

480 E













1.7	78/106	B 18 E	04/86->07/89	Deflection/Guide	SR-1115	OD: 50; W: 31; eng.# 16530->
				Tensioner	SR-1114	OD: 50; W: 31; eng.# 16530->
1.7	80/109	B 18 E	08/86->07/88	Deflection/Guide	SR-1115	OD: 50; W: 31; eng.# 16530->
				Tensioner	SR-1114	OD: 50; W: 31; eng.# 16530->
1.7	70/95	B 18 F	08/87->07/89	Deflection/Guide	SR-1115	OD: 50; W: 31; eng.# 1726->
				Tensioner	SR-1114	OD: 50; W: 31; eng.# 1726->
1.7	75/102	B 18 EP	08/89->07/96	Deflection/Guide	SR-1115	OD: 50; W: 31; eng.# 16530->
				Tensioner	SR-1114	OD: 50; W: 31; eng.# 16530->
1.7 Turbo	90/122	B 18 FT	01/91->07/96	Deflection/Guide	SR-1115	OD: 50; W: 31; eng.# 1456->
				Tensioner	SR-1114	OD: 50; W: 31; eng.# 1456->
1.7 Turbo	88/120	B 18 FT	08/87->07/96	Deflection/Guide	SR-1115	OD: 50; W: 31; eng.# 1456->
				Tensioner	SR-1114	OD: 50; W: 31; eng.# 1456->
2.0	81/110	B 20 F	08/92->09/95	Deflection/Guide	SR-1115	OD: 50; W: 31
				Tensioner	SR-1114	OD: 50; W: 31







740 (744)







2.0	120/163	B 200 ET	01/85->12/85	Tensioner	SR-1145	OD: 47; W: 31; engine B 19 E; engine B 19 ET; engine B 200 ET
2.0	118/160	B 200 ET	01/86->08/90	Tensioner	SR-1145	OD: 47; W: 31
2.0	86/117	B 200 E	01/87->08/88	Tensioner	SR-1145	OD: 47; W: 31
2.0	76/103	B 200 K	09/88->08/90	Tensioner	SR-1145	OD: 47; W: 31; engine B 200 K
2.3	95/129	B 23 E	08/83->07/84	Tensioner	SR-1145	OD: 47; W: 31
2.3	84/114	B 23 A;B 230 F	08/84->07/90	Tensioner	SR-1145	OD: 47; W: 31; engine B 230 F
2.3	96/131	B 230 E	08/84->07/88	Tensioner	SR-1145	OD: 47; W: 31
2.3	86/117	B 230 K	08/86->07/88	Tensioner	SR-1145	OD: 47; W: 31
2.3	85/115	B 230 F	08/87->07/92	Tensioner	SR-1145	OD: 47; W: 31
2.3	100/136	B 230 FB	08/88->07/90	Tensioner	SR-1145	OD: 47; W: 31; engine B 230 FT
2.3	83/113	B 230 F	09/85->12/89	Tensioner	SR-1145	OD: 47; W: 31
2.3 Turbo	134/182	B 230 ET	08/85->12/88	Tensioner	SR-1145	OD: 47; W: 31
2.3 Turbo	115/156	B 230 FT	08/86->07/89	Tensioner	SR-1145	OD: 47; W: 31
2.3 Turbo	121/165	B 230 FT	08/89->07/90	Tensioner	SR-1145	OD: 47; W: 31
2.3 Turbo	140/190	B 230 FT	08/89->07/90	Tensioner	SR-1145	OD: 47; W: 31
2.4 Diesel	60/82	D 24	08/84->07/92	Deflection/Guide	SR-1087	OD: 75; W: 28






740 Kombi (745)






2.0	86/117	B 200 E	01/87->08/88	Tensioner	SR-1145	OD: 47; W: 31
2.0	82/112	B 200 F	08/89->07/91	Tensioner	SR-1145	OD: 47; W: 31; engine B 200 ET
2.0	76/103	B 200 K	09/88->08/90	Tensioner	SR-1145	OD: 47; W: 31; engine B 200 E
2.3	83/113	B 230 F	08/85->12/89	Tensioner	SR-1145	OD: 47; W: 31
2.3	96/131	B 230 E	08/85->07/88	Tensioner	SR-1145	OD: 47; W: 31
2.3	85/115	B 230 F	08/87->07/92	Tensioner	SR-1145	OD: 47; W: 31
2.3	100/136	B 230 FB	08/89->07/90	Tensioner	SR-1145	OD: 47; W: 31; engine B 230 FT
2.3	84/114	B 230 K	09/85->07/90	Tensioner	SR-1145	OD: 47; W: 31
2.3 Turbo	134/182	B 230 ET	08/85->07/88	Tensioner	SR-1145	OD: 47; W: 31
2.3 Turbo	115/156	B 230 FT	08/86->07/89	Tensioner	SR-1145	OD: 47; W: 31
2.3 Turbo	121/165	B 230 FT;B 230 GT	08/89->07/90	Tensioner	SR-1145	OD: 47; W: 31
2.3 Turbo	140/190	B 230 FT	08/89->07/90	Tensioner	SR-1145	OD: 47; W: 31
2.4 Diesel	60/82	D 24	08/85->07/88	Deflection/Guide	SR-1087	OD: 75; W: 28
2.4 TD Interc.	90/122	D 24 TIC	08/86->07/88	Deflection/Guide	SR-1087	OD: 75; W: 28
2.4 Turbo-Diesel	80/109	D 24 T	09/85->07/92	Deflection/Guide	SR-1087	OD: 75; W: 28






	kW/HP	Engine code		Type		
760 (704, 764) 						
2.3	121/165	B 230 FT	01/88->07/92	Tensioner	SR-1145	OD: 47; W: 31
2.3 Turbo (704)	127/173	B 23 ET	08/82->07/84	Tensioner	SR-1145	OD: 47; W: 31; engine B 23 ET; engine B 23 FT
2.3 Turbo (704)	134/182	B 230 ET	08/84->10/88	Tensioner	SR-1145	OD: 47; W: 31; engine B 230 ET; engine B 230 K
2.4 TD Interc. (704)	85/115	D 24 TIC	08/87->07/92	Deflection/Guide	SR-1087	OD: 75; W: 28
2.4 Turbo Diesel (704)	80/109	D 24 T	04/87->07/92	Deflection/Guide	SR-1087	OD: 75; W: 28
2.4 Turbo Diesel (704)	82/112	D 24 T	08/82->07/87	Deflection/Guide	SR-1087	OD: 75; W: 28
760 Kombi (704, 765) 						
2.3 Turbo	134/182	B 230 ET	08/84->08/90	Tensioner	SR-1145	OD: 47; W: 31
2.4 TD Interc. (765)	85/116	D 24 TIC	08/87->07/92	Deflection/Guide	SR-1087	OD: 75; W: 28
850 (LS) 						
2.0	105/143	B 5204 F	06/91->12/96	Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 131155->; engine B 5204 FS; Fitting Position: Right
2.0	93/126	B 5202 S	08/94->12/96	Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 131155->; engine B 5202 FS; Fitting Position: Right
2.0 Turbo	155/210	B 5204 FT;B 5204 T	08/93->12/96	Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 131155->; engine B 5204 FT; Fitting Position: Right
2.3 T5	166/226	B 5234 FT	08/93->07/96	Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 131155->; Fitting Position: Right
2.3 T5-R	184/250	B 5234 T4	08/95->12/96	Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 131155->; Fitting Position: Right
2.5	103/140	B 5252	06/91->07/94	Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 131155->; engine B 5252 FS; Fitting Position: Right
2.5	125/170	B 5254 S	08/91->12/96	Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 131155->; engine B 5254 FS; Fitting Position: Right
2.5	106/144	B 5252 FS	08/94->12/96	Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 131155->; engine B 5252 FS; Fitting Position: Right
2.5 TDI	103/140	D 5252 T	08/95->12/96	Tensioner	SR-1307	ID: 10.2; OD: 64; W: 25; IP; Fitting Position: Lower
				Tensioner	SR-1306	ID: 8.2; OD: 66; W: 24; IP; Fitting Position: Upper
				Tensioner	SR-1313	ID: 8.2; OD: 73; W: 27; CS; Fitting Position: Left
850 Estate (LW) 						
2.0	105/143	B 5204 F	02/93->12/96	Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 131155->; engine B 5204 FS; Fitting Position: Right
2.0	93/126	B 5202 S	08/94->12/96	Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 131155->; engine B 5202 FS; Fitting Position: Right
2.0 Turbo	155/210	B 5204 FT;B 5204 T	02/93->12/96	Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 131155->; engine B 5204 FT; Fitting Position: Right
2.3 T5	166/226	B 5234 FT	02/93->12/96	Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 131155->; Fitting Position: Right
2.3 T5-R	184/250	B 5234 T4	08/95->12/96	Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 131155->; Fitting Position: Right
2.5	103/140	B 5252	08/92->07/94	Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 131155->; engine B 5252 FS; Fitting Position: Right
2.5	106/144	B 5252 FS	08/94->12/96	Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 131155->; engine B 5252 FS; Fitting Position: Right
2.5	125/170	B 5254 S	09/92->12/96	Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 131155->; engine B 5254 FS; Fitting Position: Right
2.5 AWD	142/193	B 5254 T	04/96->12/96	Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 131155->; Fitting Position: Right
2.5 TDI	103/140	D 5252 T	08/95->12/96	Tensioner	SR-1306	ID: 8.2; OD: 66; W: 24; IP; Fitting Position: Upper
				Tensioner	SR-1307	ID: 10.2; OD: 64; W: 25; IP; Fitting Position: Lower
				Tensioner	SR-1313	ID: 8.2; OD: 73; W: 27; CS; Fitting Position: Left
940 (944) 						
2.0	82/112	B 200 F	01/92->07/94	Tensioner	SR-1145	OD: 47; W: 31; ->12/92; engine B 200 E; engine B 200 F; engine B 200 G; 01/93->
2.0 Turbo	114/155	B 200 FT	08/90->12/94	Tensioner	SR-1145	OD: 47; W: 31; ->12/92; engine B 200 FT; engine B 200 GT; 01/93->; engine B 200 FT
2.3	96/131	B 230 G;B 230 FB	08/90->12/94	Tensioner	SR-1145	OD: 47; W: 31; ->12/92; engine B 230 E; engine B 230 F; engine B 230 FB; engine B 230 G; 01/93->
2.3	85/116	B 230 FD	08/92->07/94	Tensioner	SR-1145	OD: 47; W: 31; ->12/92; 01/93->
2.3	118/160	B 230 FT	09/90->09/93	Tensioner	SR-1145	OD: 47; W: 31; ->12/92; 01/93->
2.3 Turbo	121/165	B 230 FT	08/90->07/94	Tensioner	SR-1145	OD: 47; W: 31; ->12/92; 01/93->
2.3 Turbo	140/190	B 230 FT+	08/91->07/93	Tensioner	SR-1145	OD: 47; W: 31; ->12/92; engine B 230 GT; 01/93->; engine B 230 GT
2.4 D	60/82	D 24	08/90->12/94	Deflection/Guide	SR-1087	OD: 75; W: 28
940 II (944) 						
2.0 Turbo	114/155	B 200 FT	04/96->10/98	Tensioner	SR-1145	OD: 47; W: 31; engine B 200 FT; engine B 200 GT
2.3	96/131	B 230 FB	08/94->10/98	Tensioner	SR-1145	OD: 47; W: 31
2.3	85/116	B 230 FD	08/94->07/95	Tensioner	SR-1145	OD: 47; W: 31
2.3 ti	99/135	B 230 FK	01/95->10/98	Tensioner	SR-1145	OD: 47; W: 31
2.3 Turbo	121/165	B 230 FT	08/94->10/98	Tensioner	SR-1145	OD: 47; W: 31
940 II Estate (945) 						
2.0 Turbo	114/155	B 200 FT	04/96->10/98	Tensioner	SR-1145	OD: 47; W: 31; engine B 200 FT; engine B 200 GT
2.3	96/131	B 230 FB	08/94->10/98	Tensioner	SR-1145	OD: 47; W: 31
2.3	85/116	B 230 FD	08/94->07/95	Tensioner	SR-1145	OD: 47; W: 31
2.3 ti	99/135	B 230 FK	01/95->10/98	Tensioner	SR-1145	OD: 47; W: 31
2.3 Turbo	121/165	B 230 FT	08/94->10/98	Tensioner	SR-1145	OD: 47; W: 31
2.3 Turbo	126/171	B 230 FT	08/95->10/98	Tensioner	SR-1145	OD: 47; W: 31
940 Kombi (945) 						
2.0	82/112	B 200 F	01/92->07/94	Tensioner	SR-1145	OD: 47; W: 31; ->12/92; 01/93->
2.3	96/131	B 230 FB	08/90->12/94	Tensioner	SR-1145	OD: 47; W: 31; ->12/92; 01/93->
2.3	85/116	B 230 FD	08/92->07/94	Tensioner	SR-1145	OD: 47; W: 31; 01/93->

	kW/HP	Engine code		Type		
2.3 Turbo	121/165	B 230 FT	08/90->07/94	Tensioner	SR-1145	OD: 47; W: 31; ->12/92; 01/93->
2.3 Turbo	140/190	B 230 FT+	08/91->07/93	Tensioner	SR-1145	OD: 47; W: 31; ->12/92; engine B 230 GT; 01/93->; engine B 230 GT
2.4 D	60/82	D 24	08/90->07/95	Deflection/Guide	SR-1087	OD: 75; W: 28
2.4 TD Intercooler	90/122	D 24 TIC	08/90->08/94	Deflection/Guide	SR-1087	OD: 75; W: 28; ->ch.65355; estate
C30 						
1.6	74/100	B 4164 S3	10/06->12/12	Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5
1.6 D	80/109	D 4164 T	10/06->12/12	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; ->ch.196529; Fitting Position: Right
1.8	92/125	B 4184 S11	10/06->12/12	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; ch.73797->; Fitting Position: Upper; - sup. plate
				Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68,5; W: 22,5; ALT; ->ch.73796; Fitting Position: Upper
1.8 FlexFuel	92/125	B 4184 S8	01/07->12/12	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; ch.73797->; Fitting Position: Upper; - sup. plate
				Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68,5; W: 22,5; ALT; ->ch.73796; Fitting Position: Upper
2.0	107/145	B 4204 S3	10/06->12/12	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; ch.73797->; Fitting Position: Upper; - sup. plate
				Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68,5; W: 22,5; ALT; ->ch.73796; Fitting Position: Upper
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 3887615; eng.# 3887616->; Fitting Position: Right; Fitting Position: Right
				Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 4293284; Fitting Position: Left
2.4 i	125/170	B 5244 S4	10/06->12/12	Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; eng.# 3887616->; Fitting Position: Left; Fitting Position: Left
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ALT; eng.# 4293285->; + AC
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 4293284; Fitting Position: Upper
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 619467; Fitting Position: Upper
D3	110/150	D 5204 T5	10/10->12/12	Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 619467; Fitting Position: Left
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ALT; eng.# 619468->; + AC
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ALT; eng.# 619468->; + AC
				Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 619467; Fitting Position: Left
D4	130/177	D 5204 T	10/10->12/12	Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 619467; Fitting Position: Left
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 619467; Fitting Position: Upper
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 619467; Fitting Position: Upper
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ALT; eng.# 619468->; + AC
D5	132/180	D 5244 T8;D 5244 T13	10/06->12/12	Tensioner	SR-1320	+ holder; OD: 65; W: 21; ALT; eng.# 619468->; + AC
				Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 619467; Fitting Position: Left
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ALT; eng.# 619468->; + AC
				Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 619467; Fitting Position: Left
D5	120/163	D 5244 T9	10/06->12/12	Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 619467; Fitting Position: Left
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 619467; Fitting Position: Upper
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 3887615; eng.# 3887616->; Fitting Position: Right; Fitting Position: Right
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 4293284; Fitting Position: Upper
T5	169/230	B 5254 T7	03/07->12/12	Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 4293284; Fitting Position: Left
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; eng.# 3887616->; Fitting Position: Left; Fitting Position: Left
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ALT; eng.# 4293285->; + AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 3887615; eng.# 3887616->; Fitting Position: Right
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 4293284; Fitting Position: Upper
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ALT; eng.# 4293285->; + AC
T5	162/220	B 5254 T3	10/06->12/12	Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; eng.# 3887616->; Fitting Position: Left
				Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 4293284; Fitting Position: Left
C70 I Convertible 						
2.0	132/180	B 5204 T2	03/98->10/05	Deflection/Guide	SR-1146	OD: 53; W: 27; ->12/98; ->eng.# 1266127; Fitting Position: Right; ->12/98; eng.# 1266128->; Fitting Position: Upper Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->12/98; eng.# 1266128->; Fitting Position: Lower Left
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; Fitting Position: Upper Right
2.0 T	120/163	B 5204 T4	03/00->10/05	Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; Fitting Position: Lower Left
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; Fitting Position: Lower Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266127; Fitting Position: Right; eng.# 1266128->; Fitting Position: Upper Right
2.0 T	166/226	B 5204 T3	03/98->10/05	Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; Fitting Position: Centre left
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266127; Fitting Position: Right; eng.# 1266128->; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; Fitting Position: Lower Left
2.3 T5	176/239	B 5234 T3	03/98->10/05	Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; Fitting Position: Centre left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; Fitting Position: Lower Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
2.3 T5	180/245	B 5234 T9	07/02->10/05	Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left

	kW/HP	Engine code		Type		
2.4 T	147/200	B 5244 T7	07/02->10/05	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; engine B 5244 T; engine B 5244 T7; Fitting Position: Lower Left; - AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; engine B 5244 T; engine B 5244 T7; Fitting Position: Upper Right
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; engine B 5244 T; engine B 5244 T7; Fitting Position: Centre left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; engine B 5244 T; engine B 5244 T7; Fitting Position: Lower Left
2.5	125/170	B 5254 S	06/98->10/05	Deflection/Guide	SR-1146	OD: 53; W: 27; engine B 5244 S; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; engine B 5244 S; Fitting Position: Lower Left; - AC
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; engine B 5244 S; Fitting Position: Centre
2.5 T	142/193	B 5254 T;B 5244 T	03/98->10/05	Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; engine B 5244 S; Fitting Position: Lower Left
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; engine B 5254 T; Fitting Position: Lower Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266127; engine B 5254 T; Fitting Position: Right; eng.# 1266128->; engine B 5254 T; Fitting Position: Upper Right; engine B 5244 T; Fitting Position: Upper Right
2.5 T	142/193	B 5254 T;B 5244 T	03/98->10/05	Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; engine B 5254 T; Fitting Position: Lower Left; engine B 5244 T; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; engine B 5254 T; Fitting Position: Centre left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; engine B 5254 T; Fitting Position: Centre left
C70 I Coupe 						
2.0	132/180	B 5204 T2	03/97->09/02	Deflection/Guide	SR-1146	OD: 53; W: 27; ->12/98; ->eng.# 1266127; Fitting Position: Right; ->12/98; eng.# 1266128->; Fitting Position: Upper Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->12/98; eng.# 1266128->; Fitting Position: Lower Left
2.0 T	120/163	B 5204 T4	03/00->09/02	Deflection/Guide	SR-1146	OD: 53; W: 27; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; Fitting Position: Lower Left
2.0 T	166/226	B 5204 T3	03/97->09/02	Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; Fitting Position: Lower Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266127; Fitting Position: Right; eng.# 1266128->; Fitting Position: Upper Right
2.0 T	166/226	B 5204 T3	03/97->09/02	Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; Fitting Position: Centre left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; Fitting Position: Centre left
2.3 T-5	176/240	B 5234 T3	03/97->09/02	Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266127; Fitting Position: Right; eng.# 1266128->; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; Fitting Position: Centre left
2.3 T-5	176/240	B 5234 T3	03/97->09/02	Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; Fitting Position: Centre left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; Fitting Position: Lower Left
2.5	121/165	B 5254 S	03/99->09/02	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; engine B 5254 S; Fitting Position: Lower Left; - AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; engine B 5254 S; Fitting Position: Upper Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; engine B 5254 S; Fitting Position: Lower Left
2.5	121/165	B 5254 S	03/99->09/02	Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; engine B 5254 S; Fitting Position: Centre
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; Fitting Position: Upper Right
2.5	125/170	B 5254 S;B 5244 S	05/99->09/02	Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; Fitting Position: Lower Left
2.5 T	142/193	B 5254 T;B 5244 T	03/97->09/02	Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266127; engine B 5254 T; Fitting Position: Right; eng.# 1266128->; engine B 5254 T; Fitting Position: Upper Right; engine B 5244 T; Fitting Position: Upper Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; engine B 5254 T; Fitting Position: Lower Left; engine B 5244 T; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; Fitting Position: Centre left
C70 II Convertible 						
2.4	103/140	B 5244 S5	03/06->10/09	Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 3887615; eng.# 3887616->; Fitting Position: Right
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 4293284; Fitting Position: Upper
				Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 4293284; Fitting Position: Left
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; eng.# 3887616->; Fitting Position: Left
2.4 D	120/163	D 5244 T9	03/07->06/13	Tensioner	SR-1320	+ holder; OD: 65; W: 21; ALT; eng.# 619468->; + AC
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ALT; eng.# 619468->; + AC
2.4 i	125/170	B 5244 S4	03/06->10/09	Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 3887615; eng.# 3887616->; Fitting Position: Right
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM; eng.# 4293285->
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; eng.# 3887616->; Fitting Position: Left
				Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; eng.# 4293284; Fitting Position: Left
D3	110/150	D 5204 T5	10/10->06/13	Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 4293284; Fitting Position: Upper
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 619467; Fitting Position: Upper
				Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 619467; Fitting Position: Left
D4	130/177	D 5204 T	10/10->06/13	Tensioner	SR-1320	+ holder; OD: 65; W: 21; ALT; eng.# 619468->; + AC
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ALT; eng.# 619468->; + AC
				Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 619467; Fitting Position: Left
D4	130/177	D 5204 T	10/10->06/13	Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 619467; Fitting Position: Upper
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 619467; Fitting Position: Upper

	kW/HP	Engine code		Type		
D5	132/180	D 5244 T8;D 5244 T13	03/06->06/13	Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 619467; Fitting Position: Left
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ALT; eng.# 619468->; + AC
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 619467; Fitting Position: Upper
T5	162/220	B 5254 T3	03/06->02/07	Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 3887615; eng.# 3887616->; Fitting Position: Right
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 4293284; Fitting Position: Upper
				Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 4293284; Fitting Position: Left
T5	169/230	B 5254 T7	03/07->10/09	Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; eng.# 3887616->; Fitting Position: Left
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM; eng.# 4293285->
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 3887615; eng.# 3887616->; Fitting Position: Right
T5	169/230	B 5254 T7	03/07->10/09	Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM; eng.# 4293285->
				Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 4293284; Fitting Position: Left
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; eng.# 3887616->; Fitting Position: Left
T5	169/230	B 5254 T7	03/07->10/09	Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 4293284; Fitting Position: Upper
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 4293284; Fitting Position: Upper
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 4293284; Fitting Position: Upper
S40 I (VS) 						
1.6	80/109	B 4164 S2	03/99->12/03	Deflection/Guide	SR-1146	OD: 53; W: 27; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; Fitting Position: Lower Left
1.6	77/105	B 4164 S	09/95->08/99	Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left
				Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 1266196->; Fitting Position: Upper Right; ->eng.# 1266195; Fitting Position: Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266196->; Fitting Position: Lower Left
1.8	90/122	B 4184 S2;B 4184 S9	03/99->12/03	Deflection/Guide	SR-1146	OD: 53; W: 27; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left
1.8	85/116	B 4184 S2	06/01->08/03	Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; engine B 4184 S10; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; engine B 4184 S10; Fitting Position: Centre left
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; engine B 4184 S10; Fitting Position: Lower Left; - AC
1.8	85/115	B 4184 S;B 4184 S3	07/95->08/99	Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266195; engine B 4184 S; Fitting Position: Right; eng.# 1266196->; engine B 4184 S; Fitting Position: Upper Right; engine B 4184 S3; Fitting Position: Upper Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266196->; engine B 4184 S; Fitting Position: Lower Left; engine B 4184 S3; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; engine B 4184 S3; engine B 4184 S4; Fitting Position: Centre left
1.8 i	92/125	B 4184 SM	03/98->12/03	Deflection/Guide	SR-1165	OD: 60; W: 32
1.8 i	90/122	B 4184 SJ	06/01->12/03	Deflection/Guide	SR-1165	OD: 60; W: 32
1.9 DI	70/95	D 4192 T2	03/99->07/00	Deflection/Guide	SR-1213	OD: 60; W: 31; Fitting Position: Lower Left
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1114	OD: 50; W: 31; Fitting Position: Upper Left
1.9 DI	75/102	D 4192 T4	07/00->12/03	Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre left; + AC
				Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->eng.# 17963; Fitting Position: Left; + AC
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; eng.# 17964->; Fitting Position: Left; + AC
1.9 DI	85/115	D 4192 T3	07/00->12/03	Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
				Deflection/Guide	SR-1359	ID: 17; OD: 60; W: 31; ALT; eng.# 17964->; Fitting Position: Left; + AC
1.9 DI	85/115	D 4192 T3	07/00->12/03	Deflection/Guide	SR-1188	ID: 17; OD: 60; W: 26; ALT; ->eng.# 17963; Fitting Position: Left; + AC
				Tensioner	SR-1360	- holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
				Tensioner	SR-1358	- holder; ID: 17; OD: 65; W: 30; ALT; + AC
1.9 T4	147/200	B 4194 T;B 4194 T2	05/97->07/00	Deflection/Guide	SR-1146	OD: 53; W: 27; engine B 4194 T2; Fitting Position: Upper Right; eng.# 1219754->; engine B 4194 T; Fitting Position: Upper Right; ->eng.# 1219753; engine B 4194 T; Fitting Position: Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; engine B 4194 T2; Fitting Position: Lower Left; - AC
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; engine B 4194 T2; Fitting Position: Lower Left; eng.# 1219754->; engine B 4194 T; Fitting Position: Lower Left
1.9 TD	66/90	D 4192 T	07/95->08/99	Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; engine B 4194 T2; Fitting Position: Centre left
				Deflection/Guide	SR-1213	OD: 60; W: 31; eng.# 3535->; Fitting Position: Lower Left
				Deflection/Guide	SR-1302	OD: 50; W: 26; ALT; Fitting Position: Upper; + AC
1.9 TD	66/90	D 4192 T	07/95->08/99	Deflection/Guide	SR-1115	OD: 50; W: 31; ->eng.# 3534; eng.# 3535->; eng.# 3535->; Fitting Position: Right
				Tensioner	SR-1303	- holder; ID: 17; OD: 60; W: 26; ALT; eng.# 7795->; Fitting Position: Centre left; + AC
				Tensioner	SR-1114	OD: 50; W: 31; ->eng.# 3534; eng.# 3535->; eng.# 3535->; Fitting Position: Upper Left
2.0	100/136	B 4204 S;B 4204 S2	07/95->12/03	Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266195; engine B 4204 S; Fitting Position: Right; eng.# 1266196->; Fitting Position: Upper Right; engine B 4204 S2
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; engine B 4204 S2; Fitting Position: Lower Left; - AC
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; engine B 4204 S2; Fitting Position: Centre left
2.0	100/136	B 4204 S;B 4204 S2	07/95->12/03	Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266196->; engine B 4204 S; Fitting Position: Lower Left; engine B 4204 S2

	kW/HP	Engine code		Type		
2.0	103/140	B 4204 S	07/95->08/99	Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 1266196->; Fitting Position: Upper Right; -eng.# 1266195; Fitting Position: Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266196->; Fitting Position: Lower Left
2.0 T	120/163	B 4204 T3	06/01->12/03	Deflection/Guide	SR-1146	OD: 53; W: 27; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre Left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; Fitting Position: Lower Left
2.0 T	121/165	B 4204 T3;B 4204 T2	07/00->06/01	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; engine B 4204 T2; Fitting Position: Lower Left; - AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; engine B 4204 T2; Fitting Position: Upper Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; engine B 4204 T2; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; engine B 4204 T2; Fitting Position: Centre left
2.0 T	118/160	B 4204 T	10/97->12/03	Deflection/Guide	SR-1146	OD: 53; W: 27; -eng.# 1219753; Fitting Position: Right; eng.# 1219754->; Fitting Position: Upper Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1219754->; Fitting Position: Lower Left
2.0 T4	147/200	B 4204 T5	07/00->12/03	Deflection/Guide	SR-1146	OD: 53; W: 27; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre Left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; Fitting Position: Lower Left
S40 II (MS) 						
1.6	74/101	B 4164 S3	01/05->	Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; ch.115003->
1.6 D	81/110	D 4164 T	01/05->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; engine D 4164 T; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; ->ch.503828; Fitting Position: Right
1.8	92/125	B 4184 S11	04/04->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; ch.394723->; Fitting Position: Upper; - sup. plate
				Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68,5; W: 22,5; ALT; ->ch.394722; Fitting Position: Upper
1.8 FlexFuel	92/125	B 4184 S8	01/06->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; ch.394723->; Fitting Position: Upper; - sup. plate
				Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68,5; W: 22,5; ALT; ->ch.394722; Fitting Position: Upper
2.0	107/146	B 4204 S3	10/06->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; ch.394723->; Fitting Position: Upper; - sup. plate
				Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68,5; W: 22,5; ALT; ->ch.394722; Fitting Position: Upper
2.0 F	107/146	B 4204 S4	10/09->	Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68,5; W: 22,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1146	OD: 53; W: 27; -eng.# 3887615; eng.# 3887616->; Fitting Position: Right
2.4	103/140	B 5244 S5	01/04->	Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 4293284; Fitting Position: Upper
				Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 4293284; Fitting Position: Left
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM; eng.# 4293285->
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; eng.# 3887616->; Fitting Position: Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; -eng.# 3887615; engine B 5244 S4; eng.# 3887616->; Fitting Position: Right
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; eng.# 3887616->; engine B 5244 S4; Fitting Position: Left
2.4	125/170	B 5244 S4	01/04->	Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM; eng.# 4293285->
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 4293284; engine B 5244 S4; Fitting Position: Upper
				Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 4293284; engine B 5244 S4; Fitting Position: Left
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM; eng.# 619468->
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 619467; engine D 5244 T13; engine D 5254 T8; engine D 5254 T9; Fitting Position: Upper
				Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 619467; engine D 5244 T13; engine D 5254 T8; engine D 5254 T9; Fitting Position: Left
				Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 619467; Fitting Position: Left
D3	110/150	D 5204 T5	10/10->	Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 619467; Fitting Position: Upper
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM; eng.# 619468->
D4	130/177	D 5204 T	10/10->	Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM; eng.# 619468->
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 619467; Fitting Position: Upper
				Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 619467; Fitting Position: Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; -eng.# 3887615; eng.# 3887616->; Fitting Position: Right
T5	162/220	B 5254 T3	01/04->	Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 4293284; Fitting Position: Left
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM; eng.# 4293285->
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 4293284; Fitting Position: Upper
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; eng.# 3887616->; Fitting Position: Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; -eng.# 3887615; eng.# 3887616->; Fitting Position: Right
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 4293284; Fitting Position: Upper
T5	169/230	B 5254 T7	03/07->	Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 4293284; Fitting Position: Left
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM; eng.# 4293285->
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; eng.# 3887616->; Fitting Position: Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; -eng.# 3887615; eng.# 3887616->; Fitting Position: Right
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; eng.# 3887616->; Fitting Position: Left
T5 AWD	169/230	B 5254 T7	03/07->	Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM; eng.# 4293285->
				Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 4293284; Fitting Position: Left
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 4293284; Fitting Position: Upper

	kW/HP	Engine code		Type		
T5 AWD	162/220	B 5254 T3	04/04->	Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 3887615; eng.# 3887616->; Fitting Position: Right
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; eng.# 3887616->; Fitting Position: Left
				Tensioner	SR-1320	- holder; OD: 65; W: 21; ACCOM; eng.# 4293285->
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 4293284; Fitting Position: Upper
				Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 4293284; Fitting Position: Left
S60 I 						
2.0 T	132/180	B 5204 T5	07/00->04/10	Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 3188689->; ->eng.# 3188688; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Upper Left; - AC
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->eng.# 3188688; Fitting Position: Lower Left
2.4	103/140	B 5244 S2	11/00->04/10	Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 3188689->; ->eng.# 3188688; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Upper Left; - AC
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->eng.# 3188688; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre
2.4	125/170	B 5244 S	11/00->04/10	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Upper Left; - AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 3188689->; ->eng.# 3188688; Fitting Position: Upper Right
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->eng.# 3188688; Fitting Position: Lower Left
2.4 Bifuel (CNG)	103/140	B 5244 SG	06/02->04/10	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; engine B 5244 SG; engine B 5244 SG2; Fitting Position: Upper Left; - AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 3188688; engine B 5244 SG; engine B 5244 SG2; Fitting Position: Upper Right; eng.# 3188689->
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->eng.# 3188688; engine B 5244 SG; engine B 5244 SG2; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; engine B 5244 SG; engine B 5244 SG2; Fitting Position: Centre
2.4 D	93/126	D 5244 T7	09/05->04/10	Deflection/Guide	SR-1416	ID: 17; OD: 70; W: 24; ALT; engine D 5244 T6; engine D 5244 T7; Fitting Position: Lower Left
				Tensioner	SR-1415	+ holder; D1: 70; Diameter 2 [mm]: 70; W: 26; ALT; ->eng.# 349808; engine D 5244 T6; engine D 5244 T7; Fitting Position: Centre
2.4 D	120/163	D 5244 T5	09/05->01/09	Deflection/Guide	SR-1416	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower Left
				Tensioner	SR-1415	+ holder; D1: 70; Diameter 2 [mm]: 70; W: 26; ALT; ->eng.# 349808; Fitting Position: Centre
2.4 D	96/130	D 5244 T2	12/01->04/10	Deflection/Guide	SR-1416	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower Left
				Tensioner	SR-1415	+ holder; D1: 70; Diameter 2 [mm]: 70; W: 26; ALT; ->eng.# 349808; Fitting Position: Centre
2.4 D5	120/163	D 5244 T	07/01->04/10	Deflection/Guide	SR-1416	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower Left
				Tensioner	SR-1415	+ holder; D1: 70; Diameter 2 [mm]: 70; W: 26; ALT; ->eng.# 349808; Fitting Position: Centre
2.4 D5	136/185	D 5244 T4	09/05->04/10	Deflection/Guide	SR-1416	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower Left
				Tensioner	SR-1415	+ holder; D1: 70; Diameter 2 [mm]: 70; W: 26; ALT; ->eng.# 349808; Fitting Position: Centre
2.4 T	147/200	B 5244 T3	11/00->04/10	Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 3188689->; ->eng.# 3188688; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Upper Left; - AC
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->eng.# 3188688; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre
2.4 T AWD	147/200	B 5244 T3	11/01->04/10	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Upper Left; - AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 3188689->; ->eng.# 3188688; Fitting Position: Upper Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->eng.# 3188688; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre
2.4 T5	191/260	B 5244 T5	04/04->04/10	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Upper Left; - AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 3188689->; ->eng.# 3188688; Fitting Position: Upper Right
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->eng.# 3188688; Fitting Position: Lower Left
2.5 T	154/210	B 5254 T2	02/04->04/10	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Upper Left; - AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 3188689->; ->eng.# 3188688; Fitting Position: Upper Right
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->eng.# 3188688; Fitting Position: Lower Left
2.5 T AWD	154/210	B 5254 T2	04/04->04/10	Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 3188689->; ->eng.# 3188688; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Upper Left; - AC
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->eng.# 3188688; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre
R 2,5 T AWD	221/300	B 5254 T4	03/03->04/10	Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 3188689->; ->eng.# 3188688; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Upper Left; - AC
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->eng.# 3188688; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre
T5	184/250	B 5234 T3	11/00->04/10	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Upper Left; - AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 3188689->; ->eng.# 3188688; Fitting Position: Upper Right
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->eng.# 3188688; Fitting Position: Lower Left



kW/HP

Engine code



Type













S60 II






D3	120/163	D 5204 T2;D 5204 T3	04/10->04/12	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ALT; eng. # 884798->; engine D 5204 T2; Fitting Position: Centre, ->eng.# 1046801; engine D 5204 T3; Fitting Position: Centre
D3	100/136	D 5204 T7	05/12->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre
D4	120/163	D 5204 T3	05/12->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre
D5	151/205	D 5244 T10	04/10->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng. # 884798->; Fitting Position: Centre
D5	169/230	D 5244 T15;D 5244 T23	04/14->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre
D5	158/215	D 5244 T11;D 5244 T15	06/11->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre
D5 AWD	151/205	D 5244 T10	04/10->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng. # 884798->; Fitting Position: Centre
D5 AWD	169/230	D 5244 T15;D 5244 T23	04/14->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre
D5 AWD	158/215	D 5244 T15	06/11->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre
T6 AWD	224/304	B 6304 T4	04/10->	Deflection/Guide	SR-1344	OD: 76,2; W: 24; ACCOM; Fitting Position: Lower
				Tensioner	SR-1343	- holder; ID: 17; OD: 76; W: 24; ACCOM; Fitting Position: Centre







S70 (LS)

				Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266127; engine B 5202 FS; Fitting Position: Right; eng.# 1266128->; engine B 5202 FS; Fitting Position: Right
2.0	93/126	B 5202 S;B 5202 FS	01/97->11/00	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; engine B 5202 FS; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; engine B 5202 FS; Fitting Position: Centre left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; engine B 5202 FS; Fitting Position: Left
2.0	105/143	B 5204 F	01/97->11/00	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; engine B 5202 FS; Fitting Position: Lower Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266127; engine B 5202 FS; Fitting Position: Right; eng.# 1266128->; engine B 5202 FS; Fitting Position: Right
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; engine B 5202 FS; Fitting Position: Centre left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; engine B 5202 FS; Fitting Position: Left
2.0	132/180	B 5204 T2	01/97->11/00	Deflection/Guide	SR-1146	OD: 53; W: 27; ->12/98; ->eng.# 1266127; Fitting Position: Right; ->12/98; eng.# 1266128->; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; engine B 5202 FS; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; engine B 5202 FS; Fitting Position: Centre left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->12/98; eng.# 1266128->; Fitting Position: Lower Left
2.0	120/163	B 5204 T4	01/97->11/00	Deflection/Guide	SR-1146	OD: 53; W: 27; 01/99->; Fitting Position: Upper Right; ->12/98; Fitting Position: Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; Fitting Position: Lower Left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; 01/99->; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; Fitting Position: Centre left
2.0 Turbo	155/210	B 5204 T	01/97->11/00	Deflection/Guide	SR-1146	OD: 53; W: 27; ->12/98; ->eng.# 1266127; engine B 5204 T2; Fitting Position: Right; ->12/98; eng.# 1266128->; engine B 5204 T2; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; engine B 5204 T2; Fitting Position: Lower Left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->12/98; eng.# 1266128->; engine B 5204 T2; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; engine B 5204 T2; Fitting Position: Centre left
2.0 Turbo	166/226	B 5204 T3	01/97->11/00	Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266127; Fitting Position: Right; eng.# 1266128->; Fitting Position: Upper Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; Fitting Position: Centre left
2.3 T-5	176/239	B 5234 T3	01/97->11/00	Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266127; Fitting Position: Right; eng.# 1266128->; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; Fitting Position: Centre left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; Fitting Position: Lower Left
2.3 Turbo	184/250	B 5234 FT+	01/97->11/00	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; engine B 5234 FS; Fitting Position: Lower Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 1266128->; engine B 5234 FS; Fitting Position: Upper Right; ->eng.# 1266127; Fitting Position: Right
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; engine B 5234 FS; Fitting Position: Centre left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; engine B 5234 FS; Fitting Position: Lower Left
2.4	125/170	B 5254 S;B 5244 S	01/97->11/00	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; engine B 5244 S; Fitting Position: Lower Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; engine B 5244 S; Fitting Position: Upper Right
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; engine B 5244 S; Fitting Position: Centre left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; engine B 5244 S; Fitting Position: Lower Left
2.4	103/140	B 5244 S2;B 5244 SG	08/99->11/00	Deflection/Guide	SR-1146	OD: 53; W: 27; engine B 5244 S2; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; engine B 5244 S2; Fitting Position: Lower Left; - AC
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; engine B 5244 S2; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; engine B 5244 S2; Fitting Position: Centre
2.4 AWD	103/140	B 5244 S2	04/99->09/00	Deflection/Guide	SR-1146	OD: 53; W: 27; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre

	kW/HP	Engine code		Type		
2.4 AWD	125/170	B 5244 S	04/99->09/00	Deflection/Guide	SR-1146	OD: 53; W: 27; engine B 5244 S; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; engine B 5244 S; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre
2.4 AWD	106/144	B 5252 FS	11/96->05/99	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; Fitting Position: Lower Left; - AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266127; Fitting Position: Right; eng.# 1266128->; Fitting Position: Right
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; Fitting Position: Centre
2.4 T5 AWD	142/193	B 5254 T	11/96->04/99	Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; Fitting Position: Left
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; Fitting Position: Lower Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266127; Fitting Position: Right; eng.# 1266128->; Fitting Position: Upper Right
2.4 Turbo	142/193	B 5254 T;B 5244 T	01/97->11/00	Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; Fitting Position: Centre left
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; engine B 5252 FS; Fitting Position: Lower Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; 01/00->; engine B 5244 T; Fitting Position: Upper Right
2.5	106/144	B 5252 FS	01/97->11/00	Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; engine B 5252 FS; Fitting Position: Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; engine B 5252 FS; Fitting Position: Centre left
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; engine B 5254 FS; Fitting Position: Lower Left
2.5	121/165	B 5254 S	06/98->11/00	Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266127; engine B 5254 FS; Fitting Position: Right; eng.# 1266128->; engine B 5254 FS; Fitting Position: Upper Right
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; engine B 5254 FS; Fitting Position: Centre left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; engine B 5254 FS; Fitting Position: Lower Left
2.5 Bifuel	103/140	B 5244 SG	07/99->11/00	Deflection/Guide	SR-1146	OD: 53; W: 27; engine B 5244 SG; engine B 5244 SG2; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; engine B 5244 SG; engine B 5244 SG2; Fitting Position: Lower Left; - AC
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; engine B 5244 SG; engine B 5244 SG2; Fitting Position: Centre
2.5 Bifuel	106/144	GB 5252 S	10/98->11/00	Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; engine B 5244 SG; engine B 5244 SG2; Fitting Position: Lower Left
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; engine GB 5252 S; engine GB 5252 S2; Fitting Position: Lower Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 1266128->; engine GB 5252 S; Fitting Position: Right; ->eng.# 1266127; engine GB 5252 S; Fitting Position: Right; 01/99->; engine GB 5252 S2; Fitting Position: Right
2.5 TDI	103/140	D 5252 T	01/97->11/00	Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; engine GB 5252 S; Fitting Position: Left; 01/99->; engine GB 5252 S2; Fitting Position: Left
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
				Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
S80 I (TS, XY) 	120/163	B 5204 T4	06/98->07/06	Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Upper Right; 01/05->; eng.# 3188689->
2.0 T	166/226	B 5204 T3	06/98->07/06	Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
2.0 T	132/180	B 5204 T5	12/99->07/06	Deflection/Guide	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Upper Right; 01/05->; eng.# 3188689->
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Lower Left
2.4	103/140	B 5244 S2	01/99->07/06	Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Upper Right; 01/05->; eng.# 3188689->
2.4	125/170	B 5244 S	01/99->07/06	Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Upper Right; 01/05->; eng.# 3188689->
2.4	125/170	B 5244 S	01/99->07/06	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left

	kW/HP	Engine code		Type		
2.4 Bifuel (CNG)	103/140	B 5244 SG2	09/01->07/06	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; engine B 5244 SG; engine B 5244 SG2; Fitting Position: Lower Left; - AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->12/04; ->eng.# 3188688; engine B 5244 SG; engine B 5244 SG2; Fitting Position: Upper Right; 01/05->; eng.# 3188689->; engine B 5244 SG; engine B 5244 SG2
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; engine B 5244 SG; engine B 5244 SG2; Fitting Position: Centre left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->12/04; ->eng.# 3188688; engine B 5244 SG; engine B 5244 SG2; Fitting Position: Lower Left
2.4 D	96/131	D 5244 T2	10/01->07/06	Deflection/Guide	SR-1416	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower Left
				Tensioner	SR-1415	+ holder; D1: 70; Diameter 2 [mm]: 70; W: 26; ALT; ->eng.# 349808; Fitting Position: Centre
2.4 D5	120/163	D 5244 T	08/01->07/06	Deflection/Guide	SR-1416	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower Left
				Tensioner	SR-1415	+ holder; D1: 70; Diameter 2 [mm]: 70; W: 26; ALT; ->eng.# 349808; Fitting Position: Centre
2.4 T	147/200	B 5244 T3	06/00->07/06	Deflection/Guide	SR-1146	OD: 53; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Upper Right; 01/05->; eng.# 3188689->
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left
2.4 T5 AWD	147/200	B 5244 T3	04/00->09/03	Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Lower Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 3188689->; ->eng.# 3188688; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
2.5 T	154/210	B 5254 T2	03/03->07/06	Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Lower Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Upper Right; 01/05->; eng.# 3188689->
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
2.5 T AWD	154/210	B 5254 T2	07/03->07/06	Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Deflection/Guide	SR-1301	ID: 8,2; OD: 59; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Lower Left
2.5 TDI	103/140	D 5252 T	01/99->07/06	Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
				Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
2.8 T6	200/272	B 6284 T	05/98->07/06	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left
2.9	147/200	B 6294 S	03/99->07/06	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left
2.9	150/204	B 6304 S3	05/98->07/06	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left
3.0	144/196	B 6294 S2	06/01->07/06	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left
3.0 T6	200/272	B 6294 T	06/01->07/06	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left
S80 II (AS) 						
1.6 D DRiVe	80/109	D 4164 T	01/10->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; ->ch.125483; Fitting Position: Right
2.0	107/146	B 4204 S3	01/08->	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine B 4204 S3; engine B 4204 S4; Fitting Position: Centre right
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine B 4204 S3; engine B 4204 S4; Fitting Position: Lower Right
2.0 FlexFuel	107/146	B 4204 S4	01/08->	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; engine B 4204 S3; engine B 4204 S4; Fitting Position: Centre right
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; engine B 4204 S3; engine B 4204 S4; Fitting Position: Lower Right
2.0 TDi	100/136	D 4204 T	02/08->	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; Fitting Position: Centre
2.4 D	129/175	D 5244 T14	01/10->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng.# 884798->; Fitting Position: Centre
2.4 D	120/163	D 5244 T; D 5244 T5	03/06->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng.# 884798->; engine D 5244 T5; Fitting Position: Centre
				Deflection/Guide	SR-1146	OD: 53; W: 27; Fitting Position: Right
2.5 T	170/231	B 5254 T10	01/10->	Tensioner	SR-1546	+ holder; OD: 76; W: 22; ALT; Fitting Position: Upper
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; Fitting Position: Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; Fitting Position: Right
2.5 T	147/200	B 5254 T6	03/06->	Tensioner	SR-1546	+ holder; OD: 76; W: 22; ALT; Fitting Position: Upper
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; Fitting Position: Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; Fitting Position: Right
2.5 T FlexFuel	170/231	B 5254 T11	01/10->	Tensioner	SR-1546	+ holder; OD: 76; W: 22; ALT; Fitting Position: Upper
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; Fitting Position: Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; Fitting Position: Right
2.5 T FlexFuel	147/200	B 5254 T8	05/08->	Tensioner	SR-1546	+ holder; OD: 76; W: 22; ALT; Fitting Position: Upper
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; Fitting Position: Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; Fitting Position: Right
3.2	179/243	B 6324 S5	01/10->	Deflection/Guide	SR-1344	OD: 76,2; W: 24; ACCOM; Fitting Position: Upper
				Tensioner	SR-1343	- holder; ID: 17; OD: 76; W: 24; ACCOM; Fitting Position: Lower
3.2	175/238	B 6324 S	03/06->	Deflection/Guide	SR-1344	OD: 76,2; W: 24; ACCOM; Fitting Position: Upper
				Tensioner	SR-1343	- holder; ID: 17; OD: 76; W: 24; ACCOM; Fitting Position: Lower
3.2 AWD	175/238	B 6324 S	01/07->	Deflection/Guide	SR-1344	OD: 76,2; W: 24; ACCOM; Fitting Position: Upper
				Tensioner	SR-1343	- holder; ID: 17; OD: 76; W: 24; ACCOM; Fitting Position: Lower

	kW/HP	Engine code		Type		
3.2 AWD	179/243	B 6324 S5	01/10->	Deflection/Guide Tensioner	SR-1344 SR-1343	OD: 76,2; W: 24; ACCOM; Fitting Position: Upper - holder; ID: 17; OD: 76; W: 24; ACCOM; Fitting Position: Lower
D3 / D4	120/163	D 5204 T2;D 5204 T3	01/10->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng.# 884798->; engine D 5204 T2; Fitting Position: Centre; ->eng.# 1046801; engine D 5204 T3; Fitting Position: Centre
D5	151/205	D 5244 T10	01/10->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng.# 884798->; Fitting Position: Centre
D5	136/185	D 5244 T4	03/06->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng.# 884798->; Fitting Position: Centre
D5	158/215	D 5244 T11;D 5244 T15	06/11->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre
D5 AWD	136/185	D 5244 T4	01/07->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng.# 884798->; Fitting Position: Centre
D5 AWD	151/205	D 5244 T10	01/10->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng.# 884798->; Fitting Position: Centre
D5 AWD	158/215	D 5244 T15	06/11->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre
T6 AWD	210/286	B 6304 T2	01/07->	Deflection/Guide Tensioner	SR-1344 SR-1343	OD: 76,2; W: 24; ACCOM; Fitting Position: Upper - holder; ID: 17; OD: 76; W: 24; ACCOM; Fitting Position: Lower
T6 AWD	224/305	B 6304 T4	10/10->	Deflection/Guide Tensioner	SR-1344 SR-1343	OD: 76,2; W: 24; ACCOM; Fitting Position: Upper - holder; ID: 17; OD: 76; W: 24; ACCOM; Fitting Position: Lower
V40 Estate (VW) 						
1.6	80/109	B 4164 S2	03/99->06/04	Deflection/Guide Deflection/Guide Tensioner Tensioner	SR-1146 SR-1317 SR-1316 SR-1301	OD: 53; W: 27; Fitting Position: Upper Right OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC - holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left ID: 8,2; OD: 59; W: 27; Fitting Position: Lower Left
1.6	77/105	B 4164 S	12/95->08/99	Deflection/Guide Tensioner	SR-1146 SR-1301	OD: 53; W: 27; eng.# 1266196->; Fitting Position: Upper Right; ->eng.# 1266195; Fitting Position: Right ID: 8,2; OD: 59; W: 27; eng.# 1266196->; Fitting Position: Lower Left
1.8	90/122	B 4184 S2;B 4184 S9	03/99->06/04	Deflection/Guide Deflection/Guide Tensioner Tensioner	SR-1146 SR-1317 SR-1316 SR-1301	OD: 53; W: 27; Fitting Position: Upper Right OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC - holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left ID: 8,2; OD: 59; W: 27; Fitting Position: Lower Left
1.8	85/115	B 4184 S;B 4184 S3	07/95->08/99	Deflection/Guide Tensioner	SR-1146 SR-1301	OD: 53; W: 27; ->eng.# 1266195; engine B 4184 S; Fitting Position: Right; eng.# 1266196->; engine B 4184 S; Fitting Position: Upper Right ID: 8,2; OD: 59; W: 27; eng.# 1266196->; engine B 4184 S; Fitting Position: Lower Left
1.8 i	92/125	B 4184 SM	03/98->06/04	Deflection/Guide	SR-1165	OD: 60; W: 32
1.8 i	90/122	B 4184 SJ	06/01->06/04	Deflection/Guide	SR-1165	OD: 60; W: 32
1.9 DI	70/95	D 4192 T2	03/99->07/00	Deflection/Guide Deflection/Guide Tensioner Tensioner	SR-1213 SR-1302 SR-1114 SR-1303	OD: 60; W: 31; Fitting Position: Lower Left OD: 50; W: 26; ALT; Fitting Position: Upper; + AC OD: 50; W: 31; Fitting Position: Upper Left - holder; ID: 17; OD: 60; W: 26; ALT; Fitting Position: Centre left; + AC
1.9 DI	75/102	D 4192 T4	07/00->06/04	Deflection/Guide Tensioner Tensioner	SR-1188 SR-1359 SR-1360 SR-1358	ID: 17; OD: 60; W: 26; ALT; ->eng.# 17963; Fitting Position: Left; + AC ID: 17; OD: 60; W: 31; ALT; eng.# 17964->; Fitting Position: Left; + AC - holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC - holder; ID: 17; OD: 65; W: 30; ALT; + AC
1.9 DI	85/115	D 4192 T3	07/00->06/04	Deflection/Guide Deflection/Guide Tensioner Tensioner	SR-1359 SR-1188 SR-1358 SR-1360	ID: 17; OD: 60; W: 31; ALT; eng.# 14516->; Fitting Position: Left; + AC ID: 17; OD: 60; W: 26; ALT; ->eng.# 14515; Fitting Position: Left; + AC - holder; ID: 17; OD: 65; W: 30; ALT; + AC - holder; OD: 65; W: 26; ALT; Fitting Position: Centre; - AC
1.9 T4	147/200	B 4194 T	05/97->07/00	Deflection/Guide Tensioner Tensioner	SR-1146 SR-1317 SR-1301 SR-1316	OD: 53; W: 27; engine B 4194 T2; Fitting Position: Upper Right; eng.# 1219754->; engine B 4194 T; Fitting Position: Upper Right; ->eng.# 1219753; engine B 4194 T; Fitting Position: Right OD: 124; W: 23; ALT; engine B 4194 T2; Fitting Position: Lower Left; - AC ID: 8,2; OD: 59; W: 27; engine B 4194 T2; Fitting Position: Lower Left; eng.# 1219754->; engine B 4194 T; Fitting Position: Lower Left - holder; OD: 70; W: 24,5; ALT; engine B 4194 T2; Fitting Position: Centre left
1.9 TD	66/90	D 4192 T	07/95->08/99	Deflection/Guide Deflection/Guide Deflection/Guide Tensioner Tensioner	SR-1115 SR-1213 SR-1302 SR-1114 SR-1303	OD: 50; W: 31; ->eng.# 3534; eng.# 3535->; eng.# 3535->; Fitting Position: Right OD: 60; W: 31; eng.# 3535->; Fitting Position: Lower Left OD: 50; W: 26; ALT; Fitting Position: Upper; + AC OD: 50; W: 31; ->eng.# 3534; eng.# 3535->; eng.# 3535->; Fitting Position: Upper Left - holder; ID: 17; OD: 60; W: 26; ALT; eng.# 7795->; Fitting Position: Centre left; + AC
2.0	100/136	B 4204 S;B 4204 S2	07/95->06/04	Deflection/Guide Deflection/Guide Tensioner Tensioner	SR-1146 SR-1317 SR-1301 SR-1316	OD: 53; W: 27; eng.# 1266196->; Fitting Position: Upper Right; ->eng.# 1266195; Fitting Position: Right OD: 124; W: 23; ALT; engine B 4204 S2; Fitting Position: Lower Left; - AC ID: 8,2; OD: 59; W: 27; eng.# 1266196->; Fitting Position: Lower Left - holder; OD: 70; W: 24,5; ALT; engine B 4204 S2; Fitting Position: Centre left
2.0	103/140	B 4204 S	07/95->08/99	Deflection/Guide Tensioner	SR-1146 SR-1301	OD: 53; W: 27; eng.# 1266196->; Fitting Position: Upper Right; ->eng.# 1266195; Fitting Position: Right ID: 8,2; OD: 59; W: 27; eng.# 1266196->; Fitting Position: Lower Left
2.0 T	120/163	B 4204 T3	06/01->06/04	Deflection/Guide Deflection/Guide Tensioner Tensioner	SR-1146 SR-1317 SR-1316 SR-1301	OD: 53; W: 27; Fitting Position: Upper Right OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC - holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left ID: 8,2; OD: 59; W: 27; Fitting Position: Lower Left

	kW/HP	Engine code		Type		
2.0 T	121/165	B 4204 T2	07/99->06/04	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; Fitting Position: Upper Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left
2.0 T	118/160	B 4204 T	10/97->07/00	Deflection/Guide	SR-1146	OD: 53; W: 27; -eng.# 1219753; Fitting Position: Right; eng.# 1219754->; Fitting Position: Upper Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1219754->; Fitting Position: Lower Left
2.0 T4	147/200	B 4204 T5	07/00->06/04	Deflection/Guide	SR-1146	OD: 53; W: 27; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; Fitting Position: Lower Left
V40 Hatchback 						
D3	110/150	D 5204 T6	03/12->03/15	Tensioner	SR-1320	+ holder; OD: 65; W: 21; ALT; + AC
D4	130/177	D 5204 T4	03/12->	Tensioner	SR-1320	+ holder; OD: 65; W: 21; ALT; + AC
T4	132/180	B 5204 T8	07/13->	Tensioner	SR-1320	+ holder; OD: 65; W: 21; ALT; + AC
T4 AWD	132/180	B 5204 T8	07/13->	Tensioner	SR-1320	+ holder; OD: 65; W: 21; ALT; + AC
T5	157/214	B 5204 T9	03/13->	Deflection/Guide	SR-1146	OD: 53; W: 27
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ALT; + AC
T5	187/254	B 5254 T12	12/12->	Deflection/Guide	SR-1146	OD: 53; W: 27
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ALT; + AC
T5 AWD	187/254	B 5254 T12	01/13->	Deflection/Guide	SR-1146	OD: 53; W: 27
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ALT; + AC
T5 AWD	157/214	B 5204 T9	03/13->	Deflection/Guide	SR-1146	OD: 53; W: 27
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ALT; + AC
V50 [MW] 						
1.6	74/101	B 4164 S3	01/05->	Tensioner	SR-1015	ID: 8,2; OD: 62; W: 26,5; ch.115450->
1.6 D	81/110	D 4164 T	01/05->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; Fitting Position: Right
				Tensioner	SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; ->ch.554734; Fitting Position: Right
1.8	92/125	B 4184 S11	04/04->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; ch.413994->; Fitting Position: Upper; - sup. plate
				Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68,5; W: 22,5; ALT; ->ch.413993; Fitting Position: Upper
1.8 FlexFuel	92/125	B 4184 S8	01/05->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; ch.413994->; Fitting Position: Upper; - sup. plate
				Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68,5; W: 22,5; ALT; ->ch.413993; Fitting Position: Upper
2.0	107/146	B 4204 S3	10/06->	Deflection/Guide	SR-1016	OD: 73; W: 29; ALT; ch.413994->; Fitting Position: Upper; - sup. plate
				Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68,5; W: 22,5; ALT; ->ch.413993; Fitting Position: Upper
2.0 FlexFuel	107/146	B 4204 S4	01/10->	Tensioner	SR-1426	- holder; ID: 17; num. of ribs: 6; OD: 68,5; W: 22,5; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1146	OD: 53; W: 27; -eng.# 3887615; eng.# 3887616->; Fitting Position: Right
2.4	103/140	B 5244 S5	04/04->	Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM; eng.# 4293285->
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; eng.# 3887616->; Fitting Position: Left
				Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 4293284; Fitting Position: Left
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 4293284; Fitting Position: Upper
2.4	125/170	B 5244 S4	04/04->	Deflection/Guide	SR-1146	OD: 53; W: 27; -eng.# 3887615; eng.# 3887616->; Fitting Position: Right
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 4293284; Fitting Position: Upper
				Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 4293284; Fitting Position: Left
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; eng.# 3887616->; Fitting Position: Left
2.4 D5	132/179	D 5244 T8;D 5244 T13	03/06->	Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM; eng.# 4293285->
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM; eng.# 619468->
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 619467; Fitting Position: Upper
2.4 Tdi	120/163	D 5244 T9	05/07->	Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 619467; Fitting Position: Left
				Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 619467; Fitting Position: Left
D3	110/150	D 5204 T5	10/10->	Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 619467; Fitting Position: Upper
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM; eng.# 619468->
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM; eng.# 619468->
D4	130/177	D 5204 T	10/10->	Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 619467; Fitting Position: Upper
				Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 619467; Fitting Position: Left
T5	169/230	B 5254 T7	03/07->	Deflection/Guide	SR-1146	OD: 53; W: 27; -eng.# 3887615; eng.# 3887616->; Fitting Position: Right
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 4293284; Fitting Position: Upper
				Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 4293284; Fitting Position: Left
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM; eng.# 4293285->
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; eng.# 3887616->; Fitting Position: Left





	kW/HP	Engine code		Type		
T5	162/220	B 5254 T3	04/04->	Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 3887615; eng.# 3887616->; Fitting Position: Right
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; eng.# 3887616->; Fitting Position: Left
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM; eng.# 4293285->
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 4293284; Fitting Position: Upper
T5 AWD	169/230	B 5254 T7	03/07->	Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 3887615; eng.# 3887616->; Fitting Position: Right
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; eng.# 3887616->; Fitting Position: Left
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM; eng.# 4293285->
				Tensioner	SR-1346	- holder; OD: 65,2; W: 21; ACCOM; ->eng.# 4293284; Fitting Position: Left
T5 AWD	162/220	B 5254 T3	04/04->	Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 3887615; eng.# 3887616->; Fitting Position: Right
				Tensioner	SR-1345	+ holder; OD: 70; W: 20,5; ALT; ->eng.# 4293284; Fitting Position: Upper
				Tensioner	SR-1320	+ holder; OD: 65; W: 21; ACCOM; eng.# 4293285->
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; eng.# 3887616->; Fitting Position: Left






V60






2.4 D5	158/215	D 5244 T11;D 5244 T15	06/11->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre
2.4 D5 AWD	158/215	D 5244 T15	06/11->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre
2.4 Hybrid D6 AWD	158/215	D82PHEV	06/12->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; engine D 5244 T17; Fitting Position: Centre
D3	100/136	D 5204 T7	12/12->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre
D3 / D4	120/163	D 5204 T2;D 5204 T3	09/10->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ALT; eng.# 884798->; engine D 5204 T2; Fitting Position: Centre; ->eng.# 1046801; engine D 5204 T3; Fitting Position: Centre
D4 AWD	133/181	D 5244 T12	10/13->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre
D4 AWD	120/163	D 5244 T17	12/12->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre
D5	169/230	D 5244 T23	04/14->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre
D5	151/205	D 5244 T10	09/10->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng.# 884798->; Fitting Position: Centre
D5 AWD	169/230	D 5244 T15;D 5244 T23	04/14->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre
D5 AWD	151/205	D 5244 T10	09/10->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng.# 884798->; Fitting Position: Centre
T6 AWD	224/305	B 6304 T4	09/10->	Deflection/Guide	SR-1344	OD: 76,2; W: 24; ACCOM; Fitting Position: Lower
				Tensioner	SR-1343	- holder; ID: 17; OD: 76; W: 24; ACCOM; Fitting Position: Centre









V70 I (LV)





2.0	93/126	B 5202 S	01/97->03/00	Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266127; engine B 5202 FS; Fitting Position: Right; eng.# 1266128->; engine B 5202 FS; Fitting Position: Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; engine B 5202 FS; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; engine B 5202 FS; Fitting Position: Centre left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; engine B 5202 FS; Fitting Position: Left
2.0	105/143	B 5204 F	01/97->03/00	Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266127; engine B 5202 FS; Fitting Position: Right; eng.# 1266128->; engine B 5202 FS; Fitting Position: Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; engine B 5202 FS; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; engine B 5202 FS; Fitting Position: Centre left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; engine B 5202 FS; Fitting Position: Left
2.0	132/180	B 5204 T2	01/97->03/00	Deflection/Guide	SR-1146	OD: 53; W: 27; ->12/98; ->eng.# 1266127; Fitting Position: Right; ->12/98; eng.# 1266128->; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; Fitting Position: Centre left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->12/98; eng.# 1266128->; Fitting Position: Lower Left
2.0	120/163	B 5204 T4	01/97->03/00	Deflection/Guide	SR-1146	OD: 53; W: 27; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; Fitting Position: Centre left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; Fitting Position: Lower Left
2.0 Turbo	155/211	B 5204 T	01/97->03/00	Deflection/Guide	SR-1146	OD: 53; W: 27; ->12/98; ->eng.# 1266127; engine B 5204 T2; Fitting Position: Right; ->12/98; eng.# 1266128->; engine B 5204 T2; Fitting Position: Upper Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->12/98; eng.# 1266128->; engine B 5204 T2; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; Fitting Position: Centre left
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; Fitting Position: Lower Left
2.0 Turbo	166/226	B 5204 T3	01/97->03/00	Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266127; Fitting Position: Right; eng.# 1266128->; Fitting Position: Upper Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; Fitting Position: Centre left

	kW/HP	Engine code		Type		
2.0 Turbo AWD	166/226	B 5204 T3	01/97->03/00	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; Fitting Position: Lower Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266127; Fitting Position: Right; eng.# 1266128->; Fitting Position: Upper Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; Fitting Position: Centre left
2.3 AWD	177/241	B 5234 T3	04/97->09/98	Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266127; engine B 5234 T2; engine B 5234 T3; Fitting Position: Right; eng.# 1266128->; Fitting Position: Upper Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; engine B 5234 T2; engine B 5234 T3; Fitting Position: Lower Left
2.3 T AWD	184/250	B 5234 FT+;B 5234 T4	04/97->03/00	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; Fitting Position: Lower Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266127; Fitting Position: Right; eng.# 1266128->; Fitting Position: Upper Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; Fitting Position: Centre left
2.3 T-5	176/239	B 5234 T3	01/97->03/00	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; Fitting Position: Lower Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266127; Fitting Position: Right; eng.# 1266128->; Fitting Position: Upper Right
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; Fitting Position: Centre left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; Fitting Position: Lower Left
2.3 T-5 AWD	176/239	B 5234 T3	01/97->03/00	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; Fitting Position: Lower Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266127; Fitting Position: Right; eng.# 1266128->; Fitting Position: Upper Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; Fitting Position: Centre left
2.3 Turbo	184/250	B 5234 FT+	01/97->03/00	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; engine B 5234 FS; Fitting Position: Lower Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->12/98; eng.# 1266128->; engine B 5234 FS; Fitting Position: Upper Right; ->eng.# 1266127; Fitting Position: Right
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; engine B 5234 FS; Fitting Position: Centre left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->12/98; eng.# 1266128->; engine B 5234 FS; Fitting Position: Lower Left
2.4	125/170	B 5254 S;B 5244 S	01/97->05/00	Deflection/Guide	SR-1146	OD: 53; W: 27; engine B 5244 S; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; engine B 5244 S; Fitting Position: Lower Left; - AC
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; engine B 5244 S; Fitting Position: Centre
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; engine B 5244 S; Fitting Position: Lower Left
2.4	103/140	B 5244 S2;B 5244 SG2	08/99->05/00	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; engine B 5244 S2; Fitting Position: Lower Left; - AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 3192745; engine B 5244 S2; Fitting Position: Upper Right; eng.# 3129746->
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->eng.# 3192745; engine B 5244 S2; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; engine B 5244 S2; Fitting Position: Centre
2.4 AWD	121/165	B 5254 S	10/98->05/99	Deflection/Guide	SR-1146	OD: 53; W: 27; engine B 5244 S2; Fitting Position: Upper Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; engine B 5244 S2; Fitting Position: Lower Left
2.4 Bifuel	103/140	B 5244 SG	08/99->03/00	Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; engine B 5244 S2; Fitting Position: Centre
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; engine B 5244 SG; engine B 5244 SG2; Fitting Position: Lower Left; - AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; engine B 5244 SG; engine B 5244 SG2; Fitting Position: Upper Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; engine B 5244 SG; engine B 5244 SG2; Fitting Position: Lower Left
2.4 Turbo	142/193	B 5254 T;B 5244 T	01/97->03/00	Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; engine B 5244 S2; Fitting Position: Centre
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; engine B 5244 T; engine B 5244 T2; Fitting Position: Lower Left; - AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; engine B 5244 T; engine B 5244 T2; Fitting Position: Upper Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; engine B 5244 T; engine B 5244 T2; Fitting Position: Lower Left
2.5	106/144	B 5252 FS	01/97->03/00	Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; engine B 5244 T2; Fitting Position: Centre
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; engine B 5252 FS; Fitting Position: Lower Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266127; engine B 5252 FS; Fitting Position: Right; eng.# 1266128->; engine B 5252 FS; Fitting Position: Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; engine B 5252 FS; Fitting Position: Left
2.5	121/165	B 5254 S	06/98->03/00	Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; engine B 5252 FS; Fitting Position: Centre left
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266127; engine B 5254 FS; Fitting Position: Right; ->12/98; eng.# 1266128->; engine B 5254 FS; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; engine B 5254 FS; Fitting Position: Lower Left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->12/98; eng.# 1266128->; engine B 5254 FS; Fitting Position: Lower Left
2.5 AWD	195/265	B 5244 T2	03/99->03/00	Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; engine B 5254 FS; Fitting Position: Centre left
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; engine B 5254 S; Fitting Position: Lower Left; - AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; engine B 5254 S; Fitting Position: Upper Right
				Tensioner	SR-1301	- holder; OD: 70; W: 24,5; ALT; engine B 5254 S; Fitting Position: Centre
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; engine B 5254 S; Fitting Position: Lower Left

	kW/HP	Engine code		Type		
2.5 Bifuel	106/144	GB 5252 S	10/98->08/99	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; engine GB 5252 S; engine GB 5252 S2; Fitting Position: Lower Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 1266128->; engine GB 5252 S; Fitting Position: Right; ->eng.# 1266127; engine GB 5252 S; Fitting Position: Right; engine GB 5252 S2; Fitting Position: Right
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; engine GB 5252 S; engine GB 5252 S2; Fitting Position: Centre Left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; engine GB 5252 S; Fitting Position: Left; engine GB 5252 S2; Fitting Position: Left
2.5 TDI	103/140	D 5252 T	01/97->05/00	Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
				Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
2.5 TDi AWD	103/140	D 5252 T	11/96->02/00	Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
				Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
2.5 Turbo AWD	142/193	B 5254 T;B 5244 T	01/97->05/00	Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 1266127; engine B 5254 T; Fitting Position: Right; eng.# 1266128->; engine B 5254 T; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; 01/99->; engine B 5254 T; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; 01/99->; engine B 5254 T; Fitting Position: Centre left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; eng.# 1266128->; engine B 5254 T; Fitting Position: Lower Left
V70 II (SW) 						
2.0 T	132/180	B 5204 T5	07/01->08/07	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Upper Right; 01/05->; eng.# 3188689->
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Lower Left
2.3 T5	184/250	B 5234 T3	03/00->08/04	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; engine B 5234 T3; Fitting Position: Lower Left; - AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 3188688; engine B 5234 T3; Fitting Position: Upper Right
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->eng.# 3188688; engine B 5234 T3; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; engine B 5234 T3; Fitting Position: Centre left
2.4	103/140	B 5244 S2	03/00->08/07	Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 3188689->; ->eng.# 3188688; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->eng.# 3188688; Fitting Position: Lower Left
2.4	125/170	B 5244 S	03/00->08/07	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Upper Right; 01/05->; eng.# 3188689->
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left
2.4 Bifuel (CNG)	103/140	B 5244 SG	09/01->08/07	Deflection/Guide	SR-1146	OD: 53; W: 27; ->12/04; ->eng.# 3188688; engine B 5244 SG; engine B 5244 SG2; Fitting Position: Upper Right; 01/05->; eng.# 3188689->; engine B 5244 SG; engine B 5244 SG2
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; engine B 5244 SG; engine B 5244 SG2; Fitting Position: Lower Left; - AC
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; engine B 5244 SG; engine B 5244 SG2; Fitting Position: Centre left
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->12/04; ->eng.# 3188688; engine B 5244 SG; engine B 5244 SG2; Fitting Position: Lower Left
2.4 D	93/126	D 5244 T7	05/05->08/07	Deflection/Guide	SR-1416	ID: 17; OD: 70; W: 24; ALT; engine D 5244 T2; engine D 5244 T3; Fitting Position: Lower Left
				Tensioner	SR-1415	+ holder; D1: 70; Diameter 2 [mm]: 70; W: 26; ALT; ->eng.# 349808; engine D 5244 T2; engine D 5244 T3; Fitting Position: Centre
2.4 D	96/131	D 5244 T2	12/01->08/07	Deflection/Guide	SR-1416	ID: 17; OD: 70; W: 24; ALT; engine D 5244 T2; engine D 5244 T3; Fitting Position: Lower Left
				Tensioner	SR-1415	+ holder; D1: 70; Diameter 2 [mm]: 70; W: 26; ALT; ->eng.# 349808; engine D 5244 T2; engine D 5244 T3; Fitting Position: Centre
2.4 D5	120/163	D 5244 T;D 5244 T5	08/01->08/07	Deflection/Guide	SR-1416	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower Left
				Tensioner	SR-1415	+ holder; D1: 70; Diameter 2 [mm]: 70; W: 26; ALT; ->eng.# 349808; Fitting Position: Centre
2.4 D5	136/185	D 5244 T4	12/05->08/07	Deflection/Guide	SR-1416	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower Left
				Tensioner	SR-1415	+ holder; D1: 70; Diameter 2 [mm]: 70; W: 26; ALT; ->eng.# 349808; Fitting Position: Centre
2.4 D5 AWD	120/163	D 5244 T;D 5244 T2;D 5244 T5	03/03->08/07	Deflection/Guide	SR-1416	ID: 17; OD: 70; W: 24; ALT; engine D 5244 T2; engine D 5244 T3; Fitting Position: Lower Left
				Tensioner	SR-1415	+ holder; D1: 70; Diameter 2 [mm]: 70; W: 26; ALT; ->eng.# 349808; engine D 5244 T2; engine D 5244 T3; Fitting Position: Centre
2.4 D5 AWD	136/185	D 5244 T4	12/05->08/07	Deflection/Guide	SR-1416	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower Left
				Tensioner	SR-1415	+ holder; D1: 70; Diameter 2 [mm]: 70; W: 26; ALT; ->eng.# 349808; Fitting Position: Centre
2.4 T	147/200	B 5244 T3	03/00->08/03	Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 3188688; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->eng.# 3188688; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left
2.4 T AWD	147/200	B 5244 T3	09/01->08/02	Deflection/Guide	SR-1146	OD: 53; W: 27; ->eng.# 3188688; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->eng.# 3188688; Fitting Position: Lower Left
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left

	kW/HP	Engine code		Type			
2.4 T5	191/260	B 5244 T5	04/04->08/07	Deflection/Guide	SR-1146	OD: 53; W: 27; ->12/04; ->eng.# 3188688; engine B 5244 T4; engine B 5244 T5; Fitting Position: Upper Right; 01/05->; eng.# 3188689->	
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; engine B 5244 T4; engine B 5244 T5; Fitting Position: Lower Left; - AC	
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; engine B 5244 T4; engine B 5244 T5; Fitting Position: Centre Left	
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->12/04; ->eng.# 3188688; engine B 5244 T4; engine B 5244 T5; Fitting Position: Lower Left	
2.5 T	154/209	B 5254 T2	04/04->08/07	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC	
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Upper Right; 01/05->; eng.# 3188689->	
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Lower Left	
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left	
2.5 T AWD	154/209	B 5254 T2	09/02->08/07	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC	
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Upper Right; 01/05->; eng.# 3188689->	
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Lower Left	
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left	
2.5 TDI	103/140	D 5252 T	03/00->08/07	Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower	
				Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper	
				Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left	
R 2,5 T AWD	221/300	B 5254 T4	03/03->08/07	Deflection/Guide	SR-1146	OD: 53; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Upper Right; 01/05->; eng.# 3188689->	
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC	
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left	
Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Lower Left					
	V70 III (BW) 						
	1.6 D	80/109	D 4164 T	01/10->	Deflection/Guide	SR-1353	ID: 10,2; OD: 60; W: 30; Fitting Position: Right
Tensioner					SR-1434	- holder; ID: 17; OD: 65; W: 25; ALT; ->ch.147629; Fitting Position: Right	
2.0	107/145	B 4204 S3	10/07->	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; Fitting Position: Centre right	
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; Fitting Position: Lower Right	
2.0 D	100/136	D 4204 T	10/07->	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; Fitting Position: Centre	
2.0 FlexiFuel	107/146	B 4204 S4	01/08->	Deflection/Guide	SR-1282	+ holder; OD: 70; thread size M8x1,25; W: 26,5; ALT; Fitting Position: Centre right	
				Tensioner	SR-1283	- holder; ID: 17; OD: 68,5; W: 22,5; ALT; Fitting Position: Lower Right	
2.4 D	120/163	D 5244 T5	08/07->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng.# 884798->; Fitting Position: Centre	
2.4 D	129/175	D 5244 T14	10/09->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng.# 884798->; Fitting Position: Centre	
2.5 T	170/231	B 5254 T10	01/10->	Deflection/Guide	SR-1146	OD: 53; W: 27; Fitting Position: Right	
				Tensioner	SR-1546	+ holder; OD: 76; W: 22; ALT; Fitting Position: Upper	
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; Fitting Position: Left	
2.5 T	147/200	B 5254 T6	08/07->	Deflection/Guide	SR-1146	OD: 53; W: 27; Fitting Position: Right	
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; Fitting Position: Left	
				Tensioner	SR-1546	+ holder; OD: 76; W: 22; ALT; Fitting Position: Upper	
2.5 T FlexiFuel	147/200	B 5254 T8	05/08->	Deflection/Guide	SR-1146	OD: 53; W: 27; Fitting Position: Right	
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; Fitting Position: Left	
				Tensioner	SR-1546	+ holder; OD: 76; W: 22; ALT; Fitting Position: Upper	
2.5 T FlexiFuel	170/231	B 5254 T11	10/09->	Deflection/Guide	SR-1146	OD: 53; W: 27; Fitting Position: Right	
				Tensioner	SR-1319	ID: 8,2; OD: 60; W: 26,5; Fitting Position: Left	
				Tensioner	SR-1546	+ holder; OD: 76; W: 22; ALT; Fitting Position: Upper	
3.2	179/243	B 6324 S5	05/11->	Deflection/Guide	SR-1344	OD: 76,2; W: 24; ACCOM; Fitting Position: Upper	
				Tensioner	SR-1343	- holder; ID: 17; OD: 76; W: 24; ACCOM; Fitting Position: Lower	
3.2	175/238	B 6324 S	08/07->	Deflection/Guide	SR-1344	OD: 76,2; W: 24; ACCOM; Fitting Position: Upper	
				Tensioner	SR-1343	- holder; ID: 17; OD: 76; W: 24; ACCOM; Fitting Position: Lower	
3.2 AWD	179/243	B 6324 S5	05/11->	Deflection/Guide	SR-1344	OD: 76,2; W: 24; ACCOM; Fitting Position: Upper	
				Tensioner	SR-1343	- holder; ID: 17; OD: 76; W: 24; ACCOM; Fitting Position: Lower	
3.2 AWD	175/238	B 6324 S	08/07->	Deflection/Guide	SR-1344	OD: 76,2; W: 24; ACCOM; Fitting Position: Upper	
D3	100/136	D 5204 T7	03/10->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre	
D4 AWD	120/163	D 5244 T17	01/13->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre	
D4 AWD	133/181	D 5244 T12	10/13->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre	
D5	158/215	D 5244 T11;D 5244 T15	06/11->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre	
D5	136/185	D 5244 T4	08/07->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng.# 884798->; Fitting Position: Centre	
D5	151/205	D 5244 T10	12/09->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng.# 884798->; Fitting Position: Centre	
D5 AWD	158/215	D 5244 T11;D 5244 T15	06/11->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre	
D5 AWD	136/185	D 5244 T4	10/07->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng.# 884798->; Fitting Position: Centre	
D5 AWD	151/205	D 5244 T10	12/09->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng.# 884798->; Fitting Position: Centre	
T6 AWD	224/305	B 6304 T4	04/11->	Deflection/Guide	SR-1344	OD: 76,2; W: 24; ACCOM; Fitting Position: Upper	
				Tensioner	SR-1343	- holder; ID: 17; OD: 76; W: 24; ACCOM; Fitting Position: Lower	
T6 AWD	210/286	B 6304 T2	08/07->	Deflection/Guide	SR-1344	OD: 76,2; W: 24; ACCOM; Fitting Position: Upper	
				Tensioner	SR-1343	- holder; ID: 17; OD: 76; W: 24; ACCOM; Fitting Position: Lower	

	kW/HP	Engine code		Type		
XC60 						
2.4 D	129/175	D 5244 T14	07/09->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng.# 884798->; Fitting Position: Centre
2.4 D / D3 / D4 AWD	120/163	D 5244 T5;D 5244 T16;D 5244 T17	05/08->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng.# 884798->; engine D 5244 T16; engine D 5244 T5; Fitting Position: Centre; ->eng.# 1046801; engine D 5244 T17
3.2 AWD	179/243	B 6324 S5	03/10->	Deflection/Guide	SR-1344	OD: 76,2; W: 24; ACCOM; Fitting Position: Upper
				Tensioner	SR-1343	- holder; ID: 17; OD: 76; W: 24; ACCOM; Fitting Position: Lower
3.2 AWD	175/238	B 6324 S	07/09->	Deflection/Guide	SR-1344	OD: 76,2; W: 24; ACCOM; Fitting Position: Upper
				Tensioner	SR-1343	- holder; ID: 17; OD: 76; W: 24; ACCOM; Fitting Position: Lower
D3	100/136	D 5204 T7	04/12->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre
D3 / D4	120/163	D 5204 T2;D 5204 T3	03/10->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ALT; eng.# 884798->; engine D 5204 T2; Fitting Position: Centre; ->eng.# 1046801; engine D 5204 T3; Fitting Position: Centre
D4 AWD	133/181	D 5244 T12	10/13->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre
D5	158/215	D 5244 T15	06/11->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; engine D 5244 T11; engine D 5244 T15; Fitting Position: Centre
D5 AWD	169/230	D 5244 T23	04/14->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre
D5 AWD	136/185	D 5244 T4	05/08->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng.# 884798->; Fitting Position: Centre
D5 AWD	158/215	D 5244 T11;D 5244 T15	06/11->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; engine D 5244 T11; engine D 5244 T15; Fitting Position: Centre
D5 AWD	151/205	D 5244 T10	07/09->06/11	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng.# 884798->; Fitting Position: Centre
				Deflection/Guide	SR-1344	OD: 76,2; W: 24; ACCOM; Fitting Position: Upper
T6 AWD	224/304	B 6304 T4	03/10->	Deflection/Guide	SR-1344	OD: 76,2; W: 24; ACCOM; Fitting Position: Upper
				Tensioner	SR-1343	- holder; ID: 17; OD: 76; W: 24; ACCOM; Fitting Position: Lower
T6 AWD	210/286	B 6304 T2	05/08->	Deflection/Guide	SR-1344	OD: 76,2; W: 24; ACCOM; Fitting Position: Upper
				Tensioner	SR-1343	- holder; ID: 17; OD: 76; W: 24; ACCOM; Fitting Position: Lower
XC70 CROSS COUNTRY 						
2.4 D5 AWD	136/185	D 5244 T4	12/05->08/07	Deflection/Guide	SR-1416	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower Left
				Tensioner	SR-1415	+ holder; D1: 70; Diameter 2 [mm]: 70; W: 26; ALT; ->eng.# 349808; Fitting Position: Centre
2.4 D5 XC AWD	120/163	D 5244 T	09/02->08/07	Deflection/Guide	SR-1416	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower Left
				Tensioner	SR-1415	+ holder; D1: 70; Diameter 2 [mm]: 70; W: 26; ALT; ->eng.# 349808; Fitting Position: Centre
2.4 T XC AWD	147/200	B 5244 T3	03/00->09/02	Deflection/Guide	SR-1146	OD: 53; W: 27; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; Fitting Position: Lower Left
2.4 T XC AWD	142/193	B 5254 T	11/97->09/02	Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre left
				Deflection/Guide	SR-1146	OD: 53; W: 27; engine B 5244 T3; Fitting Position: Upper Right
				Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; engine B 5244 T3; Fitting Position: Lower Left; - AC
2.5 T XC AWD	154/209	B 5254 T2	09/02->08/07	Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; engine B 5244 T3; Fitting Position: Centre left
				Deflection/Guide	SR-1317	ID: 8,2; OD: 59; W: 27; engine B 5244 T3; Fitting Position: Lower Left
				Deflection/Guide	SR-1146	OD: 53; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Upper Right, 01/05->; eng.# 3188688->
Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->12/04; ->eng.# 3188688; Fitting Position: Lower Left				
XC70 II 						
2.4 D	129/175	D 5244 T14	01/10->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng.# 884798->; Fitting Position: Centre
2.4 D / D4 AWD	120/163	D 5244 T5;D 5244 T16;D 5244 T17	08/07->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng.# 884798->; Fitting Position: Centre
3.2 AWD	179/243	B 6324 S5	08/07->	Deflection/Guide	SR-1344	OD: 76,2; W: 24; ACCOM; Fitting Position: Upper
				Tensioner	SR-1343	- holder; ID: 17; OD: 76; W: 24; ACCOM; Fitting Position: Lower
3.2 AWD	175/238	B 6324 S	08/07->	Deflection/Guide	SR-1344	OD: 76,2; W: 24; ACCOM; Fitting Position: Upper
				Tensioner	SR-1343	- holder; ID: 17; OD: 76; W: 24; ACCOM; Fitting Position: Lower
D3	120/163	D 5204 T2;D 5204 T3	08/11->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ALT; eng.# 884798->; engine D 5204 T2; Fitting Position: Centre; ->eng.# 1046801; engine D 5204 T3; Fitting Position: Centre
D3 AWD	120/163	D 5204 T2	08/11->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ALT; eng.# 884798->; engine D 5204 T2; Fitting Position: Centre; ->eng.# 1046801; engine D 5204 T3; Fitting Position: Centre
D4 AWD	133/181	D 5244 T12	10/13->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre
D5 AWD	158/215	D 5244 T11;D 5244 T15	06/11->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; ->eng.# 1046801; Fitting Position: Centre
D5 AWD	136/185	D 5244 T4	08/07->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng.# 884798->; Fitting Position: Centre
D5 AWD	151/205	D 5244 T10	12/09->	Tensioner	SR-1342	- holder; OD: 65; W: 26,5; ALT; eng.# 884798->; Fitting Position: Centre
T6 AWD	210/286	B 6304 T2	01/08->	Deflection/Guide	SR-1344	OD: 76,2; W: 24; ACCOM; Fitting Position: Upper
				Tensioner	SR-1343	- holder; ID: 17; OD: 76; W: 24; ACCOM; Fitting Position: Lower
T6 AWD	224/304	B 6304 T4	01/10->	Deflection/Guide	SR-1344	OD: 76,2; W: 24; ACCOM; Fitting Position: Upper
				Tensioner	SR-1343	- holder; ID: 17; OD: 76; W: 24; ACCOM; Fitting Position: Lower
XC90 I 						
2.5 T	154/209	B 5254 T2	10/02->	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Deflection/Guide	SR-1146	OD: 53; W: 27; eng.# 3188689->; ->eng.# 3188688; Fitting Position: Upper Right
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre
3.2 AWD	179/243	B 6324 S5	04/10->	Tensioner	SR-1301	ID: 8,2; OD: 59; W: 27; ->eng.# 3188688; Fitting Position: Lower Left
				Deflection/Guide	SR-1344	OD: 76,2; W: 24; ACCOM; Fitting Position: Upper
				Tensioner	SR-1343	- holder; ID: 17; OD: 76; W: 24; ACCOM; Fitting Position: Lower

	kW/HP	Engine code		Type		
3.2 AWD	175/238	B 6324 S	05/06->	Deflection/Guide	SR-1344	OD: 76,2; W: 24; ACCOM; Fitting Position: Upper
				Tensioner	SR-1343	- holder; ID: 17; OD: 76; W: 24; ACCOM; Fitting Position: Lower
D3 / D5	120/163	D 5244 T5	04/09->	Deflection/Guide	SR-1416	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower Left
				Tensioner	SR-1415	+ holder; D1: 70; Diameter 2 [mm]: 70; W: 26; ALT; ->eng.# 349808; Fitting Position: Centre
D5	147/200	D 5244 T18	01/11->	Deflection/Guide	SR-1416	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower Left
				Tensioner	SR-1415	+ holder; D1: 70; Diameter 2 [mm]: 70; W: 26; ALT; ->eng.# 349808; Fitting Position: Centre
D5	136/185	D 5244 T4	05/06->	Deflection/Guide	SR-1416	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower Left
				Tensioner	SR-1415	+ holder; D1: 70; Diameter 2 [mm]: 70; W: 26; ALT; ->eng.# 349808; Fitting Position: Centre
D5	120/163	D 5244 T;D 5244 T5	10/02->	Deflection/Guide	SR-1416	ID: 17; OD: 70; W: 24; ALT; Fitting Position: Lower Left
				Tensioner	SR-1415	+ holder; D1: 70; Diameter 2 [mm]: 70; W: 26; ALT; ->eng.# 349808; Fitting Position: Centre
T6	200/272	B 6294 T	10/02->	Deflection/Guide	SR-1317	OD: 124; W: 23; ALT; Fitting Position: Lower Left; - AC
				Tensioner	SR-1316	- holder; OD: 70; W: 24,5; ALT; Fitting Position: Centre







VW






AMAROK (2H_, S1B)






2.0 BitDI	120/163	CDCA	09/10->	Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
2.0 BitDI 4motion	120/163	CDCA	09/10->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
2.0 BitDI 4motion	132/180	CNEA;CSHA	11/11->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Ø 70 mm
2.0 TDI	103/140	CNFB	07/12->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	90/122	CDBA;CNFA	09/10->	Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Ø 70 mm
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI 4motion	103/140	CNFB	06/12->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
2.0 TDI 4motion	90/122	CDBA;CNFA	09/10->	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT
2.0 TSI	118/160	CFPA	12/10->	Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT









BEETLE (5C1)






1.2 TSI	77/105	CBZB	07/11->	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4 TSI	118/160	CAVD;CNWA;CTHD;CTK A	10/11->	Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM; Fitting Position: Upper Left
1.6 TDI	77/105	CAYC	10/11->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC







	kW/HP	Engine code		Type		
2.0 TDI	103/140	CFFB;CJAA	04/11->	Deflection/Guide	SR-1023	OD: 40; W: 36; ->04/12; engine CJAA; Fitting Position: Lower Left; 04/12->
				Deflection/Guide	SR-1024	OD: 40; W: 29; ->04/12; engine CFFB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->04/12; engine CFFB; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; ->04/12; engine CJAA; Fitting Position: Right; 04/12->
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->04/12; engine CJAA; Fitting Position: Upper; 04/12->
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
2.0 TDI	81/110	CUUA	06/14->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	110/150	CUUB;CVCA	07/14->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CJAA; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CUUA; engine CUUB; engine CVCA; engine DEBA; engine DELA; Fitting Position: Lower Left
2.0 TDI	110/150	CUUB;CVCA	07/14->	Deflection/Guide	SR-1330	OD: 80; W: 34; engine CJAA; Fitting Position: Right
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CUUA; engine CUUB; engine CVCA; engine DEBA; engine DELA; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CJAA; Fitting Position: Lower Left
2.0 TSI	147/200	CCTA;CBFA;CCZA	04/11->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
BEETLE Convertible (5C7) 						
1.2 TSI	77/105	CBZB	12/11->	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.4 TSI	118/160	CAVD;CNWA;CTHD;CTK A	12/11->	Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM; Fitting Position: Upper Left
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
1.6 TDI	77/105	CAYC	12/11->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
2.0 TDI	103/140	CFFB;CJAA	04/12->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CFFB; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CJAA; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CJAA; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CJAA; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFFB; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
2.0 TDI	81/110	CUUA	06/14->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CUUA; Fitting Position: Upper
2.0 TDI	110/150	CUUB;CVCA;DELA	09/14->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CUUA; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
BORA (1J2) 						
1.4 16V	55/75	AHW;AKQ;APE;AXP;BC A	03/00->05/05	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; CS; CS; CS; engine APE; engine AXP; engine BCA; Fitting Position: Lower Right; ->eng.# 160000; engine AHW; Fitting Position: Lower Right; ->eng.# 242000; engine AKQ; Fitting Position: Lower Right; eng.# 160001->; engine AHW; Fitting Position: Lower Right; eng.# 242001->; engine AKQ; Fitting Position: Lower Right
				Deflection/Guide	SR-1370	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; CS; CS; CS; engine APE; engine AXP; engine BCA; Fitting Position: Lower Left; ->eng.# 160000; engine AHW; Fitting Position: Lower Left; ->eng.# 242000; engine AKQ; Fitting Position: Lower Left; eng.# 160001->; engine AHW; Fitting Position: Lower Left; eng.# 242001->; engine AKQ; Fitting Position: Lower Left
				Tensioner	SR-1369	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
1.6	75/102	AVU;BFQ;BJH	08/00->05/05	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.6	74/101	AEH;AKL;APF	10/98->05/05	Tensioner	SR-1249	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.6 16V	77/105	ATN;AUS;AZD;BCB	05/00->05/05	Deflection/Guide	SR-1370	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1369	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
1.6 FSI	81/110	BAD	01/02->05/05	Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
				Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Deflection/Guide	SR-1370	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
1.8	92/125	AGN;BAF	10/98->05/05	Tensioner	SR-1369	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
				Deflection/Guide	SR-1264	OD: 29; W: 27; ->ch.1J-Y-850 000; Fitting Position: Centre left; ch.1J-Y-850 001->; Fitting Position: Centre left
				Deflection/Guide	SR-1263	OD: 29; W: 27; ->ch.1J-Y-850 000; Fitting Position: Centre; ch.1J-Y-850 001->; Fitting Position: Centre
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
Tensioner	SR-1326	OD: 72; W: 25; ->ch.1J-Y-850 000; Fitting Position: Upper Left				







	kW/HP	Engine code		Type		
1.8 4motion	92/125	AGN	02/99->05/05	Deflection/Guide	SR-1263	OD: 29; W: 27; ->ch.1J-Y-850 000; Fitting Position: Centre; ch.1J-Y-850 001->; Fitting Position: Centre
				Deflection/Guide	SR-1264	OD: 29; W: 27; ->ch.1J-Y-850 000; Fitting Position: Centre left; ch.1J-Y-850 001->; Fitting Position: Centre left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1326	OD: 72; W: 25; ->ch.1J-Y-850 000; Fitting Position: Upper Left
1.8 T	132/180	AUQ	03/02->05/05	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Centre left
				Deflection/Guide	SR-1263	OD: 29; W: 27; Fitting Position: Centre
1.8 T	110/150	AGU;ARX;AUM;BAE	05/00->05/05	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1264	OD: 29; W: 27; ->ch.1J-Y-850 000; Fitting Position: Centre left; exc.eng ARX; ch.1J-Y-850 001->; Fitting Position: Centre left; exc.eng ARX
				Deflection/Guide	SR-1263	OD: 29; W: 27; ch.1J-Y-850 001->; Fitting Position: Centre; exc.eng ARX; ->ch.1J-Y-850 000; Fitting Position: Centre; exc.eng ARX
1.9 SDI	50/68	AGP;AQM	10/98->05/05	Tensioner	SR-1326	OD: 72; W: 25; ->ch.1J-Y-850 000; Fitting Position: Upper Left; exc.eng ARX
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.9 TDI	110/150	ARL	05/00->05/05	Deflection/Guide	SR-1022	OD: 29; W: 29; ->eng.# 400000; engine AGP; Fitting Position: Lower Left; eng.# 430001->; engine AGP; Fitting Position: Upper; ->eng.# 450000; engine AQM; Fitting Position: Lower Left; eng.# 45001->; Fitting Position: Upper
				Deflection/Guide	SR-1308	ID: 8.2; OD: 65; W: 26.5; ALT; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/02->; ch.1J-2-592 783->; ch.1J-2D352 774->; Fitting Position: Lower Left
1.9 TDI	110/150	ARL	05/00->05/05	Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; ->ch.1J-2-592 783; ->ch.1J-2D352 773; Fitting Position: Lower Left; ->ch.1J-2-592 782
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/02->; ->12/02; eng.# 10001->; engine AXR; Fitting Position: Lower Left; 01/02->; ->12/02; ch.1J-2-525 001->; ch.1J-2D352 774->; engine ATD; Fitting Position: Lower Left
1.9 TDI	74/101	ATD;AXR	09/00->05/05	Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; ->ch.1J-2-525 000; ->ch.1J-2D352 773; engine ATD; Fitting Position: Lower Left; ->12/02; ->eng.# 10000; engine AXR; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine AGR; engine ALH; Fitting Position: Upper
1.9 TDI	66/90	AGR;ALH	10/98->05/05	Deflection/Guide	SR-1308	ID: 8.2; OD: 65; W: 26.5; ALT; Fitting Position: Right
				Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine AHF; engine ASV; Fitting Position: Upper
1.9 TDI	81/110	AHF;ASV	10/98->06/01	Deflection/Guide	SR-1308	ID: 8.2; OD: 65; W: 26.5; ALT; engine AHF; engine ASV; Fitting Position: Right
				Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; engine AHF; Fitting Position: Upper
1.9 TDI	96/130	ASZ	11/00->05/05	Deflection/Guide	SR-1023	OD: 40; W: 36; ch.1J-2-525 001->; ch.1J-2D352 774->; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->ch.1J-2-525 000; ->ch.1J-2D352 773; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI	85/115	AJM;AUY	12/98->01/02	Deflection/Guide	SR-1266	OD: 28; W: 34; eng.# 185671->; engine AJM; Fitting Position: Lower Left; ->eng.# 185670; engine AJM; Fitting Position: Lower Left; engine AUY; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI 4motion	85/115	AJM;AUY	02/99->06/01	Deflection/Guide	SR-1266	OD: 28; W: 34; eng.# 185671->; engine AJM; Fitting Position: Lower Left; ->eng.# 185670; engine AJM; Fitting Position: Lower Left; engine AUY; Fitting Position: Lower Left
1.9 TDI 4motion	110/150	ARL	05/00->05/05	Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; ->ch.1J-2-592 782; ->ch.1J-2D352 773; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/02->; ch.1J-2-592 783->; ch.1J-2D352 774->; Fitting Position: Lower Left
1.9 TDI 4motion	74/101	ATD	09/00->05/05	Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; ->ch.1J-2-525 000; ->ch.1J-2D352 773; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/02->; ->12/02; ch.1J-2-525 001->; ch.1J-2D352 774->; Fitting Position: Lower Left
1.9 TDI 4motion	96/130	ASZ	11/00->05/05	Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ch.1J-2-525 001->; ch.1J-2D352 774->; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->ch.1J-2-525 000; ->ch.1J-2D352 773; Fitting Position: Lower Left
1.9 TDI 4motion	66/90	AGR	11/98->04/02	Deflection/Guide	SR-1308	ID: 8.2; OD: 65; W: 26.5; ALT; Fitting Position: Right
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0	85/115	AQY;APK;AZG;AZH;AZJ; BBW	10/98->05/05	Tensioner	SR-1248	ID: 8.2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0 4motion	85/115	AZH;AZJ	04/00->05/05	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8.2; OD: 72; W: 29
BORA Estate (1J6) 						
1.4 16V	55/75	AHW;AXP;BCA	09/01->05/05	Deflection/Guide	SR-1370	+ holder; OD: 76; thread size M10x1.5; W: 26; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1.5; W: 25.5; CS; CS; CS; ->eng.# 160000; engine AHW; Fitting Position: Lower Right; eng.# 160001->; engine AHW; Fitting Position: Lower Right; engine AXP; engine BCA; Fitting Position: Lower Right
				Tensioner	SR-1369	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
1.6	74/100	AEH;AKL;APF	05/99->05/05	Tensioner	SR-1349	OD: 60; thread size M8x1.25; W: 24; CS; CS; CS; ->eng.# 160000; engine AHW; Fitting Position: Lower Left; eng.# 160001->; engine AHW; Fitting Position: Lower Left; engine AXP; engine BCA; Fitting Position: Lower Left
				Tensioner	SR-1248	ID: 8.2; OD: 72; W: 29
1.6	75/102	AVU;BFQ	08/00->05/05	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8.2; OD: 72; W: 29






	kW/HP	Engine code		Type		
1.6 16V	77/105	ATN;AUS;AZD;BCB	02/00->05/05	Deflection/Guide	SR-1370	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1369	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
1.6 FSI	81/110	BAD	01/02->05/05	Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
				Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Deflection/Guide	SR-1370	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
1.8 4motion	92/125	AGN	05/99->05/05	Tensioner	SR-1369	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
				Deflection/Guide	SR-1263	OD: 29; W: 27; ->ch.1J-Y-850 000; Fitting Position: Centre; ch.1J-Y-850 001->; Fitting Position: Centre
				Deflection/Guide	SR-1264	OD: 29; W: 27; ->ch.1J-Y-850 000; Fitting Position: Centre left; ch.1J-Y-850 001->; Fitting Position: Centre left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.8 T	110/150	AGU;ARX;AUM	05/00->05/05	Tensioner	SR-1326	OD: 72; W: 25; ->ch.1J-Y-850 000; Fitting Position: Upper Left
				Deflection/Guide	SR-1263	OD: 29; W: 27; ch.1J-Y-850 001->; Fitting Position: Centre; exc.eng ARX; ->ch.1J-Y-850 000; Fitting Position: Centre; exc.eng ARX
				Deflection/Guide	SR-1264	OD: 29; W: 27; ->ch.1J-Y-850 000; Fitting Position: Centre left; exc.eng ARX; ch.1J-Y-850 001->; Fitting Position: Centre left; exc.eng ARX
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.8 T	132/180	AUQ	05/02->05/05	Tensioner	SR-1326	OD: 72; W: 25; ->ch.1J-Y-850 000; Fitting Position: Upper Left; exc.eng ARX
				Deflection/Guide	SR-1263	OD: 29; W: 27; Fitting Position: Centre
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Centre left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.9 TDI	110/150	ARL	05/01->05/05	Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; ->ch.1J-2-592 782; ->ch.1J-2D352 773; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/02->; ->12/02; ch.1J-2-592 783->; ch.1J-2D352 774->; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; eng.# 185671->; engine AJM; Fitting Position: Lower Left; ->eng.# 185670; engine AJM; Fitting Position: Lower Left; engine AUJ; Fitting Position: Lower Left
1.9 TDI	85/115	AJM;AUJ	05/99->06/01	Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine AHF; engine ASV; Fitting Position: Upper
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; engine AHF; engine ASV; Fitting Position: Right
				Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; engine AHF; Fitting Position: Upper
1.9 TDI	66/90	AGR;ALH	07/04->05/05	Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/02->; ->12/02; eng.# 10001->; engine AXR; Fitting Position: Lower Left; 01/02->; ->12/02; ch.1J-2-525 001->; ch.1J-2D352 774->; engine ATD; Fitting Position: Lower Left
1.9 TDI	74/101	ATD;AXR	09/00->05/05	Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; ->ch.1J-2-525 000; ->ch.1J-2D352 773; engine ATD; Fitting Position: Lower Left; ->12/02; ->eng.# 10000; engine AXR; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->ch.1J-2-525 000; ->ch.1J-2D352 773; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ch.1J-2-525 001->; ch.1J-2D352 774->; Fitting Position: Lower Left
1.9 TDI	96/130	ASZ	11/00->05/05	Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/02->; ch.1J-2-592 783->; ch.1J-2D352 774->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/02->; ch.1J-2-592 783->; ch.1J-2D352 774->; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI 4motion	110/150	ARL	05/01->05/05	Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; ->ch.1J-2-525 000; ->ch.1J-2D352 773; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; ->ch.1J-2-525 000; ->ch.1J-2D352 773; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; eng.# 185671->; engine AJM; Fitting Position: Lower Left; ->eng.# 185670; engine AJM; Fitting Position: Lower Left; engine AUJ; Fitting Position: Lower Left
1.9 TDI 4motion	85/115	AJM;AUJ	05/99->06/01	Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; ->ch.1J-2-525 000; ->ch.1J-2D352 773; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/02->; ->12/02; ch.1J-2-525 001->; ch.1J-2D352 774->; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI 4motion	74/101	ATD	09/00->05/05	Deflection/Guide	SR-1023	OD: 40; W: 36; 01/02->; ->12/02; ch.1J-2-525 001->; ch.1J-2D352 774->; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ch.1J-2-525 001->; ch.1J-2D352 774->; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->ch.1J-2-525 000; ->ch.1J-2D352 773; Fitting Position: Lower Left
1.9 TDI 4motion	96/130	ASZ	11/00->05/05	Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->ch.1J-2-525 000; ->ch.1J-2D352 773; Fitting Position: Lower Left
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0	85/115	AQY;APK;AZG;AZH;AZJ	05/99->05/05	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0 4motion	85/115	AZH;AZJ	04/00->05/05	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
2.0 4motion	88/120	ATF	12/99->05/03	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
CADDY I (14) 	1.5	JB	08/82->07/83	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	55/75	EW	01/83->07/92	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.6 D	40/55	ME;JK	08/82->07/92	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	70/95	JH	08/85->07/92	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25

	kW/HP	Engine code		Type		
CADDY II Box (9K9A) 						
1.4	55/75	AUA	08/00->01/04	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC
				Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
1.9 D	47/64	1Y	11/95->01/04	Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30
1.9 SDI	47/64	AEY;AYQ	11/95->01/04	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Deflection/Guide	SR-1096	OD: 29; W: 29; engine AEY; Fitting Position: Upper
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; engine AYQ; Fitting Position: Right
1.9 TDI	66/90	1Z;AHU;ALH	09/96->01/04	Deflection/Guide	SR-1022	OD: 29; W: 29; engine AYQ; Fitting Position: Upper
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; engine AEY; Fitting Position: Front
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; engine AEY; Fitting Position: Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine ALH; Fitting Position: Upper
60 1.4	44/60	AEX;AUD;APQ	11/95->01/04	Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; engine ALH; Fitting Position: Right
				Deflection/Guide	SR-1096	OD: 29; W: 29; engine 1Z; engine AHU; Fitting Position: Upper
				Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; engine ALH; Fitting Position: Upper
75 1.6	55/75	AEE	11/95->09/00	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; engine 1Z; engine AHU; Fitting Position: Left
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; engine 1Z; engine AHU; Fitting Position: Front
75 1.6	55/75	1F	11/95->05/97	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC
				Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
75 1.6	55/75	1F	11/95->05/97	Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC
75 1.6	55/75	1F	11/95->05/97	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
CADDY II Estate (9K9B) 						
1.4	44/60	AEX;AKV;AUD;APQ	11/95->01/04	Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC
1.4 16V	55/75	AUA	08/00->01/04	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC
				Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
1.6	55/75	AEE	06/97->09/00	Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
				Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
1.6	55/75	1F	11/95->05/97	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 D	47/64	1Y	11/95->01/04	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 SDI	47/64	AEY;AYQ	11/95->01/04	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine AYQ; Fitting Position: Upper
				Deflection/Guide	SR-1096	OD: 29; W: 29; engine AEY; Fitting Position: Upper
1.9 TDI	66/90	AHU;ALH;ALE	10/96->01/04	Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; engine ALH; Fitting Position: Right
				Deflection/Guide	SR-1096	OD: 29; W: 29; engine AHU; engine ALE; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine ALH; Fitting Position: Upper
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; engine AHU; engine ALE; Fitting Position: Left
1.9 TDI	66/90	AHU;ALH;ALE	10/96->01/04	Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; engine ALH; Fitting Position: Upper
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; engine 1Z; engine AHU; Fitting Position: Front
CADDY II Pickup (9U7) 						
1.6	55/75	AEE	06/96->12/00	Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC
CADDY III Box (2KA, 2KH, 2CA, 2CH) 						
1.2 TSI	63/86	CBZA	09/10->	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.2 TSI	77/105	CBZB	09/10->	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4	55/75	BCA	03/04->05/06	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; ->ch.2K-6-150 000; engine BCA; Fitting Position: Lower Right; ch.2K-7-000 001->; engine BCA; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
1.4	55/75	BCA	03/04->05/06	Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; ->ch.2K-6-150 000; engine BCA; Fitting Position: Lower Left; ch.2K-7-000 001->; engine BCA; Fitting Position: Lower Left
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; ->ch.2K-6-150 000; engine BCA; Fitting Position: Lower Left; ch.2K-7-000 001->; engine BCA; Fitting Position: Lower Left

	kW/HP	Engine code		Type		
1.4	59/80	BUD	05/06->08/10	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1.5; W: 25.5; engine BUD; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1.25; W: 24; engine BUD; Fitting Position: Lower Left
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS
1.6	75/102	BGU;BSE;BSF	04/04->	Tensioner	SR-1248	ID: 8.2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.6 BiFuel	75/102	CHGA	05/11->	Tensioner	SR-1248	ID: 8.2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT
1.6 TDI	55/75	CAYE	08/10->	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.6 TDI	75/102	CAYD	08/10->	Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
1.9 TDI	77/105	BJB;BLS	04/04->08/10	Deflection/Guide	SR-1023	OD: 40; W: 36; engine BJB, engine BLS; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; ALT; engine BLS; ch.2K-6-000 001->; engine BJB
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; ->ch.2K-5-150 000; engine BJB
1.9 TDI	55/75	BSU	09/05->08/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
1.9 TDI 4motion	77/105	BLS	11/08->08/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 EcoFuel	80/109	BSX	04/06->	Tensioner	SR-1248	ID: 8.2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine BDJ; engine BST; Fitting Position: Lower Left
2.0 SDI	51/70	BDJ;BST	03/04->08/10	Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; ->ch.2K-5-150 000; engine BDJ; engine BST
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; ch.2K-6-000 001->; engine BDJ; engine BST
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI	125/170	CFJA	05/12->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
2.0 TDI	81/110	CLCA	08/10->	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
2.0 TDI	103/140	BMM	09/07->08/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 TDI	62/85	CFHE	11/10->	Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI 16V	103/140	CFHC;CLCB	11/10->	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI 16V 4motion	103/140	CFHC	11/10->	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
2.0 TDI 4motion	81/110	CFHF	08/10->	Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
2.0 TDI 4motion	62/85	CFHE	12/10->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
CADDY III Estate (2KB, 2KJ, 2CB, 2CJ) 						
1.2 TSI	63/86	CBZA	09/10->	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC

	kW/HP	Engine code		Type		
1.2 TSI	77/105	CBZB	09/10->	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4	55/75	BCA	03/04->05/06	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; ->ch.2K-6-150 000; engine BCA; Fitting Position: Lower Right; ch.2K-7-000 001->; engine BCA; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; ->ch.2K-6-150 000; engine BCA; Fitting Position: Lower Left; ch.2K-7-000 001->; engine BCA; Fitting Position: Lower Left
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
1.4	59/80	BUD	05/06->08/10	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; engine BUD; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; engine BUD; Fitting Position: Lower Left
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS
1.6	75/102	BGU;BSE;BSF	04/04->	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.6 BiFuel	75/102	CHGA	05/11->	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT
1.6 TDI	55/75	CAYE	08/10->	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.6 TDI	75/102	CAYD	08/10->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
1.9 TDI	77/105	BJB;BLS	04/04->08/10	Tensioner	SR-1025	+ holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	- holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
1.9 TDI	55/75	BSU	09/05->08/10	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
1.9 TDI 4motion	77/105	BLS	05/08->08/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 EcoFuel	80/109	BSX	04/06->	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
2.0 SDI	51/70	BDJ;BST	03/04->08/10	Deflection/Guide	SR-1023	OD: 40; W: 36; engine BDJ; engine BST; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; ch.2K-6-000 001->; engine BDJ; engine BST
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; ->ch.2K-5-150 000; engine BDJ; engine BST
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	125/170	CFJA	05/12->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT
2.0 TDI	81/110	CLCA	08/10->	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	103/140	BMM	09/07->08/10	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 TDI 16V	103/140	CFHC;CLCB	11/10->	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
2.0 TDI 16V 4motion	103/140	CFHC	11/10->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
2.0 TDI 4motion	81/110	CFHF	08/10->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
CADDY IV Box (SAA, SAH) 						
2.0 TDI	75/102	CUUD;DFSD	05/15->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
CC (358) 						
1.4 TSI	118/160	CTHD	11/11->	Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
1.8 TSI	118/160	CDA	11/11->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT

	kW/HP	Engine code		Type		
2.0 TDI	125/170	CFGB;CLLA	11/11->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFFA; engine CFFB; engine CFGB; engine CLLA; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CFFA; engine CFFB; engine CFGB; engine CLLA; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CFFA; engine CFFB; engine CFGB; engine CLLA; Fitting Position: Centre
2.0 TDI	103/140	CFFB	11/11->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFFA; engine CFFB; engine CFGB; engine CLLA; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CFFA; engine CFFB; engine CFGB; engine CLLA; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CFFA; engine CFFB; engine CFGB; engine CLLA; Fitting Position: Centre
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	100/136	CFFA	11/11->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CFFA; engine CFFB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFFA; engine CFFB; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CFFA; engine CFFB; engine CFGB; engine CLLA; Fitting Position: Centre
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	130/177	CFGC	12/12->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CFFA; engine CFFB; engine CFGB; engine CLLA; Fitting Position: Centre
2.0 TDI 4motion	103/140	CFFB	11/11->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CFFA; engine CFFB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFFA; engine CFFB; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CFFA; engine CFFB; engine CFGB; engine CLLA; Fitting Position: Centre
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI 4motion	125/170	CFGB	11/11->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CFFA; engine CFFB; engine CFGB; engine CLLA; Fitting Position: Centre
2.0 TDI 4motion	130/177	CFGC	12/12->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFGC; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CFGC; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CFGC
2.0 TSI	155/210	CCZB	11/11->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23.5; ALT
CORRADO [53I] 						
1.8 G60	118/160	PG	09/88->09/93	Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; ALT; Fitting Position: Lower Right; Fitting Position: Centre Left
				Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
2.0 i	85/115	2E;ADY	04/93->12/95	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
2.9 VR6	140/190	ABV	08/91->12/95	Tensioner	SR-1102	- holder; ID: 17; num. of ribs: 7; OD: 62.5; W: 26; ALT
CRAFTER 30-35 Bus [2E_] 						
2.0 TDI	80/109	CKTB	05/11->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70.25; W: 28.2; ALT; Fitting Position: Right
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI	100/136	CKTC	05/11->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1446	OD: 70.25; W: 28.2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI	120/163	CKUB;CSNA	07/11->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1446	OD: 70.25; W: 28.2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	105/142	CKUC	10/11->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	84/114	CSLB	11/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI 4motion	120/163	CKUB;CSNA	11/11->	Deflection/Guide	SR-1446	OD: 70.25; W: 28.2; ALT; Fitting Position: Right
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper

	kW/HP	Engine code		Type		
2.5 TDI	65/88	BJJ;CEBA	04/06->07/11	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper Left
				Deflection/Guide	SR-1542	OD: 90; W: 26; ACOM; + AC
				Deflection/Guide	SR-1543	OD: 75; W: 34; ALT
				Tensioner	SR-1544	- holder; OD: 76; W: 26; ALT
				Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; Fitting Position: Lower Left
2.5 TDI	80/109	BJK;CEBB	04/06->	Deflection/Guide	SR-1543	OD: 75; W: 34; ALT
				Deflection/Guide	SR-1542	OD: 90; W: 26; ACOM; + AC
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper Left
				Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1544	- holder; OD: 76; W: 26; ALT
2.5 TDI	100/136	BJL;CECA	04/06->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper Left
				Deflection/Guide	SR-1542	OD: 90; W: 26; ACOM; + AC
				Deflection/Guide	SR-1543	OD: 75; W: 34; ALT
				Tensioner	SR-1544	- holder; OD: 76; W: 26; ALT
				Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; Fitting Position: Lower Left
2.5 TDI	120/163	BJM;CECB	04/06->07/11	Deflection/Guide	SR-1543	OD: 75; W: 34; ALT
				Deflection/Guide	SR-1542	OD: 90; W: 26; ACOM; + AC
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper Left
				Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1544	- holder; OD: 76; W: 26; ALT
CRAFTER 30-50 Box (2E_) 						
2.0 TDI	80/109	CKTB	05/11->	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI	100/136	CKTC	05/11->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	120/163	CKUB;CSNA	07/11->	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI	105/142	CKUC	10/11->	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI 4motion	120/163	CKUB;CSNA	11/11->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.5 TDI	65/88	BJJ;CEBA	04/06->07/11	Deflection/Guide	SR-1543	OD: 75; W: 34; ALT
				Deflection/Guide	SR-1542	OD: 90; W: 26; ACOM; + AC
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper Left
				Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1544	- holder; OD: 76; W: 26; ALT
2.5 TDI	80/109	BJK;CEBB	04/06->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper Left
				Deflection/Guide	SR-1542	OD: 90; W: 26; ACOM; + AC
				Deflection/Guide	SR-1543	OD: 75; W: 34; ALT
				Tensioner	SR-1544	- holder; OD: 76; W: 26; ALT
				Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; Fitting Position: Lower Left
2.5 TDI	100/136	BJL;CECA	04/06->	Deflection/Guide	SR-1543	OD: 75; W: 34; ALT
				Deflection/Guide	SR-1542	OD: 90; W: 26; ACOM; + AC
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper Left
				Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1544	- holder; OD: 76; W: 26; ALT
2.5 TDI	120/163	BJM;CECB	04/06->07/11	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper Left
				Deflection/Guide	SR-1542	OD: 90; W: 26; ACOM; + AC
				Deflection/Guide	SR-1543	OD: 75; W: 34; ALT
				Tensioner	SR-1544	- holder; OD: 76; W: 26; ALT
				Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; Fitting Position: Lower Left



kW/HP

Engine code



Type



















CRAFTER 30-50 Platform/Chassis (2F_)






2.0 TDI	80/109	CKTB	05/11->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI	100/136	CKTC	05/11->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI	120/163	CKUB;CSNA	07/11->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	105/142	CKUC	10/11->	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI 4motion	120/163	CKUB;CSNA	11/11->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Right
2.5 TDI	65/88	BJJ;CEBA	04/06->07/11	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper Left
				Deflection/Guide	SR-1542	OD: 90; W: 26; ACOM; + AC
				Deflection/Guide	SR-1543	OD: 75; W: 34; ALT
				Tensioner	SR-1544	- holder; OD: 76; W: 26; ALT
2.5 TDI	80/109	BJK;CEBB	04/06->	Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; Fitting Position: Lower Left
				Deflection/Guide	SR-1543	OD: 75; W: 34; ALT
				Deflection/Guide	SR-1542	OD: 90; W: 26; ACOM; + AC
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper Left
2.5 TDI	100/136	BJL;CECA	04/06->	Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1544	- holder; OD: 76; W: 26; ALT
				Deflection/Guide	SR-1543	OD: 75; W: 34; ALT
				Deflection/Guide	SR-1542	OD: 90; W: 26; ACOM; + AC
2.5 TDI	120/163	BJM;CECB	04/06->07/11	Deflection/Guide	SR-1543	OD: 75; W: 34; ALT
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper Left
				Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1544	- holder; OD: 76; W: 26; ALT






EOS (1F7, 1F8)

1.4 TSI	118/160	CAVD;CTHD	05/08->	Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM; Fitting Position: Upper Left
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
1.4 TSI	90/122	CAXA	11/07->	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
1.6 FSI	85/115	BLF	06/06->05/08	Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
2.0 FSI	110/150	BVY;BVZ	03/06->05/08	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
2.0 TDI	103/140	BMM	06/06->05/08	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
2.0 TDI	100/136	CFFA	11/10->	Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI	100/136	CFFA	11/10->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT

	kW/HP	Engine code		Type		
2.0 TDI 16V	103/140	CBAB;CFFB	05/08->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFFA; engine CFFB; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CBAB; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBAB; Fitting Position: Right
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CFFA; engine CFFB; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBAB; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT
2.0 TFSI	147/200	BWA;BPY;CAWB;CCTA; CBFA;CCZA	03/06->	Deflection/Guide	SR-1264	OD: 29; W: 27; engine BWA; Fitting Position: Lower Left
				Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23.5; ALT; engine CCZA, CAWB, CBFA; engine CCTA
2.0 TSI	155/210	CCZB	11/09->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23.5; ALT
FOX (5Z1, 5Z3) 						
1.2	40/55	BMD;CHFB	04/05->	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1.5; W: 24; ALT; Fitting Position: Left
1.2	44/60	CHFA	09/10->	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1.5; W: 24; ALT; Fitting Position: Left
1.4	55/75	BKR	04/05->	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; + AC
1.4 TDI	51/70	BNM	04/05->	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
GOLF ALLTRACK (BA5) 						
2.0 TDI 4motion	135/184	CUNA	12/14->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CUNA; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CUNA; Fitting Position: Upper
GOLF I (17) 						
1.5	51/70	FH	04/74->12/75	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.5	51/70	JB	08/77->07/83	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.5 D	37/50	CK	08/76->07/80	Tensioner	SR-1073	ID: 10.2; OD: 72; W: 26.5
1.6	55/75	EW;HN	01/83->02/84	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.6	55/75	EM;FN;FP	08/75->02/84	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.6 D	40/54	CR;JK	08/80->07/83	Tensioner	SR-1073	ID: 10.2; OD: 72; W: 26.5
1.6 GTI	81/110	EG	08/76->07/82	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.6 TD	51/70	CY	03/82->07/83	Tensioner	SR-1073	ID: 10.2; OD: 72; W: 26.5
1.8 GTI	82/112	DX;JJ	08/82->12/83	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
GOLF I Cabriolet (155) 						
1.5	51/70	JB	01/79->11/83	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.6	53/72	RE	04/86->02/90	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.6	81/110	EG	08/79->07/82	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.6	55/75	EW;HN	08/83->04/92	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.8	82/112	DX;EV;PB	08/82->12/89	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.8	66/90	EX	08/83->09/92	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.8	70/95	JH	08/83->04/93	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.8	72/98	2H	08/89->03/93	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
GOLF II (19E, 1G1) 						
1.6	53/72	RF	02/86->10/91	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.6	55/75	EZ ;ABN;HM	08/83->07/92	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.6	51/70	PN	10/86->12/92	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.6 D	40/54	JP;ME	08/83->10/91	Tensioner	SR-1073	ID: 10.2; OD: 72; W: 26.5
1.6 TD	59/80	RA;SB	04/89->10/91	Tensioner	SR-1073	ID: 10.2; OD: 72; W: 26.5
1.6 TD	51/70	JR;MF	08/83->10/91	Tensioner	SR-1073	ID: 10.2; OD: 72; W: 26.5
1.6 TD	44/60	1V	08/89->10/91	Tensioner	SR-1073	ID: 10.2; OD: 72; W: 26.5
1.8	66/90	GX;HV;GU	08/84->10/91	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.8	62/84	RH	08/86->01/90	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.8 GTI	77/105	HT;RV	01/85->07/85	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.8 GTI	82/112	DX;EV;GZ;PB	08/83->10/91	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.8 GTI	79/107	RD	08/85->10/87	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.8 GTI CAT	79/107	PF	01/87->10/91	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.8 GTI G60	118/160	PG	04/90->07/91	Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; ALT; Fitting Position: Lower Right; Fitting Position: Centre left
				Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.8 GTI G60 Syncro	118/160	1H;PG	08/88->12/91	Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; ALT; Fitting Position: Lower Right; Fitting Position: Centre left
				Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.8 i CAT	66/90	GX;RP	08/87->10/91	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.8 i Syncro CAT	66/90	RP	08/87->10/91	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.8 Syncro	66/90	GX;GU	02/86->07/91	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.8 Syncro	72/98	1P	08/88->07/91	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
GOLF III (1H1) 						
1.4	44/60	ABD;AEX	10/91->08/97	Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; ->07/95; ->ch.1H-S-120 000; engine ABD; Fitting Position: Upper; + PS
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; ALT; ->07/95; ch.1H-S-120 001->; engine ABD; Fitting Position: Upper; + PS; ->07/95; engine AEX; Fitting Position: Upper; + PS

	kW/HP	Engine code		Type		
1.4	40/55	ABD;AEX	11/91->08/97	Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; --07/95; --ch.1H-S-120 000; engine ABD; Fitting Position: Upper; + PS
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; ALT; --07/95; ch.1H-S-120 001->; engine ABD; Fitting Position: Upper; + PS; --07/95; engine AEX; Fitting Position: Upper; + PS
1.6	74/101	AEK;AFT;AKS	07/95->08/97	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	55/75	AEA;ABU;AEE	09/92->08/97	Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; engine ABU; + PS
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; engine AEE
1.8	55/75	AAM	11/91->08/97	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25; 01/95->; --12/94
1.8	66/90	ACC;ABS;ADZ	11/91->08/97	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25; engine ADZ; engine ABS
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.8 Syncro (1HX1)	66/90	ABS;ADZ	01/93->08/97	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25; engine ADZ; engine ABS
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 D	48/65	1Y	11/91->08/97	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5; --eng.# 378364
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 378365->
1.9 SDI	47/64	AEY	07/95->08/97	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 TD,GTD	55/75	AAZ	11/91->08/97	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
				Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5; --eng.# 552765
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 TDI	81/110	AFN	04/96->08/97	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 552766->
				Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
1.9 TDI	66/90	1Z;AHU;ALE	09/93->08/97	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1094	OD: 29; W: 29; --eng.# 289575; engine 1Z; Fitting Position: Upper; eng.# 289576->; engine 1Z; Fitting Position: Upper; engine AHU; engine ALE; Fitting Position: Upper
				Deflection/Guide	SR-1096	ID: 8,2; OD: 67; W: 30; eng.# 289576->; engine 1Z; Fitting Position: Left; engine AHU; engine ALE; Fitting Position: Left
1.9 TDI Syncro (1HX1)	66/90	1Z;AHU;ALE	08/95->08/97	Tensioner	SR-1095	OD: 29; W: 29; --eng.# 289575; engine 1Z; Fitting Position: Upper; eng.# 289576->; engine 1Z; Fitting Position: Upper; engine AHU; engine ALE; Fitting Position: Upper
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 289576->; engine 1Z; Fitting Position: Left; engine AHU; engine ALE; Fitting Position: Left
2.0	85/115	2E;ADY;AGG;AKR;ABA	11/91->08/97	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
2.0 GTI 16V	110/150	ABF	08/92->08/97	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
2.0 Syncro (1HX1)	85/115	AGG	08/95->08/97	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
2.8 VR6	128/174	AAA	01/92->08/97	Tensioner	SR-1102	- holder; ID: 17; num. of ribs: 7; OD: 62,5; W: 26; ALT
2.9 VR6 Syncro (1HX1)	140/190	ABV	10/94->08/97	Tensioner	SR-1102	- holder; ID: 17; num. of ribs: 7; OD: 62,5; W: 26; ALT
GOLF III Cabriolet (1E7) 						
1.6	74/101	AEK;AFT;AKS	10/94->05/98	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	55/75	AAM	07/93->05/98	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25; 01/95->; --12/94
1.8	66/90	ABS;ADZ	07/93->05/98	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25; engine ADZ; engine ABS
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 TDI	81/110	AFN	07/96->05/98	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 TDI	66/90	1Z;AHU;ALE	08/95->05/98	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
2.0	85/115	2E;ADY;AGG;AKR	07/93->05/98	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
GOLF III Variant (1H5) 						
1.4	40/55	ABD	07/93->04/99	Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; --07/95; --ch.1H-S-120 000; engine ABD; Fitting Position: Upper; + PS
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; --07/95; ch.1H-S-120 001->; engine ABD; Fitting Position: Upper; + PS
1.4	44/60	ABD;AEX;APQ	07/93->04/99	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; ALT; --07/95; ch.1H-S-120 001->; engine ABD; Fitting Position: Upper; + PS; --07/95; engine AEX; Fitting Position: Upper; + PS
				Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; --07/95; --ch.1H-S-120 000; engine ABD; Fitting Position: Upper; + PS
1.6	74/101	AEK;AFT;AKS	07/94->04/99	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	55/75	AAM;ANN	07/93->04/99	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25; engine ANN
1.8	66/90	ABS;ADZ;ANP	07/93->04/99	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25; engine ABS; engine ADZ; engine ANP
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.8 Syncro	66/90	ADZ	10/94->04/99	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25

	kW/HP	Engine code		Type		
1.9 D	48/65	1Y	07/93->04/99	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 378365->
				Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5; ->eng.# 378364
1.9 SDI	47/64	AEY	07/95->04/99	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
1.9 TD	55/75	AAZ	07/93->04/99	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 552766->
1.9 TDI	66/90	1Z;AHU;ALE	03/94->04/99	Deflection/Guide	SR-1096	OD: 29; W: 29; engine AHU; Fitting Position: Upper; ->eng.# 289575; engine 1Z; Fitting Position: Upper; eng.# 289576->; engine 1Z; Fitting Position: Upper
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; engine AHU; Fitting Position: Left; eng.# 289576->; engine 1Z; Fitting Position: Left
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 TDI	81/110	AFN	04/96->04/99	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
1.9 TDI Syncro	66/90	1Z;AHU;ALE	07/95->04/99	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; engine AHU; Fitting Position: Left; eng.# 289576->; engine 1Z; Fitting Position: Left
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
2.0	85/115	2E;ADY;AGG;AKR	07/93->04/99	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.0 Syncro	85/115	AGG	08/95->04/99	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
2.9 VR6 Syncro	140/190	ABV	10/94->04/99	Tensioner	SR-1102	- holder; ID: 17; num. of ribs: 7; OD: 62,5; W: 26; ALT
GOLF IV (1J1) 						
1.4 16V	55/75	AHW;AKQ;APE;AXP;BCA	08/97->06/05	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; CS; CS; CS; CS; ->eng.# 144200; engine AHW; Fitting Position: Lower Right; ->eng.# 241244; engine AKQ; Fitting Position: Lower Right; eng.# 144201->; engine AHW; Fitting Position: Lower Right; eng.# 241245->; engine AKQ; Fitting Position: Lower Right; eng.# 144201->; engine AHW; Fitting Position: Lower Left; engine APE; engine AXP; engine BCA; Fitting Position: Lower Right
				Deflection/Guide	SR-1370	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; CS; CS; CS; CS; ->eng.# 144200; engine AHW; Fitting Position: Lower Left; ->eng.# 241244; engine AKQ; Fitting Position: Lower Left; eng.# 144201->; engine AHW; Fitting Position: Lower Left; engine APE; engine AXP; engine BCA; Fitting Position: Lower Left
				Tensioner	SR-1369	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
1.6	75/102	AVU;BFQ;BJH	08/00->06/05	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.6	74/100	AEH;AKL;APF	08/97->05/04	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.6 16V	77/105	ATN;AUS;AZD;BCB	02/00->06/05	Deflection/Guide	SR-1370	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
				Tensioner	SR-1369	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
1.6 FSI	81/110	BAD	01/02->06/05	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Deflection/Guide	SR-1370	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1369	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
1.8	92/125	AGN;BAF	08/97->06/05	Deflection/Guide	SR-1264	OD: 29; W: 27; ->ch.1J-Y-850 000; engine AGN; Fitting Position: Centre left; ch.1J-Y-850 001->
				Deflection/Guide	SR-1263	OD: 29; W: 27; ->ch.1J-Y-850 000; engine AGN; Fitting Position: Centre; ch.1J-Y-850 001->
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1326	OD: 72; W: 25; ->ch.1J-Y-850 000; engine AGN; Fitting Position: Upper Left
1.8 4motion	92/125	AGN	05/98->06/05	Deflection/Guide	SR-1264	OD: 29; W: 27; ->ch.1J-Y-850 000; Fitting Position: Centre left; ch.1J-Y-850 001->; Fitting Position: Centre left
				Deflection/Guide	SR-1263	OD: 29; W: 27; ->ch.1J-Y-850 000; Fitting Position: Centre; ch.1J-Y-850 001->; Fitting Position: Centre
				Tensioner	SR-1326	OD: 72; W: 25; ->ch.1J-Y-850 000; Fitting Position: Upper Left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.8 T	110/150	AGU;AUM;ARZ;AWD;AQA	08/97->06/05	Deflection/Guide	SR-1264	OD: 29; W: 27; ->ch.1J-Y-850 000; Fitting Position: Centre left; ch.1J-Y-850 001->; Fitting Position: Centre left
				Tensioner	SR-1326	OD: 72; W: 25; ->ch.1J-Y-850 000; Fitting Position: Upper Left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1263	OD: 29; W: 27; ->ch.1J-Y-850 000; Fitting Position: Centre; ch.1J-Y-850 001->; Fitting Position: Centre
1.8 T GTI	132/180	AUQ	08/01->06/05	Deflection/Guide	SR-1264	OD: 29; W: 27; ->ch.1J-Y-850 000; Fitting Position: Centre left; ch.1J-Y-850 001->; Fitting Position: Centre left
				Tensioner	SR-1326	OD: 72; W: 25; ->ch.1J-Y-850 000; Fitting Position: Upper Left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre

	kW/HP	Engine code		Type		
1.9 SDI	50/68	AGP;AQM	08/97->06/05	Deflection/Guide	SR-1022	OD: 29; W: 29; ->eng.# 400000; engine AGP; Fitting Position: Lower Left; eng.# 30000->; engine AQM; Fitting Position: Upper; ->eng.# 29999; Fitting Position: Lower Left; eng.# 400001->; engine AGP; Fitting Position: Upper
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right
1.9 TDI	110/150	ARL	05/00->06/05	Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; ->ch.1J-2B123 078; ->ch.1J-2P394 000; ->ch.1J-2U352 773; ->ch.1J-2U403 276; ->ch.1J-2W592 782; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/02->; ->12/02; ch.1J-2B123 079->; ch.1J-2D352 774->; ch.1J-2U403 277->; ch.1J-2W592 783->; Fitting Position: Lower Left
1.9 TDI	81/110	AHF;ASV	08/97->05/04	Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right
1.9 TDI	81/110	AHF;ASV	08/97->05/04	Deflection/Guide	SR-1022	OD: 29; W: 29; engine AHF; engine ASV; Fitting Position: Upper
				Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI	74/101	ATD;AXR	09/00->06/05	Deflection/Guide	SR-1266	OD: 28; W: 34; ->eng.# 10000; engine AXR; Fitting Position: Lower Left; ->12/02; ->ch.1J-2B123 078; ->ch.1J-2P394 000; ->ch.1J-2U352 773; ->ch.1J-2U403 276; ->ch.1J-2W592 782; engine ATD; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/02->; ->12/02; ch.1J-2B123 079->; ch.1J-2D352 774->; ch.1J-2U403 277->; ch.1J-2W592 783->; engine ATD; Fitting Position: Lower Left; eng.# 10001->; engine AXR
1.9 TDI	74/101	ATD;AXR	09/00->06/05	Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right
1.9 TDI	66/90	AGR;ALH	10/97->05/04	Deflection/Guide	SR-1022	OD: 29; W: 29; engine AGR; engine ALH; Fitting Position: Upper
				Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI	66/90	AGR;ALH	10/97->05/04	Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; ->ch.1J-2B123 078; ->ch.1J-2D352 773; ->ch.1J-2P394 000; ->ch.1J-2U403 276; ->ch.1J-2W592 782; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/02->; ->12/02; ch.1J-2B123 079->; ch.1J-2D352 774->; ch.1J-2U403 277->; ch.1J-2W592 783->; Fitting Position: Lower Left
1.9 TDI	96/130	ASZ	11/00->06/05	Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/02->; ->12/02; ch.1J-2B123 079->; ch.1J-2D352 774->; ch.1J-2U403 277->; ch.1J-2W592 783->; Fitting Position: Lower Left
1.9 TDI	85/115	AJM;AUJ	12/98->06/01	Deflection/Guide	SR-1266	OD: 28; W: 34; eng.# 185671->; engine AJM; Fitting Position: Lower Left; ->eng.# 185670; engine AJM; Fitting Position: Lower Left; engine AUJ; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI	85/115	AJM;AUJ	12/98->06/01	Deflection/Guide	SR-1023	OD: 40; W: 36; 01/02->; ch.1J-2B123 079->; ch.1J-2D352 774->; ch.1J-2U403 277->; ch.1J-2W592 783->; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; ->ch.1J-2B123 078; ->ch.1J-2P394 000; ->ch.1J-2U352 773; ->ch.1J-2U403 276; ->ch.1J-2W592 782; Fitting Position: Lower Left
1.9 TDI 4motion	110/150	ARL	02/00->06/05	Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine AGR; engine ALH; Fitting Position: Upper
1.9 TDI 4motion	66/90	AGR	07/98->04/02	Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right
				Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI 4motion	66/90	AGR	07/98->04/02	Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; ->ch.1J-2B123 078; ->ch.1J-2P394 000; ->ch.1J-2U352 773; ->ch.1J-2U403 276; ->ch.1J-2W592 782; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/02->; ->12/02; ch.1J-2B123 079->; ch.1J-2D352 774->; ch.1J-2U403 277->; ch.1J-2W592 783->; Fitting Position: Lower Left
1.9 TDI 4motion	74/101	ATD	09/00->06/05	Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; ->ch.1J-2B123 078; ->ch.1J-2P394 000; ->ch.1J-2U352 773; ->ch.1J-2U403 276; ->ch.1J-2W592 782; Fitting Position: Lower Left
1.9 TDI 4motion	85/115	AJM;AUJ	09/99->06/01	Deflection/Guide	SR-1266	OD: 28; W: 34; eng.# 185671->; engine AJM; Fitting Position: Lower Left; ->eng.# 185670; engine AJM; Fitting Position: Lower Left; engine AUJ; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI 4motion	85/115	AJM;AUJ	09/99->06/01	Deflection/Guide	SR-1023	OD: 40; W: 36; 01/02->; ->12/02; ch.1J-2B123 079->; ch.1J-2D352 774->; ch.1J-2U403 277->; ch.1J-2W592 783->; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; ->ch.1J-2B123 078; ->ch.1J-2P394 000; ->ch.1J-2U352 773; ->ch.1J-2U403 276; ->ch.1J-2W592 782; Fitting Position: Lower Left
1.9 TDI 4motion	96/130	ASZ	11/00->06/05	Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/02->; ->12/02; ch.1J-2B123 079->; ch.1J-2D352 774->; ch.1J-2U403 277->; ch.1J-2W592 783->; Fitting Position: Lower Left
2.0	85/115	AQY;APK;AZG;AZJ;BER	07/98->05/04	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
2.0 4motion	85/115	AZH;AZJ	10/00->06/05	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
GOLF IV Cabriolet (1E7) 						
1.6	74/100	AFT;AKS	06/98->06/02	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	55/75	AAM;ANN	06/98->06/02	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	66/90	ADZ;ANP	06/98->06/02	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 TDI	66/90	AHU;ALE	06/98->06/02	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
1.9 TDI	66/90	AHU;ALE	06/98->06/02	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
1.9 TDI	81/110	AFN;AVG	06/98->06/02	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
2.0	85/115	AGG;AKR;AWF;AWG;ATU	06/98->06/02	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1088	OD: 66; W: 17; engine ATU; engine AWF; engine AWG
2.0	85/115	AGG;AKR;AWF;AWG;ATU	06/98->06/02	Tensioner	SR-1088	OD: 66; W: 17; engine ATU; engine AWF; engine AWG
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25; engine AGG; engine AKR



kW/HP

Engine code



Type



GOLF IV Variant (1J5)

Variant	kW/HP	Engine code	Year	Type	Part Number	Description
1.4 16V	55/75	AHW;AKQ;APE;AXP;BC A	05/99->06/06	Deflection/Guide	SR-1370	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; CS; CS; CS; CS; ->eng.# 144200; engine AHW; Fitting Position: Lower Right; ->eng.# 241244; engine AKQ; Fitting Position: Lower Right; eng.# 164201->; engine AHW; Fitting Position: Lower Right; eng.# 241245->; engine AKQ; Fitting Position: Lower Right; engine APE; engine AXP; engine BCA; Fitting Position: Lower Right
				Tensioner	SR-1369	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; CS; CS; CS; CS; ->eng.# 164200; engine AHW; Fitting Position: Lower Left; ->eng.# 241244; engine AKQ; Fitting Position: Lower Left; eng.# 164201->; engine AHW; Fitting Position: Lower Left; eng.# 241245->; engine AKQ; Fitting Position: Lower Left; engine APE; engine AXP; engine BCA; Fitting Position: Lower Left
1.6	74/101	AEH;AKL;APF	05/99->04/02	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.6	75/102	AVU;BFQ	08/00->06/06	Tensioner	SR-1249	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.6 16V	77/105	ATN;AUS;AZD;BCB	02/00->06/06	Deflection/Guide	SR-1370	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
				Tensioner	SR-1369	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
1.6 FSI	81/110	BAD	01/02->06/06	Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
				Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Deflection/Guide	SR-1370	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; - AC
1.8 4motion	92/125	AGN	05/99->06/06	Tensioner	SR-1369	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
				Deflection/Guide	SR-1264	OD: 29; W: 27; ->ch.1J-Y-850 000; Fitting Position: Centre Left; ch.1J-Y-850 001->; Fitting Position: Centre Left
				Deflection/Guide	SR-1263	OD: 29; W: 27; ->ch.1J-Y-850 000; Fitting Position: Centre; ch.1J-Y-850 001->; Fitting Position: Centre
				Tensioner	SR-1326	OD: 72; W: 25; ->ch.1J-Y-850 000; Fitting Position: Upper Left
1.8 T	110/150	AGU;AUM;ARZ;AWD;AQ A	05/00->06/06	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1263	OD: 29; W: 27; ->ch.1J-Y-850 000; Fitting Position: Centre; ch.1J-Y-850 001->; Fitting Position: Centre
				Deflection/Guide	SR-1264	OD: 29; W: 27; ->ch.1J-Y-850 000; Fitting Position: Centre Left; ch.1J-Y-850 001->; Fitting Position: Centre Left
				Tensioner	SR-1326	OD: 72; W: 25; ->ch.1J-Y-850 000; Fitting Position: Upper Left
1.9 SDI	50/68	AGP;AQM	05/99->06/06	Deflection/Guide	SR-1022	OD: 29; W: 29; ->eng.# 400000; engine AGP; Fitting Position: Lower Left; ->eng.# 29999; engine AQM; Fitting Position: Lower Left; eng.# 400001->; engine AGP; Fitting Position: Upper; eng.# 45001->; engine AQM; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine AGR; engine ALH; Fitting Position: Upper
1.9 TDI	66/90	AGR;ALH	05/99->05/06	Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right
				Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI	81/110	AHF;ASV	05/99->06/01	Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine AHF; engine ASV; Fitting Position: Upper
1.9 TDI	85/115	AJM;AUU	08/99->06/01	Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; eng.# 185671->; engine AJM; Fitting Position: Lower Left; ->eng.# 185670; engine AJM; Fitting Position: Lower Left; engine AUU; Fitting Position: Lower Left
1.9 TDI	74/101	ATD;AXR	09/00->06/06	Deflection/Guide	SR-1023	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; eng.# 10001->; engine AXR; Fitting Position: Lower Left; 01/02->; ch.1J-2B123 079->; ch.1J-2D352 774->; ch.1J-2U403 277->; ch.1J-2W592 783->; engine ATD; Fitting Position: Lower Left
1.9 TDI	96/130	ASZ	11/00->06/06	Deflection/Guide	SR-1266	OD: 28; W: 34; ->eng.# 10000; engine AXR; Fitting Position: Lower Left; ->12/02->; ch.1J-2B123 078; ->ch.1J-2P394 000; ->ch.1J-2U352 773; ->ch.1J-2U403 276; ->ch.1J-2W592 782; engine ATD; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI	96/130	ASZ	11/00->06/06	Deflection/Guide	SR-1023	OD: 40; W: 36; 01/02->; ch.1J-2B123 079->; ch.1J-2D352 774->; ch.1J-2U403 277->; ch.1J-2W592 783->; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI 4motion	110/150	ARL	05/02->06/05	Deflection/Guide	SR-1266	OD: 28; W: 34; ->eng.# 1J-2B123 079; ->eng.# 1J-2D352 774; ->eng.# 1J-2U403 277; ->eng.# 1J-2W592 783; engine ARL; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; engine ARL
1.9 TDI 4motion	66/90	AGR	05/99->04/02	Deflection/Guide	SR-1022	OD: 29; W: 29; engine AGR; engine ALH; Fitting Position: Upper
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right
1.9 TDI 4motion	85/115	AJM	05/99->06/01	Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->eng.# 185670; engine AJM; Fitting Position: Lower Left; ->eng.# 185670; engine AJM; Fitting Position: Lower Left; eng.# 185671->
1.9 TDI 4motion	74/101	ATD	09/00->06/06	Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/02->; ch.1J-2B123 079->; ch.1J-2D352 774->; ch.1J-2U403 277->; ch.1J-2W592 783->; Fitting Position: Lower Left
1.9 TDI 4motion	74/101	ATD	09/00->06/06	Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02->; ch.1J-2B123 078; ->ch.1J-2P394 000; ->ch.1J-2U352 773; ->ch.1J-2U403 276; ->ch.1J-2W592 782; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left



kW/HP

Engine code














Type


















1.9 TDI 4motion	96/130	ASZ	11/00->06/06	Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; ->ch.1J-2B123 078; ->ch.1J-2P394 000; ->ch.1J-2U352 773; ->ch.1J-2U403 276; ->ch.1J-2W592 782; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/02->; ch.1J-2B123 079->; ch.1J-2D352 774->; ch.1J-2U403 277->; ch.1J-2W592 783->; Fitting Position: Lower Left
2.0	85/115	AQY;APK;AZJ	05/99->06/06	Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
2.0 4motion	85/115	AZH;AZJ	10/00->06/06	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
2.0 Bi-Fuel	85/116	BEH	02/02->06/06	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
GOLF PLUS [5M1, 521]						
1.2 TSI	77/105	CBZB	11/09->12/13	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4 16V	55/75	BCA	01/05->11/06	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; ->ch.1K-6-650 000; Fitting Position: Lower Right; ch.1K-7-500 001->
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; ->ch.1K-6-650 000; Fitting Position: Lower Left; ch.1K-7-500 001->
1.4 16V	59/80	BUD;CGGA	05/06->12/13	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
				Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; Fitting Position: Lower Right
1.4 FSI	66/90	BLN	07/05->11/06	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; Fitting Position: Lower Left
1.4 TSI	103/140	BMY	05/06->06/08	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
1.4 TSI	125/170	BLG	05/06->06/08	Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
1.4 TSI	90/122	CAXA	06/07->12/13	Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; AT; Fitting Position: Upper
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre
1.4 TSI	118/160	CAVD;CNWA	06/08->12/13	Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; AT; Fitting Position: Upper
1.6	75/102	BSE;BSF;CCSA;CMXA	05/05->12/13	Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
				Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
1.6 BiFuel	75/102	CHGA	05/09->12/13	Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Upper Left; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; - AC
1.6 FSI	85/115	BLF	01/05->05/08	Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; AT; Fitting Position: Upper
1.6 MultiFuel	75/102	CCSA;CMXA	11/07->12/13	Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.6 TDI	66/90	CAYB	02/09->12/13	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
1.6 TDI	77/105	CAYC	03/09->12/13	Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Upper Left; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
1.9 TDI	77/105	BKC;BLS;BXE	01/05->01/09	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.9 TDI	66/90	BRU;BXF;BXJ	05/05->12/08	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
2.0 FSI	110/150	BLY;BLR;BVY;BVZ	05/05->06/08	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Upper Left; + AC
2.0 TDI	81/110	CBDC;CLCA	01/09->12/13	Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.6 TDI	77/105	CAYC	03/09->12/13	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
1.6 TDI	77/105	CAYC	03/09->12/13	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
1.6 TDI	77/105	CAYC	03/09->12/13	Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
1.6 TDI	77/105	CAYC	03/09->12/13	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.6 TDI	77/105	CAYC	03/09->12/13	Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
1.6 TDI	77/105	CAYC	03/09->12/13	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
1.6 TDI	77/105	CAYC	03/09->12/13	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.9 TDI	77/105	BKC;BLS;BXE	01/05->01/09	Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; ->ch.1K-5-600 000; engine BKC
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; engine BLS; engine BXE; ch.1K-6-500 000->; engine BKC
1.9 TDI	66/90	BRU;BXF;BXJ	05/05->12/08	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; engine BXF; ch.1K-6-500 000->; engine BRU
1.9 TDI	66/90	BRU;BXF;BXJ	05/05->12/08	Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; ->ch.1K-5-600 000; engine BRU
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
2.0 FSI	110/150	BLY;BLR;BVY;BVZ	05/05->06/08	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBDC; Fitting Position: Upper
2.0 FSI	110/150	BLY;BLR;BVY;BVZ	05/05->06/08	Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBDC; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CBDC; Fitting Position: Lower Left
2.0 TDI	81/110	CBDC;CLCA	01/09->12/13	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC







	kW/HP	Engine code		Type		
2.0 TDI	100/136	AZV;CBDA;CFHB	05/05->12/13	Deflection/Guide	SR-1330	OD: 80; W: 34; ->ch.1K-6-650 000; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; ch.1K-7-500 001->; Fitting Position: Lower Left; ->ch.1K-6-650 000; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT
2.0 TDI	103/140	BMM	12/05->05/11	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 TDI 16V	103/140	BKD;CBDB;CFHC	01/05->12/13	Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBDB; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; ->ch.1K-6-650 000; engine BKD; Fitting Position: Right; engine CBDB
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFHC; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->ch.1K-6-650 000; engine BKD; Fitting Position: Lower Left; ch.1K-7-500 001->; engine CBDB; engine CFHC
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT
GOLF SPORTSVAN (AM1) 						
1.6 TDI	81/110	CRKB;CXXB;DBKA	02/14->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
1.6 TDI	66/90	CRKA;CXXA	02/14->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	110/150	CRLB	02/14->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI	81/110	CRVA	05/14->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
GOLF V (1K1) 						
1.4 16V	59/80	BUD	05/06->11/08	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; Fitting Position: Lower Left
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
1.4 16V	55/75	BCA	10/03->05/06	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; ->ch.1K-6-250 000; Fitting Position: Lower Right; ch.1K-7-000 001->
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; ->ch.1K-6-250 000; Fitting Position: Lower Left; ch.1K-7-000 001->
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
1.4 FSI	66/90	BKG;BLN	10/03->07/06	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
1.4 TSI	103/140	BMY	05/06->11/08	Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; AT; Fitting Position: Upper
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
1.4 TSI	90/122	CAXA	05/07->11/08	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
1.4 TSI	125/170	BLG	11/05->11/08	Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; AT; Fitting Position: Upper
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre
1.6	75/102	BGU;BSE;BSF	01/04->11/08	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.6 FSI	85/115	BAG;BLF;BLP	10/03->07/08	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
1.9 TDI	66/90	BRU;BXF;BXJ	05/04->11/08	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; ->ch.1K-6-000 000; engine BRU
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; ch.1K-6-000 000->; engine BRU; engine BXF
1.9 TDI	77/105	BKC;BLS;BXE	10/03->11/08	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; ->ch.1K-5-600 000; engine BKC
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; ALT; ch.1K-6-000 001->; engine BKC; engine BLS; engine BXE
1.9 TDI 4motion	77/105	BKC;BLS;BXE	08/04->11/08	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; ->ch.1K-6-000 000; engine BKC
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; ALT; ch.1K-6-000 001->; engine BKC; engine BLS; engine BXE
2.0	85/116	CBPA;BHY	08/06->11/08	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
2.0 FSI	110/150	AXW;BLX;BLY;BLR;BVY;BVZ;BVX	01/04->11/08	Deflection/Guide	SR-1264	OD: 29; W: 27; engine AXW; Fitting Position: Lower Left; engine AXW; engine BLR; engine BLX; engine BLY; engine BVX; engine BVZ; engine BVZ; Fitting Position: Lower Left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0 FSI 4motion	110/150	BLX;BVX	08/04->11/08	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
2.0 GTI	169/230	BYD	09/06->12/08	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0 GTI	147/200	AXX;BWA;BPY;CAWB;CCTA;CBFA	10/04->02/09	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT; engine CAWB, CBFA, CCTA
2.0 SDI	55/75	BDK	01/04->11/08	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT









	kW/HP	Engine code		Type		
2.0 TDI	100/136	AZV	10/03->11/08	Deflection/Guide	SR-1330	OD: 80; W: 34; ->12/06; ->ch.1K-6-250 000; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/07->; ch.1K-7-000 001->; Fitting Position: Lower Left; ->12/06; ->ch.1K-6-250 000; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT
2.0 TDI	125/170	BMN	11/05->11/08	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT
2.0 TDI	103/140	BMM	12/04->11/08	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 TDI 16V	103/140	BKD	10/03->11/08	Deflection/Guide	SR-1023	OD: 40; W: 36; 01/07->; ch.1K-7-000 001->; Fitting Position: Lower Left; ->12/06; ->ch.1K-6-250 000; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT
2.0 TDI 16V 4motion	103/140	BKD	08/04->11/08	Deflection/Guide	SR-1023	OD: 40; W: 36; 01/07->; ch.1K-7-000 001->; Fitting Position: Lower Left; ->12/06; ->ch.1K-6-250 000; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT
2.0 TDI 4motion	103/140	BMM	08/04->11/08	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
GOLF V Variant (1K5) 						
1.4	59/80	BUD	06/07->07/09	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; Fitting Position: Lower Left
1.4 TSI	103/140	BMY	06/07->07/09	Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; AT; Fitting Position: Upper
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
1.4 TSI	90/122	CAXA	06/07->07/09	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
1.4 TSI	125/170	BLG	06/07->07/09	Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; AT; Fitting Position: Upper
1.4 TSI	118/160	CAVD	07/08->07/09	Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; AT; Fitting Position: Upper
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
1.6	75/102	BGU;BSE;BSF;CCSA	06/07->07/09	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; engine BSE; engine BSF; engine CCSA; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29; engine BSE; engine BSF; engine CCSA
1.9 TDI	77/105	BLS;BXE	06/07->07/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
1.9 TDI 4motion	77/105	BLS	01/08->07/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0	147/200	BWA;CAWB;CCTA	06/07->07/09	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT; engine CCTA, CAWB
2.0 TDI	103/140	BMM	06/07->07/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 TDI	100/136	AZV	06/07->07/09	Deflection/Guide	SR-1023	OD: 40; W: 36; ch.1K-7-500 001->; Fitting Position: Lower Left; ->ch.1K-6-650 000; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; ->ch.1K-6-650 000; Fitting Position: Right
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT
2.0 TDI 16V	103/140	BKD;CBDB	06/07->07/09	Deflection/Guide	SR-1023	OD: 40; W: 36; engine CBDB; Fitting Position: Lower Left; engine BKD; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBDB; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBDB; Fitting Position: Upper
2.0 TDI 4motion	100/136	AZV	06/07->07/09	Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT
				Deflection/Guide	SR-1330	OD: 80; W: 34; ->ch.1K-6-650 000; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; ch.1K-7-500 001->; Fitting Position: Lower Left; ->ch.1K-6-650 000; Fitting Position: Lower Left
GOLF VI (5K1) 						
1.2 TSI	63/86	CBZA	05/10->11/12	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.2 TSI	77/105	CBZB	11/08->11/12	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4	59/80	CGGA	10/08->11/12	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; Fitting Position: Lower Left
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; + AC
1.4 TSI	90/122	CAXA	10/08->11/12	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
1.4 TSI	118/160	CAVD;CNWA;CTHD;CTK A	10/08->11/12	Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; AT; Fitting Position: Upper
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC









	kW/HP	Engine code		Type		
1.6	75/102	BSE;BSF;CCSA;CMXA	10/08->11/12	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.6 BiFuel	75/102	CHGA	03/09->11/12	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.6 MultiFuel	75/102	CCSA;CMXA	10/08->11/12	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.6 TDI	77/105	CAYC	02/09->11/12	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
1.6 TDI	66/90	CAYB	02/09->11/12	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.8 TSI	118/160	CDAA	06/09->01/11	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
2.0 GTi	155/210	CCZB	04/09->11/12	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
2.0 GTi	173/235	CDLG	05/11->11/12	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
2.0 R 4motion	188/256	CDLC;CRZA	11/09->11/13	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
2.0 R 4motion	195/265	CDLA	11/09->05/11	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
2.0 R 4motion	199/270	CDLF	11/09->11/12	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBBB; Fitting Position: Right
2.0 TDI	125/170	CBBB;CFGB	04/09->11/12	Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBBB; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CBBB; Fitting Position: Lower Left; ->11/10; engine CFGB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; 12/10->; engine CFGB; Fitting Position: Upper; ->11/10; engine CFGB; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; engine CFGB; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	103/140	CBAB;CFFB;CJAA	10/08->05/13	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; engine CFFA; engine CFFB; engine CLCA; Fitting Position: Lower Left; engine CBAA; engine CBAB; engine CBDC; engine CJAA; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; 12/10->; engine CFFA; engine CFFB; engine CLCA; Fitting Position: Upper; ->11/10; engine CFFA; engine CFFB; engine CLCA; Fitting Position: Upper
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBAA; engine CBAB; engine CBDC; engine CJAA; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; engine CFFA; engine CFFB; engine CLCA; Fitting Position: Lower Left
2.0 TDI	81/110	CBDC;CLCA	10/08->11/12	Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBAA; engine CBAB; engine CBDC; engine CJAA; Fitting Position: Right
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; engine CFFA; engine CFFB; engine CLCA; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBAA; engine CBAB; engine CBDC; engine CJAA; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; 12/10->; engine CFFA; engine CFFB; engine CLCA; Fitting Position: Upper; ->11/10; engine CFFA; engine CFFB; engine CLCA; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; engine CFFA; engine CFFB; engine CLCA; Fitting Position: Lower Left; engine CBAA; engine CBAB; engine CBDC; engine CJAA; Fitting Position: Lower Left
2.0 TDI	100/136	CBAA;CFFA	10/08->11/12	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1022	OD: 29; W: 29; 12/10->; engine CFFA; engine CFFB; engine CLCA; Fitting Position: Upper; ->11/10; engine CFFA; engine CFFB; engine CLCA; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; engine CFFA; engine CFFB; engine CLCA; Fitting Position: Lower Left; engine CBAA; engine CBAB; engine CBDC; engine CJAA; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBAA; engine CBAB; engine CBDC; engine CJAA; Fitting Position: Upper
2.0 TDI	103/140	CBAB;CFFB	05/09->11/12	Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; engine CFFA; engine CFFB; engine CLCA; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBAA; engine CBAB; engine CBDC; engine CJAA; Fitting Position: Right
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBAA; engine CBAB; engine CBDC; engine CJAA; Fitting Position: Right
2.0 TDI 4motion	103/140	CBAB;CFFB	05/09->11/12	Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; engine CFFA; engine CFFB; engine CLCA; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBAA; engine CBAB; engine CBDC; engine CJAA; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; engine CFFA; engine CFFB; engine CLCA; Fitting Position: Lower Left; engine CBAA; engine CBAB; engine CBDC; engine CJAA; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; 12/10->; engine CFFA; engine CFFB; engine CLCA; Fitting Position: Upper; ->11/10; engine CFFA; engine CFFB; engine CLCA; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24				
GOLF VI Convertible [517] 				Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
1.2 TSI	77/105	CBZB	03/11->	Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC






	kW/HP	Engine code		Type		
1.2 TSI 16V	77/105	CYVD	11/13->	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4 TSI	118/160	CAVD;CNWA;CTHD;CTK A	03/11->	Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; AT; Fitting Position: Upper
1.4 TSI	90/122	CAXA	11/11->	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
1.6 TDI	77/105	CAYC	03/11->	Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 GTI	155/211	CCZB	11/11->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 R	195/265	CDLA	01/13->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
				Deflection/Guide	SR-1264	OD: 29; W: 27; engine CDLA; Fitting Position: Lower Left
2.0 TDI	103/140	CFHC	11/11->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TSI	162/220	CULC	11/13->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CHHB; Fitting Position: Upper
2.0 TSI	162/220	CULC	11/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CHHB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CHHB; Fitting Position: Upper
GOLF VI Variant (AJ5) 						
1.2 TSI	77/105	CBZB	07/09->07/13	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.2 TSI	63/86	CBZA	07/10->07/13	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4	59/80	BUD;CGGA	07/09->07/13	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; + AC
				Tensioner	SR-1349	OD: 60; thread size M&x1,25; W: 24; Fitting Position: Lower Left
1.4 TSI	90/122	CAXA	07/09->07/13	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
1.4 TSI	118/160	CAVD;CNWA;CTHD;CTK A	07/09->07/13	Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
1.6	75/102	BSE;BSF;CCSA;CMXA	07/09->07/13	Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; AT; Fitting Position: Upper
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.6 TDI	77/105	CAYC	07/09->07/13	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
1.6 TDI	66/90	CAYB	12/09->07/13	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.6 TDI 4motion	77/105	CAYC	07/09->07/13	Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	81/110	CLCA	01/10->07/13	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI 16V	103/140	CBDB;CJAA;CFHC;CLC B	07/09->07/13	Deflection/Guide	SR-1023	OD: 40; W: 36; ->04/12; engine CBDA; engine CBDB; Fitting Position: Lower Left; 04/12->
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->04/12; engine CBDA; engine CBDB; Fitting Position: Upper; 04/12->
				Deflection/Guide	SR-1330	OD: 80; W: 34; ->04/12; engine CBDA; engine CBDB; Fitting Position: Right; 04/12->
2.0 TDI 16V	103/140	CBDB;CJAA;CFHC;CLC B	07/09->07/13	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CBDA; engine CBDB; + AC
GOLF VII (5G1, BE1) 						
1.6 TDI	81/110	CRKB;CXXB	01/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CRKB; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CRKB; Fitting Position: Lower Left
1.6 TDI	66/90	CLHB;CRKA	04/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CLHB; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CLHB; Fitting Position: Lower Left
1.6 TDI	77/105	CLHA	08/12->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CLHA; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CLHA; Fitting Position: Upper










	kW/HP	Engine code		Type		
1.6 TDI 4motion	81/110	CRKB;CXXB	01/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CRKB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CRKB; Fitting Position: Upper
1.6 TDI 4motion	77/105	CLHA	11/12->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CLHB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CLHB; Fitting Position: Upper
2.0 GTD	135/184	CUNA	04/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CUNA; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CUNA; Fitting Position: Lower Left
2.0 TDI	105/143	CRBB;CRVC	08/12->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CRBB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CRBB; Fitting Position: Upper
2.0 TDI	110/150	CRLB;CKFC;CRMB;CRBC;CRUA	11/12->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	81/110	CRVA;CYKB	11/12->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CRVA; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CRVA; Fitting Position: Lower Left
2.0 TDI 4motion	110/150	CRLB;CKFC;CRMB;CRBC	11/12->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
GOLF VII Estate (BA5) 						
1.6 TDI	66/90	CLHB;CRKA	05/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CLHB; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CLHB; Fitting Position: Lower Left
1.6 TDI	81/110	CRKB;CXXB	05/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CRKB; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CRKB; Fitting Position: Lower Left
1.6 TDI	77/105	CLHA	05/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CLHA; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CLHA; Fitting Position: Lower Left
1.6 TDI 4motion	77/105	CLHA	05/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CLHA; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CLHA; Fitting Position: Upper
1.6 TDI 4motion	81/110	CRKB;CXXB	05/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CRKB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CRKB; Fitting Position: Upper
2.0 GTD	135/184	CUNA	01/15->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CUNA; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CUNA; Fitting Position: Upper
2.0 TDI	110/150	CRLB;CRBC;CRUA	04/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	81/110	CRVA;CYKB;CRLD	05/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CRVA; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CRVA; Fitting Position: Upper
2.0 TDI 4motion	110/150	CRLB;CRBC	04/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
ILTIS (183) 						
1.6 TD	51/69	1C	08/87->12/88	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.7	55/75	YX;WL	03/79->12/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
JETTA I (16) 						
1.5	51/70	JB	08/78->02/84	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.5 D	37/50	CK	08/78->07/80	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.6	63/85	FR	08/78->02/84	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6 D	40/54	CR;JK	08/80->02/84	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.6 GLI	81/110	EG	08/78->07/82	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6 TD	51/70	CY	03/82->02/84	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.8	82/112	DX;JJ	08/82->02/84	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
JETTA II (19E, 1G2, 1A5) 						
1.6	55/75	EZ ;ABN;HM	01/84->07/92	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	53/72	RF	03/86->10/91	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	51/70	PN	10/86->10/91	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6 D	40/54	JP;ME	01/84->10/91	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.6 TD	51/70	JR;MF	01/84->10/91	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.6 TD	44/60	1V	01/90->10/91	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.6 TD	59/80	RA;SB	04/89->10/91	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.8	82/112	EV;GZ;PB	01/84->10/91	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	66/90	GX;HV;GU	08/84->10/91	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	79/107	RD	08/85->10/87	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	62/84	RH	08/86->01/90	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 CAT	79/107	PF	01/87->10/91	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 CAT	66/90	GX;RP	08/87->10/91	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 Syncro	66/90	GU;RP	08/87->12/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 Syncro	72/98	1P	08/88->07/91	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
JETTA III (1K2) 						
1.4 TSI	90/122	CAXA	05/07->10/10	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; AT; Fitting Position: Upper
1.4 TSI	103/140	BMY	07/06->10/10	Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM





	kW/HP	Engine code		Type		
1.4 TSI	125/170	BLG	07/06->10/10	Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; AT; Fitting Position: Upper
1.4 TSI	118/160	CAVD	07/08->10/10	Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; AT; Fitting Position: Upper
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
1.6	75/102	BGU;BSE;BSF;CCSA	10/05->10/10	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.6 FSI	85/115	BLF	09/05->10/10	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Upper Left
1.6 TDI	77/105	CAYC	06/09->10/10	Deflection/Guide	SR-1022	OD: 29; W: 29; ->05/10; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->05/10; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.6 TDI	66/90	CAYB	12/09->10/10	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
1.9 TDI	77/105	BKC;BLS;BXE	08/05->10/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 FSI	110/150	BLX;BLY;BLR;BVY;BVZ	08/05->10/10	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0 TDI	100/136	AZV;CBDA	09/05->10/10	Deflection/Guide	SR-1023	OD: 40; W: 36; ->ch.1K-6-899 000; Fitting Position: Lower Left; ch.1K-7-000 001->
				Deflection/Guide	SR-1330	OD: 80; W: 34; ->ch.1K-6-899 000; Fitting Position: Right
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT
2.0 TDI	103/140	BMM	10/05->10/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 TDI	125/170	BMN;CEGA	10/06->10/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT
2.0 TDI 16V	103/140	BKD;CBDB;CBEA;CJAA	08/05->10/10	Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBDB; Fitting Position: Right; ->ch.1K-6-899 000; engine BKD; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBDB; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CBDB; Fitting Position: Lower Left; ->ch.1K-6-899 000; engine BKD; Fitting Position: Lower Left; ch.1K-7-000 001->
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT
2.0 TFSI	125/170	CAWA	03/08->10/10	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
2.0 TFSI	147/200	AXX;BWA;BPY;CAWB;CCTA;CBFA;CCZA	10/05->10/10	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT; engine CAWB, CCTA, CCZA; engine CBFA
JETTA IV (162, 163) 						
1.2 TSI	77/105	CBZB	02/11->	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4 TSI	118/160	CAVD;CTHD	04/11->	Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM; Fitting Position: Upper Left
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
1.4 TSI	110/150	CAVA;CTHA	04/11->07/14	Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM; Fitting Position: Upper Left
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
1.4 TSI	90/122	CAXA;CMSB	05/11->	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; - AC
1.4 TSI Hybrid	110/150	CNLA;CRJA	04/11->	Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Upper Left; + AC
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
1.6	77/105	CFNA;CLRA	12/11->	Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.6 TDI	77/105	CAYC	02/11->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->05/11; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->05/11; Fitting Position: Upper
2.0	85/115	CBPA;CKJA	06/10->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CFFA; engine CFFB; engine CFGB; engine CLLA; Fitting Position: Centre
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1248	ID: 8,2; OD: 72; W: 29
2.0 TDI	103/140	CFFB;CJAA;CFHC;CLC B	02/11->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
2.0 TDI	81/110	CLCA	10/10->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
2.0 TSI	147/200	CCTA;CBFA;CCZA	12/10->	Tensioner	SR-1022	OD: 29; W: 29; Fitting Position: Upper
LT 28-35 I Box (281-363) 						
2.0	55/75	CH	04/75->09/83	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25

	kW/HP	Engine code		Type		
2.4	66/90	DL	12/82->07/92	Deflection/Guide	SR-1087	OD: 75; W: 28; 01/85->
2.4 D	55/75	CP;DW	01/79->07/92	Deflection/Guide	SR-1087	OD: 75; W: 28
2.4 D	51/69	ACT;IS	07/90->05/96	Deflection/Guide	SR-1087	OD: 75; W: 28; engine 1S
2.4 i	69/94	1E	03/94->06/96	Deflection/Guide	SR-1087	OD: 75; W: 28
2.4 TD	75/102	DV	02/86->08/92	Deflection/Guide	SR-1087	OD: 75; W: 28
2.4 TD	68/92	1G	08/88->08/92	Deflection/Guide	SR-1087	OD: 75; W: 28
LT 28-35 I Bus 						
2.0	55/75	CH	04/75->09/83	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.4	66/90	DL	12/82->07/92	Deflection/Guide	SR-1087	OD: 75; W: 28; 01/85->
2.4 D	55/75	CP;DW	01/79->07/92	Deflection/Guide	SR-1087	OD: 75; W: 28
2.4 D	51/70	ACT;IS	08/89->06/96	Deflection/Guide	SR-1087	OD: 75; W: 28; engine 1S
2.4 i	69/94	1E	08/89->06/96	Deflection/Guide	SR-1087	OD: 75; W: 28
2.4 TD	68/92	1G	08/89->08/92	Deflection/Guide	SR-1087	OD: 75; W: 28
2.4 TD	75/102	DV	12/82->07/89	Deflection/Guide	SR-1087	OD: 75; W: 28
LT 28-35 I Platform/Chassis 						
2.0	55/75	CH	04/75->09/83	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.4	66/90	DL	12/82->07/92	Deflection/Guide	SR-1087	OD: 75; W: 28; 01/85->
2.4 D	51/69	ACT;IS	08/90->06/96	Deflection/Guide	SR-1087	OD: 75; W: 28; engine 1S
2.4 D	55/75	CP;DW	12/78->02/91	Deflection/Guide	SR-1087	OD: 75; W: 28
2.4 i	69/94	1E	03/94->06/96	Deflection/Guide	SR-1087	OD: 75; W: 28
2.4 TD	68/92	1G	08/90->08/92	Deflection/Guide	SR-1087	OD: 75; W: 28
2.4 TD	75/102	DV	12/82->09/93	Deflection/Guide	SR-1087	OD: 75; W: 28
LT 28-35 II Bus 						
2.3	105/143	AGL	05/96->07/06	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; Fitting Position: Right
2.5 SDI	55/75	AGX	07/96->07/06	Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
				Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
				Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; Fitting Position: Right
2.5 TDI	61/83	BBE	05/01->07/06	Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
				Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
				Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; Fitting Position: Right
2.5 TDI	70/95	BBF	05/01->07/06	Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
				Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
				Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; Fitting Position: Right
2.5 TDI	75/102	AHD	05/96->08/99	Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
				Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
				Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
				Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; Fitting Position: Right
2.5 TDI	66/90	APA	05/99->07/06	Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
				Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
				Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; Fitting Position: Right
2.5 TDI	80/109	ANJ;AVR	05/99->07/06	Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
				Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
				Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
				Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; Fitting Position: Right
2.8 TDI	96/131	ATA	01/99->01/02	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5
				Tensioner	SR-1027	OD: 80; W: 25; ALT; ALT; QTY 1; - AC; QTY 2; + AC
LT 28-46 II Box 						
2.3	105/143	AGL	05/96->07/06	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
				Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; Fitting Position: Right
2.5 SDI	55/75	AGX	09/96->07/06	Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
				Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
				Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
				Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; Fitting Position: Right
2.5 TDI	61/83	BBE	05/01->07/06	Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
				Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
				Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
				Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; Fitting Position: Right
2.5 TDI	70/95	BBF	05/01->07/06	Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
				Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
				Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; Fitting Position: Right
2.5 TDI	75/102	AHD	05/96->08/99	Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
				Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left

	kW/HP	Engine code		Type		
2.5 TDI	66/90	APA	05/99->07/06	Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; Fitting Position: Right
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
				Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
				Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
2.5 TDI	80/109	ANJ;AVR	05/99->07/06	Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; Fitting Position: Right
				Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
				Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
2.8 TDI	96/130	ATA	01/99->07/06	Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
				Tensioner	SR-1027	OD: 80; W: 25; ALT; ALT; QTY 1; - AC; QTY 2; + AC
2.8 TDI	92/125	AGK	07/97->01/02	Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
2.8 TDI				Tensioner	SR-1027	OD: 80; W: 25; ALT; ALT; QTY 1; - AC; QTY 2; + AC
LT 28-46 II Platform/Chassis [2DC, 2DF, 2DG, 2DL, 2DM] 						
2.3	105/143	AGL	06/96->07/06	Tensioner	SR-1040	OD: 110; W: 28,5; ALT
2.5 SDI	55/75	AGX	09/96->07/06	Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; Fitting Position: Right
				Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
2.5 TDI	61/83	BBE	05/01->07/06	Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
				Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; Fitting Position: Right
				Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
2.5 TDI	70/95	BBF	05/01->07/06	Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
				Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; Fitting Position: Right
2.5 TDI	66/90	APA	05/99->07/06	Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
				Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
				Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; Fitting Position: Right
2.5 TDI	80/109	ANJ;AVR	05/99->07/06	Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
				Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; Fitting Position: Right
2.5 TDI	75/102	AHD	06/96->08/99	Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
				Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; Fitting Position: Right
2.8 TDI	96/130	ATA	01/99->07/06	Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
				Tensioner	SR-1027	OD: 80; W: 25; ALT; ALT; QTY 1; - AC; QTY 2; + AC
2.8 TDI	92/125	AGK	07/97->01/02	Tensioner	SR-1027	OD: 80; W: 25; ALT; ALT; QTY 1; - AC; QTY 2; + AC
				Tensioner	SR-1028	OD: 80; thread size M8x1,25; W: 24,5; ALT
LT 40-55 I Box [291-512] 						
2.0	55/75	CH	04/75->09/83	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.4	66/90	DL	12/82->07/92	Deflection/Guide	SR-1087	OD: 75; W: 28; 01/85->
2.4 4WD	66/90	DL	12/82->07/92	Deflection/Guide	SR-1087	OD: 75; W: 28; 01/85->
2.4 D	55/75	CP;DW	01/79->07/92	Deflection/Guide	SR-1087	OD: 75; W: 28
2.4 D	51/69	ACT;1S	07/90->05/96	Deflection/Guide	SR-1087	OD: 75; W: 28; engine 1S
2.4 D 4WD	55/75	DW	01/79->03/86	Deflection/Guide	SR-1087	OD: 75; W: 28
2.4 i	69/94	1E	01/93->06/96	Deflection/Guide	SR-1087	OD: 75; W: 28
2.4 TD	75/102	DV	02/86->08/92	Deflection/Guide	SR-1087	OD: 75; W: 28
2.4 TD	68/92	1G	08/88->08/92	Deflection/Guide	SR-1087	OD: 75; W: 28
2.4 TD 4WD	75/102	DV	08/78->07/92	Deflection/Guide	SR-1087	OD: 75; W: 28
LT 40-55 I Platform/Chassis [293-909] 						
2.0	55/75	CH	04/75->09/83	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.4 D	51/69	ACT;1S	08/90->06/96	Deflection/Guide	SR-1087	OD: 75; W: 28; engine 1S
2.4 D	55/75	CP;DW	12/78->02/91	Deflection/Guide	SR-1087	OD: 75; W: 28
2.4 i	69/94	1E	03/94->06/96	Deflection/Guide	SR-1087	OD: 75; W: 28
2.4 TD	75/102	DV	12/82->09/93	Deflection/Guide	SR-1087	OD: 75; W: 28
LUPO [6X1, 6E1] 						
1.0	37/50	AER;ALL;ALD;ANV;AUC	09/98->07/05	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; exc.eng AHT
1.2 TDI 3L	45/61	ANY;AYZ	07/99->07/05	Deflection/Guide	SR-1266	OD: 28; W: 34; -sch 4E-2-010 000; Fitting Position: Lower Left; Fitting Position: Lower Left; ch.4E-2-010 001->; Fitting Position: Lower Left
1.4	44/60	AUD	10/00->07/05	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS
				Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
1.4 16V	74/100	AFK;AQQ;AUB	08/99->07/05	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left

	kW/HP	Engine code		Type		
1.4 16V	55/75	AHW;AKQ;APE;AUA;BBY	09/98->07/05	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; CS; CS; CS; CS; ->eng.# 160000; engine AHW; Fitting Position: Lower Right; ->eng.# 242000; engine AKQ; Fitting Position: Lower Right; eng.# 160001->; engine AHW; Fitting Position: Lower Right; eng.# 242001->; engine AKQ; Fitting Position: Lower Right; engine APE; engine AUA; engine BBY; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; CS; CS; CS; CS; ->eng.# 160000; engine AHW; Fitting Position: Lower Left; ->eng.# 242000; engine AKQ; Fitting Position: Lower Left; eng.# 160001->; engine AHW; Fitting Position: Lower Left; eng.# 242001->; engine AKQ; Fitting Position: Lower Left; engine APE; engine AUA; engine BBY; Fitting Position: Lower Left
1.4 FSI	77/105	ARR	02/01->07/05	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
1.4 TDI	55/75	AMF	01/99->07/05	Deflection/Guide	SR-1266	OD: 28; W: 34; ->ch.6X-2-040 000; eng.# 11495->; Fitting Position: Lower Left; ->eng.# 11494
				Deflection/Guide	SR-1023	OD: 40; W: 36; ch.6X-2-100 001->; Fitting Position: Lower Left; ch.6X-2-040 001->; ->ch.6X-2-100 000
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.6 GTI	92/125	AVY	09/00->07/05	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Centre
1.7 SDI	44/60	AKU	09/98->07/05	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
MULTIVAN V (7HM, 7HN, 7HF, 7EF, 7EM, 7EN) 						
1.9 TDI	62/84	BRR	01/06->11/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
1.9 TDI	77/105	AXB	04/03->11/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; ch.7H-6H079 891->; ch.7H-6X022 357->; ch.7J-6-022 357->; Fitting Position: Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; ->ch.7H-6H079 890; ->ch.7H-6X022 356; ->ch.7J-6-022 356; Fitting Position: Left
1.9 TDI	63/85	AXC	04/03->11/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
1.9 TDI	75/102	BRS	06/06->11/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0	85/115	AXA	11/03->	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
2.0 BitDI	132/180	CFCA	09/09->	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
2.0 BitDI 4motion	132/180	CFCA	09/09->	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI	84/114	CAAD	05/11->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
2.0 TDI	62/84	CAAA	09/09->	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
2.0 TDI	75/102	CAAB	09/09->	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	103/140	CAAC;CCHA	09/09->	Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left				

	kW/HP	Engine code		Type		
2.0 TDI 4motion	103/140	CAAC;CCHA	09/09->	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TSI	110/150	CJKB	07/12->	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT
2.0 TSI 4motion	150/204	CJKA	07/11->	Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT
				Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT
Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT				
MULTIVAN VI (SGF, SGM, SGN) 						
2.0 TDI	110/150	CXFA;CXHA	04/15->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
2.0 TSI	150/204	CJKA	04/15->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
2.0 TSI	110/150	CJKB	04/15->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
2.0 TSI 4motion	150/204	CJKA	06/15->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
NEW BEETLE (9C1, 1C1) 						
1.4	55/75	BCA	11/01->09/10	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
1.6	75/102	AYD;BFS	06/00->09/10	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.6	74/100	AWH	10/99->09/00	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.8 T	110/150	AGU;APH;AVC;AWU;AWV;BKF	10/99->09/10	Deflection/Guide	SR-1263	OD: 29; W: 27; engine AWU; engine AWV; Fitting Position: Centre; ->eng.# 3000; engine AVC; ->eng.# 28500; engine APH; eng.# 28501->; eng.# 3001->
				Deflection/Guide	SR-1264	OD: 29; W: 27; engine AWU; engine AWV; Fitting Position: Centre left; eng.# 28501->; engine APH; eng.# 3001->; engine AVC; ->eng.# 3000; ->eng.# 28500; ->eng.# 1J-Y-850 000; engine AGU
				Tensioner	SR-1326	OD: 72; W: 25; ->eng.# 3000; engine AVC; Fitting Position: Upper Left; ->eng.# 28500; engine APH; ->eng.# 1J-Y-850 000; engine AGU
Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre				
1.8 T	132/180	AWP;BNU	11/01->06/05	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Centre left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; engine AWP; engine BNU
1.9 TDI	66/90	ALH	01/98->06/04	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right
				Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI	74/101	ATD;BEW	02/01->09/10	Deflection/Guide	SR-1266	OD: 28; W: 34; ->ch.9C-2-613 920; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ch.9C-2-613 921->; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI	77/105	BSW	07/05->09/10	Deflection/Guide	SR-1023	OD: 40; W: 36; engine BEW; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
2.0	85/115	AQY;APK;AEG;AZG;AZJ;BER;BEV;AVH;BEJ;BHP;CBPA	01/98->09/10	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
NEW BEETLE Convertible (1Y7) 						
1.4	55/75	BCA	01/03->09/10	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
1.6	75/102	BFS	01/03->09/10	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.8 T	110/150	AWU;AWV;BKF	01/03->09/10	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Centre left
				Deflection/Guide	SR-1263	OD: 29; W: 27; Fitting Position: Centre
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.9 TDI	74/100	AXR	06/03->09/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI	77/105	BSW	07/05->09/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
2.0	85/115	AQY;AZJ;BDC;BGD;BEV	09/02->10/10	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
PASSAT (32) 						
1.3	44/60	ZF	05/73->01/78	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.3	40/55	ZA	05/73->01/78	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.5	63/86	ZC	05/73->12/75	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.5	55/75	YJ;ZB	07/73->12/75	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.5 D	37/50	CK	08/77->07/80	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.6	63/85	YP	08/75->07/80	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
PASSAT (32B) 						
1.3	40/55	FY	08/80->07/83	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.3	44/60	EP;EU	08/80->07/86	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	63/85	YP	01/81->02/83	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25






	kW/HP	Engine code		Type		
1.6	53/72	RL	02/86->03/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	55/75	WV;YN	08/80->03/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	55/75	DT	08/80->03/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	51/70	PP	08/87->03/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6 D	40/54	CR;JK	08/80->03/88	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.6 TD	51/70	CY	04/82->03/88	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.6 TD	59/80	RA	05/86->03/88	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.8	66/90	DS;JN;JV	01/83->03/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	64/87	RM	05/86->03/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	82/112	DZ	12/83->03/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.0	85/115	JS;HP	08/83->03/88	Deflection/Guide	SR-1087	OD: 75; W: 28
2.2	100/136	KV	01/85->03/88	Deflection/Guide	SR-1087	OD: 75; W: 28
2.2	85/115	KX	08/85->03/88	Deflection/Guide	SR-1087	OD: 75; W: 28






PASSAT (362)






1.4 TSI	90/122	CAXA	08/10->12/14	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Upper Left
1.4 TSI	118/160	CTHD	11/12->12/14	Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; + AC
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
1.4 TSI EcoFuel	110/150	CDGA	08/10->12/14	Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Front
1.4 TSI MultiFuel	118/160	CKMA	11/10->12/14	Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Front
1.6 TDI	77/105	CAYC	08/10->12/14	Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre right
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
1.8 TSI	112/152	CDAB	02/11->12/14	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
1.8 TSI	118/160	CDAA	08/10->12/14	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
2.0 TDI	103/140	CFFB	08/10->12/14	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI	125/170	CFGB;CLLA	08/10->12/14	Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
2.0 TDI	100/136	CFFA	08/10->12/14	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI	130/177	CFGC	12/12->12/14	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI 4motion	130/177	CFGC	01/13->12/14	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI 4motion	103/140	CFFB	08/10->12/14	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
2.0 TDI 4motion	125/170	CFGB	08/10->01/13	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24





PASSAT (3A2, 35I)

1.6	53/72	EZ ;1F	02/88->09/91	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	55/75	EZ ;ABN	02/88->12/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25

	kW/HP	Engine code		Type		
1.6	74/101	AEK;AFT	10/94->08/96	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6 TD	59/80	RA;SB	08/88->09/93	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.8	66/90	ABS;ADZ;RP	02/88->08/96	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.8	79/107	PF	04/88->07/93	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	82/112	PB	04/88->07/92	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	55/75	AAM	08/90->08/96	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 G60 Syncro	118/160	PG	08/88->08/96	Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; ALT; Fitting Position: Lower Right; Fitting Position: Lower Left
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.9 D	50/68	1Y	05/89->10/93	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.9 TD	55/75	AAZ	03/91->08/96	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5; ->eng.# 552765
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 552766->
1.9 TDI	81/110	AFN	03/96->08/96	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
1.9 TDI	66/90	1Z;AHU	10/93->08/96	Deflection/Guide	SR-1096	OD: 29; W: 29; engine AHU; Fitting Position: Upper; ->eng.# 289575; engine 1Z; Fitting Position: Upper; eng.# 289576->; engine 1Z; Fitting Position: Upper
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; engine AHU; Fitting Position: Left; eng.# 289576->; engine 1Z; Fitting Position: Left
2.0	85/115	2E;ADY;AGG;ABA	02/90->08/96	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; engine 2E; Fitting Position: Front
2.0	79/107	AEP	03/95->08/96	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
2.0 16V	110/150	ABF	01/94->08/96	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
2.0 Syncro	85/115	2E;ADY;AGG	10/90->08/96	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.8 VR6	128/174	AAA	06/91->08/96	Tensioner	SR-1102	- holder; ID: 17; num. of ribs: 7; OD: 62,5; W: 26; ALT
PASSAT (3B2) 						
1.6	74/101	AHL;ADP;ANA;ARM	10/96->11/00	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29; engine AHL; engine ANA; engine ARM
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1088	OD: 66; W: 17; ->12/97; engine ADP
1.8	85/115	AFY	01/97->11/00	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
1.8	92/125	ADR;APT;ARG	10/96->11/00	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.8 Syncro/4motion	92/125	ADR;APT;ARG	10/96->11/00	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.8 T	110/150	AEB;ANB;APU	10/96->11/00	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
1.9 TDI	74/101	AVB	02/00->11/00	Tensioner	SR-1260	OD: 65; W: 34; 01/99->; ->01/00; ->eng.# 20000
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Lower Left
				Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; Fitting Position: Upper
1.9 TDI	85/115	AJM;ATJ	08/98->11/00	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1096	OD: 29; W: 29; engine AHU; Fitting Position: Upper; engine AHH; Fitting Position: Upper
1.9 TDI	66/90	AHU;AHH	10/96->11/00	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; engine AHU; Fitting Position: Left
				Tensioner	SR-1265	- holder; OD: 77; W: 20; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
1.9 TDI	81/110	AFN;AVG	10/96->11/00	Tensioner	SR-1265	- holder; OD: 77; W: 20; ALT; Fitting Position: Upper
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left


	kW/HP	Engine code		Type		
1.9 TDI 4motion	85/115	ATJ	08/99->11/00	Deflection/Guide	SR-1266	OD: 28; W: 34; engine ATJ; Fitting Position: Lower Left; eng.# 185671->; engine AJM; Fitting Position: Lower Left; ->eng.# 185670; engine AJM; Fitting Position: Lower Left
				Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.9 TDI Syncro/4motion	81/110	AFN;AVG	10/96->11/00	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1265	- holder; OD: 77; W: 20; ALT; Fitting Position: Upper
2.0	88/120	ASU;AUZ	04/00->11/00	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29; engine AZM
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
2.0 4motion	88/120	ASU	04/00->11/00	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29; engine AZM
2.5 TDI	110/150	AKN;AFB	07/98->11/00	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
2.5 TDI Syncro/4motion	110/150	AKN;AFB	12/98->11/00	Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Tensioner	SR-1362	OD: 72; W: 34; CS; CS; Fitting Position: Left; engine AFB; Fitting Position: Left; engine AKN; Fitting Position: Left
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
2.8 Syncro	132/180	AGE	05/97->09/99	Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1362	OD: 72; W: 34; CS; CS; Fitting Position: Left; engine AFB; Fitting Position: Left; engine AKN; Fitting Position: Left
2.8 V6	132/180	AGE	05/97->09/99	Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
2.8 V6	142/193	ACK;APR;AQD;AHA	08/96->11/00	Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
2.8 V6	140/190	ATX;BBG	09/99->11/00	Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
2.8 V6 Syncro/4motion	142/193	ACK;APR;AQD;ALG;AHA	10/96->11/00	Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
PASSAT [3B3] 						
1.6	75/102	ALZ	11/00->05/05	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
1.8 T 20V	110/150	AWT;AWL	11/00->05/05	Deflection/Guide	SR-1264	OD: 29; W: 27; engine AWT; Fitting Position: Lower Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
1.8 T 4motion	125/170	AWM	03/01->05/05	Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; Fitting Position: Upper Left
				Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
1.9 TDI	74/101	AVB	11/00->05/05	Deflection/Guide	SR-1023	OD: 40; W: 36; 01/03->; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; Fitting Position: Lower Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.9 TDI	96/130	AVF;AWX	11/00->05/05	Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/03->; Fitting Position: Lower Left
Z ZEKERT						









	kW/HP	Engine code		Type		
1.9 TDI 4motion	96/130	AVF	11/00->05/05	Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/03->; Fitting Position: Lower Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; Fitting Position: Upper
2.0	85/115	AZM;BFF	11/00->05/05	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29; engine AZM
2.0	96/130	ALT	11/01->05/05	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; Fitting Position: Upper Left
2.0 4motion	85/115	AZM	11/00->05/05	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
2.0 TDI	100/136	BGW;BHW	12/03->05/05	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM
				Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; Fitting Position: Upper
2.5 TDI	120/163	BDG	05/03->05/05	Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
2.5 TDI	110/150	AKN;AFB	11/00->05/05	Tensioner	SR-1362	OD: 72; W: 34; CS; Fitting Position: Left
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
2.5 TDI 4motion	132/180	BAU;BDH	01/03->05/05	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1362	OD: 72; W: 34; CS; CS; Fitting Position: Left; engine AFB; Fitting Position: Left; engine AKN; Fitting Position: Left
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
2.5 TDI 4motion	110/150	AKN;AFB	11/00->05/05	Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
2.8 4motion	142/193	AMX;ATQ	11/00->05/05	Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Tensioner	SR-1362	OD: 72; W: 34; CS; CS; Fitting Position: Left; engine AFB; Fitting Position: Left; engine AKN; Fitting Position: Left
				Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Deflection/Guide	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
PASSAT (3C2) 	90/122	CAXA	05/07->07/10	Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
1.4 TSI	90/122	CAXA	05/07->07/10	Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
1.4 TSI EcoFuel	110/150	CDGA	01/09->07/10	Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
1.6	75/102	BSE;BSF	05/05->07/10	Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACCOM
1.6 FSI	85/115	BLF	03/05->06/08	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.6 TDI	77/105	CAYC	08/09->07/10	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.8 TSI	118/160	BZB;CDAA	05/07->07/10	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.8 TSI	112/152	CDAB;CGYA	11/09->07/10	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
1.9 TDI	77/105	BKC;BLS;BXE	03/05->11/08	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; engine BLS; engine BXE; Fitting Position: Centre
2.0 BlueTDI	105/143	CBAC	01/09->11/10	Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; engine BKC; Fitting Position: Centre
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper







	kW/HP	Engine code		Type		
2.0 FSI	110/150	BLY;BLR;BVY;BVZ	03/05->07/10	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0 FSI	147/200	AXX;BWA;BPY;CAWB;CCTA;CBFA;CCZA	07/05->07/10	Deflection/Guide	SR-1264	OD: 29; W: 27; engine AXX; engine BPY; engine BWA; Fitting Position: Lower Left
				Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23.5; ALT; engine CCTA, CCZA, CAWB; engine CBFA
2.0 FSI 4motion	110/150	BLX;BLY;BVX	09/05->07/10	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0 TDI	103/140	BMP	03/05->05/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 TDI	100/136	BMA;CBAA	03/05->11/10	Deflection/Guide	SR-1023	OD: 40; W: 36; -sch.3C-6-300 000; engine BMA; Fitting Position: Lower Left; ch.3C-7-000 001->; engine BMA; Fitting Position: Lower Left; engine CBAA; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; -sch.3C-6-300 000; engine BMA; Fitting Position: Right; engine CBAA; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBAA; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CBAA; Fitting Position: Upper
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; engine BMA; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; -sch.3C-6-300 000; engine BMR; Fitting Position: Right; engine CBBB; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBBB; Fitting Position: Upper
2.0 TDI	125/170	BMR;CBBB	08/05->07/10	Deflection/Guide	SR-1023	OD: 40; W: 36; -sch.3C-6-300 000; engine BMR; Fitting Position: Lower Left; ch.3C-7-000 001->; engine BMR; Fitting Position: Lower Left; engine CBBB; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; engine BMR; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CBBB; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; -sch.3C-6-300 000; engine BWV; Fitting Position: Lower Left; ch.3C-7-000 001->; engine BWV; Fitting Position: Lower Left
2.0 TDI	88/120	BWV	11/05->05/07	Deflection/Guide	SR-1330	OD: 80; W: 34; -sch.3C-6-300 000; engine BWV; Fitting Position: Right
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; engine BWV
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
2.0 TDI	81/110	CBDC	11/08->07/10	Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI 16V	103/140	BKP;CBAB	03/05->07/10	Deflection/Guide	SR-1023	OD: 40; W: 36; engine CBAB; Fitting Position: Lower Left; -sch.3C-6-300 000; engine BKP; Fitting Position: Lower Left; ch.3C-7-000 001->; engine BKP; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBAB; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBAB; Fitting Position: Right; -sch.3C-6-300 000; engine BKP; Fitting Position: Right
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CBAB; Fitting Position: Upper
2.0 TDI 16V 4motion	103/140	BKP;CBAB	03/05->08/10	Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; engine BKP; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CBAB; Fitting Position: Lower Left; -sch.3C-6-300 000; engine BKP; Fitting Position: Lower Left; ch.3C-7-000 001->; engine BKP; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBAB; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBAB; Fitting Position: Right; -sch.3C-6-300 000; engine BKP; Fitting Position: Right
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CBAB; Fitting Position: Upper
2.0 TDI 4motion	103/140	BMP	03/05->05/09	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 TDI 4motion	125/170	CBBB	05/09->07/10	Deflection/Guide	SR-1023	OD: 40; W: 36; engine CBBB; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBBB; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBBB; Fitting Position: Right
2.0 TDI 4motion	103/140	BMP	03/05->05/09	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI 4motion	140/190	DDAA;DFCA	11/14->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine DDAA; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine DDAA; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI 4motion	176/240	CUAA	08/14->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0 TDI 4motion	140/190	DDAA;DFCA	11/14->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine DDAA; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine DDAA; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper





PASSAT [3G2] 






1.4 TSI	110/150	CZEA;CZDA	11/14->	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; engine CAXA; Fitting Position: Centre right
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; engine CAXA; Fitting Position: Centre
1.6 TDI	88/120	DCXA;DCZA	08/14->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine DCXA; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine DCXA; Fitting Position: Upper
2.0 TDI	110/150	CRLB;DFGA	11/14->	Deflection/Guide	SR-1024	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	140/190	DDAA;DFCA	11/14->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine DDAA; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine DDAA; Fitting Position: Lower Left
2.0 TDI 4motion	176/240	CUAA	08/14->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI 4motion	140/190	DDAA;DFCA	11/14->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine DDAA; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine DDAA; Fitting Position: Upper






	kW/HP	Engine code		Type		
PASSAT ALLTRACK (365) 						
1.8 TSI	118/160	CDAА	01/12->12/14	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFFB; Fitting Position: Upper
2.0 TDI	103/140	CFFB	01/12->12/14	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CFFB; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CFFB
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI 4motion	103/140	CFFB	01/12->12/14	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CFFB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFFB; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CFFB
2.0 TDI 4motion	125/170	CFGB	01/12->12/14	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CFGB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFGB; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CFGB
2.0 TDI 4motion	130/177	CFGC	01/13->12/14	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFGC; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CFGC; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CFGC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TSI 4motion	155/210	CCZB	01/12->12/14	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
PASSAT CC (357) 						
1.8 TSI	118/160	BZB;CDAА	06/08->01/12	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
1.8 TSI	112/152	CDAB;CGYA	11/08->05/10	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
2.0 BlueTDI	105/143	CBAC	05/09->11/10	Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBAA; engine CBAB; engine CBAC; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBAA; engine CBAB; engine CBAC; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CBAA; engine CBAB; engine CBAC; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	120/163	CBBA	05/08->05/11	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI	103/140	CBAB;CFFB	06/08->01/12	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; engine CFFA; engine CFFB; Fitting Position: Lower Left; engine CBAA; engine CBAB; engine CBAC; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; engine CFFA; engine CFFB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; engine CFFA; engine CFFB; Fitting Position: Upper; 12/10->; engine CFFA; engine CFFB; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBAA; engine CBAB; engine CBAC; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBAA; engine CBAB; engine CBAC; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	125/170	CBBB;CFGB;CLLA	06/08->01/12	Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBBB; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBBB; Fitting Position: Right
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; engine CFGB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; 12/10->; engine CFGB; Fitting Position: Upper; ->11/10; engine CFGB; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CBBB; Fitting Position: Lower Left; ->11/10; engine CFGB; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	100/136	CBAA;CFFA	06/08->05/11	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; engine CFFA; engine CFFB; Fitting Position: Lower Left; engine CBAA; engine CBAB; engine CBAC; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; engine CFFA; engine CFFB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; engine CFFA; engine CFFB; Fitting Position: Upper; 12/10->; engine CFFA; engine CFFB; Fitting Position: Upper
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBAA; engine CBAB; engine CBAC; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBAA; engine CBAB; engine CBAC; Fitting Position: Right
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI 4motion	103/140	CBAB;CFFB	08/09->01/12	Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; engine CFFA; engine CFFB; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; engine CFFA; engine CFFB; Fitting Position: Lower Left; engine CBAA; engine CBAB; engine CBAC; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; engine CFFA; engine CFFB; Fitting Position: Upper; 12/10->; engine CFFA; engine CFFB; Fitting Position: Upper
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBAA; engine CBAB; engine CBAC; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBAA; engine CBAB; engine CBAC; Fitting Position: Right
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper




	kW/HP	Engine code		Type		
2.0 TDI 4motion	125/170	CBBB;CFGB	11/09->01/12	Deflection/Guide	SR-1022	OD: 29; W: 29; 12/10->; engine CFGB; Fitting Position: Upper; ->11/10; engine CFGB; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; engine CFGB; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; engine CFGB; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TSI	147/200	CAWB;CCTA;CBFA;CCZ A	06/08->01/12	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
2.0 TSI	155/211	CCZB	11/10->01/12	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
PASSAT Saloon (32B) 						
1.6	55/75	DT	01/85->03/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	53/72	RL	01/85->03/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	51/69	PP	08/87->03/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6 TD	51/70	CY	01/85->03/88	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.8	66/90	DS;JN	01/85->03/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	64/87	RM	05/86->03/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.2	85/115	KX	01/85->03/88	Deflection/Guide	SR-1087	OD: 75; W: 28
PASSAT Variant (32B) 						
1.3	44/60	EP;EU	08/80->07/86	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	63/85	YP	01/81->02/83	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	53/72	RL	02/86->03/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	55/75	WV;YN	08/80->03/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	55/75	DT	08/80->03/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	51/70	PP	08/87->03/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6 D	40/54	CR;JK	08/80->03/88	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.6 TD	51/70	CY	04/82->03/88	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.8	66/90	DS;JN;JV	01/83->03/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	64/87	RM	05/86->03/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	82/112	DZ	12/83->03/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8 Syncro	66/90	DS;JN	01/86->03/88	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.0	85/115	JS;HP	08/83->03/88	Deflection/Guide	SR-1087	OD: 75; W: 28
2.0 Syncro	85/116	JS	05/84->03/88	Deflection/Guide	SR-1087	OD: 75; W: 28
2.2	100/136	KV	01/85->03/88	Deflection/Guide	SR-1087	OD: 75; W: 28
2.2	85/115	KX	08/85->03/88	Deflection/Guide	SR-1087	OD: 75; W: 28
2.2 Syncro	88/120	JT	08/85->03/88	Deflection/Guide	SR-1087	OD: 75; W: 28
PASSAT Variant (33) 						
1.3	40/55	ZA	05/73->01/78	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.3	44/60	ZF	10/73->01/78	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.5	55/75	YJ;ZB	10/73->08/75	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.5	63/86	ZC	10/73->12/75	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.5 D	37/50	CK	02/77->07/80	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.6	55/75	YN	02/76->07/80	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	63/85	YP	08/75->07/80	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6 D	40/54	CR	02/79->07/80	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.6 i	81/110	YS	06/78->07/80	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
PASSAT Variant (365) 						
1.4 TSI	90/122	CAXA	08/10->12/14	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Upper Left
1.4 TSI	118/160	CTHD	11/12->12/14	Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ALT; + AC
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; + AC
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre right
1.4 TSI EcoFuel	110/150	CDGA	08/10->12/14	Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
1.4 TSI MultiFuel	118/160	CKMA	11/10->12/14	Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre right
1.6 TDI	77/105	CAYC	08/10->12/14	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
1.8 TSI	112/152	CDAB	02/11->12/14	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
1.8 TSI	118/160	CDAA	08/10->12/14	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
2.0 TDI	103/140	CFFB	08/10->12/14	Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24







	kW/HP	Engine code		Type		
2.0 TDI	125/170	CFGB;CLLA	08/10->12/14	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	100/136	CFFA	08/10->12/14	Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI	130/177	CFGC	12/12->12/14	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0 TDI 4motion	130/177	CFGC	01/13->12/14	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFGC; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CFGC; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI 4motion	103/140	CFFB	08/10->12/14	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CFGC; Fitting Position: Centre
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
2.0 TDI 4motion	125/170	CFGB	08/10->01/13	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TSI	155/210	CCZB	11/10->12/14	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23.5; ALT
PASSAT Variant (3A5, 35I) 						
1.6	53/72	EZ ;1F	04/88->09/91	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.6	55/75	EZ	04/88->12/88	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.6	74/101	AEK;AFT	07/94->12/95	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.6 TD	59/80	RA;SB	08/88->09/93	Tensioner	SR-1073	ID: 10.2; OD: 72; W: 26,5
1.8	66/90	ABS;ADZ;RP	02/88->05/97	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.8	79/107	PF	04/88->07/90	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.8	82/112	PB	04/88->07/92	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.8	55/75	AAM	08/90->05/97	Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.8 G60 Syncro	118/160	PG	08/88->05/97	Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; ALT; Fitting Position: Lower Right; Fitting Position: Lower Left
				Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
1.9 D	50/68	1Y	05/89->10/93	Tensioner	SR-1073	ID: 10.2; OD: 72; W: 26,5
1.9 TD	55/75	AAZ	03/91->05/97	Tensioner	SR-1073	ID: 10.2; OD: 72; W: 26,5; ->eng.# 552765
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 TDI	81/110	AFN	03/96->05/97	Tensioner	SR-1094	ID: 8.2; OD: 67; W: 30; eng.# 552766->
				Tensioner	SR-1096	OD: 29; W: 29; Fitting Position: Upper
1.9 TDI	66/90	1Z;AHU	10/93->05/97	Deflection/Guide	SR-1094	ID: 8.2; OD: 67; W: 30; Fitting Position: Left
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 TDI	66/90	1Z;AHU	10/93->05/97	Deflection/Guide	SR-1096	OD: 29; W: 29; engine AHU; Fitting Position: Upper; ->eng.# 289575; engine 1Z; Fitting Position: Upper; eng.# 289576->; engine 1Z; Fitting Position: Upper
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
2.0	85/115	2E;ADY;AGG	02/90->05/97	Tensioner	SR-1094	ID: 8.2; OD: 67; W: 30; engine AHU; Fitting Position: Left; eng.# 289576->; engine 1Z; Fitting Position: Left
				Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
2.0	79/107	AEP	03/95->08/96	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
2.0 16V	110/150	ABF	01/94->05/97	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
2.0 Syncro	85/115	2E;ADY;AGG	10/90->05/97	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10.2; OD: 72; W: 25
2.8 VR6	128/174	AAA	06/91->05/97	Tensioner	SR-1102	- holder; ID: 17; num. of ribs: 7; OD: 62.5; W: 26; ALT
2.9 VR6 Syncro	135/184	ABV	01/94->05/97	Tensioner	SR-1102	- holder; ID: 17; num. of ribs: 7; OD: 62.5; W: 26; ALT
PASSAT Variant (3B5) 						
1.6	74/101	AHL;ADP;ANA;ARM	06/97->11/00	Tensioner	SR-1248	ID: 8.2; OD: 72; W: 29
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59.5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1088	OD: 66; W: 17; ->12/97; engine ADP







	kW/HP	Engine code		Type		
1.8	92/125	ADR;APT;ARG	06/97->11/00	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
1.8	85/115	AFY	06/97->11/00	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
1.8 Syncro/4motion	92/125	ADR;APT;ARG	06/97->11/00	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
1.8 T	110/150	AEB;ANB;APU	06/97->11/00	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1258	OD: 72; W: 27; Fitting Position: Upper Left
				Tensioner	SR-1260	OD: 65; W: 34; 01/99->; ->01/00; ->eng.# 20000
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.9 TDI	74/101	AVB	02/00->11/00	Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Lower Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1096	OD: 29; W: 29; engine AHU; Fitting Position: Upper; engine AHH; Fitting Position: Upper
1.9 TDI	66/90	AHU;AHH	06/97->11/00	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; engine AHU; Fitting Position: Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1265	- holder; OD: 77; W: 20; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
1.9 TDI	81/110	AFN;AVG	06/97->11/00	Tensioner	SR-1265	- holder; OD: 77; W: 20; ALT; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine ATJ; Fitting Position: Lower Left; eng.# 185671->; engine AJM; Fitting Position: Lower Left; ->eng.# 185670; engine AJM; Fitting Position: Lower Left
1.9 TDI	85/115	AJM;ATJ	08/98->11/00	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Lower Left
				Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; Fitting Position: Upper
1.9 TDI 4motion	85/115	ATJ	08/99->11/00	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1265	- holder; OD: 77; W: 20; ALT; Fitting Position: Upper
1.9 TDI Syncro/4motion	81/110	AFN;AVG	06/97->11/00	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1265	- holder; OD: 77; W: 20; ALT; Fitting Position: Upper
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
2.0	88/120	ASU;AUZ	04/00->11/00	Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29; engine AZM
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29; engine AZM
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
2.0 4motion	88/120	ASU;AUZ	04/00->11/00	Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
2.5 TDI	110/150	AKN;AFB	07/98->11/00	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1362	OD: 72; W: 34; CS; CS; Fitting Position: Left; engine AFB; Fitting Position: Left; engine AKN; Fitting Position: Left
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
2.5 TDI Syncro/4motion	110/150	AKN;AFB	12/98->11/00	Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Tensioner	SR-1362	OD: 72; W: 34; CS; CS; Fitting Position: Left; engine AFB; Fitting Position: Left; engine AKN; Fitting Position: Left
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
2.8 V6	142/193	ACK;APR;AQD;AHA	06/97->11/00	Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
2.8 V6	132/180	AGE	09/97->09/99	Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left









	kW/HP	Engine code		Type		
2.8 V6	140/190	ATX;BBG	09/99->11/00	Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
2.8 V6 Syncro/4motion	142/193	ACK;APR;AQD;ALG;AH A	06/97->11/00	Deflection/Guide	SR-1310	ID: 10,2; OD: 59; W: 31,5; Fitting Position: Right
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
PASSAT Variant (3B6) 						
1.6	75/102	ALZ	11/00->05/05	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.8 T 20V	110/150	AWT	11/00->05/05	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; Fitting Position: Upper Left
1.9 TDI	74/101	AVB	11/00->05/05	Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/03->; ch.3B-3-000 001->; Fitting Position: Lower Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
1.9 TDI	96/130	AVF;AWX	11/00->05/05	Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; ->ch.3B-2-500 000; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/03->; ch.3B-3-000 001->; Fitting Position: Lower Left
1.9 TDI	96/130	AVF;AWX	11/00->05/05	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/03->; ch.3B-3-000 0001->; Fitting Position: Lower Left
1.9 TDI 4motion	96/130	AVF	11/00->05/05	Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; ->ch.3B-2-500 000; Fitting Position: Lower Left
				Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
2.0	85/115	AZM	11/00->05/05	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
2.0	96/130	ALT	11/01->05/05	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1261	ID: 8,2; OD: 69; W: 28,5; Fitting Position: Upper Left
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
2.0 4motion	85/115	AZM	11/00->05/05	Tensioner	SR-1262	- holder; OD: 28,5; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1256	- holder; ID: 17; OD: 76; W: 21; ALT; Fitting Position: Upper
				Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM; Fitting Position: Lower Left
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
2.0 TDI	100/136	BGW;BHW	12/03->05/05	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1425	- holder; ID: 8,2; num. of ribs: 5; OD: 75,5; W: 21,5; ALT; Fitting Position: Upper
2.5 TDI	120/163	BDG	05/03->05/05	Tensioner	SR-1257	+ holder; num. of ribs: 4; OD: 59,5; W: 19; ACCOM
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
2.5 TDI	110/150	AKN;AFB	11/00->05/05	Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Tensioner	SR-1362	OD: 72; W: 34; CS; Fitting Position: Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
2.5 TDI 4motion	132/180	BAU;BDH	01/03->05/05	Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM
				Tensioner	SR-1362	OD: 72; W: 34; CS; Fitting Position: Left
2.5 TDI 4motion	110/150	AKN;AFB	11/00->05/05	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1363	num. of ribs: 6; OD: 62; thread size M8x1,25; W: 23; ALT; Fitting Position: Lower Left
				Deflection/Guide	SR-1364	ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre right
				Tensioner	SR-1365	ID: 8,2; OD: 63; W: 17; ACCOM









	kW/HP	Engine code		Type		
2.8 4motion	142/193	AMX;ATQ	11/00->05/05	Deflection/Guide	SR-1310	ID: 10.2; OD: 59; W: 31.5; Fitting Position: Right
				Tensioner	SR-1091	- holder; ID: 17; OD: 76; W: 25; ALT; Fitting Position: Centre
				Tensioner	SR-1318	OD: 59; W: 30; Fitting Position: Lower Left
				Tensioner	SR-1309	OD: 72; W: 32; Fitting Position: Upper Left; Fitting Position: Left
PASSAT Variant (3C5) 						
1.4 TSI	90/122	CAXA	05/07->11/10	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1.5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
1.4 TSI EcoFuel	110/150	CDGA	01/09->11/10	Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
1.6	75/102	BSE;BSF	08/05->11/10	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8.2; OD: 72; W: 29
1.6 FSI	85/115	BLF	08/05->06/08	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1.5; W: 26; ALT; Fitting Position: Right
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right
1.6 TDI	77/105	CAYC	08/09->11/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
1.8 TSI	118/160	BZB;CDAA	05/07->10/11	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23.5; ALT
1.8 TSI	112/152	CDAB;CGYA	11/09->11/10	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23.5; ALT
1.9 TDI	77/105	BKC;BLS;BXE	08/05->11/08	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; engine BLS; engine BXE; Fitting Position: Centre
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; engine BKC; Fitting Position: Centre
2.0 BlueTDI	105/143	CBAC	01/09->11/10	Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 FSI	110/150	BLY;BLR;BVY;BVZ	08/05->11/10	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0 FSI	147/200	AXX;BWA;BPY;CAWB;CCTA;CBFA;CCZA	08/05->11/10	Deflection/Guide	SR-1264	OD: 29; W: 27; engine AXX; engine BPY; engine BWA; Fitting Position: Lower Left
				Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23.5; ALT; engine CAWB; CCTA; CCZA; engine CBFA
2.0 FSI 4motion	110/150	BLX;BLY;BVX	09/05->11/10	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0 TDI	90/122	BVE	08/05->02/06	Deflection/Guide	SR-1023	OD: 40; W: 36; -sch.3C-6-300 000; engine BVE; Fitting Position: Lower Left; ch.3C-7-000 001->
				Deflection/Guide	SR-1330	OD: 80; W: 34; -sch.3C-6-300 000; engine BVE; Fitting Position: Right
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Centre
2.0 TDI	100/136	BMA;CBAA	08/05->11/10	Deflection/Guide	SR-1330	OD: 80; W: 34; -sch.3C-6-300 000; engine BMA; Fitting Position: Right; engine CBAA; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; -sch.3C-6-300 000; engine BMA; Fitting Position: Lower Left; ch.3C-7-000 001->; engine BMA; Fitting Position: Lower Left; engine CBAA; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBAA; Fitting Position: Upper
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; engine BMA; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	125/170	BMR;CBBB	08/05->11/10	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CBAA; Fitting Position: Upper
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBBB; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; -sch.3C-6-300 000; engine BMR; Fitting Position: Right; engine CBBB; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; -sch.3C-6-300 000; engine BMR; Fitting Position: Lower Left; ch.3C-7-000 001->; engine BMR; Fitting Position: Lower Left; engine CBBB; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; engine BMR; Fitting Position: Upper
2.0 TDI	103/140	BMP	08/05->05/09	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 TDI	88/120	BWV	11/05->05/07	Deflection/Guide	SR-1023	OD: 40; W: 36; -sch.3C-6-300 000; engine BWV; Fitting Position: Lower Left; ch.3C-7-000 001->; engine BWV; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; -sch.3C-6-300 000; engine BWV; Fitting Position: Right
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; engine BWV
2.0 TDI	81/110	CBDC	11/08->11/10	Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI 16V	103/140	BKP;CBAB	08/05->11/10	Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBAB; Fitting Position: Right; -sch.3C-6-300 000; engine BKP; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBAB; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CBAB; Fitting Position: Lower Left; -sch.3C-6-300 000; engine BKP; Fitting Position: Lower Left; ch.3C-7-000 001->; engine BKP; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; engine BKP; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CBAB; Fitting Position: Upper				







	kW/HP	Engine code		Type		
2.0 TDI 16V 4motion	103/140	BKP;CBAB	08/05->11/10	Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBAB; Fitting Position: Right; ->ch.3C-6-300 000; engine BKP; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CBAB; Fitting Position: Lower Left; ->ch.3C-6-300 000; engine BKP; Fitting Position: Lower Left; ch.3C-7-000 001->; engine BKP; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBAB; Fitting Position: Upper
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; engine BKP; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CBAB; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI 4motion	125/170	CBBB	05/09->11/10	Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBBB; Fitting Position: Right
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBBB; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CBBB; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI 4motion	103/140	BMP	08/05->05/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
PASSAT Variant (365) 						
1.4 TSI	110/150	CZEA;CZDA	11/14->	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
1.6 TDI	88/120	DCXA;DCZA	08/14->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine DCXA; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine DCXA; Fitting Position: Lower Left
2.0 TDI	110/150	CRLB;DFGA	11/14->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CRLB; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CRLB; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0 TDI	140/190	DDAA;DFCA	11/14->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine DDAA; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine DDAA; Fitting Position: Upper
2.0 TDI 4motion	176/240	CUAA	08/14->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0 TDI 4motion	140/190	DDAA;DFCA	11/14->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine DDAA; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine DDAA; Fitting Position: Lower Left
PHAETON (3D) 						
3.0 V6 TDI 4motion	171/233	CARA	06/07->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre; Fitting Position: Upper Right; QTY 2
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT
3.0 V6 TDI 4motion	165/224	BMK	09/04->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; Fitting Position: Centre right
3.0 V6 TDI 4motion	176/240	CEXA;CARB	11/08->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; Fitting Position: Centre; Fitting Position: Upper Right; QTY 2
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT
3.6 V6 4motion	206/280	CHNA;CMVA	11/08->	Deflection/Guide	SR-1374	OD: 60; thread size M10x1,5; W: 28; ALT; ch.3D-9-100 001->
				Tensioner	SR-1375	- holder; ID: 17; num. of ribs: 7; OD: 69; W: 25,5; ALT; ch.3D-9-100 001->
POLO (6N1) 						
1.7 SDI	42/57	AHG	04/97->10/99	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
100 1.4 16V	74/100	AFH	04/96->10/99	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper
120 1.6 16V GTI	88/120	AJV	09/98->10/99	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; ->eng.# 5000; Fitting Position: Lower Right; eng.# 5001->
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; ->eng.# 5000; Fitting Position: Lower Left; eng.# 5001->
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper
45 1.0	33/45	AEV	10/94->09/96	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS
50 1.0	37/50	AER;ALL	09/96->10/99	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS
55 1.3	40/55	ADX	10/94->07/95	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS
55 1.4	40/55	AEX	08/95->10/99	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS
60 1.4	44/60	AEX;AKV;APQ	07/95->10/99	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS
60 1.7 SDI	44/60	AKU	08/97->10/99	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
64 1.9 SDI	47/64	AGD	07/96->10/99	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
75 1.6	55/75	AEA;AEE;AHS	10/94->10/99	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper
POLO (6N2) 						
1.0	37/50	ALD;AUC	10/99->09/01	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS
1.4	44/60	AKK;AUD	10/99->09/01	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS
1.4	40/54	AKP;ANX	10/99->09/01	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS
1.4 16V	55/75	AHW;APE;AUA	10/99->09/01	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper
1.4 16V	74/101	AFK;AQQ;AUB	10/99->09/01	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper






	kW/HP	Engine code		Type		
1.4 TDI	55/75	AMF	10/99->09/01	Deflection/Guide	SR-1266	OD: 28; W: 34; eng.# 11495-; Fitting Position: Lower Left; ->eng.# 11494
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.6 16V GTI	92/125	ARC;AVY	10/99->09/01	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
1.7 SDI	44/60	AKU	10/99->09/01	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
1.9 SDI	47/64	AGD;ASX	10/99->09/01	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
POLO (6R, 6C) 						
1.2	44/60	CGPB	06/09->	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
1.2	51/70	CGPA	06/09->	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
1.2 TDI	55/75	CFWA	10/09->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
1.2 TSI	66/90	CBZC	05/11->05/14	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.2 TSI	77/105	CBZB	11/09->	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; + AC
1.4	63/85	CGGB;CDDA;CLPA	06/09->	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; Fitting Position: Lower Left
1.4 BiFuel	60/82	CMAA	03/10->01/11	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; Fitting Position: Lower Left
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; + AC
1.4 GTI	132/180	CAVE;CTHE	05/10->	Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; + AC
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
1.6 TDI	55/75	CAYA	06/09->	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
1.6 TDI	66/90	CAYB	06/09->	Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
1.6 TDI	77/105	CAYC;CLNA	06/09->	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
2.0 R WRC	162/220	CDLJ	08/13->	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
POLO (9N_) 						
1.2	40/54	AWY;BMD	01/02->05/07	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
1.2	44/60	BBM	05/07->11/09	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
1.2 12V	51/69	BZG	05/07->11/09	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
1.2 12V	47/64	AZQ;BME	10/01->07/07	Deflection/Guide	SR-1048	+ holder; OD: 76; thread size M10x1,5; W: 24; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1515	+ holder; OD: 70; W: 26; ALT; Fitting Position: Left
1.4 16V	59/80	BUD	05/06->11/09	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; Fitting Position: Lower Left
1.4 16V	55/75	AUA;BBY;BKY	10/01->05/08	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; CS; Fitting Position: Lower Right; ch.9N-7-000 001->; engine BKY; Fitting Position: Lower Right; ->ch.9N-6-300 000, engine BKY; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; CS; Fitting Position: Lower Left; ->ch.9N-7-000 001 -> engine BKY; Fitting Position: Lower Left; ->ch.9N-6-300 000; engine BKY; Fitting Position: Lower Left
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
1.4 16V	74/101	AUB;BBZ	10/01->05/08	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left








	kW/HP	Engine code		Type		
1.4 FSI	63/86	AXU	02/02->07/06	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre; - AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Upper Left; + AC
1.4 TDI	59/80	BMS;BNV	04/05->11/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.4 TDI	51/70	BNM;BWB	04/05->11/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.4 TDI	55/75	AMF;BAY	10/01->06/05	Deflection/Guide	SR-1023	OD: 40; W: 36; ch.9N-2-100 001->; Fitting Position: Lower Left; ch.9N-2-044 001->; ->ch.9N-2-100 000; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; ->ch.9N-2-044 000; Fitting Position: Lower Left
				Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
1.6 16V	77/105	BTS	05/06->11/09	Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
				Deflection/Guide	SR-1264	OD: 29; W: 27
1.8 GTI	110/150	BJX	09/05->11/09	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
1.8 GTi Cup Edition	132/180	BBU	05/06->11/09	Deflection/Guide	SR-1264	OD: 29; W: 27
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
1.9 SDI	47/64	ASY	10/01->11/09	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->ch.9N-2-100 000; Fitting Position: Lower Left; ch.9N-2-100 001->; Fitting Position: Lower Left
1.9 TDI	74/101	ATD;AXR;BMT	10/01->11/09	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.9 TDI	96/130	ASZ;BLT	11/03->11/09	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				POLO Box (6NF) 		
1.0	33/45	AEV	10/94->12/99	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS
1.4	44/60	AEX;APQ	05/98->12/99	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper
1.7 SDI	44/60	AKU	08/97->12/99	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
1.9 SDI	47/64	AGD	07/96->12/99	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
POLO CLASSIC (6KV2) 						
100 1.6	74/100	AFT;AEH;AKL;APF;AUR	12/95->09/01	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25; engine AFT
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; engine AFT; Fitting Position: Front
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29; engine AEH; engine AKL; engine APF; engine AUR
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; engine AEH; engine AKL; engine APF; engine AUR; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine ASV; Fitting Position: Upper
110 1.9 TDI	81/110	AFN;ASV	06/98->01/02	Deflection/Guide	SR-1096	OD: 29; W: 29; engine AFN; Fitting Position: Upper
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; engine ASV; Fitting Position: Right; + AC
				Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; engine ASV; Fitting Position: Upper
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; engine AFN; Fitting Position: Left
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; engine AFN; Fitting Position: Front
57 1.7 SDI	42/57	AKW	07/97->09/01	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
60 1.4	44/60	AEX;AKV;AKK;AUD;ANW;APQ	12/95->09/01	Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC
64 1.9 SDI	47/64	AEY	12/95->08/99	Deflection/Guide	SR-1096	OD: 29; W: 29; engine AEY; Fitting Position: Upper
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
68 1.9 SDI	50/68	AGP;AQM	08/99->01/02	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; engine AEY; Fitting Position: Left; engine 1Y
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right
75 1.4 16V	55/75	APE;AUA	10/99->09/01	Deflection/Guide	SR-1022	OD: 29; W: 29; engine AGP; engine AQM; Fitting Position: Upper
				Tensioner	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC
75 1.6	55/75	AEE;ALM	11/95->09/01	Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC
75 1.6	55/75	1F	11/95->09/97	Tensioner	SR-1113	+ holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
90 1.8	66/90	ABS;ADZ;ADD	01/97->09/01	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front









	kW/HP	Engine code		Type		
90 1.9 TDI	66/90	AHU;AGR;ALH;ALE	09/96->09/01	Deflection/Guide	SR-1096	OD: 29; W: 29; engine AHU; engine ALE; Fitting Position: Upper
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; engine AGR; engine ALH; Fitting Position: Right; + AC
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine AGR; engine ALH; Fitting Position: Upper
				Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; engine AGR; engine ALH; Fitting Position: Upper
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; engine AHU; engine ALE; Fitting Position: Left
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; engine AHU; engine ALE; Fitting Position: Front
POLO Saloon 						
1.6	77/105	CFNA;CLSA	05/10->	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; engine BTS; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; engine BTS; - AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; engine BTS; + AC
POLO Saloon (9A4) 						
1.4	55/75	BBY;BKY	07/03->	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; CS; ch.9N-7-000 001->; engine BKY; Fitting Position: Lower Right; ->ch.9N-6-300 000; engine BKY; Fitting Position: Lower Right; engine BBY; Fitting Position: Lower Right
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC
1.4	74/101	BBZ	11/03->	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; ->ch.9N-6-300 000; Fitting Position: Lower Right; ch.9N-7-000 001->
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; CS; ch.9N-7-000 001->; engine BKY; Fitting Position: Lower Left; ->ch.9N-6-300 000; engine BKY; Fitting Position: Lower Left; engine BBY; Fitting Position: Lower Left
1.4 TDI	55/75	BAY	07/03->	Deflection/Guide	SR-1023	OD: 40; W: 36; ->ch.9N-2-100 000; Fitting Position: Lower Left; ch.9N-2-100 001->; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Lower Left
1.9 SDI	47/64	ASY	09/02->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
POLO Variant (6KV5) 						
1.4	44/60	AEX;AKV;AKK;AUD;ANW;APQ	05/97->09/01	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC
				Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
1.4	40/54	AKP	12/98->09/01	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC
				Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
1.4 16V	55/75	APE;AUA	10/99->09/01	Deflection/Guide	SR-1350	+ holder; OD: 56; thread size M10x1,5; W: 25,5; CS; Fitting Position: Lower Right
				Tensioner	SR-1349	OD: 60; thread size M8x1,25; W: 24; CS; Fitting Position: Lower Left
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC
1.6	55/75	AEE;ALM	05/97->09/01	Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + AC; + PS
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; Fitting Position: Upper; + PS; - AC
1.6	74/101	AFT;AEH;AKL;APF;AUR	05/97->09/01	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25; engine AFT
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29; engine AEH; engine AKL; engine APF; engine AUR
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
1.7 SDI	42/57	AKW	08/97->09/01	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.8	66/90	ADZ	05/97->09/01	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25; engine ADD; engine ADZ
1.9 SDI	47/64	AEY	06/97->09/01	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 SDI	50/68	AGP;AQM	08/99->09/01	Deflection/Guide	SR-1022	OD: 29; W: 29; ->eng.# 4131; engine AQM; Fitting Position: Lower Left; ->eng.# 229902; engine AGP; Fitting Position: Lower Left; eng.# 4132->; engine AQM; Fitting Position: Upper; eng.# 229903->; engine AGP; Fitting Position: Upper
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; Fitting Position: Right
1.9 TDI	66/90	AHU;AGR;ALH;ALE	05/97->09/01	Deflection/Guide	SR-1096	OD: 29; W: 29; engine AHU; engine ALE; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine AGR; engine ALH; Fitting Position: Upper
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; engine AGR; engine ALH; Fitting Position: Right; + AC
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; engine AHU; engine ALE; Fitting Position: Front
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; engine AHU; engine ALE; Fitting Position: Left
				Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; engine AGR; engine ALH; Fitting Position: Upper
1.9 TDI	81/110	AFN;ASV	06/98->09/01	Deflection/Guide	SR-1096	OD: 29; W: 29; engine AFN; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine ASV; Fitting Position: Upper
				Deflection/Guide	SR-1308	ID: 8,2; OD: 65; W: 26,5; ALT; engine ASV; Fitting Position: Right; + AC
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; engine AFN; Fitting Position: Left
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; engine AFN; Fitting Position: Front
				Tensioner	SR-1327	- holder; ID: 17; OD: 70; W: 24; ALT; engine ASV; Fitting Position: Upper
SANTANA (32B) 						
1.6	55/75	WV	08/81->12/84	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25








	kW/HP	Engine code		Type		
1.6	63/85	YP	08/81->12/82	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	55/75	DT	08/81->12/84	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6 D	40/54	CR;JK	08/81->12/84	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.6 TD	51/70	CY	12/81->12/84	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.8	66/90	DS	01/83->12/84	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.0	85/115	JS;HP	08/83->12/84	Deflection/Guide	SR-1087	OD: 75; W: 28
SCIROCCO (137, 138) 						
1.4 TSI	118/160	CAVD;CNWA;CTHD;CTK A	05/08->	Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; AT; Fitting Position: Front
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM; Fitting Position: Upper Left
1.4 TSI	90/122	CAXA;CMSB	08/08->	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; - AC
2.0 R	206/280	CDLK	05/14->	Deflection/Guide	SR-1264	OD: 29; W: 27; engine CDLC; engine CDLK; Fitting Position: Lower Left
				Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
2.0 R	188/256	CDLC	11/09->	Deflection/Guide	SR-1264	OD: 29; W: 27; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI	130/177	CFGC	01/13->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
2.0 TDI	125/170	CBBB;CFGB	05/09->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBBB; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBBB; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CBBB; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFGB; Fitting Position: Upper
2.0 TDI	135/184	CUWA;CUXA	05/14->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CFGB; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	103/140	CBDB;CFHC	08/08->	Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CBDB; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBDB; Fitting Position: Upper
2.0 TDI	100/136	CFHB	11/10->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; engine CBDB; engine CFHC; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	110/150	CUUB	11/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TSI	147/200	CAWB	05/08->11/09	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
2.0 TSI	155/210	CCZB	11/09->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
SCIROCCO (53) 						
1.5	51/70	FH	02/74->12/75	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.5	63/86	FD	02/74->12/77	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25; engine FR
1.5	55/75	YJ;ZB	02/74->08/75	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.5	51/70	JB	08/77->07/80	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	81/110	EG	06/76->07/80	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	55/75	FN;FP	08/75->07/79	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	63/85	FR	08/75->07/80	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
SCIROCCO (53B) 						
1.5	51/70	JB	08/80->12/83	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	55/75	EW	01/83->12/89	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	53/72	RE	04/86->07/90	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	63/85	FR	08/80->04/84	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.6	81/110	EG	08/80->07/82	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	82/112	DX;EV;JJ;PB	08/82->12/89	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25; ->12/88
1.8	66/90	EX	08/83->07/92	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25; ->12/88
1.8	70/95	JH	11/85->07/92	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25; ->12/88
SHARAN (7M8, 7M9, 7M6) 						
1.8 T 20V	110/150	AJH;AWC	09/97->03/10	Deflection/Guide	SR-1263	OD: 29; W: 27; ->02/00; engine AJH; Fitting Position: Centre; 04/00->; engine AWC
				Deflection/Guide	SR-1264	OD: 29; W: 27; ->02/00; engine AJH; Fitting Position: Centre left; 04/00->; engine AWC
				Tensioner	SR-1326	OD: 72; W: 25; ->02/00; engine AJH; Fitting Position: Upper Left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre






	kW/HP	Engine code		Type		
1.9 TDI	85/115	AUY;BVK	04/00->03/10	Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/03->; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI	110/150	BTB	06/05->03/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI	66/90	1Z;AHU;ANU	09/95->03/10	Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; eng.# 5001->; engine ANU; Fitting Position: Lower Left; ->eng.# 5000
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/03->; engine ANU; Fitting Position: Lower Left
				Deflection/Guide	SR-1096	OD: 29; W: 29; engine 1Z; engine AHU; Fitting Position: Upper
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; engine 1Z; engine AHU; Fitting Position: Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; 04/00->; engine ANU; Fitting Position: Left
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 TDI	81/110	AFN;AVG	09/96->04/00	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 TDI	96/130	ASZ	11/02->03/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
1.9 TDI 4motion	85/115	AUY;BVK	04/00->03/10	Deflection/Guide	SR-1266	OD: 28; W: 34; ->12/02; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; 01/03->; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
2.0	85/115	ADY;ATM	09/95->03/10	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25; ->02/00; engine ADY
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; ->02/00; engine ADY; Fitting Position: Front
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; 04/00->; engine ATM; Fitting Position: Upper
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29; 04/00->; engine ATM
2.0 LPG	85/115	ATM	04/06->03/10	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT
2.0 TDI	100/136	BVH	11/05->03/10	Deflection/Guide	SR-1023	OD: 40; W: 36; engine BRT; engine BVH; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; engine BRT; engine BVH
2.0 TDI	103/140	BRT	11/05->03/10	Deflection/Guide	SR-1023	OD: 40; W: 36; engine BRT; engine BVH; Fitting Position: Lower Left
2.8 VR6	128/174	AAA;AMY	09/95->04/00	Tensioner	SR-1102	- holder; ID: 17; num. of ribs: 7; OD: 62,5; W: 26; ALT
2.8 VR6 Syncro	128/174	AAA;AMY	11/96->04/00	Tensioner	SR-1102	- holder; ID: 17; num. of ribs: 7; OD: 62,5; W: 26; ALT
SHARAN (7N1, 7N2) 						
1.4 TSI	110/150	CAVA;CTHA;CNWB	05/10->	Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
2.0 TDI	130/177	CFGC	01/13->	Deflection/Guide	SR-1024	OD: 40; W: 29; engine CFGC; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFGC; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	103/140	CFFB	05/10->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
2.0 TDI	85/116	CFFE;CUVA	05/11->	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI	125/170	CFGB	08/10->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
2.0 TDI 4motion	100/136	CFFA	05/11->05/12	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
2.0 TDI 4motion	103/140	CFFB	05/11->	Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFGC; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; engine CFGC; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TSI	147/200	CCZA	12/10->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT
TARO 						
2.4 D	61/83	2L	06/89->03/97	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5
				Tensioner	SR-1110	OD: 62; W: 35
2.4 D	58/79	2L	07/94->03/97	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5
				Tensioner	SR-1110	OD: 62; W: 35
2.4 D	59/80	2L	09/91->07/94	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5
				Tensioner	SR-1110	OD: 62; W: 35






	kW/HP	Engine code		Type		
2.4 D 4x4	61/83	2L	04/89->03/97	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5
				Tensioner	SR-1110	OD: 62; W: 35
2.4 D 4x4	58/79	2L	07/94->03/97	Deflection/Guide	SR-1111	ID: 12; OD: 8,5; W: 35,5
				Tensioner	SR-1110	OD: 62; W: 35
TIGUAN [5N_] 						
1.4 TSI	110/150	BWK;CAVA;CTHA	05/08->	Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre
1.4 TSI	118/160	CAVD;CTHD	05/11->	Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM; Fitting Position: Upper Left
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Upper
1.4 TSI	90/122	CAXA	08/10->	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; - AC
1.4 TSI 4motion	118/160	CAVD;CTHD	05/11->	Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM; Fitting Position: Upper Left
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
1.4 TSI 4motion	110/150	BWK;CAVA;CTHA	09/07->	Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Upper
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre
2.0 TDI	103/140	CBAB;CFFB	03/08->	Deflection/Guide	SR-1022	OD: 29; W: 29; 12/10-> engine CFFB; Fitting Position: Upper; ->11/10; engine CFFB; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBAB; Fitting Position: Right
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10-> engine CFFB; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBAB; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; engine CBAB; Fitting Position: Lower Left; ->11/10; engine CFFB; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI	81/110	CFFD	05/10->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1024	OD: 40; W: 29; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; 12/10-> Fitting Position: Lower Left
2.0 TDI	110/150	CUVC	05/15->	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10-> Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI 4motion	120/163	CBBA	02/08->08/09	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
2.0 TDI 4motion	110/150	CUVC	05/15->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI 4motion	135/184	CUWA	05/15->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFFB; engine CLJA; Fitting Position: Upper
2.0 TDI 4motion	103/140	CBAB;CFFB;CLJA	09/07->	Deflection/Guide	SR-1023	OD: 40; W: 36; engine CFFB; engine CLJA; Fitting Position: Lower Left; engine CBAB; Fitting Position: Lower Left
				Deflection/Guide	SR-1266	OD: 28; W: 34; engine CBAB; Fitting Position: Upper
				Deflection/Guide	SR-1330	OD: 80; W: 34; engine CBAB; Fitting Position: Right
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1266	OD: 28; W: 34; Fitting Position: Upper
2.0 TDI 4motion	125/170	CBBB;CFGB	09/07->	Deflection/Guide	SR-1330	OD: 80; W: 34; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TDI 4motion	100/136	CBAA;CFFA	11/07->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI 4motion	130/177	CFGC	11/12->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TFSI 4motion	147/200	CAWB;CCTA;CCZA	09/07->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
2.0 TFSI 4motion	125/170	CAWA;CCZC	09/07->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
2.0 TSI 4motion	132/180	CCZD	05/11->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
2.0 TSI 4motion	155/211	CCZB	05/11->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT






	kW/HP	Engine code		Type		
TOUAREG (7LA, 7L6, 7L7) 						
3.0 V6 TDI	165/225	BKS;CATA	11/04->05/10	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Upper; Fitting Position: Centre left
				Deflection/Guide	SR-1022	OD: 29; W: 29; IP; engine CASA; engine CASB; engine CASC; engine CATA; num. of teeth 82
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; Fitting Position: Centre right
3.0 V6 TDI	176/240	CASA;CASC	11/07->05/10	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Upper Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; IP; num. of teeth 82
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Upper; Fitting Position: Centre left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT
3.2 V6	162/220	AZZ;BKJ;BMX;BMV;BRJ;BAA	10/02->11/06	Deflection/Guide	SR-1374	OD: 60; thread size M10x1,5; W: 28; ALT
				Tensioner	SR-1375	- holder; ID: 17; num. of ribs: 7; OD: 69; W: 25,5; ALT
3.2 V6	177/241	BMV	11/04->11/06	Deflection/Guide	SR-1374	OD: 60; thread size M10x1,5; W: 28; ALT
				Tensioner	SR-1375	- holder; ID: 17; num. of ribs: 7; OD: 69; W: 25,5; ALT
3.6 V6 FSI	206/280	BHK;BHL	10/05->05/10	Deflection/Guide	SR-1374	OD: 60; thread size M10x1,5; W: 28; ALT; engine BHK; ->ch.7L-7-070 855
4.2 V8 FSI	257/350	BAR	06/06->05/10	Tensioner	SR-1375	- holder; ID: 17; num. of ribs: 7; OD: 69; W: 25,5; ALT
				Deflection/Guide	SR-1537	OD: 76; W: 21; ALT
TOUAREG (7P5) 						
3.0 V6 TDI	150/204	CJMA;CASD;CWVA	01/10->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CASA; engine CASD; engine CJMA
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Upper; Fitting Position: Centre left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; engine CASD; Fitting Position: Centre right
3.0 V6 TDI	176/240	CASA;CNRB	01/10->	Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Centre left; Fitting Position: Centre right
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CASA; engine CASD
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; engine CASA
3.0 V6 TDI	180/245	CJGD;CRCA	05/11->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Upper; Fitting Position: Centre left
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CJGD
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Left
				Deflection/Guide	SR-1140	OD: 64; W: 23; ALT; Fitting Position: Centre left
3.0 V6 TDI	165/225	CATA	06/10->	Deflection/Guide	SR-1141	ID: 17; OD: 65; W: 26; ALT; ALT; Fitting Position: Upper; Fitting Position: Left
				Tensioner	SR-1380	- holder; OD: 75; W: 26; ALT; Fitting Position: Centre right
				Deflection/Guide	SR-1374	OD: 60; thread size M10x1,5; W: 28; ALT
3.6 V6 FSI	206/280	CGRA	04/10->	Tensioner	SR-1375	- holder; ID: 17; num. of ribs: 7; OD: 69; W: 25,5; ALT
				Deflection/Guide	SR-1374	OD: 60; thread size M10x1,5; W: 28; ALT
3.6 V6 FSI	183/249	CMTA	08/10->	Tensioner	SR-1375	- holder; ID: 17; num. of ribs: 7; OD: 69; W: 25,5; ALT
TOURAN (1T1, 1T2) 						
1.4 FSI	125/170	BLG;CAVB	11/06->05/10	Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; AT; Fitting Position: Upper
1.4 TSI	103/140	BMY;CAVC	02/06->05/10	Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; AT; Fitting Position: Upper
				Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
1.4 TSI EcoFuel	110/150	CDGA	05/09->05/10	Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Centre
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; AT; Fitting Position: Upper
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
1.6	75/102	BGU;BSE;BSF	07/03->05/10	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
1.6 FSI	85/115	BAG;BLF;BLP	02/03->01/07	Deflection/Guide	SR-1018	+ holder; OD: 76; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; + AC
				Tensioner	SR-1373	- holder; ID: 17; OD: 65; W: 25; ALT; Fitting Position: Centre right; - AC
1.9 TDI	74/100	AVQ	02/03->05/04	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Upper
1.9 TDI	77/105	BKC;BLS;BXE	08/03->05/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; ->05/05; Fitting Position: Upper
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; 06/05->; Fitting Position: Upper
1.9 TDI	66/90	BRU;BXF;BXJ	11/04->05/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; 06/05->; Fitting Position: Upper
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; ->05/05; Fitting Position: Upper
2.0 EcoFuel	80/109	BSX	02/06->05/09	Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
				Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
2.0 FSI	110/150	AXW;BLX;BLY;BLR;BVY;BVZ	10/03->01/07	Deflection/Guide	SR-1264	OD: 29; W: 27; engine AXW; Fitting Position: Lower Left; engine BLR; engine BLX; engine BLY; Fitting Position: Lower Left
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0 TDI	100/136	AZV	02/03->05/10	Deflection/Guide	SR-1330	OD: 80; W: 34; ->ch.1T-6-185 466; Fitting Position: Right
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->ch.1T-6-185 466; Fitting Position: Lower Left; ch.1T-6-185 467->
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Upper






	kW/HP	Engine code		Type		
2.0 TDI	125/170	BMN	12/05->05/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Upper
2.0 TDI	103/140	BMM	12/05->05/10	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0 TDI 16V	103/140	BKD	08/03->05/10	Deflection/Guide	SR-1330	OD: 80; W: 34; ->ch.1T-6-185 466; engine BKD; Fitting Position: Right
				Deflection/Guide	SR-1022	OD: 29; W: 29; engine CFHC; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->ch.1T-6-185 466; engine BKD; Fitting Position: Lower Left; ch.1T-6-185 467->; engine CFHC
				Tensioner	SR-1331	+ holder; OD: 70; W: 26; ALT; Fitting Position: Upper
TOURAN (1T3) 						
1.2 TSI	77/105	CBZB	05/10->05/15	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT
1.4 TSI	103/140	CAVC;CTHC	05/10->05/15	Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM; Fitting Position: Left
				Tensioner	SR-1031	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
1.4 TSI	125/170	CAVB;CTHB	05/10->05/15	Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
1.4 TSI EcoFuel	110/150	CDGA	05/10->05/15	Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM; Fitting Position: Left
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Upper; + AC; Fitting Position: Upper; - AC
1.6 TDI	66/90	CAYB	05/10->05/15	Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Upper; + AC
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM; Fitting Position: Left
				Tensioner	SR-1031	- holder; ID: 17; OD: 76; W: 26; ALT; Fitting Position: Upper; + AC; Fitting Position: Upper; - AC
1.6 TDI	77/105	CAYC	05/10->05/15	Tensioner	SR-1032	- holder; OD: 65; thread size M10x1,5; W: 26; ALT; Fitting Position: Right; + AC
				Tensioner	SR-1033	- holder; ID: 17; OD: 58; W: 20; ACOM
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
1.6 TDI	110/150	CDGA	05/10->05/15	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
1.6 TDI	77/105	CAYC	05/10->05/15	Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
2.0 TDI	130/177	CFJB	01/13->05/15	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	125/170	CFJA	05/10->01/13	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
2.0 TDI	103/140	CFHC	05/10->05/15	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
2.0 TDI	81/110	CFHF;CLCA	11/10->05/15	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
TOURAN (5T1) 						
1.2 TSI	81/110	CYVB	05/15->	Deflection/Guide	SR-1138	OD: 76; W: 26; ALT; + AC
				Tensioner	SR-1019	- holder; ID: 17; OD: 65; W: 25; ALT; + AC
1.6 TDI	81/110	CRKB	05/15->	Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
2.0 TDI	110/150	DFEA	05/15->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; + AC
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1022	OD: 29; W: 29; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; Fitting Position: Lower Left
TRANSPORTER III Box 						
1.6 D	37/50	CS	01/81->07/87	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.6 TD	51/69	JX	10/84->07/92	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.6 TD Syncro	51/69	JX	03/86->07/92	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.7 D	42/57	KY	07/89->07/92	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
TRANSPORTER III Bus 						
1.6 D	37/50	CS	01/81->07/87	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5









	kW/HP	Engine code		Type		
1.6 TD	51/70	JX	08/84->07/92	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.6 TD Syncro	51/70	JX	03/86->07/92	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.7 D	42/57	KY	10/86->07/92	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
TRANSPORTER III Platform/Chassis 						
1.6 D	37/50	CS	01/81->07/87	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.6 TD	51/70	JX	10/84->07/92	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.6 TD Syncro	51/69	JX	03/86->07/92	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
1.7 D	42/57	KY	07/89->07/92	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
TRANSPORTER IV Box (70XA) 						
1.9 D	45/61	1X	07/90->12/95	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5; ->eng.# 120077
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; ch.70-P-000 001->; Fitting Position: Front
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 120078->
1.9 D	44/60	1X	09/90->12/95	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; ch.70-P-000 001->; Fitting Position: Front
				Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 120078->
1.9 TD	50/68	ABL	10/92->04/03	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 29320->
				Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5; ->eng.# 29319
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
2.0	62/84	AAC	07/90->04/03	Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; ->ch.70-T-199 000; QTY 3; + AC; ch.70-T-200 001->; QTY 2
				Tensioner	SR-1103	ID: 8,2; OD: 76; W: 22,5; ALT; ch.70-T-200 001->; Fitting Position: Front
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; ch.70-T-200 001->; Fitting Position: Front
2.4 D	57/78	AAB	07/90->04/98	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; ALT; Fitting Position: Upper; ch.70-S-071 872->; Fitting Position: Lower Right
				Deflection/Guide	SR-1104	OD: 78; W: 25; ALT; ch.70-S-071 872->
				Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 320126
2.4 D	55/75	AJA	08/97->04/03	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27
				Tensioner	SR-1103	ID: 8,2; OD: 76; W: 22,5; ALT
2.4 D Syncro	57/78	AAB	10/92->09/98	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 320126
				Deflection/Guide	SR-1104	OD: 78; W: 25; ALT; ch.70-S-071 872->
				Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; ALT; Fitting Position: Upper; ch.70-S-071 872->; Fitting Position: Lower Right
				Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; eng.# 320127->
2.5	85/115	AET;APL;AVT	08/96->04/03	Tensioner	SR-1103	ID: 8,2; OD: 76; W: 22,5; ALT
				Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; ALT; Fitting Position: Upper; Fitting Position: Lower Right
				Tensioner	SR-1103	ID: 8,2; OD: 76; W: 22,5; ALT
2.5	81/110	AAF;ACU;AEU;AEN	11/90->04/03	Deflection/Guide	SR-1087	OD: 75; W: 28; ->12/93; ch.70-N-014 001->; engine AAF; Fitting Position: Lower Left; 01/94->; ->eng.# 19149; engine ACU; Fitting Position: Lower Left; ->12/93; ->ch.70-N-014 000; engine AAF
2.5 Syncro	81/110	AAF;ACU;AEU;AEN	10/92->04/03	Deflection/Guide	SR-1087	OD: 75; W: 28; ->12/93; ch.70-N-014 001->; engine AAF; Fitting Position: Lower Left; 01/94->; ->eng.# 19149; engine ACU; Fitting Position: Lower Left; ->12/93; ->ch.70-N-014 000; engine AAF
2.5 TDI	111/151	AXG	09/00->04/03	Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; Fitting Position: Right
				Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
				Tensioner	SR-1103	ID: 8,2; OD: 76; W: 22,5; ALT; Fitting Position: Centre right
				Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
2.5 TDI	75/102	ACV;AUF;AYC	09/95->04/03	Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; Fitting Position: Right
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
				Tensioner	SR-1103	ID: 8,2; OD: 76; W: 22,5; ALT; engine AYC; Fitting Position: Centre right; 05/96->; engine ACV; Fitting Position: Centre right
				Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
				Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
2.5 TDI	65/88	AJT;AYY	12/98->04/03	Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; engine AJT; Fitting Position: Right
				Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
				Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
				Tensioner	SR-1103	ID: 8,2; OD: 76; W: 22,5; ALT; engine AJT; Fitting Position: Centre right
2.5 TDI Syncro	75/102	ACV;AXL	09/95->04/03	Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; engine AXL; Fitting Position: Right
				Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; engine ACV; Fitting Position: Left
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; engine ACV; Fitting Position: Lower; engine AXL; Fitting Position: Lower
				Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; engine ACV; Fitting Position: Upper; engine AXL; Fitting Position: Upper
Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; CS; engine AXL; Fitting Position: Left				
TRANSPORTER IV Bus (70XB, 70XC, 7DB, 7DW, 7DK) 						
1.8	49/67	PD	12/90->07/92	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25

	kW/HP	Engine code		Type		
1.9 D	44/60	1X	09/90->12/95	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; ch.70-P-000 001->; Fitting Position: Front
				Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5; ->eng.# 120077
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 120078->
1.9 D	45/61	1X	09/90->12/95	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 120078->
				Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5; ->eng.# 120077
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; ch.70-P-000 001->; Fitting Position: Front
1.9 TD	50/68	ABL	10/92->04/03	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 29320->
				Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5; ->eng.# 29319
2.0	62/84	AAC	09/90->04/03	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
2.4 D	55/75	AJA	08/97->04/03	Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27
2.4 D	57/78	AAB	09/90->04/98	Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; ALT; Fitting Position: Upper; ch.70-S-071 872->; Fitting Position: Lower Right
				Deflection/Guide	SR-1104	OD: 78; W: 25; ALT; ch.70-S-071 872->
				Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 320126
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT
				Tensioner	SR-1103	ID: 8,2; OD: 76; W: 22,5; ALT
				Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; eng.# 320127->
2.4 D Syncro	57/78	AAB	10/92->09/98	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 320126
				Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; ALT; Fitting Position: Upper; ch.70-S-071 872->; Fitting Position: Lower Right
				Deflection/Guide	SR-1104	OD: 78; W: 25; ALT; ch.70-S-071 872->
				Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; eng.# 320127->
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT
				Tensioner	SR-1103	ID: 8,2; OD: 76; W: 22,5; ALT
2.5	81/110	AAF;ACU;AEU;AEN	11/90->04/03	Deflection/Guide	SR-1087	OD: 75; W: 28; ->12/93; ch.70-N-014 001->; engine AAF; Fitting Position: Lower Left; 01/94->; ->eng.# 19149; engine ACU; Fitting Position: Lower Left; ->12/93; ->ch.70-N-014 000; engine AAF
2.5 Syncro	81/110	AAF;ACU;AEU;AEN	11/92->04/03	Deflection/Guide	SR-1087	OD: 75; W: 28; ->12/93; ch.70-N-014 001->; engine AAF; Fitting Position: Lower Left; 01/94->; ->eng.# 19149; engine ACU; Fitting Position: Lower Left; ->12/93; ->ch.70-N-014 000; engine AAF
2.5 TDI	65/88	AJT;AYY	05/98->04/03	Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; engine AJT; Fitting Position: Right
				Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
				Tensioner	SR-1103	ID: 8,2; OD: 76; W: 22,5; ALT; engine AJT; Fitting Position: Centre right
				Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
2.5 TDI	111/151	AHY;AXG	05/98->04/03	Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; Fitting Position: Right
				Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
				Tensioner	SR-1103	ID: 8,2; OD: 76; W: 22,5; ALT; Fitting Position: Centre right
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
				Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
2.5 TDI	75/102	ACV;AUF;AYC	09/95->04/03	Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; Fitting Position: Right
				Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
				Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
				Tensioner	SR-1103	ID: 8,2; OD: 76; W: 22,5; ALT; engine AYC; Fitting Position: Centre right; 05/96->; engine AVC; Fitting Position: Centre right
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
2.5 TDI Syncro	75/102	ACV;AXL	01/96->04/03	Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; engine AXL; Fitting Position: Right
				Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; engine ACV; Fitting Position: Left
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; engine ACV; Fitting Position: Lower; engine AXL; Fitting Position: Lower
				Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; engine ACV; Fitting Position: Upper; engine AXL; Fitting Position: Upper
				Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; CS; engine AXL; Fitting Position: Left
TRANSPORTER IV Platform/Chassis (70XD) 						
1.9 D	45/61	1X	07/90->12/95	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5; ->eng.# 120077
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 120078->
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; ch.70-P-000 001->; Fitting Position: Front
1.9 D	44/60	1X	09/90->12/95	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 120078->
				Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5; ->eng.# 120077
1.9 TD	50/68	ABL	10/92->04/03	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; ch.70-P-000 001->; Fitting Position: Front
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 29320->
2.0	62/84	AAC	07/90->04/03	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
2.4 D	55/75	AJA	08/97->04/03	Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27
2.4 D	57/78	AAB	09/90->04/98	Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 320126
				Deflection/Guide	SR-1104	OD: 78; W: 25; ALT; ch.70-S-071 872->
				Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; ALT; Fitting Position: Upper; ch.70-S-071 872->; Fitting Position: Lower Right
				Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; eng.# 320127->
				Tensioner	SR-1103	ID: 8,2; OD: 76; W: 22,5; ALT
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT

	kW/HP	Engine code		Type		
2.4 D Syncro	57/78	AAB	10/92->09/98	Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; ALT; Fitting Position: Upper; ch.70-S-071 872->; Fitting Position: Lower Right
				Deflection/Guide	SR-1104	OD: 78; W: 25; ALT; ch.70-S-071 872->
				Deflection/Guide	SR-1087	OD: 75; W: 28; ->eng.# 320126
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT
				Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; eng.# 320127->
				Tensioner	SR-1103	ID: 8,2; OD: 76; W: 22,5; ALT
2.5	81/110	AAF;ACU;AEU;AEN	11/90->04/03	Deflection/Guide	SR-1087	OD: 75; W: 28; ->12/93; ch.70-N-014 001->; engine AAF; Fitting Position: Lower Left; 01/94->; ->eng.# 19149; engine ACU; Fitting Position: Lower Left; ->12/93; ->ch.70-N-014 000; engine AAF
2.5 Syncro	81/110	AAF;ACU;AEU;AEN	10/92->04/03	Deflection/Guide	SR-1087	OD: 75; W: 28; ->12/93; ch.70-N-014 001->; engine AAF; Fitting Position: Lower Left; 01/94->; ->eng.# 19149; engine ACU; Fitting Position: Lower Left; ->12/93; ->ch.70-N-014 000; engine AAF
2.5 TDI	65/88	AJT;AYY	05/98->04/03	Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; engine AJT; Fitting Position: Right
				Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
				Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
				Tensioner	SR-1103	ID: 8,2; OD: 76; W: 22,5; ALT; engine AJT; Fitting Position: Centre right
2.5 TDI	75/102	ACV;AUF;AYC	09/95->04/03	Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; Fitting Position: Right
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; Fitting Position: Lower
				Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; Fitting Position: Upper
				Tensioner	SR-1103	ID: 8,2; OD: 76; W: 22,5; ALT; engine AVC; Fitting Position: Centre right; 05/96->; engine AVC; Fitting Position: Centre right
				Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; Fitting Position: Left
2.5 TDI Syncro	75/102	ACV;AXL	05/98->04/03	Deflection/Guide	SR-1101	OD: 90; W: 25; ALT; engine AXL; Fitting Position: Right
				Tensioner	SR-1313	ID: 8,2; OD: 73; W: 27; CS; engine AXL; Fitting Position: Left
				Tensioner	SR-1306	ID: 8,2; OD: 66; W: 24; IP; engine ACV; Fitting Position: Upper; engine AXL; Fitting Position: Upper
				Tensioner	SR-1307	ID: 10,2; OD: 64; W: 25; IP; engine ACV; Fitting Position: Lower; engine AXL; Fitting Position: Lower
				Tensioner	SR-1093	ID: 8,2; OD: 73; W: 27; CS; engine ACV; Fitting Position: Left
TRANSPORTER V Box (7HA, 7HH, 7EA, 7EH) 						
1.9 TDI	62/84	BRR	01/06->11/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
1.9 TDI	63/85	AXC	04/03->11/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; ->ch.7H-6H079 890; ->ch.7H-6X022 356; ->ch.7J-6-022 356; Fitting Position: Left
1.9 TDI	77/105	AXB	04/03->11/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; ch.7H-6H079 891->; ch.7H-6X022 357->; ch.7J-6-022 357->; Fitting Position: Left
1.9 TDI	75/102	BRS	06/06->11/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0	85/115	AXA	11/03->	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0 BitDI	132/180	CFCA	09/09->	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 BitDI 4motion	132/180	CFCA	09/09->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	100/136	CAAE;CCHB	05/10->	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	84/114	CAAD	05/11->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	62/84	CAAA	09/09->	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left

	kW/HP	Engine code		Type		
2.0 TDI	75/102	CAAB	09/09->	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
2.0 TDI	103/140	CAAC;CCHA	09/09->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
2.0 TDI 4motion	100/136	CAAE;CCHB	05/10->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
2.0 TDI 4motion	103/140	CAAC;CCHA	09/09->	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Lower
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
2.0 TSI	150/204	CJKA	05/11->	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
2.0 TSI	110/150	CJKB	07/12->	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT
2.0 TSI 4motion	150/204	CJKA	07/11->	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
TRANSPORTER V Bus [7HB, 7HJ, 7EB, 7EJ, 7EF, 7EG, 7HF, 7EC] 						
1.9 TDI	62/84	BRR	01/06->11/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
1.9 TDI	63/85	AXC	04/03->11/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; ch.7H-6H079 891->; ch.7H-6X022 357->; ch.7J-6-022 357->; Fitting Position: Left
1.9 TDI	77/105	AXB	04/03->11/09	Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; ->ch.7H-6H079 890; ->ch.7H-6X022 356; ->ch.7J-6-022 356; Fitting Position: Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
1.9 TDI	75/102	BRS	06/06->11/09	Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; ->ch.7H-6H079 890; ->ch.7H-6X022 356; ->ch.7J-6-022 356; Fitting Position: Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; ch.7H-6H079 891->; ch.7H-6X022 357->; ch.7J-6-022 357->; Fitting Position: Left
1.9 TDI	75/102	BRS	06/06->11/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0	85/115	AXA	11/03->	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0 BitDI	132/180	CFCA	09/09->	Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
2.0 BitDI 4motion	132/180	CFCA	09/09->	Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
2.0 TDI	84/114	CAAD	05/11->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	62/84	CAAA	09/09->	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	75/102	CAAB	09/09->	Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24

	kW/HP	Engine code		Type		
2.0 TDI	103/140	CAAC;CCHA	09/09->	Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI 4motion	103/140	CAAC;CCHA	09/09->	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Lower
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Upper
2.0 TSI	110/150	CJKB	07/12->	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT
Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT				
2.0 TSI 4motion	150/204	CJKA	07/11->	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
TRANSPORTER V Platform/Chassis [7JD, 7JE, 7JL, 7JY, 7JZ, 7FD 						
1.9 TDI	62/84	BRR	01/06->11/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
1.9 TDI	63/85	AXC	04/03->11/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; ch.7H-6H079 891->; ch.7H-6X022 357->; ch.7J-6-022 357->; Fitting Position: Left
1.9 TDI	77/105	AXB	04/03->11/09	Tensioner	SR-1267	- holder; ID: 17; OD: 70; W: 24; ALT; ->ch.7H-6H079 890; ->ch.7H-6X022 356; ->ch.7J-6-022 356; Fitting Position: Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT; ch.7H-6H079 891->; ch.7H-6X022 357->; ch.7J-6-022 357->; Fitting Position: Left
1.9 TDI	75/102	BRS	06/06->11/09	Deflection/Guide	SR-1023	OD: 40; W: 36; Fitting Position: Lower Left
				Tensioner	SR-1224	- holder; ID: 17; OD: 70; W: 26; ALT
2.0	85/115	AXA	11/03->	Tensioner	SR-1248	ID: 8,2; OD: 72; W: 29
				Tensioner	SR-1249	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Centre
2.0 BitDI	132/180	CFCA	09/09->	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 BitDI 4motion	132/180	CFCA	09/09->	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
2.0 TDI	100/136	CAAE	05/10->	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	84/114	CAAD	05/11->	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
2.0 TDI	62/84	CAAA	09/09->	Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
2.0 TDI	75/102	CAAB	09/09->	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
2.0 TDI	103/140	CAAC	09/09->	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24

	kW/HP	Engine code		Type		
2.0 TDI 4motion	100/136	CAAE;CCHB	05/10->	Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
2.0 TDI 4motion	103/140	CAAC	09/09->	Deflection/Guide	SR-1023	OD: 40; W: 36; ->11/10; Fitting Position: Lower Left
				Deflection/Guide	SR-1446	OD: 70,25; W: 28,2; ALT; Fitting Position: Centre
				Deflection/Guide	SR-1024	OD: 40; W: 29; 12/10->; Fitting Position: Lower Left
				Deflection/Guide	SR-1022	OD: 29; W: 29; ->11/10; Fitting Position: Upper; 12/10->; Fitting Position: Upper
				Tensioner	SR-1026	+ holder; ID: 17; OD: 70; W: 24
				Tensioner	SR-1025	- holder; ID: 17; OD: 70; W: 24; ALT; Fitting Position: Left
2.0 TSI	110/150	CJKB	07/12->	Deflection/Guide	SR-1461	+ holder; OD: 90; thread size M8x1,25; W: 25; ALT
				Tensioner	SR-1460	- holder; ID: 17; OD: 70; W: 24; ALT
TRANSPORTER VI Box (SGA, SGH) 						
2.0 TDI	110/150	CXFA;CXHA	04/15->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
2.0 TSI	150/204	CJKA	04/15->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
2.0 TSI	110/150	CJKB	04/15->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
2.0 TSI 4motion	150/204	CJKA	06/15->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
TRANSPORTER VI Bus (SGB, SGG, SGJ) 						
2.0 TDI	110/150	CXFA;CXHA	04/15->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
2.0 TSI	150/204	CJKA	04/15->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
2.0 TSI	110/150	CJKB	04/15->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
2.0 TSI 4motion	150/204	CJKA	06/15->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
TRANSPORTER VI Platform/Chassis (SFD, SFE, SFL, SFZ) 						
2.0 TSI	110/150	CJKB	04/15->	Tensioner	SR-1021	- holder; ID: 17; OD: 65; W: 23,5; ALT
VENTO (1H2) 						
1.4	40/55	ABD;AEX	11/91->09/98	Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; ->07/95; ch.1H-S-120 001->; engine ABD; Fitting Position: Upper; + PS; ->07/95; engine AEX; Fitting Position: Upper; + PS
				Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; ->07/95; ->ch.1H-S-120 000; engine ABD; Fitting Position: Upper; + PS
1.4	44/60	ABD;AEX	11/91->09/98	Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; ->07/95; ->ch.1H-S-120 000; engine ABD; Fitting Position: Upper; + PS; ->07/95; engine AEX; Fitting Position: Upper; + PS
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; ->07/95; ch.1H-S-120 001->; engine ABD; Fitting Position: Upper; + PS
1.6	55/75	AEA;ABU;AEE	09/92->09/98	Tensioner	SR-1113	- holder; ID: 17; OD: 70; W: 26; ALT; ->09/94; ->ch.1H-S-120 000; engine ABU; Fitting Position: Upper; + PS
				Tensioner	SR-1112	- holder; ID: 17; OD: 70; W: 26; ALT; ->09/94; ch.1H-S-120 001->; engine ABU; Fitting Position: Upper; + PS; 10/94->; engine AEA; engine AEE
1.6	74/101	AEK;AFT	10/94->09/98	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	55/75	AAM	11/91->09/98	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
1.8	66/90	ABS;ADZ	11/91->09/98	Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 D	48/65	1Y	11/91->09/98	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 378365->
				Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5; ->eng.# 378364
1.9 SDI	47/64	AEY	04/97->09/98	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 TD	55/75	AAZ	11/91->09/98	Tensioner	SR-1073	ID: 10,2; OD: 72; W: 26,5; ->eng.# 552765
				Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; eng.# 552766->
1.9 TDI	81/110	AFN	04/96->09/98	Deflection/Guide	SR-1096	OD: 29; W: 29; Fitting Position: Upper
				Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
1.9 TDI	66/90	1Z;AHU;ALE	09/93->09/98	Tensioner	SR-1094	ID: 8,2; OD: 67; W: 30; Fitting Position: Left
				Deflection/Guide	SR-1096	OD: 29; W: 29; ->eng.# 289575; engine 1Z; Fitting Position: Upper; eng.# 289576->; engine 1Z; Fitting Position: Upper; engine AHU; engine ALE; Fitting Position: Upper
2.0	85/115	2E;ADY;AGG;AKR	11/91->09/98	Tensioner	SR-1095	OD: 78; thread size M8x1,25; W: 26; ALT; Fitting Position: Front
				Tensioner	SR-1071	ID: 10,2; OD: 72; W: 25
2.8 VR6	128/174	AAA	01/92->09/98	Tensioner	SR-1102	- holder; ID: 17; num. of ribs: 7; OD: 62,5; W: 26; ALT

Umschlüsselungsliste / Cross list

ALFA ROMEO	ZEKERT	11281436078	SR-1414	64552244172	SR-1007
46442999	SR-1273	11281440237	SR-1512	64552244173	SR-1007
46524692	SR-1273	11281440237	SR-1206	64557786706	SR-1522
46546374	SR-1305	11281440378	SR-1445	7534398	SR-1038
46554826	SR-1292	11281722789	SR-1012	7549557	SR-1206
46794035	SR-1304	11281726343	SR-1009	7571015	SR-1038
4740847	SR-1119	11281735899	SR-1011	7799851	SR-1083
51758384	SR-1105	11281738061	SR-1008	7799859	SR-1082
51773551	SR-1069	11281738605	SR-1008	7838797	SR-1012
51815020	SR-1070	11281742858	SR-1285	CADILLAC	ZEKERT
51820520	SR-1126	11281748130	SR-1008	12568172	SR-1372
51824328	SR-1126	11281748131	SR-1009	12609719	SR-1381
55180011	SR-1305	11281748832	SR-1011	CHERY	ZEKERT
55184055	SR-1294	11282245087	SR-1007	473H1007060	SR-1564
55190813	SR-1069	11282247435	SR-1399	481H1007070	SR-1568
55232827	SR-1047	11287512758	SR-1400	481H1007071	SR-1567
55233759	SR-1046	11287515865	SR-1286	701060032	SR-1566
55242399	SR-1047	11287516897	SR-1444	701070017	SR-1565
55556090	SR-1065	11287524267	SR-1444	701070018	SR-1567
55562217	SR-1063	11287530314	SR-1192	CHEVROLET	ZEKERT
55574864	SR-1063	11287534398	SR-1038	09128738	SR-1051
60602136	SR-1274	11287535860	SR-1193	09158004	SR-1050
60677108	SR-1294	11287549557	SR-1206	12554027	SR-1381
60811332	SR-1273	11287549557	SR-1512	12580162	SR-1381
60812515	SR-1272	11287549588	SR-1511	12609719	SR-1381
60814033	SR-1304	11287571015	SR-1038	12626644	SR-1072
60814110	SR-1273	11287786881	SR-1440	24426500	SR-1106
71739304	SR-1361	11287799851	SR-1083	24430296	SR-1361
71739801	SR-1064	11287799859	SR-1082	24436052	SR-1064
71747798	SR-1305	11287800333	SR-1081	25183772	SR-1253
71770693	SR-1072	11287800334	SR-1079	25184786	SR-1356
73501924	SR-1272	11287800562	SR-1080	25191263	SR-1254
9653197280	SR-1540	11287807021	SR-1440	53008642	SR-1372
BMW	ZEKERT	11287838797	SR-1012	532026620	SR-1492
11280415304	SR-1511	11287841228	SR-1008	55562864	SR-1017
11281247647	SR-1010	1436078	SR-1414	55565236	SR-1001
11281427252	SR-1011	1440237	SR-1206	55567191	SR-1106
11281432104	SR-1010	1722789	SR-1012	55570289	SR-1063
11281433571	SR-1281	1742858	SR-1285	55574864	SR-1063
11281435594	SR-1390	64551726699	SR-1007	96404086	SR-1549

Umschlüsselungsliste / Cross list

96416331	SR-1557	04777395AB	SR-1284	MD104578	SR-1170
96435138	SR-1066	04777395AD	SR-1284	DAEWOO	ZEKERT
96440417	SR-1383	04781152AA	SR-1289	12810A81400000	SR-1036
96440419	SR-1382	04781569AA	SR-1288	5094008601	SR-1253
96459042	SR-1066	04781569AB	SR-1288	90411782	SR-1051
96802494	SR-1065	04781570AB	SR-1486	90499401	SR-1049
96870202	SR-1356	04792336	SR-1284	9128738	SR-1051
96960692	SR-1549	04792495AB	SR-1439	9158004	SR-1050
96966707	SR-1356	04792495AC	SR-1439	94580139	SR-1036
CHRYSLER	ZEKERT	04854089AB	SR-1328	96103222	SR-1254
04483214	SR-1255	04861630AA	SR-1348	96109380	SR-1570
04536154	SR-1488	04861630AB	SR-1348	96183113	SR-1355
04536154AB	SR-1488	04891720AA	SR-1293	96208428	SR-1398
04573347	SR-1284	04897054AA*	SR-1289	96344236	SR-1570
04573348	SR-1284	04964229*	SR-1289	96349976	SR-1356
04612894	SR-1255	05010371AA*	SR-1289	96350526	SR-1254
04612894AB	SR-1255	05018400AA*	SR-1284	96350550	SR-1253
04612894AC	SR-1255	05018400AB*	SR-1284	96352818	SR-1066
04612894AE	SR-1255	05114069AA*	SR-1289	96435138	SR-1066
04612894AF	SR-1255	1536154AD	SR-1488	196109380	SR-1570
04612894AG	SR-1255	4536154	SR-1488	196344236	SR-1570
04627094AA	SR-1070	4536154AB	SR-1488	P96344236	SR-1570
04663515	SR-1284	4556027	SR-1488	DODGE	ZEKERT
04663515AB	SR-1284	4792835AA	SR-1492	4536154AB	SR-1488
04663515AC	SR-1284	5093931AA	SR-1496	4556027	SR-1488
04663515AD	SR-1284	5142573AA	SR-1496	68000678AA	SR-1023
04667282	SR-1284	68001798AB	SR-1389	FIAT	ZEKERT
04668509AB	SR-1487	68018072AA	SR-1160	16108921	SR-1291
04668509AC	SR-1487	68020888AA	SR-1140	1613837480	SR-1129
04668509AD	SR-1487	68040206AA	SR-1159	46400054	SR-1292
04777016	SR-1284	68091866AA	SR-1157	46416489	SR-1291
04777017	SR-1284	68125482AA	SR-1157	46442999	SR-1273
04777346	SR-1284	68131035AA	SR-1157	46454419	SR-1304
04777375AB*	SR-1284	K04593985AA	SR-1140	46514222	SR-1304
04777375AC*	SR-1284	K04627851AA	SR-1140	46524692	SR-1273
04777383AC*	SR-1284	K04891595AB	SR-1042	46537101	SR-1293
04777393*	SR-1284	K04891595AC	SR-1042	46546374	SR-1305
04777393AB*	SR-1284	K04891595AD	SR-1042	46548452	SR-1047
04777393AC	SR-1284	K04891595AE	SR-1042	46554826	SR-1292
04777394*	SR-1284	K04891797AB	SR-1041	46756937	SR-1469

Umschlüsselungsliste / Cross list

46792898	SR-1291	71743966	SR-1069	K04627506AA	SR-1140
46794035	SR-1304	71747798	SR-1305	K04891595AB	SR-1042
46819146	SR-1097	73501924	SR-1272	K04891595AC	SR-1042
4740846	SR-1120	7702173	SR-1143	K04891595AD	SR-1042
4740847	SR-1119	9400829909	SR-1139	K04891595AE	SR-1042
504000412	SR-1432	9400830289	SR-1125	K04891596AC	SR-1041
51758384	SR-1105	9400830319	SR-1125	K04891797AB	SR-1041
51773551	SR-1069	9400830379	SR-1128	K05184638AD	SR-1140
51815020	SR-1070	9405751679	SR-1406	K68131035AA	SR-1157
51820520	SR-1126	9608859180	SR-1131	FORD	ZEKERT
51821652	SR-1097	9608989980	SR-1133	1000159	SR-1336
51821653	SR-1013	9609016880	SR-1132	1005120	SR-1096
51824328	SR-1126	9618888580	SR-1129	1005822	SR-1054
55180011	SR-1305	9622234180	SR-1134	1051901	SR-1095
55183497	SR-1046	9623001280	SR-1130	1058458	SR-1094
55184055	SR-1294	9626365280	SR-1132	1061459	SR-1338
55185074	SR-1013	9631962880	SR-1406	1069359	SR-1421
55190813	SR-1069	9634465780	SR-1424	1072031	SR-1336
55191969	SR-1047	9635638380	SR-1366	1072321	SR-1078
55195023	SR-1047	9636207480	SR-1457	1073096	SR-1338
55204392	SR-1469	9636640580	SR-1458	1073485	SR-1421
55211287	SR-1292	9636782780	SR-1408	1075546	SR-1412
55232827	SR-1047	9637024080	SR-1407	1079155	SR-1421
55233759	SR-1046	9642006780	SR-1409	1079173	SR-1419
55242399	SR-1047	9644759580	SR-1517	1079393	SR-1420
55556090	SR-1065	9644788580	SR-1517	1095025	SR-1337
55562217	SR-1063	9653522380	SR-1424	1096484	SR-1489
55574864	SR-1063	9653522780	SR-1408	1097574	SR-1490
5972277	SR-1127	9654127380	SR-1354	1099922	SR-1489
60610908	SR-1272	9658142480	SR-1449	1100585	SR-1266
60671789	SR-1506	9658142680	SR-1435	1100693	SR-1412
60677108	SR-1294	9658142780	SR-1448	1106830	SR-1102
60805460	SR-1143	99432547	SR-1120	1107573	SR-1336
60811332	SR-1273	99461357	SR-1120	1112807	SR-1078
60814110	SR-1273	99461358	SR-1119	1113174	SR-1419
71734799	SR-1291	K02627509AA	SR-1140	1113611	SR-1421
71739304	SR-1361	K04612894AB	SR-1255	1114044	SR-1412
71739801	SR-1064	K04612894AC	SR-1255	1114737	SR-1411
71740977	SR-1127	K04612894AG	SR-1255	1116379	SR-1489
71743962	SR-1105	K04627094AA	SR-1070	1117008	SR-1435

Umschlüsselungsliste / Cross list

1117009	SR-1436	1351134	SR-1421	1535439	SR-1046
1118677	SR-1420	1352451	SR-1536	1539115	SR-1097
1119938	SR-1500	1355389	SR-1434	1540605	SR-1320
1119954	SR-1489	1357587	SR-1509	1555720	SR-1016
1120687	SR-1447	1361545	SR-1521	1563519	SR-1546
1122523	SR-1267	1361983	SR-1015	1567809	SR-1545
1125419	SR-1437	1362730	SR-1571	1598372	SR-1097
1127103	SR-1283	1364675	SR-1520	1669904	SR-1094
1128896	SR-1436	1367254	SR-1536	1669984	SR-1102
1131255	SR-1447	1371224	SR-1283	1682935	SR-1068
1132644	SR-1447	1371715	SR-1319	1696474	SR-1540
1133988	SR-1421	1371753	SR-1146	1731709	SR-1435
1134084	SR-1413	1372398	SR-1449	1731729	SR-1449
1135627	SR-1500	1372770	SR-1548	1770837	SR-1518
1136183	SR-1493	1374385	SR-1500	1773011	SR-1436
1139951	SR-1078	1374425	SR-1345	1L2Z8678AB	SR-1538
1143406	SR-1509	1374427	SR-1346	1S4Q6A228AD	SR-1421
1145493	SR-1420	1376164	SR-1015	1S4Q6A228AE	SR-1421
1145955	SR-1353	1376316	SR-1545	1S4Q6A228AF	SR-1421
1148358	SR-1268	1376631	SR-1267	1S7Q19A216AB	SR-1500
1149503	SR-1493	1385379	SR-1547	1S7Q19A216AC	SR-1500
1152890	SR-1412	1387066	SR-1282	1S7Q19A216AD	SR-1500
1201178	SR-1435	1387199	SR-1545	1S7Q6A228AC	SR-1283
1201181	SR-1437	1388493	SR-1319	1S7Q6A228AD	SR-1283
1213852	SR-1337	1420513	SR-1448	1S7Q6A228AE	SR-1283
1214747	SR-1509	1425510	SR-1545	2M216K297AA	SR-1023
1215978	SR-1419	1427973	SR-1148	2M2E6A228AA	SR-1268
1221491	SR-1023	1445915	SR-1547	2M5Z6K254AAA	SR-1571
1229540	SR-1434	1456983	SR-1148	2S616A228AC	SR-1509
1251661	SR-1426	1465253	SR-1016	2S616A228AD	SR-1509
1302873	SR-1520	1465914	SR-1546	2S616A228AE	SR-1509
1306666	SR-1283	1469717	SR-1434	2S616A228AF	SR-1509
1308227	SR-1521	1473383	SR-1521	2S616A228AG	SR-1509
1310771	SR-1424	1473384	SR-1421	2S6Q6M250AA	SR-1353
1315781	SR-1426	1476893	SR-1546	2S7E6A228AA	SR-1447
1318844	SR-1413	1477061	SR-1540	2T1Q19A216AA	SR-1521
1328472	SR-1336	1479084	SR-1419	2T1Q19A216BA	SR-1521
1329630	SR-1509	1480012	SR-1509	2T1Q19A216BB	SR-1521
1333203	SR-1489	1496244	SR-1449	2T1Q6K254AA	SR-1419
1350032	SR-1520	1535429	SR-1047	2T1Q6K254AB	SR-1419

Umschlüsselungsliste / Cross list

3395996	SR-1209	6G9N7739CD	SR-1546	98FF3K738BG	SR-1421
3396014	SR-1210	6G9N7739CF	SR-1546	98FF3K738BH	SR-1421
3661243	SR-1209	6G9Q19A216AA	SR-1148	98MF3C631CD	SR-1412
3895193	SR-1204	6G9Q6A228BC	SR-1545	98MF3C631CE	SR-1412
3M5Q6A228AD	SR-1426	6M5G6K254AA	SR-1319	98MF3C631CF	SR-1412
3S4Q6A228AB	SR-1520	6M5G6M250AA	SR-1146	98MF3C631CG	SR-1412
3S4Q6A228AC	SR-1520	6M5Q6A228AA	SR-1345	98MF3C631DF	SR-1412
4132488	SR-1209	6M5Q6A228BA	SR-1346	98MF6A228BE	SR-1411
4M5Q6A228BA	SR-1434	6M5Q6A228DA	SR-1434	9S516A228AA	SR-1047
4M5Q6A228BB	SR-1434	7109163	SR-1078	9S516A228BA	SR-1097
4M5Q6A228ED	SR-1536	7158445	SR-1086	CC1Q19A216CA	SR-1435
4M5Q6A228FC	SR-1424	7239509	SR-1268	CC1Q19A216DA	SR-1449
4S7Q19A216JA	SR-1282	7392480	SR-1268	FE1H12730A	SR-1204
5M5G6K254AB	SR-1015	7400530	SR-1096	VX028109244VX	SR-1096
5M5Q19A216DC	SR-1016	84SM6K254CA	SR-1034	VX028145278EVX	SR-1095
5M5Q6C344AA	SR-1016	88WF6A228AC	SR-1269	XM216K297AA	SR-1266
6121753	SR-1068	8G9Q6A228AA	SR-1545	XM346M250AA	SR-1204
6121754	SR-1068	8M5N6A228BA	SR-1320	XS4Q6B217AD	SR-1419
6131141	SR-1034	928M6K254AC	SR-1075	XS7E19A216AC	SR-1435
6145028	SR-1034	928M6M250BC	SR-1076	XS7E19A216AD	SR-1435
6168156	SR-1269	928M6M250DC	SR-1077	XS7E19A216BC	SR-1436
6177882	SR-1054	93BB19A216AD	SR-1086	XS7E19A216BD	SR-1436
6182891	SR-1034	93BB19A216BF	SR-1085	XS7E6A228BC	SR-1447
6501088	SR-1269	93FF6K254BA	SR-1054	XS7E6A228CB	SR-1437
6635941	SR-1075	95VW6A228AB	SR-1102	XS7E6A228CC	SR-1437
6635942	SR-1076	95VW6A228EA	SR-1102	XS7G6M250AA	SR-1337
6727884	SR-1086	95VW6K254CA	SR-1094	XS7G6M250BA	SR-1337
6744307	SR-1077	95VW6K254DA	SR-1094	YC1E6A228AF	SR-1489
6789631	SR-1269	95WF19A216AC	SR-1078	YC1E6A228AG	SR-1489
6935235	SR-1085	95WF19A216AD	SR-1078	YC1E9444AD	SR-1490
6988203	SR-1054	95WF6A228BB	SR-1268	YM216K254AA	SR-1267
6C1Q19A216AA	SR-1449	96FF6K254BA	SR-1054	YM216K254EA	SR-1267
6C1Q19A216AB	SR-1449	97BB6A228AG	SR-1338	YS4E19A216AA	SR-1078
6C1Q6A228AB	SR-1448	988M6K254AB	SR-1336	YS4E19A216BA	SR-1413
6C1Q6A228BB	SR-1547	988M6K254AC	SR-1336	YS4E19A216BB	SR-1413
6C1Q6A228BC	SR-1547	988M6K254AD	SR-1336	YS6E19A216AA	SR-1493
6C1Q6C344AB	SR-1548	988M6K254AE	SR-1336	YS6E19A216AB	SR-1493
6G9N11948AC	SR-1344	98FF19A216BB	SR-1420	GAZ	ZEKERT
6G9N6K254BA	SR-1319	98FF19A216BC	SR-1420	406130806702	SR-1430
6G9N7739CC	SR-1546	98FF19A216BD	SR-1420	406130808020	SR-1430

Umschlüsselungsliste / Cross list

HONDA	ZEKERT	31180PNAJ01	SR-1312	2441021014	SR-1158
13404PT0003	SR-1225	31180RAAA01	SR-1518	2441022000	SR-1251
13404PT0004	SR-1225	31190PRA000	SR-1513	2441022020	SR-1251
14510P08003	SR-1234	31190PRA400	SR-1513	2441023011	SR-1296
14510P08004	SR-1234	31190RBA000	SR-1513	2441023050	SR-1491
14510P2A004	SR-1234	31190RL2G01	SR-1484	2441023400	SR-1296
14510P2AJ01	SR-1234	31190RNA003	SR-1484	2441023500	SR-1296
14510P30003	SR-1228	31190RRAA00	SR-1513	2441026000	SR-1251
14510PM7003	SR-1154	38940PLZD00	SR-1401	2441027000	SR-1279
14510PM7004	SR-1154	38942P01003	SR-1235	2441027250	SR-1279
14510PR3003	SR-1228	38942P01003	SR-1236	244102X000	SR-1185
14510PR3004	SR-1228	38942P2KT01	SR-1295	2441035010	SR-1170
14510PT0003	SR-1226	38942P2KT01	SR-1235	2441035020	SR-1170
14510PT0004	SR-1226	38942P3F003	SR-1235	2441035060	SR-1170
14510RCAA01	SR-1551	38942P72000	SR-1235	2441038001	SR-1379
14520P2A305	SR-1234	38942PHM004	SR-1514	2441039001	SR-1454
14520P2A306	SR-1234	38942PM3000	SR-1235	244502Y000	SR-1367
14550RCAA01	SR-1550	38942PWA004	SR-1514	2445033010	SR-1164
31170PNA013	SR-1311	38942PZA003	SR-1235	2445033020	SR-1164
31170PNA023	SR-1311	38950P2K305	SR-1235	2445035510	SR-1173
31170RAAA01	SR-1311	38950P2K305	SR-1236	2445035530	SR-1173
31170RAAA02	SR-1311	38950P3F305	SR-1235	2445037100	SR-1404
31170RNAA01	SR-1539	HUMMER	ZEKERT	2445037120	SR-1404
31170RNAA02	SR-1539	12609719	SR-1381	2445038010	SR-1378
31170RNAA03	SR-1539	HYUNDAI	ZEKERT	2445038011	SR-1378
31170RNAA11	SR-1539	2335733120	SR-1166	2445039810	SR-1173
31170RNAG01	SR-1539	2335733130	SR-1166	2481023011	SR-1297
31170RNAG02	SR-1539	2335733350	SR-1175	2481023050	SR-1297
31170RNAG11	SR-1539	2335738001	SR-1175	2481023400	SR-1297
31170RWK005	SR-1485	2335742000	SR-1169	2481023500	SR-1297
31170RWK015	SR-1485	2335742010	SR-1169	2481026010	SR-1252
31170RWK025	SR-1485	2335742020	SR-1169	2481026020	SR-1252
31170RWKA005	SR-1485	2335742030	SR-1169	2481027000	SR-1280
31170RZPAG01	SR-1485	2431742000	SR-1168	2481027250	SR-1280
31170RZPG01	SR-1485	2431742010	SR-1168	248102X700	SR-1208
31170RZPG02	SR-1485	2431742020	SR-1168	2481033021	SR-1165
31170RZPG03	SR-1485	2441002510	SR-1391	2481033024	SR-1165
31170RZPG04	SR-1485	2441002550	SR-1391	2481035510	SR-1174
31180P8FA03	SR-1538	2441002750	SR-1391	2481035530	SR-1174
31180PNA003	SR-1312	2441021010	SR-1158	2481037100	SR-1403

Umschlüsselungsliste / Cross list

2481037120	SR-1403	572123A000	SR-1504	0K88R12740	SR-1479
2481038001	SR-1165	9783422100	SR-1250	0K88R12750	SR-1481
2481039810	SR-1174	9783429000	SR-1250	0K88R15981	SR-1476
2528125000	SR-1136	9783429010	SR-1250	0K88R15983	SR-1477
2528127000	SR-1278	978342D520	SR-1250	0K95K12750	SR-1475
2528127001	SR-1278	ISUZU	ZEKKERT	0K97212730	SR-1204
2528127010	SR-1278	8972220211	SR-1372	0K97312730	SR-1204
2528127060	SR-1278	8972220214	SR-1372	0K9BV12780	SR-1474
252812A000	SR-1144	8972521881	SR-1372	0K9BV12790	SR-1473
252812A100	SR-1144	8973008570	SR-1372	243174X000	SR-1480
252812A200	SR-1144	IVECO	ZEKKERT	243174X001	SR-1480
252812B010	SR-1357	4740847	SR-1119	243224X000	SR-1478
252812B020	SR-1357	500332622	SR-1563	2441027000	SR-1279
2528135010	SR-1171	504086751	SR-1433	2441027250	SR-1279
2528135020	SR-1171	504086948	SR-1124	244102X000	SR-1185
2528135050	SR-1171	JAGUAR	ZEKKERT	244102X700	SR-1207
2528135060	SR-1171	C2S27002	SR-1437	244102X701	SR-1207
2528137120	SR-1452	C2S27004	SR-1435	244503Y100	SR-1474
252813E000	SR-1498	C2S27005	SR-1436	244503Y200	SR-1473
252813E010	SR-1498	C2S48896	SR-1436	2481027000	SR-1280
252813E011	SR-1538	C2Z16649	SR-1148	2481027250	SR-1280
252813E011	SR-1498	CC1Q19A216CA	SR-1435	2528125000	SR-1136
252862B000	SR-1142	JD61125	SR-1447	2528127000	SR-1278
252862B010	SR-1142	XS7E19A216BC	SR-1436	2528127001	SR-1278
2528637100	SR-1453	XS7E19A216BD	SR-1436	2528127010	SR-1278
2528637110	SR-1453	JEEP	ZEKKERT	2528127060	SR-1278
252863E001	SR-1499	4792835AA	SR-1492	252812A000	SR-1144
252864A010	SR-1241	51820520	SR-1126	252812A100	SR-1144
252864A020	SR-1241	68000817AA	SR-1330	252812A150	SR-1144
252864A030	SR-1241	68040206AA	SR-1159	252812A200	SR-1144
2528725000	SR-1135	68131035AA	SR-1157	252812B000	SR-1357
2528725010	SR-1135	K04593985AA	SR-1140	252812B010	SR-1357
2528725100	SR-1135	K04627851AA	SR-1140	252812B020	SR-1357
2528725110	SR-1135	KIA	ZEKKERT	252812B030	SR-1357
2528727000	SR-1277	0K24712700	SR-1367	252813E000	SR-1498
2528727001	SR-1277	0K55112730A	SR-1480	252813E010	SR-1498
2528727400	SR-1277	0K55112740A	SR-1479	252813E011	SR-1498
2528825001	SR-1137	0K55215983C	SR-1477	252814A000	SR-1240
5721238000	SR-1418	0K88A15983	SR-1477	252814A010	SR-1240
5721238100	SR-1418	0K88R12700	SR-1478	252814X000	SR-1476

Umschlüsselungsliste / Cross list

252814X100	SR-1476	21101041056	SR-1298	71747798	SR-1305
252862B000	SR-1142	21108114060	SR-1298	73501924	SR-1272
252862B010	SR-1142	LANCIA	ZEKKERT	7702173	SR-1143
252863E000	SR-1499	16108921	SR-1291	9400830289	SR-1125
252863E001	SR-1499	1613837480	SR-1129	9400830379	SR-1128
252864A000	SR-1241	46400054	SR-1292	9608859180	SR-1131
252864A010	SR-1241	46416489	SR-1291	9608989980	SR-1133
252864A020	SR-1241	46442999	SR-1273	9609016880	SR-1132
252864A030	SR-1241	46524692	SR-1273	9618888580	SR-1129
252864X000	SR-1477	46546374	SR-1305	9622234180	SR-1134
2528725000	SR-1135	46554826	SR-1292	9626365280	SR-1132
2528725010	SR-1135	46756937	SR-1469	9634465780	SR-1424
2528725100	SR-1135	46792898	SR-1291	9635638380	SR-1366
2528725110	SR-1135	46819146	SR-1097	9636207480	SR-1457
2528727000	SR-1277	4740847	SR-1119	9653522380	SR-1424
2528727001	SR-1277	51758384	SR-1105	K02627509AA	SR-1140
2528727400	SR-1277	51773551	SR-1069	K04593985AA	SR-1140
572123A000	SR-1504	51815020	SR-1070	K04627506AA	SR-1140
9783429700	SR-1250	51820520	SR-1126	K04627851AA	SR-1140
978342D520	SR-1250	51821652	SR-1097	K04891595AB	SR-1042
KK15012700A	SR-1185	51824328	SR-1126	K04891595AC	SR-1042
KK15012700B	SR-1185	55180011	SR-1305	K04891595AD	SR-1042
MB63012700E	SR-1185	55183497	SR-1046	K04891595AE	SR-1042
MB66012730C	SR-1208	55184055	SR-1294	K04891596AC	SR-1041
OK01612700	SR-1205	55190813	SR-1069	K04891797AB	SR-1041
OK93712700A	SR-1207	55191969	SR-1047	K05184638AD	SR-1140
OK93712730	SR-1208	55195023	SR-1047	LAND ROVER	ZEKKERT
OK93812730	SR-1208	55204392	SR-1469	1325097	SR-1574
OK95412730	SR-1203	55232827	SR-1047	6G9N11948AC	SR-1344
OK95512730	SR-1203	55233759	SR-1046	6G9N11948AD	SR-1344
OK95512730A	SR-1203	55242399	SR-1047	6G9N7739AD	SR-1343
OK97212700	SR-1202	55574864	SR-1063	6G9N7739AE	SR-1343
OK97212700A	SR-1202	5972277	SR-1127	LR003651	SR-1147
OK97212730	SR-1203	60602136	SR-1274	LR003651	SR-1540
OK97312700	SR-1202	60610908	SR-1272	LR004667	SR-1343
OK97312700A	SR-1202	60677108	SR-1294	LR004668	SR-1344
OK97312730	SR-1203	60811332	SR-1273	LR004877	SR-1148
LADA	ZEKKERT	60814110	SR-1273	LR006076	SR-1344
21100104105600	SR-1298	71734799	SR-1291	LR016140	SR-1538
21100104105601	SR-1298	71740977	SR-1127	PQG100141L	SR-1332

Umschlüsselungsliste / Cross list

PQG100180	SR-1270	FE1H12700A	SR-1202	0002020019	SR-1140
PQG100190L	SR-1392	FE1H12730	SR-1204	0002020919	SR-1140
PQH500130	SR-1574	FE1H12730A	SR-1204	0002021719	SR-1222
PQR100880	SR-1393	FE3N12730	SR-1203	1022006970	SR-1029
PRF100060L	SR-1399	FS0112700A	SR-1209	1042001070	SR-1045
STC2131	SR-1007	FS0112700B	SR-1209	1112000070	SR-1040
LDV	ZEKKERT	FS0112730A	SR-1210	1112020119	SR-1287
5142573AA	SR-1496	FS0512700A	SR-1209	1122000070	SR-1237
LEXUS	ZEKKERT	L37215980B	SR-1472	1122000170	SR-1237
1350350011	SR-1197	L37215980C	SR-1472	1122000370	SR-1237
1350362030	SR-1194	L51015930A	SR-1220	1122000870	SR-1237
1350520030	SR-1516	LF1715980D	SR-1520	1122000970	SR-1237
1350550030	SR-1315	LF1715980E	SR-1520	1192000970	SR-1043
166030R010	SR-1149	LF5015980	SR-1426	1192001470	SR-1043
1660431010	SR-1058	LF5015980A	SR-1426	11927HG00B	SR-1334
1660431020	SR-1058	LF5015980B	SR-1426	1372020119	SR-1160
1660450030	SR-1314	LF5015980C	SR-1426	1562020919	SR-1160
1662031040	SR-1152	LF6115980B	SR-1218	1662020519	SR-1376
MAZDA	ZEKKERT	LF6115980C	SR-1218	1662020619	SR-1376
1E0315930A	SR-1078	LFH115940	SR-1219	2662020019	SR-1377
1E0712720	SR-1054	LFH115940A	SR-1219	2712000270	SR-1519
B63012700B	SR-1185	LFN315980A	SR-1218	2712000470	SR-1223
B63012700C	SR-1185	R20112700A	SR-1205	2712000570	SR-1423
B63012700D	SR-1185	WL8115940	SR-1571	2712060019	SR-1422
B63012700E	SR-1185	Y40112730	SR-1353	2722000070	SR-1428
B63112700C	SR-1185	Y40115980A	SR-1509	2722000270	SR-1428
B66012700A	SR-1207	Y40115980C	SR-1509	2722020419	SR-1429
B66012700B	SR-1207	Y60115980	SR-1434	2722020719	SR-1429
B66012700C	SR-1207	Y60215980	SR-1434	2722021419	SR-1429
B66012700D	SR-1207	Y60215980	SR-1540	6012000770	SR-1030
B66012700E	SR-1207	YF0912730	SR-1337	6012000970	SR-1027
B66012700F	SR-1207	YF0915930A	SR-1492	6012000970	SR-1028
B66012730	SR-1208	YF0915930B	SR-1492	6012001070	SR-1044
B66012730A	SR-1208	YF0915980	SR-1338	6019810027	SR-1035
B66012730B	SR-1208	YF7112730	SR-1337	6062000073	SR-1039
B66012730C	SR-1208	ZJ0115940	SR-1532	6062000173	SR-1039
F80512700	SR-1201	ZJ0115980B	SR-1531	6072000270	SR-1163
F80512700A	SR-1201	ZJ3815980B	SR-1556	6112000270	SR-1389
F80512700C	SR-1201	ZJ3815980C	SR-1556	6112000370	SR-1389
F80612700	SR-1201	MERCEDES-BENZ	ZEKKERT	6112000470	SR-1389

Umschlüsselungsliste / Cross list

6112000570	SR-1389	1145A079	SR-1466	MD320174	SR-1299
6112000670	SR-1508	1341A005	SR-1041	MD327654	SR-1171
6112340193	SR-1155	1341A029	SR-1041	MD329625	SR-1168
6112340293	SR-1155	1345A008	SR-1042	MD329976	SR-1321
6382370016	SR-1102	1345A009	SR-1465	MD341830	SR-1442
6422000070	SR-1159	1345A031	SR-1558	MD352473	SR-1175
6422000470	SR-1534	1345A060	SR-1042	MD352473DD	SR-1175
6422000570	SR-1535	1345A062	SR-1465	MD356509	SR-1322
6422001070	SR-1160	1345A079	SR-1042	MD362028	SR-1368
6422001370	SR-1159	7813A136	SR-1555	MD367192	SR-1554
6422001470	SR-1534	M343741	SR-1114	MD368209	SR-1171
6422002370	SR-1160	M813134	SR-1302	MD368210	SR-1553
6462000070	SR-1508	M852898	SR-1303	MD369833	SR-1465
6462000270	SR-1389	M855992	SR-1115	MD374877	SR-1528
6462000470	SR-1508	M855993	SR-1114	MN137247	SR-1529
6462000570	SR-1389	M883834	SR-1188	MN137248	SR-1530
6512000070	SR-1157	MB918552	SR-1555	MN149179	SR-1527
6512000270	SR-1156	MD030605	SR-1158	MN176844	SR-1468
6512000470	SR-1333	MD040754	SR-1161	MN176844V1T	SR-1468
6512000670	SR-1334	MD050125	SR-1169	MN980104	SR-1023
6512000770	SR-1335	MD050135	SR-1168	MN980107	SR-1330
6512001670	SR-1157	MD102451	SR-1171	MR958030	SR-1464
6512001770	SR-1157	MD104578	SR-1170	MW30620661	SR-1360
6512001870	SR-1333	MD115976	SR-1166	MW30621261	SR-1115
6612003070	SR-1028	MD121993	SR-1165	MW30621270	SR-1302
6682020219	SR-1376	MD129355	SR-1164	MW30621284	SR-1358
6682020519	SR-1377	MD140071	SR-1173	MW30623983	SR-1188
A6512000470	SR-1333	MD151447	SR-1174	MW30638573	SR-1360
A6512001870	SR-1333	MD156604	SR-1165	MW30638574	SR-1358
MINI	ZEKERT	MD166381	SR-1171	MW30638633	SR-1358
11287795037	SR-1434	MD175375	SR-1167	MW31216269	SR-1360
11317805961	SR-1353	MD182537	SR-1172	MW31251096	SR-1358
MITSUBISHI	ZEKERT	MD185544	SR-1175	MW31303117	SR-1359
1145A020	SR-1466	MD192068	SR-1175	MW31303117	SR-1181
1145A020V1T	SR-1466	MD197622	SR-1442	NISSAN	ZEKERT
1145A031	SR-1467	MD308882	SR-1171	1175000Q0A	SR-1360
1145A031VT	SR-1467	MD309783	SR-1571	1175000Q0B	SR-1006
1145A062	SR-1442	MD315265	SR-1167	1175000Q0C	SR-1358
1145A070	SR-1442	MD318872	SR-1368	1175000Q0D	SR-1006
1145A078	SR-1468	MD319022	SR-1174	1175000Q0E	SR-1189

Umschlüsselungsliste / Cross list

1175000Q0F	SR-1187	119254F115	SR-1227	1192777A10	SR-1231
1175000Q0F	SR-1186	1192554B00	SR-1227	1192777A11	SR-1231
1175000Q0J	SR-1358	119259F600	SR-1227	11927AD201	SR-1057
1175000Q0K	SR-1360	119259F600	SR-1451	11927AD20B	SR-1057
1175000Q0L	SR-1329	119259F60A	SR-1451	11927AL500	SR-1459
1175000Q1A	SR-1329	119259F60A	SR-1227	11927AN301	SR-1300
1175000Q1D	SR-1006	11925AW300	SR-1359	11927AX000	SR-1526
1175000Q1G	SR-1006	11925AW300	SR-1181	11927EB310	SR-1098
1175000QAA	SR-1360	11925AX000	SR-1524	11927EB32A	SR-1098
1175000QAB	SR-1358	11925AX00A	SR-1523	11927ED000	SR-1351
1175000QAC	SR-1358	11925AX00A	SR-1300	11927ED00B	SR-1351
1175000QAD	SR-1358	11925AX00B	SR-1524	11927ED320	SR-1100
1175000QAE	SR-1360	11925AX00C	SR-1525	1194400QAC	SR-1162
1175000QAH	SR-1329	11925AX00C	SR-1300	119444F100	SR-1227
1175000QAR	SR-1006	11925AX00D	SR-1300	1195500Q0A	SR-1182
1175000QAS	SR-1329	11925AX00D	SR-1525	1195500Q0B	SR-1183
1175000QAU	SR-1006	11925AX010	SR-1523	1195500Q0C	SR-1182
117502W200	SR-1497	11925AX010	SR-1300	1195500Q0D	SR-1183
117502W202	SR-1497	11925AX011	SR-1300	1195500Q0F	SR-1183
117502W203	SR-1497	11925AX011	SR-1523	1195500Q0M	SR-1183
117502W20A	SR-1497	11925AX012	SR-1300	1195500QAA	SR-1182
117502W20B	SR-1497	11925AX015	SR-1300	1195500QAB	SR-1183
117502W20C	SR-1497	11925AX015	SR-1525	1195500QAC	SR-1183
117502W21A	SR-1497	11925AX01D	SR-1525	1195500QAD	SR-1182
1192300QAA	SR-1162	11925AX01D	SR-1300	1195500QAE	SR-1182
11923BN700	SR-1162	11925JA100	SR-1560	1195500QAF	SR-1183
1192500Q0D	SR-1186	11925JA11A	SR-1561	119551EA0A	SR-1053
1192500Q0J	SR-1359	11925JK20A	SR-1052	119551EA0B	SR-1053
1192500Q0J	SR-1181	11925JK20C	SR-1052	119551EA0C	SR-1053
1192500QAA	SR-1186	11925JK20D	SR-1052	119551EA0D	SR-1053
1192500QAA	SR-1187	11925VC801	SR-1533	119551EA9D	SR-1053
1192500QAB	SR-1189	1192700Q0D	SR-1163	119551EA9E	SR-1053
1192500QAE	SR-1359	1192700Q0E	SR-1181	119555X00C	SR-1099
1192500QAE	SR-1181	1192700Q0E	SR-1359	119555X00D	SR-1099
1192500QAF	SR-1188	1192700QAA	SR-1188	119555X00E	SR-1099
1192500QAL	SR-1186	119270M302	SR-1300	119556N202	SR-1503
1192500QAL	SR-1187	119270M303	SR-1300	119556N20A	SR-1503
1192500QAP	SR-1181	119270M304	SR-1300	119556N20B	SR-1503
1192500QAP	SR-1359	119271HC0A	SR-1351	119556N20C	SR-1503
1192531U0C	SR-1271	119274F115	SR-1227	11955AW300	SR-1358

Umschlüsselungsliste / Cross list

11955BN701	SR-1510	1340534	SR-1066	4451679	SR-1360
11955BN703	SR-1510	1340536	SR-1067	4452226	SR-1184
11955ET00A	SR-1014	1340541	SR-1066	4500955	SR-1427
11955JA00A	SR-1417	1340544	SR-1066	4506092	SR-1180
11955JA10A	SR-1559	1340545	SR-1339	4506194	SR-1181
11955JA10B	SR-1559	1340547	SR-1067	4708770	SR-1013
11955JA10C	SR-1559	1340550	SR-1001	4803350	SR-1066
11955JA10D	SR-1559	1340551	SR-1001	4805183	SR-1383
11955JD20A	SR-1014	1340555	SR-1396	4805513	SR-1382
11955JD21A	SR-1014	1340827	SR-1155	4817877	SR-1072
11955JK21A	SR-1053	1854297	SR-1352	55185074	SR-1013
1307000QAA	SR-1005	1854421	SR-1401	55190812	SR-1105
1307005E00	SR-1232	1854436	SR-1007	55190813	SR-1069
1307005E10	SR-1232	2000012	SR-1049	55350422	SR-1065
130702J600	SR-1230	24412292	SR-1066	55350580	SR-1108
1307057J00	SR-1230	24426500	SR-1106	55350960	SR-1155
1307057J01	SR-1230	24430296	SR-1361	55352021	SR-1001
1307057J10	SR-1230	24436052	SR-1064	55352713	SR-1397
1307405E00	SR-1233	24447794	SR-1063	55555653	SR-1063
1307700QAA	SR-1180	24447883	SR-1106	55556090	SR-1065
1307700QAD	SR-1118	25189926	SR-1065	55560082	SR-1063
1307754A00	SR-1229	25191534	SR-1065	55561330	SR-1126
7701472726	SR-1118	4400204	SR-1119	55562217	SR-1063
8200608550	SR-1006	4401567	SR-1360	55562218	SR-1063
8200612619	SR-1006	4401609	SR-1114	55562864	SR-1017
OPEL	ZEKERT	4403144	SR-1120	55563512	SR-1065
11092971	SR-1049	4403270	SR-1115	55565236	SR-1001
1204187	SR-1069	4410548	SR-1002	55570289	SR-1063
1204294	SR-1070	4410595	SR-1188	55570290	SR-1063
1204641	SR-1483	4411707	SR-1358	55574864	SR-1063
1204853	SR-1483	4413791	SR-1359	5636130	SR-1063
1206990	SR-1109	4414654	SR-1181	5636131	SR-1063
12605492	SR-1352	4415859	SR-1183	5636415	SR-1107
12626644	SR-1072	4421906	SR-1119	5636419	SR-1107
1340258	SR-1126	4433874	SR-1182	5636425	SR-1051
1340267	SR-1001	4433884	SR-1183	5636427	SR-1107
1340268	SR-1065	4449454	SR-1359	5636451	SR-1063
1340269	SR-1017	4449513	SR-1181	5636454	SR-1397
1340530	SR-1339	4449515	SR-1183	5636455	SR-1108
1340533	SR-1056	4449516	SR-1182	5636469	SR-1063

Umschlüsselungsliste / Cross list

5636486	SR-1063	90412884	SR-1109	93198198	SR-1183
5636721	SR-1049	90499401	SR-1049	93198632	SR-1359
5636722	SR-1049	90500229	SR-1066	93198649	SR-1181
5636725	SR-1063	90502129	SR-1066	93198650	SR-1183
5636732	SR-1106	90502421	SR-1339	93198651	SR-1182
5636733	SR-1106	90528760	SR-1067	93198732	SR-1360
5636738	SR-1050	90529913	SR-1155	93198828	SR-1184
5636740	SR-1106	90530125	SR-1050	95508239	SR-1119
5636978	SR-1064	90531965	SR-1001	95511411	SR-1069
614533	SR-1361	90531986	SR-1001	95511413	SR-1070
6204661	SR-1483	90541734	SR-1007	96435138	SR-1066
6204663	SR-1402	90570525	SR-1049	96440417	SR-1383
6340532	SR-1066	90570913	SR-1107	96440419	SR-1382
6340538	SR-1067	90571758	SR-1396	97184929	SR-1483
6340551	SR-1155	9108204	SR-1119	97184930	SR-1401
6340552	SR-1065	9109567	SR-1360	97222553	SR-1483
6340553	SR-1001	9109609	SR-1114	97364344	SR-1483
6340554	SR-1013	9111144	SR-1120	98005564	SR-1402
6340556	SR-1105	9111270	SR-1115	98012238	SR-1401
6340557	SR-1069	9117695	SR-1049	PEUGEOT	ZEKERT
6340558	SR-1065	9128516	SR-1106	081821	SR-1127
636160	SR-1063	9128656	SR-1106	081823	SR-1120
636319	SR-1065	9128738	SR-1051	081832	SR-1120
636415	SR-1051	9128740	SR-1107	082917	SR-1127
636485	SR-1065	9158004	SR-1050	082919	SR-1122
636648	SR-1106	9161255	SR-1427	082929	SR-1122
636726	SR-1050	9180809	SR-1339	082954	SR-1122
636734	SR-1049	9192178	SR-1049	082990	SR-1139
636737	SR-1050	9198527	SR-1181	0829A1	SR-1340
636740	SR-1049	9201540	SR-1180	083028	SR-1125
636748	SR-1049	9202478	SR-1049	083031	SR-1125
636749	SR-1049	9202550	SR-1067	083032	SR-1119
636929	SR-1063	93160244	SR-1002	083040	SR-1120
6854427	SR-1401	93160256	SR-1188	083048	SR-1353
90353176	SR-1049	93160746	SR-1358	083062	SR-1340
90409783	SR-1067	93160779	SR-1181	083063	SR-1125
90411025	SR-1056	93161273	SR-1359	120459	SR-1037
90411774	SR-1050	93183558	SR-1183	128134	SR-1212
90411782	SR-1051	93193594	SR-1013	1608024880	SR-1449
90412731	SR-1107	93198194	SR-1182	1609010680	SR-1449

Umschlüsselungsliste / Cross list

1611422980	SR-1324	5751F1	SR-1435	117503662R	SR-1006
1611423480	SR-1449	5751F2	SR-1448	117506567R	SR-1360
1611423780	SR-1435	5751F3	SR-1354	117507271R	SR-1358
4007E4	SR-1211	5751F5	SR-1540	117507568R	SR-1247
575118	SR-1131	5751G0	SR-1147	117509654R	SR-1006
575120	SR-1133	5751G3	SR-1324	119230802R	SR-1184
575129	SR-1129	5751G4	SR-1041	119233042R	SR-1217
575130	SR-1130	5751G5	SR-1042	1192531U0C	SR-1271
575134	SR-1134	5751G7	SR-1341	119271HC0A	SR-1351
575135	SR-1132	5751G8	SR-1386	11955JA00C	SR-1417
575136	SR-1290	5751G9	SR-1038	11955JD20A	SR-1014
575146	SR-1406	5751H7	SR-1042	11955JD21A	SR-1014
575150	SR-1323	6453S4	SR-1123	130700238R	SR-1004
575151	SR-1387	6453S5	SR-1123	4740847	SR-1119
575152	SR-1388	692191	SR-1125	5001001272	SR-1119
575155	SR-1424	9618888580	SR-1129	5010284907	SR-1563
575159	SR-1406	96216260	SR-1387	5010553544	SR-1563
575160	SR-1458	9636640580	SR-1458	6001547643	SR-1395
575161	SR-1457	9638380780	SR-1509	7430638277	SR-1301
575162	SR-1406	9638976580	SR-1325	7438630590	SR-1146
575163	SR-1406	9642658180	SR-1324	7438642251	SR-1301
575167	SR-1406	9642929880	SR-1139	7438670484	SR-1301
575172	SR-1406	9649675880	SR-1325	7439146376	SR-1146
575173	SR-1407	9652073680	SR-1341	7439440329	SR-1301
575174	SR-1408	9678210080	SR-1405	7700102395	SR-1303
575175	SR-1366	9678770180	SR-1435	7700102872	SR-1186
575186	SR-1434	PORSCHE	ZEKERT	7700102931	SR-1188
575189	SR-1509	022145276A	SR-1374	7700104092	SR-1188
575191	SR-1409	022145299E	SR-1375	7700105325	SR-1189
575192	SR-1517	06H109467AB	SR-1019	7700107150	SR-1005
575195	SR-1517	06H109467N	SR-1019	7700107249	SR-1213
575197	SR-1325	06H109467T	SR-1019	7700116049	SR-1115
575198	SR-1324	06K109467K	SR-1019	7700116050	SR-1117
5751A2	SR-1325	95510227600	SR-1374	7700274039	SR-1162
5751C0	SR-1386	95510229900	SR-1375	7700721690	SR-1116
5751C3	SR-1341	95510236100	SR-1375	7700726440	SR-1114
5751C9	SR-1324	95510236101	SR-1375	7700733489	SR-1117
5751E7	SR-1038	95810236120	SR-1371	7700735486	SR-1115
5751E9	SR-1405	95810236130	SR-1371	7700736085	SR-1118
5751F0	SR-1449	RENAULT	ZEKERT	7700851321	SR-1121

Umschlüsselungsliste / Cross list

7700863111	SR-1117	8200347761	SR-1004	8201058069	SR-1005
7700863112	SR-1115	8200354507	SR-1183	9628431480	SR-1366
7700867985	SR-1302	8200357341	SR-1184	9635638380	SR-1366
7700868201	SR-1329	8200357406	SR-1247	ROVER	ZEKERT
7700870495	SR-1394	8200360524	SR-1006	AHU2625	SR-1153
7700870795	SR-1329	8200403954	SR-1186	CDU1946	SR-1153
7700870937	SR-1302	8200420959	SR-1117	FDU2691	SR-1154
7700875328	SR-1395	8200420964	SR-1213	LHP100440	SR-1226
7701040204	SR-1120	8200434732	SR-1329	LHP100450	SR-1226
7701044676	SR-1427	8200460446	SR-1006	LHP100480	SR-1225
7701065089	SR-1014	8200469376	SR-1117	LHP100490	SR-1225
7711115090	SR-1359	8200492180	SR-1003	LHP100790	SR-1234
8200004341	SR-1182	8200548109	SR-1182	PQG100141	SR-1332
8200004593	SR-1180	8200582997	SR-1189	PQG100142	SR-1332
8200040155	SR-1329	8200603359	SR-1187	PQG100180A	SR-1270
8200048486	SR-1510	8200603359	SR-1186	PQG100190	SR-1392
8200051091	SR-1115	8200608550	SR-1006	PQR10027	SR-1153
8200051092	SR-1117	8200612619	SR-1006	PRF100060	SR-1399
8200064664	SR-1002	8200623883	SR-1004	SAAB	ZEKERT
8200065479	SR-1302	8200641468	SR-1162	12609719	SR-1381
8200069140	SR-1358	8200645498	SR-1183	24426500	SR-1106
8200071402	SR-1358	8200646984	SR-1184	24430296	SR-1361
8200071404	SR-1181	8200663046	SR-1163	4029930	SR-1150
8200072120	SR-1003	8200673090	SR-1003	4237020	SR-1067
8200104754	SR-1188	8200673091	SR-1358	4356127	SR-1221
8200136224	SR-1329	8200673092	SR-1360	4575478	SR-1339
8200169191	SR-1186	8200714513	SR-1182	4750220	SR-1067
8200170009	SR-1162	8200714514	SR-1183	4752960	SR-1151
8200171807	SR-1162	8200725951	SR-1184	4967907	SR-1384
8200190566	SR-1358	8200761529	SR-1182	4968590	SR-1384
8200190571	SR-1360	8200761531	SR-1183	5172309	SR-1385
8200191324	SR-1004	8200840823	SR-1358	5342456	SR-1339
8200192843	SR-1189	8200840824	SR-1360	55190812	SR-1105
8200200587	SR-1183	8200875156	SR-1329	55190813	SR-1069
8200206872	SR-1182	8200905328	SR-1003	55561330	SR-1126
8200211784	SR-1214	8200908180	SR-1215	7592017	SR-1151
8200277606	SR-1187	8200933753	SR-1216	90571758	SR-1396
8200277606	SR-1186	8200941079	SR-1247	9180809	SR-1339
8200285009	SR-1359	8200981266	SR-1181	SSANGYONG	ZEKERT
8200347161	SR-1182	8201008780	SR-1329	1112000070	SR-1040

Umschlüsselungsliste / Cross list

6012000970	SR-1028	1281081401	SR-1036	1350502030	SR-1199
6012001070	SR-1044	1281081401000	SR-1036	135050L010	SR-1061
6062000073	SR-1039	1281081402	SR-1036	1350515041	SR-1177
6612003070	SR-1028	1282373J00	SR-1353	1350515050	SR-1199
6642000010	SR-1206	1753077E00	SR-1456	1350515060	SR-1199
6652000070	SR-1347	1753078K00	SR-1562	1350520030	SR-1516
6652000170	SR-1347	1753078K00000	SR-1562	1350550030	SR-1315
6652000270	SR-1347	1753078K01	SR-1562	1350554010	SR-1195
SUBARU	ZEKKERT	1753078K01000	SR-1562	1350554020	SR-1110
13033AA001	SR-1243	1753079J50	SR-1105	1350554021	SR-1110
13033AA002	SR-1243	1754054L00	SR-1328	1350564011	SR-1178
13033AA040	SR-1243	1754077E00	SR-1455	1350564012	SR-1178
13033AA041	SR-1243	1754077E10	SR-1455	1350564020	SR-1178
13033AA042	SR-1243	1754079J50	SR-1069	1350564021	SR-1178
13033AA050	SR-1243	1754085E00	SR-1013	1350567040	SR-1061
13073AA081	SR-1238	4916067G00	SR-1424	1350567041	SR-1061
13073AA082	SR-1238	4916070AA0	SR-1055	1350567042	SR-1061
13073AA140	SR-1238	4916077E00	SR-1450	1350574010	SR-1191
13073AA142	SR-1238	4916077E01	SR-1450	1350574011	SR-1191
13073AA180	SR-1238	4916081A00	SR-1507	135400L010	SR-1062
13073AA190	SR-1245	4917084A80	SR-1188	1354017010	SR-1274
13073AA200	SR-1431	9513167J11	SR-1541	1354017011	SR-1274
13073AA220	SR-1470	TOYOTA	ZEKKERT	1354067010	SR-1062
13073AA230	SR-1470	1350311030	SR-1200	1354067020	SR-1062
13085AA010	SR-1239	1350311040	SR-1200	1357022010	SR-1463
13085AA070	SR-1239	1350350010	SR-1197	16601YV010	SR-1540
13085AA080	SR-1239	1350350011	SR-1197	16601YV010	SR-1434
13085AA100	SR-1239	1350354030	SR-1111	166030R010	SR-1149
13085AA101	SR-1239	1350362010	SR-1194	166030W010	SR-1198
73131AC000	SR-1235	1350362030	SR-1194	166030W030	SR-1198
73131AC000	SR-1244	1350363010	SR-1190	1660327010	SR-1505
73131AC010	SR-1235	1350363011	SR-1190	1660327011	SR-1505
73131FC000	SR-1235	1350363020	SR-1190	1660431010	SR-1058
73131FC000	SR-1244	1350363021	SR-1190	1660431020	SR-1058
SUZUKI	ZEKKERT	1350364020	SR-1179	1660450030	SR-1314
1281071C00	SR-1246	1350364021	SR-1179	166200D020	SR-1462
1281071C01	SR-1246	1350370040	SR-1190	166200D021	SR-1462
1281071C02	SR-1246	1350388360	SR-1190	166200H020	SR-1552
1281078E01	SR-1205	1350388361	SR-1190	166200H021	SR-1552
1281081400	SR-1036	1350388380	SR-1190	166200W016	SR-1471

Umschlüsselungsliste / Cross list

166200W093	SR-1462	026109243A	SR-1071	038903315AM	SR-1026
166200W110	SR-1494	026109243C	SR-1071	038903315AN	SR-1026
166200W130	SR-1328	026109243E	SR-1071	038903315AN	SR-1025
1662022010	SR-1462	026109243J	SR-1088	038903315C	SR-1327
1662022011	SR-1462	026109243L	SR-1071	038903315D	SR-1425
1662022012	SR-1462	028109243E	SR-1094	038903315F	SR-1267
1662022013	SR-1462	028109243F	SR-1094	038903315P	SR-1425
1662028010	SR-1494	028109244	SR-1096	038903315T	SR-1025
1662028011	SR-1494	028145278A	SR-1095	03C145299AC	SR-1032
1662028012	SR-1494	028145278E	SR-1095	03C145299C	SR-1019
1662028040	SR-1552	028145278J	SR-1265	03C145299J	SR-1031
1662028041	SR-1552	028903315M	SR-1265	03C145299M	SR-1033
1662028070	SR-1494	030145299C	SR-1112	03C145299P	SR-1032
1662028071	SR-1494	030145299F	SR-1112	03C145299Q	SR-1019
1662028090	SR-1494	032145276	SR-1370	03D145276A	SR-1048
1662028090PULLEY	SR-1495	032145299A	SR-1369	03D145276D	SR-1048
1662030031	SR-1441	032145299C	SR-1113	03D145276E	SR-1048
1662030031	SR-1442	036109243AB	SR-1349	03E903133A	SR-1515
1662031010	SR-1060	036109243AD	SR-1349	03F145276	SR-1138
1662031011	SR-1060	036109243AF	SR-1349	03G109244	SR-1330
1662031012	SR-1060	036109243E	SR-1349	03G109244B	SR-1330
1662031031	SR-1059	036109243L	SR-1349	03G145276	SR-1446
1662031040	SR-1152	036109243R	SR-1349	03G903315A	SR-1331
4435012051	SR-1276	036109244C	SR-1350	03G903315C	SR-1224
4435012052	SR-1276	036109244D	SR-1350	03G903315D	SR-1224
884400D010	SR-1438	036109244J	SR-1350	03L109244C	SR-1266
8844017010	SR-1176	036145299	SR-1569	03L109244D	SR-1022
8844020160	SR-1176	037145276	SR-1101	03L109244G	SR-1024
8844026070	SR-1195	037145276A	SR-1101	044145278A	SR-1103
8844052020	SR-1438	038109244J	SR-1023	045109244A	SR-1266
8844060070	SR-1410	038109244N	SR-1023	046903133A	SR-1092
SU00100542	SR-1353	038145276	SR-1308	047145276B	SR-1009
UAZ	ZEKERT	038145278	SR-1425	047903306C	SR-1482
406130808020	SR-1430	038145299A	SR-1425	048109243A	SR-1084
VAG	ZEKERT	038903315AD	SR-1025	058109243B	SR-1260
00A903341	SR-1040	038903315AE	SR-1267	058109243C	SR-1258
021145299C	SR-1102	038903315AG	SR-1025	058109243D	SR-1260
022145276A	SR-1374	038903315AH	SR-1025	058109243E	SR-1258
022145299E	SR-1375	038903315AH	SR-1026	058109244	SR-1022
026109243	SR-1071	038903315AM	SR-1025	058109479A	SR-1258

Umschlüsselungsliste / Cross list

058109479B	SR-1258	06E903133B	SR-1371	078903341J	SR-1090
058260511	SR-1257	06E903133E	SR-1371	079903341F	SR-1537
058903133C	SR-1256	06E903133L	SR-1371	1J0145276	SR-1018
058903133D	SR-1256	06E903133N	SR-1371	1J0145276B	SR-1018
059109243D	SR-1362	06E903133Q	SR-1371	1J0145299	SR-1019
059109243J	SR-1362	06E903133R	SR-1371	4740847	SR-1119
059145201F	SR-1380	06E903133T	SR-1371	6K0145299	SR-1113
059145201H	SR-1380	06H109467AB	SR-1019	6Q0145299	SR-1373
059145276	SR-1364	06H109467N	SR-1019	6Q0145299A	SR-1373
059260523	SR-1365	06H109467T	SR-1019	6QD145276	SR-1018
059260523A	SR-1365	06H903133F	SR-1460	A00903341	SR-1040
059260523B	SR-1365	06H903133G	SR-1460	J1350354030	SR-1111
059903341	SR-1363	06H903341C	SR-1461	J1350554021	SR-1110
059903341A	SR-1140	06H903341D	SR-1461	VAUXHALL	ZEKERT
059903341E	SR-1140	06J903133A	SR-1021	11092971	SR-1049
059903341G	SR-1141	06K109467K	SR-1019	1204187	SR-1069
059903341H	SR-1141	074109243E	SR-1313	1204294	SR-1070
059903341J	SR-1140	074109243F	SR-1093	1204641	SR-1483
062145278	SR-1027	074109243G	SR-1093	1204853	SR-1483
062145278	SR-1028	074109243J	SR-1093	1206990	SR-1109
068109243F	SR-1073	074109243M	SR-1313	12605492	SR-1352
068115021A	SR-1073	074109243R	SR-1093	12626644	SR-1072
068115021B	SR-1073	074130195B	SR-1306	1340258	SR-1126
068115021D	SR-1073	074130245	SR-1307	1340267	SR-1001
069109243B	SR-1087	074145278B	SR-1101	1340268	SR-1065
06A109479	SR-1248	074145278C	SR-1104	1340269	SR-1017
06A109479A	SR-1248	074145278E	SR-1101	1340530	SR-1339
06A109479C	SR-1248	074145278F	SR-1103	1340533	SR-1056
06A109479F	SR-1248	076145261A	SR-1544	1340536	SR-1067
06A903315E	SR-1249	076145276	SR-1543	1340541	SR-1066
06B109243	SR-1326	076260938	SR-1542	1340545	SR-1339
06B109243B	SR-1261	078109243Q	SR-1309	1340547	SR-1067
06B109243E	SR-1261	078109243R	SR-1309	1340550	SR-1001
06B109244	SR-1264	078109243S	SR-1309	1340551	SR-1001
06B109477	SR-1263	078109244	SR-1089	1340555	SR-1396
06B109477A	SR-1262	078109244C	SR-1089	1340827	SR-1155
06B903133	SR-1501	078109244F	SR-1089	1854297	SR-1352
06B903133E	SR-1501	078109244H	SR-1310	1854421	SR-1401
06B903341B	SR-1502	078109479E	SR-1318	1854436	SR-1007
06E903133A	SR-1371	078903133AB	SR-1091	2000012	SR-1049

Umschlüsselungsliste / Cross list

24412292	SR-1066	55350580	SR-1108	6340551	SR-1155
24426500	SR-1106	55350960	SR-1155	6340552	SR-1065
24430296	SR-1361	55352021	SR-1001	6340553	SR-1001
24436052	SR-1064	55352713	SR-1397	6340554	SR-1013
24447794	SR-1063	55555653	SR-1063	6340556	SR-1105
24447883	SR-1106	55556090	SR-1065	6340557	SR-1069
25189926	SR-1065	55560082	SR-1063	6340558	SR-1065
25191534	SR-1065	55561330	SR-1126	636160	SR-1063
4400204	SR-1119	55562217	SR-1063	636319	SR-1065
4401567	SR-1360	55562218	SR-1063	636415	SR-1051
4401609	SR-1114	55562864	SR-1017	636485	SR-1065
4403144	SR-1120	55563512	SR-1065	636648	SR-1106
4403270	SR-1115	55565236	SR-1001	636726	SR-1050
4410548	SR-1002	55570289	SR-1063	636734	SR-1049
4410595	SR-1188	55570290	SR-1063	636737	SR-1050
4411707	SR-1358	55574864	SR-1063	636740	SR-1049
4413791	SR-1359	5636130	SR-1063	636748	SR-1049
4414654	SR-1181	5636131	SR-1063	636749	SR-1049
4415859	SR-1183	5636415	SR-1107	636929	SR-1063
4421906	SR-1119	5636419	SR-1107	6854427	SR-1401
4433874	SR-1182	5636425	SR-1051	90353176	SR-1049
4433884	SR-1183	5636427	SR-1107	90409783	SR-1067
4449454	SR-1359	5636451	SR-1063	90411025	SR-1056
4449513	SR-1181	5636454	SR-1397	90411774	SR-1050
4449515	SR-1183	5636455	SR-1108	90411782	SR-1051
4449516	SR-1182	5636469	SR-1063	90412731	SR-1107
4451679	SR-1360	5636486	SR-1063	90412884	SR-1109
4452226	SR-1184	5636721	SR-1049	90499401	SR-1049
4500955	SR-1427	5636722	SR-1049	90500229	SR-1066
4506092	SR-1180	5636725	SR-1063	90502421	SR-1339
4506194	SR-1181	5636732	SR-1106	90528760	SR-1067
4708770	SR-1013	5636733	SR-1106	90529913	SR-1155
4803350	SR-1066	5636738	SR-1050	90530125	SR-1050
4805183	SR-1383	5636740	SR-1106	90531965	SR-1001
4805513	SR-1382	5636978	SR-1064	90531986	SR-1001
4817877	SR-1072	614533	SR-1361	90541734	SR-1007
55185074	SR-1013	6204661	SR-1483	90570525	SR-1049
55190812	SR-1105	6204663	SR-1402	90570913	SR-1107
55190813	SR-1069	6340532	SR-1066	90571758	SR-1396
55350422	SR-1065	6340538	SR-1067	9108204	SR-1119

Umschlüsselungsliste / Cross list

9109567	SR-1360	97222553	SR-1483	30855993	SR-1114
9109609	SR-1114	97364344	SR-1483	30874227	SR-1165
9111144	SR-1120	98005564	SR-1402	30883834	SR-1188
9111270	SR-1115	98012238	SR-1401	31216066	SR-1344
9117695	SR-1049	VOLVO	ZEKERT	31216269	SR-1360
9128516	SR-1106	1257118	SR-1087	31216514	SR-1540
9128656	SR-1106	1257120	SR-1087	31251096	SR-1358
9128738	SR-1051	272136	SR-1364	31251129	SR-1434
9128740	SR-1107	30621261	SR-1115	31251250	SR-1316
9158004	SR-1050	30621270	SR-1302	31251252	SR-1415
9161255	SR-1427	30621284	SR-1358	31251429	SR-1546
9180809	SR-1339	30637070	SR-1415	31251654	SR-1320
9192178	SR-1049	30637071	SR-1416	31258145	SR-1546
9198527	SR-1181	30637141	SR-1316	31258153	SR-1546
9201540	SR-1180	30637961	SR-1415	31272239	SR-1016
9202478	SR-1049	30637962	SR-1416	31316674	SR-1342
9202550	SR-1067	30638277	SR-1301	31321203	SR-1358
93160244	SR-1002	30638574	SR-1358	31336248	SR-1358
93160256	SR-1188	30638633	SR-1358	31401193	SR-1344
93160746	SR-1358	30650957	SR-1345	31401286	SR-1343
93160779	SR-1181	30652243	SR-1181	3343740	SR-1115
93161273	SR-1359	30677832	SR-1319	3343741	SR-1114
93183558	SR-1183	30684210	SR-1301	463633	SR-1145
93193594	SR-1013	30684344	SR-1426	6G9N11948AD	SR-1344
93198194	SR-1182	30711069	SR-1353	6G9N7739AD	SR-1343
93198198	SR-1183	30711320	SR-1346	6G9N7739AE	SR-1343
93198632	SR-1359	30729939	SR-1416	8630590	SR-1146
93198649	SR-1181	30731765	SR-1434	8642251	SR-1301
93198650	SR-1183	30731938	SR-1283	8670484	SR-1301
93198651	SR-1182	30735750	SR-1015	8677053	SR-1313
93198732	SR-1360	30750739	SR-1213	8687851	SR-1301
93198828	SR-1184	30750905	SR-1015	8692630	SR-1301
95508239	SR-1119	30757056	SR-1415	9146376	SR-1146
95511411	SR-1069	30757057	SR-1316	9180594	SR-1307
95511413	SR-1070	30777354	SR-1282	9207927	SR-1306
96435138	SR-1066	30777695	SR-1343	94403292	SR-1301
96440417	SR-1383	30777726	SR-1546	9458470	SR-1317
96440419	SR-1382	30813134	SR-1302	9497331	SR-1316
97184929	SR-1483	30852898	SR-1303		
97184930	SR-1401	30855992	SR-1115		

Umschlüsselungsliste / Cross list

SKF	ZEKERT				
VKM11000	SR-1071	VKM16040	SR-1319	VKM28400	SR-1288
VKM11001	SR-1084	VKM16101	SR-1114	VKM28601	SR-1496
VKM11003	SR-1088	VKM16300	SR-1145	VKM31002	SR-1308
VKM11008	SR-1258	VKM16604	SR-1301	VKM31004	SR-1095
VKM11009	SR-1258	VKM18400	SR-1486	VKM31006	SR-1501
VKM11010	SR-1073	VKM21004	SR-1022	VKM31007	SR-1101
VKM11014	SR-1094	VKM21012	SR-1096	VKM31008	SR-1446
VKM11018	SR-1261	VKM21031	SR-1087	VKM31010	SR-1090
VKM11072	SR-1093	VKM21052	SR-1089	VKM31011	SR-1249
VKM11073	SR-1306	VKM21115	SR-1263	VKM31012	SR-1327
VKM11113	SR-1248	VKM21120	SR-1350	VKM31013	SR-1425
VKM11115	SR-1326	VKM21142	SR-1266	VKM31015	SR-1112
VKM11117	SR-1262	VKM21147	SR-1023	VKM31016	SR-1369
VKM11120	SR-1349	VKM21148	SR-1024	VKM31017	SR-1537
VKM11150	SR-1362	VKM21202	SR-1310	VKM31019	SR-1267
VKM11202	SR-1309	VKM21220	SR-1264	VKM31022	SR-1331
VKM11209	SR-1318	VKM21256	SR-1330	VKM31023	SR-1113
VKM11257	SR-1313	VKM22242	SR-1292	VKM31033	SR-1256
VKM11258	SR-1307	VKM22380	SR-1119	VKM31034	SR-1265
VKM12200	SR-1127	VKM22385	SR-1120	VKM31038	SR-1363
VKM12206	SR-1046	VKM23120	SR-1128	VKM31039	SR-1364
VKM12242	SR-1291	VKM23140	SR-1353	VKM31040	SR-1365
VKM13100	SR-1122	VKM23246	SR-1125	VKM31041	SR-1140
VKM13253	SR-1139	VKM23256	SR-1340	VKM31042	SR-1373
VKM14103	SR-1054	VKM24210	SR-1076	VKM31043	SR-1103
VKM14108	SR-1419	VKM24211	SR-1077	VKM31044	SR-1018
VKM14201	SR-1034	VKM24213	SR-1337	VKM31047	SR-1019
VKM14210	SR-1075	VKM25150	SR-1107	VKM31050	SR-1092
VKM14211	SR-1336	VKM25156	SR-1397	VKM31054	SR-1224
VKM14224	SR-1015	VKM25158	SR-1108	VKM31058	SR-1025
VKM14301	SR-1068	VKM25212	SR-1051	VKM31058	SR-1026
VKM15121	SR-1049	VKM25260	SR-1064	VKM31059	SR-1257
VKM15202	SR-1050	VKM26020	SR-1005	VKM31060	SR-1102
VKM15216	SR-1106	VKM26101	SR-1115	VKM31061	SR-1091
VKM15260	SR-1063	VKM26102	SR-1117	VKM31099	SR-1031
VKM16000	SR-1118	VKM26105	SR-1002	VKM31116	SR-1032
VKM16003	SR-1214	VKM26125	SR-1213	VKM31125	SR-1033
VKM16009	SR-1215	VKM26211	SR-1116	VKM31153	SR-1138
VKM16023	SR-1004	VKM26503	SR-1180	VKM31207	SR-1370
		VKM26602	SR-1146	VKM31220	SR-1515

Umschlüsselungsliste / Cross list

VKM31221	SR-1048	VKM33036	SR-1405	VKM34500	SR-1150
VKM31250	SR-1104	VKM33037	SR-1388	VKM34501	SR-1221
VKM31300	SR-1380	VKM33042	SR-1409	VKM34502	SR-1151
VKM31303	SR-1141	VKM33043	SR-1434	VKM34700	SR-1448
VKM31310	SR-1460	VKM33061	SR-1509	VKM34701	SR-1449
VKM31315	SR-1461	VKM33074	SR-1341	VKM34702	SR-1547
VKM32001	SR-1272	VKM33075	SR-1366	VKM34704	SR-1548
VKM32006	SR-1304	VKM33100	SR-1324	VKM35007	SR-1339
VKM32007	SR-1274	VKM33101	SR-1325	VKM35008	SR-1056
VKM32009	SR-1143	VKM33130	SR-1386	VKM35009	SR-1066
VKM32022	SR-1273	VKM33161	SR-1354	VKM35011	SR-1109
VKM32023	SR-1047	VKM33314	SR-1517	VKM35012	SR-1396
VKM32026	SR-1294	VKM33406	SR-1147	VKM35013	SR-1001
VKM32027	SR-1305	VKM34010	SR-1338	VKM35015	SR-1483
VKM32031	SR-1469	VKM34012	SR-1268	VKM35016	SR-1155
VKM32046	SR-1069	VKM34014	SR-1426	VKM35017	SR-1352
VKM32049	SR-1105	VKM34019	SR-1411	VKM35023	SR-1013
VKM32080	SR-1097	VKM34023	SR-1384	VKM35025	SR-1401
VKM32184	SR-1506	VKM34025	SR-1447	VKM35041	SR-1072
VKM32200	SR-1070	VKM34027	SR-1361	VKM35260	SR-1065
VKM32243	SR-1293	VKM34030	SR-1435	VKM35311	SR-1402
VKM32301	SR-1432	VKM34031	SR-1436	VKM35330	SR-1017
VKM33003	SR-1131	VKM34032	SR-1437	VKM35500	SR-1067
VKM33012	SR-1123	VKM34034	SR-1078	VKM35603	SR-1126
VKM33013	SR-1129	VKM34042	SR-1085	VKM36006	SR-1121
VKM33015	SR-1211	VKM34048	SR-1086	VKM36016	SR-1302
VKM33016	SR-1212	VKM34050	SR-1282	VKM36017	SR-1427
VKM33017	SR-1406	VKM34051	SR-1500	VKM36020	SR-1186
VKM33018	SR-1323	VKM34052	SR-1283	VKM36020	SR-1187
VKM33019	SR-1457	VKM34071	SR-1489	VKM36023	SR-1329
VKM33020	SR-1458	VKM34072	SR-1490	VKM36030	SR-1358
VKM33023	SR-1387	VKM34102	SR-1521	VKM36031	SR-1188
VKM33026	SR-1290	VKM34106	SR-1413	VKM36032	SR-1303
VKM33028	SR-1132	VKM34107	SR-1420	VKM36038	SR-1359
VKM33029	SR-1130	VKM34108	SR-1421	VKM36040	SR-1181
VKM33031	SR-1407	VKM34110	SR-1536	VKM36041	SR-1182
VKM33032	SR-1408	VKM34111	SR-1493	VKM36050	SR-1510
VKM33033	SR-1424	VKM34120	SR-1148	VKM36053	SR-1162
VKM33034	SR-1133	VKM34200	SR-1545	VKM36055	SR-1006
VKM33035	SR-1134	VKM34231	SR-1016	VKM36069	SR-1360

Umschlüsselungsliste / Cross list

VKM36071	SR-1183	VKM38123	SR-1376	VKM61085	SR-1495
VKM36072	SR-1003	VKM38125	SR-1156	VKM61086	SR-1441
VKM36079	SR-1163	VKM38130	SR-1377	VKM61086	SR-1442
VKM36082	SR-1394	VKM38202	SR-1011	VKM62001	SR-1451
VKM36086	SR-1247	VKM38221	SR-1010	VKM62002	SR-1503
VKM36087	SR-1184	VKM38226	SR-1390	VKM62010	SR-1057
VKM36091	SR-1189	VKM38230	SR-1007	VKM62012	SR-1523
VKM36201	SR-1216	VKM38231	SR-1281	VKM62013	SR-1524
VKM36220	SR-1415	VKM38236	SR-1444	VKM62016	SR-1497
VKM36221	SR-1217	VKM38237	SR-1445	VKM62022	SR-1351
VKM36230	SR-1416	VKM38240	SR-1399	VKM62025	SR-1014
VKM36236	SR-1345	VKM38241	SR-1440	VKM62027	SR-1098
VKM36238	SR-1346	VKM38250	SR-1192	VKM62028	SR-1099
VKM36240	SR-1316	VKM38251	SR-1193	VKM62031	SR-1525
VKM36241	SR-1546	VKM38267	SR-1423	VKM62046	SR-1052
VKM36242	SR-1343	VKM38302	SR-1400	VKM62048	SR-1053
VKM36243	SR-1344	VKM38335	SR-1079	VKM62052	SR-1100
VKM36245	SR-1342	VKM38336	SR-1080	VKM62054	SR-1559
VKM36250	SR-1317	VKM38339	SR-1081	VKM63001	SR-1236
VKM37010	SR-1270	VKM38350	SR-1511	VKM63002	SR-1514
VKM37011	SR-1392	VKM38351	SR-1512	VKM63003	SR-1295
VKM37032	SR-1393	VKM38602	SR-1487	VKM63004	SR-1311
VKM38001	SR-1027	VKM60001	SR-1355	VKM63006	SR-1513
VKM38003	SR-1008	VKM60003	SR-1382	VKM63014	SR-1484
VKM38004	SR-1009	VKM60004	SR-1383	VKM64002	SR-1218
VKM38012	SR-1030	VKM60009	SR-1549	VKM64003	SR-1219
VKM38020	SR-1389	VKM60011	SR-1398	VKM64010	SR-1144
VKM38023	SR-1508	VKM60012	SR-1557	VKM64011	SR-1240
VKM38026	SR-1237	VKM60014	SR-1356	VKM64012	SR-1241
VKM38050	SR-1222	VKM61000	SR-1176	VKM64013	SR-1476
VKM38051	SR-1223	VKM61013	SR-1494	VKM64014	SR-1477
VKM38066	SR-1287	VKM61014	SR-1462	VKM64019	SR-1142
VKM38070	SR-1159	VKM61015	SR-1463	VKM64025	SR-1531
VKM38071	SR-1160	VKM61017	SR-1149	VKM64026	SR-1532
VKM38072	SR-1519	VKM61018	SR-1505	VKM64035	SR-1520
VKM38073	SR-1422	VKM61023	SR-1152	VKM64040	SR-1472
VKM38075	SR-1534	VKM61025	SR-1058	VKM64052	SR-1556
VKM38076	SR-1535	VKM61027	SR-1314	VKM64056	SR-1357
VKM38077	SR-1428	VKM61037	SR-1438	VKM64060	SR-1220
VKM38079	SR-1429	VKM61052	SR-1552	VKM65009	SR-1527

Umschlüsselungsliste / Cross list

VKM65010	SR-1528	VKM73201	SR-1228	VKM76001	SR-1246
VKM65011	SR-1250	VKM73600	SR-1226	VKM76102	SR-1036
VKM65014	SR-1452	VKM74001	SR-1201	VKM78005	SR-1243
VKM65015	SR-1453	VKM74002	SR-1209	VKM80000	SR-1254
VKM65019	SR-1277	VKM74004	SR-1205	VKM81000	SR-1194
VKM65027	SR-1278	VKM74200	SR-1185	VKM81002	SR-1111
VKM65034	SR-1418	VKM74201	SR-1207	VKM81004	SR-1190
VKM65038	SR-1135	VKM74502	SR-1367	VKM81005	SR-1197
VKM65039	SR-1136	VKM74503	SR-1473	VKM81100	SR-1179
VKM65044	SR-1553	VKM74504	SR-1474	VKM81400	SR-1200
VKM65046	SR-1554	VKM74506	SR-1475	VKM82302	SR-1229
VKM65050	SR-1464	VKM74600	SR-1202	VKM82320	SR-1233
VKM65051	SR-1465	VKM74609	SR-1478	VKM84000	SR-1210
VKM65054	SR-1041	VKM75000	SR-1173	VKM84201	SR-1208
VKM65055	SR-1042	VKM75002	SR-1167	VKM84503	SR-1479
VKM65062	SR-1368	VKM75004	SR-1170	VKM84504	SR-1480
VKM65072	SR-1498	VKM75006	SR-1251	VKM84506	SR-1481
VKM65073	SR-1499	VKM75044	SR-1166	VKM84601	SR-1203
VKM66000	SR-1450	VKM75064	SR-1172	VKM85000	SR-1165
VKM66005	SR-1455	VKM75100	SR-1158	VKM85002	SR-1174
VKM66006	SR-1456	VKM75113	SR-1161	VKM85145	SR-1252
VKM66008	SR-1055	VKM75144	SR-1164	VKM85146	SR-1280
VKM66009	SR-1507	VKM75601	SR-1168	VKM85148	SR-1404
VKM68001	SR-1244	VKM75612	SR-1169	VKM85152	SR-1530
VKM70000	SR-1253	VKM75613	SR-1175	VKM85153	SR-1297
VKM71001	SR-1195	VKM75615	SR-1321	VKM85156	SR-1468
VKM71002	SR-1110	VKM75616	SR-1299	VKM88000	SR-1238
VKM71003	SR-1191	VKM75621	SR-1391	VKM88001	SR-1239
VKM71007	SR-1199	VKM75625	SR-1322	VKM88004	SR-1245
VKM71014	SR-1061	VKM75628	SR-1279	VKM88007	SR-1431
VKM71100	SR-1178	VKM75629	SR-1296	VKM88008	SR-1470
VKM71202	SR-1177	VKM75630	SR-1403	VKMCV52004	SR-1563
VKM71304	SR-1516	VKM75633	SR-1378	VKMCV52012	SR-1433
VKM71806	SR-1315	VKM75636	SR-1491	VKMCV52013	SR-1124
VKM71809	SR-1062	VKM75642	SR-1454		
VKM72310	SR-1230	VKM75643	SR-1379		
VKM72320	SR-1232	VKM75675	SR-1529		
VKM73000	SR-1154	VKM75676	SR-1466		
VKM73005	SR-1234	VKM75678	SR-1467		
VKM73011	SR-1225	VKM75684	SR-1442		